



SAMBA SERVER INSTALLATION


- Step 1 – check change activity and check for approval
- Step 2 – take snapshot and raise a ticket to netbackup team for full OS backup




- Give proper date and time stamp with proper name to snapshot to avoid confusion




- Hostnamectl set-hostname samba.srv.radical.com



- set to nat automatic




check ip proper set



- make ip and hostname relation in `/etc/hosts` i.e local dns

- step 4 – mount cdrom and check the packages required for samba server installation
command – `yum search samba`



```
[root@samba ~]# mount /dev/cdrom /mnt
mount: /mnt: WARNING: source write-protected, mounted read-only.
[root@samba ~]# yum search samba
Updating Subscription Management repositories.
Unable to read consumer identity

This system is not registered with an entitlement server. You can use "rhc" or "subscription-manager" to register.


Last metadata expiration check: 1:12:54 ago on Mon 18 May 2026 07:48:18 PM IST.
===== Name Exactly Matched: samba =====
samba.x86_64 : Server and Client software to interoperate with Windows machines
===== Name & Summary Matched: samba =====
ipa-client-samba.x86_64 : Tools to configure Samba on IPA client
pcp-pmda-samba.x86_64 : Performance Co-Pilot (PCP) metrics for Samba
python3-samba.i686 : Samba Python3 libraries
python3-samba.x86_64 : Samba Python3 libraries
python3-samba-dc.x86_64 : Samba Python libraries for Samba AD
samba-client.x86_64 : Samba client programs
samba-client-libs.x86_64 : Samba client libraries
samba-client-libs.i686 : Samba client libraries
samba-common.noarch : Files used by both Samba servers and clients
samba-common-libs.x86_64 : Libraries used by both Samba servers and clients
samba-common-libs.i686 : Libraries used by both Samba servers and clients
samba-common-tools.x86_64 : Tools for Samba clients
samba-dc-libs.i686 : Samba AD Domain Controller Libraries
```

Packages required for samba server installation are

- 1) `samba.x86_64`
- 2) `samba-client.x86_64`

- check information of the required packages

`yum info samba.x86_64`




```
[root@samba ~]# yum info samba.x86_64
Updating Subscription Management repositories.
Unable to read consumer identity

This system is not registered with an entitlement server. You can use "rhc" or "subscription-manager" to register.

Last metadata expiration check: 1:14:10 ago on Mon 18 May 2026 07:48:18 PM IST.
Available Packages
Name      : samba
Version   : 4.21.3
Release   : 3.el9
Architecture: x86_64
Size      : 984 k
Source    : samba-4.21.3-3.el9.src.rpm
Repository : BaseOS
Summary   : Server and Client software to interoperate with Windows machines
URL       : https://www.samba.org
License   : GPL-3.0-or-later AND LGPL-3.0-or-later
Description: Samba is the standard Windows interoperability suite of programs for Linux and
           : Unix.

[root@samba ~]#
[root@samba ~]#
[root@samba ~]#
[root@samba ~]#
[root@samba ~]#
[root@samba ~]#
```

yum info samba-client.x86_64



```
[root@samba ~]#
[root@samba ~]#
[root@samba ~]#
[root@samba ~]# yum info samba-client.x86_64
Updating Subscription Management repositories.
Unable to read consumer identity


This system is not registered with an entitlement server. You can use "rhc" or "subscription-manager" to register.

Last metadata expiration check: 1:14:40 ago on Mon 18 May 2026 07:48:18 PM IST.
Available Packages
Name       : samba-client
Version    : 4.21.3
Release    : 3.el9
Architecture: x86_64
Size       : 753 k
Source     : samba-4.21.3-3.el9.src.rpm
Repository : AppStream
Summary    : Samba client programs
URL        : https://www.samba.org
License    : GPL-3.0-or-later AND LGPL-3.0-or-later
Description: The samba-client package provides some SMB/CIFS clients to complement
            : the built-in SMB/CIFS filesystem in Linux. These clients allow access
            : of SMB/CIFS shares and printing to SMB/CIFS printers.

[root@samba ~]#
[root@samba ~]#
```

- Step 5 – install both the packages

Command - `yum install samba.x86_64 samba-client.x86_64 -y`



```
[root@samba ~]#
[the built-in SMB/CIFS filesystem in Linux. These clients allow access
: of SMB/CIFS shares and printing to SMB/CIFS printers.]

[root@samba ~]#
[root@samba ~]# yum install samba.x86_64 samba-client.x86_64 -y
Updating Subscription Management repositories.
Unable to read consumer identity

This system is not registered with an entitlement server. You can use "rhc" or "subscription-manager" to register.

Last metadata expiration check: 1:15:25 ago on Mon 18 May 2026 07:48:18 PM IST.
Dependencies resolved.
=====
Package                        Architecture    Version         Repository      Size
=====
Installing:
samba                          x86_64         4.21.3-3.el9    BaseOS          984 k
samba-client                   x86_64         4.21.3-3.el9    AppStream       753 k
Installing dependencies:
libnetapi                      x86_64         4.21.3-3.el9    BaseOS          144 k
samba-common-tools             x86_64         4.21.3-3.el9    BaseOS          489 k
samba-dcerpc                   x86_64         4.21.3-3.el9    BaseOS          724 k
samba-ldb-ldap-modules         x86_64         4.21.3-3.el9    BaseOS          37 k
samba-libs                     x86_64         4.21.3-3.el9    BaseOS          130 k
Transaction Summary
=====
Install       7 Packages
Total size    2.1 MB
Total download size 1.9 MB
Installed size 2.1 MB
=====
```

- Step 6 - After installing packages make a directory


`mkdir /sambashare`

- Change permissions for the created directory

`Chmod 1777 /sambashare`

- Step 7 -now create some file in /sambashare


`touch file{1..5} /sambashare`



```
RHEL9_DHCP_SRV - VMware Workstation
File Edit View VM Tabs Help
RHEL9_DHCP_SRV x
Activities Terminal May 18 21:08
root@ftp:/sambashare

[root@samba ~]# cd /sambashare/
[root@samba sambashare]# ll
total 0
[root@samba sambashare]# touch file{1..5}
[root@samba sambashare]# ll
total 0
-rw-r--r--. 1 root root 0 May 18 21:08 file1
-rw-r--r--. 1 root root 0 May 18 21:08 file2
-rw-r--r--. 1 root root 0 May 18 21:08 file3
-rw-r--r--. 1 root root 0 May 18 21:08 file4
-rw-r--r--. 1 root root 0 May 18 21:08 file5
[root@samba sambashare]#
```

- Step 8 – now time to make changes in configuration file before that take backup of original config file into tmp




```
RHEL9_DHCP_SRV
Activities Terminal May 18 21:09
root@ftp:/sambashare

[root@samba sambashare]# cp /etc/samba/smb.conf /tmp/samba.conf.bkp1
[root@samba sambashare]#
```

- Now open the config with `vi /etc/samba/smb.conf` and make demarcation and add some lines as follow :

```
[sambashare]
path = /sambashare
browseable = yes
writable = yes
guest ok = yes
read only = no
create mask = 0777
directory mask = 0777
```

(there are many option we can change here but this one are the basic setting for testing)



```
Rhel9_DHCP_SRV - VMware Workstation
File Edit View VM Tabs Help
Rhel9_DHCP_SRV
Activities Terminal May 18 21:10
root@ftp:/sambashare — /usr/bin/vim /etc/samba/smb.conf

[print$]
comment = Printer Drivers
path = /var/lib/samba/drivers
write list = @printadmin root
force group = @printadmin
create mask = 0664
directory mask = 0775

#####setting done by HARSHVARDHAN for temporary testing


[sambashare]
path = /sambashare
browseable = yes
writable = yes
guest ok = yes
read only = no
create mask = 0777
directory mask = 0777

-- INSERT -- 49,15 Bot
To direct input to this VM, click inside or press Ctrl+G.
```

- Step 9 – check syntax if error in config file
Command to check syntax of samba config –

testparm

Loaded services file OK – means syntax is correct



```
Rhel9_DHCP_SRV - VMware Workstation
File Edit View VM Tabs Help
Rhel9_DHCP_SRV
Activities Terminal May 18 21:12
root@ftp:~ — testparm


[root@samba ~]# testparm
Load smb config files from /etc/samba/smb.conf
Loaded services file OK.
Weak crypto is allowed by GnuTLS (e.g. NTLM as a compatibility fallback)

WARNING: 'workgroup' and 'netbios name' must differ.

Server role: ROLE_STANDALONE

Press enter to see a dump of your service definitions
```


- Step 9- now start the service by systemctl and check status



```
[root@samba ~]# systemctl start smb
[root@samba ~]# systemctl status smb
● smb.service - Samba SMB Daemon
   Loaded: loaded (/usr/lib/systemd/system/smb.service; disabled; preset: disabled)
   Active: active (running) since Mon 2026-05-18 21:15:47 IST; 7s ago
     Docs: man:smbd(8)
           man:samba(7)
           man:smb.conf(5)
   Main PID: 16994 (smbd)
   Status: "smbd: ready to serve connections..."
   Tasks: 3 (limit: 10727)
  Memory: 12.2M
    CPU: 148ms
   CGroup: /system.slice/smb.service
           └─16994 /usr/sbin/smbd --foreground --no-process-group
             └─16996 /usr/sbin/smbd --foreground --no-process-group
               └─16997 /usr/sbin/smbd --foreground --no-process-group

May 18 21:15:47 samba.srv.radical.com systemd[1]: Starting Samba SMB Daemon...
May 18 21:15:47 samba.srv.radical.com smbd[16994]: [2026/05/18 21:15:47.765704, 0] ../../source3/smbd/server.c:1965(main)
May 18 21:15:47 samba.srv.radical.com smbd[16994]: smbd version 4.21.3 started.
May 18 21:15:47 samba.srv.radical.com smbd[16994]: Copyright Andrew Tridgell and the Samba Team 1992-2024
May 18 21:15:47 samba.srv.radical.com systemd[1]: Started Samba SMB Daemon.
[root@samba ~]#
```

- Check for logs if any error while starting



```
[root@samba ~]# tail /var/log/messages
May 18 21:15:15 ftp NetworkManager[923]: <info> [1779119115.5458] device (ens160): Activation: successful, device activated.
May 18 21:15:15 ftp NetworkManager[923]: <info> [1779119115.5511] manager: NetworkManager state is now CONNECTED_GLOBAL
May 18 21:15:25 ftp systemd[1]: NetworkManager-dispatcher.service: Deactivated successfully.
May 18 21:15:47 ftp systemd[1]: Starting Samba SMB Daemon...
May 18 21:15:47 ftp smbd[16994]: [2026/05/18 21:15:47.765704, 0] ../../source3/smbd/server.c:1965(main)
May 18 21:15:47 ftp smbd[16994]: smbd version 4.21.3 started.
May 18 21:15:47 ftp smbd[16994]: Copyright Andrew Tridgell and the Samba Team 1992-2024
May 18 21:15:47 ftp systemd[1]: Started Samba SMB Daemon.
May 18 21:16:12 ftp systemd[1928]: Started VTE child process 17010 launched by gnome-terminal-server process 15507.
[root@samba ~]#
```

- Make the service persistant
Systemctl enable --now smb.service


```
Rhel9_DHCP_SRV - VMware Workstation
File Edit View VM Tabs Help
Rhel9_DHCP_SRV
Activities Terminal May 18 21:17
root@ftp:~
[root@samba ~]# systemctl enable --now smb.service
Created symlink /etc/systemd/system/multi-user.target.wants/smb.service → /usr/lib/systemd/system/smb.service.
[root@samba ~]# systemctl status smb
● smb.service - Samba SMB Daemon
   Loaded: loaded (/usr/lib/systemd/system/smb.service; enabled; preset: disabled)
   Active: active (running) since Mon 2026-05-18 21:15:47 IST; 1min 58s ago
     Docs: man:smbd(8)
           man:samba(7)
           man:smb.conf(5)
  Main PID: 16994 (smbd)
    Status: "smbd: ready to serve connections..."
      Tasks: 3 (limit: 10727)
    Memory: 12.2M
       CPU: 149ms
    CGroup: /system.slice/smb.service
            └─16994 /usr/sbin/smbd --foreground --no-process-group
              └─16996 /usr/sbin/smbd --foreground --no-process-group
                └─16997 /usr/sbin/smbd --foreground --no-process-group

May 18 21:15:47 samba.srv.radical.com systemd[1]: Starting Samba SMB Daemon...
May 18 21:15:47 samba.srv.radical.com smbd[16994]: [2026/05/18 21:15:47.765704, 0] ../../source3/smbd/server.c:1965(main)
May 18 21:15:47 samba.srv.radical.com smbd[16994]: smbd version 4.21.3 started.
May 18 21:15:47 samba.srv.radical.com smbd[16994]: Copyright Andrew Tridgell and the Samba Team 1992-2024
May 18 21:15:47 samba.srv.radical.com systemd[1]: Started Samba SMB Daemon.
[root@samba ~]#
```

- Check logs and status again
- Step 10 – samba user and set password
- Command – `smbpasswd -a hary`
`Smbpasswd -e hary`


```
Rhel9_DHCP_SRV - VMware Workstation
File Edit View VM Tabs Help
Rhel9_DHCP_SRV
Activities Terminal May 18 21:23
root@ftp:~
[root@samba ~]# smbpasswd -a hary
New SMB password:
Retype new SMB password:
Added user hary.
[root@samba ~]# smbpasswd -e hary
Enabled user hary.
[root@samba ~]# systemctl restart smb
[root@samba ~]# s
```


- Restart the samba service again
- Step 11 – check selinux and firewall services and stop them temporary till testing will add rules late on




```
[root@samba ~]# getenforce
Enforcing
[root@samba ~]# setenforce 0
[root@samba ~]# getenforce
Permissive
[root@samba ~]# systemctl stop firewalld.service
[root@samba ~]#
```


- Step 12 – now time to access sambashare directory from windows system
- Press windows+r key and [\\192.168.198.136](https://192.168.198.136) and press enter



- In next pop up window will need to put username -hary & password x to login



- Finally you are in sambashare directory



- By opening the sambashare folder we can view its file and can also add our content to sharing which synced

