

GKE-Node Restarted Detected

PSD2Outbound GCO Alert-Node Restart Detected

Why do we have this alert?

- To notify if any issues with the k8s node

What does this alert mean?

This check is designed to indicates that a node is not ready to accept pods.

Investigation Steps

Node Restart mainly happens in case of "Disaster" or a scheduled activity like "Cluster upgrade", deployment. We have a High-availability cluster configured in GCO which means if any node goes down or not able to cater to traffic , new nodes with required pods will be created and can be scaled accordingly.

- In GCP console click on "Navigation Menu" "Kubernetes Cluster" "Clusters" "outbound-prd-gke

Kubernetes clusters

CreateDeployRefreshAttach clusterNew

Overview

Utilisation

Observability

Cost optimisation

Health100% healthy

Upgrade0% up to date

Estimated monthly cost€226.93/ month

Status	Name	Location	Fleet	Number of nodes	Total vCPUs	Total memory	Notifications	Labels
☒	outbound-prd-gke	eu-west-3	db-prd-2xvm-mp-psd2ce-obj fleet	3	12	48 GB	Set pod disruption budget for deployment Create a backup plan	acm_enabled: true acm_version: 1.17.3

Click on the cluster name "outbound-prd-gke". This will take you to the cluster details. Now switch to "Nodes" tab per below screenshot

Cluster details

outbound-prd-gke

Maximise deployment options with Autopilot compute class

Cluster has 2 recommendations

Overview

Details

Nodes

Storage

Observability

Logs

App errors (1)

Node pools

pool-1-295e

OK

1.33.5 gke.1162000

3 (1 per zone)

e2-standard-4

Container-optimised OS with containerd (cos_containerd)

1 - 3 nodes per zone

240.23.0.0/22

Nodes

gke-outbound-prd-gke-pool-1-295e-1c030647-9idd

Ready

User-managed

2.86 CPU

3.92 CPU

10.99 GB

13.92 GB

0 B

0 B

gke-outbound-prd-gke-pool-1-295e-23be9d115-vypb

Ready

User-managed

2.13 CPU

3.92 CPU

9.47 GB

13.92 GB

0 B

0 B

gke-outbound-prd-gke-pool-1-295e-29ad25b35-viet

Ready

User-managed

1.09 CPU

3.92 CPU

5.72 GB

13.92 GB

0 B

0 B

Observe the "Status" column:

If the status is Ready(Green) as per above screenshot , it indicates the nodes are healthy now.

In case the node has not come up/re-created after going down , We need analysis logs to identify the issue. Logs can be identified from same link [outbound-prd-gke – Kubernetes engine – db-prd-mp-psd2ce-obd – Google Cloud console](#) in " Logs" tab

Cluster details

EditDeleteDeployConnectDuplicate

Equivalent code

outbound-prd-gke

Maximise deployment options with Autopilot compute class

Making your Standard cluster compatible with Autopilot compute class unlocks features like continuous operation and pay-per-pod pricing. It gives you the flexibility to deploy workloads on cost-efficient Autopilot compute class without affecting your current setup and without workload disruptions.

Learn and enable

Cluster has 2 recommendations.

View 2 recommendations

Overview

Details

Nodes

Storage

Observability

Logs

App errors (1)

You can find your general cluster logs and your cluster's Autoscaler logs below.

Cluster logs

Auto-scaler logs

Severity

Default

Filter

Search all fields and values

🔍

🔄

📄

Severity

Timestamp

Summary

Scanned up to 29/01/2026, 20:21. Scanned 4.9 MB.

> 2026-01-29 20:21:49.425 IST Kubernetes Apiservice Requests get system:anonymous (@type: type.googleapis.com/google.cloud.audit.AuditLog, authenticationInfo: {}, authorizationInfo: {}, methodName: io.k8s.get, requestMetadata: {}, re-

> 2026-01-29 20:21:49.436 IST Kubernetes Apiservice Requests get kube-system:ingress-uid system:17-lb-controller (@type: type.googleapis.com/google.cloud.audit.AuditLog, authenticationInfo: {}, authorizationInfo: {}, methodName: io.k8s-

> 2026-01-29 20:21:49.458 IST Kubernetes Apiservice Requests get kube-system:ingress-uid system:17-lb-controller (@type: type.googleapis.com/google.cloud.audit.AuditLog, authenticationInfo: {}, authorizationInfo: {}, methodName: io.k8s-

> 2026-01-29 20:21:49.452 IST Kubernetes Apiservice Requests get system:anonymous (@type: type.googleapis.com/google.cloud.audit.AuditLog, authenticationInfo: {}, authorizationInfo: {}, methodName: io.k8s.get, requestMetadata: {}, re-

> 2026-01-29 20:21:49.588 IST Kubernetes Apiservice Requests get kube-system:cilium operator-resource- system:smet-operator (@type: type.googleapis.com/google.cloud.audit.AuditLog, authenticationInfo: {}, authorizationInfo: {}, metho-

> 2026-01-29 20:21:49.571 IST Kubernetes Apiservice Requests get kube-system:cluster-kubestore system:kubestore-collector (@type: type.googleapis.com/google.cloud.audit.AuditLog, authenticationInfo: {}, authorizationInfo: {}, methodNam-

> 2026-01-29 20:21:49.573 IST Kubernetes Apiservice Requests get kube-system:cluster-autoscaler system:cluster-autoscaler (@type: type.googleapis.com/google.cloud.audit.AuditLog, authenticationInfo: {}, authorizationInfo: {}, methodNam-

> 2026-01-29 20:21:49.581 IST Kubernetes Apiservice Requests update kube-system:cloud-provider-extraction- system:cloud-controller-manager (@type: type.googleapis.com/google.cloud.audit.AuditLog, authenticationInfo: {}, authorizationIn-

> 2026-01-29 20:21:49.586 IST Kubernetes Apiservice Requests get kube-system:ingress-gee-lock system:17-lb-controller (@type: type.googleapis.com/google.cloud.audit.AuditLog, authenticationInfo: {}, authorizationInfo: {}, methodName: i-

> 2026-01-29 20:21:49.688 IST Kubernetes Apiservice Requests get kube-system:cluster-kubestore system:kubestore-collector (@type: type.googleapis.com/google.cloud.audit.AuditLog, authenticationInfo: {}, authorizationInfo: {}, methodName-

> 2026-01-29 20:21:49.689 IST Kubernetes Apiservice Requests get kube-system:cluster-kubestore system:kubestore-collector (@type: type.googleapis.com/google.cloud.audit.AuditLog, authenticationInfo: {}, authorizationInfo: {}, methodNam-

Based on the logs/issue , SRE team and Dev team can be involved.

Verification Steps :

- If the node looks healthy and status is Ready(Green) and no errored shown on cluster , we can conclude the issue is resolved.
- If Nodes are not ready/not available, complete verification cannot be performed and actually depends on the outcome of the investigations.