You said:

C++ drogon rest api can be depoloy on aws


ChatGPT said:

Yes. **You can deploy a C++17 REST API built with Drogon on AWS**, just like you would deploy a Java Spring Boot REST API.

Drogon is a C++ web framework for building HTTP servers and REST APIs. You do not need embedded systems or hardware development.

1. C++ Drogon REST API on AWS

Here is a typical production architecture:



For example, your API might expose these endpoints:

HTTP method	Endpoint	Purpose
GET	`/api/users`	Get all users
GET	`/api/users/10`	Get a user
POST	`/api/users`	Create a user
PATCH	`/api/users/10`	Update a user
DELETE	`/api/users/10`	Delete a user

HTTP method	Endpoint	Purpose
POST	`/api/auth/login`	Authenticate a user

Your Drogon application handles the business logic, database operations, authentication, and API responses.

2. Which AWS services should you learn?

AWS service	Purpose
EC2	Runs your compiled C++ Drogon application
VPC	Provides networking and isolation
Nginx (optional)	Reverse proxy for your API
Application Load Balancer (optional initially)	Distributes requests across API servers
RDS PostgreSQL	Managed relational database
ElastiCache	Managed caching, including Redis-compatible options
IAM	Controls access to AWS resources
CloudWatch	Collects logs and monitors application health
Docker (optional)	Packages your application and its dependencies

AWS supports this general architecture for web applications. AWS Builder Ce... +1

3. How to deploy your C++17 Drogon API

You can start with a single EC2 instance.

Step 1 — Develop locally

- Write your REST API using C++17 and Drogon.
- Connect it to PostgreSQL.
- Test endpoints using Postman.

Step 2 — Compile the application

Build your application on Linux and produce an executable.

For example:

```
cmake -S . -B build -DCMAKE_BUILD_TYPE=Release
cmake --build build -j
```

Step 3 — Create an AWS EC2 instance

Choose a suitable Linux distribution and install the required runtime libraries and dependencies.

Step 4 — Transfer your application

Copy your executable and required configuration files to EC2, or build and deploy a Docker image.

Step 5 — Run Drogon

Start your API server on a private application port, such as `8080`.

Step 6 — Configure HTTPS

For a simple setup, you can use Nginx as a reverse proxy. Alternatively, use an AWS Application Load Balancer to terminate HTTPS and forward requests to your application. Amazon Web Se...

Step 7 — Test the public API

For example:

```
curl https://your-domain.com/api/users
```

Your API is now accessible over HTTPS.

For AWS deployment guidance, see the official Amazon EC2 documentation and Application Load Balancer documentation.

4. What about Java Spring Boot versus C++ Drogon?

Both can implement backend APIs and run on AWS.

Feature	Java Spring Boot	C++17 Drogon
REST API	Yes	Yes
PostgreSQL	Yes	Yes
Redis	Yes	Yes
JWT authentication	Yes	Yes
Docker deployment	Yes	Yes
AWS EC2	Yes	Yes
AWS load balancing	Yes	Yes

Feature	Java Spring Boot	C++17 Drogon
AWS cloud applications	Yes	Yes
Embedded development required	No	No

The main difference is the application technology: Spring Boot runs on the Java platform, while Drogon is a C++ web framework.

5. My recommendation

Since you want to develop **C++17 backend applications without embedded development**, learn this stack:

C++17 + Drogon + PostgreSQL + Redis + Nginx + Docker + AWS EC2

Start with a single EC2 instance. Add a load balancer, managed databases, monitoring, and automated deployments as your application grows.

A good first project would be a **User Authentication and Authorization REST API** featuring registration, login, JWT authentication, PostgreSQL persistence, and Redis caching.

That project would let you practise C++ backend development and cloud deployment together.