Week 1 APP DEV-2

2024 Aug04 Quiz-2

1. [Source Q9; MCQ]

Consider the following JavaScript code.

```
const library = {
  name: "Central Library",
  books: [
    { title: "Book A", author: "Author A" },
    { title: "Book B", author: "Author B" },
    { title: "Book C", author: "Author C" },
  ],
  location: "IIT Madras",
};

let propertyList = "";
let bookDetails = "";

for (let key in library) {
  if (key === "books") {
    for (let book of library[key]) {
      bookDetails += `${book.title} by ${book.author}, `;
    }
  } else {
    propertyList += key + " ";
  }
}

console.log(propertyList);
console.log(bookDetails);
```

Consider the following JavaScript code. What will be the output of the above code snippet on the console of the browser?

(a)

```
name books location
Book A by Author A, Book B by Author B, Book C by Author C,
```

(b)

```
Central Library IIT Madras
Book A by Author A, Book B by Author B, Book C by Author C,
```

(c)

```
name location
Book A by Author A, Book B by Author B, Book C by Author C,
```

(d)

```
Central IIT
Book A by Author A, Book B by Author B, Book C by Author C,
```

[Source ans: c]

2024 Oct27 Quiz-1

2. [Source Q14; MSQ]

Considering the differences between “var”, “let”, and “const” in terms of scope, hoisting, and reassignment, which of the following statements is/are true?

(a) “var” is function-scoped, hoisted, and allows reassignments.

(b) “let” is block-scoped, hoisted, and allows reassignments.

(c) “const” is block-scoped, hoisted, does not allow reassignments, and its valuemust be assigned at the time of declaration.

(d) “let” and “const” behave identically except that const variables cannot beredeclared, while let variables can be redeclared in the same block.

[Source ans: a, b, c]

2024 Dec22 ET

3. [Source Q16; MCQ]

Consider the following Script embedded in an HTML document.

```
let x = [100, 'x', num => num + 1];

for (const i = 0; i<x.length; i++) {
    console.log(i, x[i], typeof(x[i]))
}
```

Which of the following statement is correct, if the HTML document is rendered using a browser?

(a) It will display the indices, values and types of all the items of the array.

(b) It will throw error on the console for the very first iteration.

(c) It will display the index, value and type of the value for the first item of arrayand then will throw error for the next value.

(d) None of these.

[Source ans: c]

4. [Source Q29; MCQ]

Consider the following Script embedded in an HTML document.

```
let bsCourses = {
    subject:'MAD II',
    stream:'Programming'
}

let esCourses = bsCourses;
let msCourses = {};

for (let course in bsCourses){
    msCourses[key] = bsCourses[key];
}

esCourses.subject = 'Embedded C'
msCourses.stream = 'Electronics'

console.log(msCourses)
```

What will be the output on console, if the HTML document is rendered using a browser?

(a)

```
{
   subject:'MAD II',
   stream:'Programming'
}
```

(b)

```
{
   subject:'Embedded C',
   stream:'Electronics'
}
```

(c)

```
{
   subject:'MAD II',
   stream:'Electronics'
}
```

(d)

```
{
   subject:'Embedded C',
   stream:'Programming'
}
```

[Source ans: c]

2025 Feb23 Quiz-1

5. [Source Q3; MCQ]

Consider the below JavaScript program.

```
let x = 5;
(function () {
  console.log(x);
  let x = 10;
})();
```

What will be the output of the above program?

(a) 5

(b) 10

(c) undefined

(d) Reference Error

(e) null

[Source ans: d]

6. [Source Q4; MCQ]

What is the output of this code?

```
console.log(myVar);
console.log(myFunc());

var myVar = "hello";
function myFunc() {
    return "world";
}
```

(a) hello, world

(b) undefined, world

(c) ReferenceError

(d) undefined, undefined

[Source ans: b]

7. [Source Q5; MCQ]

Which of the following statements is true about the let, const, and var keywords in JavaScript?

(a) var is block-scoped, while let and const are function-scoped.

(b) const variables must always be initialized at the time of declaration.

(c) Variables declared with let and const are hoisted and initialized withundefined.

(d) let, const, and var have identical scoping rules.

[Source ans: b]

2025 Mar16 Quiz-2

8. [Source Q5; MCQ]

Consider the below javascript program.

```
function testScope() {
    if (true) {
        var x = 10;
        let y = 20;
    }
    console.log(x);
    console.log(y);
}
testScope();
```

What will be the output of the above program?

(a) 10
undefined

(b) undefined
10

(c) 10
Error

(d) Error

[Source ans: c]

2025 Oct26 Quiz-1

9. [Source Q9; MSQ]

Consider this nested loop is written in JavaScript:

```
let result = "";
for (let i = 0; i < 2; i++) {
  for (var j = 0; j < 2; j++) {
    result += i + j;
  }
}
console.log(result);
```

Which of the following statements is/are true?

(a) The output is `"0011"`.

(b) The inner loop runs 2 times for each outer loop iteration.

(c) The output is `"0123"`

(d) The values are concatenated into a **string**, not added as numbers.

[Source ans: b, d]

2025 Dec18 ET

10. [Source Q20; MCQ]

A JavaScript object is created and then assigned to another variable. Modifications are made through both variables. What will be the final state of the original object?

Code:

```
let originalConfig = { apiUrl: 'https://api.example.com', timeout: 5000 };
let configCopy = originalConfig;
configCopy.timeout = 10000;
configCopy = { apiUrl: 'https://api2.example.com', timeout: 3000 };
console.log(originalConfig.timeout);
```

(a) 5000

(b) 3000

(c) 10000

(d) undefined

[Source ans: c]

2026 Mar15 Quiz-1

11. [Source Q1; MSQ]

Which of the following statements about JavaScript scope is/are correct in the browser?

(a) `var` is function-scoped

(b) `let` and `const` are block-scoped

(c) Variables declared with `let` are hoisted and initialized with `undefined`

(d) `const` variables can be declared without initialization

(e) Global variables are always attached to window (as a property)

[Source ans: a, b]

12. [Source Q8; SA]

Consider the following JavaScript code snippet:

```
let x = 2;
function op(x) {
  x *= 3;
  x += 4;
  x -= 1;
}
op();
op();
console.log(x);
```

What is the final value of x, logged on the console?

[Source ans: 2]

2026 May06 ET

13. [Source Q10; MCQ]

What will be the output of the following JavaScript code?

```
console.log(typeof NaN);
console.log(typeof null);
console.log(NaN == null);
console.log(NaN === null);
```

(a) number, object, false, false

(b) NaN, null, true, true

(c) number, object, true, false

(d) NaN, null, false, false

[Source ans: a]

2026 Jul16 Quiz-1

14. [Source Q6; MCQ]

Consider the following JavaScript code snippet.

```
let var1 = 20;
var var2 = 30;
const val = 10;

{
   let var1 = 40;
   console.log(var1 + val);
}

console.log(var1 + val);

{
   var var2 = 50;
   console.log(var2 + val);
}

console.log(var2 + val);
```

What will be the output of the above code on the browsers' console?

(a) 50 50 60 40

(b) 50 50 60 60


(c) 50 30 60 60

(d) 50 30 60 40

[Source ans: c]

15. [Source Q14; MCQ]

Consider the following JavaScript code snippet.



```
console.log(z);
var a = "alpha";
console.log(a);
let b = "beta";
console.log(b);
d();
console.log(c);
const c = "charlie";
function d(){
   console.log("delta")
}
var z = function(){
   console.log("zeta")
}
```

What will be the output of the above code on the browsers' console in correct order?

(a) undefined alpha beta delta Reference Error

(b) zeta undefined beta delta Reference Error

(c) undefined Reference Error beta charlie undefined

(d) zeta Reference Error beta charlie undefined

[Source ans: a]

2026 Sep13 ET

16. [Source Q11; MCQ]

Consider the following JavaScript code:

```
function outerFunc() {
    const val1 = 10;
    var val2 = 20;

    function innerFunc() {
        var val2 = 30;
        console.log(val1)
        console.log(val2)
    }
    innerFunc()
    console.log(val1)
    console.log(val2)
}
outerFunc()
```

What will be output on the browser's console?

(a)

```
10 20
10 30
```

(b)

```
10 20
10 20
```

(c)

```
10 30
10 20
```

(d) None of these.

[Source ans: c]