
Week 10 BA

2024 Sep01 ET

1. [Source Q4; MCQ]

In the below diagram, the customer wants to decide between the products O1 & O2, and x denotes the coordinates of the ideal product. Which of the following are true?



(a) Customers will prefer O1 when d2>d1

(b) Customers will prefer O2 when d1<d2

(c) Both Customers will prefer O1 when d2>d1 & Customers will prefer O2 when d1<d2

(d) None of these

[Source ans: a]

2. [Source Q6; MCQ]
In a conjoint problem with 4 products and 2 attributes, how many pair-wise preferences are possible?

(a) 8

(b) 6

(c) 16

(d) 12

[Source ans: b]

3. [Source Q7; MCQ]
If the attribute values in the conjoint analysis is a continuous variable and the data is collected in a pairwise order, then what approach can be used:

(a) Optimization approach

(b) Regression approach

(c) Statistical approach

(d) Optimization approach or Statistical approach

[Source ans: a]

2024 Dec22 ET

4. [Source Q39; MCQ]
If the attribute values in the conjoint analysis is a continuous variable and the data is collected in a pairwise order, then what approach can be used:

(a) Optimization approach

(b) Regression approach

(c) Statistical approach

(d) Optimization approach or Statistical approach

[Source ans: a]

5. [Source Q40; MCQ]
In a conjoint problem with 4 products and 2 attributes, how many pair-wise preferences are possible?

(a) 4

(b) 14

(c) 10

(d) 6

[Source ans: d]

2025 Apr13 ET

6. [Source Q5; MSQ]
If the attribute values in the conjoint analysis is a continuous variable and the data is collected in a pairwise order, then what approach can be used (choose all that is/are applicable)

(a) Optimization approach

(b) Regression approach

(c) Statistical approach

(d) None of these

[Source ans: a]

7. [Source Q7; MCQ]

The truncated inequalities in options (b) and (c) are restored from the identical 2024 Sep01 question.

In Figure-3 the customer wants to decide between the products O1 & O2, and x denotes the coordinates of the ideal product. Which of the following is/are true?




Figure-3

(a) Customers will prefer O1 when d2>d1

(b) Customers will prefer O2 when d1<d2

(c) Both Customers will prefer O1 when d2>d1 & Customers will prefer O2 when d1<d2

(d) None of these

[Source ans: a]