

API Endpoints Documentation

1. User Registration

- Endpoint: /api/users/register

- Method: POST

- Body:

```
{  
  "name": "John Doe",  
  "email": "john@example.com",  
  "address": "123 Main St",  
  "password": "securePassword"  
}
```

- Response:

```
{  
  "message": "User registered",  
  "token": "your_jwt_token_here"  
}
```

2. Get User Profile

- Endpoint: /api/users/profile

- Method: GET

- Headers:

```
{  
  "Authorization": "Bearer your_jwt_token_here"  
}
```

- Response:

```
{  
  "_id": "user_id_here",  
  "name": "John Doe",  
  "email": "john@example.com",  
  "address": "123 Main St",  
  "bio": "Software Developer",  
  "profilePicture": "profile_url_here"  
}
```

3. Update User Profile

- Endpoint: /api/users/profile

- Method: PUT

- Headers:

```
{  
  "Authorization": "Bearer your_jwt_token_here"  
}
```

- Body:

```
{  
  "name": "John Doe",  
  "address": "456 Park Ave",  
  "bio": "Full Stack Developer",  
  "profilePicture": "new_profile_url_here"  
}
```

- Response:

```
{
```

```
"_id": "user_id_here",  
"name": "John Doe",  
"email": "john@example.com",  
"address": "456 Park Ave",  
"bio": "Full Stack Developer",  
"profilePicture": "new_profile_url_here"  
}
```