

# ReactJS Hooks and Sharing Data Between Components

GitHub-readable preview of the presentation. Download the matching .pptx for the editable PowerPoint.

# 1. Syllabus tasks

- Understand the importance of using hooks.
- Share data between components.

## 2. Workflow

### ReactJS Hooks and Sharing Data Between Components



Workflow: input → processing → data/state → output

### 3.1. Code pathway — index.html

```
1 <!doctype html><html><head><meta charset="UTF-8"><meta name="viewport" content="width=device-width,initial-scale=1"><title>FSD2 React Experiment
09</title></head><body><div id="root"></div><script type="module" src="/src/main.jsx"></script></body></html>
```

## 3.2. Code pathway — main.jsx

```
1 import React, { createContext, useContext, useEffect, useState } from 'react';
2 import { createRoot } from 'react-dom/client';
3
4 const NameContext = createContext('Guest');
5
6 function Child() {
7   const name = useContext(NameContext); // Read shared data without prop drilling.
8   return <p>Child component received shared name: <b>{name}</b></p>;
9 }
10
```

## 4. Runtime walkthrough

Runtime walkthrough — ReactJS Hooks and Sharing Data Between Components



Runtime: start → enter → execute → observe

## 5. Run and observe

- Start the server / Vite app or open the MongoDB shell as described in the experiment README.
- Enter the sample input or call the required route.
- Watch the terminal for logs and errors.
- Verify the browser, API response, or database result.

## 6. Viva questions

- What is the purpose of this experiment?
- Which input is required?
- Which line or command performs the main operation?
- What output should you observe?
- What happens when the input changes?