

FSD2 LAB • EXPERIMENT 07

ReactJS Conditional Rendering, Lists and React Forms

GitHub-readable preview of the presentation. Download the matching .pptx for the editable PowerPoint.

1. Syllabus tasks

- Implement conditional rendering.
- Render lists.
- Work with different form fields using React forms.
- Added `EventDemo` with a `name` state starting as an empty string.
- Added a controlled text input using `value` and `onChange`.
- The page immediately displays `Hello, {name}!` while the user types, with no submit button.

2. Workflow

ReactJS Conditional Rendering, Lists and React Forms



Workflow: input → processing → data/state → output

3.1. Code pathway — index.html

```
1 <!doctype html><html><head><meta charset="UTF-8"><meta name="viewport" content="width=device-width,initial-scale=1"><title>FSD2 React Experiment
07</title></head><body><div id="root"></div><script type="module" src="/src/main.jsx"></script></body></html>
```

3.2. Code pathway — main.jsx

```
1 import React, { useState } from 'react';
2 import { createRoot } from 'react-dom/client';
3
4 // Controlled input example: the input value is stored in React state.
5 function EventDemo() {
6   const [name, setName] = useState('');
7
8   return (
9     <section>
10      <h2>Live Name Greeting</h2>
```

4. Runtime walkthrough

Runtime walkthrough — ReactJS Conditional Rendering, Lists and React Form



Runtime: start → enter → execute → observe

5. Run and observe

- Start the server / Vite app or open the MongoDB shell as described in the experiment README.
- Enter the sample input or call the required route.
- Watch the terminal for logs and errors.
- Verify the browser, API response, or database result.

6. Viva questions

- What is the purpose of this experiment?
- Which input is required?
- Which line or command performs the main operation?
- What output should you observe?
- What happens when the input changes?