

# ReactJS React Router and Updating the Screen

GitHub-readable preview of the presentation. Download the matching .pptx for the editable PowerPoint.

# 1. Syllabus tasks

- Route to different pages using React Router.
- Update the screen when state changes.

## 2. Workflow

### ReactJS React Router and Updating the Screen



Workflow: input → processing → data/state → output

### 3.1. Code pathway — index.html


```
1 <!doctype html><html><head><meta charset="UTF-8"><meta name="viewport" content="width=device-width,initial-scale=1"><title>FSD2 React Experiment
08</title></head><body><div id="root"></div><script type="module" src="/src/main.jsx"></script></body></html>
```

## 3.2. Code pathway — main.jsx

```
1 import React, { useState } from 'react';
2 import { createRoot } from 'react-dom/client';
3 import { BrowserRouter, Link, Routes, Route } from 'react-router-dom';
4
5 function Home() { return <><h2>Home</h2><p>This is the home route.</p></>; }
6 function About() { return <><h2>About</h2><p>This is another route.</p></>; }
7 function Counter() {
8   const [count, setCount] = useState(0);
9   return <><h2>Updating the Screen</h2><button onClick={() => setCount(count + 1)}>Count: {count}</button><p>State changes cause React to render the new
value.</p></>;
10 }
```

## 4. Runtime walkthrough

Runtime walkthrough — ReactJS React Router and Updating the Screen



Runtime: start → enter → execute → observe

## 5. Run and observe

- Start the server / Vite app or open the MongoDB shell as described in the experiment README.
- Enter the sample input or call the required route.
- Watch the terminal for logs and errors.
- Verify the browser, API response, or database result.

## 6. Viva questions

- What is the purpose of this experiment?
- Which input is required?
- Which line or command performs the main operation?
- What output should you observe?
- What happens when the input changes?