

ONEIRO PHARMACY

Sterile Compounding • Home Infusion • Parenteral Nutrition
8026 Lorraine Ave, Ste 207, Stockton, CA 95210
Phone (209) 898-7345 • Fax (209) 898-7347

FAX COMPLETED FORM TO

(209) 898-7347

Questions / STAT referrals: (209) 898-7345
Pharmacy staffed 365 days a year

TOTAL PARENTERAL NUTRITION (TPN / PN) REFERRAL & PRESCRIPTION FORM

Referral type: ☐ New start ☐ Restart / transfer of service ☐ Change in existing order ☐ Discharge — anticipated D/C date: _____

Priority: ☐ Routine ☐ Same-day / STAT ☐ Weekend or holiday start First dose needed on (date/time): _____

1. REFERRING PRESCRIBER / MEDICAL OFFICE

Prescriber name	Specialty	NPI	
Practice / facility name	State license #	DEA # (if applicable)	
Street address	City	State / ZIP	
Office phone	Office fax	Office contact / coordinator	Ext.
Secure email for clinical follow-up	Best time to reach prescriber		

2. PATIENT INFORMATION

Patient last name	First name	MI	Date of birth
Street address	City	State / ZIP	
Home phone	Mobile phone	Language	Interpreter (Y/N)
Caregiver / responsible party	Relationship	Cell phone	Sex
Height (cm / in)	Actual body weight (kg)	Dosing weight (kg)	Date weighed
Drug / food allergies and reactions			
Delivery address if different from above (incl. gate / access instructions)			

3. INSURANCE / BENEFITS

Primary insurance	Member ID	Group #
Secondary insurance	Member ID	Group #
Medicare #	Medi-Cal / Medicaid #	Prior authorization # (if obtained)

Please fax a copy of the front and back of all insurance cards with this referral. Oneiro will complete the benefit investigation and notify your office of authorization status and patient financial responsibility before the first delivery.

4. CLINICAL INFORMATION & MEDICAL NECESSITY

Primary diagnosis requiring PN

ICD-10 code

Secondary diagnoses

ICD-10 code(s)

Indication for parenteral nutrition (check all that apply):

- ☐ Short bowel syndrome ☐ Bowel obstruction ☐ Enterocutaneous fistula ☐ Severe malabsorption
☐ Chronic intestinal pseudo-obstruction ☐ Radiation / chemotherapy enteritis ☐ Severe pancreatitis ☐ Inflammatory bowel disease
☐ Hyperemesis gravidarum ☐ Motility disorder / gastroparesis ☐ Perioperative malnutrition ☐ Mucositis
☐ Other (specify): _____

Why is the gastrointestinal tract non-functional or enteral nutrition inadequate? (required for coverage — be specific)

Enteral nutrition trialed? ☐ Yes — formula/route and outcome: _____ ☐ No — reason: _____

Anticipated duration of PN: ☐ Less than 90 days ☐ 90 days or longer / permanent ☐ Indefinite — reassess on: _____

Oral intake: ☐ NPO ☐ Sips / clear liquids ☐ Partial PO or enteral intake — describe: _____

Most recent laboratory values (attach the full report if available):

Date drawn	Na	K	Cl	CO2	BUN	SCr	Glucose

Ca	Mg	Phos	Albumin / Prealbumin	AST / ALT / Alk Phos / T. Bili	Triglycerides	HbA1c / CBG range

5. VASCULAR ACCESS

Catheter type: ☐ PICC ☐ Tunneled central catheter (Hickman/Broviac) ☐ Implanted port ☐ Non-tunneled CVC ☐ Midline ☐ Peripheral IV
☐ Access not yet placed — please assist with arranging placement Lumens: ☐ Single ☐ Double ☐ Triple Size / French: _____

Insertion date

Insertion site / arm

Tip placement confirmed by imaging (date)

Dedicated PN lumen

Flush protocol (saline / heparin, strength, frequency)

6. PARENTERAL NUTRITION ORDER

☐ Formulate per Oneiro pharmacist assessment using the nutrition goals below — pharmacist to determine final macronutrient and electrolyte content and provide the compounded order to the prescriber for co-signature.

☐ Compound exactly as written below.

Macronutrients — specify per day or final concentration:

Component	Amount / concentration	Product preference	Notes
Amino acids			
Dextrose			
IV lipid emulsion			
Lipid frequency			
Sterile water / total volume			

Electrolytes — per day (or per liter; circle one):

Electrolyte	Amount	Electrolyte	Amount	Electrolyte	Amount
Sodium chloride		Potassium chloride		Magnesium sulfate	
Sodium acetate		Potassium acetate		Calcium gluconate	
Sodium phosphate		Potassium phosphate		Other	

Additives:

Additive	Dose / frequency	Additive	Dose / frequency
Adult / pediatric multivitamin		Regular insulin	
Trace elements		Famotidine	
Zinc (additional)		L-cysteine	
Selenium (additional)		Levocarnitine	
Thiamine / folic acid		Other	

Infusion schedule:

☐ Continuous over 24 hours ☐ Cyclic over _____ hours Start time: _____ Stop time: _____
Taper: ☐ Up _____ hr ☐ Down _____ hr ☐ No taper Frequency: ☐ Daily ☐ _____ nights per week ☐ Other: _____
Final infusion rate: _____ mL/hr Total daily volume: _____ mL Day supply per delivery: _____
☐ Hydration / flush solution in addition to PN (specify solution, volume, rate): _____

7. SUPPLIES, EQUIPMENT & NURSING

Supplies: ☐ Ambulatory infusion pump ☐ IV pole ☐ Pump tubing with 1.2 micron filter ☐ Backpack / carry case ☐ Dressing change kits
☐ Saline flushes ☐ Heparin flushes ☐ Alcohol caps ☐ Sharps container ☐ Blood glucose meter and strips ☐ Scale ☐ Other: _____

Home health / infusion nursing agency (if already assigned)

Agency phone

Nursing visit frequency requested

Dietitian consult requested

Nursing orders: ☐ Teach patient/caregiver PN administration and pump use ☐ Central line dressing and cap change per protocol
☐ Draw labs and fax results to Oneiro ☐ Weekly weights ☐ Intake and output ☐ Blood glucose checks: _____

8. LABORATORY MONITORING ORDERS

Panels: ☐ CMP ☐ BMP ☐ Magnesium ☐ Phosphorus ☐ CBC with differential ☐ Triglycerides ☐ Prealbumin ☐ LFTs ☐ INR/PT

Frequency: ☐ Twice weekly ☐ Weekly ☐ Every 2 weeks ☐ Monthly ☐ Other: _____ Draw by: ☐ Home nurse ☐ Outpatient lab

Fax lab results to: ☐ Prescriber office ☐ Oneiro Pharmacy (209) 898-7347 ☐ Both

☐ Oneiro pharmacist may adjust electrolytes, insulin, and volume within the ranges above based on laboratory results, with notification to the prescriber.

9. PRESCRIBER ATTESTATION & SIGNATURE

I certify that I am the treating prescriber for this patient, that the parenteral nutrition therapy ordered above is medically necessary, and that the clinical information provided on this form is accurate to the best of my knowledge. I authorize Oneiro Pharmacy to compound, dispense, and deliver the therapy and supplies ordered, to communicate with the patient, caregiver, and nursing agency regarding this therapy, and to release information as needed to obtain insurance authorization and payment.

Prescriber signature (no stamped signatures)

Date

Printed name and credentials

NPI

☐ Do not substitute ☐ Generic / therapeutic substitution permitted per pharmacy protocol

FOR PHARMACY USE ONLY

Date received: _____ Time: _____ Received by: _____ Rx #: _____

Benefit investigation completed: _____ Auth #: _____ Patient responsibility: _____

Pharmacist clinical review / order clarification: _____

Reviewing pharmacist: _____ Date: _____ First delivery scheduled: _____