


SL4J Logging exercises

Exercise 1: Logging Error Messages and Warning Levels



Pom.xml

```
<project xmlns="http://maven.apache.org/POM/4.0.0"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
        http://maven.apache.org/xsd/maven-4.0.0.xsd">

    <modelVersion>4.0.0</modelVersion>
```

```
<groupId>com.example</groupId>
<artifactId>logging-example</artifactId>
<version>1.0-SNAPSHOT</version>
```

```
<dependencies>
  <!-- SLF4J API -->
  <dependency>
    <groupId>org.slf4j</groupId>
    <artifactId>slf4j-api</artifactId>
    <version>1.7.30</version>
  </dependency>
```

```
  <!-- Logback Classic -->
  <dependency>
    <groupId>ch.qos.logback</groupId>
    <artifactId>logback-classic</artifactId>
    <version>1.2.3</version>
  </dependency>
</dependencies>
```

```
<!-- Optional: Plugin for running main class -->
<build>
  <plugins>
    <plugin>
      <groupId>org.codehaus.mojo</groupId>
      <artifactId>exec-maven-plugin</artifactId>
      <version>1.6.0</version>
      <configuration>
        <mainClass>com.example.LoggingExample</mainClass>
      </configuration>
    </plugin>
  </plugins>
```

</build>

</project>

OUTPUT:

