Deep Tabular Learning

Bidirectional LSTM

✎ **Edit**

A **Bidirectional LSTM**, or **biLSTM**, is a sequence processing model that consists of two LSTMs: one taking the input in a forward direction, and the other in a backwards direction. BiLSTMs effectively increase the amount of information available to the network, improving the context available to the algorithm (e.g. knowing what words immediately follow *and* precede a word in a sentence).

Image Source: Modelling Radiological Language with Bidirectional Long Short-Term Memory Networks, Cornegruta et al

Papers

Search for a paper or author

| Paper	Code	Results	Date	Stars ⬆
Semi-Supervised Sequence Modeling with Cross-View Training Christopher D. Manning, Quoc V. Le, Kevin Clark, Minh-Thang Luong	⌗	ᴵᴵᴵ	22 Sep 2018	74,681
Learning and Evaluating Contextual Embedding of Source Code Aditya Kanade, Gogul Balakrishnan, Kensen Shi, Petros Maniatis	⌗	—	21 Dec 2019	25,954
Sequencer: Deep LSTM for Image Classification Masato Taki, Yuki Tatsunami	⌗	—	4 May 2022	21,869
Hierarchical Multi-Task Natural Language Understanding for Cross-domain Conversational AI: HERMIT NLU Oliver Lemon, Emanuele Bastianelli, Andrea Vanzo	⌗	—	2 Oct 2019	15,047
Named Entity Recognition with Bidirectional LSTM-CNNs Eric Nichols, Jason P. C. Chiu	⌗	ᴵᴵᴵ	26 Nov 2015	12,193
Deep contextualized word representations Mohit Iyyer, Matt Gardner, Matthew E. Peters, Kenton Lee, Luke Zettlemoyer, Christopher Clark, Mark Neumann	⌗	ᴵᴵᴵ	15 Feb 2018	12,193
Natural TTS Synthesis by Conditioning WaveNet on Mel Spectrogram Predictions Yu Zhang, Zhifeng Chen, Zongheng Yang, Rif A. Saurous, Ron J. Weiss, Ruoming Pang, Yonghui Wu, Jonathan Shen, Yuxuan Wang, Mike Schuster, Navdeep Jaitly, Yannis Agiomyrgiannakis, RJ Skerry-Ryan	⌗	ᴵᴵᴵ	16 Dec 2017	6,965
Massively Multilingual Sentence Embeddings for Zero-Shot Cross-Lingual Transfer and Beyond Holger Schwenk, Mikel Artetxe	⌗	ᴵᴵᴵ	26 Dec 2018	3,156
UER: An Open-Source Toolkit for Pre-training Models Xiaoyong Du, Wei Lu, Hui Chen, Zhe Zhao, Tao Liu, Xin Zhao, Xi Chen, Qi Ju, Haotang Deng, Jinbin Zhang	⌗	—	12 Sep 2019	2,302
Dual-path RNN: efficient long sequence modeling for time-domain single-channel speech separation Zhuo Chen, Yi Luo, Takuya Yoshioka	⌗	ᴵᴵᴵ	14 Oct 2019	1,553

Showing 1 to 10 of 522 papers

| Previous | 1 | 2 | 3 | 4 | 5 | … | 53 | Next |

Tasks

Task	Papers	Share
Sentiment Analysis	44	5.21%
Language Modelling	42	4.98%
General Classification	41	4.86%
Named Entity Recognition	39	4.62%
NER	31	3.67%
Text Classification	30	3.55%
Question Answering	26	3.08%
Dependency Parsing	20	2.37%
Natural Language Inference	18	2.13%

Usage Over Time

🧪 This feature is experimental; we are continuously improving our matching algorithm.

Components

Component	Type	Edit
📈 LSTM	Recurrent Neural Networks	

Categories

Edit

📑 Deep Tabular Learning