स्पेअर झोन

Gst No - 27AFUFS1260D1ZU

SPARE ZONE

YOUR SUPPLY PARTNER

+91 86260 98426

445/A, Karnel Bagh, Modern Mill Gate, Umred Road, Nagpur - 440002

sparezone3@gmail.com

BIEMME®

Your challenges, our mission

Cushion plate mounting tapes for flexo printing

20

BIEMME

BS MOUNT 20 series



15

BIEMME

BS MOUNT 15 series



BS MOUNT

The BiesSse® range of cushion adhesive tapes has been developed to meet the demands of high quality flexo printing.

The products are characterised by a foam carriers of different compressibilities and thicknesses, combined with different adhesive types and liners.

The innovative formulation of the highly resilient BiesSse® foam ensures maximum printing quality, even with the most technically advanced and complex designs.

The BiesSse® BS MOUNT range is used in flexo printing of labels, flexible packaging, and cardboard (pre-print).

It consists of 8 adhesive combinations, 2 thicknesses range and 10 compressibilities, identified by specific colours to guide the user in choosing the most suitable product.

PRODUCT ADVANTAGES:

- High resilience foam
- High adhesion and clean removal
- High performance embossed liner
- Excellent printing results at very high speed and long print runs



स्पेअर झोन
Gst No - 27AFUFS1260D1ZU
SPARE ZONE
YOUR SUPPLY PARTNER
+91 86260 98426
445/A, Karnel Bagh, Modern Mill Gate, Umred Road, Nagpur - 440002
sparezone3@gmail.com

BIEMME

BIEMME

BS MOUNT Cushion adhesive tapes

Product thickness 0.55 mm (22 mils)
Application thickness **0.50 mm (20 mils)**

AVAILABLE IN 6 COMPRESSIBILITY GRADES

20.100

HIGH COMPRESSIBILITY
- Screens, shades, lines and fine types
- Yellow foam

20.150

MEDIUM-HIGH COMPRESSIBILITY
- Combination print with prevailing screens, shades, lines and fine types
- Red foam

20.200

MEDIUM COMPRESSIBILITY
- Combination print with balance among screens, lines and solids
- White foam

20.250

MEDIUM-LOW COMPRESSIBILITY
- Combination print with prevailing solids and lines
- Green foam

20.275

LOW COMPRESSIBILITY
- Full solids print
- Grey foam

20.300

VERY LOW COMPRESSIBILITY
- Full solids print, more intense colours
- Blue foam

स्पेअर झोन

Gst No - 27AFUFS1260D1ZU

SPARE ZONE


YOUR SUPPLY PARTNER

+91 86260 98426 | 445/A, Karnel Bagh, Modern Mill Gate, Umred Road, Nagpur - 440002 | sparezone3@gmail.com

Product thickness 0.41 mm (16 mils)
Application thickness **0.38 mm (15 mils)**


AVAILABLE IN 4 COMPRESSIBILITY GRADES

15.150




MEDIUM-HIGH COMPRESSIBILITY

- Combination print with prevailing screens, shades, lines and fine types
- Pink foam




15.200



MEDIUM COMPRESSIBILITY

- Combination print with balance among screens, lines and solids
- Orange foam



15.250






MEDIUM-LOW COMPRESSIBILITY

- Combination print with prevailing solids and lines
- Purple violet foam




15.300





VERY LOW COMPRESSIBILITY

- Full solids print, more intense colours
- Lilac foam



स्पेअर झोन

Gst No - 27AFUFS1260D1ZU

SPARE ZONE

YOUR SUPPLY PARTNER

+91 86260 98426

445/A, Karnel Bagh, Modern Mill Gate, Umred Road, Nagpur - 440002


sparezone3@gmail.com

BIEMME


BIEMME

BS MOUNT Technical features

Compression test • 0.50 mm (20 mils)



Compression test • 0.38 mm (15 mils)



स्पेअर झोन

Gst No - 27AFUFS1260D1ZU

SPARE ZONE

YOUR SUPPLY PARTNER

+91 86260 98426

445/A, Karnel Bagh, Modern Mill Gate, Umred Road, Nagpur - 440002

sparezone3@gmail.com

PROPER CLEANING HELPS PREVENTING PLATE LIFTING

Cleaning of contact surfaces (cylinders, sleeves and plates) is a determining factor for a good mounting.

The cleaning solvent used affects the double-sided tape adhesion. It is recommended to clean the surface with a clean cloth and a weak solvent, such as isopropyl alcohol, that takes the specific characteristics of the adhesive into account without reducing the adhesion.

SOLVENT	VAPOUR PRESSURE	EVAPORATION RATE	RECOMMENDED WAITING TIME
Acetone	223 mBar	very high	15 sec
Ethyl acetate	97 mBar	high	45 sec
Alcohol	43 mBar	medium	5 min
Retardant*	5 mBar	low	30 min



*The retardant used in this example is cyclohexanone

PROPER APPLICATION PREVENTS AIR BUBBLES

It is important to apply the same pressure to the whole adhesive tape surface to eliminate air bubbles.


Keeping the winding direction parallel to the sleeve in the adhesive tape application avoids stresses in the material.




HIGHER PRESSURE LEADING TO STRONGER ADHESION

For a strong adhesion, pressure-sensitive tapes (PSA) need the application of higher pressure.

An even pressure distribution on the whole plate surface prevents plate lifting.






CORRECT DEMOUNTING PRESERVES TAPE AND SLEEVE

It is highly recommended to remove the adhesive tape on its full width with a constant speed.

Too rapid tape removal could cause adhesive residue on the sleeve and damage to the tape carrier.



स्पेअर झोन
Gst No - 27AFUFS1260D1ZU
SPARE ZONE
YOUR SUPPLY PARTNER
+91 86260 98426
445/A, Karnel Bagh, Modern Mill Gate, Umred Road, Nagpur - 440002
sparezone3@gmail.com

Why choose BIEMME BS MOUNT



HANDLING

EASY TO HANDLE:


- **Different mass colour** foam for easier identification
- **High internal cohesion** and **double reinforcement** for easier removal avoiding delamination



CARRIER

EFFECTIVE CUSHIONING SYSTEM:

- Exclusive **high resilience** formula for perfect printing results at very **high speed** and **long printing runs**
- **Wide range of compressions** for more suitable selection and higher printing yield



ADHESIVE

TECHNOLOGICALLY ADVANCED ADHESIVE SYSTEM:

- **Strong adhesion** avoiding tape and plate lifting
- **Clean removal** after printing with no adhesive residues



LINER

HIGH PERFORMANCE LINER:

- **Transparent colour** for easier air-bubbles identification
- Surface structure ideal to avoid **the air bubbles problems**

स्पेअर झोन

Gst No - 27AFUFS1260D1ZU

SPARE ZONE

YOUR SUPPLY PARTNER

+91 86260 98426

445/A, Karnel Bagh, Modern Mill Gate, Umred Road, Nagpur - 440002

sparezone3@gmail.com

Your challenges, our mission

The BiesSse group, which has been operating on the global market for **over 40 years**, specializes in the production and conversion of highly performing technical adhesive tapes.

The experience acquired during the years, the advanced proprietary know-how, combined with its on-going commitment in research and development, have enabled the BiesSse group to be **active on various markets** through two distinctive companies operating in close synergy, i.e. :

- **BiesSse Tape Solutions S.p.A.**, for the company's core business
- **BiesSse Equipment Solutions S.r.l.**, for the design and production of industrial equipment and related software.

BiesSse's mission is to develop **integrated solutions** by anticipating the more and more demanding future market requirements, and to innovate the most challenging industrial processes by supporting customers in their search for the most suitable solutions that complying with their requirements.

The company's Adhesive Tapes manufacturing unit (over 11,000 sq.mt.) and the Equipment manufacturing unit (over 2,000 sq.mt.) are equipped with **modern and advanced installations**, in line with Lean practices.

The BiesSse group, with Headquarters in Sedriano, Milan (Italy), operates worldwide through its subsidiaries in Austria, China and Mexico, availing itself of a professional and strongly committed local workforce. The **direct presence on the ground** makes it possible to quickly and efficiently respond to customers' demands and to ensure on-going assistance and support.

BiesSse Tape Solutions S.p.A.

Via Luigi Galvani 2/4 - 20018 Sedriano - Milan - Italy
Phone: +39 02 9011 1118 - Fax: +39 02 9011 0382
info.tapes@biessseworld.com



BiesSse Equipment Solutions S.r.l.

Via Cartesio 7/B - 20018 Sedriano - Milan - Italy
Phone: +39 02 9011 1118 - Fax: +39 02 9011 0382
info.equipment@biesSseworld.com






BiesSse GmbH
Lofererstrasse 56
A-6322 Kirchbichl - Tirol
Austria
Phone: +43 (0)5332 20950
Fax: +43 (0)5332 20955
biesSsegmbh@biesSseworld.com



Changzhou BiesSse Tape Technology Co. Ltd
Room 703, Building 3
1590 Longjin Road
Xinbei district, Changzhou
China
Phone: +86 (0)519 6981 3957
biesSsechina@biesSseworld.com



BiesSse Mexico S. De R.L. De C.V.
Segunda Cerrada 18 de Marzo s/n
Col. San Juan Zacazontla - Tonanitla
Mexico
Phone: +52 (0)55 2926 0273
biesSsemexico@biesSseworld.com

स्पेअर झोन

Gst No - 27AFUFS1260D1ZU

SPARE ZONE

YOUR SUPPLY PARTNER

+91 86260 98426

445/A, Karnel Bagh, Modern Mill Gate, Umred Road, Nagpur - 440002

sparezone3@gmail.com