Topic 8: Webhook Trigger Workflow

Step 1: Create a New Workflow

1. Open your browser and log into your n8n workspace.
2. In the left-hand navigation menu, click **Workflows**.
3. Click the **Add workflow** button in the top-right corner.
4. Rename your workflow in the top-left corner to: `Topic 8 Webhook Trigger Workflow`.
5. Click the orange **Save** button.

Step 2: Add and Configure the Webhook Trigger Node

1. Click the **Add first step** button in the center of the canvas grid.
2. Search for and select the **Webhook** node.
3. Rename the node to `Webhook`.
4. Double-click the Webhook node to open its configuration panel:
    a. **HTTP Method:** Select `POST`.
    b. **Path:** Type `contact-form`.
5. Keep this configuration panel open for the next step.

Step 3: Understand the Webhook URLs

Look at the top of the Webhook node configuration panel. You will see two tabs:

- **Test URL:** Used for development and testing. It is only active when n8n is actively listening (which lasts for 120 seconds).
- **Production URL:** Used after the workflow is active. It is permanently active but does not show real-time editor run logs unless saved in the execution database.

1. Click on the **Test URL** tab.
2. Click the copy icon to copy the Test Webhook URL (it will look similar to http://localhost:5678/webhook-test/contact-form).

Step 4: Active Listening Mode & Payload Capture

1. Inside the Webhook node configuration panel, click the **Listen for test event** button. A dialog box will appear with a 120-second countdown, indicating n8n is waiting for a request.
2. Open a terminal or Command Prompt (cmd) on your system.
3. Send a test HTTP POST request using `curl` (replace `[YOUR_TEST_WEBHOOK_URL]` with the URL you copied in Step 3):`curl -X POST "[https://ayushkumar77781.app.n8n.cloud/webhook-test/Type`

```
contact-form]" -H "Content-Type: application/json" -d
"{\"name\": \"Alice Smith\", \"email\": \"alice@example.com\",
\"message\": \"Hello from webhook!\"}"
```

4. Return to your browser. The Webhook configuration panel will close the listening state and show a green **Execution successful** message.
5. In the node output panel, click on **JSON** or **Schema** tab and expand `body`. Verify you can see:
    a. `name`: `Alice Smith`
    b. `email`: alice@example.com
    c. `message`: `Hello from webhook!`
6. Close the configuration panel.

Step 5: Add the Edit Fields Node (Process Webhook Data)

Now, we will filter out the HTTP headers and metadata and extract only the three body fields.

1. Click the output connector (+ icon) on the right edge of the **Webhook** node.
2. Search for and select the **Edit Fields (Set)** node.
3. Rename this node to `Process Webhook Data`.
4. Double-click the node to open the configuration panel.

Step 6: Map Fields and Clean Up Payload

1. **Disable Original Fields:** In the configuration panel, locate the **Include Other Input Fields** toggle switch. Switch it to **Disabled / Off**. (This ensures only our mapped properties are output, filtering out headers and raw query data).
2. Under **Fields to Set**, configure these three fields:
    a. **Field 1 (String):**
        i. **Name:** `customerName`
        ii. **Value:** Type the expression: `{{ $json.body.name }}`
    b. **Field 2 (String):**
        i. **Name:** `customerEmail`
        ii. **Value:** Type the expression: `{{ $json.body.email }}`
    c. **Field 3 (String):**
        i. **Name:** `customerMessage`
        ii. **Value:** Type the expression: `{{ $json.body.message }}`
3. Close the configuration panel.

Step 7: Test and Verify the Final Output

1. Click the large orange **Test workflow** button at the bottom-center of the canvas.

2. Both the `Webhook` trigger node and `Process Webhook Data` node will display green checkmarks.
3. Double-click the `Process Webhook Data` node and view the **JSON** output.
4. The output must be a clean, flat JSON object containing only the mapped keys, formatted exactly as follows:

```
[
  {
    "customerName": "Alice Smith",
    "customerEmail": "alice@example.com",
    "customerMessage": "Hello from webhook!"
  }
]
```

5. Click **Save** in the top-right corner to save your workflow.