

ULIP Integration Requirement Document

Version No.: 6.0

Date: 27/03/2026

Project Name: ULIP

This document contains proprietary information of NLDSL. Unauthorized access, copying and replication are prohibited. This document must not be copied in whole or part by any means, without the written authorization of NLDSL, Noida, India.

Revision History

Version	Date	Author	Reviewer	Significant Changes
1.0	02/07/2021	Hasan Mhad Khan	Nayab Ali	Baseline Version
2.0	23/05/2022	Akshay Singh	Nayab Ali	Update format & response
3.0	05/08/2022	Akshay Singh	Nayab Ali	Update Response
4.0	20/09/2024	Ayush Arya	Nayab Ali	Updated
5.0	03/02/2026	Sudhanshu Singh	Nayab Ali	Add new VAHAN API VAHAN/04, VAHAN/05, VAHAN/06
6.0	27/03/2026	Gaurav Tyagi	Pranab Manna	Updated

Table of Contents

Introduction	4
1.1 Purpose	4
The Overall Description	4
1.2 Data Integration between VAHAN System and ULIP application	5
1.3 VAHAN Integration masking fields	5
1.4 VAHAN/01	5
1.4.1 Technical Approach.....	5
1.5 VAHAN/02	8
1.5.1 Technical Approach.....	9
1.6 VAHAN/03	12
1.6.1 Technical Approach.....	13
1.7 VAHAN/04	17
1.7.1 Technical Approach.....	17
1.8 VAHAN/05	21
1.8.1 Technical Approach.....	21
1.9 VAHAN/06	25
1.9.1 Technical Approach.....	26
1.10 Data Transmission & Authentication Mechanism	30

Introduction

1.1 Purpose

The purpose of this document is to define and provide details for accessing API for vehicle information from ULIP system.

This document details the following points:

1. **Data Integration between VAHAN and ULIP web service:** Identification of operational points where data integration between VAHAN and ULIP web service will be needed.
2. **Technical Approach** for performing Data Integration

The Overall Description

User will share vehicle information such as **vehicle number**, **chassis number** and **engine number** based on data send by user ULIP system will call respective VAHAN APIs for accessing information.

Following are the points for accessing vehicle information: -

1. This API will share vehicle data based on information provided by user.
2. ULIP will expose six API for getting data from VAHAN API.
3. For **VAHAN/01** ULIP will take **vehicle number** from user and get xml data from Vahan API based on vehicle number.
4. For **VAHAN/02** ULIP will take **chassis number** from user and get xml data from Vahan API based on chassis number.
5. For **VAHAN/03** ULIP will take **engine number** from user and get xml data from Vahan API based on engine number.
6. For **VAHAN/04** ULIP will take **vehicle number** from user and get Json data from Vahan API based on vehicle number.
7. For **VAHAN/05** ULIP will take **chassis number** from user and get Json data from Vahan API based on chassis number.
8. For **VAHAN/06** ULIP will take **engine number** from user and get Json data from Vahan API based on engine number.

1.2 Data Integration between VAHAN System and ULIP application

Users will share information to ULIP system based on data shared ULIP will provide data to user.

1.3 VAHAN Integration masking fields

We are masking some fields in vahan integration. These are the fields - rc_present_address, rc_permanent_address, rc_owner_name, rc_mobile_no, rc_f_name. We are applying default masking for these fields for all the users.

1.4 VAHAN/01

This API will take vehicle number and connect with VAHAN API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	vehiclenumber	Vehicle Number as available in VAHAN system	^[a-zA-Z0-9]{5,11}\$	Required	Min 5 Max 11

1.4.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **vehicle number** for which detail is required.
3. VAHAN API will share details of vehicle which exist in VAHAN system in xml format.
4. Data receive from VAHAN is in XML format. ULIP system convert this data to string format and assign it to key “**response**”.
5. ULIP system will provide the data in JSON Object format in response body.

Example:

Users will share Vehicle Number **UP91L0001** to ULIP system, then ULIP system will make a request to VAHAN API.

Request:

The request must be of the following format, where vehicle number is passed within the URL body in JSON format.

For Production -

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/01>

```
{  
  "vehiclenumber": "UP91L0001"  
}
```

Curl URL

```
curl -X POST \  
  https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/01 \  
  -H 'accept: application/json' \  
  -H 'authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ0ZXN0MSIsImhhdCI6MTYyNTIyNDQxMCwi  
YXBwcyI6ImRhdGFwdXNoIn0.STkF5e_NKQeiv7Kyu6rRRRYMisrEbQwUjZbJzoi  
2u-1LNH2oTsJQToVytU8FCQua6xzJNnIE5IFT9Bh2CLFugA' \  
  -H 'content-type: application/json' \  
  -d '{  
    "vehiclenumber": "UP91L0001"  
  }'
```

For Staging -

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/01>

```
{  
  "vehiclenumber": "UP32KH0320"  
}
```

Curl URL

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/01' \  
--header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGlwliwiaWF0IjoxNzI2ODEyNTk0LCJhcH  
BzljoiZGF0YXB1c2gifQ.iHjX6nSl2mldZJBjJ6ZnzUXNwi3PIKH5pfqEm7HVORWe  
hcLghZyq1zhZDdZCIPm0ZD4YgROImnBmMU3kryxNow' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data '{  
  "vehiclenumber": "UP32KH0320"  
}'
```

For obtaining authentication token, refer [Section 1.10](#)

Response

To acknowledge the above request, ULIP will send the response below -

a) In case of invalid format

```
{
  "response": [
    {
      "response": "<?xml version='1.0' encoding='UTF-8'
standalone='yes'?>\n<VehicleDetails>\n
<stautsMessage>OK</stautsMessage>\n
<rc_regn_no>UP91L0001</rc_regn_no>\n  <rc_regn_dt>26-Jan-
2017</rc_regn_dt>\n  <rc_regn_upto>25-Jan-2032</rc_regn_upto>\n
<rc_purchase_dt>24-Jan-2017</rc_purchase_dt>\n
<rc_owner_sr>1</rc_owner_sr>\n  <rc_owner_name>R***L
K***R</rc_owner_name>\n  <state_cd>UP</state_cd>\n
<rto_cd>91</rto_cd>\n  <rc_present_address>,
999999</rc_present_address>\n  <rc_permanent_address>,
999999</rc_permanent_address>\n  <rc_vch_catg>2WN</rc_vch_catg>\n
<rc_vh_class_desc>M-Cycle/Scooter(2WN)</rc_vh_class_desc>\n
<rc_vhclass_desc>M-Cycle/Scooter</rc_vhclass_desc>\n
<rc_chasi_no>ME4JF509AH70*****</rc_chasi_no>\n
<rc_eng_no>JF50E760*****</rc_eng_no>\n  <rc_maker_desc>HONDA
MOTORCYCLE AND SCOOTER INDIA (P) LTD</rc_maker_desc>\n
<rc_maker_model>HONDA ACTIVA</rc_maker_model>\n
<rc_body_type_desc>SOLO</rc_body_type_desc>\n
<rc_fuel_desc>PETROL</rc_fuel_desc>\n  <rc_color>P A WHITE</rc_color>\n
<rc_norms_desc>BHARAT STAGE II</rc_norms_desc>\n  <rc_fit_upto>25-
Jan-2032</rc_fit_upto>\n  <rc_tax_upto>25-01-2032</rc_tax_upto>\n
<rc_financer></rc_financer>\n  <rc_insurance_comp>HDFC ERGO General
Insurance Company Ltd</rc_insurance_comp>\n
<rc_insurance_policy_no>2320100501934300000</rc_insurance_policy_no>\n
<rc_insurance_upto>15-Sep-2020</rc_insurance_upto>\n
<rc_manu_month_yr>1/2017</rc_manu_month_yr>\n
<rc_unld_wt>108</rc_unld_wt>\n  <rc_gvw>269</rc_gvw>\n
<rc_no_cyl>1</rc_no_cyl>\n  <rc_cubic_cap>109.00</rc_cubic_cap>\n
<rc_seat_cap>2</rc_seat_cap>\n  <rc_sleeper_cap></rc_sleeper_cap>\n
<rc_stand_cap>0</rc_stand_cap>\n  <rc_wheelbase>1230</rc_wheelbase>\n

```

```

<rc_registered_at>HAMIRPUR(UP), Uttar Pradesh</rc_registered_at>\n
<rc_status_as_on>03-Feb-2026</rc_status_as_on>\n
<rc_status>ACTIVE</rc_status>\n
<rc_blacklist_status></rc_blacklist_status>\n
<rc_noc_details></rc_noc_details>\n  <rc_vh_type>N</rc_vh_type>\n
<rc_vh_class>1</rc_vh_class>\n  <rc_noc_dt></rc_noc_dt>\n
<rc_fuel_cd>1</rc_fuel_cd>\n  <rc_maker_cd>36</rc_maker_cd>\n
<rc_model_cd>HONDA ACTIVA</rc_model_cd>\n
<rc_norms_cd>0</rc_norms_cd>\n  <rc_sale_amt>51129.0</rc_sale_amt>\n
<rc_own_catg_desc>OTHERS</rc_own_catg_desc>\n
<rc_vch_catg_desc>TWO WHEELER(NT)</rc_vch_catg_desc>\n
<rc_owner_cd_desc>INDIVIDUAL</rc_owner_cd_desc>\n
<rc_vehicle_surrendered_to_dealer>0</rc_vehicle_surrendered_to_dealer>\n
<rc_currentadd_districtcode>0</rc_currentadd_districtcode>\n
<rc_non_use>false</rc_non_use>\n
<rc_passenger_tax></rc_passenger_tax>\n  <rc_goods_tax></rc_goods_tax>\n
<rc_tax_mode>L</rc_tax_mode>\n</VehicleDetails>\n",
  "responseStatus": "SUCCESS",
  "message": null
}
],
"error": "false",
"code": "200",
"message": "Success"
}

```

Status Code 200: vehicle data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.5 VAHAN/02

This API will take vehicle number and connect with VAHAN API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	chasisnumber	Chassis Number as available in VAHAN system	^[a-zA-Z0-9]{1,20}\$	Required	Min 1 Max 20

1.5.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **chassis number** for which detail is required.
3. VAHAN API will share details of vehicle which exist in VAHAN system in xml format.
4. Data receive from VAHAN is in XML format. ULIP system convert this data to string format and assign it to key "**response**".
5. ULIP system will provide the data in JSON Object format in response body.

Example:

Chassis Number **ME4JF509AH7069705** is shared by ULIP system, then VAHAN-integration will make a request to VAHAN API.

Request:

The request must be of the following format, where chassis number is passed within the URL body in JSON format.

For Production -

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/02>

```
{  
  "chasisnumber": " ME4JF509AH7069705"  
}
```

Curl URL

```
curl -X POST \  
  https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/02 \  
  -H 'accept: application/json' \  
  -H 'authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ0ZXN0MSIsImIhdCI6MTYyNTIyNDQxMCwi  
YXBwcyI6ImRhdGFwdXNoIn0.STkF5e_NKQeiv7Kyu6rRRRYMisrEbQwUjZbJzoi  
2u-1LNH2oTsJQToVytU8FCQua6xzJNnIE5IFT9Bh2CLFugA' \  
  -H 'content-type: application/json' \  
  -d '{  
    "chasisnumber": "ME4JF509AH7069705"  
  }'
```

For Staging -

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/02>

```
{  
  "chasisnumber": "MAT447230H3F13971"  
}
```

Curl URL

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/02' \  
--header 'authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGlwliwiaWF0IjoxNzI2ODEyNTk0LCJhcH  
BzljoiZGF0YXB1c2gifQ.ihjX6nSI2mldZJBjJ6ZnzUXNwi3PIKH5pfqEm7HVORWe  
hcLghZyq1zhZDdZCIPm0ZD4YgROImnBmMU3kryxNow' \  
--header 'accept: application/json' \  
--header 'Content-Type: application/json' \  
--data '{  
  "chasisnumber": "MAT447230H3F13971"  
}'
```

For obtaining authentication token, refer [Section 1.10](#)

Response

To acknowledge the above request, ULIP will send the below response –

a) In case of invalid format

```
{  
  "response": null,  
  "error": "true",  
  "code": "400",  
  "message": "Data format failed OR wrong value entered at: chasisnumber.  
Format should follow ^[a-zA-Z0-9]{1,17}$"  
}
```

b) In case of chassis number does not exist in VAHAN system

```
{  
  "response": [  
    {  
      "chasisnumber": "MAT447230H3F13971"  
    }  
  ]  
}
```

```
{
  "response": "<?xml version='1.0' encoding='UTF-8'
standalone='yes'?'>\n<VehicleDetails>\n  <statsMessage>Vehicle Data Not
Found</statsMessage>\n</VehicleDetails>\n",
  "responseStatus": "SUCCESS"
},
"error": "false",
"code": "200",
"message": "Success"
}
```

c) In case of chassis number exist

```
{
  "response": [
    {
      "response": "<?xml version='1.0' encoding='UTF-8'
standalone='yes'?'>\n<VehicleDetails>\n  <statsMessage>OK</statsMessage>\n
<rc_regn_no>UP91L0001</rc_regn_no>\n  <rc_regn_dt>26-Jan-2017</rc_regn_dt>\n
<rc_regn_upto>25-Jan-2032</rc_regn_upto>\n  <rc_purchase_dt>24-Jan-
2017</rc_purchase_dt>\n  <rc_owner_sr>1</rc_owner_sr>\n
<rc_owner_name>R***L K***R</rc_owner_name>\n  <state_cd>UP</state_cd>\n
<rto_cd>91</rto_cd>\n  <rc_present_address>, 999999</rc_present_address>\n
<rc_permanent_address>, 999999</rc_permanent_address>\n
<rc_vch_catg>2WN</rc_vch_catg>\n  <rc_vh_class_desc>M-
Cycle/Scooter(2WN)</rc_vh_class_desc>\n  <rc_vhclass_desc>M-
Cycle/Scooter</rc_vhclass_desc>\n
<rc_chasi_no>ME4JF509AH70*****</rc_chasi_no>\n
<rc_eng_no>JF50E760*****</rc_eng_no>\n  <rc_maker_desc>HONDA
MOTORCYCLE AND SCOOTER INDIA (P) LTD</rc_maker_desc>\n
<rc_maker_model>HONDA ACTIVA</rc_maker_model>\n
<rc_body_type_desc>SOLO</rc_body_type_desc>\n
<rc_fuel_desc>PETROL</rc_fuel_desc>\n  <rc_color>P A WHITE</rc_color>\n
<rc_norms_desc>BHARAT STAGE II</rc_norms_desc>\n  <rc_fit_upto>25-Jan-
2032</rc_fit_upto>\n  <rc_tax_upto>25-01-2032</rc_tax_upto>\n
<rc_financer></rc_financer>\n  <rc_insurance_comp>HDFC ERGO General Insurance
Company Ltd</rc_insurance_comp>\n
<rc_insurance_policy_no>2320100501934300000</rc_insurance_policy_no>\n
<rc_insurance_upto>15-Sep-2020</rc_insurance_upto>\n
<rc_manu_month_yr>1/2017</rc_manu_month_yr>\n
<rc_unld_wt>108</rc_unld_wt>\n  <rc_gvw>269</rc_gvw>\n
<rc_no_cyl>1</rc_no_cyl>\n  <rc_cubic_cap>109.00</rc_cubic_cap>\n
}
```

```

<rc_seat_cap>2</rc_seat_cap>\n  <rc_sleeper_cap></rc_sleeper_cap>\n
<rc_stand_cap>0</rc_stand_cap>\n  <rc_wheelbase>1230</rc_wheelbase>\n
<rc_registered_at>HAMIRPUR(UP), Uttar Pradesh</rc_registered_at>\n
<rc_status_as_on>03-Feb-2026</rc_status_as_on>\n
<rc_status>ACTIVE</rc_status>\n  <rc_blacklist_status></rc_blacklist_status>\n
<rc_noc_details></rc_noc_details>\n  <rc_vh_type>N</rc_vh_type>\n
<rc_vh_class>1</rc_vh_class>\n  <rc_noc_dt></rc_noc_dt>\n
<rc_fuel_cd>1</rc_fuel_cd>\n  <rc_maker_cd>36</rc_maker_cd>\n
<rc_model_cd>HONDA ACTIVA</rc_model_cd>\n
<rc_norms_cd>0</rc_norms_cd>\n  <rc_sale_amt>51129.0</rc_sale_amt>\n
<rc_own_catg_desc>OTHERS</rc_own_catg_desc>\n  <rc_vch_catg_desc>TWO
WHEELER(NT)</rc_vch_catg_desc>\n
<rc_owner_cd_desc>INDIVIDUAL</rc_owner_cd_desc>\n
<rc_vehicle_surrendered_to_dealer>0</rc_vehicle_surrendered_to_dealer>\n
<rc_currentadd_districtcode>0</rc_currentadd_districtcode>\n
<rc_non_use>false</rc_non_use>\n  <rc_passenger_tax></rc_passenger_tax>\n
<rc_goods_tax></rc_goods_tax>\n
<rc_tax_mode>L</rc_tax_mode>\n</VehicleDetails>\n",
  "responseStatus": "SUCCESS",
  "message": null
}
],
"error": "false",
"code": "200",
"message": "Success"
}

```

Status Code 200: vehicle data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.6 VAHAN/03

This API will take engine number and connect with VAHAN API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	enginenum	Engine Number as available in VAHAN system	^[a-zA-Z0-9]{1,20}\$	Required	Min 1 Max 20

1.6.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **engine number** for which detail is required.
3. VAHAN API will share details of vehicle which exist in VAHAN system in xml format.
4. Data receive from VAHAN is in XML format. ULIP system convert this data to string format and assign it to key "**response**".
5. ULIP system will provide the data in JSON Object format in response body.

Example:

Engine Number **JF50E76069768** is shared by ULIP system, then VAHAN-integration will make a request to VAHAN API.

Request:

The request must be of the following format, where vehicle number is passed within the URL body in JSON format.

For Production -

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/03>

```
{  
  "enginenum": "JF50E76069768"  
}
```

Curl URL

```
curl -X POST \  
  https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/03 \  
  -H 'accept: application/json' \  
  -H 'authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYyNTIzMDQyNywi  
YXBwcyI6ImRhdGFwdXNoIn0.rhumwWJ8BWeeHe9CYmIV1UKyJk-  
kLHA_ovX5Zi2OwxEv-td-KpxnfbKDI_8FZsOoggqx3Al-Du1y2qMoUD7uzA' \  
  -H 'cache-control: no-cache' \  
  -H 'content-type: application/json' \  
  -H 'postman-token: 9cb5ac3c-59dd-4505-0b69-a03c07e59f26' \  
  -d '{  
    "enginenum": "JF50E76069768"  
  }'
```

For Staging -

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/03>

```
{  
  "enginenum": "GC74B44246"  
}
```

Curl URL

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/03' \  
--header 'authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJ1bGlwliwiaWF0IjoxNzI2ODEyNTk0LCJhcH  
BzljoiZGF0YXB1c2gifQ.iHjX6nSI2mldZJBjJ6ZnzUXNwi3PIKH5pfqEm7HVORWe  
hcLghZyq1zhZDdZCIPm0ZD4YgROImnBmMU3kryxNow' \  
--header 'accept: application/json' \  
--header 'content-type: application/json' \  
--data '{  
  "enginenum": "GC74B44246"  
}'
```

For obtaining authentication token, refer [Section 1.10](#)

Response

To acknowledge the above request, ULIP will send the below response –

a) In case of invalid format

```
{  
  "response": null,  
  "error": "true",  
  "code": "400",  
  "message": "Data format failed OR wrong value entered at: enginenum.  
Format should follow ^[a-zA-Z0-9]{1,12}$"  
}
```

b) In case of engine numbers, they do not exist in VAHAN system

```
{
  "response": [
    {
      "response": "<?xml version='1.0' encoding='UTF-8'
standalone='yes'?'>\n<VehicleDetails>\n  <stautsMessage>Vehicle Data Not
Found</stautsMessage>\n</VehicleDetails>\n",
      "responseStatus": "SUCCESS"
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

c) In case of engine number exist

```
{
  "response": [
    {
      "response": "<?xml version='1.0' encoding='UTF-8'
standalone='yes'?'>\n<VehicleDetails>\n  <stautsMessage>OK</stautsMessage>\n
<rc_regn_no>UP91L0001</rc_regn_no>\n  <rc_regn_dt>26-Jan-2017</rc_regn_dt>\n
<rc_regn_upto>25-Jan-2032</rc_regn_upto>\n  <rc_purchase_dt>24-Jan-
2017</rc_purchase_dt>\n  <rc_owner_sr>1</rc_owner_sr>\n
<rc_owner_name>R***L K***R</rc_owner_name>\n  <state_cd>UP</state_cd>\n
<rto_cd>91</rto_cd>\n  <rc_present_address>, 999999</rc_present_address>\n
<rc_permanent_address>, 999999</rc_permanent_address>\n
<rc_vch_catg>2WN</rc_vch_catg>\n  <rc_vh_class_desc>M-
Cycle/Scooter(2WN)</rc_vh_class_desc>\n  <rc_vhclass_desc>M-
Cycle/Scooter</rc_vhclass_desc>\n
<rc_chasi_no>ME4JF509AH70*****</rc_chasi_no>\n
<rc_eng_no>JF50E760*****</rc_eng_no>\n  <rc_maker_desc>HONDA
MOTORCYCLE AND SCOOTER INDIA (P) LTD</rc_maker_desc>\n
<rc_maker_model>HONDA ACTIVA</rc_maker_model>\n
<rc_body_type_desc>SOLO</rc_body_type_desc>\n
<rc_fuel_desc>PETROL</rc_fuel_desc>\n  <rc_color>P A WHITE</rc_color>\n
<rc_norms_desc>BHARAT STAGE II</rc_norms_desc>\n  <rc_fit_upto>25-Jan-
2032</rc_fit_upto>\n  <rc_tax_upto>25-01-2032</rc_tax_upto>\n
<rc_financer></rc_financer>\n  <rc_insurance_comp>HDFC ERGO General Insurance
```

```

Company Ltd</rc_insurance_comp>\n
<rc_insurance_policy_no>2320100501934300000</rc_insurance_policy_no>\n
<rc_insurance_upto>15-Sep-2020</rc_insurance_upto>\n
<rc_manu_month_yr>1/2017</rc_manu_month_yr>\n
<rc_unld_wt>108</rc_unld_wt>\n  <rc_gvw>269</rc_gvw>\n
<rc_no_cyl>1</rc_no_cyl>\n  <rc_cubic_cap>109.00</rc_cubic_cap>\n
<rc_seat_cap>2</rc_seat_cap>\n  <rc_sleeper_cap></rc_sleeper_cap>\n
<rc_stand_cap>0</rc_stand_cap>\n  <rc_wheelbase>1230</rc_wheelbase>\n
<rc_registered_at>HAMIRPUR(UP), Uttar Pradesh</rc_registered_at>\n
<rc_status_as_on>03-Feb-2026</rc_status_as_on>\n
<rc_status>ACTIVE</rc_status>\n  <rc_blacklist_status></rc_blacklist_status>\n
<rc_noc_details></rc_noc_details>\n  <rc_vh_type>N</rc_vh_type>\n
<rc_vh_class>1</rc_vh_class>\n  <rc_noc_dt></rc_noc_dt>\n
<rc_fuel_cd>1</rc_fuel_cd>\n  <rc_maker_cd>36</rc_maker_cd>\n
<rc_model_cd>HONDA ACTIVA</rc_model_cd>\n
<rc_norms_cd>0</rc_norms_cd>\n  <rc_sale_amt>51129.0</rc_sale_amt>\n
<rc_own_catg_desc>OTHERS</rc_own_catg_desc>\n  <rc_vch_catg_desc>TWO  
WHEELER(NT)</rc_vch_catg_desc>\n
<rc_owner_cd_desc>INDIVIDUAL</rc_owner_cd_desc>\n
<rc_vehicle_surrendered_to_dealer>0</rc_vehicle_surrendered_to_dealer>\n
<rc_currentadd_districtcode>0</rc_currentadd_districtcode>\n
<rc_non_use>false</rc_non_use>\n  <rc_passenger_tax></rc_passenger_tax>\n
<rc_goods_tax></rc_goods_tax>\n
<rc_tax_mode>L</rc_tax_mode>\n</VehicleDetails>\n",
  "responseStatus": "SUCCESS",
  "message": null
}
],
"error": "false",
"code": "200",
"message": "Success"
}

```

Status Code 200: vehicle data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.7 VAHAN/04

This API will take vehicle number and connect with VAHAN API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	vehiclenumber	Vehicle Number as available in VAHAN system	^[a-zA-Z0-9]{5,11}\$	Required	Min 5 Max 11

1.7.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **vehicle number** for which detail is required.
3. VAHAN API will share details of chassis number details based on vehiclenumber exist in VAHAN system in JSON format.
4. VAHAN Integration will add JSON in **response** key in response body.
5. ULIP system will provide the data in JSON Object format in response body.

Example:

Users will share Vehicle Number UP91L0001 to ULIP system, then ULIP system will make a request to VAHAN API.

Request:

The request must be of the following format, where vehicle number is passed within the URL body in JSON format.

For Production -

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/04>

```
{
  "vehiclenumber": "UP91L0001"
}
```

Curl URL

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/04' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoieXBpR2F0ZXdheSIsInN1Yil6InVsaXAiLCJpYXQiOiE3NzAwNDE2NDV9.iERfbuYgZbDbeuVOOUB89TfO3ttZnnaTB8_kSGj3R12gID8IVz0cLVL2EvADOmEu1hZtbn8P4ivymEJC DG9FAA' \
--data '{"vehiclenumber": "UP91L0001"}'
```

For Staging -

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/04>

```
{"vehiclenumber": "UP32KH0320"}
```

Curl URL

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/04' \  
--header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJhcHBzljoiYXBpR2F0ZXdheSIsInN1Yil6InVsaXAiLCJpYXQiOiJlE3NzAwOTE4NTd9.3ku5gqG3yAwOazqC5EA69PEiiZmDymndimvRfr1ICz6nFjvLHbRw2LrCCUz2edQmZt_dZj0B8x-_jrth157OQ' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data '{"vehiclenumber": "UP32KH0320"}'
```

For obtaining authentication token, refer [Section 1.10](#)

Response

To acknowledge the above request, ULIP will send the response below -

b) In case of invalid format

```
{  
  "response": null,  
  "error": "true",  
  "code": "400 BAD_REQUEST",  
  "message": "Data format failed OR wrong value entered at: vehiclenumber.  
Format should follow ^[A-Z0-9]{5,11}$"  
}
```

c) In case of vehicle number does not exist in VAHAN system

```
{  
  "response": [  
    {  
      "response": null,  
      "responseStatus": "ERROR",  
      "message": {  
        "id": null,  
        "code": "231",  
      }  
    }  
  ]  
}
```

```
        "params": null,  
        "text": "Vehicle Details not Found"  
    }  
  },  
  ],  
  "error": "false",  
  "code": "200",  
  "message": "Success"  
}
```

d) In case vehicles exist

```
{  
  "response": [  
    {  
      "response": {  
        "stautsMessage": "OK",  
        "stateCd": "UP",  
        "rtoCd": "91",  
        "rcRegnNo": "UP91L0001",  
        "rcRegnDt": "26-Jan-2017",  
        "rcPurchaseDt": "24-Jan-2017",  
        "rcChasiNo": "ME4JF509AH70*****",  
        "rcEngNo": "JF50E760*****",  
        "rcVhClassDesc": "M-Cycle/Scooter",  
        "rcMakerDesc": "HONDA MOTORCYCLE AND SCOOTER  
INDIA (P) LTD",  
        "rcMakerModel": "HONDA ACTIVA",  
        "rcBodyTypeDesc": "SOLO",  
        "rcFuelDesc": "PETROL",  
        "rcColor": "P A WHITE",  
        "rcOwnerName": "R***L K***R",  
        "rcPermanentAddress": ", 999999",  
        "rcPresentAddress": ", 999999",  
        "rcFitUpto": "25-Jan-2032",  
        "rcNormsDesc": "BHARAT STAGE II",  
        "rcFinancer": "",  
        "rcRegisteredAt": "HAMIRPUR(UP), Uttar Pradesh",  
        "rcStatusAsOn": "03-Feb-2026 05:02:62604",  
        "rcManuMonthYr": "1/2017",  
        "rcUnldWt": "108",
```

```
"rcVchCatg": "2WN",
"rcGvw": "269",
"rcNoCyl": "1",
"rcCubicCap": "109.00",
"rcSeatCap": "2",
"rcWheelbase": "1230",
"rcStandCap": "0",
"rcSleeperCap": "",
"rcOwnerSr": "1",
"rcPuccUpto": "",
"rcPuccNo": "",
"rcBlacklistStatus": "",
"rcNocDetails": "",
"rcNocDt": "",
"rcVhClass": 1,
"rcVhType": "N",
"rcFuelCd": "1",
"rcMakerCd": "36",
"rcModelCd": "HONDA ACTIVA",
"rcSaleAmt": "51129",
"rcRegnUpto": "25-Jan-2032",
"rcOwnCatgDesc": "OTHERS",
"rcVchCatgDesc": "TWO WHEELER(NT)",
"rcOwnerCdDesc": "INDIVIDUAL",
"rcPassengerTax": "",
"rcGoodsTax": "",
"rcOwnerHistory": [
  {
    "stateCd": "",
    "offName": "",
    "ownerSr": 0,
    "ownerName": ""
  }
],
"rcTaxUpto": "25-Jan-2032",
"rcTaxMode": "L",
"rcInsuranceComp": "HDFC ERGO General Insurance Company
Ltd",
"rcInsurancePolicyNo": "2320100501934300000",
"rcInsuranceUpto": "15-Sep-2020",
"rcStatus": "ACTIVE"
```

```

    },
    "responseStatus": "SUCCESS",
    "message": null
  }
],
"error": "false",
"code": "200",
"message": "Success"
}

```

Status Code 200: vehicle data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.8 VAHAN/05

This API will take vehicle number and connect with VAHAN API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	chasisnumber	Chassis Number as available in VAHAN system	^[^\s]{5,24}\$	Required	Min 5 Max 24

1.8.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **chassis number** for which detail is required.
3. VAHAN API will share details of chassis number details based on chasisnumber exist in VAHAN system in JSON format.
4. VAHAN Integration will add JSON in **response** key in response body.
5. ULIP system will provide the data in JSON Object format in response body.

Example:

Chassis Number **ME4JF509AH7069705** is shared by ULIP system, then VAHAN-integration will make a request to VAHAN API.

Request:

The request must be of the following format, where chassis number is passed within the URL body in JSON format.

For Production -

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/05>

```
{"chasisnumber": " ME4JF509AH7069705"}
```

Curl URL

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/05' \  
--header 'Content-Type: application/json' \  
--header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoieXBpR2F0ZXdheSIsInN1Yil6InVsaXAiLCJpYXQiOiJlE3NzAwNDE2NDV9.iERfbuYgZbDbeuVOOUB89TfO3ttZnnaTB8_kSGj3R12gID8IVz0cLVL2EvADOmEu1hZtbn8P4ivymEJCdG9FAA' \  
--data '{  
  "chasisnumber": "ME4JF509AH7069705"  
}'
```

For Staging -

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/05>

```
{"chasisnumber": "MAT447230H3F13971"}
```

Curl URL

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/05' \  
--header 'authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoieXBpR2F0ZXdheSIsInN1Yil6InVsaXAiLCJpYXQiOiJlE3NzAwOTE4NTd9.3ku5gqG3yAwOazqC5EA69PEiiZmDymndimvRfr1ICz6nFjvLHbRw2LrCCUz2edQmZt_dZj0B8x-_jrth157OQ' \  
--header 'accept: application/json' \  
--header 'Content-Type: application/json' \  
--data '{"chasisnumber": "MAT447230H3F13971"}
```

For obtaining authentication token, refer [Section 1.10](#)

Response

To acknowledge the above request, ULIP will send the below response –

d) In case of invalid format

```
{
  "response": null,
  "error": "true",
  "code": "400 BAD_REQUEST",
  "message": "Data format failed OR wrong value entered at: chasisnumber.
Format should follow ^[^\s]{5,24}$"
}
```

e) In case of chassis number does not exist in VAHAN system

```
{
  "response": [
    {
      "response": null,
      "responseStatus": "ERROR",
      "message": {
        "id": null,
        "code": "231",
        "params": null,
        "text": "Vehicle Details not Found"
      }
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

f) In case of chassis number exist

```
{
  "response": [
    {
      "response": {
        "stautsMessage": "OK",
        "stateCd": "UP",

```

```
"rtoCd": "91",
"rcRegnNo": "UP91L0001",
"rcRegnDt": "26-Jan-2017",
"rcPurchaseDt": "24-Jan-2017",
"rcChasiNo": "ME4JF509AH70*****",
"rcEngNo": "JF50E760*****",
"rcVhClassDesc": "M-Cycle/Scooter",
"rcMakerDesc": "HONDA MOTORCYCLE AND SCOOTER INDIA (P) LTD",
"rcMakerModel": "HONDA ACTIVA",
"rcBodyTypeDesc": "SOLO",
"rcFuelDesc": "PETROL",
"rcColor": "P A WHITE",
"rcOwnerName": "R***L K***R",
"rcPermanentAddress": ", 999999",
"rcPresentAddress": ", 999999",
"rcFitUpto": "25-Jan-2032",
"rcNormsDesc": "BHARAT STAGE II",
"rcFinancer": "",
"rcRegisteredAt": "HAMIRPUR(UP), Uttar Pradesh",
"rcStatusAsOn": "03-Feb-2026 12:02:45044",
"rcManuMonthYr": "1/2017",
"rcUnldWt": "108",
"rcVchCatg": "2WN",
"rcGvw": "269",
"rcNoCyl": "1",
"rcCubicCap": "109.00",
"rcSeatCap": "2",
"rcWheelbase": "1230",
"rcStandCap": "0",
"rcSleeperCap": "",
"rcOwnerSr": "1",
"rcPuccUpto": "",
"rcPuccNo": "",
"rcBlacklistStatus": "",
"rcNocDetails": "",
"rcNocDt": "",
"rcVhClass": 1,
"rcVhType": "N",
"rcFuelCd": "1",
"rcMakerCd": "36",
"rcModelCd": "HONDA ACTIVA",
"rcSaleAmt": "51129",
"rcRegnUpto": "25-Jan-2032",
"rcOwnCatgDesc": "OTHERS",
```



```

    "rcVchCatgDesc": "TWO WHEELER(NT)",
    "rcOwnerCdDesc": "INDIVIDUAL",
    "rcPassengerTax": "",
    "rcGoodsTax": "",
    "rcOwnerHistory": [
      {
        "stateCd": "",
        "offName": "",
        "ownerSr": 0,
        "ownerName": ""
      }
    ],
    "rcTaxUpto": "25-Jan-2032",
    "rcTaxMode": "L",
    "rcInsuranceComp": "HDFC ERGO General Insurance Company Ltd",
    "rcInsurancePolicyNo": "2320100501934300000",
    "rcInsuranceUpto": "15-Sep-2020",
    "rcStatus": "ACTIVE"
  },
  "responseStatus": "SUCCESS",
  "message": null
}
],
"error": "false",
"code": "200",
"message": "Success"
}

```

Status Code 200: vehicle data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.9 VAHAN/06

This API will take engine number and connect with VAHAN API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	enginenum	Engine Number as available in VAHAN system	^[^\s]{1,20}\$	Required	Min 1 Max 20

1.9.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **engine number** for which detail is required.
3. VAHAN API will share details of engine number details based on enginenum exist in VAHAN system in JSON format.
4. VAHAN Integration will add JSON in **response** key in response body.
5. ULIP system will provide the data in JSON Object format in response body.

Example:

Engine Number **JF50E76069768** is shared by ULIP system, then VAHAN-integration will make a request to VAHAN API.

Request:

The request must be of the following format, where vehicle number is passed within the URL body in JSON format.

For Production -

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/06>

```
{"enginenum": "JF50E76069768"}
```

Curl URL

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/06' \  
--header 'authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoieXBpR2F0ZXdheSIsInN1Yil6InVsaXAiLCJpYXQiOiE3NzAwNDE2NDV9.iERfbuYgZbDbeuVOOUB89TfO3ttZnnaTB8_kSGj3R12gID8IVz0cLVL2EvADOmEu1hZtbn8P4ivymEJCdG9FAA' \  
--header 'accept: application/json' \  
--header 'content-type: application/json' \  
--data '{  
  "enginenum": "JF50E76069768"  
}'
```

For Staging -

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/06>

```
{"enginenum": "GC74B44246"}
```

Curl URL

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/06' \
--header 'authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoieXBpR2F0ZXdheSIsInN1Yil6InVsaXAiLCJpYXQiOiJl
3NzAwOTE4NTd9.3ku5gqG3yAwOazqC5EA69PEiiZmDymndimvRfr1ICz6nFjvLHbRw2Lr
CCUz2edQmZt_dZj0B8x-_jrth157OQ' \
--header 'accept: application/json' \
--header 'content-type: application/json' \
--data '{"enginenumner": "GC74B44246"}'
```

For obtaining authentication token, refer [Section 1.10](#)

Response

To acknowledge the above request, ULIP will send the below response –

d) In case of invalid format

```
{
  "response": null,
  "error": "true",
  "code": "400 BAD_REQUEST",
  "message": "Data format failed OR wrong value entered at: enginenumner. Format
should follow ^[^\s]{1,20}$"
}
```

e) In case of engine number do not exist in VAHAN system

```
{
  "response": [
    {
      "response": null,
      "responseStatus": "ERROR",
      "message": {
        "id": null,
        "code": "231",
        "params": null,
        "text": "Vehicle Details not Found"
      }
    }
  ],
  "error": "false",
  "code": "200",
  "message": "Success"
}
```

f) In case of engine number exist

```
{
  "response": [
    {
      "response": {
        "stautsMessage": "OK",
        "stateCd": "UP",
        "rtoCd": "91",
        "rcRegnNo": "UP91L0001",
        "rcRegnDt": "26-Jan-2017",
        "rcPurchaseDt": "24-Jan-2017",
        "rcChasiNo": "ME4JF509AH70*****",
        "rcEngNo": "JF50E760*****",
        "rcVhClassDesc": "M-Cycle/Scooter",
        "rcMakerDesc": "HONDA MOTORCYCLE AND SCOOTER INDIA (P) LTD",
        "rcMakerModel": "HONDA ACTIVA",
        "rcBodyTypeDesc": "SOLO",
        "rcFuelDesc": "PETROL",
        "rcColor": "P A WHITE",
        "rcOwnerName": "R***L K***R",
        "rcPermanentAddress": ", 999999",
        "rcPresentAddress": ", 999999",
        "rcFitUpto": "25-Jan-2032",
        "rcNormsDesc": "BHARAT STAGE II",
        "rcFinancer": "",
        "rcRegisteredAt": "HAMIRPUR(UP), Uttar Pradesh",
        "rcStatusAsOn": "03-Feb-2026 12:02:44194",
        "rcManuMonthYr": "1/2017",
        "rcUnldWt": "108",
        "rcVchCatg": "2WN",
        "rcGvw": "269",
        "rcNoCyl": "1",
        "rcCubicCap": "109.00",
        "rcSeatCap": "2",
        "rcWheelbase": "1230",
        "rcStandCap": "0",
        "rcSleeperCap": "",
        "rcOwnerSr": "1",
        "rcPuccUpto": "",
        "rcPuccNo": "",
        "rcBlacklistStatus": "",
        "rcNocDetails": ""
      }
    }
  ]
}
```

```
{
  "rcNocDt": "",
  "rcVhClass": 1,
  "rcVhType": "N",
  "rcFuelCd": "1",
  "rcMakerCd": "36",
  "rcModelCd": "HONDA ACTIVA",
  "rcSaleAmt": "51129",
  "rcRegnUpto": "25-Jan-2032",
  "rcOwnCatgDesc": "OTHERS",
  "rcVchCatgDesc": "TWO WHEELER(NT)",
  "rcOwnerCdDesc": "INDIVIDUAL",
  "rcPassengerTax": "",
  "rcGoodsTax": "",
  "rcOwnerHistory": [
    {
      "stateCd": "",
      "offName": "",
      "ownerSr": 0,
      "ownerName": ""
    }
  ],
  "rcTaxUpto": "25-Jan-2032",
  "rcTaxMode": "L",
  "rcInsuranceComp": "HDFC ERGO General Insurance Company Ltd",
  "rcInsurancePolicyNo": "2320100501934300000",
  "rcInsuranceUpto": "15-Sep-2020",
  "rcStatus": "ACTIVE"
},
"responseStatus": "SUCCESS",
"message": null
}
],
"error": "false",
"code": "200",
"message": "Success"
}
```

Status Code 200: vehicle data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.10 Data Transmission & Authentication Mechanism

All data exchange would be done over secure HTTP (HTTPS). Request from ULIP's system would be made in VAHAN system through a data exchange URL that has following form:

For Production –

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/<sequence number>>

Body:

```
For VAHAN/01
{
  "vehiclenumber": "UP91L0001"
}

For VAHAN/02
{
  "chasisnumber": "ME4JF509AH7069705"
}

For VAHAN/03
{
  "enginenumner": "JF50E76069768"
}

For VAHAN/04
{
  "vehiclenumber": "UP91L0001"
}

For VAHAN/05
{
  "chasisnumber": "ME4JF509AH7069705"
}

For VAHAN/06
{
  "enginenumner": "JF50E76069768"
}
```

Access to above data exchange URL would be authorized by use of a security mechanism implemented by the ULIP system. It is as follows:

- First time access: It would require a username and password [which would be shared with user beforehand]. Once user hit with valid user id and password, ULIP system will return a basic authorization token to user, using that token user will communicate with ULIP system until token will not get expired.

Brief summary of HTTP Basic Authentication is as follows:

First time when User will hit ULIP secured API through username and password for access token as follow-

```
curl --location --request POST 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/user/login' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
  "username": "xxxx",
  "password": "xxxx@123"
}'
```

Authorization:

Bearer

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYyNTIzMDQyNywiYXBwcyI6ImRh
dGFwdXNoIn0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi2OwxEv-td-
KpxnfbKDI_8FZsOoggqx3AL-Du1y2qMoUD7uza'
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired and user need to re authenticate.

Using The above token, user can request ULIP system for vehicle details as follow -

```
curl -X POST \
https://www.ulip.dpiit.gov.in/ulip/v1.0.0/VAHAN/01 \
-H 'accept: application/json' \
-H 'authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYyNTIzMDQyNywiYXBwcyI6ImRh
dGFwdXNoIn0.rhumwWJ8BWeeHe9CYmIV1UKyJk-kLHA_ovX5Zi2OwxEv-td-
KpxnfbKDI_8FZsOoggqx3AL-Du1y2qMoUD7uza' \
-H 'cache-control: no-cache' \
-H 'content-type: application/json' \
-H 'postman-token: 8e8a19a4-ea1e-6373-f616-e2e4af9a1338' \
-d '{
  "vehicleNumber": "UP91L0001"
}'
```

For Staging –

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/user/login' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--data-raw '{  
  "username": "xxxx",  
  "password": "xxxx@123"  
}'
```

Authorization:**Bearer**

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGluIiwiaWF0IjoxNzI0DEYNTk0LCJhcHBzIjoizGF0YXB1c2gifQ.ihjX6nSI2mIdZJBjJ6ZnzUXNwi3PLKH5pfqEm7HVORWehcLghZyq1zhZDdZCLPm0ZD4YgROImnBmMU3kryxNow
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired and user need to re authenticate.

Using The above token, user can request ULIP system for vehicle details as follow -

```
curl --Location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/VAHAN/01' \  
--header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ1bGluIiwiaWF0IjoxNzI0DEYNTk0LCJhcHBzIjoizGF0YXB1c2gifQ.ihjX6nSI2mIdZJBjJ6ZnzUXNwi3PLKH5pfqEm7HVORWehcLghZyq1zhZDdZCLPm0ZD4YgROImnBmMU3kryxNow' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data '{"vehiclenumber": "UP32KH0320"}'
```