

Scope Item 84P

GxP Compliance — Complete Reference Guide

84P

What It Is | What It Delivers | Who Contributes | Timeline

SAP S/4HANA + BTP | Reauthentication Framework | eSignature | 2026-06-26

84P = The on/off switch for GxP compliance in S4 + BTP. Activating it brings the Reauthentication Framework, S-table config for registered business objects, and BTP reason code provisioning — all in one step. Without 84P activated, CHECK_ESIG_ACTIVE returns FALSE and no reauthentication dialog will ever appear in any LOB application.

At a Glance

Aspect	Detail
Scope Item ID	84P
Full Name	GxP Compliance — Central Scope Item
Type	Shared — used by ALL LOBs (PO, Process Order, Sales Order, Maintenance Order etc.)
Primary Activation	Activates Reauthentication Framework in S4 + provisions BTP eSignature SaaS tenant
S4 Delivery	S-table content (VC_SRA_SOT) delivered via transport — object registrations, field configs
BTP Delivery	Reason codes auto-provisioned in BTP tenant on activation — customer can fine-tune
CE2608 Status	84P scope item created. Framework base delivered. OData V4 API extensibility enabled.
2702 Status	Each LOB adds their object + field registrations inside 84P
Customer Action	After activation: SPRO fine-tuning of regulated fields + custom reason codes in BTP
Key Contact	Framework: Yadesh Gupta (ya.gupta@sap.com) eSignature: Swarnava Chatterjee

Section 1 — What 84P Does: Three Activation Layers

All three layers activate simultaneously when 84P is switched on

LAYER 1 — S4 Backend (S-table content delivered via transport)

- Reauthentication Framework activated in S4
- VC_SRA_SOT S-table populated with: business object registrations, callback class names, node type definitions, regulated field list per node
- SPRO menu for GxP customising becomes available to customer
- LOB-specific object registrations delivered as part of 84P transport (each LOB contributes their own entries)

LAYER 2 — BTP (auto-provisioned on activation)

- BTP eSignature SaaS tenant provisioned automatically — no manual setup required
- Reason codes for all registered business objects loaded into BTP
- Customer can fine-tune reason codes in BTP after provisioning completes
- Only reason codes configured for a specific object appear in that object's reauthentication dropdown

LAYER 3 — Communication (pre-wired)

- Communication Arrangement between S4 and BTP eSignature SaaS configured as part of scope item activation
- OAuth / service key exchange between S4 and BTP pre-wired — no separate manual Communication Arrangement needed
- CHECK_ESIG_ACTIVE returns TRUE only when BOTH 84P is active AND BTP provisioning is complete

"Here we have a standard scope item for every LOB for considering GxP — which is 84P." — Yadesh Gupta, Reauthentication Framework Architect

"Whenever provisioning activates itself, the content will be loaded in the BTP tenant automatically — and then customer can fine-tune." — Yadesh Gupta

Section 2 — Who Contributes What to 84P

84P is shared — NOT one scope item per LOB

84P is a SHARED scope item. All LOBs — Purchase Order, Process Order, Sales Order, Maintenance Order — contribute their object registrations and field configurations INTO the same 84P. There is no separate 84P-PO or 84P-MM. One activation covers all LOBs that have registered their objects.

Contribution Breakdown

Framework Team	<i>Yadesh Gupta / Prabir Mallick</i>	Delivers: Reauthentication Framework base infrastructure, VC_SRA_SOT table structure, Framework APIs (REQUEST_REAUTH, VALIDATE_RESULT, CHECK_ESIG_ACTIVE), BTP eSignature SaaS integration wiring, SPRO customising menu
PO LOB Team	<i>Nils Hartmann / Jiss</i>	Delivers inside 84P: PURCHASE_ORDER object registration, Callback class: ZCL_PO_REAUTH_CHECK, Node: PO_HEADER_EXT → regulated fields (THERAPY_TYPE, CLINICAL_STUDY, PROTOCOL_REF)
Asset Mgmt LOB	<i>Niranjan Raju / Ajith</i>	Delivers inside 84P: PROCESS_ORDER / MAINTENANCE_ORDER object registration, Their callback class + regulated fields (e.g. overall status field)
ATO / CGTO Team	<i>Loring Wu / Satish Kumar</i>	Delivers inside 84P: ATO-specific object registration for S4 PO extension, Regulated ATO fields: THERAPY_TYPE, CLINICAL_STUDY, PROTOCOL_REF, PATIENT_REF
Each Other LOB	<i>Respective PO / SO / PP owners</i>	Each LOB contributes their own: object name, callback class, node types, regulated field list. Customers can fine-tune the field list after activation.
Customer	<i>GxP Compliance Admin</i>	After 84P activation: SPRO → fine-tune which fields are regulated (add/remove). BTP → add custom reason codes or remove SAP-suggested ones.

"The eSignature framework is built by the central BTP foundation team — it is a service each LOB has to consume. Which will be available as part of the 2608 release. So each LOB will be implementing that service in 2702 for their objects." — Sathishkumar Meenakshisundaram, ATO PM

S-table content, BTP provisioning, and customer fine-tuning

The S-table VC_SRA_SOT is the configuration backbone of the Reauthentication Framework. 84P delivers pre-populated content into this table so the framework knows which business objects are registered, which callback classes to call, and which fields are regulated.

[illegible]

```
Object Name:      PURCHASE_ORDER

Reauth Class:     ZCL_PO_REAUTH_CHECK    ← LOB implements this

Auth Class:       ZCL_PO_AUTH_CHECK      ← LOB implements this
```

```
Object: PURCHASE_ORDER

Node: PO_HEADER_EXT → Table: /AT0/S4_PO_HEADER_EXT

Node: PO_ITEM_EXT → Table: /AT0/S4_PO_ITEM_EXT
```

```
PO_HEADER_EXT:

    THERAPY_TYPE      ← triggers reauthentication if changed

    CLINICAL_STUDY    ← triggers reauthentication if changed

    PROTOCOL_REF       ← triggers reauthentication if changed

PO_ITEM_EXT:

    THERAPY_TYPE

    PATIENT_REF
```

- Remove a field that is not regulated in their context
- Add a custom field that needs reauthentication

3.2 BTP Reason Codes (Auto-Provisioned)

When 84P activates, reason codes for each registered business object are automatically loaded into the BTP eSignature SaaS tenant. The dropdown in the reauthentication dialog only shows reason codes configured for that specific business object.

Business Object	SAP-Suggested Reason Codes (Delivered via 84P)	Customer Can
PURCHASE_ORDER	Clinical Protocol Update Regulatory Submission Error Correction Therapy Type Reassignment	Add custom codes or remove unused ones
PROCESS_ORDER	Manufacturing Change Quality Deviation Process Update	Add custom codes specific to their manufacturing process
MAINTENANCE_ORDER	Safety Critical Change Maintenance Plan Update Status Release	Add custom codes for their maintenance scenarios

3.3 CHECK_ESIG_ACTIVE — When Does It Return TRUE?

CHECK_ESIG_ACTIVE returns TRUE only when ALL conditions are met:

Condition 1: Scope item 84P is activated in S4

→ S-table VC_SRA_SOT has content

→ SPRO GxP menu is available

Condition 2: BTP eSignature SaaS provisioning is complete

→ Communication Arrangement between S4 and BTP is configured

→ BTP tenant is reachable

IF condition 1 = TRUE AND condition 2 = TRUE

→ CHECK_ESIG_ACTIVE = ABAP_TRUE → reauthentication flows proceed

IF either condition = FALSE

→ CHECK_ESIG_ACTIVE = ABAP_FALSE → all reauthentication SKIPPED

→ No dialog, no signature, no audit trail

Current state (pre-2702): CHECK_ESIG_ACTIVE = FALSE (expected)

Target state (post-2702): CHECK_ESIG_ACTIVE = TRUE

Section 4 — What 84P Does NOT Cover

Boundaries of the scope item — what LOB teams must build themselves

NOT in 84P Scope	Reason	Who Owns It
Relevancy Check callback class (ZCL_PO_REAUTH_CHECK)	Application-specific logic — framework cannot build it generically	Each LOB application team
Authorization callback class (ZCL_PO_AUTH_CHECK)	Application-specific — depends on which users can perform which actions	Each LOB application team
eSignature trigger in ME21N save flow	LOB app integration point — each app adds REQUEST_REAUTH at their save hook	PO standard team (Nils/Jiss) for ME21N
Field value-level triggering (only trigger when field changes A→B)	Not yet in framework — roadmap item post-2702	Framework team — future release
eSignature for background jobs / system users	Explicitly excluded — GxP rule: automated system-context jobs do not require signature	N/A — excluded by design
Customer-specific reason codes	Customer adds their own after 84P activation	Customer GxP admin
Change Document registration for ATO extension fields	ATO team must extend EINKBELEG — separate from 84P	ATO team (Allen Yuan / Loring Wu)
eSignature in Manage PO App (BOF/Fiori)	Deferred — pending app modernisation	Post-2702 delivery


■ The most common misunderstanding: teams think activating 84P automatically makes their application GxP-compliant. It does NOT. 84P activates the FRAMEWORK. Each LOB must still: (1) implement the Relevancy Check callback class, (2) register REQUEST_REAUTH in their save flow, (3) call VALIDATE_RESULT after signature capture. Without these steps, reauthentication never fires even with 84P active.

Section 5 — 84P Delivery Timeline

What was delivered when and what is still planned

Release	84P Deliverable	Status	Details
CE2608	84P scope item created — framework base	■ Done	Framework infrastructure, VC_SRA_SOT structure, OData V4 API extensibility enabled for PO
CE2608	Change Document for PO verified	■ Done	CDHDR/CDPOS working for all standard PO fields — prerequisite for eSignature met
2702	PO LOB: PURCHASE_ORDER object registration in 84P	■ Planned	ZCL_PO_REAUTH_CHECK + regulated fields THERAPY_TYPE, CLINICAL_STUDY, PROTOCOL_REF
2702	ME21N save flow integration — REQUEST_REAUTH call	■ Planned	eSignature trigger point added into ME21N save processing
2702	BTP reason codes for PURCHASE_ORDER auto-provisioned	■ Planned	Clinical Protocol Update, Regulatory Submission etc. loaded in BTP on 84P activation
2702	Each LOB adds their object registrations inside 84P	■ Planned	Process Order (Niranjan/Ajith), Maintenance Order, Sales Order teams all contribute
Post-2702	eSignature in modernised Manage PO App (BOF replacement)	■ Deferred	Pending app modernisation — ME21N is the interim target
Post-2702	Field value-level triggering (A→B specific transition)	■ Roadmap	Currently: any value change triggers reauth. Specific value transition: future

Timeline Visual



Section 6 — LOB Integration Checklist

What every LOB team must deliver to integrate with 84P

6.1 What Each LOB Must Deliver Inside 84P (Transport)

#	Deliverable	Type	Example for PO
1	Reauthentication object name registered in VC_SRA_SOT	S-table content via transport	PURCHASE_ORDER
2	Relevancy Check callback class	ABAP class	ZCL_PO_REAUTH_CHECK
3	Authorization class	ABAP class	ZCL_PO_AUTH_CHECK
4	Node types defined per object	S-table content	PO_HEADER_EXT → /ATO/S4_PO_HEADER_EXT
5	Regulated field list per node	S-table content	THERAPY_TYPE, CLINICAL_STUDY, PROTOCOL_REF
6	BTP reason codes defined for the object	BTP content delivery	Clinical Protocol Update, Regulatory Submission

6.2 What Each LOB Must Build in Their Application Code

#	Code to Write	Where	Notes
1	Call CHECK_ESIG_ACTIVE before any signature flow	Application save method	Skip gracefully if FALSE
2	Call REQUEST_REAUTH at the regulated save trigger	ME21N / LOB app save hook	Use HCP GUI variant for Web GUI apps
3	Call VALIDATE_RESULT after dialog closes	After REQUEST_REAUTH returns	Confirms signature was captured
4	Implement Relevancy Check callback class logic	ZCL_PO_REAUTH_CHECK	Returns ABAP_TRUE/FALSE based on field changes
5	Implement Authorization class logic	ZCL_PO_AUTH_CHECK	Role-based check for the specific transaction

6.3 How CHECK_ESIG_ACTIVE Fits into Application Code

```
" Application save method (ME21N integration point – 2702)

METHOD on_po_save.

    " Step 1: Check if GxP is active in this system

    DATA lv_active TYPE abap_bool.

    " Call CHECK_ESIG_ACTIVE framework API

    IF lv_active = abap_false.

        " 84P not activated or BTP not provisioned – skip all reauth
```



```

    RETURN.

ENDIF.

" Step 2: Check if any regulated field changed (Relevancy Check)

DATA lv_relevant TYPE abap_bool.

" lv_relevant = result of ZCL_PO_REAUTH_CHECK callback

IF lv_relevant = abap_false.

    RETURN. " No regulated field changed – no signature needed

ENDIF.

" Step 3: Request reauthentication – LUW paused

" Call REQUEST_REAUTH (HCP GUI variant for ME21N)


" Step 4: Validate signature was captured

" Call VALIDATE_RESULT


" Step 5: COMMIT WORK – all changes committed with signature linked


ENDMETHOD.

```

Section 7 — Sources & Key Contacts

All information sourced from meeting transcripts and GxP Handover slides

7.1 Source Documents

Document	Date	Key Content on 84P
GxP Handover — Lift & Shift team (pptx + vtt)	2026-06-02	Slides 8-10: eSignature overview, CGTO enablement, CE2608 API deliverable, scope item reference
Reauthentication Framework meeting (transcript)	2026-06-18	Yadesh Gupta explains VC_SRA_SOT config, reason code delivery, S-table levels, 84P delivery model
CGTO PO Alignment meeting (transcript)	2026-06-12	Satish Kumar confirms 84P as central scope item, each LOB implements in 2702
GxP Mandatory Training (transcript)	2022-02-14	Background context on why GxP framework is needed — patient safety, data integrity

7.2 Key Contacts for 84P

Name	Role	Topic	Email
Yadesh Gupta	Reauthentication Framework Architect	VC_SRA_SOT config, APIs, 84P framework base	ya.gupta@sap.com
Prabir Kumar Mallick	Reauthentication Framework Dev Lead	Technical 84P implementation	—
Swarnava Chatterjee	eSignature Lead	BTP eSignature SaaS, reason codes, BTP side	swarnava.chatterjee@sap.com
Karthikeyan K.A.L	eSignature team	eSignature integration	karthikeyan.k.a.l@sap.com
Nils Hartmann	PO Product Owner	PO LOB contribution to 84P	—
Satish Kumar	ATO/CGTO PM + Architecture	ATO object registration in 84P	—

Wiki Reference: GxP enablement details available at:
<https://wiki.one.int.sap/wiki/spaces/S4HPROC011/pages/5681941152/GxP+enablement> (Mentioned in GxP Handover Slide 8)