

PO Long Text — TDID Reference Guide

All Text IDs for Purchase Order Header and Item Texts

TDOBJECT: EKKO (Header) | EKPO (Item) | ME21N / ME22N | 2026-06-28

What is TDID?

TDID (Text ID) is a 4-character key in the SAP text framework that identifies which type of text is stored. Every long text in SAP has three identifiers: TDOBJECT (which business object), TDNAME (which document), and TDID (which text type). For Purchase Orders: TDOBJECT is EKKO for header texts and EKPO for item texts. TDID tells you whether it is a General Note, Delivery Text, GR Text etc.

Quick Summary

EKKO / F01	EKKO / F02	EKPO / F01	EKPO / F02	EKPO / F09
Header General Note	Header Delivery Text	Item General Note	Item Delivery Text	Item GR Text

■ Confirmed for PO 4500077744 on this system: EKKO / F01 — Header General Note (EBELP = 00000) EKKO / F02 — Header Delivery Text (EBELP = 00000) EKPO / F01 — Item General Note (EBELP = item number) EKPO / F02 — Item Delivery Text (EBELP = item number)

Full Forms of All TD* Abbreviations

All SAP text framework field names start with the prefix TD — standing for Text Definition. These abbreviations appear throughout SE16, SE11, ABAP code and function module READ_TEXT / SAVE_TEXT.

Abbreviation	Full Form	Description
TDID	Text ID	4-char key identifying the type of text. F01=General Note, F02=Delivery Text, F09=GR Text etc.
TDNAME	Text Name	The document key the text belongs to. For PO header = PO number (e.g. 4500077744). For PO item = PO number + item number (e.g. 450007774400010 — no space on this system).
TDOBJECT	Text Object	The business object type. EKKO = PO Header, EKPO = PO Item. Other examples: VBBK = Sales Order, AUFG = Production Order.
TDSPRAS	Text Language	Language key for the text. D = German, E = English. Same text can exist in multiple languages.
TDFORMAT	Text Format	Line format indicator. * = normal text line (most common). /: = special SAPscript formatting command.
TDLINE	Text Line	The actual plain text content — one line of text, max 132 characters. This is the main field in ZPO_LONGTEXT — stored decompressed and human-readable.

STXH	SAP Text Header	Standard SAP table. Stores one row per text block — the header/index record. Human-readable via SE16.
STXL	SAP Text Lines	Standard SAP table. Stores compressed binary content of all text lines. NOT human-readable — must use READ_TEXT to decompress.

TD prefix = Text Definition — the SAP SAPscript/text framework prefix used since R/3. STXH and STXL are the two underlying storage tables for ALL long texts in SAP (not just PO texts — also Sales Orders, Material texts, Customer texts etc.). ZPO_LONGTEXT is our custom table that makes PO text content accessible without the STXL decompression requirement.

PO Header Text IDs — TDOBJECT = EKKO

Entered via: ME21N / ME22N → Header menu → Texts → Text Overview

Header texts apply to the entire Purchase Order — not to individual line items. In STXH, the TDNAME for header texts = the PO number only (e.g. 4500077744). In ZPO_LONGTEXT, EBELP = 00000 for all header texts.

TDID	Screen Label in ME21N/ME22N	Common Use	EBELP in ZPO_LONGTEXT	Confirmed
F01	Header text / Header note	General notes about the PO — instructions to vendor, internal notes	00000	✓ Confirmed
F02	Delivery text	Delivery instructions — packing, shipping, handling requirements	00000	✓ Confirmed
F03	Pricing types	Notes about pricing conditions or price basis	00000	—
F04	Deadlines	Important dates and deadline information for the vendor	00000	—
F05	Terms of delivery	Incoterms, delivery conditions, freight terms	00000	—
F06	Shipping instructions	Specific shipping instructions e.g. carrier, routing	00000	—
F07	Header memo	Internal memo — not printed on PO output to vendor	00000	—

STXH TDNAME for EKKO = PO number only (e.g. 4500077744) All header TDIDs share the same TDNAME — they differ only by TDID. ZPO_LONGTEXT: EBELP = 00000 for ALL header texts regardless of TDID.

How to Check Which Header TDIDs Exist for Your PO

SE16 → STXH

Filter: Text object = EKKO

Text Name = 4500077744

Text ID = (leave empty)

Execute (F8) → shows ALL header TDIDs for this PO

Example result:

EKKO F01 DE 4500077744 ← General note

EKKO F02 DE 4500077744 ← Delivery text

PO Item Text IDs — TDOBJECT = EKPO

Entered via: ME21N / ME22N → select item → Item menu → Texts → Text Overview

Item texts apply to individual line items. Each item has its own set of texts. In STXH, the TDNAME for item texts = PO number + item number with NO space (confirmed for this system: e.g. 450007774400010 for item 00010). In ZPO_LONGTEXT, EBELP = the actual item number (e.g. 00010, 00020).

TDID	Screen Label in ME21N/ME22N	Common Use	EBELP in ZPO_LONGTEXT	Confirmed
F01	Item text / Item note	General notes about this line item — specifications, instructions	Item no. e.g. 00010	✓ Confirmed
F02	Delivery text	Delivery instructions specific to this item	Item no.	✓ Confirmed
F03	Item memo	Internal memo for this item — not printed on PO output	Item no.	—
F09	GR text / Goods Receipt text	Instructions shown during goods receipt posting for this item	Item no.	—
F11	Info record PO text	Text copied from the purchasing info record — vendor/material specific	Item no.	—
F12	Material PO text	Text copied from the material master — material description etc.	Item no.	—
F14	Info record note	Additional note from the purchasing info record	Item no.	—

■ System-Specific: EKPO TDNAME on this system has NO SPACE. Item 00010: TDNAME = 450007774400010 (not '4500077744 00010') Item 00020: TDNAME = 450007774400020 This is confirmed from STXH. The handler uses CONCATENATE without space.

How to Check Which Item TDIDs Exist for Your PO

SE16 → STXH

Filter: Text object = EKPO

Text Name = 450007774400010 ← item 00010

Text ID = (leave empty)

Execute (F8) → shows ALL TDIDs for item 00010

Example result:

EKPO F01 DE 450007774400010 ← Item general note

EKPO F02 DE 450007774400010 ← Item delivery text

Repeat for item 00020:

Text Name = 450007774400020

How TDIDs Map to ZPO_LONGTEXT

Complete field mapping — STXH → ZPO_LONGTEXT

STXH TDOBJECT	STXH TDID	STXH TDNAME	ZPO TDOBJECT	ZPO TDID	ZPO EBELP	Description
EKKO	F01	4500077744	EKKO	F01	00000	Header General Note
EKKO	F02	4500077744	EKKO	F02	00000	Header Delivery Text
EKKO	F03	4500077744	EKKO	F03	00000	Header Pricing Types
EKKO	F04	4500077744	EKKO	F04	00000	Header Deadlines
EKKO	F05	4500077744	EKKO	F05	00000	Header Terms of Delivery
EKPO	F01	450007774400010	EKPO	F01	00010	Item 10 General Note
EKPO	F02	450007774400010	EKPO	F02	00010	Item 10 Delivery Text
EKPO	F09	450007774400010	EKPO	F09	00010	Item 10 GR Text
EKPO	F01	450007774400020	EKPO	F01	00020	Item 20 General Note
EKPO	F02	450007774400020	EKPO	F02	00020	Item 20 Delivery Text

Key Rules

■ EBELP = 00000	Always used for EKKO (header) texts — regardless of which TDID
■ EBELP = item number	Always used for EKPO (item) texts — 00010 for item 10, 00020 for item 20 etc.
■ TDNAME is NOT stored in ZPO_LONGTEXT	ZPO_LONGTEXT stores EBELN + EBELP separately — TDNAME is reconstructed at runtime
■ Handler reads ALL TDIDs	ZTEST_PO_LONGTEXT_MIGRATE loops all STXH entries — no TDID hardcoding needed
■ Each TDID = separate text block	F01 and F02 for the same item are separate rows in STXH and separate groups in ZPO_LONGTEXT

How to Verify TDIDs in SE16 — Quick Reference

Copy these filters to confirm what texts exist for any PO

SE16 → STXH — Filter Templates

What to Check	Text object	Text Name	Text ID	Language
All header texts for PO	EKKO	4500077744	(empty)	DE
Header General Note only	EKKO	4500077744	F01	DE
Header Delivery Text only	EKKO	4500077744	F02	DE
All item 10 texts	EKPO	450007774400010	(empty)	DE
Item 10 General Note only	EKPO	450007774400010	F01	DE
Item 10 Delivery Text only	EKPO	450007774400010	F02	DE
Item 10 GR Text only	EKPO	450007774400010	F09	DE
All item 20 texts	EKPO	450007774400020	(empty)	DE
All EKPO texts for this PO	EKPO	450007774499999	(empty)	DE

SE16N → ZPO_LONGTEXT — Verification Filters

What to Check	EBELN	EBELP	TDOBJECT	TDID
All texts for PO	4500077744	(empty)	(empty)	(empty)
All header texts	4500077744	00000	EKKO	(empty)
Header General Note	4500077744	00000	EKKO	F01
Header Delivery Text	4500077744	00000	EKKO	F02
All item 10 texts	4500077744	00010	EKPO	(empty)
Item 10 General Note	4500077744	00010	EKPO	F01
Item 10 Delivery Text	4500077744	00010	EKPO	F02
Item 20 General Note	4500077744	00020	EKPO	F01

After running ZTEST_PO_LONGTEXT_MIGRATE — all STXH entries for PO 4500077744 should appear in ZPO_LONGTEXT. The updated migration report reads ALL TDIDs dynamically from STXH — no TDID needs to be hardcoded.