


PO Long Text New Persistency — Skill Reference Guide

PO Long Text New Persistency — Skill Reference Guide

Project: MPOC / CPO — PO Long Text Migration to New Persistency **Skill Name:** po-longtext-persistency-expert **Location:** C:\Users\I308878\PO_LongText_Persistency **Date:** 2026-06-19 **Version:** 1.0

1. Skill Structure




└─ business-rules.md
└─ data-flows.md

← 6 invariant rules with Why + How
← 3 flows: Full, Delta, UI Read


2. Architecture Flow

2.1 End-to-End Overview

BACKEND ERP (S/4 or ECC)



CENTRAL HUB (S/4HANA Cloud / Private Cloud)



FIORI UI – MM_CEN_PURORDS1 (Transaction F3292)

PO Header Object Page → Notes tab
PO Item Object Page → Notes tab


2.2 Text Object Mapping (ERP → Hub)

ERP STXH		Hub MMPUR_EXT_PO_TEXT
TDOBJECT=EKKO, TDID=F01, TDNAME=4500001	→	TDOBJECT=EKKO, TDID=F01, EBELN=4500001, EBELP=00000
TDOBJECT=EKKO, TDID=F02, TDNAME=4500001	→	TDOBJECT=EKKO, TDID=F02, EBELN=4500001, EBELP=00000
TDOBJECT=EKPO, TDID=F01, TDNAME=4500001/00010	→	TDOBJECT=EKPO, TDID=F01, EBELN=4500001, EBELP=00010
TDOBJECT=EKPO, TDID=F09, TDNAME=4500001/00010	→	TDOBJECT=EKPO, TDID=F09, EBELN=4500001, EBELP=00010


2.3 Text Types Reference

Text Object	Text ID	Level	Description
EKKO	F01	Header	PO Header Note (general)
EKKO	F02	Header	PO Header Delivery Text
EKKO	F03	Header	PO Header Terms of Payment
EKPO	F01	Item	PO Item Note (general)
EKPO	F02	Item	PO Item Delivery Text
EKPO	F09	Item	PO Item Goods Receipt Text


2.4 Job Sequence Diagram



2.5 Delta Extraction Logic



2.6 Debugging Decision Tree



3. Key Business Rules

#	Rule	Why
1	Always include EXTSOURCESYSTEM in WHERE clause on MMPUR_EXT_PO_TEXT	Multiple backend ERPs share Hub storage —

#	Rule	Why
2	Header texts (TDOBJECT=EKKO) must use EBELP = '00000'	omitting causes cross-system contamination EBELP is a key field; NULL/empty breaks key integrity
3	Read text lines ORDER BY LINE_COUNTER ASCENDING	Lines rendered out of order destroy the note meaning
4	Persistence uses DELETE + INSERT per PO (not UPSERT)	Ensures text lines deleted on ERP are removed from Hub on next run
5	SAP_MM_PO_TEXT_EXTRACTION must run after SAP_MM_PO_EXTRACTION	Text extractor reads PO list from MMPUR_EXT_EKKO — table must be populated first
6	Extract all languages from STXH (do not filter on TDSRAS)	Multilingual texts would be silently lost if only one language extracted

4. Key Objects Quick Reference

Object	Type	Description
MMPUR_EXT_PO_TEXT	Hub Table	New persistence table for P text lines
STXH	ERP Table	Classic text header (source)
STXL	ERP Table	Classic text lines compress (source)
I_CntrlPurOrderText	CDS Basic View	Reads MMPUR_EXT_PO_TEXT
C_CntrlPurOrderTextTP	CDS Composite View	Exposes text via OData
CL_MMPUR_EXT_PO_TEXT_HUB	ABAP Class	Text extraction coordinator
CL_MMPUR_PO_TEXT_EXT_SRV	ABAP Class	OData caller via SAP_COM_0267
CL_MMPUR_CPU_TEXT_DB_UTILITY	ABAP Class	Persistence save/delete
CL_MMPUR_CPO_TEXT_EXTRACT	ABAP Class (Backend)	Reads STXH/STXL via READ_TEXT
SAP_MM_PO_TEXT_EXTRACTION	App Job	Scheduled text extraction job
MM_PUR_CNTRL_PO_MAI_SRV	OData Service	Exposes CentralPurchaseOrderTexts

Object	Type	Description
SAP_COM_0267	Comm. Arrangement	Hub-to-ERP channel

5. What Makes It Extensible

The skill is designed to grow as additional knowledge documents become available:

Adding New Text Types (e.g. new TDID)

1. Add TDID to extraction scope in CL_MMPUR_CPO_TEXT_EXTRACT
2. No table change needed — TDID is already a key field in MMPUR_EXT_PO_TEXT
3. Remove any hardcoded TDID filter in CDS/DPC_EXT if present
4. Test: run extraction for a PO that has the new TDID on ERP

Adding New Knowledge Documents

When new handover documents arrive, place them in:

Folder	Content Type
agent/knowledge/domain/	Domain rules, text type updates, migration edge cases
agent/knowledge/product/	Product-level specs, SDD updates, design decisions
agent/knowledge/architecture/	Architecture changes, new flow diagrams

Then update repos.yaml to register the new document under source_documents.

Adding SO / SD Text Support

The same architecture pattern applies to Sales Order texts: - Replace TDOBJECT: EKKO/EKPO → VBAK/VBAP - New persistence table: MMPUR_EXT_SO_TEXT (same key structure) - New extraction classes following same naming convention - Reuse same CDS layer pattern (I_Basic → C_Composite)

Skill Trigger Extension

To make the skill trigger on additional keywords, add them to the description trigger list in Claude.md:

```
description: >
... Triggers on: "PO notes", "PO long text", "new persistency", ...
add new triggers here as the domain expands
```

6. Lift & Shift Migration Phases

Phase	Mode	Scope	When
1 — Initial Full Load	FULL	All POs in MMPUR_EXT_EKKO	Once, before go-live
2 — Delta Sync	DELTA	POs changed since last run (AEDAT-based)	Scheduled daily
3 — Validation	—	Compare STXH count vs MMPUR_EXT_PO_TEXT count	After Phase 1

Validation query:

```
-- ERP side
SELECT COUNT(*) FROM stxh
  WHERE tdoobject IN ('EKKO', 'EKPO')

-- Hub side
SELECT COUNT(DISTINCT ebeln || tdid || tdspras) FROM mmpur_ext_po_text
  WHERE extsourcesystem = 'ERP_DEV'
```

*Skill created: 2026-06-19 Source: Knowledge folder — PO Notes New Persistency handover documents *Skill file: C:_LongText_Persistency.md**