Introduction

Adverse Event Reporting System (AERS) Report

The Adverse Event Reporting System (AERS) is a computerized database maintained by the U.S. Food and Drug Administration (FDA) to support post-marketing safety surveillance of pharmaceutical and therapeutic biological products. It plays a critical role in identifying new adverse events and medication errors that may not have been detected during clinical trials.

This report presents comprehensive Graphical summaries, summary tables and patient-level listings derived from the AERS database to support ongoing pharmacovigilance activities. The analyses include adverse event frequencies, drug-event relationships, outcomes, and demographic trends. Data used in this report were sourced from AERS 2006Q1 updates, which are released by the FDA approximately 4 to 6 weeks after the end of each calendar quarter.

The AERS database includes the following core datasets:

- DEMO: Patient demographic and administrative information
- DRUG: Reported drug data (suspect, concomitant, interacting)
- REAC: Coded adverse event terms using MedDRA
- OUTC: Patient outcomes such as death, hospitalization, or disability
- RPSR: Sources of the report (healthcare professional, consumer, etc.)
- THER: Therapy dates (start/end) for reported drugs
- INDI: Indications for drug administration

Patient-Level Listings

The Patient-Level Listings section provides detailed, case-level adverse event data as reported to the AERS system. Each listing includes information on patient demographics, suspect and concomitant drugs, therapy dates, adverse event terms, outcomes, indications, and source of report.

These listings allow for case traceability and support in-depth clinical and regulatory review of individual adverse event reports.

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|---------------------------------------|---|--|----------------|
| 4793437 | Initial | 20040101 | 20041203 | 20051011 | Periodic | 62 | YEAR | 62 |
| 4799889 | Initial | - | 20051007 | 20051013 | Expdited | - | | - |
| 4802758 | Followup | 20040330 | 20051003 | 20051013 | Expdited | 85 | YEAR | 85 |
| 4806822 | Initial | - | - | 20051020 | Direct | - | | - |
| 4807735 | Initial | 20050214 | 20051003 | 20051019 | Expdited | 62 | YEAR | 62 |
| 4807884 | Initial | 20050904 | 20051018 | 20051021 | Expdited | 59 | YEAR | 59 |
| 4810789 | Initial | - | 20051010 | 20051024 | Expdited | - | | - |
| 4811786 | Initial | 20050628 | - | 20051027 | Direct | 61 | YEAR | 61 |
| 4813034 | Followup | 20050101 | 20051013 | 20051026 | Expdited | 74 | YEAR | 74 |
| 4815387 | Followup | - | 20051021 | 20051027 | Expdited | 56 | YEAR | 56 |
| 4817144 | Initial | 20050502 | 20050509 | 20051018 | Periodic | 77 | YEAR | 77 |
| 4817145 | Initial | - | 20050516 | 20051018 | Periodic | 62 | YEAR | 62 |
| 4817146 | Initial | 20010801 | 20050517 | 20051018 | Periodic | 73 | YEAR | 73 |
| 4817148 | Initial | - | 20050523 | 20051018 | Periodic | - | | - |
| 4817149 | Initial | 20050318 | 20050523 | 20051018 | Periodic | 58 | YEAR | 58 |
| 4817159 | Initial | - | 20050620 | 20051018 | Periodic | 62 | YEAR | 62 |
| 4817167 | Initial | - | 20050606 | 20051018 | Periodic | - | | - |
| 4819355 | Initial | 20050725 | 20050728 | 20051031 | Periodic | 64 | YEAR | 64 |
| 4820164 | Initial | 20051005 | - | 20051101 | Direct | - | | - |
| 4821833 | Followup | 20050101 | 20050208 | 20051107 | Expdited | 74 | YEAR | 74 |
| 4826267 | Initial | 20051004 | - | 20051109 | Direct | - | | - |
| 4826274 | Initial | 20051012 | - | 20051109 | Direct | - | | - |
| 4826360 | Followup | 20050207 | 20051024 | 20051109 | Expdited | 68 | YEAR | 68 |
| 4828303 | Followup | 20050809 | 20050811 | 20051115 | Expdited | 12893 | DAY | 35 |
| 4832882 | Followup | 20050529 | 20050530 | 20051121 | Expdited | 71 | YEAR | 71 |
| 4833762 | Initial | 20050220 | - | 20051118 | Direct | 39 | YEAR | 39 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4833775 | Initial | 20051110 | - | 20051118 | Direct | - | | - |
| 4834797 | Initial | - | 20051103 | 20051114 | Expdited | 68 | YEAR | 68 |
| 4838069 | Initial | 20051103 | 20051104 | 20051123 | Expdited | - | | - |
| 4840105 | Initial | 20051114 | 20051114 | 20051125 | Expdited | 40 | YEAR | 40 |
| 4843170 | Initial | 20020806 | 20050520 | 20051027 | Periodic | 61 | YEAR | 61 |
| 4846119 | Followup | 20051024 | 20051117 | 20051130 | Expdited | 15 | YEAR | 15 |
| 4846435 | Initial | 20010101 | 20051121 | 20051202 | Expdited | - | | - |
| 4847003 | Initial | - | 20051122 | 20051202 | Expdited | - | | - |
| 4847053 | Initial | - | 20051128 | 20051207 | Expdited | - | | - |
| 4847638 | Followup | 20050302 | 20051125 | 20051205 | Expdited | 20 | YEAR | 20 |
| 4847706 | Initial | 20041009 | 20041122 | 20051205 | Expdited | 17 | YEAR | 17 |
| 4852120 | Initial | - | 20050906 | 20051123 | Periodic | - | | - |
| 4852895 | Initial | 20040101 | 20051108 | 20051212 | Expdited | 66 | YEAR | 66 |
| 4854233 | Followup | 20051008 | 20051104 | 20051117 | Expdited | 86 | YEAR | 86 |
| 4865588 | Followup | 20050717 | 20051205 | 20051220 | Expdited | 34 | YEAR | 34 |
| 4867362 | Initial | - | 20051214 | 20051222 | Expdited | - | | - |
| 4867364 | Initial | - | 20051214 | 20051222 | Expdited | - | | - |
| 4867367 | Initial | - | 20051214 | 20051222 | Expdited | - | | - |
| 4867370 | Initial | - | 20051214 | 20051222 | Expdited | - | | - |
| 4867373 | Initial | - | 20051214 | 20051222 | Expdited | - | | - |
| 4867375 | Initial | - | 20051214 | 20051222 | Expdited | - | | - |
| 4867377 | Initial | - | 20051214 | 20051222 | Expdited | - | | - |
| 4867384 | Initial | - | 20051214 | 20051222 | Expdited | - | | - |
| 4867390 | Initial | - | 20051214 | 20051222 | Expdited | - | | - |
| 4867392 | Initial | - | 20051214 | 20051222 | Expdited | - | | - |
| 4867604 | Initial | - | 20051214 | 20051222 | Expdited | - | | - |

Project: AERS 2006Q1 ADVERSE EVENT REPORTING SYSTEM (AERS) Demographic Listings

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|---------------------------------------|---|--|----------------|
| 4867630 | Initial | - | 20051214 | 20051222 | Expdited | - | | - |
| 4869006 | Initial | 20051024 | 20051205 | 20051223 | Expdited | 71 | YEAR | 71 |
| 4870242 | Initial | 20051205 | 20051228 | 20060102 | Expdited | 19595 | DAY | 53 |
| 4870243 | Followup | 20051121 | 20051124 | 20060102 | Expdited | 27492 | DAY | 75 |
| 4870244 | Followup | 20040906 | 20051114 | 20060102 | Expdited | 18 | YEAR | 18 |
| 4870245 | Followup | 20051203 | 20051212 | 20060102 | Expdited | 50 | YEAR | 50 |
| 4870246 | Initial | 20051022 | 20051219 | 20060102 | Expdited | 69 | YEAR | 69 |
| 4870247 | Initial | 20040503 | 20051219 | 20060102 | Expdited | 79 | YEAR | 79 |
| 4870248 | Initial | 20051117 | 20051229 | 20060102 | Expdited | 25582 | DAY | 70 |
| 4870249 | Followup | - | 20051216 | 20060102 | Expdited | - | | - |
| 4870250 | Followup | 20051216 | 20051219 | 20060102 | Expdited | 12286 | DAY | 33 |
| 4870251 | Initial | - | 20051227 | 20060102 | Expdited | 35 | YEAR | 35 |
| 4870252 | Followup | 20051019 | 20051114 | 20060102 | Expdited | 12188 | DAY | 33 |
| 4870253 | Initial | - | 20051223 | 20060102 | Expdited | 59 | YEAR | 59 |
| 4870254 | Initial | - | 20051221 | 20060102 | Expdited | - | | - |
| 4870255 | Followup | 20051201 | 20051212 | 20060102 | Expdited | - | | - |
| 4870256 | Initial | 20051202 | 20051221 | 20060102 | Expdited | 69 | YEAR | 69 |
| 4870257 | Initial | 20050928 | 20051221 | 20060102 | Expdited | - | | - |
| 4870258 | Initial | 20020101 | 20051221 | 20060102 | Expdited | 53 | YEAR | 53 |
| 4870272 | Initial | 20051228 | 20051230 | 20060103 | Expdited | - | | - |
| 4870302 | Initial | 20050101 | 20051221 | 20060103 | Expdited | 18 | YEAR | 18 |
| 4870303 | Initial | - | 20051222 | 20060103 | Expdited | 46 | YEAR | 46 |
| 4870304 | Initial | 20050928 | 20051222 | 20060103 | Expdited | - | | - |
| 4870305 | Initial | - | 20051221 | 20060103 | Expdited | 51 | YEAR | 51 |
| 4870313 | Followup | - | 20051208 | 20051228 | Expdited | - | | - |
| 4870319 | Initial | | 20051222 | 20060103 | Expdited | | | |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4870320 | Initial | - | 20051222 | 20060103 | Expdited | - | | - |
| 4870321 | Initial | - | 20051222 | 20060103 | Expdited | - | | - |
| 4870322 | Initial | 20041117 | 20051222 | 20060103 | Expdited | - | | - |
| 4870323 | Initial | 20041121 | 20051222 | 20060103 | Expdited | - | | - |
| 4870324 | Initial | 20051111 | 20051222 | 20060103 | Expdited | - | | - |
| 4870325 | Initial | 20050701 | 20051222 | 20060103 | Expdited | 35 | YEAR | 35 |
| 4870326 | Initial | - | 20051222 | 20060103 | Expdited | - | | - |
| 4870327 | Initial | - | 20051222 | 20060103 | Expdited | 6 | DECADE | 72 |
| 4870328 | Initial | 20051221 | 20051222 | 20060103 | Expdited | - | | - |
| 4870329 | Initial | 20050721 | 20051222 | 20060103 | Expdited | - | | - |
| 4870330 | Initial | 20051101 | 20051222 | 20060103 | Expdited | 66 | YEAR | 66 |
| 4870331 | Initial | 20050501 | 20051222 | 20060103 | Expdited | - | | - |
| 4870332 | Initial | 20050101 | 20051222 | 20060103 | Expdited | - | | - |
| 4870333 | Initial | 20050101 | 20051222 | 20060103 | Expdited | - | | - |
| 4870334 | Initial | 20050901 | 20051222 | 20060103 | Expdited | - | | - |
| 4870335 | Initial | 20050523 | 20051222 | 20060103 | Expdited | - | | - |
| 4870336 | Initial | 20051013 | 20051222 | 20060103 | Expdited | - | | - |
| 4870343 | Followup | 20051007 | 20051007 | 20060103 | Expdited | - | | - |
| 4870344 | Followup | 20040501 | 20050715 | 20060103 | Expdited | - | | - |
| 4870345 | Initial | - | 20051227 | 20060103 | Expdited | - | | - |
| 4870346 | Followup | 20051107 | 20051128 | 20060103 | Expdited | - | | - |
| 4870347 | Followup | 20050310 | 20051116 | 20060103 | Expdited | 82 | YEAR | 82 |
| 4870348 | Followup | 20030530 | 20030603 | 20060103 | Expdited | - | | - |
| 4870349 | Followup | 20030401 | 20030408 | 20060103 | Expdited | - | | - |
| 4870350 | Followup | 20051127 | 20051213 | 20060103 | Expdited | - | | - |
| 4870351 | Followup | 20031226 | 20050512 | 20060103 | Expdited | - | | - |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4870352 | Followup | 20050718 | 20051214 | 20060103 | Expdited | - | | - |
| 4870353 | Initial | 20051117 | 20051226 | 20060103 | Expdited | - | | - |
| 4870354 | Initial | 20051222 | 20051227 | 20060103 | Expdited | - | | - |
| 4870355 | Followup | 20051001 | 20051020 | 20060103 | Expdited | - | | - |
| 4870356 | Initial | 20021205 | 20051222 | 20060103 | Expdited | - | | - |
| 4870357 | Initial | 20030110 | 20051223 | 20060103 | Expdited | - | | - |
| 4870358 | Followup | 20010214 | 20051213 | 20060103 | Expdited | 20 | YEAR | 20 |
| 4870359 | Followup | 20051104 | 20051114 | 20060103 | Expdited | - | | - |
| 4870360 | Followup | 20031118 | 20051124 | 20060103 | Expdited | - | | - |
| 4870362 | Initial | 20050401 | 20051222 | 20060103 | Expdited | - | | - |
| 4870363 | Initial | 20051201 | 20051222 | 20060103 | Expdited | - | | - |
| 4870364 | Initial | - | 20051222 | 20060103 | Expdited | - | | - |
| 4870365 | Initial | 20050401 | 20051222 | 20060103 | Expdited | - | | - |
| 4870366 | Initial | - | 20051222 | 20060103 | Expdited | - | | - |
| 4870367 | Initial | 20050613 | 20051222 | 20060103 | Expdited | - | | - |
| 4870370 | Followup | 20050817 | 20050819 | 20060103 | Expdited | 25635 | DAY | 70 |
| 4870372 | Followup | 20050628 | 20051216 | 20060103 | Expdited | 29609 | DAY | 81 |
| 4870379 | Followup | 20051112 | 20051207 | 20060103 | Expdited | 60 | YEAR | 60 |
| 4870385 | Initial | 20050103 | 20051222 | 20060103 | Expdited | - | | - |
| 4870386 | Initial | 20050801 | 20051222 | 20060103 | Expdited | - | | - |
| 4870387 | Initial | 20050801 | 20051222 | 20060103 | Expdited | - | | - |
| 4870388 | Initial | 20050101 | 20051222 | 20060103 | Expdited | - | | - |
| 4870389 | Initial | 20050314 | 20051222 | 20060103 | Expdited | - | | - |
| 4870390 | Initial | 20050601 | 20051222 | 20060103 | Expdited | - | | - |
| 4870391 | Initial | 20050704 | 20051222 | 20060103 | Expdited | - | | - |
| 4870392 | Initial | 20051116 | 20051222 | 20060103 | Expdited | - | | - |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|---------------------------------------|---|--|----------------|
| 4870393 | Initial | 20051101 | 20051222 | 20060103 | Expdited | - | | - |
| 4870414 | Followup | 20040801 | 20040921 | 20060103 | Periodic | 66 | YEAR | 66 |
| 4870415 | Initial | 20041001 | 20041203 | 20060103 | Periodic | 62 | YEAR | 62 |
| 4870416 | Initial | 19990101 | 20041203 | 20060103 | Periodic | 90 | YEAR | 90 |
| 4870417 | Initial | - | 20041203 | 20060103 | Periodic | - | | - |
| 4870418 | Initial | 20041201 | 20041206 | 20060103 | Periodic | - | | - |
| 4870419 | Initial | - | 20050103 | 20060103 | Periodic | 38 | YEAR | 38 |
| 4870420 | Initial | - | 20050105 | 20060103 | Periodic | 23 | YEAR | 23 |
| 4870421 | Initial | 20041201 | 20050114 | 20060103 | Periodic | 41 | YEAR | 41 |
| 4870422 | Initial | 20041001 | 20050126 | 20060103 | Periodic | 52 | YEAR | 52 |
| 4870423 | Initial | - | 20050201 | 20060103 | Periodic | 5 | DECADE | 60 |
| 4870424 | Initial | - | 20050202 | 20060103 | Periodic | - | | - |
| 4870425 | Initial | 20040101 | 20050214 | 20060103 | Periodic | 36 | YEAR | 36 |
| 4870426 | Initial | - | 20050217 | 20060103 | Periodic | - | | - |
| 4870427 | Initial | - | 20050311 | 20060103 | Periodic | - | | - |
| 4870428 | Initial | - | 20050316 | 20060103 | Periodic | - | | - |
| 4870429 | Initial | - | 20050317 | 20060103 | Periodic | - | | - |
| 4870430 | Initial | 19980101 | 20050318 | 20060103 | Periodic | 38 | YEAR | 38 |
| 4870431 | Initial | - | 20050318 | 20060103 | Periodic | - | | - |
| 4870432 | Initial | - | 20050322 | 20060103 | Periodic | 48 | YEAR | 48 |
| 4870433 | Initial | 20040624 | 20050323 | 20060103 | Periodic | 57 | YEAR | 57 |
| 4870434 | Initial | 20050301 | 20050330 | 20060103 | Periodic | 42 | YEAR | 42 |
| 4870435 | Initial | - | 20050407 | 20060103 | Periodic | - | | - |
| 4870436 | Initial | - | 20050408 | 20060103 | Periodic | - | | - |
| 4870437 | Initial | - | 20050407 | 20060103 | Periodic | - | | - |
| 4870438 | Initial | 20040701 | 20050414 | 20060103 | Periodic | 6 | DECADE | 72 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4870439 | Initial | - | 20050510 | 20060103 | Periodic | 84 | YEAR | 84 |
| 4870440 | Initial | 20050313 | 20050510 | 20060103 | Periodic | 42 | YEAR | 42 |
| 4870441 | Initial | - | 20050511 | 20060103 | Periodic | 25 | WEEK | 0 |
| 4870442 | Initial | - | 20050518 | 20060103 | Periodic | 88 | YEAR | 88 |
| 4870443 | Initial | - | 20050526 | 20060103 | Periodic | - | | - |
| 4870444 | Initial | - | 20050617 | 20060103 | Periodic | - | | - |
| 4870445 | Initial | 20050621 | 20050621 | 20060103 | Periodic | - | | - |
| 4870446 | Initial | - | 20050627 | 20060103 | Periodic | - | | - |
| 4870447 | Initial | - | 20050701 | 20060103 | Periodic | - | | - |
| 4870448 | Initial | - | 20050706 | 20060103 | Periodic | 52 | YEAR | 52 |
| 4870449 | Initial | - | 20050713 | 20060103 | Periodic | 55 | YEAR | 55 |
| 4870450 | Initial | 20050725 | 20050725 | 20060103 | Periodic | - | | - |
| 4870451 | Initial | 20050729 | 20050729 | 20060103 | Periodic | - | | - |
| 4870452 | Initial | - | 20050815 | 20060103 | Periodic | 13 | YEAR | 13 |
| 4870453 | Initial | 20050824 | 20050830 | 20060103 | Periodic | 45 | YEAR | 45 |
| 4870454 | Initial | - | 20050901 | 20060103 | Periodic | - | | - |
| 4870455 | Initial | - | 20050922 | 20060103 | Periodic | 57 | YEAR | 57 |
| 4870456 | Initial | - | 20051019 | 20060103 | Periodic | 57 | YEAR | 57 |
| 4870457 | Initial | 20050901 | 20051123 | 20060103 | Periodic | 68 | YEAR | 68 |
| 4870458 | Followup | 20051006 | 20051220 | 20060103 | Expdited | - | | - |
| 4870459 | Followup | 20051118 | 20051205 | 20060103 | Expdited | 28 | YEAR | 28 |
| 4870460 | Followup | 20051114 | 20051206 | 20060103 | Expdited | - | | - |
| 4870461 | Followup | 20040926 | 20041018 | 20060103 | Expdited | - | | - |
| 4870462 | Initial | - | 20041207 | 20060103 | Periodic | - | | - |
| 4870463 | Followup | 20050421 | 20051115 | 20060103 | Expdited | - | | - |
| 4870464 | Initial | 20040101 | 20051220 | 20060103 | Expdited | - | | - |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|---------------------------------------|---|--|----------------|
| 4870465 | Initial | 20051201 | 20051220 | 20060103 | Expdited | - | | - |
| 4870466 | Initial | - | 20051221 | 20060103 | Expdited | - | | - |
| 4870467 | Initial | - | 20051219 | 20060103 | Expdited | 47 | YEAR | 47 |
| 4870468 | Followup | 20021127 | 20030128 | 20060103 | Expdited | - | | - |
| 4870469 | Followup | 20051116 | 20051123 | 20060103 | Expdited | - | | - |
| 4870478 | Initial | - | 20051220 | 20060103 | Expdited | - | | - |
| 4870480 | Initial | 20051120 | 20051221 | 20060103 | Expdited | 84 | YEAR | 84 |
| 4870481 | Followup | - | 20051007 | 20060103 | Expdited | - | | - |
| 4870482 | Initial | 20051219 | 20051222 | 20060103 | Expdited | 61 | YEAR | 61 |
| 4870483 | Initial | - | 20051221 | 20060103 | Expdited | 66 | YEAR | 66 |
| 4870484 | Initial | 20051008 | 20051222 | 20060103 | Expdited | 57 | YEAR | 57 |
| 4870486 | Initial | 20050727 | 20051223 | 20060103 | Expdited | - | | - |
| 4870512 | Followup | 20040906 | 20051114 | 20060103 | Expdited | 18 | YEAR | 18 |
| 4870529 | Followup | 20051118 | 20051206 | 20060103 | Expdited | 63 | YEAR | 63 |
| 4870534 | Initial | 20051118 | 20051227 | 20060103 | Expdited | - | | - |
| 4870535 | Followup | 20050912 | 20051209 | 20060103 | Expdited | 21199 | DAY | 58 |
| 4870550 | Initial | - | 20051230 | 20060103 | Expdited | 71 | YEAR | 71 |
| 4870552 | Initial | 20051105 | 20051223 | 20060103 | Expdited | 38 | YEAR | 38 |
| 4870553 | Followup | 20051203 | 20051205 | 20060103 | Expdited | 49 | YEAR | 49 |
| 4870566 | Initial | 20050101 | 20051225 | 20060103 | Expdited | 80 | YEAR | 80 |
| 4870567 | Initial | 20040902 | 20051220 | 20060103 | Expdited | 35 | YEAR | 35 |
| 4870568 | Initial | 20051119 | 20051222 | 20060103 | Expdited | 93 | YEAR | 93 |
| 4870569 | Initial | 20051107 | 20051222 | 20060103 | Expdited | 78 | YEAR | 78 |
| 4870570 | Followup | 20051201 | 20051220 | 20060103 | Expdited | - | | - |
| 4870571 | Initial | 20050911 | 20051228 | 20060103 | Expdited | 39 | YEAR | 39 |
| 4870572 | Followup | 20031225 | 20050316 | 20060103 | Expdited | 56 | YEAR | 56 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|---------------------------------------|---|--|----------------|
| 4870573 | Initial | 20051221 | 20051222 | 20060103 | Expdited | 88 | YEAR | 88 |
| 4870574 | Initial | 20051001 | 20051222 | 20060103 | Expdited | 75 | YEAR | 75 |
| 4870575 | Initial | - | 20051228 | 20060103 | Expdited | 31 | YEAR | 31 |
| 4870576 | Followup | 20051126 | 20051129 | 20060103 | Expdited | 50 | YEAR | 50 |
| 4870577 | Followup | 20051104 | 20051123 | 20060103 | Expdited | 60 | YEAR | 60 |
| 4870578 | Followup | 20041027 | 20051209 | 20060103 | Expdited | 18 | YEAR | 18 |
| 4870579 | Initial | 20050422 | 20051228 | 20060103 | Expdited | 47 | YEAR | 47 |
| 4870580 | Initial | 20051003 | 20051222 | 20060103 | Expdited | 84 | YEAR | 84 |
| 4870581 | Followup | 20051121 | 20051208 | 20060103 | Expdited | 67 | YEAR | 67 |
| 4870582 | Followup | 20050919 | 20051208 | 20060103 | Expdited | 47 | YEAR | 47 |
| 4870583 | Followup | 20050831 | 20051209 | 20060103 | Expdited | 77 | YEAR | 77 |
| 4870584 | Followup | 20050919 | 20051209 | 20060103 | Expdited | 77 | YEAR | 77 |
| 4870585 | Followup | - | 20050816 | 20060103 | Expdited | 56 | YEAR | 56 |
| 4870586 | Followup | 20040301 | 20051207 | 20060103 | Expdited | 55 | YEAR | 55 |
| 4870587 | Followup | - | 20051220 | 20060103 | Expdited | 3 | DECADE | 36 |
| 4870588 | Followup | 20051101 | 20051206 | 20060103 | Expdited | 81 | YEAR | 81 |
| 4870589 | Initial | - | 20051227 | 20060103 | Expdited | 66 | YEAR | 66 |
| 4870591 | Initial | - | 20051221 | 20060103 | Expdited | 36 | YEAR | 36 |
| 4870592 | Followup | 20051130 | 20051213 | 20060103 | Expdited | - | | - |
| 4870593 | Initial | - | 20051223 | 20060103 | Expdited | 81 | YEAR | 81 |
| 4870594 | Followup | 20050101 | 20051209 | 20060103 | Expdited | 17 | YEAR | 17 |
| 4870604 | Followup | 20050901 | 20051209 | 20060103 | Expdited | 80 | YEAR | 80 |
| 4870618 | Initial | 20051001 | 20051222 | 20060103 | Expdited | 63 | YEAR | 63 |
| 4870623 | Initial | - | 20051222 | 20060103 | Expdited | 20 | YEAR | 20 |
| 4870624 | Initial | - | 20051222 | 20060103 | Expdited | - | | - |
| 4870651 | Followup | - | 20051222 | 20060103 | Expdited | - | | - |

Project: AERS 2006Q1 ADVERSE EVENT REPORTING SYSTEM (AERS) Demographic Listings

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4870659 | Initial | 20040101 | 20051220 | 20060103 | Expdited | - | | - |
| 4870660 | Initial | - | 20051222 | 20060103 | Expdited | 53 | YEAR | 53 |
| 4870661 | Initial | 20051223 | 20051223 | 20060103 | Expdited | 21 | YEAR | 21 |
| 4870662 | Initial | 20050201 | 20051222 | 20060103 | Expdited | - | | - |
| 4870663 | Initial | 20010101 | 20051221 | 20060103 | Expdited | - | | - |
| 4870667 | Followup | 20051208 | 20051219 | 20060103 | Expdited | - | | - |
| 4870668 | Followup | 20051218 | 20051221 | 20060103 | Expdited | - | | - |
| 4870669 | Initial | 20040525 | 20051220 | 20060103 | Periodic | - | | - |
| 4870670 | Initial | - | 20051223 | 20060103 | Expdited | 51 | YEAR | 51 |
| 4870671 | Initial | - | 20051223 | 20060103 | Expdited | 77 | YEAR | 77 |
| 4870672 | Initial | - | 20051221 | 20060103 | Expdited | 35 | YEAR | 35 |
| 4870673 | Initial | - | 20051226 | 20060103 | Expdited | 34 | YEAR | 34 |
| 4870674 | Initial | 20051227 | 20051228 | 20060103 | Expdited | 73 | YEAR | 73 |
| 4870684 | Initial | 20030101 | 20051227 | 20060103 | Expdited | 67 | YEAR | 67 |
| 4870685 | Initial | 20050901 | 20051230 | 20060103 | Expdited | 59 | YEAR | 59 |
| 4870686 | Initial | 20051201 | 20051230 | 20060103 | Expdited | 44 | YEAR | 44 |
| 4870687 | Followup | 20040701 | 20040723 | 20060103 | Expdited | 23 | YEAR | 23 |
| 4870688 | Followup | 20040108 | 20050223 | 20060103 | Expdited | - | | - |
| 4870689 | Followup | 20020801 | 20050324 | 20060103 | Expdited | - | | - |
| 4870690 | Followup | - | 20050413 | 20060103 | Expdited | 18 | YEAR | 18 |
| 4870691 | Followup | 20050826 | 20050905 | 20060103 | Expdited | 35 | YEAR | 35 |
| 4870692 | Followup | 20050904 | 20050909 | 20060103 | Expdited | 85 | YEAR | 85 |
| 4870693 | Followup | 20020906 | 20051028 | 20060103 | Expdited | 49 | YEAR | 49 |
| 4870694 | Followup | 20050606 | 20051110 | 20060103 | Expdited | 2 | YEAR | 2 |
| 4870695 | Followup | 20031008 | 20051111 | 20060103 | Expdited | 34 | YEAR | 34 |
| 4870696 | Followup | 20050929 | 20051128 | 20060103 | Expdited | 50 | YEAR | 50 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|--|---|--|----------------|
| 4870697 | Followup | 20051101 | 20051205 | 20060103 | Expdited | 44 | YEAR | 44 |
| 4870698 | Followup | 20051128 | 20051206 | 20060103 | Expdited | 31 | YEAR | 31 |
| 4870699 | Followup | - | 20051214 | 20060103 | Expdited | 64 | YEAR | 64 |
| 4870700 | Initial | 20051017 | 20051219 | 20060103 | Expdited | 74 | YEAR | 74 |
| 4870701 | Followup | 20051209 | 20051221 | 20060103 | Expdited | 1 | YEAR | 1 |
| 4870702 | Followup | 20051116 | 20051220 | 20060103 | Expdited | 75 | YEAR | 75 |
| 4870703 | Followup | - | 20051221 | 20060103 | Expdited | - | | - |
| 4870704 | Followup | - | 20051213 | 20060103 | Expdited | - | | - |
| 4870705 | Followup | 20050803 | 20051222 | 20060103 | Expdited | 77 | YEAR | 77 |
| 4870706 | Followup | 20040907 | 20051222 | 20060103 | Expdited | 54 | YEAR | 54 |
| 4870707 | Followup | 20051119 | 20051226 | 20060103 | Expdited | 74 | YEAR | 74 |
| 4870708 | Initial | 20050101 | 20051223 | 20060103 | Expdited | 34 | YEAR | 34 |
| 4870709 | Initial | 20050101 | 20051228 | 20060103 | Expdited | 16 | YEAR | 16 |
| 4870710 | Followup | 20041007 | 20051226 | 20060103 | Expdited | 39 | YEAR | 39 |
| 4870711 | Initial | - | 20051221 | 20060103 | Expdited | - | | - |
| 4870712 | Followup | 20051216 | 20051222 | 20060103 | Expdited | - | | - |
| 4870714 | Initial | - | 20051220 | 20060103 | Expdited | 7 | YEAR | 7 |
| 4870715 | Initial | - | 20051220 | 20060103 | Expdited | 29 | YEAR | 29 |
| 4870716 | Initial | - | 20051220 | 20060103 | Expdited | 45 | YEAR | 45 |
| 4870717 | Initial | 20051214 | 20060102 | 20060103 | Expdited | 75 | YEAR | 75 |
| 4870718 | Followup | - | 20051228 | 20060103 | Expdited | 34 | YEAR | 34 |
| 4870719 | Followup | 20050212 | 20050617 | 20060103 | Expdited | 28 | YEAR | 28 |
| 4870720 | Followup | 20051126 | 20051220 | 20060103 | Expdited | 32 | YEAR | 32 |
| 4870721 | Initial | 20041211 | 20051230 | 20060103 | Expdited | 26 | YEAR | 26 |
| 4870722 | Initial | 20041211 | 20051230 | 20060103 | Expdited | - | | - |
| 4870723 | Initial | 20050630 | 20051222 | 20060103 | Expdited | 69 | YEAR | 69 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|---------------------------------------|---|--|----------------|
| 4870724 | Initial | 20051126 | 20051222 | 20060103 | Expdited | 65 | YEAR | 65 |
| 4870725 | Followup | 20050826 | 20050926 | 20060103 | Expdited | 26 | YEAR | 26 |
| 4870728 | Initial | 20051129 | 20051228 | 20060103 | Expdited | 92 | YEAR | 92 |
| 4870732 | Followup | 20051208 | 20051209 | 20060103 | Expdited | - | | - |
| 4870733 | Followup | - | 20051220 | 20060103 | Expdited | 54 | YEAR | 54 |
| 4870734 | Initial | 20051119 | 20051220 | 20060103 | Expdited | - | | - |
| 4870735 | Initial | - | 20051222 | 20060103 | Expdited | - | | - |
| 4870736 | Initial | 20051215 | 20051220 | 20060103 | Expdited | - | | - |
| 4870737 | Initial | - | 20051227 | 20060103 | Expdited | 62 | YEAR | 62 |
| 4870738 | Initial | 20050401 | 20051220 | 20060103 | Expdited | - | | - |
| 4870739 | Initial | - | 20051222 | 20060103 | Expdited | - | | - |
| 4870741 | Initial | 20051117 | 20051221 | 20060103 | Expdited | 42 | YEAR | 42 |
| 4870753 | Initial | - | 20051216 | 20060103 | Expdited | - | | - |
| 4870754 | Initial | - | 20051223 | 20060103 | Expdited | - | | - |
| 4870755 | Followup | 20041113 | 20041116 | 20060103 | Expdited | 53 | YEAR | 53 |
| 4870756 | Followup | 20050908 | 20051024 | 20060103 | Expdited | 53 | YEAR | 53 |
| 4870757 | Initial | - | 20051223 | 20060103 | Expdited | 53 | YEAR | 53 |
| 4870758 | Followup | 20010401 | 20010402 | 20060103 | Expdited | 27 | YEAR | 27 |
| 4870763 | Followup | 20000420 | 20051005 | 20060103 | Expdited | 65 | YEAR | 65 |
| 4870764 | Followup | 20040901 | 20050331 | 20060103 | Expdited | 67 | YEAR | 67 |
| 4870765 | Followup | 19960101 | 20050511 | 20060103 | Expdited | 61 | YEAR | 61 |
| 4870766 | Followup | 20020601 | 20050418 | 20060103 | Expdited | 80 | YEAR | 80 |
| 4870767 | Followup | 20030101 | 20050831 | 20060103 | Expdited | 56 | YEAR | 56 |
| 4870768 | Followup | 20040418 | 20051005 | 20060103 | Expdited | 67 | YEAR | 67 |
| 4870769 | Followup | 19991101 | 20050928 | 20060103 | Expdited | 57 | YEAR | 57 |
| 4870770 | Followup | 20030724 | 20050927 | 20060103 | Expdited | 72 | YEAR | 72 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|--|---|--|----------------|
| 4870771 | Followup | 19990929 | 20050920 | 20060103 | Expdited | 75 | YEAR | 75 |
| 4870772 | Followup | 19990101 | 20051005 | 20060103 | Expdited | 74 | YEAR | 74 |
| 4870773 | Followup | 20030127 | 20051005 | 20060103 | Expdited | - | | - |
| 4870774 | Followup | 20030601 | 20050617 | 20060103 | Expdited | 57 | YEAR | 57 |
| 4870775 | Followup | 20020214 | 20051003 | 20060103 | Expdited | 70 | YEAR | 70 |
| 4870776 | Followup | 20020101 | 20051005 | 20060103 | Expdited | 63 | YEAR | 63 |
| 4870777 | Followup | 20040115 | 20050920 | 20060103 | Expdited | 88 | YEAR | 88 |
| 4870778 | Followup | 20041101 | 20051114 | 20060103 | Expdited | 62 | YEAR | 62 |
| 4870779 | Followup | 20010303 | 20050926 | 20060103 | Expdited | 69 | YEAR | 69 |
| 4870780 | Followup | 19990411 | 20050929 | 20060103 | Expdited | 75 | YEAR | 75 |
| 4870781 | Followup | 20010101 | 20051004 | 20060103 | Expdited | 80 | YEAR | 80 |
| 4870782 | Followup | 20041028 | 20050928 | 20060103 | Expdited | 52 | YEAR | 52 |
| 4870783 | Followup | 20010101 | 20050118 | 20060103 | Expdited | 50 | YEAR | 50 |
| 4870784 | Followup | 20030101 | 20050914 | 20060103 | Expdited | 52 | YEAR | 52 |
| 4870785 | Followup | 20020801 | 20050831 | 20060103 | Expdited | 66 | YEAR | 66 |
| 4870786 | Followup | 20011129 | 20050907 | 20060103 | Expdited | 72 | YEAR | 72 |
| 4870787 | Followup | 20020101 | 20051005 | 20060103 | Expdited | 60 | YEAR | 60 |
| 4870788 | Followup | 20000501 | 20050715 | 20060103 | Expdited | 72 | YEAR | 72 |
| 4870789 | Followup | 20010906 | 20050930 | 20060103 | Expdited | 48 | YEAR | 48 |
| 4870790 | Followup | 20040901 | 20051004 | 20060103 | Expdited | 45 | YEAR | 45 |
| 4870791 | Followup | 20010101 | 20050901 | 20060103 | Expdited | 76 | YEAR | 76 |
| 4870792 | Followup | 20010101 | 20050401 | 20060103 | Expdited | 46 | YEAR | 46 |
| 4870793 | Followup | 20000918 | 20051005 | 20060103 | Expdited | 63 | YEAR | 63 |
| 4870794 | Followup | 20000409 | 20040720 | 20060103 | Expdited | 47 | YEAR | 47 |
| 4870795 | Followup | 20000301 | 20050930 | 20060103 | Expdited | 62 | YEAR | 62 |
| 4870796 | Followup | 20020101 | 20050516 | 20060103 | Expdited | 66 | YEAR | 66 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|---------------------------------------|---|--|----------------|
| 4870797 | Initial | 20051119 | 20051222 | 20060103 | Expdited | 23 | YEAR | 23 |
| 4870798 | Followup | 20020504 | 20041022 | 20060103 | Expdited | 35 | YEAR | 35 |
| 4870799 | Followup | 20020101 | 20050401 | 20060103 | Expdited | 53 | YEAR | 53 |
| 4870800 | Initial | 20040101 | 20051208 | 20060103 | Expdited | 50 | YEAR | 50 |
| 4870801 | Followup | 20030601 | 20050119 | 20060103 | Expdited | 68 | YEAR | 68 |
| 4870802 | Followup | 20050919 | 20050922 | 20060103 | Expdited | 64 | YEAR | 64 |
| 4870803 | Initial | 20051220 | 20051222 | 20060103 | Expdited | - | | - |
| 4870804 | Initial | 20051213 | 20051222 | 20060103 | Expdited | 49 | YEAR | 49 |
| 4870805 | Initial | 20051118 | 20051221 | 20060103 | Expdited | 17 | YEAR | 17 |
| 4870806 | Initial | - | 20051215 | 20060103 | Expdited | 16 | YEAR | 16 |
| 4870807 | Initial | 20050501 | 20051222 | 20060103 | Expdited | 63 | YEAR | 63 |
| 4870808 | Initial | 20050314 | 20051219 | 20060103 | Expdited | 38 | YEAR | 38 |
| 4870809 | Followup | 20050628 | 20041115 | 20060103 | Expdited | - | | - |
| 4870810 | Followup | 20050806 | 20050811 | 20060103 | Expdited | 53 | YEAR | 53 |
| 4870811 | Initial | - | 20051222 | 20060103 | Expdited | 50 | YEAR | 50 |
| 4870812 | Initial | - | 20051220 | 20060103 | Expdited | 50 | YEAR | 50 |
| 4870813 | Followup | 20000719 | 20050919 | 20060103 | Expdited | 44 | YEAR | 44 |
| 4870814 | Followup | 20050920 | 20050923 | 20060103 | Expdited | 45 | YEAR | 45 |
| 4870816 | Initial | 20031215 | 20051220 | 20060103 | Expdited | 71 | YEAR | 71 |
| 4870817 | Initial | 20010513 | 20051221 | 20060103 | Expdited | 68 | YEAR | 68 |
| 4870818 | Followup | 20000601 | 20051005 | 20060103 | Expdited | 56 | YEAR | 56 |
| 4870819 | Followup | 20010801 | 20051005 | 20060103 | Expdited | 74 | YEAR | 74 |
| 4870821 | Followup | 20031101 | 20051208 | 20060103 | Expdited | 48 | YEAR | 48 |
| 4870822 | Initial | - | 20051220 | 20060103 | Expdited | - | | - |
| 4870823 | Followup | 20040929 | 20051005 | 20060103 | Expdited | 47 | YEAR | 47 |
| 4870824 | Followup | 20031001 | 20051129 | 20060103 | Expdited | 68 | YEAR | 68 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4870825 | Followup | 20021201 | 20051005 | 20060103 | Expdited | 46 | YEAR | 46 |
| 4870826 | Initial | 20020101 | 20051223 | 20060103 | Expdited | 69 | YEAR | 69 |
| 4870827 | Initial | 20050101 | 20051222 | 20060103 | Expdited | 11 | YEAR | 11 |
| 4870828 | Followup | 20030519 | 20050505 | 20060103 | Expdited | 61 | YEAR | 61 |
| 4870829 | Followup | 20000616 | 20050831 | 20060103 | Expdited | 57 | YEAR | 57 |
| 4870830 | Followup | 20010429 | 20051004 | 20060103 | Expdited | 64 | YEAR | 64 |
| 4870831 | Followup | 20010101 | 20051005 | 20060103 | Expdited | 59 | YEAR | 59 |
| 4870832 | Followup | 20030903 | 20050914 | 20060103 | Expdited | 98 | YEAR | 98 |
| 4870833 | Initial | 20030101 | 20051223 | 20060103 | Expdited | 36 | YEAR | 36 |
| 4870834 | Followup | 20000701 | 20050802 | 20060103 | Expdited | 34 | YEAR | 34 |
| 4870835 | Followup | 20020101 | 20051129 | 20060103 | Expdited | 63 | YEAR | 63 |
| 4870836 | Initial | 20040101 | 20051220 | 20060103 | Expdited | 51 | YEAR | 51 |
| 4870837 | Followup | 20020401 | 20051005 | 20060103 | Expdited | 50 | YEAR | 50 |
| 4870838 | Initial | 20030717 | 20051220 | 20060103 | Expdited | 47 | YEAR | 47 |
| 4870839 | Followup | 20011101 | 20051017 | 20060103 | Expdited | 71 | YEAR | 71 |
| 4870840 | Followup | 20020513 | 20051005 | 20060103 | Expdited | 53 | YEAR | 53 |
| 4870841 | Initial | - | 20051219 | 20060103 | Expdited | 60 | YEAR | 60 |
| 4870842 | Followup | 20040530 | 20051005 | 20060103 | Expdited | 81 | YEAR | 81 |
| 4870843 | Initial | 20030101 | 20051221 | 20060103 | Expdited | - | | - |
| 4870844 | Initial | 20040101 | 20051206 | 20060103 | Expdited | - | | - |
| 4870845 | Initial | 20030214 | 20051223 | 20060103 | Expdited | - | | - |
| 4870846 | Followup | 20020317 | 20051005 | 20060103 | Expdited | 92 | YEAR | 92 |
| 4870847 | Initial | - | 20051222 | 20060103 | Expdited | 76 | YEAR | 76 |
| 4870848 | Initial | 20030101 | 20051223 | 20060103 | Expdited | 74 | YEAR | 74 |
| 4870849 | Followup | 20010101 | 20051005 | 20060103 | Expdited | 53 | YEAR | 53 |
| 4870850 | Initial | 20030101 | 20051223 | 20060103 | Expdited | 71 | YEAR | 71 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|---------------------------------------|---|--|----------------|
| 4870851 | Initial | 20030101 | 20051220 | 20060103 | Expdited | - | | - |
| 4870852 | Initial | 20020101 | 20051223 | 20060103 | Expdited | 58 | YEAR | 58 |
| 4870853 | Initial | 20030728 | 20051220 | 20060103 | Expdited | 63 | YEAR | 63 |
| 4870855 | Initial | 20010605 | 20051220 | 20060103 | Expdited | 39 | YEAR | 39 |
| 4870856 | Initial | 20040101 | 20051223 | 20060103 | Expdited | 69 | YEAR | 69 |
| 4870857 | Initial | 20020101 | 20051223 | 20060103 | Expdited | 49 | YEAR | 49 |
| 4870858 | Followup | 20020101 | 20051005 | 20060103 | Expdited | 34 | YEAR | 34 |
| 4870859 | Followup | 20040101 | 20051004 | 20060103 | Expdited | - | | - |
| 4870860 | Initial | 20030101 | 20051220 | 20060103 | Expdited | - | | - |
| 4870861 | Initial | 20040101 | 20051223 | 20060103 | Expdited | 35 | YEAR | 35 |
| 4870862 | Followup | 20000101 | 20051208 | 20060103 | Expdited | 71 | YEAR | 71 |
| 4870863 | Initial | - | 20051223 | 20060103 | Expdited | 58 | YEAR | 58 |
| 4870864 | Initial | - | 20051223 | 20060103 | Expdited | - | | - |
| 4870865 | Initial | 20001001 | 20051222 | 20060103 | Expdited | 57 | YEAR | 57 |
| 4870866 | Initial | - | 20051223 | 20060103 | Expdited | 75 | YEAR | 75 |
| 4870867 | Followup | 20020616 | 20051208 | 20060103 | Expdited | 67 | YEAR | 67 |
| 4870868 | Followup | 20030114 | 20050829 | 20060103 | Expdited | 33 | YEAR | 33 |
| 4870869 | Followup | 20041006 | 20051005 | 20060103 | Expdited | 70 | YEAR | 70 |
| 4870870 | Followup | 20020101 | 20051005 | 20060103 | Expdited | 51 | YEAR | 51 |
| 4870871 | Initial | - | 20051220 | 20060103 | Expdited | 60 | YEAR | 60 |
| 4870872 | Followup | 20030101 | 20051005 | 20060103 | Expdited | 75 | YEAR | 75 |
| 4870873 | Followup | 20020328 | 20050914 | 20060103 | Expdited | 64 | YEAR | 64 |
| 4870874 | Initial | 19991219 | 20051221 | 20060103 | Expdited | 40 | YEAR | 40 |
| 4870875 | Followup | 20040101 | 20051005 | 20060103 | Expdited | 39 | YEAR | 39 |
| 4870876 | Initial | 20031201 | 20051220 | 20060103 | Expdited | - | | - |
| 4870877 | Initial | 20030101 | 20051223 | 20060103 | Expdited | 69 | YEAR | 69 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4870878 | Followup | 20050305 | 20051017 | 20060103 | Expdited | 60 | YEAR | 60 |
| 4870879 | Initial | 20051105 | 20051220 | 20060103 | Expdited | - | | - |
| 4870880 | Initial | 20000101 | 20051223 | 20060103 | Expdited | 70 | YEAR | 70 |
| 4870886 | Followup | 20050530 | 20050615 | 20060103 | Expdited | - | | - |
| 4870888 | Initial | 20050101 | 20051223 | 20060103 | Expdited | 77 | YEAR | 77 |
| 4870890 | Initial | - | 20051220 | 20060103 | Expdited | 68 | YEAR | 68 |
| 4870891 | Followup | - | 20051017 | 20060103 | Expdited | 53 | YEAR | 53 |
| 4870892 | Followup | 20050223 | 20050228 | 20060103 | Expdited | - | | - |
| 4870894 | Followup | 20050101 | 20051206 | 20060103 | Expdited | - | | - |
| 4870898 | Initial | 20051201 | 20051223 | 20060103 | Expdited | 50 | YEAR | 50 |
| 4870900 | Initial | 20051030 | 20051223 | 20060103 | Expdited | - | | - |
| 4870901 | Followup | 20051101 | 20051202 | 20060103 | Expdited | - | | - |
| 4870902 | Initial | 20051222 | 20051222 | 20060103 | Expdited | 78 | YEAR | 78 |
| 4870903 | Initial | 20051228 | 20051229 | 20060103 | Expdited | 55 | YEAR | 55 |
| 4870904 | Followup | 20051019 | 20051021 | 20060103 | Expdited | 66 | YEAR | 66 |
| 4870917 | Initial | 20051017 | 20051223 | 20060103 | Expdited | 48 | YEAR | 48 |
| 4870921 | Followup | - | 20051129 | 20060103 | Expdited | - | | - |
| 4870922 | Initial | 20030806 | 20051130 | 20060103 | Expdited | 73 | YEAR | 73 |
| 4870923 | Followup | 20051122 | 20051122 | 20060103 | Expdited | 1 | YEAR | 1 |
| 4870976 | Followup | 20051021 | 20051215 | 20060103 | Expdited | 58 | YEAR | 58 |
| 4870977 | Initial | - | 20051228 | 20060103 | Expdited | 35 | YEAR | 35 |
| 4870978 | Initial | - | 20051222 | 20060103 | Expdited | - | | - |
| 4870979 | Initial | 20051201 | 20051229 | 20060103 | Expdited | 52 | YEAR | 52 |
| 4870993 | Initial | - | 20051221 | 20060103 | Expdited | - | | - |
| 4870994 | Followup | 20051029 | 20051115 | 20060103 | Expdited | 71 | YEAR | 71 |
| 4871004 | Initial | - | 20051223 | 20060103 | Expdited | - | | - |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|--|---|--|----------------|
| 4871005 | Initial | 20051201 | 20051227 | 20060103 | Expdited | - | | - |
| 4871006 | Initial | 20050801 | 20051229 | 20060103 | Expdited | 46 | YEAR | 46 |
| 4871016 | Initial | 20051221 | 20051226 | 20060103 | Expdited | 13 | YEAR | 13 |
| 4871017 | Initial | 20050101 | 20051228 | 20060103 | Periodic | - | | - |
| 4871018 | Initial | 20050903 | 20051228 | 20060103 | Expdited | - | | - |
| 4871019 | Initial | 20050101 | 20051228 | 20060103 | Expdited | - | | - |
| 4871040 | Followup | 20030820 | 20051005 | 20060103 | Expdited | - | | - |
| 4871057 | Followup | 20040430 | 20040519 | 20060103 | Expdited | 75 | YEAR | 75 |
| 4871073 | Followup | 20051117 | 20051208 | 20060103 | Expdited | 77 | YEAR | 77 |
| 4871074 | Initial | 20050901 | 20051228 | 20060103 | Expdited | - | | - |
| 4871086 | Followup | 20000515 | 20000911 | 20060103 | Expdited | - | | - |
| 4871087 | Followup | 20000427 | 20000927 | 20060103 | Expdited | - | | - |
| 4871088 | Followup | 20000403 | 20000927 | 20060103 | Expdited | - | | - |
| 4871089 | Followup | 20000522 | 20000824 | 20060103 | Expdited | - | | - |
| 4871101 | Followup | 20000525 | 20001102 | 20060103 | Expdited | - | | - |
| 4871102 | Followup | 20000209 | 20000804 | 20060103 | Expdited | - | | - |
| 4871103 | Followup | 19991126 | 20000419 | 20060103 | Expdited | - | | - |
| 4871105 | Followup | 20000124 | 20000821 | 20060103 | Expdited | - | | - |
| 4871106 | Followup | 20051220 | 20051221 | 20060103 | Expdited | 54 | YEAR | 54 |
| 4871127 | Initial | 20051218 | 20051219 | 20060103 | Expdited | - | | - |
| 4871134 | Followup | 20051201 | 20051214 | 20060103 | Expdited | 75 | YEAR | 75 |
| 4871141 | Initial | 20051108 | 20051221 | 20060103 | Expdited | 14 | YEAR | 14 |
| 4871146 | Initial | - | 20051221 | 20060103 | Expdited | 63 | YEAR | 63 |
| 4871160 | Initial | - | 20051221 | 20060103 | Expdited | 60 | YEAR | 60 |
| 4871180 | Followup | 20050329 | 20051122 | 20060103 | Expdited | 42 | YEAR | 42 |
| 4871210 | Followup | 20000813 | 20001219 | 20060103 | Expdited | - | | - |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|---------------------------------------|---|--|----------------|
| 4871211 | Followup | 19991225 | 20000410 | 20060103 | Expdited | - | | - |
| 4871212 | Followup | 19990614 | 20000210 | 20060103 | Expdited | - | | - |
| 4871213 | Followup | 20000723 | 20001102 | 20060103 | Expdited | - | | - |
| 4871214 | Initial | 20051022 | 20051226 | 20060103 | Expdited | - | | - |
| 4871220 | Followup | 20051001 | 20051102 | 20060103 | Expdited | - | | - |
| 4871221 | Followup | 20001017 | 20010112 | 20060103 | Expdited | - | | - |
| 4871222 | Followup | 20010525 | 20011012 | 20060103 | Expdited | - | | - |
| 4871223 | Followup | 19991223 | 20000410 | 20060103 | Expdited | - | | - |
| 4871224 | Followup | 20000512 | 20010130 | 20060103 | Expdited | - | | - |
| 4871225 | Followup | 20010608 | 20011029 | 20060103 | Expdited | - | | - |
| 4871226 | Followup | 20001108 | 20010801 | 20060103 | Expdited | - | | - |
| 4871227 | Followup | 20001231 | 20010619 | 20060103 | Expdited | - | | - |
| 4871229 | Followup | 20001205 | 20010713 | 20060103 | Expdited | - | | - |
| 4871230 | Followup | 20010102 | 20010619 | 20060103 | Expdited | - | | - |
| 4871231 | Followup | 20000927 | 20010301 | 20060103 | Expdited | - | | - |
| 4871232 | Followup | 20001025 | 20010525 | 20060103 | Expdited | - | | - |
| 4871233 | Followup | 20001226 | 20010502 | 20060103 | Expdited | - | | - |
| 4871235 | Followup | 20001206 | 20010301 | 20060103 | Expdited | - | | - |
| 4871236 | Followup | 20051214 | 20051220 | 20060103 | Expdited | 46 Y | /EAR | 46 |
| 4871237 | Followup | 20000702 | 20010327 | 20060103 | Expdited | - | | - |
| 4871238 | Followup | 20051105 | 20051122 | 20060103 | Expdited | - | | - |
| 4871239 | Followup | 20000925 | 20011211 | 20060103 | Expdited | - | | - |
| 4871240 | Followup | 20010312 | 20011012 | 20060103 | Expdited | - | | - |
| 4871241 | Followup | 20010120 | 20010525 | 20060103 | Expdited | - | | - |
| 4871242 | Followup | 20011005 | 20011205 | 20060103 | Expdited | - | | - |
| 4871243 | Followup | 20000908 | 20010130 | 20060103 | Expdited | - | | - |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4871244 | Followup | 20001001 | 20010112 | 20060103 | Expdited | - | | - |
| 4871249 | Followup | 20010218 | 20011127 | 20060103 | Expdited | - | | - |
| 4871250 | Followup | 20000810 | 20010301 | 20060103 | Expdited | - | | - |
| 4871338 | Followup | 20050701 | 20051108 | 20060103 | Expdited | 81 | YEAR | 81 |
| 4871339 | Followup | 20000101 | 20051006 | 20060103 | Expdited | 57 | YEAR | 57 |
| 4871340 | Followup | 20000911 | 20051005 | 20060103 | Expdited | 73 | YEAR | 73 |
| 4871341 | Followup | 20030702 | 20051005 | 20060103 | Expdited | 71 | YEAR | 71 |
| 4871342 | Followup | 20040903 | 20050930 | 20060103 | Expdited | 52 | YEAR | 52 |
| 4871344 | Initial | 20020323 | 20051222 | 20060103 | Expdited | - | | - |
| 4871345 | Followup | 20030901 | 20051017 | 20060103 | Expdited | 65 | YEAR | 65 |
| 4871346 | Initial | 20020529 | 20051222 | 20060103 | Expdited | 57 | YEAR | 57 |
| 4871353 | Initial | 20010101 | 20051223 | 20060103 | Expdited | 54 | YEAR | 54 |
| 4871354 | Followup | 19991201 | 20051006 | 20060103 | Expdited | 51 | YEAR | 51 |
| 4871355 | Initial | 20040101 | 20051223 | 20060103 | Expdited | 63 | YEAR | 63 |
| 4871356 | Followup | 20000101 | 20051006 | 20060103 | Expdited | 66 | YEAR | 66 |
| 4871357 | Followup | 20040421 | 20051005 | 20060103 | Expdited | 52 | YEAR | 52 |
| 4871359 | Initial | 20031201 | 20051223 | 20060103 | Expdited | 75 | YEAR | 75 |
| 4871360 | Followup | 20031208 | 20051215 | 20060103 | Expdited | 53 | YEAR | 53 |
| 4871361 | Initial | 20011214 | 20051220 | 20060103 | Expdited | 55 | YEAR | 55 |
| 4871362 | Followup | 20040214 | 20051005 | 20060103 | Expdited | - | | - |
| 4871363 | Initial | 20030804 | 20051223 | 20060103 | Expdited | - | | - |
| 4871364 | Followup | 20000713 | 20051005 | 20060103 | Expdited | - | | - |
| 4871365 | Followup | 19990721 | 20051004 | 20060103 | Expdited | 57 | YEAR | 57 |
| 4871367 | Followup | 20051203 | 20051213 | 20060103 | Expdited | 58 | YEAR | 58 |
| 4871368 | Followup | 20020901 | 20050920 | 20060103 | Expdited | 75 | YEAR | 75 |
| 4871369 | Followup | 20040501 | 20051005 | 20060103 | Expdited | 44 | YEAR | 44 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|---------------------------------------|---|--|----------------|
| 4871370 | Followup | 20040301 | 20051005 | 20060103 | Expdited | 77 | YEAR | 77 |
| 4871371 | Initial | 20050801 | 20051228 | 20060103 | Expdited | 72 | YEAR | 72 |
| 4871373 | Initial | 20040701 | 20051227 | 20060103 | Expdited | 77 | YEAR | 77 |
| 4871374 | Followup | 20040629 | 20051005 | 20060103 | Expdited | - | | - |
| 4871375 | Followup | 20020105 | 20051005 | 20060103 | Expdited | 40 | YEAR | 40 |
| 4871376 | Followup | 20010101 | 20050831 | 20060103 | Expdited | 63 | YEAR | 63 |
| 4871377 | Followup | 20051101 | 20051129 | 20060103 | Expdited | 69 | YEAR | 69 |
| 4871378 | Followup | 20040101 | 20050920 | 20060103 | Expdited | 71 | YEAR | 71 |
| 4871379 | Followup | 19990101 | 20051005 | 20060103 | Expdited | 57 | YEAR | 57 |
| 4871380 | Followup | 20020101 | 20041014 | 20060103 | Expdited | 60 | YEAR | 60 |
| 4871382 | Followup | 20041005 | 20051005 | 20060103 | Expdited | 62 | YEAR | 62 |
| 4871383 | Followup | 20010101 | 20051005 | 20060103 | Expdited | 66 | YEAR | 66 |
| 4871384 | Followup | 20040619 | 20051005 | 20060103 | Expdited | 60 | YEAR | 60 |
| 4871385 | Followup | 20040401 | 20051005 | 20060103 | Expdited | 50 | YEAR | 50 |
| 4871386 | Followup | 20000101 | 20050831 | 20060103 | Expdited | 47 | YEAR | 47 |
| 4871387 | Followup | 20020214 | 20051004 | 20060103 | Expdited | 63 | YEAR | 63 |
| 4871405 | Initial | 20040101 | 20051223 | 20060103 | Expdited | 42 | YEAR | 42 |
| 4871406 | Followup | 19990101 | 20051005 | 20060103 | Expdited | 50 | YEAR | 50 |
| 4871407 | Initial | 20051108 | 20051227 | 20060103 | Expdited | 7 | YEAR | 7 |
| 4871408 | Followup | 20000901 | 20051004 | 20060103 | Expdited | 45 | YEAR | 45 |
| 4871409 | Initial | - | 20051227 | 20060103 | Expdited | 43 | YEAR | 43 |
| 4871411 | Followup | 20051201 | 20051209 | 20060103 | Expdited | 56 | YEAR | 56 |
| 4871412 | Followup | 20041001 | 20050211 | 20060103 | Expdited | 56 | YEAR | 56 |
| 4871413 | Followup | 20030206 | 20050914 | 20060103 | Expdited | - | | - |
| 4871415 | Followup | 20050701 | 20050805 | 20060103 | Expdited | 60 | YEAR | 60 |
| 4871416 | Initial | 20051224 | 20051226 | 20060103 | Expdited | 59 | YEAR | 59 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|---------------------------------------|---|--|----------------|
| 4871417 | Followup | 20041218 | 20051005 | 20060103 | Expdited | 55 | YEAR | 55 |
| 4871419 | Followup | 20030101 | 20051005 | 20060103 | Expdited | 62 | YEAR | 62 |
| 4871432 | Followup | 20040213 | 20051005 | 20060103 | Expdited | 53 | YEAR | 53 |
| 4871448 | Followup | 20051023 | 20051028 | 20060103 | Expdited | 72 | YEAR | 72 |
| 4871560 | Followup | 20030601 | 20040520 | 20060104 | Expdited | - | | - |
| 4871561 | Initial | 20011201 | 20051223 | 20060104 | Expdited | - | | - |
| 4871562 | Initial | 20040628 | 20051223 | 20060104 | Expdited | - | | - |
| 4871573 | Initial | - | 20051223 | 20060104 | Expdited | 38 | YEAR | 38 |
| 4871574 | Initial | - | 20051227 | 20060104 | Expdited | - | | - |
| 4871582 | Initial | 20050815 | 20051223 | 20060104 | Expdited | - | | - |
| 4871583 | Initial | 20051207 | 20051223 | 20060104 | Expdited | - | | - |
| 4871584 | Initial | 20050101 | 20051227 | 20060104 | Expdited | - | | - |
| 4871585 | Initial | 20051201 | 20051227 | 20060104 | Expdited | - | | - |
| 4871587 | Initial | 20040301 | 20051223 | 20060104 | Expdited | - | | - |
| 4871592 | Initial | 20010925 | 20051223 | 20060104 | Expdited | - | | - |
| 4871598 | Initial | 20050215 | 20051228 | 20060104 | Expdited | 55 | YEAR | 55 |
| 4871599 | Initial | 20051221 | 20051230 | 20060104 | Expdited | 72 | YEAR | 72 |
| 4871600 | Followup | 20051123 | 20051125 | 20060104 | Expdited | 55 | YEAR | 55 |
| 4871601 | Initial | 20051205 | 20051228 | 20060104 | Expdited | 53 | YEAR | 53 |
| 4871602 | Initial | - | 20050926 | 20060104 | Expdited | - | | - |
| 4871614 | Initial | 20051218 | 20051223 | 20060104 | Expdited | 76 | YEAR | 76 |
| 4871615 | Initial | 20050701 | 20051229 | 20060104 | Expdited | - | | - |
| 4871616 | Initial | 20050301 | 20051229 | 20060104 | Expdited | - | | - |
| 4871617 | Initial | 20051111 | 20051226 | 20060104 | Periodic | 75 | YEAR | 75 |
| 4871622 | Initial | 20050624 | 20051228 | 20060104 | Expdited | 79 | YEAR | 79 |
| 4871623 | Initial | - | 20051222 | 20060104 | Expdited | 78 | YEAR | 78 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4871624 | Initial | 20051001 | 20051227 | 20060104 | Expdited | - | | - |
| 4871625 | Followup | 20050501 | 20050620 | 20060104 | Expdited | 56 | YEAR | 56 |
| 4871626 | Initial | 20051114 | 20051114 | 20060104 | Expdited | - | | - |
| 4871627 | Initial | 20051211 | 20051220 | 20060104 | Expdited | 64 | YEAR | 64 |
| 4871628 | Followup | 20050101 | 20051024 | 20060104 | Expdited | - | | - |
| 4871629 | Initial | 20050101 | 20051221 | 20060104 | Expdited | - | | - |
| 4871630 | Initial | 20051101 | 20051221 | 20060104 | Expdited | - | | - |
| 4871631 | Followup | 20010201 | 20050624 | 20060104 | Expdited | 40 | YEAR | 40 |
| 4871632 | Initial | 20050301 | 20051229 | 20060104 | Expdited | - | | - |
| 4871633 | Initial | 20051205 | 20051221 | 20060104 | Expdited | - | | - |
| 4871634 | Followup | 20050703 | 20050704 | 20060104 | Expdited | 44 | YEAR | 44 |
| 4871635 | Followup | - | 20051222 | 20060104 | Expdited | - | | - |
| 4871636 | Followup | 20050401 | 20041104 | 20060104 | Expdited | 39 | YEAR | 39 |
| 4871637 | Initial | - | 20051228 | 20060104 | Expdited | - | | - |
| 4871638 | Followup | - | 20051220 | 20060104 | Expdited | - | | - |
| 4871639 | Initial | - | 20051228 | 20060104 | Expdited | 38 | YEAR | 38 |
| 4871640 | Initial | 20051226 | 20051229 | 20060104 | Expdited | 67 | YEAR | 67 |
| 4871641 | Followup | 20041212 | 20050902 | 20060104 | Expdited | 77 | YEAR | 77 |
| 4871642 | Initial | 20050529 | 20051223 | 20060104 | Expdited | 68 | YEAR | 68 |
| 4871643 | Initial | 20051001 | 20051223 | 20060104 | Expdited | 76 | YEAR | 76 |
| 4871644 | Followup | 20051208 | 20051209 | 20060104 | Expdited | - | | - |
| 4871645 | Initial | 20051001 | 20051227 | 20060104 | Expdited | 83 | YEAR | 83 |
| 4871646 | Initial | 20050830 | 20051222 | 20060104 | Expdited | 41 | YEAR | 41 |
| 4871648 | Initial | 20050825 | 20051226 | 20060104 | Expdited | 0 | DAY | 0 |
| 4871649 | Followup | 20051212 | 20051214 | 20060104 | Expdited | 30236 | DAY | 82 |
| 4871651 | Followup | 20051031 | 20051201 | 20060104 | Expdited | 77 | YEAR | 77 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|--|---|--|----------------|
| 4871654 | Initial | 20050825 | 20051223 | 20060104 | Expdited | - | | - |
| 4871655 | Initial | - | 20051229 | 20060104 | Expdited | - | | - |
| 4871656 | Followup | 20050917 | 20051027 | 20060104 | Expdited | 33727 | DAY | 92 |
| 4871659 | Initial | 20050901 | 20051223 | 20060104 | Expdited | 46 | YEAR | 46 |
| 4871660 | Followup | 20040101 | 20050426 | 20060104 | Expdited | 55 | YEAR | 55 |
| 4871661 | Initial | - | 20051222 | 20060104 | Expdited | - | | - |
| 4871662 | Followup | 20030101 | 20031003 | 20060104 | Expdited | 41 | YEAR | 41 |
| 4871663 | Initial | 20051001 | 20051228 | 20060104 | Expdited | 71 | YEAR | 71 |
| 4871664 | Followup | 20051222 | 20051222 | 20060104 | Expdited | 76 | YEAR | 76 |
| 4871665 | Initial | - | 20051227 | 20060104 | Expdited | - | | - |
| 4871666 | Initial | - | 20051228 | 20060104 | Expdited | - | | - |
| 4871667 | Initial | 20051028 | 20051228 | 20060104 | Expdited | - | | - |
| 4871668 | Followup | 20050101 | 20051007 | 20060104 | Expdited | - | | - |
| 4871669 | Initial | 20051219 | 20051227 | 20060104 | Expdited | 71 | YEAR | 71 |
| 4871670 | Followup | 20040920 | 20040924 | 20060104 | Expdited | 57 | YEAR | 57 |
| 4871671 | Followup | 20050101 | 20050927 | 20060104 | Expdited | - | | - |
| 4871672 | Followup | 20051208 | 20051215 | 20060104 | Expdited | - | | - |
| 4871673 | Followup | 20051201 | 20051201 | 20060104 | Expdited | 24 | YEAR | 24 |
| 4871674 | Followup | 20051205 | 20051208 | 20060104 | Expdited | 45 | YEAR | 45 |
| 4871675 | Followup | - | 20051213 | 20060104 | Expdited | - | | - |
| 4871676 | Followup | 20051126 | 20051128 | 20060104 | Expdited | 40 | YEAR | 40 |
| 4871677 | Followup | - | 20051216 | 20060104 | Expdited | 68 | YEAR | 68 |
| 4871678 | Followup | 20051115 | 20051212 | 20060104 | Expdited | 75 | YEAR | 75 |
| 4871681 | Followup | 20010301 | 20010504 | 20060104 | Expdited | - | | - |
| 4871682 | Followup | 20041121 | 20041125 | 20060104 | Expdited | 62 | YEAR | 62 |
| 4871685 | Followup | 20050611 | 20050614 | 20060104 | Expdited | - | | - |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4871686 | Initial | 20051013 | 20051220 | 20060104 | Expdited | - | | - |
| 4871687 | Followup | 20050502 | 20051121 | 20060104 | Expdited | - | | - |
| 4871689 | Followup | 20031008 | 20051116 | 20060104 | Expdited | - | | - |
| 4871692 | Initial | - | 20051220 | 20060104 | Expdited | 62 | YEAR | 62 |
| 4871693 | Followup | 20051001 | 20051026 | 20060104 | Expdited | - | | - |
| 4871694 | Initial | 20050611 | 20051220 | 20060104 | Expdited | 55 | YEAR | 55 |
| 4871695 | Followup | 20051107 | 20051202 | 20060104 | Expdited | - | | - |
| 4871706 | Initial | - | 20051201 | 20060104 | Expdited | 85 | YEAR | 85 |
| 4871707 | Followup | - | 20051018 | 20060104 | Expdited | 78 | YEAR | 78 |
| 4871708 | Followup | 20050225 | 20050225 | 20060104 | Expdited | 26806 | DAY | 73 |
| 4871709 | Followup | 20031210 | 20051116 | 20060104 | Expdited | 21262 | DAY | 58 |
| 4871712 | Initial | 20051206 | 20051227 | 20060104 | Expdited | 57 | YEAR | 57 |
| 4871713 | Followup | 20050729 | 20050812 | 20060104 | Expdited | 10260 | DAY | 28 |
| 4871714 | Followup | 20051019 | 20051215 | 20060104 | Expdited | 34 | YEAR | 34 |
| 4871720 | Followup | 20040801 | 20040921 | 20060104 | Periodic | 66 | YEAR | 66 |
| 4871721 | Initial | 20041001 | 20041203 | 20060104 | Periodic | 62 | YEAR | 62 |
| 4871722 | Initial | 19990101 | 20041203 | 20060104 | Periodic | 90 | YEAR | 90 |
| 4871723 | Initial | - | 20041203 | 20060104 | Periodic | - | | - |
| 4871724 | Initial | 20041201 | 20041206 | 20060104 | Periodic | - | | - |
| 4871725 | Initial | - | 20050103 | 20060104 | Periodic | 38 | YEAR | 38 |
| 4871726 | Initial | - | 20050105 | 20060104 | Periodic | 23 | YEAR | 23 |
| 4871727 | Initial | 20041201 | 20050114 | 20060104 | Periodic | 41 | YEAR | 41 |
| 4871728 | Initial | 20041001 | 20050126 | 20060104 | Periodic | 52 | YEAR | 52 |
| 4871729 | Initial | - | 20050201 | 20060104 | Periodic | 5 | DECADE | 60 |
| 4871730 | Initial | - | 20050202 | 20060104 | Periodic | - | | - |
| 4871731 | Initial | 20040101 | 20050214 | 20060104 | Periodic | 36 | YEAR | 36 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|---------------------------------------|---|--|----------------|
| 4871733 | Initial | - | 20050217 | 20060104 | Periodic | - | | - |
| 4871734 | Initial | - | 20050311 | 20060104 | Periodic | - | | - |
| 4871735 | Initial | - | 20050316 | 20060104 | Periodic | - | | - |
| 4871736 | Initial | - | 20050317 | 20060104 | Periodic | - | | - |
| 4871737 | Initial | 19980101 | 20050318 | 20060104 | Periodic | 38 | YEAR | 38 |
| 4871738 | Initial | - | 20050318 | 20060104 | Periodic | - | | - |
| 4871739 | Initial | - | 20050322 | 20060104 | Periodic | 48 | YEAR | 48 |
| 4871740 | Initial | 20040624 | 20050323 | 20060104 | Periodic | 57 | YEAR | 57 |
| 4871741 | Initial | 20050301 | 20050330 | 20060104 | Periodic | 42 | YEAR | 42 |
| 4871742 | Initial | - | 20050407 | 20060104 | Periodic | - | | - |
| 4871743 | Initial | - | 20050408 | 20060104 | Periodic | - | | - |
| 4871744 | Initial | - | 20050407 | 20060104 | Periodic | - | | - |
| 4871745 | Initial | 20040701 | 20050414 | 20060104 | Periodic | 6 | DECADE | 72 |
| 4871746 | Initial | - | 20050510 | 20060104 | Periodic | 84 | YEAR | 84 |
| 4871747 | Initial | 20050313 | 20050510 | 20060104 | Periodic | 42 | YEAR | 42 |
| 4871748 | Initial | - | 20050511 | 20060104 | Periodic | 25 | WEEK | 0 |
| 4871749 | Initial | - | 20050518 | 20060104 | Periodic | 88 | YEAR | 88 |
| 4871750 | Initial | - | 20050526 | 20060104 | Periodic | - | | - |
| 4871751 | Initial | - | 20050617 | 20060104 | Periodic | - | | - |
| 4871752 | Initial | 20050621 | 20050621 | 20060104 | Periodic | - | | - |
| 4871753 | Initial | - | 20050627 | 20060104 | Periodic | - | | - |
| 4871754 | Initial | - | 20050701 | 20060104 | Periodic | - | | - |
| 4871755 | Initial | - | 20050706 | 20060104 | Periodic | 52 | YEAR | 52 |
| 4871756 | Initial | - | 20050713 | 20060104 | Periodic | 55 | YEAR | 55 |
| 4871757 | Initial | 20050725 | 20050725 | 20060104 | Periodic | - | | - |
| 4871758 | Initial | 20050729 | 20050729 | 20060104 | Periodic | - | | - |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|---------------------------------------|---|--|----------------|
| 4871759 | Initial | - | 20050815 | 20060104 | Periodic | 13 | YEAR | 13 |
| 4871760 | Initial | 20050824 | 20050830 | 20060104 | Periodic | 45 | YEAR | 45 |
| 4871761 | Initial | - | 20050901 | 20060104 | Periodic | - | | - |
| 4871762 | Initial | - | 20050922 | 20060104 | Periodic | 57 | YEAR | 57 |
| 4871763 | Initial | - | 20051019 | 20060104 | Periodic | 57 | YEAR | 57 |
| 4871764 | Initial | 20050901 | 20051123 | 20060104 | Periodic | 68 | YEAR | 68 |
| 4871766 | Initial | - | 20051109 | 20060104 | Periodic | 54 | YEAR | 54 |
| 4871773 | Followup | 20051129 | 20051208 | 20060104 | Expdited | 49 | YEAR | 49 |
| 4871774 | Followup | 20050726 | 20050826 | 20060104 | Expdited | - | | - |
| 4871775 | Followup | 20051101 | 20051221 | 20060104 | Expdited | 43 | YEAR | 43 |
| 4871776 | Followup | 20050301 | 20050607 | 20060104 | Expdited | 71 | YEAR | 71 |
| 4871777 | Followup | 20051125 | 20051209 | 20060104 | Expdited | 82 | YEAR | 82 |
| 4871778 | Initial | - | 20051229 | 20060104 | Expdited | - | | - |
| 4871779 | Initial | 20051213 | 20051229 | 20060104 | Expdited | 26 | YEAR | 26 |
| 4871780 | Initial | 20050101 | 20051229 | 20060104 | Expdited | 28 | YEAR | 28 |
| 4871781 | Followup | 20051227 | 20051228 | 20060104 | Expdited | - | | - |
| 4871782 | Followup | - | 20051230 | 20060104 | Expdited | 50 | YEAR | 50 |
| 4871783 | Initial | 20050101 | 20051227 | 20060104 | Expdited | - | | - |
| 4871784 | Followup | - | 20050808 | 20060104 | Expdited | 87 | YEAR | 87 |
| 4871785 | Followup | - | 20050926 | 20060104 | Expdited | - | | - |
| 4871786 | Followup | 20051130 | 20051202 | 20060104 | Expdited | 17 | YEAR | 17 |
| 4871787 | Followup | 20030101 | 20051228 | 20060104 | Expdited | 51 | YEAR | 51 |
| 4871788 | Followup | 20051101 | 20051228 | 20060104 | Expdited | 42 | YEAR | 42 |
| 4871789 | Followup | - | 20051228 | 20060104 | Expdited | 14 | YEAR | 14 |
| 4871790 | Initial | - | 20051230 | 20060104 | Expdited | - | | - |
| 4871791 | Initial | | 20051228 | 20060104 | Expdited | | | |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4871792 | Followup | - | 20051229 | 20060104 | Expdited | - | | - |
| 4871793 | Initial | - | 20051229 | 20060104 | Expdited | - | | - |
| 4871794 | Followup | 20050208 | 20050225 | 20060104 | Expdited | 64 | YEAR | 64 |
| 4871795 | Followup | 20050324 | 20050407 | 20060104 | Expdited | 46 | YEAR | 46 |
| 4871796 | Followup | 20050706 | 20050719 | 20060104 | Expdited | 45 | YEAR | 45 |
| 4871797 | Followup | 20050313 | 20051013 | 20060104 | Expdited | - | | - |
| 4871798 | Followup | 20051003 | 20051027 | 20060104 | Expdited | 59 | YEAR | 59 |
| 4871799 | Followup | - | 20051123 | 20060104 | Expdited | - | | - |
| 4871800 | Followup | 20050826 | 20051122 | 20060104 | Expdited | 82 | YEAR | 82 |
| 4871801 | Followup | 20050511 | 20051206 | 20060104 | Expdited | 63 | YEAR | 63 |
| 4871802 | Followup | 20020701 | 20051213 | 20060104 | Expdited | 28 | YEAR | 28 |
| 4871803 | Followup | 20051214 | 20051215 | 20060104 | Expdited | 71 | YEAR | 71 |
| 4871804 | Followup | - | 20051227 | 20060104 | Expdited | - | | - |
| 4871805 | Initial | 20051103 | 20051228 | 20060104 | Expdited | 83 | YEAR | 83 |
| 4871806 | Initial | 20051108 | 20051228 | 20060104 | Expdited | 64 | YEAR | 64 |
| 4871807 | Initial | 20051016 | 20051223 | 20060104 | Expdited | 31 | YEAR | 31 |
| 4871808 | Initial | 20020101 | 20051228 | 20060104 | Expdited | 49 | YEAR | 49 |
| 4871809 | Followup | 20051130 | 20051223 | 20060104 | Expdited | 69 | YEAR | 69 |
| 4871810 | Followup | 20051212 | 20051223 | 20060104 | Expdited | 29 | YEAR | 29 |
| 4871811 | Followup | 20051101 | 20051223 | 20060104 | Expdited | 75 | YEAR | 75 |
| 4871812 | Initial | 20051119 | 20051229 | 20060104 | Expdited | 63 | YEAR | 63 |
| 4871813 | Followup | 20050901 | 20050927 | 20060104 | Expdited | 55 | YEAR | 55 |
| 4871814 | Initial | 20050620 | 20051222 | 20060104 | Expdited | - | | - |
| 4871815 | Initial | 20051001 | 20051223 | 20060104 | Expdited | 81 | YEAR | 81 |
| 4871816 | Initial | 20051208 | 20051222 | 20060104 | Expdited | - | | - |
| 4871817 | Initial | 20050922 | 20051228 | 20060104 | Expdited | 48 | YEAR | 48 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4871818 | Initial | 20030119 | 20051228 | 20060104 | Expdited | 62 | YEAR | 62 |
| 4871819 | Initial | 20020501 | 20051223 | 20060104 | Expdited | 54 | YEAR | 54 |
| 4871820 | Followup | 20010101 | 20051005 | 20060104 | Expdited | 73 | YEAR | 73 |
| 4871821 | Followup | 20000101 | 20051005 | 20060104 | Expdited | 48 | YEAR | 48 |
| 4871822 | Followup | 20020101 | 20050801 | 20060104 | Expdited | - | | - |
| 4871823 | Followup | 20030828 | 20050921 | 20060104 | Expdited | 73 | YEAR | 73 |
| 4871824 | Followup | 20011001 | 20051005 | 20060104 | Expdited | 41 | YEAR | 41 |
| 4871825 | Followup | 20051219 | 20051219 | 20060104 | Expdited | 79 | YEAR | 79 |
| 4871826 | Followup | 20041028 | 20050217 | 20060104 | Expdited | 82 | YEAR | 82 |
| 4871827 | Followup | 20050801 | 20051124 | 20060104 | Expdited | 79 | YEAR | 79 |
| 4871828 | Followup | 20051026 | 20051205 | 20060104 | Expdited | 40 | YEAR | 40 |
| 4871829 | Followup | 20040401 | 20051005 | 20060104 | Expdited | 60 | YEAR | 60 |
| 4871830 | Followup | 20000101 | 20050302 | 20060104 | Expdited | 52 | YEAR | 52 |
| 4871831 | Followup | 20010611 | 20051005 | 20060104 | Expdited | 56 | YEAR | 56 |
| 4871833 | Followup | 20020101 | 20051005 | 20060104 | Expdited | 69 | YEAR | 69 |
| 4871834 | Followup | 20031201 | 20050218 | 20060104 | Expdited | 79 | YEAR | 79 |
| 4871835 | Followup | 20000101 | 20051005 | 20060104 | Expdited | 27 | YEAR | 27 |
| 4871836 | Followup | 19990101 | 20050401 | 20060104 | Expdited | - | | - |
| 4871837 | Followup | 20000324 | 20051005 | 20060104 | Expdited | 55 | YEAR | 55 |
| 4871838 | Followup | 20010101 | 20050920 | 20060104 | Expdited | 61 | YEAR | 61 |
| 4871839 | Followup | 20040901 | 20051005 | 20060104 | Expdited | 65 | YEAR | 65 |
| 4871840 | Followup | - | 20051005 | 20060104 | Expdited | - | | - |
| 4871841 | Followup | 20010101 | 20051005 | 20060104 | Expdited | 53 | YEAR | 53 |
| 4871842 | Followup | 20000926 | 20051005 | 20060104 | Expdited | 70 | YEAR | 70 |
| 4871843 | Followup | 20000101 | 20051005 | 20060104 | Expdited | 75 | YEAR | 75 |
| 4871844 | Followup | 20040501 | 20051005 | 20060104 | Expdited | 64 | YEAR | 64 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|---------------------------------------|---|--|----------------|
| 4871845 | Initial | 20050726 | 20051230 | 20060104 | Expdited | 58 | YEAR | 58 |
| 4871846 | Followup | 20030122 | 20050415 | 20060104 | Expdited | 63 | YEAR | 63 |
| 4871847 | Followup | 19990101 | 20050914 | 20060104 | Expdited | 44 | YEAR | 44 |
| 4871848 | Followup | 20041001 | 20051010 | 20060104 | Expdited | 72 | YEAR | 72 |
| 4871849 | Followup | 20040810 | 20050524 | 20060104 | Expdited | 50 | YEAR | 50 |
| 4871850 | Followup | 19990101 | 20050914 | 20060104 | Expdited | 50 | YEAR | 50 |
| 4871851 | Followup | 20020101 | 20050916 | 20060104 | Expdited | 73 | YEAR | 73 |
| 4871852 | Followup | 19990101 | 20051005 | 20060104 | Expdited | 38 | YEAR | 38 |
| 4871853 | Followup | 20000101 | 20051005 | 20060104 | Expdited | 82 | YEAR | 82 |
| 4871854 | Followup | 20030923 | 20051005 | 20060104 | Expdited | 49 | YEAR | 49 |
| 4871856 | Followup | 20030101 | 20050505 | 20060104 | Expdited | 66 | YEAR | 66 |
| 4871857 | Followup | 20051207 | 20051208 | 20060104 | Expdited | 68 | YEAR | 68 |
| 4871858 | Followup | 19991109 | 20050912 | 20060104 | Expdited | 64 | YEAR | 64 |
| 4871859 | Followup | 20000101 | 20051006 | 20060104 | Expdited | 49 | YEAR | 49 |
| 4871860 | Followup | 20020101 | 20051005 | 20060104 | Expdited | 58 | YEAR | 58 |
| 4871861 | Initial | 20040101 | 20051220 | 20060104 | Expdited | - | | - |
| 4871862 | Followup | 20000901 | 20051006 | 20060104 | Expdited | 89 | YEAR | 89 |
| 4871863 | Initial | - | 20051223 | 20060104 | Expdited | - | | - |
| 4871864 | Initial | 20040104 | 20051227 | 20060104 | Expdited | 70 | YEAR | 70 |
| 4871865 | Followup | 20010201 | 20050916 | 20060104 | Expdited | 65 | YEAR | 65 |
| 4871866 | Followup | 20040101 | 20051006 | 20060104 | Expdited | 60 | YEAR | 60 |
| 4871867 | Followup | 20010701 | 20051006 | 20060104 | Expdited | 44 | YEAR | 44 |
| 4871870 | Followup | 20030501 | 20051005 | 20060104 | Expdited | 67 | YEAR | 67 |
| 4871871 | Followup | 20000101 | 20051104 | 20060104 | Expdited | 57 | YEAR | 57 |
| 4871873 | Initial | 20030101 | 20051220 | 20060104 | Expdited | - | | - |
| 4871874 | Followup | 20001227 | 20050907 | 20060104 | Expdited | 61 | YEAR | 61 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|---------------------------------------|---|--|----------------|
| 4871875 | Followup | 20050303 | 20050909 | 20060104 | Expdited | 62 | YEAR | 62 |
| 4871876 | Followup | 20000210 | 20051005 | 20060104 | Expdited | 72 | YEAR | 72 |
| 4871877 | Followup | 20020402 | 20051129 | 20060104 | Expdited | 63 | YEAR | 63 |
| 4871878 | Followup | 20000901 | 20051006 | 20060104 | Expdited | 63 | YEAR | 63 |
| 4871879 | Followup | 20010603 | 20051129 | 20060104 | Expdited | 83 | YEAR | 83 |
| 4871880 | Initial | 20030101 | 20051223 | 20060104 | Expdited | - | | - |
| 4871881 | Followup | 20000227 | 20051130 | 20060104 | Expdited | 53 | YEAR | 53 |
| 4871882 | Followup | 20021101 | 20051005 | 20060104 | Expdited | 61 | YEAR | 61 |
| 4871883 | Initial | 19990101 | 20051223 | 20060104 | Expdited | 54 | YEAR | 54 |
| 4871884 | Followup | 19991108 | 20030102 | 20060104 | Expdited | 66 | YEAR | 66 |
| 4871885 | Followup | 20000101 | 20051006 | 20060104 | Expdited | 58 | YEAR | 58 |
| 4871886 | Initial | 20041001 | 20051223 | 20060104 | Expdited | - | | - |
| 4871887 | Followup | 20020301 | 20051005 | 20060104 | Expdited | 80 | YEAR | 80 |
| 4871888 | Initial | 20030101 | 20051223 | 20060104 | Expdited | 73 | YEAR | 73 |
| 4871889 | Followup | 20010717 | 20051006 | 20060104 | Expdited | 77 | YEAR | 77 |
| 4871890 | Followup | 20031229 | 20051005 | 20060104 | Expdited | - | | - |
| 4871891 | Followup | 20020114 | 20051005 | 20060104 | Expdited | 66 | YEAR | 66 |
| 4871892 | Followup | 19990919 | 20051114 | 20060104 | Expdited | 69 | YEAR | 69 |
| 4871893 | Followup | 20000516 | 20051129 | 20060104 | Expdited | 52 | YEAR | 52 |
| 4871894 | Followup | 20021201 | 20051005 | 20060104 | Expdited | - | | - |
| 4871895 | Followup | 20010705 | 20051006 | 20060104 | Expdited | 62 | YEAR | 62 |
| 4871897 | Followup | 20041001 | 20051215 | 20060104 | Expdited | 28 | YEAR | 28 |
| 4871899 | Initial | 20051101 | 20051230 | 20060104 | Expdited | 66 | YEAR | 66 |
| 4871900 | Initial | 20051226 | 20051229 | 20060104 | Expdited | 67 | YEAR | 67 |
| 4871901 | Followup | 20000101 | 20051005 | 20060104 | Expdited | 57 | YEAR | 57 |
| 4871902 | Initial | 20051219 | 20051227 | 20060104 | Expdited | 51 | YEAR | 51 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4871903 | Followup | - | 20051020 | 20060104 | Expdited | 21 | YEAR | 21 |
| 4871904 | Initial | 20051113 | 20051227 | 20060104 | Expdited | 22640 | DAY | 62 |
| 4871905 | Followup | 20040712 | 20051025 | 20060104 | Expdited | 77 | YEAR | 77 |
| 4871906 | Initial | 20050401 | 20051228 | 20060104 | Expdited | 22 | YEAR | 22 |
| 4871907 | Followup | 20010101 | 20051005 | 20060104 | Expdited | 36 | YEAR | 36 |
| 4871908 | Initial | - | 20051222 | 20060104 | Expdited | - | | - |
| 4871909 | Initial | 20051101 | 20051222 | 20060104 | Expdited | 59 | YEAR | 59 |
| 4871912 | Initial | - | 20051226 | 20060104 | Expdited | - | | - |
| 4871917 | Initial | - | 20051228 | 20060104 | Expdited | - | | - |
| 4871918 | Initial | - | 20051227 | 20060104 | Expdited | 36 | YEAR | 36 |
| 4871919 | Initial | - | 20051227 | 20060104 | Expdited | 35 | YEAR | 35 |
| 4871920 | Followup | 20051207 | 20051207 | 20060104 | Expdited | 56 | YEAR | 56 |
| 4871921 | Initial | - | 20051227 | 20060104 | Expdited | 36 | YEAR | 36 |
| 4871922 | Initial | 20051203 | 20051227 | 20060104 | Expdited | 74 | YEAR | 74 |
| 4871923 | Followup | 20051101 | 20051201 | 20060104 | Expdited | - | | - |
| 4871924 | Followup | 20051008 | 20051222 | 20060104 | Expdited | 57 | YEAR | 57 |
| 4871927 | Followup | 20000427 | 20051219 | 20051230 | Expdited | 78 | YEAR | 78 |
| 4871928 | Followup | 20051208 | 20051215 | 20060104 | Expdited | - | | - |
| 4871929 | Initial | 20050613 | 20051220 | 20060104 | Expdited | 61 | YEAR | 61 |
| 4871930 | Followup | 20051126 | 20051128 | 20060104 | Expdited | 40 | YEAR | 40 |
| 4871934 | Followup | 19880906 | 20040804 | 20060104 | Expdited | 30 | YEAR | 30 |
| 4871935 | Followup | 19940101 | 20050829 | 20060104 | Expdited | 17 | YEAR | 17 |
| 4871937 | Followup | 20050725 | 20051018 | 20060104 | Expdited | 60 | YEAR | 60 |
| 4871938 | Followup | 19980201 | 20050629 | 20060104 | Expdited | 20 | YEAR | 20 |
| 4871939 | Initial | 20051212 | 20051223 | 20060104 | Expdited | 21 | YEAR | 21 |
| 4871940 | Followup | 20020301 | 20050623 | 20060104 | Expdited | 33 | YEAR | 33 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|--|---|--|----------------|
| 4871941 | Followup | 19980601 | 20050331 | 20060104 | Expdited | 15 | YEAR | 15 |
| 4871942 | Followup | 20030406 | 20030409 | 20060104 | Expdited | 52 | YEAR | 52 |
| 4871943 | Followup | 20050312 | 20050314 | 20060104 | Expdited | 35 | YEAR | 35 |
| 4871949 | Followup | 20001030 | 20050928 | 20060104 | Expdited | 38 | YEAR | 38 |
| 4871950 | Followup | 20051026 | 20051026 | 20060104 | Expdited | 22 | YEAR | 22 |
| 4871957 | Followup | 20051201 | 20051208 | 20060104 | Expdited | 27817 | DAY | 76 |
| 4871969 | Followup | 20051016 | 20051026 | 20060104 | Expdited | 50 | YEAR | 50 |
| 4871971 | Initial | - | 20051130 | 20060104 | Expdited | - | | - |
| 4871972 | Followup | 20050227 | 20050421 | 20060104 | Expdited | 73 | YEAR | 73 |
| 4871973 | Initial | 20050622 | 20051220 | 20060104 | Expdited | 47 | YEAR | 47 |
| 4871974 | Initial | 20050812 | 20051222 | 20060104 | Expdited | 67 | YEAR | 67 |
| 4871976 | Initial | 20051204 | 20051221 | 20060104 | Expdited | 58 | YEAR | 58 |
| 4871977 | Initial | - | 20051224 | 20060104 | Expdited | 56 | YEAR | 56 |
| 4871978 | Initial | - | 20051223 | 20060104 | Expdited | 47 | YEAR | 47 |
| 4871979 | Initial | 20051209 | 20051222 | 20060104 | Expdited | 28 | YEAR | 28 |
| 4871980 | Followup | 20050623 | 20051101 | 20060104 | Expdited | 59 | YEAR | 59 |
| 4871988 | Followup | 20050801 | 20051128 | 20060104 | Expdited | 64 | YEAR | 64 |
| 4872010 | Initial | - | 20051220 | 20051230 | Expdited | 35 | YEAR | 35 |
| 4872016 | Initial | 20051001 | 20051228 | 20060104 | Expdited | - | | - |
| 4872017 | Followup | - | 20051122 | 20060104 | Expdited | 36 | YEAR | 36 |
| 4872018 | Initial | 20050710 | 20051227 | 20060104 | Expdited | - | | - |
| 4872021 | Initial | - | 20051227 | 20060104 | Expdited | - | | - |
| 4872030 | Followup | 20030717 | 20031208 | 20060104 | Expdited | 73 | YEAR | 73 |
| 4872033 | Followup | 20050613 | 20051031 | 20060104 | Expdited | 17149 | DAY | 46 |
| 4872034 | Followup | 20051116 | 20051118 | 20060104 | Expdited | 29885 | DAY | 81 |
| 4872043 | Initial | 20051225 | 20051229 | 20060104 | Expdited | 31 | YEAR | 31 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|--------------------------|--|---|--|----------------|
| 4872044 | Followup | - | 20050929 | 20060104 | Expdited | 72 | YEAR | 72 |
| 4872072 | Followup | 20050401 | 20050715 | 20060104 | Expdited | 68 | YEAR | 68 |
| 4872074 | Initial | 20050901 | 20051229 | 20060104 | Expdited | 64 | YEAR | 64 |
| 4872075 | Initial | 20050101 | 20051230 | 20060104 | Expdited | - | | - |
| 4872076 | Followup | 20040106 | 20050818 | 20060104 | Expdited | 70 | YEAR | 70 |
| 4872077 | Initial | 20051020 | 20051230 | 20060104 | Expdited | 79 | YEAR | 79 |
| 4872086 | Initial | 20051201 | 20051228 | 20060104 | Expdited | - | | - |
| 4872087 | Initial | - | 20051227 | 20060104 | Expdited | 20 | MONTH | 1 |
| 4872123 | Followup | 20050702 | 20050705 | 20060104 | Expdited | - | | - |
| 4872134 | Initial | 20050901 | 20051222 | 20060104 | Expdited | 53 | YEAR | 53 |
| 4872153 | Initial | - | 20051117 | 20060103 | Expdited | - | | - |
| 4872155 | Initial | 20051201 | 20051219 | 20060103 | Expdited | 62 | YEAR | 62 |
| 4872156 | Initial | 20001101 | 20051222 | 20060104 | Expdited | 63 | YEAR | 63 |
| 4872157 | Initial | 20051214 | 20051219 | 20060103 | Expdited | 89 | YEAR | 89 |
| 4872159 | Initial | 20030101 | 20051219 | 20060103 | Expdited | 23 | YEAR | 23 |
| 4872161 | Initial | 20050101 | 20051219 | 20060103 | Expdited | - | | - |
| 4872163 | Initial | - | 20051219 | 20060103 | Expdited | 43 | YEAR | 43 |
| 4872165 | Initial | 20051101 | 20051219 | 20060103 | Expdited | 67 | YEAR | 67 |
| 4872166 | Initial | - | 20051222 | 20060103 | Expdited | 65 | YEAR | 65 |
| 4872168 | Followup | 19961113 | 20050406 | 20060104 | Expdited | 15 | YEAR | 15 |
| 4872169 | Followup | 19980824 | 20050812 | 20060104 | Expdited | 17 | YEAR | 17 |
| 4872170 | Followup | 20050418 | 20051216 | 20060103 | Expdited | 69 | YEAR | 69 |
| 4872171 | Initial | 20051201 | 20051217 | 20060103 | Expdited | - | | - |
| 4872172 | Initial | 20051012 | 20051219 | 20060103 | Expdited | 23 | YEAR | 23 |
| 4872173 | Initial | 20051217 | 20051217 | 20060103 | Expdited | - | | - |
| 4872174 | Initial | 20051201 | 20051217 | 20060103 | Expdited | - | | - |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|--|---|--|----------------|
| 4872175 | Followup | 20051220 | 20051223 | 20060103 | Expdited | 28 | YEAR | 28 |
| 4872176 | Followup | 20050101 | 20051220 | 20060103 | Expdited | 32 | YEAR | 32 |
| 4872178 | Initial | - | 20051220 | 20060103 | Expdited | 9 | YEAR | 9 |
| 4872179 | Initial | - | 20051221 | 20060103 | Expdited | 74 | YEAR | 74 |
| 4872180 | Initial | - | 20051221 | 20060103 | Expdited | 68 | YEAR | 68 |
| 4872181 | Followup | 20051031 | 20051010 | 20060104 | Expdited | - | | - |
| 4872182 | Followup | 20051218 | 20051031 | 20060104 | Expdited | - | | - |
| 4872183 | Initial | 20051208 | 20051216 | 20060103 | Expdited | - | | - |
| 4872184 | Initial | - | 20051219 | 20060103 | Expdited | 53 | YEAR | 53 |
| 4872186 | Followup | - | 20051216 | 20060103 | Expdited | 55 | YEAR | 55 |
| 4872187 | Followup | - | 20051216 | 20060103 | Expdited | 60 | YEAR | 60 |
| 4872188 | Initial | - | 20051219 | 20060103 | Expdited | 59 | YEAR | 59 |
| 4872190 | Initial | 20030930 | 20051221 | 20060103 | Expdited | 79 | YEAR | 79 |
| 4872191 | Initial | 20051130 | 20051226 | 20060103 | Expdited | 68 | YEAR | 68 |
| 4872193 | Initial | 20050228 | 20051220 | 20060103 | Expdited | 78 | YEAR | 78 |
| 4872194 | Followup | 20030704 | 20051220 | 20060104 | Expdited | - | | - |
| 4872195 | Followup | 20050509 | 20050621 | 20060104 | Expdited | 71 | YEAR | 71 |
| 4872196 | Initial | - | 20051228 | 20060104 | Expdited | - | | - |
| 4872197 | Followup | 20050502 | 20050523 | 20060104 | Expdited | 70 | YEAR | 70 |
| 4872198 | Initial | 20050101 | 20051228 | 20060104 | Expdited | 49 | YEAR | 49 |
| 4872203 | Followup | 20050705 | 20050708 | 20060104 | Expdited | 13 | YEAR | 13 |
| 4872220 | Followup | 20051014 | 20051214 | 20060104 | Expdited | 75 | YEAR | 75 |
| 4872266 | Followup | 20040201 | 20051214 | 20060104 | Expdited | 72 | YEAR | 72 |
| 4872267 | Initial | 20050101 | 20051220 | 20060104 | Expdited | 70 | YEAR | 70 |
| 4872268 | Followup | 20050101 | 20051212 | 20060104 | Expdited | 70 | YEAR | 70 |
| 4872319 | Followup | 20051116 | 20051117 | 20060104 | Expdited | 59 | YEAR | 59 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) | | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|---|----------|---------------------------------------|---|--|----------------|
| 4872382 | Initial | - | 20051227 | 20060104 | Expdited | - | | - |
| 4872383 | Initial | 20030201 | 20051228 | 20060104 | Expdited | 48 | YEAR | 48 |
| 4872384 | Followup | 20020701 | 20051005 | 20060104 | Expdited | 81 | YEAR | 81 |
| 4872385 | Initial | 20051126 | 20051229 | 20060104 | Expdited | - | | - |
| 4872386 | Followup | 20020101 | 20050103 | 20060104 | Expdited | 61 | YEAR | 61 |
| 4872388 | Initial | 20040626 | 20051227 | 20060104 | Expdited | - | | - |
| 4872389 | Initial | 20040101 | 20051227 | 20060104 | Expdited | 57 | YEAR | 57 |
| 4872390 | Initial | 20031201 | 20051228 | 20060104 | Expdited | - | | - |
| 4872398 | Initial | 20020918 | 20051222 | 20060104 | Expdited | 28 | YEAR | 28 |
| 4872399 | Followup | 20010901 | 20051006 | 20060104 | Expdited | 59 | YEAR | 59 |
| 4872400 | Initial | 20050401 | 20051228 | 20060104 | Expdited | - | | - |
| 4872401 | Initial | 20030101 | 20051228 | 20060104 | Expdited | - | | - |
| 4872402 | Followup | 20020401 | 20051005 | 20060104 | Expdited | 70 | YEAR | 70 |
| 4872403 | Followup | 20030101 | 20051005 | 20060104 | Expdited | 49 | YEAR | 49 |
| 4872404 | Followup | 20030101 | 20051005 | 20060104 | Expdited | 58 | YEAR | 58 |
| 4872405 | Initial | - | 20051227 | 20060104 | Expdited | - | | - |
| 4872406 | Followup | 20040101 | 20050920 | 20060104 | Expdited | 71 | YEAR | 71 |
| 4872407 | Initial | 20051001 | 20051222 | 20060104 | Expdited | 81 | YEAR | 81 |
| 4872408 | Followup | 19840705 | 20051130 | 20060104 | Expdited | 18 | YEAR | 18 |
| 4872409 | Followup | 20010508 | 20051005 | 20060104 | Expdited | 51 | YEAR | 51 |
| 4872410 | Initial | 20030801 | 20051227 | 20060104 | Expdited | 73 | YEAR | 73 |
| 4872411 | Followup | 20010121 | 20051005 | 20060104 | Expdited | 70 | YEAR | 70 |
| 4872412 | Followup | 20040801 | 20051005 | 20060104 | Expdited | 79 | YEAR | 79 |
| 4872414 | Followup | 20000331 | 20050112 | 20060104 | Expdited | 56 | YEAR | 56 |
| 4872415 | Followup | 20041004 | 20051005 | 20060104 | Expdited | 71 | YEAR | 71 |
| 4872416 | Followup | 20010201 | 20050705 | 20060104 | Expdited | 60 | YEAR | 60 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|---------------------------------------|---|--|----------------|
| 4872417 | Followup | 20050601 | 20050725 | 20060104 | Expdited | 55 | YEAR | 55 |
| 4872418 | Followup | 20031206 | 20051005 | 20060104 | Expdited | 74 | YEAR | 74 |
| 4872419 | Followup | 20050201 | 20051101 | 20060104 | Expdited | 51 | YEAR | 51 |
| 4872420 | Followup | 20020601 | 20051005 | 20060104 | Expdited | 34 | YEAR | 34 |
| 4872421 | Followup | 20040420 | 20050510 | 20060104 | Expdited | 49 | YEAR | 49 |
| 4872430 | Initial | - | 20051227 | 20060104 | Expdited | - | | - |
| 4872431 | Followup | 20040704 | 20050214 | 20060104 | Expdited | 71 | YEAR | 71 |
| 4872437 | Initial | 20040527 | 20051222 | 20060104 | Expdited | 0 | DAY | 0 |
| 4872439 | Initial | - | 20051229 | 20060104 | Expdited | - | | - |
| 4872440 | Followup | 20030913 | 20051005 | 20060104 | Expdited | 48 | YEAR | 48 |
| 4872441 | Followup | 20010101 | 20051005 | 20060104 | Expdited | 66 | YEAR | 66 |
| 4872442 | Initial | 20031201 | 20051229 | 20060104 | Expdited | - | | - |
| 4872443 | Initial | 20040901 | 20051229 | 20060104 | Expdited | - | | - |
| 4872444 | Initial | 20040401 | 20051229 | 20060104 | Expdited | - | | - |
| 4872445 | Followup | 20020501 | 20051003 | 20060104 | Expdited | 70 | YEAR | 70 |
| 4872446 | Initial | 20040829 | 20051227 | 20060104 | Expdited | - | | - |
| 4872447 | Followup | 20041101 | 20051005 | 20060104 | Expdited | 85 | YEAR | 85 |
| 4872448 | Initial | 20020801 | 20051228 | 20060104 | Expdited | - | | - |
| 4872449 | Initial | 19990501 | 20051228 | 20060104 | Expdited | 59 | YEAR | 59 |
| 4872450 | Initial | 20020701 | 20051229 | 20060104 | Expdited | 78 | YEAR | 78 |
| 4872452 | Followup | 20050313 | 20050519 | 20060104 | Expdited | 64 | YEAR | 64 |
| 4872453 | Followup | 20020101 | 20050105 | 20060104 | Expdited | 63 | YEAR | 63 |
| 4872454 | Initial | 20040801 | 20051229 | 20060104 | Expdited | 54 | YEAR | 54 |
| 4872455 | Followup | 20040101 | 20050110 | 20060104 | Expdited | 56 | YEAR | 56 |
| 4872456 | Initial | 20050501 | 20051229 | 20060104 | Expdited | 62 | YEAR | 62 |
| 4872457 | Followup | 20020101 | 20050408 | 20060104 | Expdited | 50 | YEAR | 50 |

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|--------------------------------------|--|-----------------------------|--|---|--|----------------|
| 4872462 | Followup | 20020101 | 20051005 | 20060104 | Expdited | 67 | YEAR | 67 |
| 4872463 | Initial | 20020101 | 20051229 | 20060104 | Expdited | - | | - |
| 4872464 | Initial | 20050801 | 20051227 | 20060104 | Expdited | - | | - |
| 4872465 | Initial | 20031201 | 20051222 | 20060104 | Expdited | - | | - |
| 4872466 | Followup | 20010101 | 20050118 | 20060104 | Expdited | 50 | YEAR | 50 |
| 4872467 | Followup | 20050501 | 20050609 | 20060104 | Expdited | 74 | YEAR | 74 |
| 4872468 | Initial | 20051119 | 20051222 | 20060104 | Expdited | 23 | YEAR | 23 |
| 4872469 | Followup | 20030801 | 20050427 | 20060104 | Expdited | 66 | YEAR | 66 |
| 4872470 | Followup | 20041101 | 20050103 | 20060104 | Expdited | 31 | YEAR | 31 |
| 4872481 | Followup | 20051030 | 20051101 | 20060104 | Expdited | - | | - |
| 4872482 | Initial | - | 20050531 | 20060104 | Expdited | - | | - |
| 4872483 | Followup | 20051024 | 20051026 | 20060104 | Expdited | - | | - |
| 4872484 | Initial | 20051118 | 20051226 | 20060104 | Expdited | - | | - |
| 4872485 | Followup | 20050725 | 20051006 | 20060104 | Expdited | - | | - |
| 4872486 | Followup | - | 20051210 | 20060104 | Expdited | - | | - |
| 4872487 | Initial | - | 20051223 | 20060104 | Expdited | 59 | YEAR | 59 |
| 4872488 | Followup | 20051027 | 20051108 | 20060104 | Expdited | - | | - |
| 4872489 | Followup | 20021001 | 20050420 | 20060104 | Expdited | 67 | YEAR | 67 |
| 4872490 | Followup | 20051124 | 20051216 | 20060104 | Expdited | - | | - |
| 4872491 | Followup | 20050619 | 20050708 | 20060104 | Expdited | - | | - |
| 4872492 | Initial | 20050525 | 20051230 | 20060104 | Expdited | 69 | YEAR | 69 |
| 4872493 | Followup | 20030108 | 20030630 | 20060104 | Expdited | - | | - |
| 4872494 | Followup | 20020714 | 20030220 | 20060104 | Expdited | - | | - |
| 4872495 | Followup | 20010713 | 20020121 | 20060104 | Expdited | - | | - |
| 4872496 | Followup | 19990908 | 19991110 | 20060104 | Expdited | - | | - |
| 4872497 | Followup | 20021113 | 20030825 | 20060104 | Expdited | - | | - |

Project: AERS 2006Q1
Page 41 of 827
14SEP2015

ADVERSE EVENT REPORTING SYSTEM (AERS) Demographic Listings

| Report's unique number | Code for initial or followup status | Date adverse event occurred or began | Date manufacturer first received initial (or follow-up) information | Date FDA received report | Code for the type of report submitted | Numeric value of patient's age at event | Unit abbreviation for patient's age | Derived age |
|------------------------------|--|---|--|-----------------------------|--|---|--|----------------|
| 4872498 | Followup | 20030915 | 20040322 | 20060104 | Expdited | - | | - |
| 4872499 | Followup | 20040606 | 20041025 | 20060104 | Expdited | - | | - |
| 4872500 | Followup | 20040615 | 20050111 | 20060104 | Expdited | - | | - |
| 4872501 | Followup | 19990108 | 19990707 | 20060104 | Expdited | - | | - |
| 4872502 | Followup | 19981216 | 19990521 | 20060104 | Expdited | - | | - |
| 4872535 | Initial | 20051023 | 20051223 | 20060103 | Expdited | 68 | YEAR | 68 |
| 4872536 | Initial | 20041201 | 20051221 | 20060103 | Expdited | - | | - |
| 4872537 | Initial | 20050901 | 20051221 | 20060103 | Expdited | 36 | YEAR | 36 |
| 4872538 | Initial | 20000205 | 20051220 | 20060103 | Expdited | 27 | YEAR | 27 |
| 4872539 | Initial | 20051101 | 20051221 | 20060103 | Expdited | 25 | YEAR | 25 |
| 4872540 | Initial | 20050101 | 20051219 | 20060103 | Expdited | 75 | YEAR | 75 |
| 4872541 | Initial | 20051107 | 20051228 | 20060105 | Expdited | 56 | YEAR | 56 |

| Report's | | | | Unit abbreviation | | | Abbreviation for | Date | _ |
|------------------|----------------------|------------------------|--------------------------------------|-------------------------|-------------------|-------------------------|---------------------------------------|-----------------|--------------------|
| unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | for patient's weight | Derived weight | Date report was sent | initial reporter's type of occupation | patient died | Reports Country |
| 4793437 | GROUP 3 | Male | - | | - | 20051011 | Consumer | - | UNITED STATES |
| 4799889 | | Female | - | | - | 20051012 | | - | AUSTRALIA |
| 4802758 | GROUP 4 | Female | 64.3 | Kilograms | 64 | 20051012 | | 20040427 | UNITED STATES |
| 4806822 | | Missing | - | | - | - | | - | UNITED STATES |
| 4807735 | GROUP 3 | Female | - | | - | 20051018 | Physician | - | FRANCE |
| 4807884 | GROUP 3 | Female | 49.1 | Kilograms | 49 | 20051020 | Physician | - | UNITED STATES |
| 4810789 | | Female | 115 | Pounds | 52 | 20051021 | Consumer | - | UNITED STATES |
| 4811786 | GROUP 3 | Male | 81.2 | Kilograms | 81 | 20051021 | Pharmacist | - | UNITED STATES |
| 4813034 | GROUP 3 | Male | 186 | Pounds | 84 | 20051025 | Other health professional | - | CANADA |
| 4815387 | GROUP 3 | Male | - | | - | 20051027 | Physician | - | UNITED STATES |
| 4817144 | GROUP 4 | Female | 47.2 | Kilograms | 47 | 20050829 | Physician | - | UNITED STATES |
| 4817145 | GROUP 3 | Female | - | | - | 20050829 | Other health professional | - | UNITED STATES |
| 4817146 | GROUP 3 | Female | - | | - | 20050829 | Physician | - | UNITED STATES |
| 4817148 | | Male | - | | - | 20050829 | Physician | - | UNITED STATES |
| 4817149 | GROUP 3 | Male | - | | - | 20050829 | Physician | - | UNITED STATES |
| 4817159 | GROUP 3 | Female | - | | - | 20050829 | Physician | - | UNITED STATES |
| 4817167 | | Female | - | | - | 20050829 | Physician | - | UNITED STATES |
| 4819355 | GROUP 3 | Male | 222 | Pounds | 100 | 20051014 | Consumer | - | UNITED STATES |
| 4820164 | | Male | 74 | Kilograms | 74 | 20051020 | Other health professional | - | UNITED STATES |
| 4821833 | GROUP 3 | Male | - | | - | 20051107 | Physician | - | GERMANY |
| 4826267 | | Missing | 92 | Kilograms | 92 | - | Other health professional | - | UNITED STATES |
| 4826274 | | Male | 75 | Kilograms | 75 | 20051024 | Other health professional | - | UNITED STATES |
| 4826360 | GROUP 3 | Male | 77.1 | Kilograms | 77 | 20051031 | Other health professional | 20050215 | UNITED STATES |
| 4828303 | GROUP 2 | Male | 67 | Kilograms | 67 | 20051115 | Physician | - | JAPAN |
| 4832882 | GROUP 3 | Male | 96.8 | Kilograms | 96 | 20051121 | Physician | - | NETHERLANDS |
| 4833762 | GROUP 2 | Female | 117 | Pounds | 53 | 20051117 | Consumer | - | UNITED STATES |
| 4833775 | | Male | 103 | Kilograms | 103 | 20051114 | Other health professional | 20051110 | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|----------------------|--|-------------------------|--------------------|
| 4834797 | GROUP 3 | Male | 170 | Pounds | 77 | 20051111 | Physician | 20050215 | UNITED STATES |
| 4838069 | | Male | 96 | Kilograms | 96 | 20051110 | Other health professional | - | UNITED STATES |
| 4840105 | GROUP 2 | Male | 130 | Pounds | 58 | 20051122 | Consumer | - | UNITED STATES |
| 4843170 | GROUP 3 | Female | - | | - | 20051004 | | - | UNITED STATES |
| 4846119 | GROUP 1 | Female | 270 | Pounds | 122 | 20051129 | Other health professional | - | UNITED STATES |
| 4846435 | | Male | - | | - | 20051201 | Consumer | 20051106 | UNITED STATES |
| 4847003 | | Missing | - | | - | 20051201 | | - | FRANCE |
| 4847053 | | Male | - | | - | 20051207 | Other health professional | - | UNITED STATES |
| 4847638 | GROUP 1 | Female | - | | - | 20051202 | Other health professional | - | UNITED KINGDOM |
| 4847706 | GROUP 1 | Female | - | | - | 20051123 | Physician | - | MEXICO |
| 4852120 | | Female | - | | - | 20051104 | Other health professional | - | UNITED STATES |
| 4852895 | GROUP 3 | Missing | - | | - | 20051206 | Physician | 20040101 | UNITED STATES |
| 4854233 | GROUP 4 | Male | - | | - | 20051108 | Physician | - | UNITED STATES |
| 4865588 | GROUP 2 | Female | 148 | Pounds | 67 | 20051214 | | - | UNITED STATES |
| 4867362 | | Unknown | - | | - | 20051221 | Physician | - | UNITED STATES |
| 4867364 | | Unknown | - | | - | 20051221 | Physician | - | UNITED STATES |
| 4867367 | | Missing | - | | - | 20051221 | Physician | - | UNITED STATES |
| 4867370 | | Missing | - | | - | 20051221 | Physician | - | UNITED STATES |
| 4867373 | | Missing | - | | - | 20051221 | Physician | - | UNITED STATES |
| 4867375 | | Missing | - | | - | 20051221 | Physician | - | UNITED STATES |
| 4867377 | | Missing | - | | - | 20051221 | Physician | - | UNITED STATES |
| 4867384 | | Missing | - | | - | 20051221 | Physician | - | UNITED STATES |
| 4867390 | | Missing | - | | - | 20051221 | Physician | - | UNITED STATES |
| 4867392 | | Missing | - | | - | 20051221 | Physician | - | UNITED STATES |
| 4867604 | | Unknown | - | | - | 20051221 | Physician | - | UNITED STATES |
| 4867630 | | Unknown | - | | - | 20051221 | Physician | - | UNITED STATES |
| 4869006 | GROUP 3 | Female | 45 | Kilograms | 45 | 20051207 | Physician | - | JAPAN |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4870242 | GROUP 3 | Female | 80 | Kilograms | 80 | 20060102 | Other health professional | - | PORTUGAL |
| 4870243 | GROUP 3 | Male | 53 | Kilograms | 53 | 20060102 | Physician | 20051129 | JAPAN |
| 4870244 | GROUP 1 | Male | - | | - | 20060102 | Other health professional | - | GERMANY |
| 4870245 | GROUP 2 | Female | 63.5 | Kilograms | 63 | 20060102 | Physician | - | UNITED STATES |
| 4870246 | GROUP 3 | Male | - | | - | 20060102 | Physician | - | NETHERLANDS |
| 4870247 | GROUP 4 | Female | 65 | Kilograms | 65 | 20060102 | Consumer | - | AUSTRALIA |
| 4870248 | GROUP 3 | Male | 72 | Kilograms | 72 | 20060102 | Physician | 20051120 | BELGIUM |
| 4870249 | | Missing | - | | - | 20060102 | Pharmacist | - | UNITED STATES |
| 4870250 | GROUP 2 | Female | 57 | Kilograms | 57 | 20060102 | Physician | - | JAPAN |
| 4870251 | GROUP 2 | Female | - | | - | 20060102 | Physician | - | BELGIUM |
| 4870252 | GROUP 2 | Female | - | | - | 20060102 | Other health professional | - | JAPAN |
| 4870253 | GROUP 3 | Female | - | | - | 20060102 | Physician | - | UNITED KINGDOM |
| 4870254 | | Male | - | | - | 20051230 | Physician | - | UNITED STATES |
| 4870255 | | Male | - | | - | 20060102 | Physician | 20051219 | GERMANY |
| 4870256 | GROUP 3 | Male | - | | - | 20060102 | Other health professional | - | UNITED KINGDOM |
| 4870257 | | Male | 75 | Kilograms | 75 | 20060102 | Other health professional | 20050928 | KOREA, REPUBLIC OF |
| 4870258 | GROUP 3 | Female | 127 | Kilograms | 127 | 20060102 | | - | UNITED STATES |
| 4870272 | | Female | 54.48 | Kilograms | 54 | 20060103 | Physician | - | UNITED STATES |
| 4870302 | GROUP 1 | Female | - | | - | 20060103 | Physician | - | FRANCE |
| 4870303 | GROUP 2 | Male | - | | - | 20060103 | Other health professional | - | CANADA |
| 4870304 | | Male | 62.5 | Kilograms | 62 | 20060103 | Physician | - | JAPAN |
| 4870305 | GROUP 3 | Male | - | | - | 20060103 | Other health professional | - | NETHERLANDS |
| 4870313 | | Male | - | | - | 20051215 | Physician | - | UNITED KINGDOM |
| 4870319 | | Female | - | | - | 20060103 | Other health professional | - | UNITED STATES |
| 4870320 | | Male | - | | - | 20060103 | Other health professional | - | UNITED STATES |
| 4870321 | | Male | - | | - | 20060103 | Other health professional | - | UNITED STATES |
| 4870322 | | Male | 67.59 | Kilograms | 67 | 20060103 | Other health professional | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|----------------------|--|-------------------------|--------------------|
| 4870323 | | Male | 60 | Kilograms | 60 | 20060103 | Physician | 20041230 | UNITED STATES |
| 4870324 | | Female | 52.8 | Kilograms | 52 | 20060103 | Physician | - | KOREA, REPUBLIC OF |
| 4870325 | GROUP 2 | Male | - | | - | 20060103 | Physician | 20050701 | UNITED STATES |
| 4870326 | | Female | 46.27 | Kilograms | 46 | 20060103 | Other health professional | - | UNITED STATES |
| 4870327 | GROUP 3 | Female | - | | - | 20060103 | Other health professional | - | UNITED STATES |
| 4870328 | | Male | - | | - | 20060103 | Physician | - | JAPAN |
| 4870329 | | Female | 67.59 | Kilograms | 67 | 20060103 | Physician | - | UNITED STATES |
| 4870330 | GROUP 3 | Male | - | | - | 20060103 | Other health professional | - | NETHERLANDS |
| 4870331 | | Male | 74.39 | Kilograms | 74 | 20060103 | Physician | - | UNITED STATES |
| 4870332 | | Female | 68.04 | Kilograms | 68 | 20060103 | Physician | - | UNITED STATES |
| 4870333 | | Male | 126.1 | Kilograms | 126 | 20060103 | Physician | - | UNITED STATES |
| 4870334 | | Male | 82.56 | Kilograms | 82 | 20060103 | Physician | - | UNITED STATES |
| 4870335 | | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870336 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870343 | | Female | 60 | Kilograms | 60 | 20060103 | Physician | - | |
| 4870344 | | Female | 92 | Kilograms | 92 | 20060103 | | - | UNITED KINGDOM |
| 4870345 | | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870346 | | Female | 65 | Kilograms | 65 | 20060103 | Physician | - | JAPAN |
| 4870347 | GROUP 4 | Female | 60.78 | Kilograms | 60 | 20060103 | | - | UNITED STATES |
| 4870348 | | Female | 67.6 | Kilograms | 67 | 20060103 | | - | UNITED STATES |
| 4870349 | | Female | 72.7 | Kilograms | 72 | 20060103 | | - | UNITED STATES |
| 4870350 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870351 | | Female | 45 | Kilograms | 45 | 20060103 | Physician | - | JAPAN |
| 4870352 | | Male | - | | - | 20060103 | Other health professional | - | |
| 4870353 | | Female | - | | - | 20060103 | Physician | - | JAPAN |
| 4870354 | | Female | - | | - | 20060103 | Physician | - | JAPAN |
| 4870355 | | Female | _ | | - | 20060103 | Consumer | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|-------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4870356 | | Male | - | | - | 20060103 | Physician | - | JAPAN |
| 4870357 | | Male | - | | - | 20060103 | Other health professional | - | JAPAN |
| 4870358 | GROUP 1 | Female | - | | - | 20060103 | | - | JAPAN |
| 4870359 | | Female | 75 | Kilograms | 75 | 20060103 | | - | UNITED KINGDOM |
| 4870360 | | Female | - | | - | 20060103 | | - | |
| 4870362 | | Female | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870363 | | Female | 54.43 | Kilograms | 54 | 20060103 | Consumer | - | UNITED STATES |
| 4870364 | | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870365 | | Female | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870366 | | Male | 88.45 | Kilograms | 88 | 20060103 | Physician | 20050816 | UNITED STATES |
| 4870367 | | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870370 | GROUP 3 | Female | 65 | Kilograms | 65 | 20060103 | Physician | - | UNITED STATES |
| 4870372 | GROUP 4 | Male | 74 | Kilograms | 74 | 20060103 | Physician | - | CANADA |
| 4870379 | GROUP 3 | Female | 70 | Kilograms | 70 | 20060103 | Physician | - | INDIA |
| 4870385 | | Female | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870386 | | Female | 99.79 | Kilograms | 99 | 20060103 | Physician | - | UNITED STATES |
| 4870387 | | Female | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870388 | | Female | 69.85 | Kilograms | 69 | 20060103 | Physician | - | UNITED STATES |
| 4870389 | | Female | 56.7 | Kilograms | 56 | 20060103 | Physician | - | UNITED STATES |
| 4870390 | | Female | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870391 | | Male | 51.71 | Kilograms | 51 | 20060103 | Physician | 20050704 | UNITED STATES |
| 4870392 | | Female | 73.48 | Kilograms | 73 | 20060103 | Consumer | - | UNITED STATES |
| 4870393 | | Female | 129.28 | Kilograms | 129 | 20060103 | Consumer | 20050101 | UNITED STATES |
| 4870414 | GROUP 3 | Female | 53 | Kilograms | 53 | 20060103 | Physician | - | UNITED STATES |
| 4870415 | GROUP 3 | Female | 70 | Kilograms | 70 | 20060103 | Consumer | - | UNITED STATES |
| 4870416 | GROUP 4 | Female | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870417 | | Missing | - | | - | 20060103 | Physician | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4870418 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870419 | GROUP 2 | Female | 79 | Kilograms | 79 | 20060103 | Consumer | - | UNITED STATES |
| 4870420 | GROUP 1 | Male | 82 | Kilograms | 82 | 20060103 | Other health professional | - | UNITED STATES |
| 4870421 | GROUP 2 | Female | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870422 | GROUP 3 | Female | 82 | Kilograms | 82 | 20060103 | Consumer | - | UNITED STATES |
| 4870423 | GROUP 3 | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870424 | | Female | - | | - | 20060103 | Pharmacist | - | UNITED STATES |
| 4870425 | GROUP 2 | Female | 43 | Kilograms | 43 | 20060103 | Other health professional | - | UNITED STATES |
| 4870426 | | Male | 59 | Kilograms | 59 | 20060103 | Consumer | - | UNITED STATES |
| 4870427 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870428 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870429 | | Missing | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870430 | GROUP 2 | Female | 59 | Kilograms | 59 | 20060103 | Consumer | - | UNITED STATES |
| 4870431 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870432 | GROUP 2 | Male | 76 | Kilograms | 76 | 20060103 | Consumer | - | UNITED STATES |
| 4870433 | GROUP 3 | Male | - | | - | 20060103 | Pharmacist | - | UNITED STATES |
| 4870434 | GROUP 2 | Male | 77 | Kilograms | 77 | 20060103 | Consumer | - | UNITED STATES |
| 4870435 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870436 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870437 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870438 | GROUP 3 | Female | 54 | Kilograms | 54 | 20060103 | Consumer | - | UNITED STATES |
| 4870439 | GROUP 4 | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870440 | GROUP 2 | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870441 | GROUP 1 | Female | 52 | Kilograms | 52 | 20060103 | Physician | - | UNITED STATES |
| 4870442 | GROUP 4 | Male | 69 | Kilograms | 69 | 20060103 | Consumer | - | UNITED STATES |
| 4870443 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870444 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4870445 | | Male | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870446 | | Missing | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870447 | | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870448 | GROUP 3 | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870449 | GROUP 3 | Female | 138 | Kilograms | 138 | 20060103 | Consumer | - | UNITED STATES |
| 4870450 | | Missing | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870451 | | Missing | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870452 | GROUP 1 | Male | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870453 | GROUP 2 | Male | 107 | Kilograms | 107 | 20060103 | Consumer | - | UNITED STATES |
| 4870454 | | Male | 73 | Kilograms | 73 | 20060103 | Consumer | - | UNITED STATES |
| 4870455 | GROUP 3 | Female | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870456 | GROUP 3 | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870457 | GROUP 3 | Male | 73 | Kilograms | 73 | 20060103 | Physician | - | UNITED STATES |
| 4870458 | | Female | 61 | Kilograms | 61 | 20060103 | Physician | 20051006 | GERMANY |
| 4870459 | GROUP 2 | Male | 68.1 | Kilograms | 68 | 20060103 | Physician | - | UNITED STATES |
| 4870460 | | Female | 73 | Kilograms | 73 | 20060103 | Physician | - | UNITED STATES |
| 4870461 | | Male | 63 | Kilograms | 63 | 20060103 | Physician | 20051014 | GERMANY |
| 4870462 | | Missing | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870463 | | Female | 48.7 | Kilograms | 48 | 20060103 | Physician | - | CANADA |
| 4870464 | | Female | - | | - | 20060103 | Other health professional | - | UNITED STATES |
| 4870465 | | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870466 | | Female | - | | - | 20060103 | Pharmacist | - | UNITED STATES |
| 4870467 | GROUP 2 | Male | 110 | Kilograms | 110 | 20060103 | Physician | - | SWITZERLAND |
| 4870468 | | Male | 75.5 | Kilograms | 75 | 20060103 | Physician | - | GERMANY |
| 4870469 | | Male | 85 | Kilograms | 85 | 20060103 | Physician | - | FRANCE |
| 4870478 | | Female | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870480 | GROUP 4 | Female | | | - | 20060103 | Other health professional | - | FRANCE |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4870481 | | Male | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870482 | GROUP 3 | Female | - | | - | 20060103 | Physician | 20051222 | JAPAN |
| 4870483 | GROUP 3 | Male | - | | - | 20060103 | Physician | - | JAPAN |
| 4870484 | GROUP 3 | Male | 80 | Kilograms | 80 | 20060103 | Other health professional | - | SWITZERLAND |
| 4870486 | | Female | 80 | Kilograms | 80 | 20060103 | Physician | 20050805 | GERMANY |
| 4870512 | GROUP 1 | Male | - | | - | 20060103 | Other health professional | - | GERMANY |
| 4870529 | GROUP 3 | Male | 90 | Kilograms | 90 | 20060103 | Physician | - | GERMANY |
| 4870534 | | Female | - | | - | 20060103 | | 20051118 | UNITED STATES |
| 4870535 | GROUP 3 | Male | 64 | Kilograms | 64 | 20060103 | Physician | - | JAPAN |
| 4870550 | GROUP 3 | Male | - | | - | 20060103 | | - | UNITED KINGDOM |
| 4870552 | GROUP 2 | Female | - | | - | 20051230 | | - | FRANCE |
| 4870553 | GROUP 2 | Male | 58 | Kilograms | 58 | 20060103 | Physician | - | JAPAN |
| 4870566 | GROUP 4 | Female | - | | - | 20060103 | Physician | - | ISRAEL |
| 4870567 | GROUP 2 | Male | 90 | Kilograms | 90 | 20051230 | Physician | - | JAPAN |
| 4870568 | GROUP 4 | Female | 50 | Kilograms | 50 | 20060102 | | - | |
| 4870569 | GROUP 4 | Male | 93 | Kilograms | 93 | 20060102 | | - | |
| 4870570 | | Female | 60.7 | Kilograms | 60 | 20060102 | Physician | - | UNITED STATES |
| 4870571 | GROUP 2 | Male | - | | - | 20060102 | Physician | - | FRANCE |
| 4870572 | GROUP 3 | Female | 46 | Kilograms | 46 | 20060102 | Other health professional | - | JAPAN |
| 4870573 | GROUP 4 | Female | 41 | Kilograms | 41 | 20060103 | Consumer | 20051221 | UNITED STATES |
| 4870574 | GROUP 3 | Male | - | | - | 20060102 | | - | |
| 4870575 | GROUP 2 | Female | - | | - | 20060102 | | - | |
| 4870576 | GROUP 2 | Male | - | | - | 20060102 | Physician | - | JAPAN |
| 4870577 | GROUP 3 | Female | 67 | Kilograms | 67 | 20060102 | | - | FRANCE |
| 4870578 | GROUP 1 | Female | 112 | Kilograms | 112 | 20060102 | | - | |
| 4870579 | GROUP 2 | Female | - | | - | 20060102 | | - | |
| 4870580 | GROUP 4 | Male | _ | | _ | 20060102 | Other health professional | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4870581 | GROUP 3 | Missing | - | | - | 20060103 | Physician | - | JAPAN |
| 4870582 | GROUP 2 | Female | - | | - | 20060103 | Other health professional | 20051013 | AUSTRALIA |
| 4870583 | GROUP 4 | Male | - | | - | 20060102 | | - | |
| 4870584 | GROUP 4 | Male | - | | - | 20060102 | | - | |
| 4870585 | GROUP 3 | Male | - | | - | 20060103 | Physician | - | AUSTRALIA |
| 4870586 | GROUP 3 | Male | - | | - | 20060103 | Other health professional | - | UNITED STATES |
| 4870587 | GROUP 2 | Male | - | | - | 20060103 | Physician | - | FRANCE |
| 4870588 | GROUP 4 | Female | - | | - | 20060103 | Other health professional | 20051109 | FRANCE |
| 4870589 | GROUP 3 | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870591 | GROUP 2 | Male | - | | - | 20060103 | Other health professional | - | JAPAN |
| 4870592 | | Female | - | | - | 20060103 | Physician | - | JAPAN |
| 4870593 | GROUP 4 | Female | 64 | Kilograms | 64 | 20051230 | Physician | - | UNITED STATES |
| 4870594 | GROUP 1 | Male | 0 | Kilograms | 0 | 20060103 | Physician | 20050126 | JAPAN |
| 4870604 | GROUP 4 | Female | 0 | Kilograms | 0 | 20060103 | Physician | 20050918 | JAPAN |
| 4870618 | GROUP 3 | Male | 85.3 | Kilograms | 85 | 20060103 | Consumer | - | UNITED STATES |
| 4870623 | GROUP 1 | Male | - | | - | 20060103 | Other health professional | - | UNITED STATES |
| 4870624 | | Missing | - | | - | 20060103 | Other health professional | - | UNITED STATES |
| 4870651 | | Female | - | | - | 20060103 | Pharmacist | - | UNITED STATES |
| 4870659 | | Male | - | | - | 20060103 | Physician | - | CANADA |
| 4870660 | GROUP 3 | Male | - | | - | 20060103 | Physician | - | FRANCE |
| 4870661 | GROUP 1 | Male | - | | - | 20060103 | Physician | - | AUSTRIA |
| 4870662 | | Female | - | | - | 20060103 | Physician | - | UNITED KINGDOM |
| 4870663 | | Male | 78.93 | Kilograms | 78 | 20060103 | Consumer | - | UNITED STATES |
| 4870667 | | Female | 54.2 | Kilograms | 54 | 20060103 | Physician | - | FRANCE |
| 4870668 | | Female | 67 | Kilograms | 67 | 20060103 | Pharmacist | - | CANADA |
| 4870669 | | Female | 50 | Kilograms | 50 | 20060103 | Physician | - | BELGIUM |
| 4870670 | GROUP 3 | Female | - | | - | 20060103 | Consumer | - | CHINA |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4870671 | GROUP 4 | Male | - | | - | 20060103 | Other health professional | - | UNITED KINGDOM |
| 4870672 | GROUP 2 | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870673 | GROUP 2 | Male | - | | - | 20060103 | Physician | - | JAPAN |
| 4870674 | GROUP 3 | Female | 90 | Kilograms | 90 | 20060103 | Physician | 20051227 | GERMANY |
| 4870684 | GROUP 3 | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870685 | GROUP 3 | Male | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870686 | GROUP 2 | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870687 | GROUP 1 | Male | - | | - | 20060103 | Consumer | - | FRANCE |
| 4870688 | | Female | - | | - | 20060103 | Physician | 20040108 | UNITED KINGDOM |
| 4870689 | | Male | - | | - | 20060103 | Physician | - | UNITED KINGDOM |
| 4870690 | GROUP 1 | Female | - | | - | 20060103 | Physician | - | AUSTRALIA |
| 4870691 | GROUP 2 | Female | - | | - | 20060103 | Pharmacist | - | JAPAN |
| 4870692 | GROUP 4 | Female | 40 | Kilograms | 40 | 20060103 | Physician | 20050913 | JAPAN |
| 4870693 | GROUP 2 | Male | - | | - | 20060103 | Physician | - | JAPAN |
| 4870694 | GROUP 1 | Male | 12 | Kilograms | 12 | 20060103 | Physician | 20050901 | JAPAN |
| 4870695 | GROUP 2 | Male | - | | - | 20060103 | Physician | 20031015 | JAPAN |
| 4870696 | GROUP 2 | Male | - | | - | 20060103 | Consumer | - | NETHERLANDS |
| 4870697 | GROUP 2 | Male | - | | - | 20060103 | Pharmacist | - | UNITED KINGDOM |
| 4870698 | GROUP 2 | Male | 89 | Kilograms | 89 | 20060103 | Physician | 20051211 | JAPAN |
| 4870699 | GROUP 3 | Female | - | | - | 20060103 | Consumer | - | JAPAN |
| 4870700 | GROUP 3 | Male | 70 | Kilograms | 70 | 20060103 | Physician | - | LATVIA |
| 4870701 | GROUP 1 | Male | - | | - | 20060103 | Other health professional | - | JAPAN |
| 4870702 | GROUP 3 | Male | - | | - | 20060103 | Other health professional | - | FRANCE |
| 4870703 | | Missing | - | | - | 20060103 | Physician | - | JAPAN |
| 4870704 | | Missing | - | | - | 20060103 | Physician | - | KENYA |
| 4870705 | GROUP 4 | Male | 82 | Kilograms | 82 | 20060103 | Consumer | - | UNITED KINGDOM |
| 4870706 | GROUP 3 | Male | | | - | 20060103 | Physician | - | JAPAN |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4870707 | GROUP 3 | Female | - | | - | 20060103 | Physician | - | JAPAN |
| 4870708 | GROUP 2 | Male | - | | - | 20060103 | Physician | - | FRANCE |
| 4870709 | GROUP 1 | Female | - | | - | 20060103 | Consumer | - | FRANCE |
| 4870710 | GROUP 2 | Female | - | | - | 20060103 | Physician | 20041007 | JAPAN |
| 4870711 | | Female | - | | - | 20060103 | Physician | - | UNITED KINGDOM |
| 4870712 | | Female | - | | - | 20060103 | Physician | - | SOUTH AFRICA |
| 4870714 | GROUP 1 | Male | - | | - | 20060103 | Consumer | - | SOUTH AFRICA |
| 4870715 | GROUP 2 | Male | - | | - | 20060103 | Consumer | - | ITALY |
| 4870716 | GROUP 2 | Male | - | | - | 20060103 | Consumer | - | UNITED KINGDOM |
| 4870717 | GROUP 3 | Female | - | | - | 20060103 | Consumer | - | FRANCE |
| 4870718 | GROUP 2 | Female | - | | - | 20060103 | Other health professional | - | NETHERLANDS |
| 4870719 | GROUP 2 | Female | - | | - | 20060103 | Physician | - | GERMANY |
| 4870720 | GROUP 2 | Female | 88 | Kilograms | 88 | 20060103 | Physician | - | GERMANY |
| 4870721 | GROUP 2 | Female | - | | - | 20060103 | Other health professional | - | GERMANY |
| 4870722 | | Male | - | | - | 20060103 | Other health professional | 20041211 | GERMANY |
| 4870723 | GROUP 3 | Female | - | | - | 20060103 | | - | |
| 4870724 | GROUP 3 | Female | - | | - | 20060103 | | - | |
| 4870725 | GROUP 2 | Male | - | | - | 20060103 | Pharmacist | - | BRAZIL |
| 4870728 | GROUP 4 | Female | - | | - | 20060103 | | - | |
| 4870732 | | Male | - | | - | 20060103 | Consumer | 20051209 | UNITED STATES |
| 4870733 | GROUP 3 | Female | - | | - | 20060103 | Physician | - | KOREA, REPUBLIC OF |
| 4870734 | | Female | - | | - | 20060103 | Physician | - | FRANCE |
| 4870735 | | Male | - | | - | 20060103 | Other health professional | - | UNITED KINGDOM |
| 4870736 | | Missing | - | | - | 20060103 | Physician | - | JAPAN |
| 4870737 | GROUP 3 | Female | 70 | Kilograms | 70 | 20060103 | Other health professional | - | GERMANY |
| 4870738 | | Female | - | | - | 20060103 | Physician | - | JAPAN |
| 4870739 | | Missing | - | | - | 20060103 | Physician | - | JAPAN |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4870741 | GROUP 2 | Female | 70 | Kilograms | 70 | 20060103 | Physician | - | UNITED STATES |
| 4870753 | | Missing | - | | - | 20060103 | Pharmacist | - | UNITED STATES |
| 4870754 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870755 | GROUP 3 | Male | 70.7 | Kilograms | 70 | 20060103 | Physician | - | CANADA |
| 4870756 | GROUP 3 | Female | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870757 | GROUP 3 | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870758 | GROUP 2 | Female | 86.4 | Kilograms | 86 | 20060103 | Physician | - | UNITED STATES |
| 4870763 | GROUP 3 | Female | - | | - | 20060103 | Lawyer | 20000503 | UNITED STATES |
| 4870764 | GROUP 3 | Male | 67 | Kilograms | 67 | 20060103 | Physician | - | UNITED STATES |
| 4870765 | GROUP 3 | Male | 90 | Kilograms | 90 | 20060103 | Physician | - | UNITED STATES |
| 4870766 | GROUP 4 | Female | 65 | Kilograms | 65 | 20060103 | Physician | - | UNITED STATES |
| 4870767 | GROUP 3 | Male | 164 | Kilograms | 164 | 20060103 | Physician | - | UNITED STATES |
| 4870768 | GROUP 3 | Female | 89 | Kilograms | 89 | 20060103 | Lawyer | - | UNITED STATES |
| 4870769 | GROUP 3 | Female | 91 | Kilograms | 91 | 20060103 | Physician | - | UNITED STATES |
| 4870770 | GROUP 3 | Male | 105 | Kilograms | 105 | 20060103 | Physician | - | UNITED STATES |
| 4870771 | GROUP 3 | Male | 80 | Kilograms | 80 | 20060103 | Physician | - | UNITED STATES |
| 4870772 | GROUP 3 | Female | 105 | Kilograms | 105 | 20060103 | Lawyer | - | UNITED STATES |
| 4870773 | | Female | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870774 | GROUP 3 | Male | 89 | Kilograms | 89 | 20060103 | Physician | - | UNITED STATES |
| 4870775 | GROUP 3 | Male | 84 | Kilograms | 84 | 20060103 | Lawyer | - | UNITED STATES |
| 4870776 | GROUP 3 | Male | 107 | Kilograms | 107 | 20060103 | Lawyer | - | UNITED STATES |
| 4870777 | GROUP 4 | Female | 53 | Kilograms | 53 | 20060103 | Physician | 20040308 | UNITED STATES |
| 4870778 | GROUP 3 | Female | - | | - | 20060103 | Consumer | - | GERMANY |
| 4870779 | GROUP 3 | Male | 87 | Kilograms | 87 | 20060103 | Physician | - | UNITED STATES |
| 4870780 | GROUP 3 | Female | 68 | Kilograms | 68 | 20060103 | Physician | 20040425 | UNITED STATES |
| 4870781 | GROUP 4 | Male | 91 | Kilograms | 91 | 20060103 | Physician | 20040130 | UNITED STATES |
| 4870782 | GROUP 3 | Female | 56 | Kilograms | 56 | 20060103 | Lawyer | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4870783 | GROUP 2 | Female | 135 | Kilograms | 135 | 20060103 | Physician | - | UNITED STATES |
| 4870784 | GROUP 3 | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870785 | GROUP 3 | Male | 81 | Kilograms | 81 | 20060103 | Physician | 20030516 | UNITED STATES |
| 4870786 | GROUP 3 | Male | 95 | Kilograms | 95 | 20060103 | Physician | - | UNITED STATES |
| 4870787 | GROUP 3 | Female | 72 | Kilograms | 72 | 20060103 | Physician | - | UNITED STATES |
| 4870788 | GROUP 3 | Female | 82 | Kilograms | 82 | 20060103 | Lawyer | - | UNITED STATES |
| 4870789 | GROUP 2 | Male | 100 | Kilograms | 100 | 20060103 | Physician | - | UNITED STATES |
| 4870790 | GROUP 2 | Male | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870791 | GROUP 4 | Male | 88 | Kilograms | 88 | 20060103 | Physician | 20050923 | UNITED STATES |
| 4870792 | GROUP 2 | Male | 89 | Kilograms | 89 | 20060103 | Lawyer | - | UNITED STATES |
| 4870793 | GROUP 3 | Female | 123 | Kilograms | 123 | 20060103 | Physician | 20000918 | UNITED STATES |
| 4870794 | GROUP 2 | Female | 80 | Kilograms | 80 | 20060103 | Physician | - | UNITED STATES |
| 4870795 | GROUP 3 | Female | 143 | Kilograms | 143 | 20060103 | Physician | 20050901 | UNITED STATES |
| 4870796 | GROUP 3 | Female | 57 | Kilograms | 57 | 20060103 | Lawyer | - | UNITED STATES |
| 4870797 | GROUP 1 | Female | 74 | Kilograms | 74 | 20060103 | Other health professional | - | UNITED KINGDOM |
| 4870798 | GROUP 2 | Male | 129 | Kilograms | 129 | 20060103 | Physician | - | UNITED STATES |
| 4870799 | GROUP 3 | Female | 100 | Kilograms | 100 | 20060103 | Lawyer | - | UNITED STATES |
| 4870800 | GROUP 2 | Female | - | | - | 20060103 | Consumer | - | CHINA |
| 4870801 | GROUP 3 | Male | 77 | Kilograms | 77 | 20060103 | Lawyer | - | UNITED STATES |
| 4870802 | GROUP 3 | Male | - | | - | 20060103 | Other health professional | 20051107 | UNITED STATES |
| 4870803 | | Male | - | | - | 20060103 | Physician | - | FRANCE |
| 4870804 | GROUP 2 | Male | - | | - | 20060103 | Physician | - | NETHERLANDS |
| 4870805 | GROUP 1 | Female | 82 | Kilograms | 82 | 20060103 | Other health professional | - | FRANCE |
| 4870806 | GROUP 1 | Male | - | | - | 20060103 | Physician | - | AUSTRALIA |
| 4870807 | GROUP 3 | Female | - | | - | 20060103 | Consumer | 20050515 | UNITED STATES |
| 4870808 | GROUP 2 | Male | 55 | Kilograms | 55 | 20060103 | Physician | 20050314 | JAPAN |
| 4870809 | | Female | 3 | Kilograms | 3 | 20060103 | Physician | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|----------------------|--|-------------------------|--------------------|
| 4870810 | GROUP 3 | Female | 70 | Kilograms | 70 | 20060103 | Other health professional | - | GERMANY |
| 4870811 | GROUP 2 | Male | - | | - | 20060103 | Physician | - | CHINA |
| 4870812 | GROUP 2 | Male | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870813 | GROUP 2 | Female | 74 | Kilograms | 74 | 20060103 | Physician | - | UNITED STATES |
| 4870814 | GROUP 2 | Female | - | | - | 20060103 | Other health professional | - | GERMANY |
| 4870816 | GROUP 3 | Female | 106 | Kilograms | 106 | 20060103 | Lawyer | - | UNITED STATES |
| 4870817 | GROUP 3 | Female | 50 | Kilograms | 50 | 20060103 | Lawyer | 20040329 | UNITED STATES |
| 4870818 | GROUP 3 | Male | 130 | Kilograms | 130 | 20060103 | Physician | - | UNITED STATES |
| 4870819 | GROUP 3 | Female | - | | - | 20060103 | Physician | 20010808 | UNITED STATES |
| 4870821 | GROUP 2 | Male | 81 | Kilograms | 81 | 20060103 | Lawyer | - | UNITED STATES |
| 4870822 | | Female | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870823 | GROUP 2 | Male | 100 | Kilograms | 100 | 20060103 | Physician | - | UNITED STATES |
| 4870824 | GROUP 3 | Male | 89 | Kilograms | 89 | 20060103 | Physician | - | UNITED STATES |
| 4870825 | GROUP 2 | Male | 82 | Kilograms | 82 | 20060103 | Physician | 20050128 | UNITED STATES |
| 4870826 | GROUP 3 | Female | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870827 | GROUP 1 | Female | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870828 | GROUP 3 | Male | 77 | Kilograms | 77 | 20060103 | Physician | 20030519 | UNITED STATES |
| 4870829 | GROUP 3 | Male | 82 | Kilograms | 82 | 20060103 | Physician | - | UNITED STATES |
| 4870830 | GROUP 3 | Male | 94 | Kilograms | 94 | 20060103 | Physician | 20010429 | UNITED STATES |
| 4870831 | GROUP 3 | Male | 114 | Kilograms | 114 | 20060103 | Lawyer | - | UNITED STATES |
| 4870832 | GROUP 4 | Female | 61 | Kilograms | 61 | 20060103 | Physician | 20030903 | UNITED STATES |
| 4870833 | GROUP 2 | Female | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870834 | GROUP 2 | Male | 110 | Kilograms | 110 | 20060103 | Physician | - | UNITED STATES |
| 4870835 | GROUP 3 | Female | 132 | Kilograms | 132 | 20060103 | Lawyer | - | UNITED STATES |
| 4870836 | GROUP 3 | Male | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870837 | GROUP 2 | Female | 75 | Kilograms | 75 | 20060103 | Lawyer | - | UNITED STATES |
| 4870838 | GROUP 2 | Male | 81 | Kilograms | 81 | 20060103 | Lawyer | 20030717 | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4870839 | GROUP 3 | Female | - | | - | 20060103 | Physician | 20021007 | UNITED STATES |
| 4870840 | GROUP 3 | Female | - | | - | 20060103 | Lawyer | 20020513 | UNITED STATES |
| 4870841 | GROUP 3 | Male | - | | - | 20060103 | Other health professional | - | UNITED KINGDOM |
| 4870842 | GROUP 4 | Male | - | | - | 20060103 | Physician | 20040530 | UNITED STATES |
| 4870843 | | Male | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870844 | | Male | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870845 | | Female | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870846 | GROUP 4 | Female | 84 | Kilograms | 84 | 20060103 | Physician | - | UNITED STATES |
| 4870847 | GROUP 4 | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870848 | GROUP 3 | Female | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870849 | GROUP 3 | Male | 86 | Kilograms | 86 | 20060103 | Physician | - | UNITED STATES |
| 4870850 | GROUP 3 | Female | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870851 | | Male | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870852 | GROUP 3 | Female | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870853 | GROUP 3 | Male | 70 | Kilograms | 70 | 20060103 | Physician | 20040209 | UNITED STATES |
| 4870855 | GROUP 2 | Female | 45 | Kilograms | 45 | 20060103 | Consumer | - | UNITED STATES |
| 4870856 | GROUP 3 | Female | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870857 | GROUP 2 | Male | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870858 | GROUP 2 | Male | 102 | Kilograms | 102 | 20060103 | Physician | - | UNITED STATES |
| 4870859 | | Female | - | | - | 20060103 | Consumer | - | UNITED STATES |
| 4870860 | | Male | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870861 | GROUP 2 | Male | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870862 | GROUP 3 | Male | 91 | Kilograms | 91 | 20060103 | Lawyer | 20041111 | UNITED STATES |
| 4870863 | GROUP 3 | Male | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870864 | | Female | - | | - | 20060103 | Lawyer | 20031117 | UNITED STATES |
| 4870865 | GROUP 3 | Female | 59 | Kilograms | 59 | 20060103 | Physician | - | UNITED STATES |
| 4870866 | GROUP 3 | Male | - | | - | 20060103 | Lawyer | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|----------------------|--|-------------------------|--------------------|
| 4870867 | GROUP 3 | Male | 82 | Kilograms | 82 | 20060103 | Lawyer | 20020621 | UNITED STATES |
| 4870868 | GROUP 2 | Male | 107 | Kilograms | 107 | 20060103 | Physician | - | UNITED STATES |
| 4870869 | GROUP 3 | Male | 102 | Kilograms | 102 | 20060103 | Lawyer | - | UNITED STATES |
| 4870870 | GROUP 3 | Male | 102 | Kilograms | 102 | 20060103 | Physician | - | UNITED STATES |
| 4870871 | GROUP 3 | Female | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870872 | GROUP 3 | Female | 56 | Kilograms | 56 | 20060103 | Physician | - | UNITED STATES |
| 4870873 | GROUP 3 | Female | 82 | Kilograms | 82 | 20060103 | Lawyer | - | UNITED STATES |
| 4870874 | GROUP 2 | Female | - | | - | 20060103 | Other health professional | - | UNITED STATES |
| 4870875 | GROUP 2 | Male | 120 | Kilograms | 120 | 20060103 | Lawyer | - | UNITED STATES |
| 4870876 | | Male | - | | - | 20060103 | Lawyer | 20040323 | UNITED STATES |
| 4870877 | GROUP 3 | Female | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870878 | GROUP 3 | Male | 98 | Kilograms | 98 | 20060103 | Lawyer | - | UNITED STATES |
| 4870879 | | Female | - | | - | 20060103 | Other health professional | - | FRANCE |
| 4870880 | GROUP 3 | Female | - | | - | 20060103 | Lawyer | - | UNITED STATES |
| 4870886 | | Male | 106.7 | Kilograms | 106 | 20060103 | Other health professional | 20050602 | UNITED STATES |
| 4870888 | GROUP 4 | Female | 104.3 | Kilograms | 104 | 20060103 | | - | UNITED STATES |
| 4870890 | GROUP 3 | Male | - | | - | 20060103 | Other health professional | - | UNITED KINGDOM |
| 4870891 | GROUP 3 | Male | 47 | Kilograms | 47 | 20060103 | Other health professional | 20051002 | JAPAN |
| 4870892 | | Female | 55 | Kilograms | 55 | 20060103 | Other health professional | - | |
| 4870894 | | Female | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4870898 | GROUP 2 | Female | - | | - | 20060103 | Physician | - | FRANCE |
| 4870900 | | Female | - | | - | 20060103 | Physician | - | ITALY |
| 4870901 | | Male | - | | - | 20060103 | Physician | - | AUSTRALIA |
| 4870902 | GROUP 4 | Male | - | | - | 20060103 | Other health professional | - | KOREA, REPUBLIC OF |
| 4870903 | GROUP 3 | Female | 84 | Kilograms | 84 | 20060103 | Other health professional | - | GERMANY |
| 4870904 | GROUP 3 | Female | - | | - | 20060103 | Pharmacist | - | UNITED STATES |
| 4870917 | GROUP 2 | Female | 40 | Kilograms | 40 | 20060103 | Other health professional | - | SPAIN |

| Report's | | | | Unit abbreviation | | | Abbreviation for | | |
|------------------|----------------------|------------------------|--------------------------------------|-------------------------|-------------------|-------------------------|---------------------------------------|-----------------------------------|------------|
| unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | for patient's weight | Derived weight | Date report was sent | initial reporter's type of occupation | Date patient Reports died Country | |
| 4870921 | | Missing | - | | - | 20060103 | Physician | - JAPAN | |
| 4870922 | GROUP 3 | Male | - | | - | 20060103 | Consumer | - AUSTRALIA | |
| 4870923 | GROUP 1 | Female | - | | - | 20060103 | Physician | - JAPAN | |
| 4870976 | GROUP 3 | Female | 56 | Kilograms | 56 | 20060103 | Other health professional | - UNITED STATE | <u>:</u> S |
| 4870977 | GROUP 2 | Female | - | | - | 20060103 | Pharmacist | - UNITED STATE | <u>:</u> S |
| 4870978 | | Male | - | | - | 20060103 | Physician | - UNITED STATE | <u>:</u> S |
| 4870979 | GROUP 3 | Male | - | | - | 20060103 | Consumer | 20051201 CANADA | |
| 4870993 | | Female | - | | - | 20060103 | Consumer | - UNITED STATE | <u>:</u> S |
| 4870994 | GROUP 3 | Female | 50 | Kilograms | 50 | 20060103 | Other health professional | - UNITED STATE | <u>:</u> S |
| 4871004 | | Female | - | | - | 20060103 | Lawyer | 20031217 UNITED STATE | <u>:</u> S |
| 4871005 | | Female | - | | - | 20060103 | Consumer | - UNITED STATE | <u>:</u> S |
| 4871006 | GROUP 2 | Female | 99.79 | Kilograms | 99 | 20060103 | Physician | - UNITED STATE | <u>:</u> S |
| 4871016 | GROUP 1 | Female | - | | - | 20060103 | Physician | - JAPAN | |
| 4871017 | | Male | - | | - | 20060103 | Physician | - UNITED STATE | ES |
| 4871018 | | Female | - | | - | 20060103 | Other health professional | - UNITED STATE | <u>:</u> S |
| 4871019 | | Male | - | | - | 20060103 | Physician | 20050101 UNITED STATE | <u>:</u> S |
| 4871040 | | Male | 35.412 | Kilograms | 35 | 20060103 | Other health professional | - UNITED STATE | <u>:</u> S |
| 4871057 | GROUP 3 | Female | 70 | Kilograms | 70 | 20060103 | Consumer | - FRANCE | |
| 4871073 | GROUP 4 | Female | - | | - | 20060103 | Other health professional | 20051206 NETHERLANDS | S |
| 4871074 | | Male | 47.7 | Kilograms | 47 | 20060103 | Consumer | - UNITED STATE | <u>:</u> S |
| 4871086 | | Male | - | | - | 20060103 | | - AUSTRALIA | |
| 4871087 | | Female | - | | - | 20060103 | | - AUSTRALIA | |
| 4871088 | | Male | - | | - | 20060103 | | - AUSTRALIA | |
| 4871089 | | Male | - | | - | 20060103 | | - AUSTRALIA | |
| 4871101 | | Male | - | | - | 20060103 | | - AUSTRALIA | |
| 4871102 | | Male | - | | - | 20060103 | | - AUSTRALIA | |
| 4871103 | | Male | | | | 20060103 | | - AUSTRALIA | |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|----------------------|--------------------|
| 4871105 | | Female | - | | - | 20060103 | | - | AUSTRALIA |
| 4871106 | GROUP 3 | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4871127 | | Female | 85 | Kilograms | 85 | 20060103 | | - | |
| 4871134 | GROUP 3 | Female | 0 | Kilograms | 0 | 20060103 | Pharmacist | - | JAPAN |
| 4871141 | GROUP 1 | Male | 46 | Kilograms | 46 | 20060103 | Physician | - | ISRAEL |
| 4871146 | GROUP 3 | Male | 0 | Kilograms | 0 | 20060103 | Physician | - | AUSTRALIA |
| 4871160 | GROUP 3 | Male | 135 | Kilograms | 135 | 20060103 | Consumer | - | AUSTRALIA |
| 4871180 | GROUP 2 | Male | 68 | Kilograms | 68 | 20060103 | Other health professional | - | FRANCE |
| 4871210 | | Female | - | | - | 20060103 | | - | AUSTRALIA |
| 4871211 | | Male | - | | - | 20060103 | | - | FINLAND |
| 4871212 | | Female | - | | - | 20060103 | | - | FRANCE |
| 4871213 | | Male | - | | - | 20060103 | | - | FINLAND |
| 4871214 | | Female | - | | - | 20060103 | | - | JAPAN |
| 4871220 | | Male | - | | - | 20060103 | | - | JAPAN |
| 4871221 | | Male | - | | - | 20060103 | | - | AUSTRALIA |
| 4871222 | | Male | - | | - | 20060103 | | - | FRANCE |
| 4871223 | | Female | - | | - | 20060103 | | - | NEW ZEALAND |
| 4871224 | | Male | - | | - | 20060103 | | - | NEW ZEALAND |
| 4871225 | | Male | - | | - | 20060103 | | 20010608 | AUSTRALIA |
| 4871226 | | Female | - | | - | 20060103 | | - | FRANCE |
| 4871227 | | Male | - | | - | 20060103 | | - | FRANCE |
| 4871229 | | Male | - | | - | 20060103 | | 20020319 | FRANCE |
| 4871230 | | Female | - | | - | 20060103 | | - | FRANCE |
| 4871231 | | Female | - | | - | 20060103 | | - | FRANCE |
| 4871232 | | Male | - | | - | 20060103 | | - | FRANCE |
| 4871233 | | Female | - | | - | 20060103 | | - | FRANCE |
| 4871235 | | Female | - | | _ | 20060103 | | - | FRANCE |

| Report's | | | | Unit abbreviation | | | Abbreviation for | | |
|------------------|----------------------|------------------------|--------------------------------------|-------------------------|-------------------|-------------------------|---------------------------------------|----------------------|--------------------|
| unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | for patient's weight | Derived weight | Date report was sent | initial reporter's type of occupation | Date patient died | Reports Country |
| 4871236 | GROUP 2 | Female | - | | - | 20060103 | | - | JAPAN |
| 4871237 | | Male | - | | - | 20060103 | | - | AUSTRALIA |
| 4871238 | | Male | 20 | Kilograms | 20 | 20060103 | | - | JAPAN |
| 4871239 | | Female | - | | - | 20060103 | | - | FINLAND |
| 4871240 | | Male | - | | - | 20060103 | | - | FRANCE |
| 4871241 | | Male | - | | - | 20060103 | | - | FRANCE |
| 4871242 | | Female | - | | - | 20060103 | | - | FRANCE |
| 4871243 | | Male | - | | - | 20060103 | | 20000908 | FRANCE |
| 4871244 | | Male | - | | - | 20060103 | | - | FINLAND |
| 4871249 | | Female | - | | - | 20060103 | | - | FRANCE |
| 4871250 | | Male | - | | - | 20060103 | | - | FRANCE |
| 4871338 | GROUP 4 | Female | 50 | Kilograms | 50 | 20060104 | Other health professional | - | FRANCE |
| 4871339 | GROUP 3 | Female | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871340 | GROUP 3 | Male | 98 | Kilograms | 98 | 20060104 | Physician | - | UNITED STATES |
| 4871341 | GROUP 3 | Male | 96 | Kilograms | 96 | 20060104 | Physician | - | UNITED STATES |
| 4871342 | GROUP 3 | Male | 98 | Kilograms | 98 | 20060104 | Lawyer | - | UNITED STATES |
| 4871344 | | Male | - | | - | 20060104 | Lawyer | - | UNITED STATES |
| 4871345 | GROUP 3 | Female | 99 | Kilograms | 99 | 20060104 | Lawyer | - | UNITED STATES |
| 4871346 | GROUP 3 | Male | 89 | Kilograms | 89 | 20060104 | Physician | 20050516 | UNITED STATES |
| 4871353 | GROUP 3 | Male | - | | - | 20060104 | Lawyer | - | UNITED STATES |
| 4871354 | GROUP 3 | Female | 65 | Kilograms | 65 | 20060104 | Lawyer | - | UNITED STATES |
| 4871355 | GROUP 3 | Male | - | | - | 20060104 | Lawyer | - | UNITED STATES |
| 4871356 | GROUP 3 | Female | 97 | Kilograms | 97 | 20060104 | Physician | - | UNITED STATES |
| 4871357 | GROUP 3 | Female | 84 | Kilograms | 84 | 20060104 | Physician | - | UNITED STATES |
| 4871359 | GROUP 3 | Male | 80 | Kilograms | 80 | 20060104 | Lawyer | - | UNITED STATES |
| 4871360 | GROUP 3 | Male | - | | - | 20060104 | Lawyer | - | AUSTRALIA |
| 4871361 | GROUP 3 | Female | 68 | Kilograms | 68 | 20060104 | Physician | - | IRELAND |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|----------------------|--|-------------------------|--------------------|
| 4871362 | | Female | 83 | Kilograms | 83 | 20060104 | Lawyer | - | UNITED STATES |
| 4871363 | | Male | - | | - | 20060104 | Lawyer | 20030804 | UNITED STATES |
| 4871364 | | Female | - | | - | 20060104 | Lawyer | - | UNITED STATES |
| 4871365 | GROUP 3 | Female | 77 | Kilograms | 77 | 20060104 | Physician | - | UNITED STATES |
| 4871367 | GROUP 3 | Female | 55 | Kilograms | 55 | 20060104 | Physician | - | JAPAN |
| 4871368 | GROUP 3 | Female | 57 | Kilograms | 57 | 20060104 | Lawyer | - | UNITED STATES |
| 4871369 | GROUP 2 | Male | 105 | Kilograms | 105 | 20060104 | Physician | - | UNITED STATES |
| 4871370 | GROUP 4 | Female | - | | - | 20060104 | Physician | 20040507 | UNITED STATES |
| 4871371 | GROUP 3 | Male | 101 | Kilograms | 101 | 20060104 | Physician | - | UNITED STATES |
| 4871373 | GROUP 4 | Male | - | | - | 20060104 | Physician | - | GERMANY |
| 4871374 | | Male | - | | - | 20060104 | Lawyer | - | UNITED STATES |
| 4871375 | GROUP 2 | Male | 107 | Kilograms | 107 | 20060104 | Physician | - | UNITED STATES |
| 4871376 | GROUP 3 | Male | 91 | Kilograms | 91 | 20060104 | Physician | - | UNITED STATES |
| 4871377 | GROUP 3 | Female | - | | - | 20060104 | Physician | - | FRANCE |
| 4871378 | GROUP 3 | Male | 77 | Kilograms | 77 | 20060104 | Lawyer | - | UNITED STATES |
| 4871379 | GROUP 3 | Male | 73 | Kilograms | 73 | 20060104 | Lawyer | - | UNITED STATES |
| 4871380 | GROUP 3 | Female | 55 | Kilograms | 55 | 20060104 | Physician | - | UNITED STATES |
| 4871382 | GROUP 3 | Female | - | | - | 20060104 | Lawyer | 20041005 | UNITED STATES |
| 4871383 | GROUP 3 | Female | 70 | Kilograms | 70 | 20060104 | Lawyer | - | UNITED STATES |
| 4871384 | GROUP 3 | Male | 114 | Kilograms | 114 | 20060104 | Lawyer | - | UNITED STATES |
| 4871385 | GROUP 2 | Male | 82 | Kilograms | 82 | 20060104 | Lawyer | - | UNITED STATES |
| 4871386 | GROUP 2 | Male | 105 | Kilograms | 105 | 20060104 | Lawyer | - | UNITED STATES |
| 4871387 | GROUP 3 | Male | 86 | Kilograms | 86 | 20060104 | Lawyer | - | UNITED STATES |
| 4871405 | GROUP 2 | Female | - | | - | 20060104 | Lawyer | - | UNITED STATES |
| 4871406 | GROUP 2 | Male | 109 | Kilograms | 109 | 20060104 | Physician | - | UNITED STATES |
| 4871407 | GROUP 1 | Female | - | | - | 20060104 | Other health professional | - | SWEDEN |
| 4871408 | GROUP 2 | Male | 132 | Kilograms | 132 | 20060104 | Physician | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4871409 | GROUP 2 | Male | - | | - | 20060104 | Pharmacist | - | MALAYSIA |
| 4871411 | GROUP 3 | Female | 90 | Kilograms | 90 | 20060104 | Other health professional | - | UNITED STATES |
| 4871412 | GROUP 3 | Female | 60 | Kilograms | 60 | 20060104 | Other health professional | - | FRANCE |
| 4871413 | | Male | - | | - | 20060104 | Physician | 20030915 | UNITED STATES |
| 4871415 | GROUP 3 | Male | 75 | Kilograms | 75 | 20060104 | Physician | - | AUSTRALIA |
| 4871416 | GROUP 3 | Male | 50 | Kilograms | 50 | 20060104 | Physician | - | JAPAN |
| 4871417 | GROUP 3 | Female | 59 | Kilograms | 59 | 20060104 | Physician | - | UNITED STATES |
| 4871419 | GROUP 3 | Male | 78 | Kilograms | 78 | 20060104 | Physician | - | UNITED STATES |
| 4871432 | GROUP 3 | Female | 107 | Kilograms | 107 | 20060104 | Physician | - | UNITED STATES |
| 4871448 | GROUP 3 | Female | 80 | Kilograms | 80 | 20060104 | Physician | - | FRANCE |
| 4871560 | | Female | 65.4 | Kilograms | 65 | 20060103 | Physician | - | UNITED STATES |
| 4871561 | | Female | - | | - | 20060104 | Physician | - | ITALY |
| 4871562 | | Female | - | | - | 20060104 | Physician | 20040719 | SPAIN |
| 4871573 | GROUP 2 | Male | - | | - | 20060104 | Physician | - | ITALY |
| 4871574 | | Missing | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871582 | | Female | - | | - | 20060104 | Physician | 20051116 | GERMANY |
| 4871583 | | Male | 106.6 | Kilograms | 106 | 20060104 | Consumer | - | UNITED STATES |
| 4871584 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871585 | | Female | 53.52 | Kilograms | 53 | 20060104 | Consumer | - | UNITED STATES |
| 4871587 | | Female | 53.52 | Kilograms | 53 | 20060104 | Consumer | - | UNITED STATES |
| 4871592 | | Male | - | | - | 20060104 | Physician | 20010925 | ITALY |
| 4871598 | GROUP 3 | Female | - | | - | 20060104 | | - | |
| 4871599 | GROUP 3 | Male | - | | - | 20060104 | | - | |
| 4871600 | GROUP 3 | Female | 90 | Kilograms | 90 | 20060104 | Physician | - | FRANCE |
| 4871601 | GROUP 3 | Male | - | | - | 20060104 | | - | |
| 4871602 | | Male | - | | - | 20060104 | Pharmacist | - | UNITED STATES |
| 4871614 | GROUP 4 | Female | | | - | 20060104 | Physician | | COLOMBIA |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|---|--|-------------------|----------------------------|--|-------------------------|--------------------|
| 4871615 | | Female | 73.03 | Kilograms | 73 | 20060104 | Physician | - | UNITED STATES |
| 4871616 | | Female | - | | - | 20060104 | Pharmacist | - | UNITED STATES |
| 4871617 | GROUP 3 | Female | - | | - | 20060104 | Other health professional | - | JAPAN |
| 4871622 | GROUP 4 | Female | - | | - | 20060104 | | - | |
| 4871623 | GROUP 4 | Female | - | | - | 20060104 | | - | UNITED KINGDOM |
| 4871624 | | Female | - | | - | 20060104 | Consumer | 20051025 | UNITED STATES |
| 4871625 | GROUP 3 | Male | 83 | Kilograms | 83 | 20060104 | Physician | - | FRANCE |
| 4871626 | | Missing | - | | - | 20060104 | Pharmacist | - | UNITED KINGDOM |
| 4871627 | GROUP 3 | Male | - | | - | 20060104 | Consumer | - | FRANCE |
| 4871628 | | Female | - | | - | 20060104 | Physician | - | NETHERLANDS |
| 4871629 | | Male | 69 | Kilograms | 69 | 20060104 | Physician | - | UNITED STATES |
| 4871630 | | Female | 62 | Kilograms | 62 | 20060104 | Pharmacist | - | UNITED STATES |
| 4871631 | GROUP 2 | Male | - | | - | 20060103 | Physician | - | GERMANY |
| 4871632 | | Male | - | | - | 20060104 | Physician | - | GERMANY |
| 4871633 | | Female | 65.3 | Kilograms | 65 | 20060104 | Physician | - | UNITED STATES |
| 4871634 | GROUP 2 | Male | - | | - | 20060103 | Other health professional | - | UNITED KINGDOM |
| 4871635 | | Missing | - | | - | 20051230 | Consumer | - | UNITED STATES |
| 4871636 | GROUP 2 | Male | 72.562 | Kilograms | 72 | 20060103 | Physician | - | UNITED STATES |
| 4871637 | | Missing | - | | - | 20051230 | | - | UNITED STATES |
| 4871638 | | Female | - | | - | 20051230 | | - | INDIA |
| 4871639 | GROUP 2 | Female | - | | - | 20051230 | | - | UNITED STATES |
| 4871640 | GROUP 3 | Male | - | | - | 20060104 | | - | CHINA |
| 4871641 | GROUP 4 | Female | 58.956 | Kilograms | 58 | 20051230 | | - | UNITED STATES |
| 4871642 | GROUP 3 | Male | - | | - | 20051230 | Physician | - | ITALY |
| 4871643 | GROUP 4 | Female | - | | - | 20051230 | Physician | - | ITALY |
| 4871644 | | Female | - | | - | 20060103 | Physician | - | JAPAN |
| 4871645 | GROUP 4 | Female | 73 | Kilograms | 73 | 20060103 | | - | FRANCE |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|---|--|-------------------|----------------------------|--|-------------------------|---------------------------|
| 4871646 | GROUP 2 | Female | - | | - | 20051230 | Consumer | - | UNITED KINGDOM |
| 4871648 | GROUP 1 | Female | 3.124 | Kilograms | 3 | 20060104 | Physician | - | JAPAN |
| 4871649 | GROUP 4 | Male | 65 | Kilograms | 65 | 20060104 | Pharmacist | 20051216 | JAPAN |
| 4871651 | GROUP 4 | Male | - | | - | 20060104 | Other health professional | - | AUSTRALIA |
| 4871654 | | Male | 92 | Kilograms | 92 | 20060104 | Other health professional | - | SWITZERLAND |
| 4871655 | | Male | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871656 | GROUP 4 | Male | 43 | Kilograms | 43 | 20060104 | Physician | - | JAPAN |
| 4871659 | GROUP 2 | Female | 56 | Kilograms | 56 | 20060103 | | - | FRANCE |
| 4871660 | GROUP 3 | Female | - | | - | 20060103 | Pharmacist | - | GERMANY |
| 4871661 | | Female | - | | - | 20060103 | Consumer | - | AUSTRALIA |
| 4871662 | GROUP 2 | Female | 62.4 | Kilograms | 62 | 20060103 | | - | JAPAN |
| 4871663 | GROUP 3 | Male | - | | - | 20060103 | Physician | - | JAPAN |
| 4871664 | GROUP 4 | Male | - | | - | 20060103 | Physician | - | UNITED STATES |
| 4871665 | | Missing | - | | - | 20060102 | Physician | - | JAPAN |
| 4871666 | | Male | - | | - | 20060104 | Pharmacist | - | GERMANY |
| 4871667 | | Male | - | | - | 20060104 | Other health professional | - | ITALY |
| 4871668 | | Male | - | | - | 20060103 | Pharmacist | - | GERMANY |
| 4871669 | GROUP 3 | Male | - | | - | 20060104 | Consumer | 20051219 | UNITED STATES |
| 4871670 | GROUP 3 | Female | - | | - | 20060104 | Other health professional | 20041216 | BELGIUM |
| 4871671 | | Male | 75 | Kilograms | 75 | 20060103 | Physician | - | GERMANY |
| 4871672 | | Male | 60 | Kilograms | 60 | 20060104 | | - | GERMANY |
| 4871673 | GROUP 1 | Male | 50 | Kilograms | 50 | 20060103 | Pharmacist | - | JAPAN |
| 4871674 | GROUP 2 | Female | - | | - | 20060104 | Consumer | - | TAIWAN, PROVINCE OF CHINA |
| 4871675 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871676 | GROUP 2 | Male | 70 | Kilograms | 70 | 20060104 | Physician | - | FRANCE |
| 4871677 | GROUP 3 | Male | - | | - | 20060104 | Physician | - | AUSTRALIA |
| 4871678 | GROUP 3 | Missing | | | | 20060104 | Other health professional | 20051115 | UNITED STATES |

| Report's | , | | | Unit abbreviation | | | Abbreviation for | Date | |
|----------|-----------|---------------|------------------|-------------------|---------|-------------|---------------------------|----------|----------------|
| unique | Derived | Code for | Numeric value of | for | Derived | Date report | initial reporter's | patient | Reports |
| number | age group | patient's sex | patient's weight | patient's weight | weight | was sent | type of occupation | died | Country |
| 4871681 | | Male | - | | - | 20060103 | | | FRANCE |
| 4871682 | GROUP 3 | Male | - | | - | 20060104 | Physician | 20041125 | IRELAND |
| 4871685 | | Male | 68 | Kilograms | 68 | 20060104 | Physician | - | FRANCE |
| 4871686 | | Female | - | | - | 20060104 | Other health professional | - | NETHERLANDS |
| 4871687 | | Male | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871689 | | Male | - | | - | 20060103 | | 20051015 | UNITED KINGDOM |
| 4871692 | GROUP 3 | Male | - | | - | 20060104 | Consumer | - | UNITED KINGDOM |
| 4871693 | | Male | 63.6 | Kilograms | 63 | 20060104 | Physician | - | UNITED STATES |
| 4871694 | GROUP 3 | Female | - | | - | 20060104 | Physician | - | GERMANY |
| 4871695 | | Female | - | | - | 20060104 | Physician | - | JAPAN |
| 4871706 | GROUP 4 | Male | 68 | Kilograms | 68 | 20060104 | Physician | - | AUSTRIA |
| 4871707 | GROUP 4 | Female | - | | - | 20060104 | Other health professional | - | PORTUGAL |
| 4871708 | GROUP 3 | Male | 70 | Kilograms | 70 | 20060104 | Physician | 20050415 | GERMANY |
| 4871709 | GROUP 3 | Female | - | | - | 20060104 | Other health professional | - | DENMARK |
| 4871712 | GROUP 3 | Male | - | | - | 20060104 | Physician | - | JAPAN |
| 4871713 | GROUP 2 | Female | 89 | Kilograms | 89 | 20060104 | Physician | - | LITHUANIA |
| 4871714 | GROUP 2 | Female | - | | - | 20060104 | Other health professional | - | FRANCE |
| 4871720 | GROUP 3 | Female | 53 | Kilograms | 53 | 20060104 | Physician | - | UNITED STATES |
| 4871721 | GROUP 3 | Female | 70 | Kilograms | 70 | 20060104 | Consumer | - | UNITED STATES |
| 4871722 | GROUP 4 | Female | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871723 | | Missing | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871724 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871725 | GROUP 2 | Female | 79 | Kilograms | 79 | 20060104 | Consumer | - | UNITED STATES |
| 4871726 | GROUP 1 | Male | 82 | Kilograms | 82 | 20060104 | Other health professional | - | UNITED STATES |
| 4871727 | GROUP 2 | Female | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871728 | GROUP 3 | Female | 82 | Kilograms | 82 | 20060104 | Consumer | - | UNITED STATES |
| 4871729 | GROUP 3 | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| | | | | | | | | | |

| Report's | | | | Unit abbreviation | | | Abbreviation for | Date | |
|------------------|----------------------|------------------------|-----------------------------------|-------------------------|-------------------|-------------------------|---------------------------------------|-----------------|--------------------|
| unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | for patient's weight | Derived weight | Date report was sent | initial reporter's type of occupation | patient died | Reports Country |
| 4871730 | | Female | - | | - | 20060104 | Pharmacist | - | UNITED STATES |
| 4871731 | GROUP 2 | Female | 43 | Kilograms | 43 | 20060104 | Other health professional | - | UNITED STATES |
| 4871733 | | Male | 59 | Kilograms | 59 | 20060104 | Consumer | - | UNITED STATES |
| 4871734 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871735 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871736 | | Missing | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871737 | GROUP 2 | Female | 59 | Kilograms | 59 | 20060104 | Consumer | - | UNITED STATES |
| 4871738 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871739 | GROUP 2 | Male | 76 | Kilograms | 76 | 20060104 | Consumer | - | UNITED STATES |
| 4871740 | GROUP 3 | Male | - | | - | 20060104 | Pharmacist | - | UNITED STATES |
| 4871741 | GROUP 2 | Male | 77 | Kilograms | 77 | 20060104 | Consumer | - | UNITED STATES |
| 4871742 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871743 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871744 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871745 | GROUP 3 | Female | 54 | Kilograms | 54 | 20060104 | Consumer | - | UNITED STATES |
| 4871746 | GROUP 4 | Male | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871747 | GROUP 2 | Male | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871748 | GROUP 1 | Female | 52 | Kilograms | 52 | 20060104 | Physician | - | UNITED STATES |
| 4871749 | GROUP 4 | Male | 69 | Kilograms | 69 | 20060104 | Consumer | - | UNITED STATES |
| 4871750 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871751 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871752 | | Male | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871753 | | Missing | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871754 | | Male | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871755 | GROUP 3 | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871756 | GROUP 3 | Female | 138 | Kilograms | 138 | 20060104 | Consumer | - | UNITED STATES |
| 4871757 | | Missing | | | _ | 20060104 | Physician | - | UNITED STATES |

| Report's | | | | Unit abbreviation | | | Abbreviation for | Date | |
|------------------|----------------------|------------------------|--------------------------------------|-------------------------|-------------------|----------------------|---------------------------------------|-----------------|--------------------|
| unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | for patient's weight | Derived weight | Date report was sent | initial reporter's type of occupation | patient died | Reports Country |
| 4871758 | | Missing | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871759 | GROUP 1 | Male | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871760 | GROUP 2 | Male | 107 | Kilograms | 107 | 20060104 | Consumer | - | UNITED STATES |
| 4871761 | | Male | 73 | Kilograms | 73 | 20060104 | Consumer | - | UNITED STATES |
| 4871762 | GROUP 3 | Female | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871763 | GROUP 3 | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871764 | GROUP 3 | Male | 73 | Kilograms | 73 | 20060104 | Physician | - | UNITED STATES |
| 4871766 | GROUP 3 | Male | 77 | Kilograms | 77 | 20060104 | Consumer | - | UNITED STATES |
| 4871773 | GROUP 2 | Female | - | | - | 20060103 | Physician | - | JAPAN |
| 4871774 | | Female | 59 | Kilograms | 59 | 20060104 | | - | SPAIN |
| 4871775 | GROUP 2 | Female | - | | - | 20060103 | Pharmacist | - | JAPAN |
| 4871776 | GROUP 3 | Female | - | | - | 20060103 | | - | UNITED STATES |
| 4871777 | GROUP 4 | Female | - | | - | 20060103 | Pharmacist | - | JAPAN |
| 4871778 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871779 | GROUP 2 | Male | - | | - | 20060104 | Consumer | - | CANADA |
| 4871780 | GROUP 2 | Male | - | | - | 20060104 | Consumer | 20050101 | CANADA |
| 4871781 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871782 | GROUP 2 | Male | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871783 | | Male | 87.09 | Kilograms | 87 | 20060104 | Physician | - | UNITED STATES |
| 4871784 | GROUP 4 | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871785 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871786 | GROUP 1 | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871787 | GROUP 3 | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871788 | GROUP 2 | Male | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871789 | GROUP 1 | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871790 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871791 | | Female | | | - | 20060104 | Consumer | 20051210 | UNITED STATES |

| Report's | | | | Unit abbreviation | | | Abbreviation for | Date | |
|------------------|----------------------|------------------------|-----------------------------------|----------------------|-------------------|-------------------------|---------------------------------------|-----------------|--------------------|
| unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | for patient's weight | Derived weight | Date report was sent | initial reporter's type of occupation | patient died | Reports Country |
| 4871792 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871793 | | Missing | - | | - | 20060104 | Other health professional | - | UNITED STATES |
| 4871794 | GROUP 3 | Female | 38 | Kilograms | 38 | 20060104 | Physician | 20050824 | JAPAN |
| 4871795 | GROUP 2 | Female | 52 | Kilograms | 52 | 20060104 | Consumer | - | FRANCE |
| 4871796 | GROUP 2 | Missing | - | | - | 20060104 | Physician | - | INDIA |
| 4871797 | | Male | 2.5 | Kilograms | 2 | 20060104 | Physician | - | JAPAN |
| 4871798 | GROUP 3 | Female | 54 | Kilograms | 54 | 20060104 | Physician | - | JAPAN |
| 4871799 | | Female | - | | - | 20060104 | Physician | - | UNITED KINGDOM |
| 4871800 | GROUP 4 | Female | - | | - | 20060104 | Consumer | - | FRANCE |
| 4871801 | GROUP 3 | Female | 48 | Kilograms | 48 | 20060104 | Physician | - | JAPAN |
| 4871802 | GROUP 2 | Female | - | | - | 20060104 | Consumer | - | NETHERLANDS |
| 4871803 | GROUP 3 | Female | 36 | Kilograms | 36 | 20060104 | Pharmacist | - | JAPAN |
| 4871804 | | Male | - | | - | 20060104 | Consumer | - | JAPAN |
| 4871805 | GROUP 4 | Female | - | | - | 20060104 | Consumer | - | FRANCE |
| 4871806 | GROUP 3 | Male | - | | - | 20060104 | Consumer | - | FRANCE |
| 4871807 | GROUP 2 | Female | - | | - | 20060104 | Physician | - | FRANCE |
| 4871808 | GROUP 2 | Male | - | | - | 20060104 | Consumer | - | FRANCE |
| 4871809 | GROUP 3 | Missing | - | | - | 20060104 | Consumer | - | UNITED KINGDOM |
| 4871810 | GROUP 2 | Female | - | | - | 20060104 | Consumer | - | UNITED KINGDOM |
| 4871811 | GROUP 3 | Female | - | | - | 20060104 | Consumer | - | UNITED KINGDOM |
| 4871812 | GROUP 3 | Female | - | | - | 20060104 | Consumer | - | FRANCE |
| 4871813 | GROUP 3 | Female | - | | - | 20051230 | Consumer | - | GERMANY |
| 4871814 | | Female | - | | - | 20060104 | Other health professional | - | NORWAY |
| 4871815 | GROUP 4 | Male | - | | - | 20060104 | Other health professional | - | SWEDEN |
| 4871816 | | Female | 54.2 | Kilograms | 54 | 20060104 | Physician | - | FRANCE |
| 4871817 | GROUP 2 | Male | - | | - | 20060104 | Other health professional | - | JAPAN |
| 4871818 | GROUP 3 | Male | 95 | Kilograms | 95 | 20060104 | Lawyer | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|----------------------|--------------------|
| 4871819 | GROUP 3 | Male | 89 | Kilograms | 89 | 20060104 | Lawyer | - | UNITED STATES |
| 4871820 | GROUP 3 | Female | 64 | Kilograms | 64 | 20060104 | Physician | 20040415 | UNITED STATES |
| 4871821 | GROUP 2 | Female | 111 | Kilograms | 111 | 20060104 | Lawyer | - | UNITED STATES |
| 4871822 | | Female | - | | - | 20060104 | Lawyer | - | UNITED STATES |
| 4871823 | GROUP 3 | Female | 117 | Kilograms | 117 | 20060104 | Physician | - | UNITED STATES |
| 4871824 | GROUP 2 | Male | 84 | Kilograms | 84 | 20060104 | Lawyer | - | UNITED STATES |
| 4871825 | GROUP 4 | Male | - | | - | 20060104 | Other health professional | - | JAPAN |
| 4871826 | GROUP 4 | Male | 70 | Kilograms | 70 | 20060104 | Lawyer | - | UNITED STATES |
| 4871827 | GROUP 4 | Female | - | | - | 20060104 | Physician | - | FRANCE |
| 4871828 | GROUP 2 | Male | 65 | Kilograms | 65 | 20060104 | Other health professional | - | FRANCE |
| 4871829 | GROUP 3 | Female | 100 | Kilograms | 100 | 20060104 | Lawyer | - | UNITED STATES |
| 4871830 | GROUP 3 | Male | 82 | Kilograms | 82 | 20060104 | Lawyer | - | UNITED STATES |
| 4871831 | GROUP 3 | Male | 91 | Kilograms | 91 | 20060104 | Physician | - | UNITED STATES |
| 4871833 | GROUP 3 | Male | 95 | Kilograms | 95 | 20060104 | Physician | 20040108 | UNITED STATES |
| 4871834 | GROUP 4 | Male | 100 | Kilograms | 100 | 20060104 | Lawyer | 20040216 | UNITED STATES |
| 4871835 | GROUP 2 | Female | 73 | Kilograms | 73 | 20060104 | Physician | - | UNITED STATES |
| 4871836 | | Male | 58 | Kilograms | 58 | 20060104 | Lawyer | - | UNITED STATES |
| 4871837 | GROUP 3 | Male | 136 | Kilograms | 136 | 20060104 | Physician | - | UNITED STATES |
| 4871838 | GROUP 3 | Female | 107 | Kilograms | 107 | 20060104 | Lawyer | - | UNITED STATES |
| 4871839 | GROUP 3 | Male | - | | - | 20060104 | Lawyer | - | UNITED STATES |
| 4871840 | | Male | - | | - | 20060104 | Lawyer | - | UNITED STATES |
| 4871841 | GROUP 3 | Male | 175 | Kilograms | 175 | 20060104 | Lawyer | - | UNITED STATES |
| 4871842 | GROUP 3 | Female | 58 | Kilograms | 58 | 20060104 | Physician | 20000926 | UNITED STATES |
| 4871843 | GROUP 3 | Male | 82 | Kilograms | 82 | 20060104 | Physician | - | UNITED STATES |
| 4871844 | GROUP 3 | Female | 118 | Kilograms | 118 | 20060104 | Physician | 20040718 | UNITED STATES |
| 4871845 | GROUP 3 | Male | - | | - | 20060104 | Other health professional | - | FRANCE |
| 4871846 | GROUP 3 | Male | 86 | Kilograms | 86 | 20060104 | Lawyer | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|----------------------|--------------------|
| 4871847 | GROUP 2 | Female | 66 | Kilograms | 66 | 20060104 | Lawyer | - | UNITED STATES |
| 4871848 | GROUP 3 | Male | 75 | Kilograms | 75 | 20060104 | Consumer | - | POLAND |
| 4871849 | GROUP 2 | Male | 79 | Kilograms | 79 | 20060104 | Physician | - | UNITED STATES |
| 4871850 | GROUP 2 | Male | 109 | Kilograms | 109 | 20060104 | Physician | - | UNITED STATES |
| 4871851 | GROUP 3 | Male | 100 | Kilograms | 100 | 20060104 | Physician | - | UNITED STATES |
| 4871852 | GROUP 2 | Female | 90 | Kilograms | 90 | 20060104 | Lawyer | - | UNITED STATES |
| 4871853 | GROUP 4 | Female | 52 | Kilograms | 52 | 20060104 | Physician | - | UNITED STATES |
| 4871854 | GROUP 2 | Male | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871856 | GROUP 3 | Male | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871857 | GROUP 3 | Female | - | | - | 20060104 | Physician | - | GERMANY |
| 4871858 | GROUP 3 | Male | 100 | Kilograms | 100 | 20060104 | Physician | - | UNITED STATES |
| 4871859 | GROUP 2 | Male | 84 | Kilograms | 84 | 20060104 | Lawyer | - | UNITED STATES |
| 4871860 | GROUP 3 | Female | 80 | Kilograms | 80 | 20060104 | Physician | - | UNITED STATES |
| 4871861 | | Female | - | | - | 20060104 | Lawyer | - | UNITED STATES |
| 4871862 | GROUP 4 | Female | 53 | Kilograms | 53 | 20060104 | Physician | - | UNITED STATES |
| 4871863 | | Male | - | | - | 20060104 | Lawyer | - | UNITED STATES |
| 4871864 | GROUP 3 | Male | - | | - | 20060104 | | - | SWEDEN |
| 4871865 | GROUP 3 | Male | 75 | Kilograms | 75 | 20060104 | Physician | - | UNITED STATES |
| 4871866 | GROUP 3 | Female | 77 | Kilograms | 77 | 20060104 | Physician | - | UNITED STATES |
| 4871867 | GROUP 2 | Female | 55 | Kilograms | 55 | 20060104 | Physician | - | UNITED STATES |
| 4871870 | GROUP 3 | Female | 58 | Kilograms | 58 | 20060104 | Physician | - | UNITED STATES |
| 4871871 | GROUP 3 | Female | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4871873 | | Female | - | | - | 20060104 | Lawyer | 20041022 | UNITED STATES |
| 4871874 | GROUP 3 | Male | 85 | Kilograms | 85 | 20060104 | Physician | - | UNITED STATES |
| 4871875 | GROUP 3 | Male | 105 | Kilograms | 105 | 20060104 | Lawyer | - | UNITED STATES |
| 4871876 | GROUP 3 | Female | - | | - | 20060104 | Physician | 20000211 | UNITED STATES |
| 4871877 | GROUP 3 | Female | 132 | Kilograms | 132 | 20060104 | Physician | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|----------------------|--------------------|
| 4871878 | GROUP 3 | Male | 80 | Kilograms | 80 | 20060104 | Physician | - UI | NITED STATES |
| 4871879 | GROUP 4 | Female | 64 | Kilograms | 64 | 20060104 | Physician | - UI | NITED STATES |
| 4871880 | | Male | - | | - | 20060104 | Lawyer | - UI | NITED STATES |
| 4871881 | GROUP 3 | Male | 95 | Kilograms | 95 | 20060104 | Physician | - UI | NITED STATES |
| 4871882 | GROUP 3 | Male | 98 | Kilograms | 98 | 20060104 | Lawyer | - UI | NITED STATES |
| 4871883 | GROUP 3 | Female | - | | - | 20060104 | Lawyer | - UI | NITED STATES |
| 4871884 | GROUP 3 | Female | 91 | Kilograms | 91 | 20060104 | Physician | - UI | NITED STATES |
| 4871885 | GROUP 3 | Male | 119 | Kilograms | 119 | 20060104 | Physician | - UI | NITED STATES |
| 4871886 | | Male | - | | - | 20060104 | Lawyer | 20041020 UI | NITED STATES |
| 4871887 | GROUP 4 | Male | 82 | Kilograms | 82 | 20060104 | Physician | 20031211 UI | NITED STATES |
| 4871888 | GROUP 3 | Female | - | | - | 20060104 | Lawyer | - UI | NITED STATES |
| 4871889 | GROUP 4 | Male | 95 | Kilograms | 95 | 20060104 | Physician | - UI | NITED STATES |
| 4871890 | | Female | - | | - | 20060104 | Lawyer | - UI | NITED STATES |
| 4871891 | GROUP 3 | Male | 116 | Kilograms | 116 | 20060104 | Lawyer | - UI | NITED STATES |
| 4871892 | GROUP 3 | Female | 50 | Kilograms | 50 | 20060104 | Physician | 20030217 UI | NITED STATES |
| 4871893 | GROUP 3 | Female | 91 | Kilograms | 91 | 20060104 | Physician | - UI | NITED STATES |
| 4871894 | | Female | - | | - | 20060104 | Lawyer | - UI | NITED STATES |
| 4871895 | GROUP 3 | Male | 78 | Kilograms | 78 | 20060104 | Physician | 20040531 UI | NITED STATES |
| 4871897 | GROUP 2 | Female | - | | - | 20060103 | | - UI | NITED STATES |
| 4871899 | GROUP 3 | Male | 83.9 | Kilograms | 83 | 20060104 | | - UI | NITED STATES |
| 4871900 | GROUP 3 | Male | - | | - | 20060104 | | - CI | HINA |
| 4871901 | GROUP 3 | Male | 91 | Kilograms | 91 | 20060104 | Physician | - UI | NITED STATES |
| 4871902 | GROUP 3 | Female | - | | - | 20060104 | Physician | - J <i>A</i> | APAN |
| 4871903 | GROUP 1 | Female | - | | - | 20060103 | Physician | - TU | JRKEY |
| 4871904 | GROUP 3 | Female | - | | - | 20060104 | Other health professional | - G | ERMANY |
| 4871905 | GROUP 4 | Female | - | | - | 20060104 | Physician | - J <i>A</i> | APAN |
| 4871906 | GROUP 1 | Female | | | | 20060104 | | - UI | NITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4871907 | GROUP 2 | Male | | Kilograms | 77 | 20060104 | Physician Physician | | UNITED STATES |
| 4871908 | | Missing | - | | _ | 20060104 | Physician | _ | UNITED STATES |
| 4871909 | GROUP 3 | Female | 89.9 | Kilograms | 89 | 20060104 | Pharmacist | _ | UNITED STATES |
| 4871912 | | Female | _ | Ü | _ | 20060103 | Physician | - | |
| 4871917 | | Male | - | | _ | 20060104 | Consumer | _ | UNITED STATES |
| 4871918 | GROUP 2 | Male | _ | | _ | 20060104 | Other health professional | - | UNITED STATES |
| 4871919 | GROUP 2 | Female | - | | _ | 20060104 | Other health professional | - | UNITED STATES |
| 4871920 | GROUP 3 | Male | - | | - | 20060104 | Other health professional | - | GERMANY |
| 4871921 | GROUP 2 | Female | - | | - | 20060104 | Other health professional | - | UNITED STATES |
| 4871922 | GROUP 3 | Male | - | | - | 20060104 | Physician | 20051213 | JAPAN |
| 4871923 | | Female | - | | - | 20060104 | Physician | - | JAPAN |
| 4871924 | GROUP 3 | Male | 80 | Kilograms | 80 | 20060104 | Other health professional | - | SWITZERLAND |
| 4871927 | GROUP 4 | Female | 56.8 | Kilograms | 56 | 20051229 | Physician | - | FINLAND |
| 4871928 | | Male | 60 | Kilograms | 60 | 20060104 | | - | GERMANY |
| 4871929 | GROUP 3 | Female | - | | - | 20060104 | Other health professional | - | GERMANY |
| 4871930 | GROUP 2 | Male | 70 | Kilograms | 70 | 20060104 | Physician | - | FRANCE |
| 4871934 | GROUP 2 | Male | - | | - | 20060104 | Lawyer | - | UNITED STATES |
| 4871935 | GROUP 1 | Female | 72.6 | Kilograms | 72 | 20060104 | Lawyer | - | UNITED STATES |
| 4871937 | GROUP 3 | Female | - | | - | 20060104 | Other health professional | 20051016 | UNITED STATES |
| 4871938 | GROUP 1 | Male | 88.5 | Kilograms | 88 | 20060104 | Lawyer | - | UNITED STATES |
| 4871939 | GROUP 1 | Male | - | | - | 20060104 | Physician | - | GERMANY |
| 4871940 | GROUP 2 | Male | 81.6 | Kilograms | 81 | 20060104 | Lawyer | - | UNITED STATES |
| 4871941 | GROUP 1 | Male | 67.3 | Kilograms | 67 | 20060104 | Lawyer | - | UNITED STATES |
| 4871942 | GROUP 3 | Male | 82 | Kilograms | 82 | 20060104 | Physician | - | CANADA |
| 4871943 | GROUP 2 | Male | - | | - | 20060104 | Physician | - | JAPAN |
| 4871949 | GROUP 2 | Male | 94.8 | Kilograms | 94 | 20060104 | Lawyer | - | UNITED STATES |
| 4871950 | GROUP 1 | Female | - | | | 20060104 | Physician | | GERMANY |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4871957 | GROUP 4 | Male | - | | - | 20060104 | Physician | - | JAPAN |
| 4871969 | GROUP 2 | Male | 68 | Kilograms | 68 | 20060104 | Other health professional | - | UNITED STATES |
| 4871971 | | Male | 2.3 | Kilograms | 2 | 20060104 | Physician | - | JAPAN |
| 4871972 | GROUP 3 | Female | 47 | Kilograms | 47 | 20060104 | Physician | - | JAPAN |
| 4871973 | GROUP 2 | Female | 71.7 | Kilograms | 71 | 20060104 | Pharmacist | - | UNITED STATES |
| 4871974 | GROUP 3 | Missing | 82 | Kilograms | 82 | 20060104 | Physician | - | GERMANY |
| 4871976 | GROUP 3 | Female | - | | - | 20060104 | Consumer | 20051204 | UNITED STATES |
| 4871977 | GROUP 3 | Male | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871978 | GROUP 2 | Male | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4871979 | GROUP 2 | Male | 56 | Kilograms | 56 | 20060104 | Physician | - | UNITED STATES |
| 4871980 | GROUP 3 | Female | - | | - | 20060104 | Physician | - | GERMANY |
| 4871988 | GROUP 3 | Female | 65 | Kilograms | 65 | 20060104 | Other health professional | 20051003 | UNITED KINGDOM |
| 4872010 | GROUP 2 | Female | 174 | Pounds | 78 | 20051228 | Consumer | - | UNITED STATES |
| 4872016 | | Male | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4872017 | GROUP 2 | Female | - | | - | 20060104 | Consumer | - | JAPAN |
| 4872018 | | Female | 62 | Kilograms | 62 | 20060104 | Physician | - | JAPAN |
| 4872021 | | Female | - | | - | 20060104 | Consumer | - | UNITED STATES |
| 4872030 | GROUP 3 | Female | - | | - | 20060104 | Other health professional | 20031101 | UNITED STATES |
| 4872033 | GROUP 2 | Female | - | | - | 20060104 | Physician | - | JAPAN |
| 4872034 | GROUP 4 | Male | 42 | Kilograms | 42 | 20060104 | Physician | 20051202 | JAPAN |
| 4872043 | GROUP 2 | Female | - | | - | 20060104 | Other health professional | - | GERMANY |
| 4872044 | GROUP 3 | Female | - | | - | 20060104 | Other health professional | - | UNITED STATES |
| 4872072 | GROUP 3 | Female | - | | - | 20060104 | Physician | - | ITALY |
| 4872074 | GROUP 3 | Male | - | | - | 20060104 | Physician | - | ISRAEL |
| 4872075 | | Female | - | | - | 20060104 | Physician | - | GERMANY |
| 4872076 | GROUP 3 | Female | 67 | Kilograms | 67 | 20060103 | Consumer | - | GERMANY |
| 4872077 | GROUP 4 | Female | | | - | 20060104 | | - | FRANCE |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4872086 | | Missing | - | | - | 20060104 | | - | FRANCE |
| 4872087 | GROUP 1 | Female | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4872123 | | Male | 60 | Kilograms | 60 | 20060104 | Physician | - | GERMANY |
| 4872134 | GROUP 3 | Female | 150 | Kilograms | 150 | 20060104 | Physician | 20050901 | RUSSIAN FEDERATION |
| 4872153 | | Female | - | | - | 20051201 | Pharmacist | - | UNITED STATES |
| 4872155 | GROUP 3 | Female | - | | - | 20051229 | | - | UNITED STATES |
| 4872156 | GROUP 3 | Female | - | | - | 20060104 | Other health professional | - | UNITED STATES |
| 4872157 | GROUP 4 | Female | - | | - | 20051229 | | - | UNITED STATES |
| 4872159 | GROUP 1 | Male | 74.8 | Kilograms | 74 | 20051229 | Consumer | - | UNITED STATES |
| 4872161 | | Female | - | | - | 20051222 | Consumer | 20051001 | UNITED STATES |
| 4872163 | GROUP 2 | Female | - | | - | 20051229 | | - | UNITED STATES |
| 4872165 | GROUP 3 | Male | - | | - | 20051229 | Consumer | - | UNITED STATES |
| 4872166 | GROUP 3 | Male | - | | - | 20051222 | Physician | - | UNITED STATES |
| 4872168 | GROUP 1 | Male | 81.6 | Kilograms | 81 | 20060104 | Lawyer | - | UNITED STATES |
| 4872169 | GROUP 1 | Female | 45.8 | Kilograms | 45 | 20060104 | Lawyer | - | UNITED STATES |
| 4872170 | GROUP 3 | Male | - | | - | 20051230 | Other health professional | - | FRANCE |
| 4872171 | | Male | - | | - | 20051230 | Other health professional | 20051217 | PORTUGAL |
| 4872172 | GROUP 1 | Female | - | | - | 20051229 | Other health professional | - | FRANCE |
| 4872173 | | Male | - | | - | 20051230 | Other health professional | - | PORTUGAL |
| 4872174 | | Male | - | | - | 20051230 | Other health professional | 20051217 | PORTUGAL |
| 4872175 | GROUP 2 | Female | 145 | Pounds | 65 | 20051230 | Consumer | - | CANADA |
| 4872176 | GROUP 2 | Female | 105 | Pounds | 47 | 20051230 | Consumer | - | CANADA |
| 4872178 | GROUP 1 | Male | - | | - | 20051228 | | - | FRANCE |
| 4872179 | GROUP 3 | Male | - | | - | 20051230 | | - | JAPAN |
| 4872180 | GROUP 3 | Male | - | | - | 20051230 | | - | JAPAN |
| 4872181 | | Female | 57.885 | Kilograms | 57 | 20060104 | | - | UNITED STATES |
| 4872182 | | Female | 75.137 | Kilograms | 75 | 20060104 | | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4872183 | | Male | - | | - | 20051230 | Physician | - | AUSTRALIA |
| 4872184 | GROUP 3 | Female | - | | - | 20051230 | | - | UNITED KINGDOM |
| 4872186 | GROUP 3 | Male | - | | - | 20051230 | Physician | - | JAPAN |
| 4872187 | GROUP 3 | Male | - | | - | 20051230 | Physician | - | JAPAN |
| 4872188 | GROUP 3 | Male | - | | - | 20051227 | Physician | - | UNITED KINGDOM |
| 4872190 | GROUP 4 | Female | - | | - | 20051230 | | - | FRANCE |
| 4872191 | GROUP 3 | Male | - | | - | 20051230 | | - | JAPAN |
| 4872193 | GROUP 4 | Female | - | | - | 20051230 | | - | GERMANY |
| 4872194 | | Female | - | | - | 20060104 | Consumer | 20030705 | GERMANY |
| 4872195 | GROUP 3 | Male | - | | - | 20060104 | Physician | 20050517 | JAPAN |
| 4872196 | | Female | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4872197 | GROUP 3 | Male | - | | - | 20060104 | Other health professional | 20050527 | UNITED STATES |
| 4872198 | GROUP 2 | Female | - | | - | 20060104 | Consumer | - | FRANCE |
| 4872203 | GROUP 1 | Male | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4872220 | GROUP 3 | Female | 44 | Kilograms | 44 | 20060104 | Pharmacist | - | JAPAN |
| 4872266 | GROUP 3 | Male | 52 | Kilograms | 52 | 20060104 | Physician | 20040201 | JAPAN |
| 4872267 | GROUP 3 | Male | - | | - | 20060104 | Physician | 20051201 | UNITED KINGDOM |
| 4872268 | GROUP 3 | Male | - | | - | 20060104 | Other health professional | 20051201 | UNITED KINGDOM |
| 4872319 | GROUP 3 | Female | 93 | Kilograms | 93 | 20060104 | Pharmacist | 20051116 | NETHERLANDS |
| 4872382 | | Male | - | | - | 20060105 | Lawyer | - | UNITED STATES |
| 4872383 | GROUP 2 | Female | 88 | Kilograms | 88 | 20060105 | Lawyer | - | UNITED STATES |
| 4872384 | GROUP 4 | Female | 69 | Kilograms | 69 | 20060105 | Lawyer | - | UNITED STATES |
| 4872385 | | Female | - | | - | 20060105 | Consumer | 20051126 | AUSTRALIA |
| 4872386 | GROUP 3 | Female | 95 | Kilograms | 95 | 20060105 | Physician | - | GERMANY |
| 4872388 | | Female | - | | - | 20060105 | Lawyer | - | UNITED STATES |
| 4872389 | GROUP 3 | Female | - | | - | 20060105 | Consumer | - | UNITED STATES |
| 4872390 | | Female | | | - | 20060105 | Lawyer | 20031215 | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4872398 | GROUP 2 | Female | 86 | Kilograms | 86 | 20060105 | Lawyer | - | UNITED STATES |
| 4872399 | GROUP 3 | Male | 80 | Kilograms | 80 | 20060105 | Physician | - | UNITED STATES |
| 4872400 | | Male | - | | - | 20060105 | Lawyer | - | UNITED STATES |
| 4872401 | | Male | - | | - | 20060105 | Consumer | - | UNITED STATES |
| 4872402 | GROUP 3 | Female | 77 | Kilograms | 77 | 20060105 | Lawyer | - | UNITED STATES |
| 4872403 | GROUP 2 | Male | 120 | Kilograms | 120 | 20060105 | Physician | - | UNITED STATES |
| 4872404 | GROUP 3 | Male | 105 | Kilograms | 105 | 20060105 | Physician | 20040629 | UNITED STATES |
| 4872405 | | Female | - | | - | 20060105 | Lawyer | - | UNITED STATES |
| 4872406 | GROUP 3 | Male | 77 | Kilograms | 77 | 20060105 | Physician | - | UNITED STATES |
| 4872407 | GROUP 4 | Female | 80 | Kilograms | 80 | 20060105 | Other health professional | - | UNITED KINGDOM |
| 4872408 | GROUP 1 | Female | - | | - | 20060105 | Physician | - | JAPAN |
| 4872409 | GROUP 3 | Female | 107 | Kilograms | 107 | 20060105 | Lawyer | - | UNITED STATES |
| 4872410 | GROUP 3 | Female | - | | - | 20060105 | Lawyer | - | UNITED STATES |
| 4872411 | GROUP 3 | Male | 86 | Kilograms | 86 | 20060105 | Physician | 20010121 | UNITED STATES |
| 4872412 | GROUP 4 | Male | 100 | Kilograms | 100 | 20060105 | Lawyer | - | UNITED STATES |
| 4872414 | GROUP 3 | Female | 82 | Kilograms | 82 | 20060105 | Lawyer | - | UNITED STATES |
| 4872415 | GROUP 3 | Female | 50 | Kilograms | 50 | 20060105 | Physician | 20041004 | UNITED STATES |
| 4872416 | GROUP 3 | Female | 59 | Kilograms | 59 | 20060105 | Lawyer | - | UNITED STATES |
| 4872417 | GROUP 3 | Female | - | | - | 20060105 | Physician | - | GREECE |
| 4872418 | GROUP 3 | Male | 68 | Kilograms | 68 | 20060105 | Physician | - | UNITED STATES |
| 4872419 | GROUP 3 | Female | 62 | Kilograms | 62 | 20060105 | Physician | - | GERMANY |
| 4872420 | GROUP 2 | Female | - | | - | 20060105 | Other health professional | - | CANADA |
| 4872421 | GROUP 2 | Female | 96 | Kilograms | 96 | 20060105 | Lawyer | - | UNITED STATES |
| 4872430 | | Male | - | | - | 20060105 | Lawyer | - | UNITED STATES |
| 4872431 | GROUP 3 | Male | 84 | Kilograms | 84 | 20060105 | Lawyer | - | UNITED STATES |
| 4872437 | GROUP 1 | Missing | - | | - | 20060105 | Lawyer | - | UNITED STATES |
| 4872439 | | Male | - | | - | 20060105 | Lawyer | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4872440 | GROUP 2 | Male | 120 | Kilograms | 120 | 20060105 | Lawyer | - | UNITED STATES |
| 4872441 | GROUP 3 | Female | 86 | Kilograms | 86 | 20060105 | Lawyer | - | UNITED STATES |
| 4872442 | | Female | - | | - | 20060105 | Lawyer | 20031209 | UNITED STATES |
| 4872443 | | Female | - | | - | 20060105 | Lawyer | - | UNITED STATES |
| 4872444 | | Male | - | | - | 20060105 | Pharmacist | - | AUSTRALIA |
| 4872445 | GROUP 3 | Female | 68 | Kilograms | 68 | 20060105 | Lawyer | 20050408 | UNITED STATES |
| 4872446 | | Female | - | | - | 20060105 | Lawyer | 20040829 | UNITED STATES |
| 4872447 | GROUP 4 | Female | 63 | Kilograms | 63 | 20060105 | Lawyer | - | UNITED STATES |
| 4872448 | | Missing | - | | - | 20060105 | Lawyer | - | UNITED STATES |
| 4872449 | GROUP 3 | Male | 100 | Kilograms | 100 | 20060105 | Lawyer | 20030319 | UNITED STATES |
| 4872450 | GROUP 4 | Male | - | | - | 20060105 | Lawyer | - | UNITED STATES |
| 4872452 | GROUP 3 | Male | 82 | Kilograms | 82 | 20060105 | Other health professional | - | FRANCE |
| 4872453 | GROUP 3 | Male | 93 | Kilograms | 93 | 20060105 | Lawyer | 20040910 | UNITED STATES |
| 4872454 | GROUP 3 | Female | - | | - | 20060105 | Lawyer | - | UNITED STATES |
| 4872455 | GROUP 3 | Male | 98 | Kilograms | 98 | 20060105 | Lawyer | - | UNITED STATES |
| 4872456 | GROUP 3 | Female | - | | - | 20060105 | Consumer | - | AUSTRALIA |
| 4872457 | GROUP 2 | Female | 73 | Kilograms | 73 | 20060105 | Lawyer | - | UNITED STATES |
| 4872462 | GROUP 3 | Female | 81 | Kilograms | 81 | 20060105 | Lawyer | - | UNITED STATES |
| 4872463 | | Male | - | | - | 20060105 | Lawyer | - | UNITED STATES |
| 4872464 | | Female | - | | - | 20060105 | Consumer | - | UNITED STATES |
| 4872465 | | Female | - | | - | 20060105 | Lawyer | - | CANADA |
| 4872466 | GROUP 2 | Female | 135 | Kilograms | 135 | 20060105 | Physician | - | UNITED STATES |
| 4872467 | GROUP 3 | Female | 83 | Kilograms | 83 | 20060105 | Physician | - | FRANCE |
| 4872468 | GROUP 1 | Female | 74 | Kilograms | 74 | 20060105 | Other health professional | - | UNITED KINGDOM |
| 4872469 | GROUP 3 | Female | 70 | Kilograms | 70 | 20060105 | Lawyer | - | UNITED STATES |
| 4872470 | GROUP 2 | Male | 76 | Kilograms | 76 | 20060105 | Physician | - | FRANCE |
| 4872481 | | Female | 88.2 | Kilograms | 88 | 20060104 | | - | UNITED STATES |

| Report's unique number | Derived age group | Code for patient's sex | Numeric value of patient's weight | Unit abbreviation for patient's weight | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|-----------------------------------|--|-------------------|-------------------------|--|-------------------------|--------------------|
| 4872482 | | Male | - | | - | 20060104 | Physician | - | FRANCE |
| 4872483 | | Male | 73 | Kilograms | 73 | 20060104 | Physician | 20051024 | GERMANY |
| 4872484 | | Male | 68 | Kilograms | 68 | 20060104 | Other health professional | - | KOREA, REPUBLIC OF |
| 4872485 | | Female | - | | - | 20060104 | Consumer | 20050725 | UNITED STATES |
| 4872486 | | Missing | - | | - | 20060104 | Physician | - | UNITED STATES |
| 4872487 | GROUP 3 | Male | - | | - | 20060104 | Physician | - | UNITED KINGDOM |
| 4872488 | | Female | 58 | Kilograms | 58 | 20060104 | Physician | 20051101 | GERMANY |
| 4872489 | GROUP 3 | Male | - | | - | 20060104 | Physician | - | FRANCE |
| 4872490 | | Male | 54 | Kilograms | 54 | 20060104 | Other health professional | 20051207 | ITALY |
| 4872491 | | Male | 75 | Kilograms | 75 | 20060104 | Other health professional | - | SOUTH AFRICA |
| 4872492 | GROUP 3 | Male | 60 | Kilograms | 60 | 20060104 | Physician | - | SWITZERLAND |
| 4872493 | | Male | - | | - | 20060104 | | - | |
| 4872494 | | Female | - | | - | 20060104 | | - | FRANCE |
| 4872495 | | Female | - | | - | 20060104 | | - | FINLAND |
| 4872496 | | Male | - | | - | 20060104 | | - | AUSTRALIA |
| 4872497 | | Male | - | | - | 20060104 | | - | FRANCE |
| 4872498 | | Male | - | | - | 20060104 | | - | AUSTRALIA |
| 4872499 | | Female | - | | - | 20060104 | | - | FRANCE |
| 4872500 | | Male | - | | - | 20060104 | | - | FRANCE |
| 4872501 | | Male | - | | - | 20060104 | | - | FINLAND |
| 4872502 | | Female | - | | - | 20060104 | | - | FRANCE |
| 4872535 | GROUP 3 | Female | - | | - | 20051229 | Consumer | - | FRANCE |
| 4872536 | | Female | - | | - | 20051229 | | - | FINLAND |
| 4872537 | GROUP 2 | Male | - | | - | 20051229 | Physician | - | UNITED KINGDOM |
| 4872538 | GROUP 2 | Male | - | | - | 20051223 | | 20000226 | AUSTRALIA |
| 4872539 | GROUP 1 | Male | - | | - | 20051228 | Physician | - | GERMANY |

Project: AERS 2006Q1
Page 79 of 827
14SEP2015

ADVERSE EVENT REPORTING SYSTEM (AERS) Demographic Listings

| Report's unique number | Derived age group | Code for patient's sex | Unit abbreviation Numeric value of for patient's weight patient's weight | | Derived weight | Date report was sent | Abbreviation for initial reporter's type of occupation | Date patient died | Reports Country |
|------------------------------|----------------------|------------------------|--|-----------|-------------------|-------------------------|--|-------------------------|--------------------|
| 4872540 | GROUP 3 | Female | - | | - | 20051228 | Physician | - GE | ERMANY |
| 4872541 | GROUP 3 | Female | 79 | Kilograms | 79 | 20060105 | Other health professional | - UN | NITED KINGDOM |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|--|-----------------------------------|---------------------------------|---------------------------------|---|---|
| 4793437 | 1006499909 | Primary Suspect Drug | GLUCOPHAGE XR | Validated trade name used | ORAL | | |
| 4793437 | 1006499910 | Secondary Suspect Drug | EDTA | Verbatim name used | | | |
| 4793437 | 1006499911 | Concomitant | AVANDAMET | Validated trade name used | | | |
| 4799889 | 1006520185 | Primary Suspect Drug | EFFEXOR | Validated trade name used | ORAL | ORAL | Does not apply |
| 4799889 | 1006533234 | Secondary Suspect Drug | ETHANOL (ETHANOL,) | Verbatim name used | ORAL | 1 BOTTLE OF PORT ORAL | Does not apply |
| 4799889 | 1006533235 | Secondary Suspect Drug | TEMAZEPAM (TEMAZEPAM, CAPSULE) | Verbatim name used | | 4 TABLET 1X PER 1 DAY | Does not apply |
| 4802758 | 1006528830 | Primary Suspect Drug | MYLOTARG | Validated trade name used | INTRAVENOUS | 15.5 MG OVER 2 HOURS, INTRAVENOUS | Does not apply |
| 4802758 | 1006542743 | Concomitant | VANCOMYCIN | Validated trade name used | | | |
| 4802758 | 1006542744 | Concomitant | LEVAQUIN | Validated trade name used | | | |
| 4802758 | 1006542745 | Concomitant | DIFLUCAN | Validated trade name used | | | |
| 4802758 | 1006542746 | Concomitant | VALTREX | Validated trade name used | | | |
| 4802758 | 1006542747 | Concomitant | AMBIEN | Validated trade name used | | | |
| 4802758 | 1006542748 | Concomitant | TAMOXIFEN CITRATE | Validated trade name used | | | |
| 4802758 | 1006542749 | Concomitant | SENOKOT | Validated trade name used | | | |
| 4806822 | 1006543212 | Primary Suspect Drug | TISSUES, NOS | Validated trade name used | | | |

| Rechallenge code (reaction when drug therapy restarted) | | Expiration date of drug | | |
|---|--------------------|----------------------------|------------|-------------------|
| therapy restarted) | Lot number of drug | of drug | NDA number | Derived Drug Name |
| | | - | - | |
| | | - | - | |
| | | | | |
| | | - | - | |
| Does not apply | | - | 20151 | |
| Does not apply | | _ | _ | |
| | | | | |
| Does not apply | | - | - | |
| Does not apply | | - | 21174 | |
| | | | | |
| | | - | - | |
| | | - | - | |
| | | _ | _ | |
| | | | | |
| | | - | - | |
| | | - | - | |
| | | | | |
| | | - | - | |
| | | - | - | |
| | | _ | _ | |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|--|--------------------------------|---------------------------------|---------------------------------|---|---|
| 4807735 | 1006546441 | Primary Suspect Drug | SOTALOL HYDROCHLORIDE | Validated trade name used | ORAL | 1X/DAY, ORAL | Positive dechallenge |
| 4807735 | 1006576213 | Secondary Suspect Drug | AUGMENTIN '125' | Validated trade name used | | 1G,2X/DAY | |
| 4807884 | 1006546701 | Primary Suspect Drug | STALEVO 100 | Validated trade name used | ORAL | 300 MG, 3 IN 1 D, ORAL | Does not apply |
| 4810789 | 1006557089 | Primary Suspect Drug | DETROL LA | Validated trade name used | ORAL | 4 MG (4 MG, 1 IN 1 D), ORAL | Does not apply |
| 4810789 | 1006588338 | Secondary Suspect Drug | VESICARE | Validated trade name used | | | Does not apply |
| 4810789 | 1006588339 | Concomitant | VITAMINS | Verbatim name used | | | |
| 4811786 | 1006562404 | Primary Suspect Drug | CISPLATIN | Validated trade name used | INTRAVENOUS | 150MG | Positive dechallenge |
| 4811786 | 1006580006 | Secondary Suspect Drug | PEMETREXED | Verbatim name used | | | |
| 4811786 | 1006580007 | Concomitant | ATENOLOL | Validated trade name used | | | |
| 4811786 | 1006580008 | Concomitant | BISACODYL | Verbatim name used | | | |
| 4811786 | 1006580009 | Concomitant | DOCUSATE NA | Verbatim name used | | | |
| 4811786 | 1006580010 | Concomitant | CLOTRIMAZOLE | Validated trade name used | | | |
| 4811786 | 1006580011 | Concomitant | FUROSEMIDE | Validated trade name used | | | |
| 4811786 | 1006580012 | Concomitant | HYDROCODONE 5/ACETAMINOPHEN | Verbatim name used | | | |
| 4811786 | 1006580013 | Concomitant | MORPHINE | Validated trade name used | | | |

| Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|--------------------|----------------------------|------------|-------------------|
| Does not apply | Lot number of drug | or arag | 19865 | Derived Drug Name |
| | | | 10000 | |
| | | - | - | |
| | | - | 21485 | |
| Does not apply | 13MMR | 20060831 | 21228 | |
| Does not apply | | - | - | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|--|-------------------|---------------------------------|---------------------------------|---|---|
| 4811786 | 1006580014 | Concomitant | SPIRONOLACTONE | Validated trade name used | | | |
| 4811786 | 1006580015 | Concomitant | TEMAZEPAM | Validated trade name used | | | |
| 4813034 | 1006566431 | Primary Suspect Drug | PHENYTOIN SODIUM | Validated trade name used | ORAL | 300 MG (100 MG, 3 IN 1 D), ORAL | Does not apply |
| 4813034 | 1006601168 | Secondary Suspect Drug | DONEPEZIL HCL | Validated trade name used | | 5 MG (1 IN 1 D), | Positive dechallenge |
| 4813034 | 1006601169 | Secondary Suspect Drug | LAMOTRIGINE | Validated trade name used | ORAL | 125 MG (1 IN 1 D), ORAL | Positive dechallenge |
| 4815387 | 1006574695 | Primary Suspect Drug | AREDIA | Validated trade name used | | | |
| 4815387 | 1006596772 | Secondary Suspect Drug | ZOLEDRONIC ACID | Verbatim name used | | | |
| 4815387 | 1006596773 | Concomitant | DOXORUBICIN HCL | Validated trade name used | | | |
| 4815387 | 1006596775 | Concomitant | VINCRISTINE | Validated trade name used | | | |
| 4815387 | 1006596777 | Concomitant | DEXAMETHASONE | Validated trade name used | | | |
| 4815387 | 1006596785 | Concomitant | ANABOLIC STEROIDS | Verbatim name used | | | |
| 4815387 | 1006596787 | Concomitant | THALIDOMIDE | Verbatim name used | | | |
| 4815387 | 1006596788 | Concomitant | CYCLOPHOSPHAMIDE | Validated trade name used | | | |
| 4815387 | 1006596790 | Secondary Suspect Drug | REVLIMID | Validated trade name used | | | |
| 4817144 | 1006582227 | Primary Suspect Drug | ZOMETA | Validated trade name used | INTRAVENOUS | 4 MG, QMO, INTRAVENOUS | Negative dechallenge |

| Rechallenge code (reaction when drug | | Expiration date | | |
|---|--------------------|-------------------------|------------|-------------------|
| (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
| | | - | - | |
| | | - | <u>-</u> | |
| | | | | |
| Does not apply | | - | 84349 | |
| Does not apply | | - | - | |
| Does not apply | | _ | _ | |
| воез посарріу | | | - | |
| | | - | 75841 | |
| | | - | _ | |
| | | | | |
| | | - | · | |
| | | - | - | |
| | | - | <u>-</u> | |
| | | | | |
| | | - | - | |
| | | - | - | |
| | | _ | _ | |
| | | - | - - | |
| | | - | - | |
| Does not apply | | _ | 21223 | |

| Report's unique | Number for identifying drug from Report's unique number | Code for the role drug played | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, | Dechallenge code (reaction when drug |
|--------------------|---|-------------------------------|-----------------------|---------------------------------|---------------------------------|---|---|
| number 4817145 | 1006582228 | in event Primary Suspect | Name of drug ZOMETA | Validated trade | auriiriistratiori | frequency and route | therapy stopped) Unknown |
| | | Drug | | name used | | | |
| 4817146 | 1006582230 | Primary Suspect Drug | ZOMETA | Validated trade name used | | 4 MG PER MONTH, INFUSION | Does not apply |
| 4817146 | 1006612746 | Concomitant | PREDNISONE TAB | Validated trade name used | | | |
| 4817148 | 1006582233 | Primary Suspect Drug | ZOMETA | Validated trade name used | | | Unknown |
| 4817149 | 1006582234 | Primary Suspect Drug | ZOMETA | Validated trade name used | INTRAVENOUS | 4 MG, ONCE/SINGLE, INTRAVENOUS | Positive dechallenge |
| 4817149 | 1006612769 | Concomitant | ATENOLOL | Validated trade name used | | | |
| 4817149 | 1006612771 | Concomitant | CASODEX | Validated trade name used | | | |
| 4817149 | 1006612773 | Concomitant | LISINOPRIL | Validated trade name used | | | |
| 4817149 | 1006612777 | Concomitant | PERCOCET | Validated trade name used | | | |
| 4817159 | 1006582292 | Primary Suspect Drug | ZOMETA | Validated trade name used | INTRAVENOUS | 4 MG IN JAN, FEB AND MAR 2005, INTRAVENOUS | Negative dechallenge |
| 4817159 | 1006612783 | Concomitant | MEGASTROL (MEGESTROL) | Verbatim name used | | | |
| 4817159 | 1006612784 | Concomitant | LIPITOR | Validated trade name used | | | |
| 4817159 | 1006612785 | Concomitant | TAXOL | Validated trade name used | | | |
| 4817167 | 1006582324 | Primary Suspect Drug | ZOMETA | Validated trade name used | INTRAVENOUS | 4 MG, INTRAVENOUS | Unknown |
| 4819355 | 1006590009 | Primary Suspect Drug | SYMLIN | Validated trade name used | SUBCUTANEOUS | 30 MCG;TID;SC | Does not apply |

| Rechallenge code (reaction when drug | | Expiration date | | |
|---|--------------------|-------------------------|------------|-------------------|
| (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
| Unknown | | - | 21223 | |
| Does not apply | | - | 21223 | |
| | | - | - | |
| Unknown | | - | 21223 | |
| Does not apply | | - | 21223 | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| Does not apply | | - | 21223 | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| Unknown | | - | 21223 | |
| Does not apply | | - | 21332 | |
| | | - | 21223 | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) |
|------------------------------|---|---|---|------------------------------------|---------------------------------|---|--|--|
| 4819355 | 1006713366 | Concomitant | HUMALOG | Validated trade name used | | | | |
| 4820164 | 1006592680 | Primary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | 2.41 X 10 ⁶ CD34/KG 041 | Does not apply | Does not apply |
| 4820164 | 1006612262 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | 4.62 X 10 ^6 CD34/KG 041 | Does not apply | Does not apply |
| 4821833 | 1006599623 | Primary Suspect Drug | LAMISIL | Validated trade name used | ORAL | 250 MG, QD | | |
| 4826267 | 1006616466 | Primary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | 13.61 X10 ^6 CD34/KG 041 | Does not apply | Does not apply |
| 4826267 | 1006627645 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | 14.89 X10 ^6 CD34/KG 041 | Does not apply | Does not apply |
| 4826274 | 1006616477 | Primary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | 6.77 X 10 ^6 CD34/KG 041 | Does not apply | Does not apply |
| 4826360 | 1006616799 | Primary Suspect Drug | DOLOPHINE HCL | Validated trade name used | ORAL | PO | Does not apply | Does not apply |
| 4826360 | 1006646257 | Secondary Suspect Drug | ALPRAZOLAM | Validated trade name used | ORAL | PO | Does not apply | Does not apply |
| 4826360 | 1006646259 | Secondary Suspect Drug | BIVALIRUDIN | Verbatim name used | INTRAVENOUS | SEE TEXT, IV | Does not apply | Does not apply |
| 4826360 | 1006646263 | Secondary Suspect Drug | ONDANSETRON HCL | Validated trade name used | ORAL | PO | Does not apply | Does not apply |

| Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|--------------------|----------------------------|------------|-------------------|
| | - | - | |
| KO19846 | 20051001 | - | |
| KO19853 | 20051001 | - | |
| | - | 20539 | |
| K019835 | 20051001 | - | |
| K019843 | 20051001 | - | |
| KO19882 | 20051001 | - | |
| | - | 6134 | |
| | - | - | |
| | - | - | |
| | - | - | |
| | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug |
|------------------------------|---|---|----------------------|---------------------------------------|---------------------------------|---|--|--|--------------------------|
| 4826360 | 1006646285 | Concomitant | OMEPRAZOLE | Validated trade name used | | | | | |
| 4826360 | 1006646287 | Concomitant | QUINAPRIL | Validated trade name used | | | | | |
| 4826360 | 1006646291 | Concomitant | DILTIAZEM | Validated trade name used | | | | | |
| 4826360 | 1006646292 | Concomitant | WARFARIN SODIUM | Validated trade name used | | | | | |
| 4826360 | 1006646294 | Concomitant | HYDROXYZINE | Validated trade name used | | | | | |
| 4826360 | 1006646295 | Concomitant | INSULIN | Validated trade name used | | | | | |
| 4826360 | 1006646297 | Concomitant | METOCLOPRAMIDE | Validated trade name used | | | | | |
| 4826360 | 1006646299 | Concomitant | PANOCASE | Verbatim name used | | | | | |
| 4826360 | 1006646300 | Concomitant | QUININE | Verbatim name used | | | | | |
| 4826360 | 1006646303 | Concomitant | MIRTAZAPINE | Validated trade name used | | | | | |
| 4826360 | 1006646304 | Concomitant | LEVOTHYROXINE SODIUM | Validated trade name used | | | | | |

| Expiration date of drug | | NDA number | | Derived Drug Name | |
|-------------------------|---|------------|---|-------------------|---|
| | | NDA number | | Derived Drug Name | — |
| | - | | - | | |
| | | | | | |
| | - | | - | | |
| | | | | | |
| | - | | - | | |
| | | | | | |
| | - | | - | | |
| | | | | | |
| | - | | - | | |
| | | | | | |
| | - | | - | | |
| | | | | | |
| | _ | | - | | |
| | | | | | |
| | | | | | |
| | - | | - | | |
| | - | | - | | |
| | | | | | |
| | - | | - | | |
| | | | | | |
| | - | | - | | |
| | | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug |
|------------------------------|---|--|----------------|---------------------------------------|---------------------------------|---|--|---|--------------------------|-------------------------------|
| 4826360 | 1006646310 | Concomitant | PENTOXIFYLLINE | Validated trade name used | | | | | | - |
| 4826360 | 1006646314 | Concomitant | TERAZOSIN HCL | Validated trade name used | | | | | | - |
| 4826360 | 1006646315 | Concomitant | SIMVASTATIN | Validated trade name used | | | | | | - |
| 4828303 | 1006624790 | Primary Suspect Drug | MARCAINE | Validated trade name used | EPIDURAL | | | | | - |
| 4828303 | 1006624791 | Secondary Suspect Drug | DIPRIVAN | Validated trade name used | INTRAVENOUS | INDUCTION | | | | - |
| 4828303 | 1006624792 | Secondary Suspect Drug | DIPRIVAN | Validated trade name used | INTRAVENOUS | INDUCTION | | | | - |
| 4828303 | 1006624793 | Secondary Suspect Drug | DIPRIVAN | Validated trade name used | INTRAVENOUS | MAINTENANCE | | | | - |
| 4828303 | 1006624794 | Secondary Suspect Drug | DIPRIVAN | Validated trade name used | INTRAVENOUS | MAINTENANCE | | | | - |

| NDA number | | Derived Drug Name |
|------------|-------|-------------------|
| | - | |
| | | |
| | - | |
| | _ | |
| | | |
| | 18304 | |
| | | |
| | 19627 | |
| | | |
| | 19627 | |
| | 19627 | |
| | 19027 | |
| | 19627 | |
| | | |
| | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug |
|------------------------------|---|--|---------------------------------|---------------------------------------|---------------------------------|---|---|---|--------------------------|-------------------------------|
| 4828303 | 1006624795 | Secondary Suspect Drug | CEFAMEZIN ALPHA | Verbatim name used | INTRAVENOUS | | | | | - |
| 4828303 | 1006624796 | Secondary Suspect Drug | MUSCULAX | Verbatim name used | INTRAVENOUS | | | | | - |
| 4828303 | 1006624797 | Secondary Suspect Drug | MUSCULAX | Verbatim name used | INTRAVENOUS | | | | | - |
| 4828303 | 1006624798 | Secondary Suspect Drug | AUTOLOGOUS BLOOD TRANSFUSION | Verbatim name used | | | | | | - |
| 4828303 | 1006624799 | Concomitant | CONTRAST MEDIA | Verbatim name used | | | | | | - |
| 4828303 | 1006624800 | Concomitant | XYLOCAINE | Validated trade name used | EPIDURAL | | | | | - |
| 4828303 | 1006624801 | Concomitant | XYLOCAINE | Validated trade name used | OTHER | TEST DOSE | | | | - |
| 4828303 | 1006624802 | Concomitant | MORPHINE | Validated trade name used | EPIDURAL | | | | | - |
| 4828303 | 1006624803 | Concomitant | ATROPINE SULFATE | Validated trade name used | INTRAVENOUS | | | | | - |

Project: AERS 2006Q1
Page 95 of 827
14SEP2015

| NDA number | | Derived Drug Name | |
|------------|---|-------------------|--|
| | - | | |
| | | | |
| | _ | | |
| | | | |
| | | | |
| | - | | |
| | | | |
| | - | | |
| | | | |
| | - | | |
| | | | |
| | | | |
| | - | | |
| | | | |
| | | | |
| | - | | |
| | | | |
| | | | |
| | - | | |
| | | | |
| | | | |
| | - | | |
| | | | |
| | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug |
|------------------------------|---|--|-------------------|---------------------------------------|---------------------------------|---|---|---|--------------------------|-------------------------------|
| 4828303 | 1006624804 | Concomitant | VAGOSTIGMIN | Verbatim name used | INTRAVENOUS | | | | | - |
| 4828303 | 1006624805 | Concomitant | PENTCILLIN | Verbatim name used | INTRAVENOUS | | | | | - |
| 4828303 | 1006624806 | Concomitant | FENTANEST | Verbatim name used | INTRAVENOUS | | | | | - |
| 4828303 | 1006624807 | Concomitant | GASTER | Verbatim name used | INTRAVENOUS | | | | | - |
| 4832882 | 1006644304 | Concomitant | GW679769 | Verbatim name used | ORAL | | | | | - |
| 4832882 | 1006644305 | Primary Suspect Drug | ONDANSETRON HCL | Validated trade name used | INTRAVENOUS | 32MG SINGLE DOSE | | | | - |
| 4832882 | 1006644306 | Secondary Suspect Drug | DEXAMETHASONE TAB | Validated trade name used | ORAL | | | | | - |
| 4832882 | 1006644307 | Concomitant | CISPLATIN | Validated trade name used | INTRAVENOUS | | | | | - |
| 4832882 | 1006644308 | Concomitant | VINORELBINE | Verbatim name used | INTRAVENOUS | | | | | - |

Project: AERS 2006Q1
Page 97 of 827
14SEP2015

| NDA number | _ | Derived Drug Name | _ |
|------------|-------|-------------------|---|
| | - | | |
| | | | |
| | - | | |
| | | | |
| | - | | |
| | | | |
| | - | | |
| | | | |
| | - | | |
| | | | |
| | 20007 | | |
| | | | |
| | - | | |
| | | | |
| | | | |
| | - | | |
| | | | |
| | - | | |
| | | | |
| | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug |
|------------------------------|---|--|---|---------------------------------------|---------------------------------|---|---|---|--------------------------|-------------------------------|
| 4833762 | 1006646649 | Primary Suspect Drug | DEPO-PROVERA SUSPENSION/INJ | Validated trade name used | INTRAMUSCULAR | EVERY 3 MOS. IM | Negative dechallenge | Does not apply | | - |
| 4833775 | 1006646665 | Primary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | | | | | - |
| 4834797 | 1006650318 | Primary Suspect Drug | ALPRAZOLAM | Validated trade name used | ORAL | ORAL | Unknown | Unknown | | - |
| 4834797 | 1006674751 | Secondary Suspect Drug | BIVALIRUDIN | Verbatim name used | INTRAVENOUS | 3.2ML BOLUS THEN 4 ML/HR TO 28 ML/HR), INTRAVENOUS | Does not apply | Does not apply | | - |
| 4834797 | 1006674753 | Secondary Suspect Drug | DOLOPHINE HCL | Validated trade name used | ORAL | ORAL | Unknown | Unknown | | - |
| 4834797 | 1006674755 | Secondary Suspect Drug | ONDANSETRON HCL | Validated trade name used | ORAL | ORAL | Unknown | Unknown | | - |
| 4834797 | 1006674756 | Concomitant | ACCUPRIL | Validated trade name used | | | | | | - |
| 4834797 | 1006674757 | Concomitant | CARDIZEM | Validated trade name used | | | | | | - |

Project: AERS 2006Q1
Page 99 of 827
14SEP2015

| NDA number | Derived Drug Name |
|--------------|-------------------|
| - | |
| | |
| - | |
| | |
| | |
| 18276 | |
| | |
| - | |
| | |
| _ | |
| | |
| | |
| - | |
| | |
| - | |
| | |
| _ | |
| - | |
| | |
| | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug |
|------------------------------|---|--|-----------------|---------------------------------------|---------------------------------|---|--|---|--------------------------|-------------------------------|
| 4834797 | 1006674759 | Concomitant | WARFARIN SODIUM | Validated trade name used | | | | | | - |
| 4834797 | 1006674761 | Concomitant | HYDROXYZINE | Validated trade name used | | | | | | - |
| 4834797 | 1006674762 | Concomitant | REGLAN | Validated trade name used | | | | | | - |
| 4834797 | 1006674763 | Concomitant | INSULIN | Validated trade name used | | | | | | - |
| 4834797 | 1006674766 | Concomitant | PANCRELIPASE | Verbatim name used | | | | | | - |
| 4834797 | 1006674770 | Concomitant | QUININE | Verbatim name used | | | | | | - |
| 4834797 | 1006674787 | Concomitant | REMERON | Validated trade name used | | | | | | - |
| 4834797 | 1006674793 | Concomitant | SYNTHROID | Validated trade name used | | | | | | - |
| 4834797 | 1006674829 | Concomitant | PENTOXYPHYLLINE | Verbatim name used | | | | | | - |

Project: AERS 2006Q1
Page 101 of 827
14SEP2015

| | NDA number | | Derived Drug Name | |
|--------------|------------|---|-------------------|--|
| | | - | | |
| | | | | |
| | | | | |
| | | - | | |
| | | | | |
| | | | | |
| | | _ | | |
| | | | | |
| | | | | |
| | | | | |
| | | - | | |
| | | | | |
| | | | | |
| | | - | | |
| | | | | |
| | | - | | |
| | | | | |
| - | | | | |
| | | - | | |
| | | | | |
| | | | | |
| - | | - | | |
| - | | | | |
| - | | | | |
| | | - | | |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug |
|------------------------------|---|--|--|---------------------------------------|---------------------------------|---|---|---|--------------------------|-------------------------------|
| 4834797 | 1006674851 | Concomitant | TERAZOSIN HCL | Validated trade name used | | | | | | - |
| 4834797 | 1006674867 | Concomitant | ZOCOR | Validated trade name used | | | | | | - |
| 4838069 | 1006664089 | Primary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | 5.97 X 10 ⁶ CD34/KG 041 | Does not apply | Does not apply | | - |
| 4838069 | 1006690892 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | 4.82 X 10 ⁶ CD34/KG 041 | Does not apply | Does not apply | KO2004 0 | 20051101 |
| 4840105 | 1006670788 | Primary Suspect Drug | BENADRYL | Validated trade name used | ORAL | 6 OR 7 TABS, ONCE, ORAL | Does not apply | Does not apply | 04213S | 20060930 |
| 4840105 | 1006693739 | Secondary Suspect Drug | MOTRIN | Validated trade name used | ORAL | ONE, ONCE, ORAL | Does not apply | Does not apply | | - |
| 4840105 | 1006693817 | Secondary Suspect Drug | THERAFLU | Verbatim name used | ORAL | 2, ONCE, ORAL | Does not apply | Does not apply | | - |
| 4840105 | 1006693842 | Secondary Suspect Drug | MEDINITE (DEXTROMETHORPHAN HYDROBROMIDE, DOXYLAMINE SUCCINATE, EPHEDRI | Verbatim name used | ORAL | ONCE, ORAL | Does not apply | Does not apply | | - |

Project: AERS 2006Q1
Page 103 of 827
14SEP2015

| NDA number | | Derived Drug Name | |
|------------|-------|-------------------|--|
| | - | | |
| | | | |
| | | | |
| | - | | |
| | | | |
| | | | |
| | - | | |
| | | | |
| | | | |
| | - | | |
| | | | |
| | | | |
| | 5845 | | |
| | 30.10 | | |
| | | | |
| | _ | | |
| | - | | |
| | | | |
| | | | |
| | - | | |
| | | | |
| | - | | |
| | | | |
| | | | |
| | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|---|---|------------------------------------|---------------------------------|---|--|
| 4843170 | 1006681888 | Primary Suspect Drug | PREMARIN | Validated trade name used | | | Does not apply |
| 4843170 | 1006687377 | Secondary Suspect Drug | MEDROXYPROGESTERONE | Validated trade name used | | | Does not apply |
| 4843170 | 1006687378 | Secondary Suspect Drug | PROVERA | Validated trade name used | | | Does not apply |
| 4846119 | 1006693270 | Primary Suspect Drug | DEPO-PROVERA SUSPENSION/INJ | Validated trade name used | INTRAMUSCULAR | 150 MG (150 MG, EVERY 90 DAYS, 1ST INJECTION), INTRAMUSCULAR | Does not apply |
| 4846119 | 1006720722 | Concomitant | NUVARING (ETHINYLESTRADIOL, ETONOGESTREL) | Verbatim name used | | | |
| 4846435 | 1006694159 | Primary Suspect Drug | DEPO-PROVERA SUSPENSION/INJ | Validated trade name used | INTRAMUSCULAR | SEE IMAGE | Does not apply |
| 4847003 | 1006696440 | Primary Suspect Drug | RAPAMUNE | Validated trade name used | | | Does not apply |
| 4847003 | 1006725071 | Concomitant | CORTICOSTEROID NOS | Verbatim name used | | | |
| 4847053 | 1006696663 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | RECEIVED SIX DOSES | |
| 4847053 | 1006696664 | Concomitant | METHOTREXATE | Validated trade name used | | | |
| 4847638 | 1006698536 | Primary Suspect Drug | DEPO-PROVERA SUSPENSION/INJ | Validated trade name used | INTRAMUSCULAR | 150 MG (150 MG, SINGLE INJECTION), INTRAMUSCULAR | Positive dechallenge |

| Rechallenge code (reaction when drug | | Expiration date | | |
|---|--------------------|-----------------|--------------------|-------------------|
| therapy restarted) | Lot number of drug | of drug | NDA number 4782 | Derived Drug Name |
| Does not apply | | - | 4702 | |
| Does not apply | | - | - | |
| Does not apply | | - | - | |
| Does not apply | 05K703 | 20070831 | 20246 | |
| | | - | - | |
| Does not apply | | - | 20246 | |
| Does not apply | | - | 21083 | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| Does not apply | | - | 20246 | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route |
|------------------------------|---|--|-------------------------------------|---------------------------------|---------------------------------|---|
| 4847706 | 1006698669 | Primary Suspect Drug | NAPROXEN | Validated trade name used | ORAL | ORAL |
| 4847706 | 1006723545 | Concomitant | SERVICEF (CEFALEXIN) | Verbatim name used | | |
| 4847706 | 1006723548 | Concomitant | CEFUROXIME | Validated trade name used | | |
| 4847706 | 1006723549 | Concomitant | RANITIDINE | Validated trade name used | | |
| 4847706 | 1006723550 | Concomitant | METOCLOPRAMIDE | Validated trade name used | | |
| 4847706 | 1006723551 | Concomitant | NIMESULIDE (NIMESULIDE) | Verbatim name used | | |
| 4847706 | 1006723553 | Concomitant | NAPROXEN | Validated trade name used | | |
| 4847706 | 1006723558 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | | |
| 4852120 | 1006715372 | Primary Suspect Drug | RAPTIVA | Validated trade name used | | |
| 4852895 | 1006718379 | Primary Suspect Drug | CODEINE PHOSPHATE AND ACETAMINOPHEN | Validated trade name used | | |
| 4852895 | 1006759277 | Secondary Suspect Drug | NAPROXEN | Validated trade name used | | |
| 4852895 | 1007311837 | Secondary Suspect Drug | IBUPROFEN | Validated trade name used | | |
| 4854233 | 1006722432 | Primary Suspect Drug | EYE TISSUE HUMAN | Validated trade name used | | |
| 4865588 | 1006759846 | Primary Suspect Drug | MYOBLOC | Validated trade name used | INTRAMUSCULAR | SEE IMAGE |
| 4865588 | 1006774466 | Concomitant | ZELNORM /USA/ | Verbatim name used | | |
| 4867362 | 1006767685 | Primary Suspect Drug | ALKERAN | Validated trade name used | | |
| 4867362 | 1006789786 | Secondary Suspect Drug | FLUDARABINE PHOSPHATE | Validated trade name used | INTRAVENOUS | INTRAVENOUS |
| 4867362 | 1006789787 | Secondary Suspect Drug | ALEMTUZUMAB | Verbatim name used | INTRAVENOUS | INTRAVENOUS |
| 4867362 | 1006789789 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | | |
| 4867362 | 1006789792 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | | |
| 4867362 | 1006789793 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | | |
| 4867362 | 1006789795 | Concomitant | GLUCOCORTICOID | Verbatim name used | | |
| 4867362 | 1006789797 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | |
| 4867362 | 1006789798 | Secondary Suspect Drug | FILGRASTIM | Verbatim name used | SUBCUTANEOUS | SUBCUTANEOUS |

| Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|---|--------------------|----------------------------|------------|-------------------|
| Unknown | Unknown | | | 70443 | |
| | | | - | | |
| | | | - | - | |
| | | | - | | |
| | | | - | - | |
| | | | • | - | |
| | | | - | - | |
| Halan arm | Dave and south | | - | - | |
| Unknown | Does not apply | | • | - | |
| Does not apply | Does not apply | | • | 40419 | |
| | | | • | - | |
| | | | | | |
| Does not apply | Does not apply | | | . <u>-</u> | |
| 11 7 | 11.7 | | | | |
| | Does not apply | | | - 14691 | |
| | Does not apply | | | | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | - | |
| | Does not apply | | - | | |
| | Does not apply | | - | - | |
| | | | - | | |
| | Does not apply | | <u> </u> | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route |
|------------------------------|---|--|-------------------------------------|---------------------------------|---------------------------------|---|
| 4867362 | 1006789799 | Concomitant | ANTIBACTERIAL | Verbatim name used | ORAL | ORAL |
| 4867362 | 1006789802 | Concomitant | ANTIFUNGAL | Verbatim name used | | |
| 4867362 | 1006789803 | Concomitant | ANTI-VIRAL MEDICATION | Verbatim name used | | |
| 4867362 | 1006789806 | Secondary Suspect Drug | COTRIM DS | Validated trade name used | ORAL | ORAL |
| 4867364 | 1006767690 | Primary Suspect Drug | ALKERAN | Validated trade name used | | |
| 4867364 | 1006789905 | Secondary Suspect Drug | FLUDARABINE PHOSPHATE | Validated trade name used | INTRAVENOUS | INTRAVENOUS |
| 4867364 | 1006789922 | Secondary Suspect Drug | ALEMTUZUMAB | Verbatim name used | INTRAVENOUS | INTRAVENOUS |
| 4867364 | 1006789939 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | | |
| 4867364 | 1006789940 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | | |
| 4867364 | 1006789941 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | | |
| 4867364 | 1006789942 | Concomitant | GLUCOCORTICOID | Verbatim name used | | |
| 4867364 | 1006789944 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | |
| 4867364 | 1006789946 | Secondary Suspect Drug | FILGRASTIM | Verbatim name used | SUBCUTANEOUS | SUBCUTANEOUS |
| 4867364 | 1006789947 | Concomitant | ANTIBACTERIAL | Verbatim name used | ORAL | ORAL |
| 4867364 | 1006789948 | Concomitant | ANTIFUNGAL | Verbatim name used | | |
| 4867364 | 1006789949 | Concomitant | ANTI-VIRAL MEDICATION | Verbatim name used | | |
| 4867364 | 1006789959 | Secondary Suspect Drug | COTRIM DS | Validated trade name used | ORAL | ORAL |
| 4867367 | 1006767694 | Primary Suspect Drug | ALKERAN | Validated trade name used | | |
| 4867367 | 1006790043 | Secondary Suspect Drug | FLUDARABINE PHOSPHATE | Validated trade name used | INTRAVENOUS | INTRAVENOUS |
| 4867367 | 1006790044 | Secondary Suspect Drug | ALEMTUZUMAB | Verbatim name used | INTRAVENOUS | INTRAVENOUS |
| 4867367 | 1006790045 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | | |
| 4867367 | 1006790047 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | | |
| 4867367 | 1006790048 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | | |
| 4867367 | 1006790049 | Concomitant | GLUCOCORTICOID | Verbatim name used | | |

| Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|---|--------------------|----------------------------|------------|-------------------|
| | Does not apply | | - | - | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | - | |
| | Does not apply | | - | 14691 | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | - | |
| Does not apply | | | - | | |
| | Does not apply | | - | 14691 | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route |
|------------------------------|---|--|-------------------------------------|---------------------------------|---------------------------------|---|
| 4867367 | 1006790051 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | |
| 4867367 | 1006790052 | Secondary Suspect Drug | FILGRASTIM | Verbatim name used | SUBCUTANEOUS | SUBCUTANEOUS |
| 4867367 | 1006790053 | Concomitant | ANTIBACTERIAL | Verbatim name used | ORAL | ORAL |
| 4867367 | 1006790054 | Concomitant | ANTIFUNGAL | Verbatim name used | | |
| 4867367 | 1006790056 | Concomitant | ANTI-VIRAL MEDICATION | Verbatim name used | | |
| 4867367 | 1006790058 | Secondary Suspect Drug | COTRIM DS | Validated trade name used | ORAL | ORAL |
| 4867370 | 1006767702 | Primary Suspect Drug | ALKERAN | Validated trade name used | | |
| 4867370 | 1006790098 | Secondary Suspect Drug | FLUDARABINE PHOSPHATE | Validated trade name used | INTRAVENOUS | INTRAVENOUS |
| 4867370 | 1006790102 | Secondary Suspect Drug | ALEMTUZUMAB | Verbatim name used | INTRAVENOUS | INTRAVENOUS |
| 4867370 | 1006790105 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | | |
| 4867370 | 1006790107 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | | |
| 4867370 | 1006790109 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | | |
| 4867370 | 1006790111 | Concomitant | GLUCOCORTICOID | Verbatim name used | | |
| 4867370 | 1006790113 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | |
| 4867370 | 1006790115 | Secondary Suspect Drug | FILGRASTIM | Verbatim name used | SUBCUTANEOUS | SUBCUTANEOUS |
| 4867370 | 1006790117 | Concomitant | ANTIBACTERIAL | Verbatim name used | ORAL | ORAL |
| 4867370 | 1006790118 | Concomitant | ANTIFUNGAL | Verbatim name used | | |
| 4867370 | 1006790120 | Concomitant | ANTI-VIRAL MEDICATION | Verbatim name used | | |
| 4867370 | 1006790122 | Secondary Suspect Drug | COTRIM DS | Validated trade name used | ORAL | ORAL |
| 4867373 | 1006767712 | Primary Suspect Drug | ALKERAN | Validated trade name used | | |
| 4867373 | 1006790138 | Secondary Suspect Drug | FLUDARABINE PHOSPHATE | Validated trade name used | INTRAVENOUS | INTRAVENOUS |
| 4867373 | 1006790140 | Secondary Suspect Drug | ALEMTUZUMAB | Verbatim name used | INTRAVENOUS | INTRAVENOUS |
| 4867373 | 1006790141 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | | |
| 4867373 | 1006790142 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | | |

Project: AERS 2006Q1 ADVERSE EVENT REPORTING SYSTEM (AERS) Drug Listings

| Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|---|--------------------|-------------------------|------------|-------------------|
| | <u></u> | | - | | |
| | | | - | | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | 14691 | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | 14691 | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route |
|------------------------------|---|--|-------------------------------------|---------------------------------|---------------------------------|---|
| 4867373 | 1006790145 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | | |
| 4867373 | 1006790148 | Concomitant | GLUCOCORTICOID | Verbatim name used | | |
| 4867373 | 1006790149 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | |
| 4867373 | 1006790150 | Secondary Suspect Drug | FILGRASTIM | Verbatim name used | SUBCUTANEOUS | SUBCUTANEOUS |
| 4867373 | 1006790151 | Concomitant | ANTIBACTERIAL | Verbatim name used | ORAL | ORAL |
| 4867373 | 1006790152 | Concomitant | ANTIFUNGAL | Verbatim name used | | |
| 4867373 | 1006790153 | Concomitant | ANTI-VIRAL MEDICATION | Verbatim name used | | |
| 4867373 | 1006790158 | Secondary Suspect Drug | COTRIM DS | Validated trade name used | ORAL | ORAL |
| 4867375 | 1006767714 | Primary Suspect Drug | ALKERAN | Validated trade name used | | |
| 4867375 | 1006790176 | Secondary Suspect Drug | FLUDARABINE PHOSPHATE | Validated trade name used | INTRAVENOUS | INTRAVENOUS |
| 4867375 | 1006790178 | Secondary Suspect Drug | ALEMTUZUMAB | Verbatim name used | INTRAVENOUS | INTRAVENOUS |
| 4867375 | 1006790181 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | | |
| 4867375 | 1006790183 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | | |
| 4867375 | 1006790194 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | | |
| 4867375 | 1006790217 | Concomitant | GLUCOCORTICOID | Verbatim name used | | |
| 4867375 | 1006790219 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | |
| 4867375 | 1006790220 | Secondary Suspect Drug | FILGRASTIM | Verbatim name used | SUBCUTANEOUS | SUBCUTANEOUS |
| 4867375 | 1006790221 | Concomitant | ANTIBACTERIAL | Verbatim name used | ORAL | ORAL |
| 4867375 | 1006790222 | Concomitant | ANTIFUNGAL | Verbatim name used | | |
| 4867375 | 1006790411 | Concomitant | ANTI-VIRAL MEDICATION | Verbatim name used | | |
| 4867375 | 1006790414 | Secondary Suspect Drug | COTRIM DS | Validated trade name used | ORAL | ORAL |
| 4867377 | 1006767717 | Primary Suspect Drug | ALKERAN | Validated trade name used | | |
| 4867377 | 1006790542 | Secondary Suspect Drug | FLUDARABINE PHOSPHATE | Validated trade name used | | |
| 4867377 | 1006790543 | Secondary Suspect Drug | ALEMTUZUMAB | Verbatim name used | INTRAVENOUS | INTRAVENOUS |

| Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|---|--------------------|----------------------------|------------|-------------------|
| | Does not apply | | - | - | |
| | Does not apply | | - | | |
| | | | - | | |
| | | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - 14691 | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | | | - | - | |
| | | | - | - | |
| | Does not apply | | - | | |
| | Does not apply | | - | - | |
| | Does not apply | | - | | |
| | Does not apply | | - | | |
| | Does not apply | | - | - 14691 | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route |
|------------------------------|---|--|-------------------------------------|---------------------------------|---------------------------------|---|
| 4867377 | 1006790544 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | | |
| 4867377 | 1006790545 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | | |
| 4867377 | 1006790547 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | | |
| 4867377 | 1006790548 | Concomitant | GLUCOCORTICOID | Verbatim name used | | |
| 4867377 | 1006790550 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | |
| 4867377 | 1006790551 | Secondary Suspect Drug | FILGRASTIM | Verbatim name used | SUBCUTANEOUS | SUBCUTANEOUS |
| 4867377 | 1006790552 | Concomitant | ANTIBACTERIAL | Verbatim name used | ORAL | ORAL |
| 4867377 | 1006790553 | Concomitant | ANTIFUNGAL | Verbatim name used | | |
| 4867377 | 1006790554 | Concomitant | ANTI-VIRAL MEDICATION | Verbatim name used | | |
| 4867377 | 1006790555 | Secondary Suspect Drug | COTRIM DS | Validated trade name used | ORAL | ORAL |
| 4867384 | 1006767733 | Primary Suspect Drug | ALKERAN | Validated trade name used | | |
| 4867384 | 1006790724 | Secondary Suspect Drug | FLUDARABINE PHOSPHATE | Validated trade name used | INTRAVENOUS | INTRAVENOUS |
| 4867384 | 1006790725 | Secondary Suspect Drug | ALEMTUZUMAB | Verbatim name used | INTRAVENOUS | INTRAVENOUS |
| 4867384 | 1006790726 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | | |
| 4867384 | 1006790727 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | | |
| 4867384 | 1006790730 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | | |
| 4867384 | 1006790731 | Concomitant | GLUCOCORTICOID | Verbatim name used | | |
| 4867384 | 1006790732 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | | |
| 4867384 | 1006790733 | Secondary Suspect Drug | FILGRASTIM | Verbatim name used | SUBCUTANEOUS | SUBCUTANEOUS |
| 4867384 | 1006790734 | Concomitant | ANTIBACTERIAL | Verbatim name used | ORAL | ORAL |
| 4867384 | 1006790736 | Concomitant | ANTIFUNGAL | Verbatim name used | | |
| 4867384 | 1006790738 | Concomitant | ANTI-VIRAL MEDICATION | Verbatim name used | | |
| 4867384 | 1006790740 | Secondary Suspect Drug | COTRIM DS | Validated trade name used | ORAL | ORAL |
| 4867390 | 1006767761 | Primary Suspect Drug | ALKERAN | Validated trade name used | | |

| Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|---|--------------------|----------------------------|------------|-------------------|
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | 14691 | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | - | |
| | Does not apply | | - | 14691 | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration |
|------------------------------|--|--|-------------------------------------|---------------------------------|---------------------------------|
| 4867390 | 1006790064 | Secondary Suspect Drug | FLUDARABINE PHOSPHATE | Validated trade name used | INTRAVENOUS |
| 4867390 | 1006790066 | Secondary Suspect Drug | ALEMTUZUMAB | Verbatim name used | INTRAVENOUS |
| 4867390 | 1006790082 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | |
| 4867390 | 1006790083 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | |
| 4867390 | 1006790085 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | |
| 4867390 | 1006790086 | Concomitant | GLUCOCORTICOID | Verbatim name used | |
| 4867390 | 1006790087 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | |
| 4867390 | 1006790088 | Concomitant | ANTI-VIRAL MEDICATION | Verbatim name used | |
| 4867392 | 1006767776 | Primary Suspect Drug | ALKERAN | Validated trade name used | |
| 4867392 | 1006790882 | Secondary Suspect Drug | FLUDARABINE PHOSPHATE | Validated trade name used | INTRAVENOUS |
| 4867392 | 1006790885 | Secondary Suspect Drug | ALEMTUZUMAB | Verbatim name used | |
| 4867392 | 1006790887 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | |
| 4867392 | 1006790892 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | |
| 4867392 | 1006790895 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | |
| 4867392 | 1006790897 | Concomitant | GLUCOCORTICOID | Verbatim name used | |
| 4867392 | 1006790899 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | |
| 4867392 | 1006790900 | Secondary Suspect Drug | FILGRASTIM | Verbatim name used | SUBCUTANEOUS |
| 4867392 | 1006790902 | Concomitant | ANTIBACTERIAL | Verbatim name used | ORAL |
| 4867392 | 1006790931 | Concomitant | ANTIFUNGAL | Verbatim name used | |
| 4867392 | 1006790934 | Concomitant | ANTI-VIRAL MEDICATION | Verbatim name used | |
| 4867392 | 1006790942 | Secondary Suspect Drug | COTRIM DS | Validated trade name used | ORAL |
| 4867604 | 1006768378 | Primary Suspect Drug | ALKERAN | Validated trade name used | |
| 4867604 | 1006790096 | Secondary Suspect Drug | FLUDARABINE PHOSPHATE | Validated trade name used | INTRAVENOUS |
| 4867604 | 1006790100 | Secondary Suspect Drug | ALEMTUZUMAB | Verbatim name used | INTRAVENOUS |
| 4867604 | 1006790101 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | |

| Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|--|---|---|--------------------|-------------------------|------------|----------------------|
| INTRAVENOUS | | Does not apply | | - | - | |
| INTRAVENOUS | | Does not apply | | - | - | |
| | | Does not apply | | - | - | |
| | | Does not apply | | - | - | |
| | | Does not apply | | - | - | |
| | | Does not apply | | - | - | |
| | | | | - | - | |
| | | Does not apply | | - | - | |
| | | Does not apply | | - | 14691 | |
| INTRAVENOUS | | Does not apply | | - | - | |
| | | Does not apply | | - | - | |
| DAYS | | Does not apply | | - | _ | |
| | | Does not apply | | - | - | |
| | | Does not apply | | - | - | |
| | | Does not apply | | - | - | |
| | | | | - | - | |
| SUBCUTANEOUS | | | | - | - | |
| ORAL/MONTHS | | Does not apply | | - | - | |
| MONTHS | | Does not apply | | - | - | |
| MONTHS | | Does not apply | | - | - | |
| 2 TABLET/ORAL | | Does not apply | | - | - | |
| | | Does not apply | | - | 14691 | |
| INTRAVENOUS | | Does not apply | | - | - | |
| INTRAVENOUS | | Does not apply | | - | - | |
| | | Does not apply | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration |
|------------------------------|--|--|-------------------------------------|---------------------------------|---------------------------------|
| 4867604 | 1006790104 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | |
| 4867604 | 1006790106 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | |
| 4867604 | 1006790108 | Concomitant | GLUCORTICOID | Verbatim name used | |
| 4867604 | 1006790110 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | |
| 4867604 | 1006790112 | Secondary Suspect Drug | FILGRASTIM | Verbatim name used | SUBCUTANEOUS |
| 4867604 | 1006790114 | Concomitant | ANTIBACTERIAL | Verbatim name used | ORAL |
| 4867604 | 1006790119 | Concomitant | ANTIFUNGAL | Verbatim name used | |
| 4867604 | 1006790121 | Concomitant | ANTI-VIRAL MEDICATION | Verbatim name used | |
| 4867604 | 1006790123 | Secondary Suspect Drug | COTRIM DS | Validated trade name used | ORAL |
| 4867630 | 1006768432 | Primary Suspect Drug | ALKERAN | Validated trade name used | |
| 4867630 | 1006790806 | Concomitant | FLUDARABINE PHOSPHATE | Validated trade name used | INTRAVENOUS |
| 4867630 | 1006790809 | Secondary Suspect Drug | ALEMTUZUMAB | Verbatim name used | INTRAVENOUS |
| 4867630 | 1006790810 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | |
| 4867630 | 1006790811 | Secondary Suspect Drug | ACETAMINOPHEN | Validated trade name used | |
| 4867630 | 1006790813 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | |
| 4867630 | 1006790816 | Concomitant | GLUCOCORTICOID | Verbatim name used | |
| 4867630 | 1006790818 | Secondary Suspect Drug | HEMATOPOETIC PROGENITOR CELLS HUMAN | Validated trade name used | |
| 4867630 | 1006790819 | Secondary Suspect Drug | FILGRASTIM | Verbatim name used | |
| 4867630 | 1006790820 | Concomitant | ANTIBACTERIAL | Verbatim name used | ORAL |
| 4867630 | 1006790822 | Concomitant | ANTIFUNGAL | Verbatim name used | |
| 4867630 | 1006790823 | Concomitant | ANTI-VIRAL MEDICATION | Verbatim name used | |
| 4867630 | 1006790825 | Secondary Suspect Drug | COTRIM DS | Validated trade name used | ORAL |
| 4869006 | 1006773747 | Primary Suspect Drug | RALOXIFENE HCL | Validated trade name used | ORAL |
| 4869006 | 1006795874 | Concomitant | SUCRALFATE | Validated trade name used | |
| 4869006 | 1006795876 | Concomitant | BAYSPIRIN (ACETYLSALICYLIC ACID) | Verbatim name used | |

| Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|--|---|---|--------------------|-------------------------|------------|----------------------|
| | | Does not apply | | - | | |
| | | Does not apply | | - | | |
| | Does not apply | | | - | | |
| | | | | - | | |
| SUBCUTANEOUS | | | | - | | |
| ORAL | | Does not apply | | - | | |
| | | Does not apply | | - | | |
| | | Does not apply | | - | | |
| ORAL | | Does not apply | | - | | |
| | | Does not apply | | - | 14691 | |
| INTRAVENOUS | | Does not apply | | - | | |
| INTRAVENOUS | | Does not apply | | - | | |
| | | Does not apply | | - | | |
| | | Does not apply | | - | | |
| | | Does not apply | | - | | |
| | | Does not apply | | - | | |
| | | | | - | | |
| SUBCUTANEOUS | | | | - | | |
| ORAL | | Does not apply | | - | | |
| | | Does not apply | | - | | |
| | | Does not apply | | - | | |
| ORAL | | Does not apply | | - | | |
| 60 MG, DAILY (1/D), ORAL | Does not apply | Does not apply | | - | 20815 | |
| | | | | - | | |
| | | | | - | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration |
|------------------------------|---|--|---------------------------------|---------------------------------|---------------------------------|
| 4869006 | 1006795877 | Concomitant | LANSOPRAZOLE | Validated trade name used | |
| 4869006 | 1006795880 | Concomitant | SELBEX (TEPRENONE) | Verbatim name used | |
| 4869006 | 1006795881 | Concomitant | ASPARA-CA (ASPARTATE CALCIUM) | Verbatim name used | |
| 4870242 | 1006778880 | Primary Suspect Drug | MARCAINE | Validated trade name used | INTRATHECAL |
| 4870242 | 1006778881 | Concomitant | MIDAZOLAM HYDROCHLORIDE | Validated trade name used | INTRAVENOUS |
| 4870242 | 1006778882 | Concomitant | VALSARTAN + HYDROCHLOROTHIAZIDE | Verbatim name used | ORAL |
| 4870242 | 1006778883 | Concomitant | FLAVONOIDES | Verbatim name used | ORAL |
| 4870242 | 1006778884 | Concomitant | FUROSEMIDE | Validated trade name used | ORAL |
| 4870242 | 1006778885 | Concomitant | ATORVASTATIN | Verbatim name used | ORAL |
| 4870243 | 1006778886 | Primary Suspect Drug | IRESSA | Validated trade name used | ORAL |
| 4870243 | 1006778887 | Secondary Suspect Drug | IRESSA | Validated trade name used | ORAL |
| 4870243 | 1006778888 | Concomitant | LUVOX | Validated trade name used | ORAL |
| 4870243 | 1006778889 | Concomitant | ERYTHROCIN | Validated trade name used | ORAL |
| 4870243 | 1006778890 | Concomitant | VERAPAMIL | Validated trade name used | ORAL |
| 4870243 | 1006778891 | Concomitant | HYPEN | Verbatim name used | ORAL |
| 4870243 | 1006778892 | Concomitant | PRIMPERAN INJ | Validated trade name used | ORAL |
| 4870243 | 1006778893 | Concomitant | FRANDOL S | Verbatim name used | ORAL |
| 4870243 | 1006778894 | Concomitant | DILTIAZEM HCL | Validated trade name used | ORAL |
| 4870243 | 1006778895 | Concomitant | BUFFERIN | Validated trade name used | ORAL |
| 4870243 | 1006778896 | Concomitant | ROCORNAL | Verbatim name used | ORAL |
| 4870243 | 1006778897 | Concomitant | RADIOTHERAPY | Verbatim name used | |
| 4870243 | 1006778898 | Concomitant | DOCETAXEL | Verbatim name used | |
| 4870243 | 1006778899 | Concomitant | CARBOPLATIN | Validated trade name used | |
| 4870244 | 1006778900 | Primary Suspect Drug | SEROQUEL | Validated trade name used | ORAL |
| 4870244 | 1006778901 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL |
| 4870244 | 1006778902 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL |

Project: AERS 2006Q1

| | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|----------|--|---|---|-----------------------|-------------------------|------------|----------------------|
| | | | | | - | | |
| | | | | | - | | |
| | | | | | - | | |
| | | | | GE23011 | - | 71202 | |
| | | | | | - | - | |
| | | | | | - | - | |
| | | | | | - | - | |
| | | | | | - | | |
| | | | | | - | - | |
| | | | | | - | 21399 | |
| | | | | | - | 21399 | |
| | | | | | - | | |
| | | | | | - | | |
| | | | | | - | - | |
| | | | | | - | | |
| | | | | | - | | |
| | | | | | - | | |
| | | | | | - | | |
| | | | | | - | | |
| | | | | | - | | |
| | | | | | - | | |
| 1 COURSE | | | | | - | | |
| 1 COURSE | | | | | - | | |
| | | | | | - | 20639 | |
| | | | | | - | 20639 | |
| | | | | | - | 20639 | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route |
|------------------------------|---|--|-----------------------|---------------------------------|---------------------------------|---|
| 4870244 | 1006778903 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL | |
| 4870244 | 1006778904 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL | |
| 4870244 | 1006778905 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL | |
| 4870244 | 1006778906 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL | |
| 4870244 | 1006778907 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL | |
| 4870244 | 1006778908 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL | |
| 4870244 | 1006778909 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL | |
| 4870244 | 1006778910 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL | |
| 4870244 | 1006778911 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL | |
| 4870244 | 1006778912 | Secondary Suspect Drug | SOLIAN | Verbatim name used | | |
| 4870244 | 1006778913 | Concomitant | ERGENYL | Verbatim name used | ORAL | |
| 4870244 | 1006778914 | Concomitant | ERGENYL | Verbatim name used | ORAL | |
| 4870244 | 1006778915 | Concomitant | TAXILAN | Verbatim name used | ORAL | |
| 4870244 | 1006778916 | Concomitant | TAXILAN | Verbatim name used | ORAL | |
| 4870244 | 1006778917 | Concomitant | TAXILAN | Verbatim name used | ORAL | |
| 4870245 | 1006778918 | Primary Suspect Drug | BONIVA | Validated trade name used | ORAL | |
| 4870246 | 1006778919 | Primary Suspect Drug | MYCOPHENOLATE MOFETIL | Verbatim name used | ORAL | |

| Dechallenge code (reaction when drug | Rechallenge code (reaction when drug | | Expiration date | | |
|---|---|--------------------|-----------------|------------|-------------------|
| therapy stopped) | therapy restarted) | Lot number of drug | of drug | NDA number | Derived Drug Name |
| | | | - | 20639 | |
| | | | - | 20639 | |
| | | | - | 20639 | |
| | | | - | 20639 | |
| | | | - | 20639 | |
| | | | - | 20639 | |
| | | | - | 20639 | |
| | | | - | 20639 | |
| | | | - | 20639 | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | 21455 | |
| | | | <u>-</u> | 50722 | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|--|---------------------------------|---------------------------------|---------------------------------|---|--|
| 4870246 | 1006778920 | Secondary Suspect Drug | TACROLIMUS | Verbatim name used | ORAL | | |
| 4870247 | 1006778921 | Primary Suspect Drug | XELODA | Validated trade name used | ORAL | DOSING FREQUENCY: CYCLICAL. | |
| 4870247 | 1006778922 | Secondary Suspect Drug | PYRIDOXINE HYDROCHLORIDE INJ | Validated trade name used | UNKNOWN | | |
| 4870247 | 1006778923 | Secondary Suspect Drug | BONEFOS | Verbatim name used | ORAL | | |
| 4870248 | 1006778924 | Primary Suspect Drug | IRESSA | Validated trade name used | ORAL | | |
| 4870249 | 1006778925 | Primary Suspect Drug | DIPRIVAN | Validated trade name used | INTRAVENOUS | UNSPECIFIED | |
| 4870249 | 1006778926 | Secondary Suspect Drug | DIPRIVAN | Validated trade name used | INTRAVENOUS | UNSPECIFIED | |
| 4870250 | 1006778927 | Primary Suspect Drug | ANAPEINE | Verbatim name used | EPIDURAL | | |
| 4870250 | 1006778928 | Secondary Suspect Drug | ANAPEINE | Verbatim name used | EPIDURAL | | |
| 4870250 | 1006778929 | Concomitant | MARCAINE | Validated trade name used | INTRATHECAL | | |
| 4870250 | 1006778930 | Concomitant | PROCAINE HYDROCHLORIDE INJ | Validated trade name used | SUBCUTANEOUS | | |
| 4870251 | 1006778931 | Primary Suspect Drug | XYLOCAINE | Validated trade name used | | | |
| 4870251 | 1006778932 | Secondary Suspect Drug | XYLOCAINE | Validated trade name used | | | |
| 4870251 | 1006778933 | Secondary Suspect Drug | LINISOL | Verbatim name used | | | |
| 4870252 | 1006778934 | Primary Suspect Drug | SEROQUEL | Validated trade name used | ORAL | | |

| Rechallenge code (reaction when drug therapy restarted) | | Expiration date mber of drug of drug | | |
|---|--------------------|---|------------|-------------------|
| therapy restarted) | Lot number of drug | of drug | NDA number | Derived Drug Name |
| | | - | - | |
| | | - | 20896 | |
| | | - | 20896 | |
| | | - | - | |
| | | - | 21399 | |
| | | - | 19627 | |
| | | - | 19627 | |
| | | - | 20533 | |
| | | - | 20533 | |
| | | - | - | |
| | | - | - | |
| | | - | 6488 | |
| | | - | 6488 | |
| | | - | - | |
| | | - | 20639 | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|--|-------------------|---------------------------------|---------------------------------|---|--|
| 4870252 | 1006778935 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL | | |
| 4870252 | 1006778936 | Secondary Suspect Drug | SEROQUEL | Validated trade name used | ORAL | }300MG DAILY | |
| 4870252 | 1006778937 | Concomitant | TEGRETOL | Validated trade name used | ORAL | 0.8-2.6G DIVIDED IN 2 OR 3 DOSES | |
| 4870252 | 1006778938 | Concomitant | ALEVIATIN | Verbatim name used | INTRAVENOUS | | |
| 4870252 | 1006778939 | Concomitant | ALEVIATIN | Verbatim name used | INTRAVENOUS | | |
| 4870252 | 1006778940 | Concomitant | ALEVIATIN | Verbatim name used | ORAL | 1-2G THREE TIMES DAILY | |
| 4870252 | 1006778941 | Concomitant | ALEVIATIN | Verbatim name used | ORAL | 1-2G THREE TIMES DAILY | |
| 4870252 | 1006778942 | Concomitant | MYSTAN | Verbatim name used | ORAL | | |
| 4870252 | 1006778943 | Concomitant | EXCEGRAN | Verbatim name used | ORAL | | |
| 4870252 | 1006778944 | Concomitant | THIOPENTAL SODIUM | Validated trade name used | INTRAVENOUS DRIP | 1-10G | |
| 4870252 | 1006778945 | Concomitant | DALACIN | Verbatim name used | INTRAVENOUS | | |
| 4870252 | 1006778946 | Concomitant | PENTCILLIN | Verbatim name used | INTRAVENOUS | | |
| 4870252 | 1006778947 | Concomitant | GASTER D | Verbatim name used | | DIVIDED INTO 3 DOSES | |
| 4870252 | 1006778948 | Concomitant | LAXOBERON | Verbatim name used | | 10-30 DROPS/DAY | |
| 4870252 | 1006778949 | Concomitant | DORMICUM | Verbatim name used | INTRAVENOUS DRIP | | |

| Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|--------------------|-------------------------|------------|-------------------|
| thorapy restanted) | Lot Hambor of drug | | - 2063 | |
| | | | 2002 | 0 |
| | | • | - 2063 | 9 |
| | | | - | - |
| | | | - | - |
| | | | | |
| | | • | - | - |
| | | | - | - |
| | | | - | - |
| | | | | |
| | | • | - | - |
| | | | - | - |
| | | | - | - |
| | | | | |
| | | • | - | - |
| | | | - | - |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | - | - |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) |
|------------------------------|---|--|---------------|------------------------------------|---------------------------------|--|--|--|
| 4870252 | 1006778950 | Concomitant | CERCINE | Verbatim name used | | 10-15 MG DAILY IN 1-5 DOSES | | |
| 4870252 | 1006778951 | Concomitant | PHENOBAL | Verbatim name used | INTRAMUSCULAR | | | |
| 4870253 | 1006778952 | Primary Suspect Drug | LISINOPRIL | Validated trade name used | ORAL | | | |
| 4870254 | 1006778953 | Primary Suspect Drug | AMBIEN CR | Validated trade name used | ORAL | UNK | | |
| 4870255 | 1006778954 | Primary Suspect Drug | ELOXATIN | Validated trade name used | INTRAVENOUS DRIP | | | |
| 4870255 | 1006778955 | Secondary Suspect Drug | CAPECITABIN | Verbatim name used | ORAL | | | |
| 4870255 | 1006778956 | Secondary Suspect Drug | CETUXIMAB | Verbatim name used | INTRAVENOUS DRIP | | | |
| 4870256 | 1006778957 | Primary Suspect Drug | ALFUZOSIN | Validated trade name used | ORAL | | | |
| 4870257 | 1006778958 | Primary Suspect Drug | PLAVIX | Validated trade name used | ORAL | | | |
| 4870257 | 1006778959 | Concomitant | ASPIRIN | Validated trade name used | ORAL | | | |
| 4870257 | 1006778960 | Concomitant | DILTIAZEM HCL | Validated trade name used | ORAL | | | |
| 4870257 | 1006778961 | Concomitant | AMIODARONE | Verbatim name used | ORAL | | | |
| 4870258 | 1006778963 | Primary Suspect Drug | TOPROL-XL | Validated trade name used | ORAL | | | |
| 4870258 | 1006778964 | Secondary Suspect Drug | TOPROL-XL | Validated trade name used | ORAL | | | |
| 4870258 | 1006778965 | Secondary Suspect Drug | AVALIDE | Validated trade name used | | | | |

| Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|--------------------|-------------------------|------------|-------------------|
| Lot number of drug | oi urug | | Delived Drug Name |
| | | | |
| | | - | |
| | | - 19777 | |
| | | | |
| JNKNOWN | | - 21774 | |
| | | - 21492 | |
| | | _ | |
| | | | |
| | | - | |
| | | - 21287 | |
| | | 00000 | |
| | | - 20839 | |
| | | | |
| | | _ | |
| | | | |
| | | - | |
| | | - 19962 | |
| | | 40000 | |
| | | - 19962 | |
| | | _ | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|--|--------------|---------------------------------|---------------------------------|---|--|
| 4870258 | 1006778966 | Concomitant | FUROSEMIDE | Validated trade name used | | | |
| 4870258 | 1006778967 | Concomitant | ESTRACE | Validated trade name used | | | |
| 4870258 | 1006778968 | Concomitant | NEXIUM | Validated trade name used | ORAL | | |
| 4870258 | 1006778969 | Concomitant | SINGULAIR | Validated trade name used | | | |
| 4870258 | 1006778970 | Concomitant | ZYRTEC | Validated trade name used | | | |
| 4870272 | 1006779201 | Primary Suspect Drug | SUBOXONE | Validated trade name used | SUBLINGUAL | | |
| 4870272 | 1006779202 | Concomitant | CLONAZEPAM | Validated trade name used | ORAL | | |
| 4870302 | 1006779257 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | | |
| 4870302 | 1006779258 | Concomitant | IMUREL | Verbatim name used | | | |
| 4870303 | 1006779259 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | | |
| 4870304 | 1006779260 | Secondary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOUS | | |
| 4870304 | 1006779261 | Secondary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOUS | | |
| 4870304 | 1006779262 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOUS | | |
| 4870304 | 1006779263 | Concomitant | COLCHICINE | Verbatim name used | ORAL | START DATE: BEFORE STUDY | |
| 4870304 | 1006779264 | Concomitant | LOCOID | Validated trade name used | TOPICAL | ADEQUATE DOSE | |

| Rechallenge code (reaction when drug therapy restarted) | | Expiration date of drug | | |
|---|--------------------|----------------------------|------------|-------------------|
| therapy restarted) | Lot number of drug | of drug | NDA number | Derived Drug Name |
| | | - | - | |
| | | | | |
| | | - | <u>-</u> | |
| | | | | |
| | | - | - | |
| | | _ | . <u>-</u> | |
| | | | | |
| | | - | - | |
| | | | | |
| | | - | 20733 | |
| | | | | |
| | | _ | - - | |
| | | _ | <u>-</u> | |
| | | | | |
| | | - | - | |
| | | | | |
| | | - | <u>-</u> | |
| | | | | |
| | | - | - | |
| | | _ | . <u>-</u> | |
| | | | | |
| | | - | - | |
| | | | | |
| | | - | - | |
| | | | | |
| | | - | - | |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|--|--------------------------------|---------------------------------|---------------------------------|---|--|
| 4870304 | 1006779265 | Concomitant | ISODINE GARGLE | Verbatim name used | | ADEQUATE DOSE | |
| 4870304 | 1006779266 | Concomitant | GASTER D | Verbatim name used | ORAL | | |
| 4870304 | 1006779267 | Concomitant | GASTER D | Verbatim name used | ORAL | | |
| 4870304 | 1006779268 | Concomitant | NEORAL | Validated trade name used | ORAL | | |
| 4870304 | 1006779269 | Concomitant | APLACE | Verbatim name used | ORAL | | |
| 4870304 | 1006779270 | Concomitant | PREDONINE | Verbatim name used | ORAL | | |
| 4870304 | 1006779271 | Concomitant | MYDRIN P | Verbatim name used | OPHTHALMIC | START DATE: BEFORE STUDY, 3 TIMES DAILY, RIGHT EYE | |
| 4870304 | 1006779272 | Concomitant | MYDRIN P | Verbatim name used | OPHTHALMIC | START DATE: BEFORE STUDY, 3 TIMES DAILY, LEFT EYE | |
| 4870304 | 1006779273 | Concomitant | TIMOPTIC | Validated trade name used | OPHTHALMIC | START DATE: BEFORE STUDY, TWICE DAILY, RIGHT EYE | |
| 4870304 | 1006779274 | Concomitant | TIMOPTIC | Validated trade name used | OPHTHALMIC | START DATE: BEFORE STUDY, TWICE DAILY, LEFT EYE | |
| 4870304 | 1006779275 | Concomitant | TRUSOPT | Validated trade name used | OPHTHALMIC | START DATE: BEFORE STUDY, 3 TIMES DAILY, RIGHT EYE | |
| 4870304 | 1006779276 | Concomitant | TRUSOPT | Validated trade name used | OPHTHALMIC | START DATE: BEFORE STUDY, 3 TIMES DAILY, LEFT EYE | |
| 4870304 | 1006779277 | Concomitant | CRAVIT | Verbatim name used | OPHTHALMIC | START DATE: BEFORE STUDY, TWICE DAILY, RIGHT EYE | |
| 4870304 | 1006779278 | Concomitant | CRAVIT | Verbatim name used | OPHTHALMIC | START DATE: BEFORE STUDY, TWICE DAILY, LEFT EYE | |
| 4870304 | 1006779279 | Concomitant | BETAMETHASONE SODIUM PHOSPHATE | Validated trade name used | OPHTHALMIC | NINE TIMES DAILY, LEFT EYE | |

| Rechallenge code (reaction when drug therapy restarted) | | Expiration date | | |
|---|--------------------|-----------------|------------|-------------------|
| therapy restarted) | Lot number of drug | of drug | NDA number | Derived Drug Name |
| | | - | | - |
| | | - | | - |
| | | | | |
| | | - | | - |
| | | _ | | _ |
| | | | | _ |
| | | - | | - |
| | | | | |
| | | - | | - |
| | | - | | - |
| | | | | |
| | | - | | - |
| | | _ | | _ |
| | | _ | | - |
| | | - | | - |
| | | | | |
| | | - | | - |
| | | _ | | - |
| | | | | |
| | | - | | - |
| | | | | |
| | | - | | - |
| | | - | | - |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|--|--------------------------------|---------------------------------|---------------------------------|---|---|
| 4870304 | 1006779280 | Concomitant | BETAMETHASONE SODIUM PHOSPHATE | Validated trade name used | OPHTHALMIC | FOUR TIMES DAILY, LEFT EYE | |
| 4870304 | 1006779281 | Concomitant | FLUMETHOLON | Verbatim name used | OPHTHALMIC | 4 TIMES DAILY, RIGHT EYE | |
| 4870304 | 1006779282 | Concomitant | DIAMOX | Validated trade name used | ORAL | | |
| 4870304 | 1006779283 | Concomitant | DIAMOX | Validated trade name used | ORAL | | |
| 4870304 | 1006779284 | Concomitant | ASPARA K | Verbatim name used | ORAL | | |
| 4870304 | 1006779285 | Concomitant | XALATAN | Validated trade name used | OPHTHALMIC | ONCE DAILY, RIGHT EYE | |
| 4870305 | 1006779286 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOUS | WEEKS 0, 2, 6 AND THEN EVERY 6 WEEKS | |
| 4870305 | 1006779287 | Concomitant | METHOTREXATE | Validated trade name used | | | |
| 4870305 | 1006779288 | Concomitant | PREDNISOLONE | Validated trade name used | | | |
| 4870305 | 1006779289 | Concomitant | FOLIC ACID | Validated trade name used | | | |
| 4870313 | 1006779327 | Primary Suspect Drug | STRATTERA | Validated trade name used | | | Positive dechallenge |
| 4870319 | 1006779354 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | | |
| 4870320 | 1006779355 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | | |
| 4870321 | 1006779356 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | | |
| 4870322 | 1006779357 | Secondary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | | |

| Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|--------------------|-------------------------|------------|-------------------|
| and apy restained) | | | - | Domou Drug Mume |
| | | - | - | |
| | | - | - | |
| | | <u>-</u> | <u>-</u> | |
| | | _ | _ | |
| | | | | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| Unknown | | - | 21411 | |
| | | - | - | |
| | | - | - | |
| | | - | - | |
| | 04F093A | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route |
|------------------------------|---|--|----------------------------------|---------------------------------|---------------------------------|---|
| 4870322 | 1006779358 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | |
| 4870322 | 1006779359 | Secondary Suspect Drug | INH | Validated trade name used | | |
| 4870322 | 1006779360 | Concomitant | ZOLOFT | Validated trade name used | | |
| 4870322 | 1006779361 | Concomitant | MESALAMINE | Validated trade name used | | |
| 4870322 | 1006779362 | Concomitant | VITAMIN B6 | Validated trade name used | | |
| 4870322 | 1006779363 | Concomitant | ZYRTEC | Validated trade name used | | |
| 4870322 | 1006779364 | Concomitant | SINGULAIR | Validated trade name used | | |
| 4870322 | 1006779365 | Concomitant | ZANTAC | Validated trade name used | | |
| 4870322 | 1006779366 | Concomitant | FOLIC ACID | Validated trade name used | | |
| 4870322 | 1006779367 | Concomitant | METHYLPREDNISOLONE | Validated trade name used | ORAL | |
| 4870323 | 1006779368 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | TOTAL OF 3 INFUSIONS |
| 4870323 | 1006779369 | Concomitant | IMURAN | Validated trade name used | | |
| 4870323 | 1006779370 | Concomitant | PENTASA | Validated trade name used | | |
| 4870324 | 1006779371 | Secondary Suspect Drug | BLINDED; INFLIXIMAB, RECOMBINANT | Verbatim name used | INTRAVENOUS | |
| 4870324 | 1006779372 | Secondary Suspect Drug | BLINDED; INFLIXIMAB, RECOMBINANT | Verbatim name used | INTRAVENOUS | |
| 4870324 | 1006779373 | Primary Suspect Drug | BLINDED; INFLIXIMAB, RECOMBINANT | Verbatim name used | INTRAVENOUS | |
| 4870324 | 1006779374 | Secondary Suspect Drug | PLACEBO | Verbatim name used | INTRAVENOUS | |
| 4870324 | 1006779375 | Secondary Suspect Drug | PLACEBO | Verbatim name used | INTRAVENOUS | |
| 4870324 | 1006779376 | Secondary Suspect Drug | PLACEBO | Verbatim name used | INTRAVENOUS | |
| 4870324 | 1006779377 | Concomitant | FOLIC ACID | Validated trade name used | ORAL | |
| 4870324 | 1006779378 | Concomitant | SOLONDO | Verbatim name used | ORAL | |
| 4870324 | 1006779379 | Concomitant | RECOMIDE | Verbatim name used | ORAL | |
| 4870324 | 1006779380 | Concomitant | TYLENOL ER | Verbatim name used | ORAL | |
| 4870324 | 1006779381 | Concomitant | GANATON | Verbatim name used | ORAL | |

| Dechallenge code (reaction when drug | Rechallenge code (reaction when drug | | Expiration date | | |
|---|---|--------------------|-----------------|------------|-------------------|
| therapy stopped) | therapy restarted) | Lot number of drug | of drug | NDA number | Derived Drug Name |
| | | 04F093A | - | | - |
| | | | - | | - |
| | | | - | | - |
| | | | - | | - |
| | | | - | | - |
| | | | - | | _ |
| | | | - | | - |
| | | | - | | - |
| | | | - | | - |
| | | | _ | | _ |
| | | | _ | | _ |
| | | | _ | | _ |
| | | | _ | | _ |
| | | | _ | | _ |
| | | | | | _ |
| | | | _ | | - |
| | | | - | | - |
| | | | - | | - |
| | | | - | | - |
| | | | - | | - |
| | | | - | | - |
| | | | - | | - |
| | | | - | | - |
| | | | - | | - |
| | | | - | | - |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|--------------|---------------------------------------|---------------------------------|---|--|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870324 | 1006779382 | Concomitant | MOBIC | Validated trade name used | ORAL | | | | | - | - | |
| 4870324 | 1006779383 | Concomitant | METHOTREXATE | Validated trade name used | ORAL | | | | | - | - | |
| 4870325 | 1006779384 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | | | | | - | - | |
| 4870326 | 1006779385 | Primary Suspect Drug | REMICADE | Verbatim name used | INTRAVENOUS | | | | | - | - | |
| 4870327 | 1006779386 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | | | | | - | - | |
| 4870327 | 1006779387 | Concomitant | IMURAN | Validated trade name used | | | | | | - | - | |
| 4870328 | 1006779388 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | | | | | - | - | |
| 4870328 | 1006779389 | Concomitant | PREDONINE | Verbatim name used | | | | | | - | - | |
| 4870328 | 1006779390 | Concomitant | RHEUMATREX | Validated trade name used | ORAL | | | | | - | - | |
| 4870329 | 1006779391 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOUS | | | | | - | - | |
| 4870329 | 1006779392 | Concomitant | METHOTREXATE | Validated trade name used | | | | | | - | - | |
| 4870329 | 1006779393 | Concomitant | OCUVITE | Verbatim name used | | | | , | | _ | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|---------------|---------------------------------------|---------------------------------|---|--|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870329 | 1006779394 | Concomitant | OCUVITE | Verbatim name used | | | | | | - | - | |
| 4870329 | 1006779395 | Concomitant | OCUVITE | Verbatim name used | | | | | | - | - | |
| 4870329 | 1006779396 | Concomitant | DARVOCET | Validated trade name used | | | | | | - | - | |
| 4870329 | 1006779397 | Concomitant | DARVOCET | Validated trade name used | | | | | | - | - | |
| 4870329 | 1006779398 | Concomitant | VIACTIVE | Verbatim name used | | | | | | - | - | |
| 4870329 | 1006779399 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870329 | 1006779400 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870329 | 1006779401 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870329 | 1006779402 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870329 | 1006779403 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870329 | 1006779404 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot number of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|---------------|---------------------------------------|---------------------------------|---|--|---|--------------------------|--------------------------------|---------------|-------------------------|
| 4870329 | 1006779405 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870329 | 1006779406 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870330 | 1006779407 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | | | | | - | - | |
| 4870330 | 1006779408 | Secondary Suspect Drug | METHOTREXATE | Validated trade name used | | | | | | - | - | |
| 4870330 | 1006779409 | Secondary Suspect Drug | FOLIC ACID | Validated trade name used | ORAL | | | | | - | - | |
| 4870330 | 1006779410 | Concomitant | CELEBREX | Validated trade name used | ORAL | | | | | - | - | |
| 4870331 | 1006779411 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOUS | | | | | - | - | |
| 4870331 | 1006779412 | Concomitant | INSULIN | Validated trade name used | | | | | | - | - | |
| 4870331 | 1006779413 | Concomitant | FUROSEMIDE | Validated trade name used | | | | | | - | - | |
| 4870331 | 1006779414 | Concomitant | CYTOXAN | Validated trade name used | | | | | | - | - | |
| 4870331 | 1006779415 | Concomitant | ATACAND | Validated trade name used | | | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequenc y and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot number of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|--|---------------------|---------------------------------------|---------------------------------|---|---|---|--------------------------|--------------------------------|---------------|-------------------------|
| 4870331 | 1006779416 | Concomitant | CRESTOR | Validated trade name used | | | | | | - | - | |
| 4870331 | 1006779417 | Concomitant | PLAVIX | Validated trade name used | | | | | | - | - | |
| 4870331 | 1006779418 | Concomitant | VERELAN PM | Validated trade name used | | | | | | - | - | |
| 4870331 | 1006779419 | Concomitant | ISOSORBIDE | Validated trade name used | | | | | | - | - | |
| 4870331 | 1006779420 | Concomitant | MINOCYCLINE HCL | Validated trade name used | | | | | | - | - | |
| 4870331 | 1006779421 | Concomitant | NEXIUM | Validated trade name used | | | | | | - | - | |
| 4870331 | 1006779422 | Concomitant | ALBUTEROL | Validated trade name used | | | | | | - | - | |
| 4870331 | 1006779423 | Concomitant | IPRATROPIUM BROMIDE | Validated trade name used | | | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route |
|------------------------------|---|--|----------------------|---------------------------------|---------------------------------|---|
| 4870331 | 1006779424 | Concomitant | ADVAIR DISKUS 250/50 | Validated trade name used | | |
| 4870331 | 1006779425 | Concomitant | ADVAIR DISKUS 250/50 | Validated trade name used | | |
| 4870331 | 1006779426 | Concomitant | PAMIDRONATE DISODIUM | Validated trade name used | | |
| 4870331 | 1006779427 | Concomitant | AMBIEN | Validated trade name used | | |
| 4870331 | 1006779428 | Concomitant | CALCIUM+D | Verbatim name used | | |
| 4870331 | 1006779429 | Concomitant | CALCIUM+D | Verbatim name used | | |
| 4870331 | 1006779430 | Concomitant | MULTIVITAMIN | Validated trade name used | | |
| 4870331 | 1006779431 | Concomitant | MULTIVITAMIN | Validated trade name used | | |
| 4870331 | 1006779432 | Concomitant | MULTIVITAMIN | Validated trade name used | | |
| 4870331 | 1006779433 | Concomitant | MULTIVITAMIN | Validated trade name used | | |
| 4870331 | 1006779434 | Concomitant | MULTIVITAMIN | Validated trade name used | | |
| 4870331 | 1006779435 | Concomitant | MULTIVITAMIN | Validated trade name used | | |
| 4870331 | 1006779436 | Concomitant | MULTIVITAMIN | Validated trade name used | | |
| 4870331 | 1006779437 | Concomitant | MULTIVITAMIN | Validated trade name used | | |
| 4870332 | 1006779438 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOUS | |
| 4870332 | 1006779439 | Concomitant | AMITRIPTYLINE | Verbatim name used | | |
| 4870332 | 1006779440 | Concomitant | CALTRATE | Verbatim name used | | |
| 4870332 | 1006779441 | Concomitant | CLINORIL | Validated trade name used | | |
| 4870332 | 1006779442 | Concomitant | FOLIC ACID | Validated trade name used | | |
| 4870332 | 1006779443 | Concomitant | IMODIUM | Validated trade name used | | 2 IN 1 DAY, AS NEEDED |
| 4870332 | 1006779444 | Concomitant | LACTAID | Verbatim name used | | |
| 4870332 | 1006779445 | Concomitant | PENTASA | Validated trade name used | | |
| 4870332 | 1006779446 | Concomitant | PEPCID | Validated trade name used | | |
| 4870332 | 1006779447 | Concomitant | SINEMET | Validated trade name used | | |

| Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|---|--------------------|-------------------------|--------------|----------------------|
| | | | | | 7,0,770 |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - - | |
| | | | - | | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - - | - | |
| | | | - | - - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route |
|------------------------------|---|--|---------------|---------------------------------|---------------------------------|---|
| 4870332 | 1006779448 | Concomitant | SINEMET | Validated trade name used | | |
| 4870332 | 1006779449 | Concomitant | METHOTREXATE | Validated trade name used | | |
| 4870332 | 1006779450 | Concomitant | NEXIUM | Validated trade name used | | |
| 4870332 | 1006779451 | Concomitant | TRICOR | Validated trade name used | | |
| 4870332 | 1006779452 | Concomitant | ZOMIG | Validated trade name used | | |
| 4870332 | 1006779453 | Concomitant | MULTI-VITAMIN | Validated trade name used | | |
| 4870332 | 1006779454 | Concomitant | MULTI-VITAMIN | Validated trade name used | | |
| 4870332 | 1006779455 | Concomitant | MULTI-VITAMIN | Validated trade name used | | |
| 4870332 | 1006779456 | Concomitant | MULTI-VITAMIN | Validated trade name used | | |
| 4870332 | 1006779457 | Concomitant | MULTI-VITAMIN | Validated trade name used | | |
| 4870332 | 1006779458 | Concomitant | MULTI-VITAMIN | Validated trade name used | | |
| 4870332 | 1006779459 | Concomitant | MULTI-VITAMIN | Validated trade name used | | |
| 4870332 | 1006779460 | Concomitant | MULTI-VITAMIN | Validated trade name used | | |
| 4870333 | 1006779461 | Secondary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | |
| 4870333 | 1006779462 | Secondary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | |

| Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | | Expiration date of drug | | Derived Drug |
|---|---|--------------------|-------------------------|------------|--------------|
| therapy stopped) | therapy restarted) | Lot number of drug | of drug | NDA number | Name |
| | | | | - | |
| | | | | | |
| | | | | - | |
| | | | | | |
| | | | • | - | |
| | | | | _ | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | - | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | - | |
| | | | | | |
| | | | • | | |
| | | | | | |
| | | | • | - | |
| | | | | | |
| | | | • | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | - | |
| | | | | | |
| | | | | | |
| | | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route |
|------------------------------|---|--|---------------------|---------------------------------|---------------------------------|---|
| 4870333 | 1006779463 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | 4-5 MG/KG |
| 4870333 | 1006779464 | Concomitant | METHOTREXATE | Validated trade name used | | |
| 4870334 | 1006779465 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOUS | |
| 4870334 | 1006779466 | Concomitant | CIPRO | Validated trade name used | | |
| 4870334 | 1006779467 | Concomitant | IMODIUM | Validated trade name used | | |
| 4870334 | 1006779468 | Concomitant | PREVACID | Validated trade name used | | |
| 4870334 | 1006779469 | Concomitant | ROWASA | Validated trade name used | | |
| 4870335 | 1006779470 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOUS | |
| 4870335 | 1006779471 | Concomitant | DARVOCET-N 100 | Validated trade name used | | |
| 4870335 | 1006779472 | Concomitant | DARVOCET-N 100 | Validated trade name used | | |
| 4870335 | 1006779473 | Concomitant | METFORMIN | Validated trade name used | | |
| 4870335 | 1006779474 | Concomitant | HYDROCHLOROTHIAZIDE | Validated trade name used | | |
| 4870335 | 1006779475 | Concomitant | INSULIN | Validated trade name used | | |
| 4870335 | 1006779476 | Concomitant | NEORAL | Validated trade name used | | |
| 4870336 | 1006779477 | Primary Suspect Drug | REMICADE | Verbatim name used | INTRAVENOUS | |

| Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|---|--------------------|----------------------------|------------|----------------------|
| тегару згоррец) | inerapy restaited) | Lot Hamber of drug | - Or Grug | | |
| | | | | | |
| | | | - | - | |
| | | 05F0124 | - | - | |
| | | | | | |
| | | | - | - | |
| | | | - | - | |
| | | | | | |
| | | | - | - | |
| | | | - | - | |
| | | | | | |
| | | | _ | - | |
| | | | | | |
| | | | - | - | |
| | | | _ | - | |
| | | | | | |
| | | | - | - | |
| | | | - | - | |
| | | | | | |
| | | | - | - | |
| | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route |
|------------------------------|---|--|----------------------|---------------------------------|---------------------------------|---|
| 4870336 | 1006779478 | Concomitant | METHOTREXATE | Validated trade name used | | } 6 MONTHS |
| 4870336 | 1006779479 | Concomitant | AZATHIPRINE | Verbatim name used | | |
| 4870343 | 1006779487 | Primary Suspect Drug | SIFROL | Verbatim name used | ORAL | |
| 4870343 | 1006779488 | Concomitant | DOMINAL | Verbatim name used | | |
| 4870344 | 1006779489 | Primary Suspect Drug | TIPRANAVIR/RITONAVIR | Verbatim name used | ORAL | TIPRANAVIR 500MG / RITONAVIR 200MG BD |
| 4870344 | 1006779490 | Concomitant | KALETRA | Validated trade name used | ORAL | |
| 4870344 | 1006779491 | Concomitant | TENOFOVIR | Verbatim name used | ORAL | |
| 4870344 | 1006779492 | Concomitant | ABACAVIR | Verbatim name used | ORAL | |
| 4870344 | 1006779493 | Concomitant | ATAZANAVIR | Verbatim name used | ORAL | |
| 4870345 | 1006779494 | Primary Suspect Drug | MICARDIS | Validated trade name used | | |
| 4870346 | 1006779495 | Primary Suspect Drug | MICARDIS | Validated trade name used | ORAL | |
| 4870346 | 1006779496 | Secondary Suspect Drug | ZYLORIC | Verbatim name used | ORAL | |
| 4870346 | 1006779497 | Concomitant | SERMION | Verbatim name used | ORAL | |
| 4870346 | 1006779498 | Concomitant | ADALAT | Validated trade name used | ORAL | |
| 4870346 | 1006779499 | Concomitant | PAXIL | Validated trade name used | ORAL | |
| 4870346 | 1006779500 | Concomitant | ALPRAZOLAM | Validated trade name used | ORAL | |
| 4870346 | 1006779501 | Concomitant | ACTOS | Validated trade name used | ORAL | |
| 4870346 | 1006779502 | Concomitant | PANALDINE | Verbatim name used | ORAL | |

Page 149 of 827 14SEP2015

| Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|---|--------------------|-------------------------|------------|----------------------|
| | | | - | - | |
| | | | | | |
| | | | - | - 20667 | |
| | | | - | - | |
| | | | - | - | |
| | | | - | _ | |
| | | | | | |
| | | | - | - | |
| | | | - | - | |
| | | NOT REPORTED | - | 20850 | |
| | | | _ | 20850 | |
| | | | _ | 20000 | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | | | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route |
|------------------------------|--|--|------------------------|---------------------------------|---------------------------------|---|
| 4870347 | 1006779503 | Primary Suspect Drug | ATROVENT | Validated trade name used | RESPIRATORY (INHALATION) | |
| 4870347 | 1006779504 | Secondary Suspect Drug | AROMASIN | Validated trade name used | ORAL | |
| 4870347 | 1006779505 | Concomitant | M.V.I. | Validated trade name used | | |
| 4870347 | 1006779506 | Concomitant | VITAMIN E | Validated trade name used | | |
| 4870347 | 1006779507 | Concomitant | FEMOVIRIN | Verbatim name used | | |
| 4870347 | 1006779508 | Concomitant | ZOCOR | Validated trade name used | | |
| 4870347 | 1006779509 | Concomitant | ESTRA C | Verbatim name used | | |
| 4870348 | 1006779510 | Primary Suspect Drug | MICARDIS | Validated trade name used | ORAL | |
| 4870348 | 1006779511 | Secondary Suspect Drug | MICARDIS | Validated trade name used | ORAL | |
| 4870348 | 1006779512 | Concomitant | LANOXIN | Validated trade name used | ORAL | |
| 4870348 | 1006779513 | Concomitant | ALENDRONATE SODIUM | Validated trade name used | | |
| 4870348 | 1006779514 | Concomitant | FLUTICASONE PROPIONATE | Validated trade name used | | |
| 4870348 | 1006779515 | Concomitant | FLUVASTATIN | Verbatim name used | | |
| 4870348 | 1006779516 | Concomitant | MAXAIR | Validated trade name used | | |
| 4870348 | 1006779517 | Concomitant | MAXAIR | Validated trade name used | | |
| 4870348 | 1006779518 | Concomitant | SYNTHROID | Validated trade name used | | |
| 4870349 | 1006779519 | Primary Suspect Drug | MICARDIS | Validated trade name used | ORAL | |
| 4870349 | 1006779520 | Secondary Suspect Drug | MICARDIS | Validated trade name used | ORAL | |
| 4870349 | 1006779521 | Concomitant | LEVOXYL | Validated trade name used | ORAL | |
| 4870349 | 1006779522 | Concomitant | PREMARIN | Validated trade name used | ORAL | |
| 4870349 | 1006779523 | Concomitant | CITRACAL | Verbatim name used | | |
| 4870350 | 1006779524 | Primary Suspect Drug | MOBIC | Validated trade name used | ORAL | |
| 4870350 | 1006779525 | Secondary Suspect Drug | MOBIC | Validated trade name used | ORAL | |
| 4870350 | 1006779526 | Secondary Suspect Drug | COUMADIN | Validated trade name used | | |
| 4870350 | 1006779527 | Secondary Suspect Drug | COUMADIN | Validated trade name used | | |

| Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|---|--------------------|----------------------------|------------|----------------------|
| | | NOT REPORTED | - | 19085 | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | 20850 | |
| | | | - | 20850 | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | | - | 20850 | |
| | | | - | 20850 | |
| | | | - | - | |
| | | | - | - | |
| | | | - | - | |
| | | 552607 | - | 20938 | |
| | | 552607 | - | 20938 | |
| | | | - | - | |
| | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration |
|------------------------------|--|--|---------------|---------------------------------|---------------------------------|
| 4870350 | 1006779528 | Concomitant | DILTIAZEM HCL | Validated trade name used | |
| 4870350 | 1006779529 | Concomitant | SYNTHROID | Validated trade name used | |
| 4870350 | 1006779530 | Concomitant | DIGITEK | Verbatim name used | |
| 4870350 | 1006779531 | Concomitant | FUROSEMIDE | Validated trade name used | |
| 4870350 | 1006779532 | Concomitant | TYLENOL | Validated trade name used | |
| 4870350 | 1006779533 | Concomitant | SUCRALFATE | Validated trade name used | |
| 4870350 | 1006779534 | Concomitant | PROTONIX | Validated trade name used | |
| 4870351 | 1006779535 | Primary Suspect Drug | MICARDIS | Validated trade name used | ORAL |
| 4870351 | 1006779536 | Concomitant | MEVALOTIN | Verbatim name used | ORAL |
| 4870351 | 1006779537 | Concomitant | ADALAT | Validated trade name used | ORAL |
| 4870351 | 1006779538 | Concomitant | ASPIRIN | Validated trade name used | ORAL |
| 4870351 | 1006779539 | Concomitant | MEXITIL | Validated trade name used | ORAL |
| 4870351 | 1006779540 | Concomitant | EUGLUCON | Verbatim name used | ORAL |
| 4870351 | 1006779541 | Concomitant | RIVOTRIL | Verbatim name used | ORAL |
| 4870352 | 1006779542 | Primary Suspect Drug | VIRAMUNE | Validated trade name used | INTRA-UTERINE |
| 4870353 | 1006779543 | Primary Suspect Drug | MOBIC | Validated trade name used | ORAL |
| 4870353 | 1006779544 | Concomitant | THYRADIN | Verbatim name used | ORAL |
| 4870354 | 1006779545 | Primary Suspect Drug | MICARDIS | Validated trade name used | ORAL |
| 4870354 | 1006779546 | Secondary Suspect Drug | EUGLUCON | Verbatim name used | ORAL |
| 4870355 | 1006779547 | Primary Suspect Drug | MOBIC | Validated trade name used | ORAL |
| 4870355 | 1006779548 | Secondary Suspect Drug | MOBIC | Validated trade name used | |
| 4870355 | 1006779549 | Secondary Suspect Drug | MOBIC | Validated trade name used | |
| 4870355 | 1006779550 | Concomitant | DIOVAN | Validated trade name used | |
| 4870355 | 1006779551 | Concomitant | ASPIRIN | Validated trade name used | |
| 4870355 | 1006779552 | Concomitant | VITAMIN PILL | Verbatim name used | |
| 4870355 | 1006779553 | Concomitant | NEXIUM | Validated trade name used | |

| Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|--|---|---|--------------------|-------------------------|------------|----------------------|
| | | | | - | - | |
| | | | | - | - | |
| | | | | - | - | |
| | | | | - | - | |
| | | | | - | - | |
| | | | | - | - | |
| | | | | - | - | |
| | | | | - | 20850 | |
| | | | | - | - | |
| | | | | - | - | |
| | | | | - | - | |
| | | | | - | - | |
| | | | | _ | | |
| | | | | _ | 20636 | |
| | | | | _ | 20938 | |
| | | | | - | - | |
| | | | | - | 20850 | |
| | | | | - | - | |
| | | 1 | NOT REPORTED | - | 20938 | |
| | | | NOT REPORTED | - | 20938 | |
| | | | NOT REPORTED | - | 20938 | |
| | | | | - | - | |
| | | | | - | - | |
| | | | | - | - | |
| | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration |
|------------------------------|---|--|-------------------------|---------------------------------|---------------------------------|
| 4870355 | 1006779554 | Concomitant | SPIRONOLACTONE | Validated trade name used | |
| 4870356 | 1006779555 | Primary Suspect Drug | VIRAMUNE | Validated trade name used | ORAL |
| 4870356 | 1006779556 | Secondary Suspect Drug | EPIVIR | Validated trade name used | ORAL |
| 4870356 | 1006779557 | Secondary Suspect Drug | ZIAGEN | Validated trade name used | ORAL |
| 4870357 | 1006779558 | Primary Suspect Drug | VIRAMUNE | Validated trade name used | INTRA-UTERINE |
| 4870357 | 1006779559 | Secondary Suspect Drug | VIRAMUNE | Validated trade name used | INTRA-UTERINE |
| 4870357 | 1006779560 | Secondary Suspect Drug | ZIDOVUDINE | Validated trade name used | INTRA-UTERINE |
| 4870357 | 1006779561 | Secondary Suspect Drug | LAMIVUDINE + ZIDOVUDINE | Validated trade name used | INTRA-UTERINE |
| 4870358 | 1006779562 | Primary Suspect Drug | VIRAMUNE | Validated trade name used | ORAL |
| 4870358 | 1006779563 | Secondary Suspect Drug | RETROVIR | Validated trade name used | ORAL |
| 4870358 | 1006779564 | Secondary Suspect Drug | EPIVIR | Validated trade name used | ORAL |
| 4870359 | 1006779565 | Primary Suspect Drug | AGGRENOX | Validated trade name used | ORAL |
| 4870359 | 1006779566 | Secondary Suspect Drug | MICARDIS | Validated trade name used | ORAL |
| 4870359 | 1006779567 | Secondary Suspect Drug | CLOPIDOGREL BISULFATE | Validated trade name used | ORAL |
| 4870359 | 1006779568 | Concomitant | SIMVASTATIN | Validated trade name used | ORAL |
| 4870359 | 1006779569 | Concomitant | DOSULEPIN | Verbatim name used | ORAL |
| 4870360 | 1006779570 | Primary Suspect Drug | NEVIRAPINE | Validated trade name used | |
| 4870360 | 1006779571 | Secondary Suspect Drug | NEVIRAPINE | Validated trade name used | |
| 4870360 | 1006779572 | Concomitant | COMBIVIR | Validated trade name used | |
| 4870360 | 1006779573 | Concomitant | INDINAVIR | Verbatim name used | |
| 4870360 | 1006779574 | Concomitant | STEROIDS | Verbatim name used | |
| 4870362 | 1006779587 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOUS |
| 4870362 | 1006779588 | Concomitant | ASPIRIN | Validated trade name used | |
| 4870362 | 1006779589 | Concomitant | ENBREL | Validated trade name used | |
| 4870362 | 1006779590 | Concomitant | ZOCOR | Validated trade name used | |
| 4870362 | 1006779591 | Concomitant | COREG | Validated trade name used | |

| Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Dru Name |
|--|---|---|-----------------------|-------------------------|------------|---------------------|
| | | | | | - 20636 | |
| | | | | | | |
| | | | | | | |
| | | | | | - 20636 | |
| | | | | | - 20636 | |
| | | | | | | |
| | | | | | | |
| | | | | | - 20636 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | 20636 | |
| | | | | | 20636 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | <u>-</u> | |

Project: AERS 2006Q1 ADVERSE EVENT REPORTING SYSTEM (AERS) Drug Listings

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequenc y and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|--------------|------------------------------------|---------------------------------|---|---|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870362 | 1006779592 | Concomitant | LIBRIUM | Validated trade name used | | | | | | - | - | |
| 4870362 | 1006779593 | Concomitant | PAXIL | Validated trade name used | | | | | | - | - | |
| 4870362 | 1006779594 | Concomitant | PLAVIX | Validated trade name used | | | | | | - | - | |
| 4870362 | 1006779595 | Concomitant | PREVACID | Validated trade name used | | | | | | - | - | |
| 4870362 | 1006779596 | Concomitant | SYNTHROID | Validated trade name used | | | | | | - | - | |
| 4870362 | 1006779597 | Concomitant | TRAMADOL HCL | Validated trade name used | | | | | | - | - | |
| 4870362 | 1006779598 | Concomitant | LESCOL | Validated trade name used | | | | | | - | - | |
| 4870363 | 1006779599 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOU S | | | | | - | - | |
| 4870363 | 1006779600 | Concomitant | IMURAN | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779601 | Secondary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOU S | | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequenc y and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|--------------|---------------------------------------|---------------------------------|---|---|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870364 | 1006779602 | Primary Suspect Drug | REMICADE | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779603 | Concomitant | ATARAX | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779604 | Concomitant | FLEXERIL | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779605 | Concomitant | AMBIEN | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779606 | Concomitant | ASACOL | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779607 | Concomitant | PREDNISONE | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779608 | Concomitant | PROTONIX | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779609 | Concomitant | PERCOCET | Validated trade name used | | | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequenc y and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|--------------|---------------------------------------|---------------------------------|---|--|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870364 | 1006779610 | Concomitant | PERCOCET | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779611 | Concomitant | IMODIUM | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779612 | Concomitant | VICODIN | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779613 | Concomitant | VICODIN | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779614 | Concomitant | CELEBREX | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779615 | Concomitant | COUMADIN | Validated trade name used | | | | | | - | - | |
| 4870364 | 1006779616 | Concomitant | AVANDAMENT | Verbatim name used | | | | | | - | - | |
| 4870365 | 1006779617 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOU S | | | | | - | - | |
| 4870365 | 1006779618 | Concomitant | OSCAL 500-D | Verbatim name used | | | | | | - | - | |

14SEP2015

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequenc y and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|--|---------------|---------------------------------------|---------------------------------|---|---|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870365 | 1006779619 | Concomitant | OSCAL 500-D | Verbatim name used | | | | | | - | - | |
| 4870365 | 1006779620 | Concomitant | ASPIRIN | Validated trade name used | | | | | | - | - | |
| 4870365 | 1006779621 | Concomitant | AVAPRO | Validated trade name used | | | | | | - | - | |
| 4870365 | 1006779622 | Concomitant | FLEXERIL | Validated trade name used | | | | | | - | - | |
| 4870365 | 1006779623 | Concomitant | FOLIC ACID | Validated trade name used | | | | | | - | - | |
| 4870365 | 1006779624 | Concomitant | METHOTREXATE | Validated trade name used | | | | | | - | - | |
| 4870365 | 1006779625 | Concomitant | NASACORT | Validated trade name used | | | | | | - | - | |
| 4870365 | 1006779626 | Concomitant | NITROGLYCERIN | Validated trade name used | | | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration |
|------------------------------|---|--|--------------------|---------------------------------|---------------------------------|
| 4870365 | 1006779627 | Concomitant | PREDNISONE | Validated trade name used | |
| 4870365 | 1006779628 | Concomitant | PREVACID | Validated trade name used | |
| 4870365 | 1006779629 | Concomitant | SYNTHROID | Validated trade name used | |
| 4870365 | 1006779630 | Concomitant | TENORMIN | Validated trade name used | |
| 4870365 | 1006779631 | Concomitant | ULTRAM | Validated trade name used | |
| 4870365 | 1006779632 | Concomitant | MULTIVITAMIN | Validated trade name used | |
| 4870365 | 1006779633 | Concomitant | MULTIVITAMIN | Validated trade name used | |
| 4870365 | 1006779634 | Concomitant | MULTIVITAMIN | Validated trade name used | |
| 4870365 | 1006779635 | Concomitant | MULTIVITAMIN | Validated trade name used | |
| 4870365 | 1006779636 | Concomitant | MULTIVITAMIN | Validated trade name used | |
| 4870365 | 1006779637 | Concomitant | MULTIVITAMIN | Validated trade name used | |
| 4870365 | 1006779638 | Concomitant | MULTIVITAMIN | Validated trade name used | |
| 4870365 | 1006779639 | Concomitant | MULTIVITAMIN | Validated trade name used | |
| 4870366 | 1006779640 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOUS |
| 4870366 | 1006779641 | Concomitant | ASPIRIN | Validated trade name used | |
| 4870366 | 1006779642 | Concomitant | CALCIUM GLUCONATE | Validated trade name used | |
| 4870366 | 1006779643 | Concomitant | CELEBREX | Validated trade name used | |
| 4870366 | 1006779644 | Concomitant | DIGOXIN | Validated trade name used | |
| 4870366 | 1006779645 | Concomitant | LEUCOVORIN CALCIUM | Validated trade name used | |
| 4870366 | 1006779646 | Concomitant | LISINOPRIL | Validated trade name used | |
| 4870366 | 1006779647 | Concomitant | SIMVASTATIN | Validated trade name used | |
| 4870366 | 1006779648 | Concomitant | MULTI-VITAMIN | Validated trade name used | |
| 4870366 | 1006779649 | Concomitant | MULTI-VITAMIN | Validated trade name used | |
| 4870366 | 1006779650 | Concomitant | MULTI-VITAMIN | Validated trade name used | |
| 4870366 | 1006779651 | Concomitant | MULTI-VITAMIN | Validated trade name used | |
| 4870366 | 1006779652 | Concomitant | MULTI-VITAMIN | Validated trade name used | |

14SEP2015

| Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|--|---|---|-----------------------|----------------------------|------------|----------------------|
| | | | | | | |
| | | | | | - | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | , | - | |
| | | | | | · | |
| | | | | | | |
| | | | | | · | |
| | | | | | - | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | - - | |
| | | | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration |
|------------------------------|---|--|---------------------|---------------------------------|---------------------------------|
| 4870366 | 1006779653 | Concomitant | MULTI-VITAMIN | Validated trade name used | |
| 4870366 | 1006779654 | Concomitant | MULTI-VITAMIN | Validated trade name used | |
| 4870366 | 1006779655 | Concomitant | MULTI-VITAMIN | Validated trade name used | |
| 4870367 | 1006779656 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOUS |
| 4870367 | 1006779657 | Concomitant | DARVOCET-N 100 | Validated trade name used | |
| 4870367 | 1006779658 | Concomitant | DARVOCET-N 100 | Validated trade name used | |
| 4870367 | 1006779659 | Concomitant | METFORMIN | Validated trade name used | |
| 4870367 | 1006779660 | Concomitant | HYDROCHLOROTHIAZIDE | Validated trade name used | |
| 4870367 | 1006779661 | Concomitant | INSULIN | Validated trade name used | |
| 4870367 | 1006779662 | Concomitant | NEORAL | Validated trade name used | |
| 4870370 | 1006779665 | Primary Suspect Drug | IRESSA | Validated trade name used | ORAL |
| 4870370 | 1006779666 | Secondary Suspect Drug | ARIMIDEX | Validated trade name used | ORAL |
| 4870370 | 1006779667 | Secondary Suspect Drug | LISINOPRIL | Validated trade name used | ORAL |
| 4870370 | 1006779668 | Secondary Suspect Drug | COUMADIN | Validated trade name used | ORAL |
| 4870370 | 1006779669 | Secondary Suspect Drug | ASPIRIN | Validated trade name used | ORAL |
| 4870370 | 1006779670 | Concomitant | DYST-ESE | Verbatim name used | ORAL |
| 4870370 | 1006779671 | Concomitant | ZOCOR | Validated trade name used | ORAL |
| 4870370 | 1006779672 | Concomitant | FOSAMAX | Validated trade name used | ORAL |
| 4870370 | 1006779673 | Concomitant | FAMOTIDINE | Validated trade name used | ORAL |
| 4870370 | 1006779674 | Concomitant | INSULIN | Validated trade name used | |
| 4870370 | 1006779675 | Concomitant | ULTRAM | Validated trade name used | ORAL |
| 4870372 | 1006779677 | Primary Suspect Drug | IRESSA | Validated trade name used | ORAL |
| 4870372 | 1006779678 | Concomitant | METOPROLOL | Verbatim name used | ORAL |
| 4870372 | 1006779679 | Concomitant | METOPROLOL | Verbatim name used | ORAL |
| 4870372 | 1006779680 | Concomitant | AMLODIPINE BESYLATE | Validated trade name used | ORAL |
| 4870372 | 1006779681 | Concomitant | ASPIRIN | Validated trade name used | ORAL |

| Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|--|---|---|-----------------------|-------------------------|------------|----------------------|
| | | | | | | |
| | | | | | | |
| | | | | • | - | |
| | | | | | - | |
| | | | | | - | |
| | | | | | - | |
| | | | | • | - | |
| | | | | • | - | |
| | | | | • | - | |
| | | | | • | - 21399 | |
| | | | | • | - 21399 | |
| | | | | • | - 19777 | |
| | | | | | - 19111 | |
| | | | | | | |
| | | | | | | |
| | | | | | <u> </u> | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | _ | |
| | | | | | - 21399 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration |
|------------------------------|---|--|----------------------------|---------------------------------|---------------------------------|
| 4870372 | 1006779682 | Concomitant | NITROGLYCERINE TRANSDERMAL | Verbatim name used | TRANSDERMAL |
| 4870372 | 1006779683 | Concomitant | NITROGLYCERINE AEROSOL | Verbatim name used | ORAL |
| 4870379 | 1006779698 | Primary Suspect Drug | HUMAN MIXTARD 30 | Verbatim name used | |
| 4870379 | 1006779699 | Concomitant | DILTIAZEM HCL | Validated trade name used | ORAL |
| 4870379 | 1006779700 | Concomitant | ARKAMIN | Verbatim name used | ORAL |
| 4870379 | 1006779701 | Concomitant | APRESOLINE | Validated trade name used | |
| 4870379 | 1006779702 | Concomitant | LASIX | Validated trade name used | |
| 4870379 | 1006779703 | Concomitant | BUDECORT ^ASTRA^ | Verbatim name used | |
| 4870379 | 1006779704 | Concomitant | CLEXANE | Verbatim name used | SUBCUTANEOUS |
| 4870379 | 1006779705 | Concomitant | ATORVASTATIN | Verbatim name used | |
| 4870379 | 1006779706 | Concomitant | PANTOPRAZOLE | Verbatim name used | |
| 4870379 | 1006779707 | Concomitant | DOMSTAL | Verbatim name used | |
| 4870379 | 1006779708 | Concomitant | VASYLOX | Verbatim name used | |
| 4870379 | 1006779709 | Concomitant | NITRAZEPAM | Validated trade name used | |
| 4870379 | 1006779710 | Concomitant | AMARYL | Validated trade name used | |
| 4870379 | 1006779711 | Concomitant | PRAZOSIN | Verbatim name used | |
| 4870385 | 1006779719 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOUS |
| 4870385 | 1006779720 | Concomitant | HUMIRA | Validated trade name used | |
| 4870385 | 1006779721 | Concomitant | CALCIUM GLUCONATE | Validated trade name used | |
| 4870385 | 1006779722 | Concomitant | FOLIC ACID | Validated trade name used | |
| 4870385 | 1006779723 | Concomitant | LOVASTATIN | Validated trade name used | |
| 4870385 | 1006779724 | Concomitant | METOPROLOL | Verbatim name used | |
| 4870385 | 1006779725 | Concomitant | NIFEDIPINE | Validated trade name used | |
| 4870385 | 1006779726 | Concomitant | OMEPRAZOLE | Validated trade name used | |
| 4870385 | 1006779727 | Concomitant | PREDNISONE | Validated trade name used | |
| 4870385 | 1006779728 | Concomitant | RELAFEN | Validated trade name used | |

| Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) | Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|--|---|---|-----------------------|----------------------------|-------------|----------------------|
| | | | | | | |
| 30 U, UNK | | | | | - 19991 | |
| -0-1 | | | | | | |
| I-1-1 | | | | | | |
| -1-1 | | | | | | |
| I-0-1 | | | | | | |
| | | | | | | |
| 6 ML, UNK | | | | | | |
|)-0-1 | | | | | | |
| -0-0 | | | | | | |
| 1-1-1 | | | | | | |
| | | | | | | |
| 10 MG, UNK | | | | | | |
| l -1- 0 | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequenc y and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|---------------|---------------------------------------|---------------------------------|---|---|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870385 | 1006779729 | Concomitant | VICODIN | Validated trade name used | | | | | | - | - | |
| 4870385 | 1006779730 | Concomitant | VICODIN | Validated trade name used | | | | | | - | - | |
| 4870385 | 1006779731 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870385 | 1006779732 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870385 | 1006779733 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870385 | 1006779734 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870385 | 1006779735 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870385 | 1006779736 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequenc y and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|---------------------|---------------------------------------|---------------------------------|---|---|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870385 | 1006779737 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870385 | 1006779738 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870386 | 1006779739 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOU S | | | | | - | - | |
| 4870386 | 1006779740 | Concomitant | CALTRATE | Verbatim name used | | | | | | - | - | |
| 4870386 | 1006779741 | Concomitant | CELEBREX | Validated trade name used | | | | | | - | - | |
| 4870386 | 1006779742 | Concomitant | FOLIC ACID | Validated trade name used | | | | | | - | - | |
| 4870386 | 1006779743 | Concomitant | HYDROCHLOROTHIAZIDE | Validated trade name used | | | | | | - | - | |
| 4870386 | 1006779744 | Concomitant | LEVOXYL | Validated trade name used | | | | | | - | - | |

Project: AERS 2006Q1 ADVERSE EVENT REPORTING SYSTEM (AERS)

Number for identifying Dechalleng Rechalleng drug e code e code from Code for the Code for Exact text for (reaction (reaction Lot Report's role drug dose. when drug numbe Expiratio Derived Report's source when drug of drug n date NDA Drug unique unique played Route of drug frequency therapy r of therapy administration and route drug number Name number number in event Name of drug name stopped) restarted) of drug 4870386 1006779745 Concomitant K-DUR 10 Validated trade name used 4870386 1006779746 Concomitant METHOTREXATE Validated trade name used 4870386 1006779747 Concomitant PAXIL Validated trade name used 4870386 1006779748 Concomitant MULTI-VITAMIN Validated trade name used 4870386 1006779749 Concomitant MULTI-VITAMIN Validated trade name used 4870386 1006779750 Concomitant **MULTI-VITAMIN** Validated trade name used 4870386 1006779751 Concomitant **MULTI-VITAMIN** Validated trade name used Validated 4870386 1006779752 Concomitant MULTI-VITAMIN trade

name used **Drug Listings**

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|----------------------|---------------------------------------|---------------------------------|--|---|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870386 | 1006779753 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870386 | 1006779754 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870386 | 1006779755 | Concomitant | MULTI-VITAMIN | Validated trade name used | | | | | | - | - | |
| 4870387 | 1006779756 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOU S | | | | | - | - | |
| 4870387 | 1006779757 | Concomitant | ARAVA | Validated trade name used | | | | | | - | - | |
| 4870387 | 1006779758 | Concomitant | CALCIUM GLUCONATE | Validated trade name used | | | | | | - | - | |
| 4870387 | 1006779759 | Concomitant | CLINDAMYCIN | Validated trade name used | | | | | | - | - | |
| 4870387 | 1006779760 | Concomitant | ENBREL | Validated trade name used | | | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | act text for dose, quency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|---|------------------------------|------------------------------------|---------------------------------|--|--|
| 4870387 | 1006779761 | Concomitant | LEVOTHYROXINE SODIUM | Validated trade name used | | | |
| 4870387 | 1006779762 | Concomitant | PREDNISONE | Validated trade name used | | | |
| 4870387 | 1006779763 | Concomitant | ULTRACET | Validated trade name used | | | |
| 4870387 | 1006779764 | Concomitant | ACTONEL | Validated trade name used | | | |
| 4870387 | 1006779765 | Concomitant | GLUCOSAMINE WITH CHONDROITIN | Verbatim name used | | | |
| 4870387 | 1006779766 | Concomitant | GLUCOSAMINE WITH CHONDROITIN | Verbatim name used | | | |
| 4870387 | 1006779767 | Concomitant | GLUCOSAMINE WITH CHONDROITIN | Verbatim name used | | | |
| 4870387 | 1006779768 | Concomitant | GLUCOSAMINE WITH CHONDROITIN | Verbatim name used | | | |
| 4870387 | 1006779769 | Concomitant | FENTANYL | Validated trade name used | ۸ | | |
| 4870387 | 1006779770 | Concomitant | MULTIVITAMIN | Validated trade name used | | | |
| 4870387 | 1006779771 | Concomitant | MULTIVITAMIN | Validated trade name used | | | |

| Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|--------------------|-------------------------|------------|-------------------|
| trierapy restarted) | Lot number of drug | or drug | | 1 |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | _ | _ |
| | | | | |
| | | | | |
| | | | - | - |
| | | | | |
| | | | _ | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | _ | _ |
| | | | | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | _ |
| | | | | |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|---|------------------------|------------------------------------|---------------------------------|---|--|
| 4870387 | 1006779772 | Concomitant | MULTIVITAMIN | Validated trade name used | | | |
| 4870387 | 1006779773 | Concomitant | MULTIVITAMIN | Validated trade name used | | | |
| 4870387 | 1006779774 | Concomitant | MULTIVITAMIN | Validated trade name used | | | |
| 4870387 | 1006779775 | Concomitant | MULTIVITAMIN | Validated trade name used | | | |
| 4870387 | 1006779776 | Concomitant | MULTIVITAMIN | Validated trade name used | | | |
| 4870387 | 1006779777 | Concomitant | MULTIVITAMIN | Validated trade name used | | | |
| 4870388 | 1006779778 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOU S | | |
| 4870388 | 1006779779 | Concomitant | CYCLOBENZAPRINE HCL | Validated trade name used | | | |
| 4870388 | 1006779780 | Concomitant | ESTRADIOL INJ | Validated trade name used | | | |
| 4870388 | 1006779781 | Concomitant | FOLIC ACID | Validated trade name used | | | |
| 4870388 | 1006779782 | Concomitant | PHENYTOIN | Validated trade name used | ORAL | | |

| Rechallenge code (reaction when drug therapy restarted) | | Expiration date of drug | | |
|---|--------------------|-------------------------|------------|-------------------|
| therapy restarted) | Lot number of drug | of drug | NDA number | Derived Drug Name |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | _ | _ |
| | | | | |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | | |
| | | | - | - |
| | | | - | - |
| | | | | |
| | | | _ | _ |
| | | | | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|---|---------------------------|------------------------------------|---------------------------------|---|--|
| 4870388 | 1006779783 | Concomitant | PROPRANOLOL | Validated trade name used | | | |
| 4870388 | 1006779784 | Concomitant | SALSALATE | Verbatim name used | | | |
| 4870388 | 1006779785 | Concomitant | SYNTHROID | Validated trade name used | | | |
| 4870388 | 1006779786 | Concomitant | TYLENOL | Validated trade name used | | | |
| 4870388 | 1006779787 | Concomitant | METHOTREXATE | Validated trade name used | | | |
| 4870388 | 1006779788 | Concomitant | ZETIA | Validated trade name used | | | |
| 4870388 | 1006779789 | Concomitant | RESTASIS | Validated trade name used | | | |
| 4870388 | 1006779790 | Concomitant | CALCIUM WITH VITAMIN D | Verbatim name used | ORAL | | |
| 4870388 | 1006779791 | Concomitant | CALCIUM WITH VITAMIN D | Verbatim name used | ORAL | | |
| 4870388 | 1006779792 | Concomitant | CALCIUM WITH VITAMIN D | Verbatim name used | ORAL | | |
| 4870389 | 1006779793 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOU S | | |
| 4870389 | 1006779794 | Concomitant | METHOTREXATE | Validated trade name used | | | |

| Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|----------------------|----------------------------|------------|---------------------|
| incrapy restaiteu) | Lot Hulliber of drug | | | - Derived Drug Name |
| | | | | |
| | | | | |
| | | | - | - |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|---|------------------------|------------------------------------|---------------------------------|---|--|
| 4870389 | 1006779795 | Concomitant | WELLBUTRIN | Validated trade name used | | | |
| 4870390 | 1006779796 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOU S | | |
| 4870390 | 1006779797 | Concomitant | PLAQUENIL | Validated trade name used | | | |
| 4870390 | 1006779798 | Concomitant | CALCIUM WITH VITAMIN D | Verbatim name used | | | |
| 4870390 | 1006779799 | Concomitant | CALCIUM WITH VITAMIN D | Verbatim name used | | | |
| 4870390 | 1006779800 | Concomitant | CALCIUM WITH VITAMIN D | Verbatim name used | | | |
| 4870390 | 1006779801 | Concomitant | MOTRIN | Validated trade name used | | | |
| 4870391 | 1006779802 | Primary Suspect Drug | INFLIXIMAB | Verbatim name used | INTRAVENOU S | STOPPED MONTHS BEFORE DEATH | |
| 4870391 | 1006779803 | Concomitant | METHOTREXATE | Validated trade name used | | | |
| 4870391 | 1006779804 | Concomitant | ARAVA | Validated trade name used | | | |
| 4870391 | 1006779805 | Concomitant | PREDNISONE | Validated trade name used | | | |
| 4870391 | 1006779806 | Concomitant | FOSAMAX | Validated trade name used | | | |

| Rechallenge code (reaction when drug | | Expiration date | | |
|---|--------------------|-------------------------|------------|-------------------|
| (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
| | | | - | - |
| | | | | |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | | |
| | | | - | - |
| | | | | |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|--|---------------|------------------------------------|---------------------------------|---------|---|--|
| 4870391 | 1006779807 | Concomitant | NEURONTIN | Validated trade name used | | | | |
| 4870391 | 1006779808 | Concomitant | REMERON | Validated trade name used | | | | |
| 4870391 | 1006779809 | Concomitant | AMITRIPTYLINE | Verbatim name used | | | | |
| 4870391 | 1006779810 | Concomitant | LASIX | Validated trade name used | | | | |
| 4870391 | 1006779811 | Concomitant | POTASSIUM | Verbatim name used | | | | |
| 4870391 | 1006779812 | Concomitant | VICODIN ES | Validated trade name used | | | | |
| 4870391 | 1006779813 | Concomitant | VICODIN ES | Validated trade name used | | | | |
| 4870391 | 1006779814 | Concomitant | MS CONTIN | Validated trade name used | | | | |
| 4870392 | 1006779815 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOU S | | | |
| 4870392 | 1006779816 | Concomitant | PREDNISONE | Validated trade name used | | | | |
| 4870392 | 1006779817 | Concomitant | METHOTREXATE | Validated trade name used | | | | |
| 4870392 | 1006779818 | Concomitant | ANALGESICS | Verbatim name used | | | | |
| 4870392 | 1006779819 | Concomitant | NSAID'S | Verbatim name used | | | | |
| 4870392 | 1006779820 | Concomitant | LEFLUNOMIDE | Validated trade name used | | | | |
| 4870393 | 1006779821 | Primary Suspect Drug | REMICADE | Validated trade name used | INTRAVENOU S | 3 VIALS | | |

| Rechallenge code (reaction when drug therapy restarted) | | Expiration date of drug | | |
|---|--------------------|----------------------------|------------|-------------------|
| therapy restarted) | Lot number of drug | of drug | NDA number | Derived Drug Name |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | - | _ |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |
| | | | - | - |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administration | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|---|---------------|------------------------------------|---------------------------------|--|--|
| 4870414 | 1006779896 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | ORAL | PHYSICIAN REPORTED DRUG WAS STOPPED IN RESPONSE TO EVENT IN ^?7/04^ AND CONTINUED TO RESENT^ | |
| 4870414 | 1006779897 | Concomitant | VERELAN | Validated trade name used | | | |
| 4870414 | 1006779898 | Concomitant | SYNTHROID | Validated trade name used | | | |
| 4870414 | 1006779899 | Concomitant | VALIUM | Validated trade name used | | | |
| 4870415 | 1006779901 | Primary Suspect Drug | DESYREL | Validated trade name used | ORAL | | |
| 4870415 | 1006779902 | Secondary Suspect Drug | HEPARIN | Validated trade name used | PARENTERAL | | |
| 4870415 | 1006779903 | Secondary Suspect Drug | PLAVIX | Validated trade name used | ORAL | | |
| 4870415 | 1006779904 | Secondary Suspect Drug | PLAVIX | Validated trade name used | ORAL | | |
| 4870415 | 1006779905 | Concomitant | EFFEXOR | Validated trade name used | | | |
| 4870415 | 1006779906 | Concomitant | ALDACTAZIDE | Validated trade name used | | | |

| Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|--------------------|----------------------------|------------|-------------------|
| | | | - 18207 | |
| | | | | |
| | | | | |
| | | | | |
| | | | - 18207 | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administratio n | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|--|---------------|------------------------------------|-------------------------------------|---|--|
| 4870415 | 1006779907 | Concomitant | VALIUM | Validated trade name used | | | |
| 4870415 | 1006779908 | Concomitant | PRILOSEC | Validated trade name used | | | |
| 4870415 | 1006779909 | Concomitant | OXYGEN | Verbatim name used | NASAL | | |
| 4870415 | 1006779910 | Concomitant | PHENERGAN | Validated trade name used | | | |
| 4870416 | 1006779912 | Primary Suspect Drug | DESYREL | Validated trade name used | | | |
| 4870416 | 1006779913 | Secondary Suspect Drug | DESYREL | Validated trade name used | | | |
| 4870416 | 1006779914 | Secondary Suspect Drug | TRAZODONE HCL | Validated trade name used | | | |
| 4870416 | 1006779915 | Secondary Suspect Drug | TRAZODONE HCL | Validated trade name used | | | |
| 4870417 | 1006779916 | Primary Suspect Drug | DESYREL | Validated trade name used | ORAL | | |
| 4870418 | 1006779917 | Primary Suspect Drug | DESYREL | Validated trade name used | ORAL | | |
| 4870419 | 1006779918 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | ORAL | | |

| Rechallenge code (reaction when drug therapy restarted) | | Expiration date of drug | | |
|---|--------------------|-------------------------|------------|-------------------|
| therapy restarted) | Lot number of drug | | NDA number | Derived Drug Name |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | - | |
| | | | - 18207 | |
| | | | - 18207 | |
| | | | 10207 | |
| | | | - 18207 | |
| | | | - 18207 | |
| | | | 10207 | |
| | | | - 18207 | |
| | | | - 18207 | |
| | | | 10207 | |
| | | | - 18207 | |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administratio n | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|--|---------------|------------------------------------|-------------------------------------|---|--|
| 4870419 | 1006779919 | Concomitant | TAMOXIFEN | Verbatim name used | | | |
| 4870420 | 1006779920 | Primary Suspect Drug | DESYREL | Validated trade name used | | | |
| 4870420 | 1006779921 | Concomitant | ELAVIL | Validated trade name used | | AT BEDTIME | |
| 4870421 | 1006779923 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | ORAL | NIGHTLY | |
| 4870421 | 1006779924 | Secondary Suspect Drug | PERCOCET | Validated trade name used | | | |
| 4870421 | 1006779925 | Concomitant | LAMICTAL | Validated trade name used | | | |
| 4870421 | 1006779926 | Concomitant | XANAX | Validated trade name used | | | |
| 4870421 | 1006779927 | Concomitant | OXYCONTIN | Validated trade name used | | | |
| 4870422 | 1006779928 | Primary Suspect Drug | DESYREL | Validated trade name used | ORAL | DURATION OF THERAPY: ^A WHILE^ | |
| 4870422 | 1006779929 | Secondary Suspect Drug | DESYREL | Validated trade name used | ORAL | DURATION OF THERAPY: ^A WHILE^ | |
| 4870422 | 1006779930 | Secondary Suspect Drug | LEXAPRO | Validated trade name used | | | |

| Rechallenge code (reaction when drug therapy restarted) | | Expiration date of drug | | |
|---|--------------------|----------------------------|------------|-------------------|
| therapy restarted) | Lot number of drug | | NDA number | Derived Drug Name |
| | | - | - | |
| | | - | 18207 | |
| | | | | |
| | | - | - | |
| | | - | 18207 | |
| | | | | |
| | | - | - | |
| | | | | |
| | | - | - | |
| | | - | - | |
| | | | | |
| | | - | - | |
| | | | | |
| | | - | 18207 | |
| | | _ | 18207 | |
| | | | | |
| | | - | - | |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administratio n | Exact text for dose, frequency and route | Dechallenge code (reaction when drug therapy stopped) |
|------------------------------|---|---|---------------|------------------------------------|-------------------------------------|---|--|
| 4870422 | 1006779931 | Concomitant | TOPROL-XL | Validated trade name used | | | |
| 4870422 | 1006779932 | Concomitant | LIPITOR | Validated trade name used | | | |
| 4870422 | 1006779933 | Concomitant | LOPID | Validated trade name used | | | |
| 4870422 | 1006779934 | Concomitant | FIORICET | Validated trade name used | | | |
| 4870422 | 1006779935 | Concomitant | LORTAB | Validated trade name used | | | |
| 4870423 | 1006779936 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | | DOSE VALUE: 300 MG AM AND 150 MG PM. DOSE THEN CHANGED TO 150 MG TWICE DAILY IN DEC-2004. | |
| 4870423 | 1006779937 | Concomitant | WELLBUTRIN | Validated trade name used | | | |
| 4870424 | 1006779939 | Primary Suspect Drug | DESYREL | Validated trade name used | | | |
| 4870425 | 1006779940 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | ORAL | THERAPY DURATION - 1 TO 2 WEEKS TAKEN AT BEDTIME (HS); DISCONTINUED 5 WEEKS AGO | |
| 4870425 | 1006779941 | Secondary Suspect Drug | TRAZODONE HCL | Validated trade name used | ORAL | THERAPY DURATION - 1 TO 2 WEEKS TAKEN AT BEDTIME (HS); DISCONTINUED 5 WEEKS AGO | |
| 4870425 | 1006779942 | Secondary Suspect Drug | TRANQUILIZERS | Verbatim name used | | | |

| Rechallenge code (reaction when drug therapy restarted) | Lot number of drug | Expiration date of drug | NDA number | Derived Drug Name |
|---|--------------------|----------------------------|------------|-------------------|
| inerapy restaited) | Lot number of drug | | | Delived Didg Name |
| | | | | |
| | | | - | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | - 18207 | |
| | | | | |
| | | | | |
| | | | - 18207 | |
| | | | - 18207 | |
| | | | | |
| | | | - 18207 | |
| | | | _ | |
| | | | | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administratio n | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|--------------|---------------------------------------|-------------------------------------|---|--|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870425 | 1006779943 | Concomitant | ATIVAN | Validated trade name used | ORAL | | | | | - | - | |
| 4870426 | 1006779944 | Primary Suspect Drug | DESYREL | Validated trade name used | ORAL | | | | | - | 18207 | |
| 4870426 | 1006779945 | Concomitant | TOPROL-XL | Validated trade name used | | | | | | - | - | |
| 4870426 | 1006779946 | Concomitant | ZOLOFT | Validated trade name used | | | | | | - | - | |
| 4870426 | 1006779947 | Concomitant | TAPAZOLE | Validated trade name used | | | | | | - | - | |
| 4870427 | 1006779948 | Primary Suspect Drug | DESYREL | Validated trade name used | | | | | | - | 18207 | |
| 4870428 | 1006779949 | Primary Suspect Drug | DESYREL | Validated trade name used | | | | | | - | 18207 | |
| 4870429 | 1006779950 | Primary Suspect Drug | DESYREL | Validated trade name used | | | | , | | - | 18207 | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administratio n | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|------------------------|---------------------------------------|-------------------------------------|---|--|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870430 | 1006779951 | Primary Suspect Drug | DESYREL | Validated trade name used | | | | | | - | 18207 | |
| 4870430 | 1006779952 | Secondary Suspect Drug | SERZONE | Validated trade name used | | | | | | - | 20152 | |
| 4870430 | 1006779953 | Concomitant | SINEQUAN | Validated trade name used | | | | | | - | - | |
| 4870431 | 1006779954 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | ORAL | | | | | - | 18207 | |
| 4870432 | 1006779955 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | | | | | | - | 18207 | |
| 4870433 | 1006779956 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | | | | | | - | 18207 | |
| 4870433 | 1006779957 | Secondary Suspect Drug | PRINIVIL | Validated trade name used | ORAL | | | | | - | - | |
| 4870433 | 1006779958 | Secondary Suspect Drug | DIPHENHYDRAMINE HCL | Validated trade name used | | | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administratio n | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|-------------------|---------------------------------------|-------------------------------------|---|--|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870433 | 1006779959 | Secondary Suspect Drug | DILTIAZEM HCL | Validated trade name used | | | | | | - | - | |
| 4870433 | 1006779960 | Secondary Suspect Drug | GABAPENTIN | Validated trade name used | | | | | | - | - | |
| 4870433 | 1006779961 | Secondary Suspect Drug | SERTRALINE HCL | Validated trade name used | | | | | | - | - | |
| 4870433 | 1006779962 | Concomitant | SYNTHROID | Validated trade name used | | | | | | - | - | |
| 4870433 | 1006779963 | Concomitant | INSULIN ASPART | Validated trade name used | | | | | | - | - | |
| 4870433 | 1006779964 | Concomitant | OMEPRAZOLE | Validated trade name used | | | | | | - | - | |
| 4870433 | 1006779965 | Concomitant | SIMVASTATIN | Validated trade name used | | | | | | - | - | |
| 4870434 | 1006779966 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | | | | | | - | 18207 | |
| 4870434 | 1006779967 | Concomitant | WELLBUTRIN | Validated trade name used | | | | | | - | - | |
| 4870435 | 1006779968 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | | | | | | - | 18207 | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administratio n | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|---------------|---------------------------------------|-------------------------------------|---|---|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870436 | 1006779969 | Primary Suspect Drug | DESYREL | Validated trade name used | | DURATION OF THERAPY: MANY YEARS | | | MAA15 | - | 18207 | |
| 4870437 | 1006779970 | Primary Suspect Drug | DESYREL | Validated trade name used | | | | | | - | 18207 | |
| 4870438 | 1006779971 | Primary Suspect Drug | DESYREL | Validated trade name used | | INTERRUPTED X 1 NIGHT | | | | - | 18207 | |
| 4870439 | 1006779972 | Primary Suspect Drug | DESYREL | Validated trade name used | ORAL | | | | | - | 18207 | |
| 4870440 | 1006779973 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | | | | | | - | 18207 | |
| 4870440 | 1006779974 | Concomitant | AMBIEN | Validated trade name used | | | | | | - | - | |
| 4870441 | 1006779975 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | ORAL | | | | | - | 18207 | |
| 4870441 | 1006779976 | Secondary Suspect Drug | TRAZODONE HCL | Validated trade name used | ORAL | | | | | - | 18207 | |
| 4870441 | 1006779977 | Secondary Suspect Drug | TRAZODONE HCL | Validated trade name used | ORAL | | | | | - | 18207 | |
| 4870441 | 1006779978 | Secondary Suspect Drug | TRAZODONE HCL | Validated trade name used | ORAL | | | | | - | 18207 | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administratio n | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|----------------------------|---------------------------------------|-------------------------------------|---|--|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870441 | 1006779979 | Concomitant | ZOLOFT | Validated trade name used | | | | | | - | - | |
| 4870441 | 1006779980 | Concomitant | PROVIGIL | Validated trade name used | | | | | | - | - | |
| 4870441 | 1006779981 | Concomitant | PROVENTIL | Validated trade name used | | | | | | - | - | |
| 4870441 | 1006779982 | Concomitant | ADVAIR DISKUS 250/50 | Validated trade name used | | | | | | - | - | |
| 4870442 | 1006779983 | Primary Suspect Drug | SINEMET | Validated trade name used | | | | | | - | 17555 | |
| 4870442 | 1006779984 | Secondary Suspect Drug | TRAZODONE HCL | Validated trade name used | | | | | | - | 18207 | |
| 4870442 | 1006779985 | Secondary Suspect Drug | LEVOXYL | Validated trade name used | | | | | | - | - | |
| 4870443 | 1006779986 | Primary Suspect Drug | DESYREL | Validated trade name used | | | | | | - | 18207 | |
| 4870443 | 1006779987 | Concomitant | NOVOCAIN | Validated trade name used | | | | | | - | - | |
| 4870443 | 1006779988 | Concomitant | NITROUS OXIDE W/ OXYGEN | Validated trade name used | | | | , | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administratio n | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|---------------|---------------------------------------|-------------------------------------|---|--|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870444 | 1006779989 | Primary Suspect Drug | DESYREL | Validated trade name used | | | | | | - | 18207 | |
| 4870445 | 1006779990 | Primary Suspect Drug | DESYREL | Validated trade name used | | | | | | - | 18207 | |
| 4870445 | 1006779991 | Secondary Suspect Drug | ALCOHOL | Verbatim name used | | | | | | - | - | |
| 4870446 | 1006779992 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | | | | | | - | 18207 | |
| 4870447 | 1006779993 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | | | | | | - | 18207 | |
| 4870447 | 1006779994 | Secondary Suspect Drug | ZOLOFT | Validated trade name used | | | | | | - | - | |
| 4870448 | 1006779995 | Primary Suspect Drug | DESYREL | Validated trade name used | ORAL | | | | | - | 18207 | |
| 4870449 | 1006779996 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | ORAL | | | | | - | 18207 | |
| 4870449 | 1006779997 | Concomitant | ZANAFLEX | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006779998 | Concomitant | MOBIC | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006779999 | Concomitant | K-DUR 10 | Validated trade name used | | | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administratio n | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|--------------|---------------------------------------|-------------------------------------|---|--|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870449 | 1006780000 | Concomitant | ANTIVERT | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780001 | Concomitant | AVANDIA | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780002 | Concomitant | SYNTHROID | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780003 | Concomitant | NORVASC | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780004 | Concomitant | PREVACID | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780005 | Concomitant | XANAX | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780006 | Concomitant | ZOLOFT | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780007 | Concomitant | IMITREX | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780008 | Concomitant | SOMA | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780009 | Concomitant | TALWIN | Validated trade name used | | | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administratio n | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|--------------------|---------------------------------------|-------------------------------------|---|---|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870449 | 1006780010 | Concomitant | REGLAN | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780011 | Concomitant | CARAFATE | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780012 | Concomitant | COLACE | Verbatim name used | | | | | | - | - | |
| 4870449 | 1006780013 | Concomitant | PROVIGIL | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780014 | Concomitant | LASIX | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780015 | Concomitant | BETASERON | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780016 | Concomitant | VITAMIN B-12 | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780017 | Concomitant | ZETIA | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780018 | Concomitant | FOLIC ACID | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780019 | Concomitant | REGULAR INSULIN | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780020 | Concomitant | LANTUS | Validated trade name used | | | | | | - | - | |

| Report's unique number | Number for identifying drug from Report's unique number | Code for the role drug played in event | Name of drug | Code for source of drug name | Route of drug administratio n | Exact text for dose, frequency and route | Dechalleng e code (reaction when drug therapy stopped) | Rechalleng e code (reaction when drug therapy restarted) | Lot numbe r of drug | Expiratio n date of drug | NDA number | Derived Drug Name |
|------------------------------|---|---|---------------|---------------------------------------|-------------------------------------|---|--|---|------------------------------|--------------------------------|---------------|-------------------------|
| 4870449 | 1006780021 | Concomitant | MULTIVITAMIN | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780022 | Concomitant | ZELNORM | Validated trade name used | | | | | | - | - | |
| 4870449 | 1006780023 | Concomitant | SUDAL | Verbatim name used | | | | | | - | - | |
| 4870449 | 1006780024 | Concomitant | SUDAL-DM | Verbatim name used | | | | | | - | - | |
| 4870450 | 1006780025 | Primary Suspect Drug | TRAZODONE HCL | Validated trade name used | ORAL | | | | | - | 18207 | |
| 4870451 | 1006780026 | Primary Suspect Drug | DESYREL | Validated trade name used | ORAL | | | | | - | 18207 | |
| 4870451 | 1006780027 | Concomitant | ENBREL | Validated trade name used | | | | | | - | - | |
| 4870451 | 1006780028 | Concomitant | METHOTREXATE | Validated trade name used | | | | | | - | 86358 | |
| 4870451 | 1006780029 | Concomitant | PREDNISONE | Validated trade name used | | | | | | - | - | |
| 4870452 | 1006780030 | Primary Suspect Drug | ABILIFY | Validated trade name used | | | | | | - | 21436 | |
| 4870452 | 1006780031 | Secondary Suspect Drug | TRAZODONE HCL | Validated trade name used | | | | | | - | 18207 | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4793437 | BLOOD GLUCOSE INCREASED | |
| 4799889 | AGGRESSION | |
| 4799889 | HALLUCINATION, AUDITORY | |
| 4799889 | INTENTIONAL SELF-INJURY | |
| 4799889 | PSYCHOTIC DISORDER | |
| 4799889 | SUICIDAL IDEATION | |
| 4802758 | BLOOD UREA INCREASED | |
| 4802758 | CELLULITIS | |
| 4802758 | DEEP VEIN THROMBOSIS | |
| 4802758 | DISEASE PROGRESSION | |
| 4802758 | HAEMOGLOBIN DECREASED | |
| 4802758 | WHITE BLOOD CELL COUNT DECREASED | |
| 4806822 | PHARMACEUTICAL PRODUCT COMPLAINT | |
| 4807735 | HEPATITIS CHOLESTATIC | |
| 4807735 | PRURIGO | |
| 4807884 | LUNG NEOPLASM MALIGNANT | |
| 4810789 | DRUG INEFFECTIVE | |
| 4810789 | GLAUCOMA | |
| 4810789 | URINARY INCONTINENCE | |
| 4810789 | VISION BLURRED | |
| 4811786 | HYPERKALAEMIA | |
| 4811786 | HYPERPHOSPHATAEMIA | |
| 4811786 | HYPERURICAEMIA | |
| 4811786 | NAUSEA | |
| 4811786 | RENAL FAILURE ACUTE | |
| 4811786 | VOMITING | |
| 4813034 | CONDITION AGGRAVATED | |
| 4813034 | CONVULSION | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4815387 | INFECTION | |
| 4815387 | OSTEONECROSIS | |
| 4817144 | BONE DISORDER | |
| 4817145 | RENAL FAILURE ACUTE | |
| 4817146 | ALVEOLOPLASTY | |
| 4817146 | BONE DISORDER | |
| 4817146 | TOOTH EXTRACTION | |
| 4817148 | BLOOD CREATININE INCREASED | |
| 4817148 | RENAL FAILURE | |
| 4817149 | BLOOD CREATININE INCREASED | |
| 4817149 | FEELING ABNORMAL | |
| 4817149 | RENAL FAILURE ACUTE | |
| 4817159 | ARTHRALGIA | |
| 4817159 | BONE PAIN | |
| 4817159 | MYALGIA | |
| 4817167 | BLOOD ALBUMIN DECREASED | |
| 4817167 | BLOOD CALCIUM DECREASED | |
| 4819355 | BLOOD GLUCOSE INCREASED | |
| 4819355 | DECREASED APPETITE | |
| 4819355 | WEIGHT DECREASED | |
| 4820164 | CHILLS | |
| 4820164 | FLUSHING | |
| 4820164 | HEADACHE | |
| 4820164 | INFUSION RELATED REACTION | |
| 4820164 | NAUSEA | |
| 4820164 | PROCEDURAL COMPLICATION | |
| 4820164 | VOMITING | |
| 4821833 | ANAL HAEMORRHAGE | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4821833 | ARTHRALGIA | |
| 4821833 | EPISTAXIS | |
| 4821833 | INSOMNIA | |
| 4821833 | JOINT SWELLING | |
| 4821833 | LABORATORY TEST ABNORMAL | |
| 4821833 | MOBILITY DECREASED | |
| 4821833 | PAIN | |
| 4826267 | BLOOD PRESSURE DECREASED | |
| 4826267 | CHILLS | |
| 4826267 | INFUSION RELATED REACTION | |
| 4826267 | PYREXIA | |
| 4826267 | VOMITING | |
| 4826267 | WHEEZING | |
| 4826274 | CHILLS | |
| 4826274 | INFUSION RELATED REACTION | |
| 4826274 | MUSCLE TIGHTNESS | |
| 4826360 | ANOXIC ENCEPHALOPATHY | |
| 4826360 | CARDIO-RESPIRATORY ARREST | |
| 4826360 | OVERDOSE | |
| 4826360 | PAIN | |
| 4826360 | SYNCOPE | |
| 4828303 | HEPATIC FUNCTION ABNORMAL | |
| 4828303 | POST PROCEDURAL COMPLICATION | |
| 4832882 | NAUSEA | |
| 4832882 | PAIN | |
| 4833762 | AMENORRHOEA | |
| 4833762 | ASTHENIA | |
| 4833762 | BALANCE DISORDER | |

Project: AERS 2006Q1 ADVERSE EVENT REPORTING SYSTEMATION AND STATEMENT OF THE PROPERTY OF THE

| Report's unique number | Preferred term to describe the event |
|------------------------|--------------------------------------|
| 4833762 | GAIT DISTURBANCE |
| 4833762 | HIP FRACTURE |
| 4833762 | JOINT RANGE OF MOTION DECREASED |
| 4833762 | LOWER LIMB DEFORMITY |
| 4833762 | MOBILITY DECREASED |
| 4833762 | OSTEOPENIA |
| 4833762 | OSTEOPOROSIS |
| 4833762 | POST PROCEDURAL COMPLICATION |
| 4833762 | STRESS FRACTURE |
| 4833775 | DISEASE PROGRESSION |
| 4833775 | DISEASE RECURRENCE |
| 4833775 | HAEMORRHAGE |
| 4833775 | HEPATIC FUNCTION ABNORMAL |
| 4833775 | RESPIRATORY FAILURE |
| 4834797 | ANOXIC ENCEPHALOPATHY |
| 4834797 | CARDIO-RESPIRATORY ARREST |
| 4834797 | NAUSEA |
| 4834797 | OVERDOSE |
| 4834797 | PAIN |
| 4834797 | SYNCOPE |
| 4838069 | CHILLS |
| 4838069 | INFUSION RELATED REACTION |
| 4838069 | NAUSEA |
| 4838069 | VOMITING |
| 4840105 | DIZZINESS |
| 4840105 | OVERDOSE |
| 4840105 | RETCHING |
| 4843170 | BREAST CANCER |

Project: AERS 2006Q1 ADVEDSE EVENT DEDODTING SVS

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4846119 | HYPOAESTHESIA | |
| 4846119 | PARAESTHESIA ORAL | |
| 4846119 | PRURITUS GENERALISED | |
| 4846435 | BLOOD GLUCOSE DECREASED | |
| 4846435 | DRUG EXPOSURE DURING PREGNANCY | |
| 4846435 | UMBILICAL CORD ABNORMALITY | |
| 4847003 | BENIGN INTRACRANIAL HYPERTENSION | |
| 4847053 | BRONCHITIS | |
| 4847053 | HIP ARTHROPLASTY | |
| 4847053 | TUBERCULOSIS | |
| 4847638 | CEREBRAL HAEMORRHAGE | |
| 4847706 | STEVENS-JOHNSON SYNDROME | |
| 4847706 | VOMITING | |
| 4852120 | ARTHRITIS | |
| 4852120 | FUNGAL INFECTION | |
| 4852895 | COMPLETED SUICIDE | |
| 4854233 | CULTURE WOUND POSITIVE | |
| 4854233 | INFECTION | |
| 4854233 | POST PROCEDURAL COMPLICATION | |
| 4865588 | ABDOMINAL PAIN | |
| 4865588 | ACCIDENTAL OVERDOSE | |
| 4865588 | CONSTIPATION | |
| 4865588 | DRUG EXPOSURE DURING PREGNANCY | |
| 4865588 | DRY MOUTH | |
| 4865588 | DYSPHAGIA | |
| 4865588 | OFF LABEL USE | |
| 4865588 | PAIN | |
| 4865588 | PREGNANCY | |

Project: AERS 2006Q1 ADVERSE EVENT REPORTING SYSTEM (AERS) Reaction Listings

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4865588 | VISION BLURRED | |
| 4867362 | DRUG TOXICITY | |
| 4867362 | PNEUMONIA | |
| 4867364 | CARDIAC FAILURE CONGESTIVE | |
| 4867364 | CARDIOMYOPATHY | |
| 4867367 | GRAFT VERSUS HOST DISEASE | |
| 4867367 | SEPSIS | |
| 4867370 | MULTI-ORGAN FAILURE | |
| 4867370 | PNEUMONIA CYTOMEGALOVIRAL | |
| 4867373 | HAEMOLYTIC URAEMIC SYNDROME | |
| 4867373 | SUDDEN CARDIAC DEATH | |
| 4867373 | THROMBOTIC THROMBOCYTOPENIC PURPURA | |
| 4867375 | DEMENTIA | |
| 4867377 | CARDIAC FAILURE CONGESTIVE | |
| 4867377 | MYOCARDIAL INFARCTION | |
| 4867377 | SUDDEN CARDIAC DEATH | |
| 4867384 | COMPLICATIONS OF TRANSPLANT SURGERY | |
| 4867384 | VENOOCCLUSIVE DISEASE | |
| 4867390 | CARDIAC ARREST | |
| 4867390 | COMPLICATIONS OF TRANSPLANT SURGERY | |
| 4867392 | HAEMOLYTIC URAEMIC SYNDROME | |
| 4867392 | PNEUMONIA | |
| 4867392 | THROMBOTIC THROMBOCYTOPENIC PURPURA | |
| 4867604 | GRAFT VERSUS HOST DISEASE | |
| 4867604 | PNEUMONIA | |
| 4867630 | ENCEPHALOPATHY | |
| 4867630 | MYELITIS | |
| 4867630 | NEUTROPHIL COUNT ABNORMAL | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4867630 | STEM CELL TRANSPLANT | |
| 4869006 | CEREBRAL INFARCTION | |
| 4870242 | BRADYCARDIA | |
| 4870242 | HYPOTENSION | |
| 4870242 | NERVE BLOCK | |
| 4870243 | DRUG INEFFECTIVE | |
| 4870243 | HYPOXIA | |
| 4870243 | INTERSTITIAL LUNG DISEASE | |
| 4870243 | PLEURAL EFFUSION | |
| 4870244 | AGRANULOCYTOSIS | |
| 4870244 | DRUG SCREEN POSITIVE | |
| 4870244 | NEUTROPHIL COUNT DECREASED | |
| 4870245 | ARTHRITIS | |
| 4870245 | CONNECTIVE TISSUE DISORDER | |
| 4870245 | DYSPEPSIA | |
| 4870245 | INSOMNIA | |
| 4870245 | JOINT SWELLING | |
| 4870245 | MUSCULOSKELETAL PAIN | |
| 4870245 | MYALGIA | |
| 4870245 | OEDEMA PERIPHERAL | |
| 4870245 | PAIN | |
| 4870245 | PAIN IN EXTREMITY | |
| 4870245 | PRURITUS | |
| 4870245 | RASH | |
| 4870245 | SHOULDER PAIN | |
| 4870246 | CYTOMEGALOVIRUS INFECTION | |
| 4870246 | HYPERCALCAEMIA | |
| 4870246 | HYPERNATRAEMIA | |

| Report's unique number | Preferred term to describe the event |
|------------------------|--------------------------------------|
| 4870246 | HYPERTENSION |
| 4870246 | KIDNEY TRANSPLANT REJECTION |
| 4870246 | PYREXIA |
| 4870246 | RENAL HAEMATOMA |
| 4870246 | URINARY TRACT INFECTION |
| 4870246 | WOUND |
| 4870247 | OEDEMA |
| 4870247 | RASH ERYTHEMATOUS |
| 4870247 | RASH GENERALISED |
| 4870247 | SKIN EXFOLIATION |
| 4870248 | MYOCARDIAL INFARCTION |
| 4870248 | PNEUMONIA |
| 4870248 | RESPIRATORY FAILURE |
| 4870249 | CIRCULATORY COLLAPSE |
| 4870249 | PROPOFOL INFUSION SYNDROME |
| 4870249 | RHABDOMYOLYSIS |
| 4870250 | CONVULSION |
| 4870250 | DEPRESSED LEVEL OF CONSCIOUSNESS |
| 4870250 | DRUG TOXICITY |
| 4870250 | DYSPNOEA |
| 4870250 | FEELING ABNORMAL |
| 4870250 | MUSCULOSKELETAL STIFFNESS |
| 4870250 | SOMNOLENCE |
| 4870251 | DIZZINESS |
| 4870251 | FATIGUE |
| 4870251 | MUSCLE SPASMS |
| 4870251 | MUSCULOSKELETAL STIFFNESS |
| 4870252 | APHONIA |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4870252 | CONFUSIONAL STATE | |
| 4870252 | DEEP VEIN THROMBOSIS | |
| 4870252 | OEDEMA PERIPHERAL | |
| 4870252 | PNEUMONIA | |
| 4870252 | RESPIRATORY DISORDER | |
| 4870252 | STATUS EPILEPTICUS | |
| 4870253 | CROUP INFECTIOUS | |
| 4870254 | FALL | |
| 4870254 | RIB FRACTURE | |
| 4870254 | UPPER LIMB FRACTURE | |
| 4870255 | ACUTE RESPIRATORY DISTRESS SYNDROME | |
| 4870255 | ANAEMIA | |
| 4870255 | CARDIAC FAILURE | |
| 4870255 | DEHYDRATION | |
| 4870255 | DYSPHAGIA | |
| 4870255 | ENTERITIS | |
| 4870255 | FEBRILE NEUTROPENIA | |
| 4870255 | HYPERTHYROIDISM | |
| 4870255 | HYPOTENSION | |
| 4870255 | INTESTINAL HAEMORRHAGE | |
| 4870255 | LEUKOPENIA | |
| 4870255 | MUCOSAL INFLAMMATION | |
| 4870255 | MULTI-ORGAN FAILURE | |
| 4870255 | PERITONITIS | |
| 4870255 | RESPIRATORY FAILURE | |
| 4870255 | SEPSIS | |
| 4870255 | TACHYARRHYTHMIA | |
| 4870255 | THROMBOCYTOPENIA | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4870256 | CATARACT OPERATION COMPLICATION | |
| 4870256 | IRIS DISORDER | |
| 4870257 | CEREBROVASCULAR ACCIDENT | |
| 4870257 | SUDDEN DEATH | |
| 4870257 | SYNCOPE | |
| 4870258 | ABDOMINAL PAIN UPPER | |
| 4870258 | COUGH | |
| 4870258 | DIARRHOEA | |
| 4870258 | DYSPNOEA | |
| 4870272 | AMNESIA | |
| 4870272 | BACK PAIN | |
| 4870272 | DYSARTHRIA | |
| 4870302 | APHTHOUS STOMATITIS | |
| 4870302 | ARTHRALGIA | |
| 4870302 | ASCITES | |
| 4870302 | CONVERSION DISORDER | |
| 4870302 | DEPRESSION | |
| 4870302 | GENERAL PHYSICAL CONDITION | |
| 4870302 | PLEURISY | |
| 4870302 | PSYCHOTIC DISORDER | |
| 4870302 | RASH | |
| 4870302 | RAYNAUD'S PHENOMENON | |
| 4870302 | SYSTEMIC LUPUS ERYTHEMATOSUS | |
| 4870302 | TACHYCARDIA | |
| 4870303 | PSORIASIS | |
| 4870304 | CATARACT | |
| 4870304 | GLAUCOMA | |
| 4870305 | DRUG INEFFECTIVE | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4870305 | PNEUMOCYSTIS JIROVECI PNEUMONIA | |
| 4870305 | PNEUMONIA | |
| 4870313 | CONVULSION | |
| 4870313 | HEAD INJURY | |
| 4870319 | TUBERCULOSIS | |
| 4870320 | TUBERCULOSIS | |
| 4870321 | TUBERCULOSIS | |
| 4870322 | CROHN'S DISEASE | |
| 4870322 | CUTANEOUS TUBERCULOSIS | |
| 4870322 | PANCREATITIS | |
| 4870323 | HISTIOCYTOSIS HAEMATOPHAGIC | |
| 4870323 | PANCYTOPENIA | |
| 4870323 | RESPIRATORY FAILURE | |
| 4870323 | TUBERCULOSIS | |
| 4870324 | FIBROCYSTIC BREAST DISEASE | |
| 4870325 | ANOREXIA | |
| 4870325 | CHILLS | |
| 4870325 | DEATH | |
| 4870325 | DIARRHOEA | |
| 4870325 | DYSGEUSIA | |
| 4870325 | GRANULOMA | |
| 4870325 | HIV INFECTION | |
| 4870325 | LIVER FUNCTION TEST ABNORMAL | |
| 4870325 | PYREXIA | |
| 4870325 | WEIGHT DECREASED | |
| 4870326 | TUBERCULOSIS | |
| 4870327 | LEUKAEMIA | |
| 4870328 | ATRIAL FIBRILLATION | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|---------------------------------------|--|
| 4870328 | BLOOD PRESSURE DECREASED | |
| 4870328 | C-REACTIVE PROTEIN INCREASED | |
| 4870328 | INFUSION RELATED REACTION | |
| 4870328 | TACHYCARDIA | |
| 4870328 | WHITE BLOOD CELL COUNT INCREASED | |
| 4870329 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | |
| 4870329 | PNEUMONIA | |
| 4870330 | LISTERIOSIS | |
| 4870331 | GASTRITIS | |
| 4870331 | GASTROOESOPHAGITIS | |
| 4870331 | NOCARDIOSIS | |
| 4870331 | PNEUMONIA | |
| 4870332 | BASAL CELL CARCINOMA | |
| 4870333 | INFLUENZA LIKE ILLNESS | |
| 4870333 | LYMPHOCYTOSIS | |
| 4870334 | ARTHRALGIA | |
| 4870334 | BACK PAIN | |
| 4870334 | JOINT EFFUSION | |
| 4870334 | JOINT STIFFNESS | |
| 4870334 | PYREXIA | |
| 4870335 | BRONCHIOLOALVEOLAR CARCINOMA | |
| 4870335 | POST PROCEDURAL HAEMATOMA | |
| 4870336 | DEHYDRATION | |
| 4870336 | SYSTEMIC LUPUS ERYTHEMATOSUS | |
| 4870343 | ABDOMINAL PAIN | |
| 4870343 | UTERINE CANCER | |
| 4870344 | DIARRHOEA | |
| 4870344 | DRUG INEFFECTIVE | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4870344 | PRURITUS | |
| 4870344 | RASH | |
| 4870345 | BIPOLAR DISORDER | |
| 4870345 | OVERDOSE | |
| 4870345 | TACHYCARDIA | |
| 4870346 | ERYTHEMA | |
| 4870346 | GENERALISED OEDEMA | |
| 4870346 | LIVER DISORDER | |
| 4870346 | RASH | |
| 4870346 | RENAL DISORDER | |
| 4870346 | SWELLING | |
| 4870346 | URINE OUTPUT DECREASED | |
| 4870347 | ANAEMIA POSTOPERATIVE | |
| 4870347 | ATELECTASIS | |
| 4870347 | CARDIAC FAILURE CONGESTIVE | |
| 4870347 | HEPATIC MASS | |
| 4870347 | PYREXIA | |
| 4870348 | ANAEMIA | |
| 4870348 | ATRIAL FIBRILLATION | |
| 4870348 | CELLULITIS | |
| 4870348 | RENAL FAILURE ACUTE | |
| 4870349 | ASTHENIA | |
| 4870349 | DEHYDRATION | |
| 4870349 | MYALGIA | |
| 4870349 | PYREXIA | |
| 4870349 | SUPRAVENTRICULAR TACHYCARDIA | |
| 4870349 | TACHYCARDIA | |
| 4870350 | HAEMATOCHEZIA | |

| Report's unique number | Preferred term to describe the event | |
|---------------------------|--------------------------------------|--|
| 4870350 | OEDEMA | |
| 4870350 | SWELLING | |
| 4870350 | ULCER HAEMORRHAGE | |
| 4870351 | CEREBRAL INFARCTION | |
| 4870351 | CONSTIPATION | |
| 4870352 | DRUG EXPOSURE DURING PREGNANCY | |
| 4870352 | VENTRICULAR HYPERTROPHY | |
| 4870353 | ULCER HAEMORRHAGE | |
| 4870354 | HYPOGLYCAEMIA | |
| 4870355 | BLOOD PRESSURE FLUCTUATION | |
| 4870355 | CHILLS | |
| 4870355 | CONFUSIONAL STATE | |
| 4870355 | DIZZINESS | |
| 4870355 | HYPONATRAEMIA | |
| 4870355 | MEMORY IMPAIRMENT | |
| 4870355 | RASH | |
| 4870355 | VISION BLURRED | |
| 4870356 | ALANINE AMINOTRANSFERASE INCREASED | |
| 4870356 | ASPARTATE AMINOTRANSFERASE INCREASED | |
| 4870356 | CARDIAC MURMUR | |
| 4870356 | HYPERTENSION | |
| 4870357 | ACCESSORY AURICLE | |
| 4870357 | CONGENITAL ANOMALY | |
| 4870357 | DRUG EXPOSURE DURING PREGNANCY | |
| 4870357 | PREMATURE BABY | |
| 4870358 | ANAEMIA | |
| 4870358 | DRUG EXPOSURE DURING PREGNANCY | |
| 4870358 | PREMATURE LABOUR | |

| Report's unique number | Preferred term to describe the event |
|---------------------------|---|
| 4870359 | HEAD INJURY |
| 4870359 | ORTHOSTATIC HYPOTENSION |
| 4870359 | SKIN LACERATION |
| 4870359 | SYNCOPE VASOVAGAL |
| 4870360 | ABDOMINAL PAIN |
| 4870360 | ANOREXIA |
| 4870360 | CHILLS |
| 4870360 | COAGULOPATHY |
| 4870360 | EOSINOPHILIA |
| 4870360 | HEPATIC ENCEPHALOPATHY |
| 4870360 | HEPATOTOXICITY |
| 4870360 | JAUNDICE |
| 4870360 | LEUKOCYTOSIS |
| 4870360 | MALAISE |
| 4870360 | PANCREATITIS |
| 4870360 | PYREXIA |
| 4870360 | RASH MACULO-PAPULAR |
| 4870360 | STEVENS-JOHNSON SYNDROME |
| 4870360 | THROMBOCYTOPENIA |
| 4870362 | BIOPSY LUNG |
| 4870363 | CHRONIC MYELOID LEUKAEMIA |
| 4870364 | ANAPLASTIC LARGE CELL LYMPHOMA T- AND NULL-CELL TYPES |
| 4870365 | RENAL ARTERY STENT PLACEMENT |
| 4870366 | OESOPHAGEAL CARCINOMA |
| 4870367 | HYPOGLYCAEMIA |
| 4870367 | HYPOTENSION |
| 4870370 | ISCHAEMIC STROKE |
| 4870370 | LACUNAR INFARCTION |

| Report's unique number | Preferred term to describe the event | |
|------------------------|---------------------------------------|--|
| 4870370 | TREMOR | |
| 4870372 | PNEUMOTHORAX | |
| 4870372 | POST PROCEDURAL COMPLICATION | |
| 4870379 | BLOOD GLUCOSE INCREASED | |
| 4870379 | CARDIAC FAILURE ACUTE | |
| 4870379 | DRUG INEFFECTIVE | |
| 4870385 | ANGINA PECTORIS | |
| 4870385 | CORONARY ARTERY DISEASE | |
| 4870385 | SUPRAVENTRICULAR TACHYCARDIA | |
| 4870386 | BASAL CELL CARCINOMA | |
| 4870387 | BASAL CELL CARCINOMA | |
| 4870388 | SKIN CANCER | |
| 4870389 | BASAL CELL CARCINOMA | |
| 4870390 | MALIGNANT MELANOMA | |
| 4870391 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE | |
| 4870391 | DEATH | |
| 4870391 | EMPHYSEMA | |
| 4870391 | PULMONARY MYCOSIS | |
| 4870392 | RENAL DISORDER | |
| 4870393 | DEATH | |
| 4870393 | INFECTION | |
| 4870393 | RENAL FAILURE | |
| 4870414 | NOREPINEPHRINE INCREASED | |
| 4870415 | ABDOMINAL MASS | |
| 4870415 | ABDOMINAL PAIN | |
| 4870415 | CLOSTRIDIAL INFECTION | |
| 4870415 | CONTUSION | |
| 4870416 | DRUG INEFFECTIVE | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4870417 | ALOPECIA | |
| 4870418 | DYSURIA | |
| 4870418 | INSOMNIA | |
| 4870418 | NIGHTMARE | |
| 4870419 | ALOPECIA | |
| 4870419 | INSOMNIA | |
| 4870420 | PRIAPISM | |
| 4870421 | PREGNANCY | |
| 4870422 | DIZZINESS | |
| 4870423 | ARTHRALGIA | |
| 4870424 | BLOOD TEST ABNORMAL | |
| 4870425 | CRYING | |
| 4870425 | DEPRESSION | |
| 4870425 | DISTURBANCE IN ATTENTION | |
| 4870425 | MOOD SWINGS | |
| 4870426 | COUGH | |
| 4870427 | PREGNANCY | |
| 4870428 | INSOMNIA | |
| 4870429 | DRUG SCREEN POSITIVE | |
| 4870430 | THINKING ABNORMAL | |
| 4870431 | PHOTOSENSITIVITY REACTION | |
| 4870432 | DRY SKIN | |
| 4870433 | DIZZINESS | |
| 4870434 | ERECTILE DYSFUNCTION | |
| 4870435 | PSORIASIS | |
| 4870436 | DRUG ADMINISTRATION ERROR | |
| 4870436 | IMPAIRED DRIVING ABILITY | |
| 4870437 | CHEST PAIN | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4870437 | DRY MOUTH | |
| 4870437 | HEADACHE | |
| 4870438 | ARTHRALGIA | |
| 4870439 | ASTHENIA | |
| 4870439 | BLOOD PRESSURE DECREASED | |
| 4870439 | DISORIENTATION | |
| 4870440 | SUICIDAL IDEATION | |
| 4870441 | MYALGIA | |
| 4870442 | AGITATION | |
| 4870442 | DYSSTASIA | |
| 4870442 | PARKINSON'S DISEASE | |
| 4870442 | SOMNOLENCE | |
| 4870443 | HEADACHE | |
| 4870444 | ARRHYTHMIA | |
| 4870445 | SUICIDE ATTEMPT | |
| 4870446 | NEUTROPENIA | |
| 4870447 | PRIAPISM | |
| 4870448 | DEATH | |
| 4870449 | DYSPEPSIA | |
| 4870449 | SLEEP DISORDER | |
| 4870450 | SALIVARY HYPERSECRETION | |
| 4870451 | DRUG LEVEL INCREASED | |
| 4870452 | ACCIDENTAL EXPOSURE | |
| 4870452 | DRUG TOXICITY | |
| 4870453 | DRUG SCREEN FALSE POSITIVE | |
| 4870454 | PRIAPISM | |
| 4870455 | VAGINAL PAIN | |
| 4870456 | DRUG INEFFECTIVE | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4870457 | AMNESIA | |
| 4870458 | COR PULMONALE | |
| 4870458 | MULTI-ORGAN FAILURE | |
| 4870458 | PULMONARY EMBOLISM | |
| 4870458 | SEPSIS | |
| 4870458 | WHITE BLOOD CELL COUNT DECREASED | |
| 4870459 | APLASIA PURE RED CELL | |
| 4870459 | BONE MARROW TRANSPLANT | |
| 4870459 | STAPHYLOCOCCAL BACTERAEMIA | |
| 4870460 | APLASIA PURE RED CELL | |
| 4870460 | LUNG DISORDER | |
| 4870460 | PLEURAL EFFUSION | |
| 4870461 | DEHYDRATION | |
| 4870461 | DEMYELINATION | |
| 4870461 | DEPRESSED LEVEL OF CONSCIOUSNESS | |
| 4870461 | DIARRHOEA | |
| 4870461 | KORSAKOFF'S PSYCHOSIS NON-ALCOHOLIC | |
| 4870462 | OVERDOSE | |
| 4870463 | BONE MARROW FAILURE | |
| 4870463 | EYE ALLERGY | |
| 4870463 | INFECTION | |
| 4870463 | MOUTH ULCERATION | |
| 4870463 | THERAPEUTIC RESPONSE DECREASED | |
| 4870464 | BONE MARROW FAILURE | |
| 4870464 | FATIGUE | |
| 4870464 | PNEUMONIA | |
| 4870464 | THERAPEUTIC RESPONSE DECREASED | |
| 4870465 | BONE MARROW FAILURE | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4870465 | TREATMENT NONCOMPLIANCE | |
| 4870466 | DEATH | |
| 4870467 | CARDIAC FAILURE | |
| 4870468 | ASTHENIA | |
| 4870468 | DEPRESSION | |
| 4870468 | FATIGUE | |
| 4870468 | HEPATIC STEATOSIS | |
| 4870469 | ABDOMINAL PAIN | |
| 4870469 | COLITIS | |
| 4870469 | CONSTIPATION | |
| 4870469 | DIARRHOEA | |
| 4870469 | ENTERITIS | |
| 4870469 | WEIGHT DECREASED | |
| 4870478 | DEATH | |
| 4870480 | ANAEMIA | |
| 4870480 | DEHYDRATION | |
| 4870480 | DIARRHOEA | |
| 4870480 | HAEMATOMA | |
| 4870481 | DEATH | |
| 4870482 | RENAL FAILURE ACUTE | |
| 4870482 | SEPSIS | |
| 4870483 | INTERSTITIAL LUNG DISEASE | |
| 4870484 | LEUKOCYTOCLASTIC VASCULITIS | |
| 4870486 | PNEUMOCYSTIS JIROVECI INFECTION | |
| 4870486 | SEPTIC SHOCK | |
| 4870512 | AGRANULOCYTOSIS | |
| 4870512 | DRUG ABUSER | |
| 4870512 | DRUG SCREEN POSITIVE | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--|--|
| 4870529 | BRAIN OEDEMA | |
| 4870534 | MULTI-ORGAN FAILURE | |
| 4870535 | PROSTATE CANCER | |
| 4870550 | GASTROINTESTINAL HAEMORRHAGE | |
| 4870550 | INTERNATIONAL NORMALISED RATIO INCREASED | |
| 4870552 | APHTHOUS STOMATITIS | |
| 4870552 | BODY TEMPERATURE INCREASED | |
| 4870552 | C-REACTIVE PROTEIN INCREASED | |
| 4870552 | DERMATITIS BULLOUS | |
| 4870552 | GENITAL ULCERATION | |
| 4870552 | PHARYNGITIS | |
| 4870552 | RASH PAPULAR | |
| 4870552 | WHITE BLOOD CELL COUNT INCREASED | |
| 4870553 | ARTERIOSPASM CORONARY | |
| 4870553 | CHEST DISCOMFORT | |
| 4870553 | CHEST PAIN | |
| 4870553 | ELECTROCARDIOGRAM Q WAVE ABNORMAL | |
| 4870553 | ELECTROCARDIOGRAM ST SEGMENT ELEVATION | |
| 4870553 | MYOCARDIAL INFARCTION | |
| 4870566 | ANAEMIA | |
| 4870566 | PNEUMONIA | |
| 4870566 | PURPURA | |
| 4870566 | RENAL IMPAIRMENT | |
| 4870567 | FOLLICULITIS | |
| 4870567 | GALLBLADDER POLYP | |
| 4870567 | INFLUENZA | |
| 4870567 | POLYPECTOMY | |
| 4870567 | UPPER RESPIRATORY TRACT INFECTION | |

| Report's unique number | Preferred term to describe the event |
|------------------------|--------------------------------------|
| 4870568 | BRADYCARDIA |
| 4870568 | DEHYDRATION |
| 4870568 | HYPERKALAEMIA |
| 4870568 | HYPONATRAEMIA |
| 4870568 | RENAL FAILURE |
| 4870569 | DEHYDRATION |
| 4870569 | ENCEPHALOPATHY |
| 4870569 | HYPOKALAEMIA |
| 4870570 | CONTUSION |
| 4870570 | DIARRHOEA |
| 4870570 | EPISTAXIS |
| 4870570 | FAECES DISCOLOURED |
| 4870570 | HAEMOPTYSIS |
| 4870570 | HEADACHE |
| 4870570 | IDIOPATHIC THROMBOCYTOPENIC PURPURA |
| 4870570 | INJECTION SITE HAEMORRHAGE |
| 4870570 | MEGAKARYOCYTES ABNORMAL |
| 4870570 | PLATELET COUNT DECREASED |
| 4870570 | PYREXIA |
| 4870570 | SINUSITIS |
| 4870570 | VOMITING |
| 4870571 | AMAUROSIS FUGAX |
| 4870572 | ALANINE AMINOTRANSFERASE INCREASED |
| 4870572 | ASPARTATE AMINOTRANSFERASE INCREASED |
| 4870572 | CONDITION AGGRAVATED |
| 4870572 | DIABETES MELLITUS |
| 4870572 | GAMMA-GLUTAMYLTRANSFERASE INCREASED |
| 4870572 | PARAESTHESIA |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--|--|
| 4870572 | RHEUMATOID ARTHRITIS | |
| 4870573 | DEATH | |
| 4870574 | ANAEMIA | |
| 4870574 | ASTHENIA | |
| 4870574 | CLOSTRIDIAL INFECTION | |
| 4870574 | DRUG INTERACTION | |
| 4870574 | INTERNATIONAL NORMALISED RATIO INCREASED | |
| 4870574 | MELAENA | |
| 4870575 | ABORTION | |
| 4870575 | DRUG EXPOSURE DURING PREGNANCY | |
| 4870576 | DERMATITIS EXFOLIATIVE | |
| 4870576 | DIZZINESS | |
| 4870576 | RASH | |
| 4870576 | URTICARIA | |
| 4870577 | PRURITUS | |
| 4870577 | RASH MACULO-PAPULAR | |
| 4870577 | TOXIC SKIN ERUPTION | |
| 4870578 | CARDIAC ARREST | |
| 4870578 | CARDIO-RESPIRATORY ARREST | |
| 4870578 | PARESIS | |
| 4870579 | ANAPHYLACTOID REACTION | |
| 4870579 | ERYTHEMA | |
| 4870579 | OXYGEN SATURATION DECREASED | |
| 4870579 | SHOCK | |
| 4870580 | DEEP VEIN THROMBOSIS | |
| 4870580 | EROSIVE OESOPHAGITIS | |
| 4870580 | FEBRILE NEUTROPENIA | |
| 4870580 | GASTROINTESTINAL HAEMORRHAGE | |

| Report's unique number | Preferred term to describe the event | |
|---------------------------|--------------------------------------|--|
| 4870580 | LETHARGY | |
| 4870580 | ORTHOSTATIC HYPOTENSION | |
| 4870581 | DRUG ERUPTION | |
| 4870581 | ERYTHEMA MULTIFORME | |
| 4870581 | FEBRILE NEUTROPENIA | |
| 4870582 | ASTHENIA | |
| 4870582 | CARDIAC ARREST | |
| 4870582 | GASTRITIS | |
| 4870582 | MALAISE | |
| 4870582 | NEUTROPENIA | |
| 4870582 | PLATELET COUNT DECREASED | |
| 4870582 | PYREXIA | |
| 4870582 | VOMITING | |
| 4870583 | DIZZINESS | |
| 4870583 | DYSKINESIA | |
| 4870583 | HYPOGLYCAEMIA | |
| 4870583 | NEUROLOGICAL SYMPTOM | |
| 4870583 | VISUAL DISTURBANCE | |
| 4870583 | VISUAL FIELD DEFECT | |
| 4870584 | DIZZINESS | |
| 4870584 | DYSKINESIA | |
| 4870584 | HYPOGLYCAEMIA | |
| 4870584 | NEUROLOGICAL SYMPTOM | |
| 4870584 | VISUAL FIELD DEFECT | |
| 4870585 | DIABETES MELLITUS | |
| 4870585 | DRUG INEFFECTIVE | |
| 4870585 | TREATMENT NONCOMPLIANCE | |
| 4870585 | WEIGHT DECREASED | |

| Report's unique number | Preferred term to describe the event |
|---------------------------|---|
| 4870586 | IMMUNE RECONSTITUTION SYNDROME |
| 4870586 | SARCOIDOSIS |
| 4870587 | COMPLETED SUICIDE |
| 4870588 | CARDIAC FAILURE ACUTE |
| 4870588 | MELAENA |
| 4870588 | PROTHROMBIN LEVEL DECREASED |
| 4870588 | RENAL FAILURE ACUTE |
| 4870589 | DEATH |
| 4870591 | LEUKAEMIA |
| 4870591 | MYELODYSPLASTIC SYNDROME |
| 4870591 | REFRACTORY ANAEMIA WITH EXCESS BLASTS IN TRANSFORMATION |
| 4870591 | TREATMENT RELATED SECONDARY MALIGNANCY |
| 4870592 | DIARRHOEA |
| 4870592 | DISSEMINATED INTRAVASCULAR COAGULATION |
| 4870592 | LEUKOPENIA |
| 4870592 | LIVER DISORDER |
| 4870592 | PYREXIA |
| 4870592 | RASH |
| 4870592 | STOMATITIS |
| 4870592 | THROMBOCYTOPENIA |
| 4870593 | ACUTE PRERENAL FAILURE |
| 4870593 | CARDIAC FAILURE CONGESTIVE |
| 4870593 | DIALYSIS |
| 4870593 | EJECTION FRACTION DECREASED |
| 4870593 | FLUID RETENTION |
| 4870593 | OEDEMA |
| 4870593 | ORTHOSTATIC HYPOTENSION |
| 4870593 | RENAL IMPAIRMENT |

| Report's unique number | Preferred term to describe the event |
|------------------------|---|
| 4870594 | ENCEPHALOPATHY |
| 4870604 | BRAIN DEATH |
| 4870604 | SHOCK |
| 4870618 | PULMONARY FIBROSIS |
| 4870623 | COMPLETED SUICIDE |
| 4870623 | HEPATIC FAILURE |
| 4870623 | INTENTIONAL OVERDOSE |
| 4870623 | RENAL FAILURE |
| 4870624 | HEPATOTOXICITY |
| 4870651 | MEDICATION ERROR |
| 4870659 | AMYLOIDOSIS |
| 4870659 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE |
| 4870659 | CONSTIPATION |
| 4870659 | DIZZINESS |
| 4870659 | HYPERHIDROSIS |
| 4870659 | NAUSEA |
| 4870659 | PNEUMONIA |
| 4870659 | PYREXIA |
| 4870659 | RENAL FAILURE |
| 4870660 | URTICARIA |
| 4870661 | DRUG INTERACTION |
| 4870661 | RESPIRATORY DEPRESSION |
| 4870662 | NEUTROPENIA |
| 4870663 | DRUG INEFFECTIVE |
| 4870663 | INAPPROPRIATE SCHEDULE OF DRUG ADMINISTRATION |
| 4870663 | MYOCARDIAL INFARCTION |
| 4870663 | NAUSEA |
| 4870667 | FEMORAL NECK FRACTURE |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--|--|
| 4870668 | BRADYCARDIA | |
| 4870668 | NAUSEA | |
| 4870668 | OVERDOSE | |
| 4870668 | SINUS ARRHYTHMIA | |
| 4870668 | SYNCOPE | |
| 4870668 | VOMITING | |
| 4870669 | SHOULDER PAIN | |
| 4870670 | ROSEOLA | |
| 4870670 | SWELLING FACE | |
| 4870671 | CONTUSION | |
| 4870671 | DRUG INTERACTION | |
| 4870671 | INTERNATIONAL NORMALISED RATIO INCREASED | |
| 4870672 | EXTRADURAL HAEMATOMA | |
| 4870672 | HAEMORRHAGE | |
| 4870673 | NEPHRITIS INTERSTITIAL | |
| 4870674 | BRADYCARDIA | |
| 4870674 | CARDIAC ARREST | |
| 4870674 | PULMONARY EMBOLISM | |
| 4870684 | BRONCHITIS | |
| 4870685 | ALOPECIA | |
| 4870685 | PNEUMONIA | |
| 4870686 | ABNORMAL DREAMS | |
| 4870686 | AMNESIA | |
| 4870686 | DYSARTHRIA | |
| 4870686 | FACIAL PALSY | |
| 4870686 | INSOMNIA | |
| 4870687 | ANGIONEUROTIC OEDEMA | |
| 4870687 | BRONCHOSPASM | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4870687 | INFLAMMATION | |
| 4870687 | LYMPH NODE PAIN | |
| 4870687 | OEDEMA | |
| 4870687 | PAINFUL RESPIRATION | |
| 4870687 | PYREXIA | |
| 4870687 | RASH MACULO-PAPULAR | |
| 4870688 | AORTIC INJURY | |
| 4870688 | CARDIAC ARREST | |
| 4870688 | HAEMORRHAGE | |
| 4870688 | LOSS OF CONSCIOUSNESS | |
| 4870688 | RIB FRACTURE | |
| 4870688 | ROAD TRAFFIC ACCIDENT | |
| 4870688 | SUDDEN ONSET OF SLEEP | |
| 4870689 | AFFECTIVE DISORDER | |
| 4870689 | AGITATION | |
| 4870689 | ANXIETY | |
| 4870689 | CHEST PAIN | |
| 4870689 | COMPLETED SUICIDE | |
| 4870689 | DEPRESSED MOOD | |
| 4870689 | DRUG WITHDRAWAL SYNDROME | |
| 4870689 | IRRITABILITY | |
| 4870689 | MALAISE | |
| 4870690 | ASTHMA | |
| 4870690 | DYSPNOEA | |
| 4870690 | FATIGUE | |
| 4870690 | HYPERGLYCAEMIA | |
| 4870690 | HYPOKALAEMIA | |
| 4870690 | LACTIC ACIDOSIS | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--|--|
| 4870690 | METABOLIC ACIDOSIS | |
| 4870690 | RESPIRATORY ACIDOSIS | |
| 4870690 | RESPIRATORY FAILURE | |
| 4870690 | RESPIRATORY RATE DECREASED | |
| 4870690 | SOMNOLENCE | |
| 4870690 | TACHYPNOEA | |
| 4870691 | ERYTHEMA MULTIFORME | |
| 4870692 | ARRHYTHMIA | |
| 4870692 | ATRIAL FIBRILLATION | |
| 4870692 | CARDIAC FAILURE CONGESTIVE | |
| 4870692 | DISSEMINATED INTRAVASCULAR COAGULATION | |
| 4870692 | HEPATITIS FULMINANT | |
| 4870692 | HYPOXIA | |
| 4870692 | INFECTION | |
| 4870692 | MALAISE | |
| 4870692 | METABOLIC ACIDOSIS | |
| 4870692 | MULTI-ORGAN FAILURE | |
| 4870692 | PLEURAL EFFUSION | |
| 4870692 | PNEUMONIA | |
| 4870692 | SEPSIS | |
| 4870693 | DEPRESSED LEVEL OF CONSCIOUSNESS | |
| 4870693 | DIALYSIS | |
| 4870693 | DIFFICULTY IN WALKING | |
| 4870693 | DYSPHORIA | |
| 4870693 | GAIT DISTURBANCE | |
| 4870693 | HEADACHE | |
| 4870693 | ILL-DEFINED DISORDER | |
| 4870693 | NAUSEA | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4870693 | NERVOUS SYSTEM DISORDER | |
| 4870693 | NEUROPATHY | |
| 4870693 | NUCHAL RIGIDITY | |
| 4870694 | ACUTE RESPIRATORY DISTRESS SYNDROME | |
| 4870694 | C-REACTIVE PROTEIN INCREASED | |
| 4870694 | DIARRHOEA | |
| 4870694 | HAEMATOCHEZIA | |
| 4870694 | HYPERBILIRUBINAEMIA | |
| 4870694 | LIVER DISORDER | |
| 4870694 | PYREXIA | |
| 4870694 | RASH | |
| 4870694 | SEPSIS | |
| 4870694 | THROMBOTIC MICROANGIOPATHY | |
| 4870694 | VENOOCCLUSIVE LIVER DISEASE | |
| 4870695 | HEPATIC CIRRHOSIS | |
| 4870695 | HEPATIC FAILURE | |
| 4870696 | CHOLESTASIS | |
| 4870696 | CHROMATURIA | |
| 4870696 | FAECES DISCOLOURED | |
| 4870696 | JAUNDICE | |
| 4870696 | PRURITUS | |
| 4870697 | HYPERTHYROIDISM | |
| 4870698 | ALANINE AMINOTRANSFERASE INCREASED | |
| 4870698 | AMMONIA INCREASED | |
| 4870698 | ASCITES | |
| 4870698 | ASPARTATE AMINOTRANSFERASE INCREASED | |
| 4870698 | BLOOD ALKALINE PHOSPHATASE INCREASED | |
| 4870698 | BLOOD CREATININE INCREASED | |

| Report's unique number | Preferred term to describe the event | |
|---------------------------|--|--|
| 4870698 | BLOOD UREA INCREASED | |
| 4870698 | GAMMA-GLUTAMYLTRANSFERASE INCREASED | |
| 4870698 | GASTRIC ULCER HAEMORRHAGE | |
| 4870698 | HAEMATEMESIS | |
| 4870698 | HAEMATOCRIT DECREASED | |
| 4870698 | HAEMOGLOBIN DECREASED | |
| 4870698 | PLATELET COUNT DECREASED | |
| 4870698 | PYREXIA | |
| 4870698 | RED BLOOD CELL COUNT DECREASED | |
| 4870698 | RENAL FAILURE ACUTE | |
| 4870698 | WHITE BLOOD CELL COUNT INCREASED | |
| 4870699 | DRUG INTERACTION | |
| 4870699 | EXTRAPYRAMIDAL DISORDER | |
| 4870699 | SOMNOLENCE | |
| 4870700 | BRADYCARDIA | |
| 4870700 | CARDIAC FAILURE CHRONIC | |
| 4870700 | CORONARY ARTERY DISEASE | |
| 4870700 | MITRAL VALVE INCOMPETENCE | |
| 4870700 | TRICUSPID VALVE INCOMPETENCE | |
| 4870700 | VENTRICULAR EXTRASYSTOLES | |
| 4870701 | CSF PRESSURE INCREASED | |
| 4870701 | GAIT DISTURBANCE | |
| 4870702 | INTERNATIONAL NORMALISED RATIO INCREASED | |
| 4870703 | RESPIRATORY DEPRESSION | |
| 4870704 | DRUG EXPOSURE DURING PREGNANCY | |
| 4870704 | DRUG EXPOSURE VIA BREAST MILK | |
| 4870704 | NEUTROPHIL COUNT ABNORMAL | |
| 4870705 | HEPATITIS | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4870706 | CARDIAC MURMUR | |
| 4870706 | FATIGUE | |
| 4870706 | HYPERHIDROSIS | |
| 4870707 | EOSINOPHIL COUNT INCREASED | |
| 4870707 | HEPATIC FUNCTION ABNORMAL | |
| 4870708 | ACCOMMODATION DISORDER | |
| 4870708 | DIABETES MELLITUS | |
| 4870708 | POLYDIPSIA | |
| 4870708 | POLYURIA | |
| 4870708 | WEIGHT DECREASED | |
| 4870709 | ASCITES | |
| 4870709 | CHOLANGIOLITIS | |
| 4870709 | CHOLANGITIS | |
| 4870709 | CHOLESTASIS | |
| 4870709 | HEPATIC FIBROSIS | |
| 4870709 | HEPATITIS | |
| 4870709 | HEPATOCELLULAR DAMAGE | |
| 4870709 | HEPATOMEGALY | |
| 4870709 | JAUNDICE | |
| 4870709 | PORTAL HYPERTENSION | |
| 4870709 | SPLENOMEGALY | |
| 4870710 | DEATH | |
| 4870711 | AGGRESSION | |
| 4870711 | COMPLETED SUICIDE | |
| 4870711 | DRUG WITHDRAWAL SYNDROME | |
| 4870711 | MYALGIA | |
| 4870711 | NERVOUSNESS | |
| 4870711 | PARAESTHESIA | |

| Report's unique number | Preferred term to describe the event | |
|---------------------------|---|--|
| 4870711 | THINKING ABNORMAL | |
| 4870712 | ASTHENIA | |
| 4870712 | BLOOD CREATININE INCREASED | |
| 4870712 | BLOOD THYROID STIMULATING HORMONE DECREASED | |
| 4870712 | DYSTONIA | |
| 4870712 | FACIAL PALSY | |
| 4870712 | MUSCLE SPASMS | |
| 4870712 | MUSCLE TWITCHING | |
| 4870714 | CRYPTOCOCCOSIS | |
| 4870714 | ENCEPHALITIS | |
| 4870714 | FACIAL PALSY | |
| 4870714 | FACIAL PARESIS | |
| 4870714 | HEADACHE | |
| 4870714 | HERPES SIMPLEX | |
| 4870714 | IMMUNE RECONSTITUTION SYNDROME | |
| 4870714 | INTRACRANIAL PRESSURE INCREASED | |
| 4870714 | NECK PAIN | |
| 4870714 | RASH VESICULAR | |
| 4870714 | VISUAL DISTURBANCE | |
| 4870714 | VOMITING | |
| 4870715 | ABDOMINAL DISCOMFORT | |
| 4870715 | DRUG INTERACTION | |
| 4870715 | FATIGUE | |
| 4870715 | HEADACHE | |
| 4870715 | NEPHROPATHY TOXIC | |
| 4870716 | ACUTE RESPIRATORY FAILURE | |
| 4870716 | CREPITATIONS | |
| 4870716 | CYANOSIS | |

| Report's unique number | Preferred term to describe the event | |
|---------------------------|---|--|
| 4870716 | DYSPNOEA | |
| 4870716 | IMMUNE RECONSTITUTION SYNDROME | |
| 4870716 | MYCOBACTERIUM KANSASII INFECTION | |
| 4870716 | PYREXIA | |
| 4870716 | TACHYPNOEA | |
| 4870717 | PRURITUS | |
| 4870717 | RASH MACULAR | |
| 4870717 | SKIN LESION | |
| 4870718 | ABORTION SPONTANEOUS | |
| 4870718 | DRUG EXPOSURE DURING PREGNANCY | |
| 4870719 | GINGIVITIS | |
| 4870719 | GINGIVITIS ULCERATIVE | |
| 4870719 | MUCOSAL INFLAMMATION | |
| 4870719 | NECROTISING ULCERATIVE GINGIVOSTOMATITIS | |
| 4870719 | STOMATITIS | |
| 4870719 | TOOTH LOSS | |
| 4870720 | RASH | |
| 4870721 | DRUG EXPOSURE DURING PREGNANCY | |
| 4870721 | PREMATURE LABOUR | |
| 4870722 | DRUG EXPOSURE DURING PREGNANCY | |
| 4870722 | STILLBIRTH | |
| 4870722 | UMBILICAL CORD AROUND NECK | |
| 4870723 | ALANINE AMINOTRANSFERASE INCREASED | |
| 4870723 | DRUG RASH WITH EOSINOPHILIA AND SYSTEMIC SYMPTOMS | |
| 4870723 | EOSINOPHILIA | |
| 4870723 | ERYTHEMA | |
| 4870723 | HUMAN HERPES VIRUS 6 SEROLOGY POSITIVE | |
| 4870723 | LYMPHADENOPATHY | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--|--|
| 4870723 | PYREXIA | |
| 4870723 | RENAL FAILURE ACUTE | |
| 4870724 | PANCYTOPENIA | |
| 4870725 | ANOSMIA | |
| 4870728 | ACCIDENTAL OVERDOSE | |
| 4870728 | ANAEMIA | |
| 4870728 | COAGULATION TIME PROLONGED | |
| 4870728 | HAEMATOMA | |
| 4870728 | INTERNATIONAL NORMALISED RATIO INCREASED | |
| 4870732 | ABASIA | |
| 4870732 | AGITATION | |
| 4870732 | DYSKINESIA | |
| 4870732 | DYSPNOEA | |
| 4870732 | HEART RATE INCREASED | |
| 4870732 | HYPERTENSION | |
| 4870732 | MUSCLE CONTRACTIONS INVOLUNTARY | |
| 4870732 | PYREXIA | |
| 4870732 | RESPIRATORY ARREST | |
| 4870733 | AGRANULOCYTOSIS | |
| 4870734 | ACCOMMODATION DISORDER | |
| 4870734 | VISUAL FIELD DEFECT | |
| 4870735 | DIFFICULTY IN WALKING | |
| 4870735 | DISORIENTATION | |
| 4870735 | DISSOCIATION | |
| 4870735 | DYSARTHRIA | |
| 4870735 | DYSSTASIA | |
| 4870735 | FATIGUE | |
| 4870735 | INCOHERENT | |

| Report's unique number | Preferred term to describe the event | |
|------------------------|--------------------------------------|--|
| 4870736 | RHABDOMYOLYSIS | |
| 4870737 | ACIDOSIS | |
| 4870737 | SHOCK | |
| 4870738 | DRUG INTERACTION | |
| 4870738 | NEUROLEPTIC MALIGNANT SYNDROME | |
| 4870739 | FALL | |
| 4870739 | STEVENS-JOHNSON SYNDROME | |
| 4870741 | FEBRILE NEUTROPENIA | |
| 4870741 | LEUKOPENIA | |
| 4870741 | NEUTROPENIA | |
| 4870741 | SOMNOLENCE | |
| 4870741 | THROMBOCYTOPENIA | |
| 4870741 | THROMBOSIS | |
| 4870753 | PANCREATITIS | |
| 4870754 | BENIGN INTRACRANIAL HYPERTENSION | |
| 4870755 | ANASTOMOTIC COMPLICATION | |
| 4870755 | ANASTOMOTIC STENOSIS | |
| 4870755 | GASTROENTERITIS VIRAL | |
| 4870755 | RENAL FAILURE ACUTE | |
| 4870755 | URINARY TRACT INFECTION | |

| Report's unique number | Code for patient outcomes |
|---------------------------|--|
| 4799889 | Hospitalization - Initial or Prolonged |
| 4802758 | Death |
| 4802758 | Hospitalization - Initial or Prolonged |
| 4807735 | Hospitalization - Initial or Prolonged |
| 4807884 | Hospitalization - Initial or Prolonged |
| 4810789 | Hospitalization - Initial or Prolonged |
| 4810789 | Other |
| 4811786 | Hospitalization - Initial or Prolonged |
| 4811786 | Required Intervention to Prevent Permanent Impairment/Damage |
| 4813034 | Disability |
| 4813034 | Other |
| 4815387 | Other |
| 4817144 | Other |
| 4817145 | Other |
| 4817146 | Other |
| 4817148 | Other |
| 4817149 | Hospitalization - Initial or Prolonged |
| 4817159 | Disability |
| 4817167 | Other |
| 4820164 | Required Intervention to Prevent Permanent Impairment/Damage |
| 4821833 | Other |
| 4826267 | Required Intervention to Prevent Permanent Impairment/Damage |
| 4826274 | Required Intervention to Prevent Permanent Impairment/Damage |
| 4826360 | Death |
| 4826360 | Hospitalization - Initial or Prolonged |
| 4828303 | Other |
| 4832882 | Hospitalization - Initial or Prolonged |
| 4833762 | Hospitalization - Initial or Prolonged |

| Report's unique number | Code for patient outcomes |
|---------------------------|--|
| 4833762 | Other |
| 4833775 | Death |
| 4834797 | Death |
| 4834797 | Hospitalization - Initial or Prolonged |
| 4834797 | Other |
| 4838069 | Required Intervention to Prevent Permanent Impairment/Damage |
| 4840105 | Other |
| 4843170 | Other |
| 4846119 | Hospitalization - Initial or Prolonged |
| 4846119 | Other |
| 4846435 | Death |
| 4847003 | Other |
| 4847053 | Hospitalization - Initial or Prolonged |
| 4847638 | Hospitalization - Initial or Prolonged |
| 4847706 | Hospitalization - Initial or Prolonged |
| 4852895 | Death |
| 4854233 | Required Intervention to Prevent Permanent Impairment/Damage |
| 4865588 | Other |
| 4867362 | Death |
| 4867364 | Death |
| 4867367 | Death |
| 4867370 | Death |
| 4867373 | Death |
| 4867375 | Death |
| 4867377 | Death |
| 4867384 | Death |
| 4867390 | Death |
| 4867392 | Death |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4867604 | Death | |
| 4867630 | Death | |
| 4869006 | Hospitalization - Initial or Prolonged | |
| 4870242 | Life-Threatening | |
| 4870243 | Death | |
| 4870243 | Life-Threatening | |
| 4870243 | Other | |
| 4870245 | Other | |
| 4870246 | Hospitalization - Initial or Prolonged | |
| 4870247 | Hospitalization - Initial or Prolonged | |
| 4870248 | Death | |
| 4870248 | Disability | |
| 4870248 | Hospitalization - Initial or Prolonged | |
| 4870248 | Life-Threatening | |
| 4870248 | Other | |
| 4870249 | Death | |
| 4870250 | Other | |
| 4870251 | Disability | |
| 4870252 | Life-Threatening | |
| 4870253 | Hospitalization - Initial or Prolonged | |
| 4870254 | Other | |
| 4870255 | Death | |
| 4870255 | Hospitalization - Initial or Prolonged | |
| 4870255 | Life-Threatening | |
| 4870256 | Other | |
| 4870257 | Death | |
| 4870257 | Other | |
| 4870258 | Hospitalization - Initial or Prolonged | |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes |
|------------------------|--|
| 4870272 | Hospitalization - Initial or Prolonged |
| 4870302 | Hospitalization - Initial or Prolonged |
| 4870303 | Other |
| 4870304 | Hospitalization - Initial or Prolonged |
| 4870305 | Hospitalization - Initial or Prolonged |
| 4870313 | Other |
| 4870319 | Other |
| 4870320 | Other |
| 4870321 | Other |
| 4870322 | Hospitalization - Initial or Prolonged |
| 4870322 | Other |
| 4870323 | Death |
| 4870323 | Hospitalization - Initial or Prolonged |
| 4870323 | Other |
| 4870324 | Hospitalization - Initial or Prolonged |
| 4870324 | Other |
| 4870325 | Death |
| 4870325 | Hospitalization - Initial or Prolonged |
| 4870326 | Death |
| 4870327 | Other |
| 4870328 | Hospitalization - Initial or Prolonged |
| 4870329 | Hospitalization - Initial or Prolonged |
| 4870330 | Hospitalization - Initial or Prolonged |
| 4870331 | Hospitalization - Initial or Prolonged |
| 4870332 | Other |
| 4870333 | Other |
| 4870334 | Hospitalization - Initial or Prolonged |
| 4870334 | Other |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4870335 | Hospitalization - Initial or Prolonged | |
| 4870336 | Other | |
| 4870343 | Hospitalization - Initial or Prolonged | |
| 4870344 | Disability | |
| 4870345 | Hospitalization - Initial or Prolonged | |
| 4870346 | Hospitalization - Initial or Prolonged | |
| 4870347 | Hospitalization - Initial or Prolonged | |
| 4870348 | Hospitalization - Initial or Prolonged | |
| 4870349 | Hospitalization - Initial or Prolonged | |
| 4870350 | Hospitalization - Initial or Prolonged | |
| 4870351 | Disability | |
| 4870352 | Congenital Anomaly | |
| 4870353 | Hospitalization - Initial or Prolonged | |
| 4870354 | Hospitalization - Initial or Prolonged | |
| 4870355 | Hospitalization - Initial or Prolonged | |
| 4870356 | Hospitalization - Initial or Prolonged | |
| 4870357 | Congenital Anomaly | |
| 4870358 | Hospitalization - Initial or Prolonged | |
| 4870359 | Hospitalization - Initial or Prolonged | |
| 4870360 | Hospitalization - Initial or Prolonged | |
| 4870362 | Hospitalization - Initial or Prolonged | |
| 4870363 | Other | |
| 4870364 | Other | |
| 4870365 | Hospitalization - Initial or Prolonged | |
| 4870366 | Death | |
| 4870367 | Hospitalization - Initial or Prolonged | |
| 4870370 | Hospitalization - Initial or Prolonged | |
| 4870372 | Hospitalization - Initial or Prolonged | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4870379 | Hospitalization - Initial or Prolonged | |
| 4870385 | Hospitalization - Initial or Prolonged | |
| 4870386 | Other | |
| 4870387 | Other | |
| 4870388 | Other | |
| 4870389 | Other | |
| 4870390 | Other | |
| 4870391 | Death | |
| 4870392 | Hospitalization - Initial or Prolonged | |
| 4870393 | Death | |
| 4870393 | Hospitalization - Initial or Prolonged | |
| 4870420 | Hospitalization - Initial or Prolonged | |
| 4870433 | Hospitalization - Initial or Prolonged | |
| 4870435 | Other | |
| 4870445 | Other | |
| 4870447 | Hospitalization - Initial or Prolonged | |
| 4870448 | Death | |
| 4870452 | Hospitalization - Initial or Prolonged | |
| 4870454 | Other | |
| 4870458 | Death | |
| 4870459 | Other | |
| 4870460 | Hospitalization - Initial or Prolonged | |
| 4870460 | Other | |
| 4870461 | Hospitalization - Initial or Prolonged | |
| 4870461 | Life-Threatening | |
| 4870463 | Hospitalization - Initial or Prolonged | |
| 4870463 | Other | |
| 4870464 | Hospitalization - Initial or Prolonged | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4870464 | Other | |
| 4870465 | Other | |
| 4870466 | Death | |
| 4870467 | Other | |
| 4870468 | Hospitalization - Initial or Prolonged | |
| 4870469 | Hospitalization - Initial or Prolonged | |
| 4870478 | Death | |
| 4870480 | Hospitalization - Initial or Prolonged | |
| 4870481 | Death | |
| 4870482 | Death | |
| 4870483 | Death | |
| 4870484 | Hospitalization - Initial or Prolonged | |
| 4870486 | Death | |
| 4870486 | Hospitalization - Initial or Prolonged | |
| 4870529 | Life-Threatening | |
| 4870534 | Death | |
| 4870535 | Hospitalization - Initial or Prolonged | |
| 4870550 | Life-Threatening | |
| 4870552 | Hospitalization - Initial or Prolonged | |
| 4870553 | Hospitalization - Initial or Prolonged | |
| 4870553 | Life-Threatening | |
| 4870566 | Other | |
| 4870567 | Other | |
| 4870568 | Hospitalization - Initial or Prolonged | |
| 4870569 | Hospitalization - Initial or Prolonged | |
| 4870570 | Hospitalization - Initial or Prolonged | |
| 4870570 | Life-Threatening | |
| 4870570 | Other | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4870571 | Hospitalization - Initial or Prolonged | |
| 4870572 | Hospitalization - Initial or Prolonged | |
| 4870572 | Other | |
| 4870573 | Death | |
| 4870574 | Hospitalization - Initial or Prolonged | |
| 4870575 | Hospitalization - Initial or Prolonged | |
| 4870576 | Hospitalization - Initial or Prolonged | |
| 4870577 | Hospitalization - Initial or Prolonged | |
| 4870578 | Life-Threatening | |
| 4870579 | Life-Threatening | |
| 4870580 | Hospitalization - Initial or Prolonged | |
| 4870581 | Hospitalization - Initial or Prolonged | |
| 4870582 | Death | |
| 4870582 | Other | |
| 4870583 | Other | |
| 4870584 | Other | |
| 4870585 | Hospitalization - Initial or Prolonged | |
| 4870586 | Hospitalization - Initial or Prolonged | |
| 4870587 | Death | |
| 4870588 | Death | |
| 4870588 | Hospitalization - Initial or Prolonged | |
| 4870588 | Life-Threatening | |
| 4870589 | Death | |
| 4870591 | Other | |
| 4870592 | Hospitalization - Initial or Prolonged | |
| 4870593 | Hospitalization - Initial or Prolonged | |
| 4870594 | Death | |
| 4870604 | Death | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4870618 | Hospitalization - Initial or Prolonged | |
| 4870623 | Death | |
| 4870623 | Hospitalization - Initial or Prolonged | |
| 4870624 | Hospitalization - Initial or Prolonged | |
| 4870651 | Hospitalization - Initial or Prolonged | |
| 4870659 | Hospitalization - Initial or Prolonged | |
| 4870659 | Other | |
| 4870660 | Hospitalization - Initial or Prolonged | |
| 4870661 | Hospitalization - Initial or Prolonged | |
| 4870661 | Life-Threatening | |
| 4870662 | Other | |
| 4870663 | Hospitalization - Initial or Prolonged | |
| 4870663 | Other | |
| 4870667 | Hospitalization - Initial or Prolonged | |
| 4870668 | Hospitalization - Initial or Prolonged | |
| 4870670 | Other | |
| 4870671 | Hospitalization - Initial or Prolonged | |
| 4870672 | Other | |
| 4870673 | Other | |
| 4870674 | Death | |
| 4870684 | Hospitalization - Initial or Prolonged | |
| 4870685 | Hospitalization - Initial or Prolonged | |
| 4870686 | Other | |
| 4870687 | Hospitalization - Initial or Prolonged | |
| 4870688 | Death | |
| 4870689 | Other | |
| 4870690 | Hospitalization - Initial or Prolonged | |
| 4870691 | Other | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4870692 | Death | |
| 4870692 | Life-Threatening | |
| 4870693 | Hospitalization - Initial or Prolonged | |
| 4870693 | Life-Threatening | |
| 4870694 | Death | |
| 4870694 | Hospitalization - Initial or Prolonged | |
| 4870694 | Life-Threatening | |
| 4870695 | Death | |
| 4870696 | Hospitalization - Initial or Prolonged | |
| 4870697 | Other | |
| 4870698 | Death | |
| 4870699 | Other | |
| 4870700 | Hospitalization - Initial or Prolonged | |
| 4870701 | Hospitalization - Initial or Prolonged | |
| 4870702 | Hospitalization - Initial or Prolonged | |
| 4870703 | Life-Threatening | |
| 4870704 | Other | |
| 4870705 | Other | |
| 4870706 | Hospitalization - Initial or Prolonged | |
| 4870707 | Hospitalization - Initial or Prolonged | |
| 4870708 | Hospitalization - Initial or Prolonged | |
| 4870709 | Hospitalization - Initial or Prolonged | |
| 4870710 | Death | |
| 4870711 | Other | |
| 4870712 | Other | |
| 4870714 | Hospitalization - Initial or Prolonged | |
| 4870715 | Other | |
| 4870716 | Hospitalization - Initial or Prolonged | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4870717 | Hospitalization - Initial or Prolonged | |
| 4870718 | Other | |
| 4870719 | Disability | |
| 4870720 | Other | |
| 4870721 | Other | |
| 4870722 | Death | |
| 4870723 | Hospitalization - Initial or Prolonged | |
| 4870724 | Hospitalization - Initial or Prolonged | |
| 4870725 | Other | |
| 4870728 | Hospitalization - Initial or Prolonged | |
| 4870732 | Death | |
| 4870733 | Hospitalization - Initial or Prolonged | |
| 4870734 | Other | |
| 4870735 | Other | |
| 4870736 | Hospitalization - Initial or Prolonged | |
| 4870737 | Other | |
| 4870738 | Disability | |
| 4870738 | Hospitalization - Initial or Prolonged | |
| 4870739 | Other | |
| 4870741 | Hospitalization - Initial or Prolonged | |
| 4870753 | Hospitalization - Initial or Prolonged | |
| 4870754 | Other | |
| 4870755 | Hospitalization - Initial or Prolonged | |
| 4870756 | Hospitalization - Initial or Prolonged | |
| 4870757 | Other | |
| 4870758 | Hospitalization - Initial or Prolonged | |
| 4870763 | Death | |
| 4870763 | Hospitalization - Initial or Prolonged | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4870764 | Hospitalization - Initial or Prolonged | |
| 4870765 | Hospitalization - Initial or Prolonged | |
| 4870766 | Disability | |
| 4870766 | Hospitalization - Initial or Prolonged | |
| 4870767 | Hospitalization - Initial or Prolonged | |
| 4870768 | Hospitalization - Initial or Prolonged | |
| 4870769 | Hospitalization - Initial or Prolonged | |
| 4870769 | Other | |
| 4870770 | Hospitalization - Initial or Prolonged | |
| 4870771 | Hospitalization - Initial or Prolonged | |
| 4870772 | Hospitalization - Initial or Prolonged | |
| 4870773 | Hospitalization - Initial or Prolonged | |
| 4870774 | Disability | |
| 4870774 | Hospitalization - Initial or Prolonged | |
| 4870775 | Hospitalization - Initial or Prolonged | |
| 4870775 | Other | |
| 4870776 | Hospitalization - Initial or Prolonged | |
| 4870777 | Death | |
| 4870777 | Hospitalization - Initial or Prolonged | |
| 4870778 | Hospitalization - Initial or Prolonged | |
| 4870779 | Hospitalization - Initial or Prolonged | |
| 4870779 | Other | |
| 4870780 | Death | |
| 4870780 | Hospitalization - Initial or Prolonged | |
| 4870780 | Other | |
| 4870781 | Death | |
| 4870781 | Hospitalization - Initial or Prolonged | |
| 4870782 | Hospitalization - Initial or Prolonged | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4870782 | Other | |
| 4870783 | Hospitalization - Initial or Prolonged | |
| 4870783 | Other | |
| 4870784 | Hospitalization - Initial or Prolonged | |
| 4870785 | Death | |
| 4870786 | Disability | |
| 4870786 | Hospitalization - Initial or Prolonged | |
| 4870787 | Disability | |
| 4870787 | Hospitalization - Initial or Prolonged | |
| 4870788 | Hospitalization - Initial or Prolonged | |
| 4870789 | Disability | |
| 4870789 | Hospitalization - Initial or Prolonged | |
| 4870790 | Death | |
| 4870790 | Other | |
| 4870791 | Death | |
| 4870791 | Hospitalization - Initial or Prolonged | |
| 4870791 | Other | |
| 4870792 | Other | |
| 4870793 | Death | |
| 4870794 | Hospitalization - Initial or Prolonged | |
| 4870795 | Death | |
| 4870795 | Hospitalization - Initial or Prolonged | |
| 4870795 | Other | |
| 4870796 | Hospitalization - Initial or Prolonged | |
| 4870796 | Other | |
| 4870797 | Disability | |
| 4870797 | Other | |
| 4870798 | Hospitalization - Initial or Prolonged | |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes |
|------------------------|--|
| 4870798 | Other |
| 4870799 | Hospitalization - Initial or Prolonged |
| 4870800 | Hospitalization - Initial or Prolonged |
| 4870801 | Disability |
| 4870801 | Hospitalization - Initial or Prolonged |
| 4870802 | Death |
| 4870802 | Hospitalization - Initial or Prolonged |
| 4870803 | Hospitalization - Initial or Prolonged |
| 4870804 | Other |
| 4870805 | Hospitalization - Initial or Prolonged |
| 4870805 | Other |
| 4870806 | Other |
| 4870807 | Death |
| 4870807 | Other |
| 4870808 | Death |
| 4870809 | Congenital Anomaly |
| 4870810 | Disability |
| 4870810 | Hospitalization - Initial or Prolonged |
| 4870811 | Death |
| 4870812 | Death |
| 4870813 | Disability |
| 4870814 | Hospitalization - Initial or Prolonged |
| 4870814 | Life-Threatening |
| 4870816 | Hospitalization - Initial or Prolonged |
| 4870816 | Other |
| 4870817 | Death |
| 4870817 | Disability |
| 4870817 | Hospitalization - Initial or Prolonged |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4870818 | Hospitalization - Initial or Prolonged | |
| 4870818 | Other | |
| 4870819 | Death | |
| 4870819 | Hospitalization - Initial or Prolonged | |
| 4870821 | Other | |
| 4870822 | Other | |
| 4870823 | Hospitalization - Initial or Prolonged | |
| 4870824 | Hospitalization - Initial or Prolonged | |
| 4870824 | Other | |
| 4870825 | Death | |
| 4870825 | Disability | |
| 4870826 | Other | |
| 4870827 | Disability | |
| 4870828 | Death | |
| 4870828 | Other | |
| 4870829 | Disability | |
| 4870829 | Hospitalization - Initial or Prolonged | |
| 4870830 | Death | |
| 4870831 | Hospitalization - Initial or Prolonged | |
| 4870832 | Death | |
| 4870832 | Hospitalization - Initial or Prolonged | |
| 4870833 | Other | |
| 4870834 | Other | |
| 4870835 | Disability | |
| 4870836 | Other | |
| 4870837 | Disability | |
| 4870837 | Hospitalization - Initial or Prolonged | |
| 4870837 | Other | |

| Report's unique number | Code for patient outcomes |
|------------------------|--|
| 4870838 | Death |
| 4870839 | Death |
| 4870840 | Death |
| 4870840 | Other |
| 4870841 | Hospitalization - Initial or Prolonged |
| 4870842 | Death |
| 4870843 | Other |
| 4870844 | Other |
| 4870845 | Other |
| 4870846 | Hospitalization - Initial or Prolonged |
| 4870846 | Other |
| 4870847 | Hospitalization - Initial or Prolonged |
| 4870848 | Other |
| 4870849 | Hospitalization - Initial or Prolonged |
| 4870849 | Other |
| 4870850 | Other |
| 4870851 | Other |
| 4870852 | Other |
| 4870853 | Death |
| 4870853 | Hospitalization - Initial or Prolonged |
| 4870855 | Other |
| 4870856 | Other |
| 4870857 | Other |
| 4870858 | Disability |
| 4870858 | Hospitalization - Initial or Prolonged |
| 4870859 | Other |
| 4870860 | Other |
| 4870861 | Other |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4870862 | Death | |
| 4870862 | Hospitalization - Initial or Prolonged | |
| 4870862 | Other | |
| 4870863 | Other | |
| 4870864 | Death | |
| 4870865 | Disability | |
| 4870866 | Other | |
| 4870867 | Death | |
| 4870867 | Hospitalization - Initial or Prolonged | |
| 4870868 | Hospitalization - Initial or Prolonged | |
| 4870869 | Hospitalization - Initial or Prolonged | |
| 4870869 | Other | |
| 4870870 | Disability | |
| 4870870 | Hospitalization - Initial or Prolonged | |
| 4870871 | Other | |
| 4870872 | Hospitalization - Initial or Prolonged | |
| 4870873 | Hospitalization - Initial or Prolonged | |
| 4870874 | Disability | |
| 4870874 | Hospitalization - Initial or Prolonged | |
| 4870875 | Disability | |
| 4870875 | Hospitalization - Initial or Prolonged | |
| 4870876 | Death | |
| 4870876 | Other | |
| 4870877 | Other | |
| 4870878 | Hospitalization - Initial or Prolonged | |
| 4870879 | Hospitalization - Initial or Prolonged | |
| 4870880 | Other | |
| 4870886 | Death | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4870886 | Hospitalization - Initial or Prolonged | |
| 4870886 | Life-Threatening | |
| 4870888 | Other | |
| 4870890 | Other | |
| 4870891 | Other | |
| 4870892 | Hospitalization - Initial or Prolonged | |
| 4870898 | Other | |
| 4870900 | Hospitalization - Initial or Prolonged | |
| 4870901 | Disability | |
| 4870901 | Other | |
| 4870902 | Hospitalization - Initial or Prolonged | |
| 4870903 | Hospitalization - Initial or Prolonged | |
| 4870903 | Life-Threatening | |
| 4870904 | Other | |
| 4870917 | Life-Threatening | |
| 4870921 | Other | |
| 4870922 | Other | |
| 4870923 | Other | |
| 4870976 | Other | |
| 4870977 | Hospitalization - Initial or Prolonged | |
| 4870978 | Other | |
| 4870979 | Death | |
| 4870993 | Hospitalization - Initial or Prolonged | |
| 4870994 | Hospitalization - Initial or Prolonged | |
| 4871004 | Death | |
| 4871005 | Hospitalization - Initial or Prolonged | |
| 4871005 | Other | |
| 4871006 | Hospitalization - Initial or Prolonged | |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871016 | Hospitalization - Initial or Prolonged | |
| 4871016 | Other | |
| 4871017 | Other | |
| 4871018 | Death | |
| 4871019 | Death | |
| 4871040 | Other | |
| 4871057 | Hospitalization - Initial or Prolonged | |
| 4871073 | Death | |
| 4871074 | Hospitalization - Initial or Prolonged | |
| 4871086 | Hospitalization - Initial or Prolonged | |
| 4871087 | Other | |
| 4871088 | Hospitalization - Initial or Prolonged | |
| 4871089 | Hospitalization - Initial or Prolonged | |
| 4871101 | Other | |
| 4871102 | Hospitalization - Initial or Prolonged | |
| 4871103 | Hospitalization - Initial or Prolonged | |
| 4871105 | Hospitalization - Initial or Prolonged | |
| 4871106 | Other | |
| 4871127 | Hospitalization - Initial or Prolonged | |
| 4871134 | Hospitalization - Initial or Prolonged | |
| 4871141 | Hospitalization - Initial or Prolonged | |
| 4871146 | Hospitalization - Initial or Prolonged | |
| 4871160 | Hospitalization - Initial or Prolonged | |
| 4871180 | Hospitalization - Initial or Prolonged | |
| 4871210 | Hospitalization - Initial or Prolonged | |
| 4871211 | Hospitalization - Initial or Prolonged | |
| 4871212 | Hospitalization - Initial or Prolonged | |
| 4871213 | Hospitalization - Initial or Prolonged | |

| Report's unique number | Code for patient outcomes |
|------------------------|--|
| 4871214 | Hospitalization - Initial or Prolonged |
| 4871220 | Hospitalization - Initial or Prolonged |
| 4871221 | Hospitalization - Initial or Prolonged |
| 4871222 | Hospitalization - Initial or Prolonged |
| 4871222 | Other |
| 4871223 | Hospitalization - Initial or Prolonged |
| 4871224 | Other |
| 4871225 | Death |
| 4871226 | Hospitalization - Initial or Prolonged |
| 4871227 | Hospitalization - Initial or Prolonged |
| 4871229 | Death |
| 4871229 | Hospitalization - Initial or Prolonged |
| 4871229 | Other |
| 4871230 | Hospitalization - Initial or Prolonged |
| 4871231 | Hospitalization - Initial or Prolonged |
| 4871232 | Hospitalization - Initial or Prolonged |
| 4871233 | Hospitalization - Initial or Prolonged |
| 4871235 | Hospitalization - Initial or Prolonged |
| 4871236 | Life-Threatening |
| 4871237 | Hospitalization - Initial or Prolonged |
| 4871238 | Hospitalization - Initial or Prolonged |
| 4871239 | Hospitalization - Initial or Prolonged |
| 4871240 | Hospitalization - Initial or Prolonged |
| 4871241 | Hospitalization - Initial or Prolonged |
| 4871242 | Hospitalization - Initial or Prolonged |
| 4871242 | Other |
| 4871243 | Death |
| 4871244 | Hospitalization - Initial or Prolonged |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871249 | Hospitalization - Initial or Prolonged | |
| 4871250 | Hospitalization - Initial or Prolonged | |
| 4871338 | Hospitalization - Initial or Prolonged | |
| 4871339 | Hospitalization - Initial or Prolonged | |
| 4871340 | Hospitalization - Initial or Prolonged | |
| 4871341 | Hospitalization - Initial or Prolonged | |
| 4871342 | Hospitalization - Initial or Prolonged | |
| 4871344 | Other | |
| 4871345 | Other | |
| 4871346 | Death | |
| 4871346 | Disability | |
| 4871346 | Hospitalization - Initial or Prolonged | |
| 4871353 | Other | |
| 4871354 | Hospitalization - Initial or Prolonged | |
| 4871355 | Other | |
| 4871356 | Hospitalization - Initial or Prolonged | |
| 4871357 | Hospitalization - Initial or Prolonged | |
| 4871359 | Hospitalization - Initial or Prolonged | |
| 4871360 | Disability | |
| 4871360 | Hospitalization - Initial or Prolonged | |
| 4871361 | Hospitalization - Initial or Prolonged | |
| 4871362 | Hospitalization - Initial or Prolonged | |
| 4871363 | Death | |
| 4871363 | Other | |
| 4871364 | Hospitalization - Initial or Prolonged | |
| 4871365 | Disability | |
| 4871365 | Hospitalization - Initial or Prolonged | |
| 4871367 | Hospitalization - Initial or Prolonged | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871368 | Disability | |
| 4871368 | Hospitalization - Initial or Prolonged | |
| 4871369 | Disability | |
| 4871369 | Hospitalization - Initial or Prolonged | |
| 4871370 | Death | |
| 4871370 | Hospitalization - Initial or Prolonged | |
| 4871371 | Hospitalization - Initial or Prolonged | |
| 4871371 | Life-Threatening | |
| 4871373 | Death | |
| 4871373 | Other | |
| 4871374 | Other | |
| 4871375 | Hospitalization - Initial or Prolonged | |
| 4871376 | Other | |
| 4871377 | Hospitalization - Initial or Prolonged | |
| 4871377 | Life-Threatening | |
| 4871378 | Hospitalization - Initial or Prolonged | |
| 4871379 | Disability | |
| 4871379 | Hospitalization - Initial or Prolonged | |
| 4871380 | Disability | |
| 4871380 | Hospitalization - Initial or Prolonged | |
| 4871382 | Death | |
| 4871383 | Hospitalization - Initial or Prolonged | |
| 4871384 | Hospitalization - Initial or Prolonged | |
| 4871385 | Hospitalization - Initial or Prolonged | |
| 4871386 | Other | |
| 4871387 | Hospitalization - Initial or Prolonged | |
| 4871405 | Other | |
| 4871406 | Disability | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871406 | Hospitalization - Initial or Prolonged | |
| 4871407 | Hospitalization - Initial or Prolonged | |
| 4871408 | Disability | |
| 4871409 | Death | |
| 4871411 | Disability | |
| 4871411 | Other | |
| 4871412 | Disability | |
| 4871413 | Death | |
| 4871413 | Hospitalization - Initial or Prolonged | |
| 4871415 | Disability | |
| 4871416 | Other | |
| 4871417 | Hospitalization - Initial or Prolonged | |
| 4871419 | Disability | |
| 4871419 | Hospitalization - Initial or Prolonged | |
| 4871432 | Disability | |
| 4871432 | Hospitalization - Initial or Prolonged | |
| 4871448 | Hospitalization - Initial or Prolonged | |
| 4871448 | Life-Threatening | |
| 4871560 | Hospitalization - Initial or Prolonged | |
| 4871560 | Life-Threatening | |
| 4871561 | Death | |
| 4871561 | Hospitalization - Initial or Prolonged | |
| 4871561 | Other | |
| 4871562 | Death | |
| 4871562 | Life-Threatening | |
| 4871573 | Other | |
| 4871574 | Other | |
| 4871582 | Death | |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871582 | Other | |
| 4871583 | Hospitalization - Initial or Prolonged | |
| 4871584 | Other | |
| 4871585 | Hospitalization - Initial or Prolonged | |
| 4871587 | Other | |
| 4871592 | Death | |
| 4871592 | Hospitalization - Initial or Prolonged | |
| 4871592 | Life-Threatening | |
| 4871592 | Other | |
| 4871598 | Hospitalization - Initial or Prolonged | |
| 4871599 | Hospitalization - Initial or Prolonged | |
| 4871600 | Hospitalization - Initial or Prolonged | |
| 4871600 | Life-Threatening | |
| 4871601 | Hospitalization - Initial or Prolonged | |
| 4871602 | Hospitalization - Initial or Prolonged | |
| 4871614 | Hospitalization - Initial or Prolonged | |
| 4871615 | Hospitalization - Initial or Prolonged | |
| 4871616 | Other | |
| 4871617 | Hospitalization - Initial or Prolonged | |
| 4871622 | Hospitalization - Initial or Prolonged | |
| 4871623 | Hospitalization - Initial or Prolonged | |
| 4871624 | Death | |
| 4871624 | Hospitalization - Initial or Prolonged | |
| 4871625 | Other | |
| 4871626 | Hospitalization - Initial or Prolonged | |
| 4871627 | Other | |
| 4871628 | Hospitalization - Initial or Prolonged | |
| 4871629 | Hospitalization - Initial or Prolonged | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871630 | Hospitalization - Initial or Prolonged | |
| 4871631 | Hospitalization - Initial or Prolonged | |
| 4871632 | Hospitalization - Initial or Prolonged | |
| 4871633 | Other | |
| 4871634 | Other | |
| 4871635 | Death | |
| 4871636 | Hospitalization - Initial or Prolonged | |
| 4871637 | Death | |
| 4871638 | Life-Threatening | |
| 4871639 | Other | |
| 4871640 | Hospitalization - Initial or Prolonged | |
| 4871641 | Other | |
| 4871642 | Hospitalization - Initial or Prolonged | |
| 4871643 | Disability | |
| 4871644 | Hospitalization - Initial or Prolonged | |
| 4871645 | Hospitalization - Initial or Prolonged | |
| 4871646 | Hospitalization - Initial or Prolonged | |
| 4871648 | Congenital Anomaly | |
| 4871649 | Death | |
| 4871651 | Hospitalization - Initial or Prolonged | |
| 4871651 | Other | |
| 4871654 | Hospitalization - Initial or Prolonged | |
| 4871655 | Other | |
| 4871656 | Other | |
| 4871659 | Hospitalization - Initial or Prolonged | |
| 4871660 | Other | |
| 4871661 | Other | |
| 4871662 | Hospitalization - Initial or Prolonged | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871663 | Other | |
| 4871664 | Hospitalization - Initial or Prolonged | |
| 4871664 | Other | |
| 4871665 | Other | |
| 4871666 | Other | |
| 4871667 | Other | |
| 4871668 | Other | |
| 4871669 | Death | |
| 4871670 | Death | |
| 4871670 | Hospitalization - Initial or Prolonged | |
| 4871670 | Other | |
| 4871671 | Hospitalization - Initial or Prolonged | |
| 4871672 | Hospitalization - Initial or Prolonged | |
| 4871673 | Hospitalization - Initial or Prolonged | |
| 4871674 | Disability | |
| 4871675 | Death | |
| 4871676 | Other | |
| 4871677 | Other | |
| 4871678 | Death | |
| 4871681 | Other | |
| 4871682 | Death | |
| 4871682 | Hospitalization - Initial or Prolonged | |
| 4871682 | Life-Threatening | |
| 4871682 | Other | |
| 4871685 | Hospitalization - Initial or Prolonged | |
| 4871686 | Other | |
| 4871687 | Other | |
| 4871689 | Death | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871689 | Other | |
| 4871692 | Other | |
| 4871693 | Other | |
| 4871694 | Hospitalization - Initial or Prolonged | |
| 4871695 | Hospitalization - Initial or Prolonged | |
| 4871706 | Death | |
| 4871707 | Disability | |
| 4871707 | Other | |
| 4871708 | Death | |
| 4871708 | Hospitalization - Initial or Prolonged | |
| 4871709 | Hospitalization - Initial or Prolonged | |
| 4871709 | Life-Threatening | |
| 4871712 | Hospitalization - Initial or Prolonged | |
| 4871713 | Hospitalization - Initial or Prolonged | |
| 4871714 | Hospitalization - Initial or Prolonged | |
| 4871726 | Hospitalization - Initial or Prolonged | |
| 4871740 | Hospitalization - Initial or Prolonged | |
| 4871742 | Other | |
| 4871752 | Other | |
| 4871754 | Hospitalization - Initial or Prolonged | |
| 4871755 | Death | |
| 4871759 | Hospitalization - Initial or Prolonged | |
| 4871761 | Other | |
| 4871773 | Hospitalization - Initial or Prolonged | |
| 4871774 | Disability | |
| 4871775 | Hospitalization - Initial or Prolonged | |
| 4871776 | Hospitalization - Initial or Prolonged | |
| 4871776 | Other | |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871777 | Hospitalization - Initial or Prolonged | |
| 4871778 | Hospitalization - Initial or Prolonged | |
| 4871779 | Other | |
| 4871780 | Death | |
| 4871781 | Other | |
| 4871782 | Hospitalization - Initial or Prolonged | |
| 4871783 | Other | |
| 4871784 | Hospitalization - Initial or Prolonged | |
| 4871785 | Other | |
| 4871786 | Hospitalization - Initial or Prolonged | |
| 4871787 | Disability | |
| 4871787 | Hospitalization - Initial or Prolonged | |
| 4871788 | Hospitalization - Initial or Prolonged | |
| 4871789 | Hospitalization - Initial or Prolonged | |
| 4871790 | Other | |
| 4871791 | Death | |
| 4871792 | Other | |
| 4871793 | Other | |
| 4871794 | Death | |
| 4871794 | Life-Threatening | |
| 4871795 | Life-Threatening | |
| 4871796 | Hospitalization - Initial or Prolonged | |
| 4871797 | Hospitalization - Initial or Prolonged | |
| 4871798 | Hospitalization - Initial or Prolonged | |
| 4871798 | Life-Threatening | |
| 4871799 | Other | |
| 4871800 | Hospitalization - Initial or Prolonged | |
| 4871801 | Disability | |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871802 | Life-Threatening | |
| 4871803 | Life-Threatening | |
| 4871804 | Other | |
| 4871805 | Hospitalization - Initial or Prolonged | |
| 4871806 | Hospitalization - Initial or Prolonged | |
| 4871807 | Other | |
| 4871808 | Hospitalization - Initial or Prolonged | |
| 4871809 | Other | |
| 4871810 | Life-Threatening | |
| 4871810 | Other | |
| 4871811 | Other | |
| 4871812 | Hospitalization - Initial or Prolonged | |
| 4871813 | Disability | |
| 4871813 | Other | |
| 4871814 | Hospitalization - Initial or Prolonged | |
| 4871815 | Other | |
| 4871816 | Hospitalization - Initial or Prolonged | |
| 4871817 | Other | |
| 4871818 | Hospitalization - Initial or Prolonged | |
| 4871818 | Other | |
| 4871819 | Hospitalization - Initial or Prolonged | |
| 4871820 | Death | |
| 4871820 | Hospitalization - Initial or Prolonged | |
| 4871821 | Disability | |
| 4871821 | Hospitalization - Initial or Prolonged | |
| 4871822 | Hospitalization - Initial or Prolonged | |
| 4871822 | Other | |
| 4871823 | Hospitalization - Initial or Prolonged | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871824 | Disability | |
| 4871824 | Hospitalization - Initial or Prolonged | |
| 4871825 | Hospitalization - Initial or Prolonged | |
| 4871826 | Hospitalization - Initial or Prolonged | |
| 4871827 | Hospitalization - Initial or Prolonged | |
| 4871828 | Hospitalization - Initial or Prolonged | |
| 4871829 | Disability | |
| 4871829 | Hospitalization - Initial or Prolonged | |
| 4871830 | Hospitalization - Initial or Prolonged | |
| 4871830 | Other | |
| 4871831 | Disability | |
| 4871831 | Hospitalization - Initial or Prolonged | |
| 4871833 | Death | |
| 4871833 | Hospitalization - Initial or Prolonged | |
| 4871834 | Death | |
| 4871834 | Hospitalization - Initial or Prolonged | |
| 4871835 | Hospitalization - Initial or Prolonged | |
| 4871836 | Disability | |
| 4871836 | Hospitalization - Initial or Prolonged | |
| 4871837 | Disability | |
| 4871837 | Hospitalization - Initial or Prolonged | |
| 4871838 | Disability | |
| 4871838 | Hospitalization - Initial or Prolonged | |
| 4871839 | Other | |
| 4871840 | Other | |
| 4871841 | Disability | |
| 4871841 | Hospitalization - Initial or Prolonged | |
| 4871842 | Death | |

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871843 | Hospitalization - Initial or Prolonged | |
| 4871844 | Death | |
| 4871844 | Hospitalization - Initial or Prolonged | |
| 4871845 | Hospitalization - Initial or Prolonged | |
| 4871846 | Disability | |
| 4871846 | Hospitalization - Initial or Prolonged | |
| 4871847 | Disability | |
| 4871847 | Hospitalization - Initial or Prolonged | |
| 4871848 | Hospitalization - Initial or Prolonged | |
| 4871849 | Disability | |
| 4871849 | Hospitalization - Initial or Prolonged | |
| 4871850 | Hospitalization - Initial or Prolonged | |
| 4871851 | Disability | |
| 4871851 | Hospitalization - Initial or Prolonged | |
| 4871852 | Disability | |
| 4871852 | Hospitalization - Initial or Prolonged | |
| 4871853 | Death | |
| 4871853 | Hospitalization - Initial or Prolonged | |
| 4871854 | Hospitalization - Initial or Prolonged | |
| 4871854 | Other | |
| 4871856 | Hospitalization - Initial or Prolonged | |
| 4871857 | Hospitalization - Initial or Prolonged | |
| 4871858 | Hospitalization - Initial or Prolonged | |
| 4871859 | Disability | |
| 4871859 | Hospitalization - Initial or Prolonged | |
| 4871860 | Disability | |
| 4871860 | Hospitalization - Initial or Prolonged | |
| 4871860 | Other | |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes | |
|------------------------|--|--|
| 4871861 | Other | |
| 4871862 | Hospitalization - Initial or Prolonged | |
| 4871863 | Other | |
| 4871864 | Other | |
| 4871865 | Disability | |
| 4871865 | Hospitalization - Initial or Prolonged | |
| 4871866 | Hospitalization - Initial or Prolonged | |
| 4871867 | Disability | |
| 4871867 | Hospitalization - Initial or Prolonged | |
| 4871870 | Hospitalization - Initial or Prolonged | |
| 4871870 | Other | |
| 4871871 | Hospitalization - Initial or Prolonged | |
| 4871871 | Other | |
| 4871873 | Death | |
| 4871873 | Other | |
| 4871874 | Hospitalization - Initial or Prolonged | |
| 4871875 | Disability | |
| 4871875 | Other | |
| 4871876 | Death | |
| 4871876 | Hospitalization - Initial or Prolonged | |
| 4871877 | Hospitalization - Initial or Prolonged | |
| 4871877 | Other | |
| 4871878 | Hospitalization - Initial or Prolonged | |
| 4871878 | Other | |
| 4871879 | Hospitalization - Initial or Prolonged | |
| 4871880 | Other | |
| 4871881 | Disability | |
| 4871881 | Hospitalization - Initial or Prolonged | |

| Report's unique number | Code for patient outcomes | |
|---------------------------|--|--|
| 4871882 | Hospitalization - Initial or Prolonged | |
| 4871882 | Other | |
| 4871883 | Other | |
| 4871884 | Disability | |
| 4871884 | Hospitalization - Initial or Prolonged | |
| 4871884 | Other | |
| 4871885 | Disability | |
| 4871885 | Hospitalization - Initial or Prolonged | |
| 4871885 | Other | |
| 4871886 | Death | |
| 4871886 | Other | |
| 4871887 | Death | |
| 4871887 | Hospitalization - Initial or Prolonged | |
| 4871887 | Other | |
| 4871888 | Other | |
| 4871889 | Hospitalization - Initial or Prolonged | |
| 4871890 | Hospitalization - Initial or Prolonged | |
| 4871891 | Hospitalization - Initial or Prolonged | |
| 4871892 | Death | |
| 4871892 | Hospitalization - Initial or Prolonged | |
| 4871892 | Other | |
| 4871893 | Disability | |
| 4871893 | Hospitalization - Initial or Prolonged | |
| 4871893 | Other | |
| 4871894 | Other | |
| 4871895 | Death | |
| 4871895 | Hospitalization - Initial or Prolonged | |
| 4871897 | Life-Threatening | |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes | |
|---------------------------|--|--|
| 4871897 | Other | |
| 4871899 | Hospitalization - Initial or Prolonged | |
| 4871900 | Hospitalization - Initial or Prolonged | |
| 4871901 | Disability | |
| 4871901 | Hospitalization - Initial or Prolonged | |
| 4871901 | Life-Threatening | |
| 4871901 | Other | |
| 4871902 | Other | |
| 4871903 | Hospitalization - Initial or Prolonged | |
| 4871904 | Hospitalization - Initial or Prolonged | |
| 4871905 | Hospitalization - Initial or Prolonged | |
| 4871906 | Hospitalization - Initial or Prolonged | |
| 4871907 | Disability | |
| 4871907 | Hospitalization - Initial or Prolonged | |
| 4871908 | Other | |
| 4871909 | Hospitalization - Initial or Prolonged | |
| 4871912 | Other | |
| 4871917 | Death | |
| 4871918 | Other | |
| 4871919 | Other | |
| 4871920 | Hospitalization - Initial or Prolonged | |
| 4871920 | Life-Threatening | |
| 4871921 | Other | |
| 4871922 | Death | |
| 4871923 | Other | |
| 4871924 | Hospitalization - Initial or Prolonged | |
| 4871927 | Hospitalization - Initial or Prolonged | |
| 4871927 | Other | |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes |
|---------------------------|--|
| 4871927 | Required Intervention to Prevent Permanent Impairment/Damage |
| 4871928 | Hospitalization - Initial or Prolonged |
| 4871929 | Other |
| 4871930 | Other |
| 4871934 | Disability |
| 4871934 | Hospitalization - Initial or Prolonged |
| 4871935 | Disability |
| 4871935 | Hospitalization - Initial or Prolonged |
| 4871937 | Death |
| 4871937 | Hospitalization - Initial or Prolonged |
| 4871938 | Disability |
| 4871938 | Hospitalization - Initial or Prolonged |
| 4871939 | Hospitalization - Initial or Prolonged |
| 4871940 | Disability |
| 4871940 | Hospitalization - Initial or Prolonged |
| 4871941 | Disability |
| 4871941 | Hospitalization - Initial or Prolonged |
| 4871942 | Hospitalization - Initial or Prolonged |
| 4871943 | Other |
| 4871949 | Disability |
| 4871949 | Hospitalization - Initial or Prolonged |
| 4871950 | Hospitalization - Initial or Prolonged |
| 4871957 | Hospitalization - Initial or Prolonged |
| 4871957 | Other |
| 4871969 | Disability |
| 4871971 | Hospitalization - Initial or Prolonged |
| 4871972 | Other |
| 4871973 | Hospitalization - Initial or Prolonged |

| Report's unique | On the formation to a transport | |
|-----------------|--|--|
| number | Code for patient outcomes | |
| 4871974 | Hospitalization - Initial or Prolonged | |
| 4871976 | Death | |
| 4871977 | Other | |
| 4871978 | Other | |
| 4871979 | Hospitalization - Initial or Prolonged | |
| 4871980 | Hospitalization - Initial or Prolonged | |
| 4871988 | Death | |
| 4871988 | Hospitalization - Initial or Prolonged | |
| 4872010 | Required Intervention to Prevent Permanent Impairment/Damage | |
| 4872016 | Hospitalization - Initial or Prolonged | |
| 4872016 | Other | |
| 4872017 | Death | |
| 4872018 | Hospitalization - Initial or Prolonged | |
| 4872021 | Other | |
| 4872030 | Death | |
| 4872030 | Hospitalization - Initial or Prolonged | |
| 4872033 | Hospitalization - Initial or Prolonged | |
| 4872033 | Other | |
| 4872034 | Death | |
| 4872034 | Hospitalization - Initial or Prolonged | |

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4799889 | Foreign |
| 4799889 | Health Professional |
| 4799889 | Other |
| 4802758 | Study |
| 4807735 | Foreign |
| 4807735 | Health Professional |
| 4807735 | Other |
| 4807884 | Health Professional |
| 4807884 | Study |
| 4810789 | Consumer |
| 4813034 | Foreign |
| 4813034 | Health Professional |
| 4813034 | Other |
| 4815387 | Health Professional |
| 4815387 | Literature |
| 4817144 | Company Representative |
| 4817144 | Health Professional |
| 4817145 | Health Professional |
| 4817146 | Company Representative |
| 4817146 | Health Professional |
| 4817148 | Health Professional |
| 4817149 | Health Professional |
| 4817159 | Health Professional |
| 4817167 | Company Representative |
| 4817167 | Health Professional |
| 4819355 | Consumer |
| 4826360 | Health Professional |
| 4826360 | Study |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4834797 | Health Professional |
| 4838069 | Health Professional |
| 4840105 | Consumer |
| 4843170 | Consumer |
| 4846119 | Health Professional |
| 4846435 | Consumer |
| 4847003 | Literature |
| 4847003 | Study |
| 4847638 | Foreign |
| 4847638 | Health Professional |
| 4847706 | Foreign |
| 4847706 | Health Professional |
| 4847706 | Other |
| 4852120 | Health Professional |
| 4852895 | Health Professional |
| 4852895 | Literature |
| 4854233 | Health Professional |
| 4865588 | Company Representative |
| 4865588 | Consumer |
| 4867362 | Health Professional |
| 4867362 | Literature |
| 4867362 | Study |
| 4867364 | Health Professional |
| 4867364 | Literature |
| 4867364 | Study |
| 4867367 | Health Professional |
| 4867367 | Literature |
| 4867367 | Study |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4867370 | Health Professional |
| 4867370 | Literature |
| 4867370 | Study |
| 4867373 | Health Professional |
| 4867373 | Literature |
| 4867373 | Study |
| 4867375 | Health Professional |
| 4867375 | Literature |
| 4867375 | Study |
| 4867377 | Health Professional |
| 4867377 | Literature |
| 4867377 | Study |
| 4867384 | Health Professional |
| 4867384 | Literature |
| 4867384 | Study |
| 4867390 | Health Professional |
| 4867390 | Literature |
| 4867390 | Study |
| 4867392 | Health Professional |
| 4867392 | Literature |
| 4867392 | Study |
| 4867604 | Health Professional |
| 4867604 | Literature |
| 4867604 | Study |
| 4867630 | Health Professional |
| 4867630 | Literature |
| 4867630 | Study |
| 4869006 | Foreign |

ADVERSE EVENT REPORTING SYSTEM (AERS)

| Report Source | Listings |
|----------------------|----------|
|----------------------|----------|

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4869006 | Health Professional | |
| 4869006 | Other | |
| 4869006 | Study | |
| 4870313 | Foreign | |
| 4870313 | Health Professional | |
| 4870313 | Other | |
| 4871927 | Foreign | |
| 4871927 | Health Professional | |
| 4871927 | Study | |
| 4872010 | Health Professional | |
| 4872010 | Other | |
| 4872153 | Health Professional | |
| 4872155 | Consumer | |
| 4872157 | Consumer | |
| 4872159 | Consumer | |
| 4872161 | Consumer | |
| 4872165 | Consumer | |
| 4872166 | Health Professional | |
| 4872166 | Literature | |
| 4872170 | Foreign | |
| 4872170 | Health Professional | |
| 4872170 | Other | |
| 4872171 | Foreign | |
| 4872171 | Health Professional | |
| 4872171 | Other | |
| 4872172 | Foreign | |
| 4872172 | Health Professional | |
| 4872172 | Other | |

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4872173 | Foreign |
| 4872173 | Health Professional |
| 4872173 | Other |
| 4872174 | Foreign |
| 4872174 | Health Professional |
| 4872174 | Other |
| 4872175 | Consumer |
| 4872175 | Foreign |
| 4872176 | Consumer |
| 4872176 | Foreign |
| 4872176 | Other |
| 4872178 | Health Professional |
| 4872179 | Foreign |
| 4872179 | Health Professional |
| 4872179 | Study |
| 4872180 | Foreign |
| 4872180 | Health Professional |
| 4872180 | Study |
| 4872183 | Foreign |
| 4872183 | Health Professional |
| 4872184 | Foreign |
| 4872184 | Other |
| 4872186 | Foreign |
| 4872186 | Health Professional |
| 4872186 | Literature |
| 4872186 | Other |
| 4872187 | Foreign |
| 4872187 | Health Professional |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4872187 | Literature | |
| 4872187 | Other | |
| 4872188 | Foreign | |
| 4872188 | Health Professional | |
| 4872188 | Literature | |
| 4872188 | Other | |
| 4872190 | Foreign | |
| 4872190 | Health Professional | |
| 4872190 | Other | |
| 4872191 | Foreign | |
| 4872191 | Health Professional | |
| 4872191 | Other | |
| 4872191 | Study | |
| 4872193 | Foreign | |
| 4872193 | Health Professional | |
| 4872193 | Other | |
| 4872193 | Study | |
| 4872535 | Consumer | |
| 4872535 | Foreign | |
| 4872535 | Other | |
| 4872536 | Consumer | |
| 4872536 | Foreign | |
| 4872536 | Other | |
| 4872537 | Foreign | |
| 4872537 | Health Professional | |
| 4872537 | Other | |
| 4872538 | Foreign | |
| 4872538 | Health Professional | |

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4872538 | Other | |
| 4872539 | Foreign | |
| 4872539 | Health Professional | |
| 4872539 | Other | |
| 4872540 | Foreign | |
| 4872540 | Health Professional | |
| 4872540 | Other | |
| 4872548 | Foreign | |
| 4872548 | Health Professional | |
| 4872548 | Other | |
| 4872549 | Foreign | |
| 4872549 | Health Professional | |
| 4872549 | Other | |
| 4872571 | Foreign | |
| 4872571 | Health Professional | |
| 4872571 | Other | |
| 4872572 | Foreign | |
| 4872572 | Health Professional | |
| 4872572 | Other | |
| 4872573 | Foreign | |
| 4872573 | Health Professional | |
| 4872573 | Other | |
| 4872574 | Foreign | |
| 4872574 | Health Professional | |
| 4872574 | Other | |
| 4872575 | Foreign | |
| 4872575 | Health Professional | |
| 4872575 | Other | |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4872576 | Foreign |
| 4872576 | Health Professional |
| 4872576 | Other |
| 4872577 | Foreign |
| 4872577 | Health Professional |
| 4872577 | Other |
| 4872578 | Consumer |
| 4872578 | Foreign |
| 4872578 | Other |
| 4872579 | Foreign |
| 4872579 | Health Professional |
| 4872579 | Other |
| 4872586 | Consumer |
| 4872586 | Foreign |
| 4872586 | Other |
| 4872592 | Foreign |
| 4872592 | Health Professional |
| 4872592 | Other |
| 4872593 | Foreign |
| 4872593 | Health Professional |
| 4872593 | Literature |
| 4872593 | Other |
| 4872619 | Foreign |
| 4872619 | Health Professional |
| 4872619 | Other |
| 4872641 | Foreign |
| 4872641 | Health Professional |
| 4872641 | Other |

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4872652 | Foreign | |
| 4872652 | Health Professional | |
| 4872652 | Other | |
| 4872653 | Foreign | |
| 4872653 | Health Professional | |
| 4872653 | Other | |
| 4872654 | Foreign | |
| 4872654 | Health Professional | |
| 4872654 | Literature | |
| 4872654 | Other | |
| 4872655 | Foreign | |
| 4872655 | Health Professional | |
| 4872655 | Other | |
| 4872657 | Foreign | |
| 4872657 | Health Professional | |
| 4872657 | Literature | |
| 4872657 | Other | |
| 4872659 | Foreign | |
| 4872659 | Health Professional | |
| 4872659 | Other | |
| 4872660 | Foreign | |
| 4872660 | Health Professional | |
| 4872661 | Consumer | |
| 4872661 | Foreign | |
| 4872661 | Other | |
| 4872663 | Foreign | |
| 4872663 | Health Professional | |
| 4872663 | Literature | |

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4872663 | Other |
| 4872664 | Foreign |
| 4872664 | Other |
| 4872665 | Foreign |
| 4872665 | Other |
| 4872666 | Foreign |
| 4872666 | Health Professional |
| 4872666 | Other |
| 4872676 | Consumer |
| 4872677 | Health Professional |
| 4872678 | Health Professional |
| 4872679 | Foreign |
| 4872679 | Health Professional |
| 4872679 | Other |
| 4872679 | Study |
| 4872680 | Foreign |
| 4872680 | Health Professional |
| 4872680 | Other |
| 4872681 | Foreign |
| 4872681 | Health Professional |
| 4872681 | Other |
| 4872682 | Health Professional |
| 4872683 | Literature |
| 4872684 | Foreign |
| 4872684 | Health Professional |
| 4872684 | Other |
| 4872685 | Consumer |
| 4872685 | Foreign |

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4872685 | Other | |
| 4872686 | Company Representative | |
| 4872686 | Health Professional | |
| 4872688 | Foreign | |
| 4872688 | Health Professional | |
| 4872688 | Other | |
| 4872690 | Consumer | |
| 4872693 | Company Representative | |
| 4872693 | Health Professional | |
| 4872696 | Consumer | |
| 4872698 | Health Professional | |
| 4872698 | Other | |
| 4872698 | Study | |
| 4872700 | Consumer | |
| 4872701 | Health Professional | |
| 4872702 | Consumer | |
| 4872704 | Consumer | |
| 4872705 | Consumer | |
| 4872707 | Consumer | |
| 4872711 | Consumer | |
| 4872712 | Consumer | |
| 4872713 | Consumer | |
| 4872714 | Consumer | |
| 4872715 | Consumer | |
| 4872716 | Health Professional | |
| 4872717 | Consumer | |
| 4872721 | Consumer | |
| 4872722 | Consumer | |

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4872723 | Company Representative | |
| 4872724 | Health Professional | |
| 4872725 | Health Professional | |
| 4872726 | Consumer | |
| 4872727 | Consumer | |
| 4872730 | Consumer | |
| 4872732 | Health Professional | |
| 4872733 | Foreign | |
| 4872733 | Health Professional | |
| 4872733 | Other | |
| 4872734 | Health Professional | |
| 4872735 | Consumer | |
| 4872736 | Health Professional | |
| 4872737 | Foreign | |
| 4872737 | Health Professional | |
| 4872737 | Other | |
| 4872738 | Health Professional | |
| 4872739 | Health Professional | |
| 4872740 | Consumer | |
| 4872742 | Foreign | |
| 4872742 | Health Professional | |
| 4872742 | Other | |
| 4872743 | Health Professional | |
| 4872744 | Health Professional | |
| 4872745 | Consumer | |
| 4872746 | Foreign | |
| 4872746 | Health Professional | |
| 4872746 | Other | |

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4872747 | Foreign |
| 4872747 | Health Professional |
| 4872747 | Other |
| 4872748 | Foreign |
| 4872748 | Health Professional |
| 4872748 | Other |
| 4872749 | Consumer |
| 4872750 | Foreign |
| 4872750 | Health Professional |
| 4872750 | Other |
| 4872751 | Consumer |
| 4872753 | Consumer |
| 4872755 | Company Representative |
| 4872758 | Consumer |
| 4872759 | Consumer |
| 4872759 | Foreign |
| 4872759 | Other |
| 4872760 | Health Professional |
| 4872761 | Consumer |
| 4872763 | Foreign |
| 4872763 | Health Professional |
| 4872763 | Other |
| 4872764 | Consumer |
| 4872766 | Foreign |
| 4872766 | Health Professional |
| 4872766 | Other |
| 4872767 | Foreign |
| 4872767 | Health Professional |

4872794

ADVERSE EVENT REPORTING SYSTEM (AERS) Report Source Listings

| Report Source Listings | | |
|------------------------|---------------------------|--|
| Report's unique number | Code for patient outcomes | |
| 4872767 | Other | |
| 4872778 | Consumer | |
| 4872778 | Health Professional | |
| 4872778 | Other | |
| 4872779 | Consumer | |
| 4872779 | Health Professional | |
| 4872779 | Other | |
| 4872780 | Consumer | |
| 4872780 | Health Professional | |
| 4872780 | Other | |
| 4872781 | Consumer | |
| 4872782 | Consumer | |
| 4872783 | Foreign | |
| 4872783 | Health Professional | |
| 4872783 | Literature | |
| 4872783 | Other | |
| 4872785 | Health Professional | |
| 4872787 | Consumer | |
| 4872788 | Consumer | |
| 4872789 | Foreign | |
| 4872789 | Health Professional | |
| 4872789 | Other | |
| 4872790 | Foreign | |
| 4872790 | Health Professional | |
| 4872790 | Literature | |
| 4872790 | Other | |
| 4872794 | Foreign | |
| | | |

Health Professional

ADVERSE EVENT REPORTING SYSTEM (AERS)

| Report Source | Listings |
|----------------------|----------|
|----------------------|----------|

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4872794 | Other |
| 4872795 | Foreign |
| 4872795 | Health Professional |
| 4872795 | Other |
| 4873279 | Consumer |
| 4873280 | Consumer |
| 4873281 | Health Professional |
| 4873282 | Consumer |
| 4873328 | Foreign |
| 4873328 | Health Professional |
| 4873328 | Other |
| 4873329 | Consumer |
| 4873329 | Foreign |
| 4873329 | Health Professional |
| 4873329 | Other |
| 4873330 | Foreign |
| 4873330 | Health Professional |
| 4873330 | Other |
| 4873330 | Study |
| 4873331 | Foreign |
| 4873331 | Health Professional |
| 4873331 | Other |
| 4873332 | Foreign |
| 4873332 | Health Professional |
| 4873332 | Other |
| 4873333 | Foreign |
| 4873333 | Health Professional |
| 4873333 | Other |

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4873334 | Foreign | |
| 4873334 | Health Professional | |
| 4873334 | Other | |
| 4873334 | Study | |
| 4873335 | Foreign | |
| 4873335 | Health Professional | |
| 4873335 | Other | |
| 4873342 | Foreign | |
| 4873342 | Health Professional | |
| 4873342 | Other | |
| 4873343 | Foreign | |
| 4873343 | Health Professional | |
| 4873343 | Study | |
| 4873345 | Foreign | |
| 4873345 | Health Professional | |
| 4873345 | Study | |
| 4873354 | Foreign | |
| 4873354 | Health Professional | |
| 4873366 | Foreign | |
| 4873366 | Health Professional | |
| 4873366 | Study | |
| 4873367 | Foreign | |
| 4873367 | Health Professional | |
| 4873367 | Study | |
| 4873368 | Foreign | |
| 4873368 | Health Professional | |
| 4873368 | Study | |
| 4873369 | Foreign | |

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4873369 | Health Professional | |
| 4873737 | Consumer | |
| 4873737 | Health Professional | |
| 4873738 | Consumer | |
| 4873738 | Health Professional | |
| 4873738 | Study | |
| 4873743 | Consumer | |
| 4873743 | Health Professional | |
| 4873744 | Consumer | |
| 4873744 | Health Professional | |
| 4873745 | Consumer | |
| 4873745 | Study | |
| 4873746 | Consumer | |
| 4873746 | Health Professional | |
| 4873746 | Study | |
| 4873747 | Consumer | |
| 4873748 | Consumer | |
| 4873748 | Health Professional | |
| 4873749 | Consumer | |
| 4873749 | Health Professional | |
| 4873749 | Study | |
| 4873750 | Consumer | |
| 4873750 | Study | |
| 4873751 | Consumer | |
| 4873751 | Study | |
| 4873752 | Consumer | |
| 4873753 | Consumer | |
| 4873753 | Health Professional | |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4873753 | Study |
| 4873754 | Consumer |
| 4873755 | Consumer |
| 4873755 | Health Professional |
| 4873757 | Company Representative |
| 4873757 | Health Professional |
| 4873760 | Health Professional |
| 4873769 | Company Representative |
| 4873769 | Health Professional |
| 4873771 | Health Professional |
| 4873776 | Health Professional |
| 4873776 | Study |
| 4873781 | Consumer |
| 4873781 | Study |
| 4873782 | Consumer |
| 4873782 | Study |
| 4873783 | Consumer |
| 4873784 | Health Professional |
| 4873784 | Study |
| 4873785 | Consumer |
| 4873786 | Company Representative |
| 4873786 | Health Professional |
| 4873787 | Health Professional |
| 4873787 | Study |
| 4873788 | Consumer |
| 4873789 | Consumer |
| 4873790 | Company Representative |
| 4873790 | Health Professional |

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4873791 | Consumer |
| 4873791 | Health Professional |
| 4873797 | Consumer |
| 4873799 | Consumer |
| 4873800 | Consumer |
| 4873800 | Health Professional |
| 4873801 | Consumer |
| 4873801 | Health Professional |
| 4873804 | Health Professional |
| 4873804 | Other |
| 4873804 | Study |
| 4873808 | Consumer |
| 4873808 | Study |
| 4873809 | Consumer |
| 4873809 | Study |
| 4873810 | Health Professional |
| 4873811 | Health Professional |
| 4873811 | Study |
| 4873812 | Consumer |
| 4873812 | Study |
| 4873813 | Health Professional |
| 4873813 | Other |
| 4873813 | Study |
| 4873814 | Consumer |
| 4873814 | Study |
| 4873818 | Consumer |
| 4873819 | Consumer |
| 4873819 | Study |

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4873820 | Health Professional | |
| 4873821 | Consumer | |
| 4873821 | Health Professional | |
| 4873822 | Health Professional | |
| 4873822 | Other | |
| 4873822 | Study | |
| 4873824 | Health Professional | |
| 4873825 | Health Professional | |
| 4873827 | Consumer | |
| 4873829 | Consumer | |
| 4873831 | Health Professional | |
| 4873832 | Other | |
| 4873833 | Other | |
| 4873835 | Other | |
| 4873839 | Other | |
| 4873843 | Health Professional | |
| 4873846 | Literature | |
| 4873850 | Consumer | |
| 4873853 | Health Professional | |
| 4873853 | Other | |
| 4873853 | Study | |
| 4873855 | Consumer | |
| 4873857 | Health Professional | |
| 4873857 | Study | |
| 4873858 | Health Professional | |
| 4873859 | Health Professional | |
| 4873860 | Consumer | |
| 4873862 | Other | |

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4873864 | Other |
| 4873865 | Health Professional |
| 4873867 | Consumer |
| 4873868 | Other |
| 4873870 | Health Professional |
| 4873871 | Consumer |
| 4873871 | Health Professional |
| 4873874 | Consumer |
| 4873875 | Health Professional |
| 4873878 | Health Professional |
| 4873878 | Study |
| 4873879 | Consumer |
| 4873881 | Consumer |
| 4873881 | Health Professional |
| 4873882 | Consumer |
| 4873883 | Consumer |
| 4873884 | Consumer |
| 4873885 | Consumer |
| 4873886 | Consumer |
| 4873886 | Health Professional |
| 4873886 | Study |
| 4873888 | Consumer |
| 4873889 | Consumer |
| 4873891 | Consumer |
| 4873899 | Consumer |
| 4873901 | Consumer |
| 4873904 | Consumer |
| 4873906 | Consumer |

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4873907 | Consumer |
| 4873911 | Consumer |
| 4873912 | Consumer |
| 4873912 | Health Professional |
| 4873913 | Consumer |
| 4873913 | Health Professional |
| 4873915 | Consumer |
| 4873915 | Health Professional |
| 4873919 | Consumer |
| 4873921 | Consumer |
| 4873923 | Consumer |
| 4873924 | Consumer |
| 4873927 | Consumer |
| 4873932 | Consumer |
| 4873932 | Health Professional |
| 4873941 | Health Professional |
| 4873944 | Consumer |
| 4873944 | Health Professional |
| 4873945 | Consumer |
| 4873947 | Consumer |
| 4873948 | Consumer |
| 4873950 | Consumer |
| 4873952 | Consumer |
| 4873954 | Consumer |
| 4873957 | Consumer |
| 4873959 | Consumer |
| 4873960 | Consumer |
| 4873961 | Consumer |

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4873966 | Consumer | |
| 4873966 | Study | |
| 4873967 | Consumer | |
| 4873968 | Consumer | |
| 4873968 | Health Professional | |
| 4873969 | Consumer | |
| 4873970 | Consumer | |
| 4873970 | Health Professional | |
| 4873970 | Study | |
| 4873971 | Consumer | |
| 4873972 | Consumer | |
| 4873972 | Health Professional | |
| 4873973 | Consumer | |
| 4873973 | Health Professional | |
| 4873973 | Study | |
| 4873974 | Consumer | |
| 4873975 | Consumer | |
| 4873976 | Consumer | |
| 4873977 | Consumer | |
| 4873977 | Health Professional | |
| 4873977 | Study | |
| 4873978 | Consumer | |
| 4873979 | Health Professional | |
| 4873979 | Other | |
| 4873979 | Study | |
| 4873980 | Consumer | |
| 4873980 | Health Professional | |
| 4873980 | Study | |

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4873981 | Health Professional | |
| 4873981 | Other | |
| 4873981 | Study | |
| 4873982 | Consumer | |
| 4873983 | Consumer | |
| 4873984 | Consumer | |
| 4873984 | Study | |
| 4873985 | Consumer | |
| 4873985 | Health Professional | |
| 4873986 | Consumer | |
| 4873986 | Study | |
| 4873987 | Consumer | |
| 4873987 | Study | |
| 4873988 | Consumer | |
| 4873988 | Study | |
| 4873989 | Consumer | |
| 4873989 | Study | |
| 4873994 | Consumer | |
| 4873994 | Study | |
| 4873995 | Health Professional | |
| 4873996 | Consumer | |
| 4873997 | Health Professional | |
| 4873997 | Literature | |
| 4873998 | Consumer | |
| 4873998 | Study | |
| 4873999 | Consumer | |
| 4873999 | Study | |
| 4874000 | Consumer | |

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4874000 | Study |
| 4874001 | Consumer |
| 4874001 | Study |
| 4874002 | Consumer |
| 4874002 | Study |
| 4874003 | Consumer |
| 4874003 | Study |
| 4874004 | Consumer |
| 4874004 | Study |
| 4874009 | Consumer |
| 4874009 | Study |
| 4874011 | Consumer |
| 4874011 | Health Professional |
| 4874012 | Consumer |
| 4874012 | Study |
| 4874013 | Consumer |
| 4874013 | Health Professional |
| 4874020 | Consumer |
| 4874020 | Study |
| 4874021 | Consumer |
| 4874021 | Study |
| 4874022 | Consumer |
| 4874022 | Study |
| 4874023 | Consumer |
| 4874023 | Study |
| 4874024 | Consumer |
| 4874024 | Study |
| 4874025 | Consumer |

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4874025 | Study | |
| 4874026 | Consumer | |
| 4874026 | Study | |
| 4874031 | Consumer | |
| 4874032 | Consumer | |
| 4874033 | Company Representative | |
| 4874033 | Health Professional | |
| 4874034 | Consumer | |
| 4874040 | Consumer | |
| 4874041 | Health Professional | |
| 4874043 | Consumer | |
| 4874044 | Consumer | |
| 4874045 | Consumer | |
| 4874049 | Health Professional | |
| 4874050 | Health Professional | |
| 4874051 | Health Professional | |
| 4874052 | Consumer | |
| 4874054 | Health Professional | |
| 4874056 | Health Professional | |
| 4874057 | Company Representative | |
| 4874057 | Health Professional | |
| 4874059 | Consumer | |
| 4874062 | Consumer | |
| 4874064 | Consumer | |
| 4874066 | Consumer | |
| 4874069 | Consumer | |
| 4874072 | Consumer | |
| 4874074 | Consumer | |

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|---|
| 4874076 | Consumer | _ |
| 4874077 | Health Professional | |
| 4874077 | Other | |
| 4874077 | Study | |
| 4874079 | Consumer | |
| 4874080 | Health Professional | |
| 4874080 | Other | |
| 4874080 | Study | |
| 4874081 | Consumer | |
| 4874082 | Consumer | |
| 4874083 | Consumer | |
| 4874084 | Consumer | |
| 4874086 | Consumer | |
| 4874088 | Consumer | |
| 4874089 | Consumer | |
| 4874091 | Consumer | |
| 4874092 | Consumer | |
| 4874093 | Health Professional | |
| 4874093 | Study | |
| 4874094 | Consumer | |
| 4874096 | Company Representative | |
| 4874096 | Foreign | |
| 4874096 | Health Professional | |
| 4874096 | Other | |
| 4874097 | Consumer | |
| 4874100 | Consumer | |
| 4874102 | Consumer | |
| 4874103 | Consumer | |

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4874105 | Consumer |
| 4874110 | Consumer |
| 4874111 | Consumer |
| 4874113 | Consumer |
| 4874114 | Consumer |
| 4874115 | Consumer |
| 4874116 | Consumer |
| 4874119 | Consumer |
| 4874120 | Consumer |
| 4874122 | Company Representative |
| 4874122 | Health Professional |
| 4874123 | Health Professional |
| 4874125 | Consumer |
| 4874149 | Consumer |
| 4874174 | Consumer |
| 4874175 | Consumer |
| 4874177 | Consumer |
| 4874184 | Consumer |
| 4874192 | Consumer |
| 4874193 | Consumer |
| 4874194 | Consumer |
| 4874198 | Consumer |
| 4874324 | Health Professional |
| 4874330 | Consumer |
| 4874332 | Company Representative |
| 4874332 | Health Professional |
| 4874333 | Consumer |
| 4874335 | Consumer |

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4874338 | Consumer |
| 4874341 | Consumer |
| 4874343 | Consumer |
| 4874344 | Consumer |
| 4874345 | Consumer |
| 4874351 | Consumer |
| 4874352 | Consumer |
| 4874354 | Consumer |
| 4874356 | Consumer |
| 4874356 | Health Professional |
| 4874357 | Consumer |
| 4874363 | Consumer |
| 4874369 | Consumer |
| 4874370 | Consumer |
| 4874371 | Consumer |
| 4874373 | Consumer |
| 4874375 | Consumer |
| 4874378 | Consumer |
| 4874380 | Health Professional |
| 4874381 | Consumer |
| 4874382 | Consumer |
| 4874384 | Consumer |
| 4874389 | Consumer |
| 4874392 | Health Professional |
| 4874395 | Consumer |
| 4874395 | Health Professional |
| 4874402 | Health Professional |
| 4874406 | Consumer |

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4874406 | Health Professional |
| 4874418 | Consumer |
| 4874418 | Health Professional |
| 4874419 | Consumer |
| 4874421 | Company Representative |
| 4874421 | Health Professional |
| 4874425 | Health Professional |
| 4874427 | Consumer |
| 4874427 | Health Professional |
| 4874442 | Distributor |
| 4874445 | Distributor |
| 4874447 | Health Professional |
| 4874447 | Other |
| 4874455 | Health Professional |
| 4874455 | Other |
| 4874759 | Consumer |
| 4874759 | Foreign |
| 4874761 | Consumer |
| 4874761 | Foreign |
| 4874763 | Consumer |
| 4874763 | Foreign |
| 4874765 | Foreign |
| 4874765 | Health Professional |
| 4874766 | Foreign |
| 4874766 | Health Professional |
| 4874766 | Study |
| 4874770 | Foreign |
| 4874770 | Health Professional |

14SEP2015

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4874775 | Foreign | |
| 4874775 | Health Professional | |
| 4874776 | Foreign | |
| 4874776 | Health Professional | |
| 4874785 | Foreign | |
| 4874785 | Health Professional | |
| 4874787 | Company Representative | |
| 4874787 | Foreign | |
| 4874787 | Health Professional | |
| 4874790 | Foreign | |
| 4874790 | Health Professional | |
| 4874793 | Consumer | |
| 4874793 | Foreign | |
| 4874795 | Company Representative | |
| 4874795 | Foreign | |
| 4874795 | Health Professional | |
| 4874797 | Company Representative | |
| 4874797 | Foreign | |
| 4874797 | Health Professional | |
| 4874798 | Company Representative | |
| 4874798 | Foreign | |
| 4874798 | Health Professional | |
| 4874799 | Company Representative | |
| 4874799 | Foreign | |
| 4874799 | Health Professional | |
| 4874800 | Foreign | |
| 4874800 | Health Professional | |
| 4874800 | Literature | |

| Report's unique number | Code for patient outcomes |
|------------------------|---------------------------|
| 4874800 | Other |
| 4874804 | Foreign |
| 4874804 | Health Professional |
| 4874804 | Other |
| 4874805 | Foreign |
| 4874805 | Health Professional |
| 4874805 | Literature |
| 4874805 | Other |
| 4874807 | Foreign |
| 4874807 | Health Professional |
| 4874811 | Company Representative |
| 4874811 | Foreign |
| 4874811 | Health Professional |
| 4874813 | Company Representative |
| 4874813 | Foreign |
| 4874813 | Health Professional |
| 4874815 | Consumer |
| 4874815 | Foreign |
| 4874819 | Consumer |
| 4874819 | Foreign |
| 4874820 | Foreign |
| 4874820 | Health Professional |
| 4874822 | Company Representative |
| 4874822 | Foreign |
| 4874822 | Health Professional |
| 4874829 | Company Representative |
| 4874829 | Foreign |
| 4874829 | Health Professional |

Project: AERS 2006Q1

| Report's unique number | Code for patient outcomes | | |
|------------------------|---------------------------|--|--|
| 4874830 | Company Representative | | |
| 4874830 | Foreign | | |
| 4874830 | Health Professional | | |
| 4874831 | Foreign | | |
| 4874831 | Health Professional | | |
| 4874831 | Study | | |
| 4874832 | Foreign | | |
| 4874832 | Health Professional | | |
| 4874832 | Study | | |
| 4874833 | Foreign | | |
| 4874833 | Health Professional | | |
| 4874834 | Company Representative | | |
| 4874834 | Foreign | | |
| 4874834 | Health Professional | | |
| 4874835 | Company Representative | | |
| 4874835 | Foreign | | |
| 4874835 | Health Professional | | |
| 4874836 | Company Representative | | |
| 4874836 | Consumer | | |
| 4874836 | Foreign | | |
| 4874837 | Foreign | | |
| 4874837 | Health Professional | | |
| 4874837 | Literature | | |
| 4874838 | Foreign | | |
| 4874838 | Health Professional | | |
| 4874839 | Foreign | | |
| 4874839 | Health Professional | | |
| 4874840 | Foreign | | |

| Report's unique number | Code for patient outcomes | | |
|------------------------|---------------------------|--|--|
| 4874840 | Health Professional | | |
| 4874841 | Company Representative | | |
| 4874841 | Foreign | | |
| 4874841 | Health Professional | | |
| 4874842 | Foreign | | |
| 4874842 | Health Professional | | |
| 4874843 | Company Representative | | |
| 4874843 | Foreign | | |
| 4874843 | Health Professional | | |
| 4874844 | Company Representative | | |
| 4874844 | Foreign | | |
| 4874844 | Health Professional | | |
| 4874846 | Foreign | | |
| 4874846 | Health Professional | | |
| 4874847 | Literature | | |
| 4874848 | Consumer | | |
| 4874848 | Foreign | | |
| 4874849 | Health Professional | | |
| 4874850 | Consumer | | |
| 4874850 | Foreign | | |
| 4874851 | Health Professional | | |
| 4874852 | Foreign | | |
| 4874852 | Health Professional | | |
| 4874853 | Foreign | | |
| 4874853 | Health Professional | | |
| 4874854 | Company Representative | | |
| 4874854 | Foreign | | |
| 4874854 | Health Professional | | |

| Report's unique number | Code for patient outcomes | |
|------------------------|---------------------------|--|
| 4874860 | Consumer | |
| 4874860 | Foreign | |
| 4874861 | Foreign | |
| 4874861 | Health Professional | |
| 4874862 | Other | |
| 4874862 | Study | |
| 4874863 | Company Representative | |
| 4874863 | Foreign | |
| 4874863 | Health Professional | |
| 4874864 | Foreign | |
| 4874864 | Health Professional | |
| 4874865 | Foreign | |
| 4874865 | Health Professional | |
| 4874866 | Health Professional | |
| 4874866 | Other | |
| 4874867 | Foreign | |
| 4874867 | Health Professional | |
| 4874868 | Foreign | |
| 4874868 | Health Professional | |
| 4874869 | Other | |
| 4874869 | Study | |
| 4874870 | Foreign | |
| 4874870 | Health Professional | |
| 4874871 | Company Representative | |
| 4874871 | Foreign | |
| 4874871 | Health Professional | |
| 4874872 | Health Professional | |
| 4874873 | Foreign | |

| Report's unique number | Code for patient outcomes | | |
|------------------------|---------------------------|--|--|
| 4874873 | Health Professional | | |
| 4874874 | Consumer | | |
| 4874876 | Consumer | | |
| 4874876 | Health Professional | | |
| 4874877 | Consumer | | |
| 4874877 | Foreign | | |
| 4874878 | Consumer | | |
| 4874879 | Company Representative | | |
| 4874879 | Health Professional | | |
| 4874885 | Health Professional | | |
| 4874886 | Health Professional | | |
| 4874890 | Consumer | | |
| 4874891 | Health Professional | | |
| 4874892 | Consumer | | |
| 4874892 | Health Professional | | |
| 4874892 | Other | | |
| 4874893 | Consumer | | |
| 4874893 | Health Professional | | |
| 4874893 | Other | | |
| 4874894 | Health Professional | | |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4793437 | 1006499910 | 20040101 | 20040101 | 0 |
| 4802758 | 1006528830 | 20040326 | 20040326 | 0 |
| 4807735 | 1006546441 | 20040626 | 20050527 | 0 |
| 4807735 | 1006576213 | 20050201 | 20050214 | 0 |
| 4807884 | 1006546701 | 20050707 | 20050707 | 0 |
| 4810789 | 1006588338 | 20050101 | 20050101 | 0 |
| 4811786 | 1006562404 | 20050624 | 20050624 | 0 |
| 4813034 | 1006566431 | 20050101 | 20050101 | 0 |
| 4813034 | 1006601168 | 20041213 | 20050101 | 0 |
| 4813034 | 1006601169 | 19970101 | 19970101 | 0 |
| 4817144 | 1006582227 | 20041221 | 20050316 | 0 |
| 4817146 | 1006582230 | 20020601 | 20020601 | 0 |
| 4817149 | 1006582234 | 20050318 | 20050318 | 0 |
| 4817159 | 1006582292 | 20050125 | 20050301 | 0 |
| 4819355 | 1006590009 | 20050725 | 20050725 | 0 |
| 4820164 | 1006592680 | 20051005 | 20051005 | 0 |
| 4820164 | 1006612262 | 20051005 | 20051005 | 0 |
| 4821833 | 1006599623 | 20041223 | 20050127 | 0 |
| 4826267 | 1006616466 | 20051004 | 20051004 | 0 |
| 4826267 | 1006627645 | 20051004 | 20051004 | 0 |
| 4826274 | 1006616477 | 20051012 | 20051012 | 0 |
| 4826360 | 1006616799 | 20050201 | 20050201 | 0 |
| 4826360 | 1006646257 | 20050215 | 20050215 | 0 |
| 4826360 | 1006646259 | 20040720 | 20040720 | 0 |
| 4826360 | 1006646263 | 20050215 | 20050215 | 0 |
| 4828303 | 1006624790 | 20050809 | 20050809 | 0 |
| 4828303 | 1006624791 | 20050809 | 20050809 | 0 |
| 4828303 | 1006624792 | 20050809 | 20050809 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4828303 | 1006624793 | 20050809 | 20050809 | 0 |
| 4828303 | 1006624794 | 20050809 | 20050809 | 0 |
| 4828303 | 1006624795 | 20050809 | 20050809 | 0 |
| 4828303 | 1006624796 | 20050809 | 20050809 | 0 |
| 4828303 | 1006624797 | 20050809 | 20050809 | 0 |
| 4828303 | 1006624800 | 20050809 | 20050809 | 0 |
| 4828303 | 1006624802 | 20050809 | 20050809 | 0 |
| 4828303 | 1006624803 | 20050809 | 20050809 | 0 |
| 4828303 | 1006624804 | 20050809 | 20050809 | 0 |
| 4828303 | 1006624805 | 20050809 | 20050810 | 0 |
| 4828303 | 1006624806 | 20050809 | 20050809 | 0 |
| 4828303 | 1006624807 | 20050809 | 20050809 | 0 |
| 4832882 | 1006644304 | 20050525 | 20050527 | 0 |
| 4832882 | 1006644305 | 20050525 | 20050525 | 0 |
| 4832882 | 1006644306 | 20050525 | 20050528 | 0 |
| 4832882 | 1006644307 | 20050525 | 20050525 | 0 |
| 4832882 | 1006644308 | 20050525 | 20050525 | 0 |
| 4833762 | 1006646649 | 19930901 | 20040520 | 10 |
| 4834797 | 1006650318 | 20050215 | 20050215 | 0 |
| 4834797 | 1006674751 | 20040720 | 20040720 | 0 |
| 4834797 | 1006674753 | 20050201 | 20050201 | 0 |
| 4834797 | 1006674755 | 20050215 | 20050215 | 0 |
| 4838069 | 1006664089 | 20051103 | 20051103 | 0 |
| 4838069 | 1006690892 | 20051103 | 20051103 | 0 |
| 4840105 | 1006670788 | 20051114 | 20051114 | 0 |
| 4840105 | 1006693739 | 20051114 | 20051114 | 0 |
| 4840105 | 1006693817 | 20051114 | 20051114 | 0 |
| 4840105 | 1006693842 | 20051114 | 20051114 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4846119 | 1006693270 | 20050916 | 20050916 | 0 |
| 4846119 | 1006693270 | 20051024 | 20051024 | 0 |
| 4846435 | 1006694159 | 20010101 | 20010101 | 0 |
| 4846435 | 1006694159 | 20010701 | 20010701 | 0 |
| 4846435 | 1006694159 | 20011001 | 20011001 | 0 |
| 4847638 | 1006698536 | 20050302 | 20050302 | 0 |
| 4852895 | 1006718379 | 20040101 | 20040101 | 0 |
| 4865588 | 1006759846 | 20050501 | 20050501 | 0 |
| 4865588 | 1006759846 | 20050715 | 20050715 | 0 |
| 4867362 | 1006767685 | - | - | 0 |
| 4867362 | 1006789786 | - | - | 0 |
| 4867362 | 1006789787 | - | - | 0 |
| 4867364 | 1006767690 | - | - | 0 |
| 4867364 | 1006789905 | - | - | 0 |
| 4867364 | 1006789922 | - | - | 0 |
| 4867367 | 1006767694 | - | - | 0 |
| 4867367 | 1006790043 | - | - | 0 |
| 4867367 | 1006790044 | - | - | 0 |
| 4867370 | 1006767702 | - | - | 0 |
| 4867370 | 1006790098 | - | - | 0 |
| 4867370 | 1006790102 | - | - | 0 |
| 4867373 | 1006767712 | - | - | 0 |
| 4867373 | 1006790138 | - | - | 0 |
| 4867373 | 1006790140 | - | - | 0 |
| 4867375 | 1006767714 | - | - | 0 |
| 4867375 | 1006790176 | - | - | 0 |
| 4867375 | 1006790178 | - | - | 0 |
| 4867377 | 1006767717 | - | - | 0 |

Project: AERS 2006Q1
Page 308 of 827
14SEP2015

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4867377 | 1006790542 | - | - | 0 |
| 4867377 | 1006790543 | - | - | 0 |
| 4867384 | 1006767733 | - | - | 0 |
| 4867384 | 1006790724 | - | - | 0 |
| 4867384 | 1006790725 | - | - | 0 |
| 4867390 | 1006767761 | - | - | 0 |
| 4867390 | 1006790064 | - | - | 0 |
| 4867390 | 1006790066 | - | - | 0 |
| 4867390 | 1006790082 | - | - | 0 |
| 4867392 | 1006767776 | - | - | 0 |
| 4867392 | 1006790882 | - | - | 0 |
| 4867392 | 1006790885 | - | - | 0 |
| 4867604 | 1006768378 | - | - | 0 |
| 4867604 | 1006790096 | - | - | 0 |
| 4867604 | 1006790100 | - | - | 0 |
| 4867630 | 1006768432 | - | - | 0 |
| 4867630 | 1006790806 | - | - | 0 |
| 4867630 | 1006790809 | - | - | 0 |
| 4869006 | 1006773747 | 20050527 | 20050527 | 0 |
| 4870242 | 1006778880 | 20051205 | 20051205 | 0 |
| 4870242 | 1006778881 | 20051205 | 20051205 | 0 |
| 4870242 | 1006778883 | 20050101 | 20050101 | 0 |
| 4870243 | 1006778886 | 20051023 | 20051123 | 0 |
| 4870243 | 1006778887 | 20051023 | 20051123 | 0 |
| 4870243 | 1006778888 | 20051002 | 20051028 | 0 |
| 4870243 | 1006778889 | 20051003 | 20051003 | 0 |
| 4870243 | 1006778890 | 20051012 | 20051120 | 0 |
| 4870243 | 1006778891 | 20051104 | 20051104 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870243 | 1006778892 | 20051113 | 20051113 | 0 |
| 4870243 | 1006778898 | 20051011 | 20051020 | 0 |
| 4870243 | 1006778899 | 20051011 | 20051021 | 0 |
| 4870244 | 1006778900 | 20040201 | 20040301 | 0 |
| 4870244 | 1006778901 | 20040501 | 20040927 | 0 |
| 4870244 | 1006778902 | 20040928 | 20050301 | 0 |
| 4870244 | 1006778903 | 20050511 | 20050513 | 0 |
| 4870244 | 1006778904 | 20050514 | 20050514 | 0 |
| 4870244 | 1006778905 | 20050515 | 20050516 | 0 |
| 4870244 | 1006778906 | 20050517 | 20050517 | 0 |
| 4870244 | 1006778907 | 20050518 | 20050522 | 0 |
| 4870244 | 1006778908 | 20050523 | 20050523 | 0 |
| 4870244 | 1006778909 | 20050524 | 20050530 | 0 |
| 4870244 | 1006778910 | 20050531 | 20050531 | 0 |
| 4870244 | 1006778911 | 20050601 | 20050705 | 0 |
| 4870244 | 1006778913 | 20040904 | 20041004 | 0 |
| 4870244 | 1006778914 | 20050621 | 20050705 | 0 |
| 4870244 | 1006778915 | 20040420 | 20040424 | 0 |
| 4870244 | 1006778916 | 20040425 | 20040427 | 0 |
| 4870244 | 1006778917 | 20040428 | 20040512 | 0 |
| 4870245 | 1006778918 | 20051112 | 20051112 | 0 |
| 4870246 | 1006778919 | 20050929 | 20050929 | 0 |
| 4870246 | 1006778920 | 20050915 | 20050915 | 0 |
| 4870247 | 1006778921 | 20040503 | 20040503 | 0 |
| 4870247 | 1006778922 | 20040503 | 20040503 | 0 |
| 4870248 | 1006778924 | 20050819 | 20051119 | 0 |
| 4870250 | 1006778927 | 20051216 | 20051216 | 0 |
| 4870250 | 1006778928 | 20051216 | 20051216 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870250 | 1006778929 | 20051216 | 20051216 | 0 |
| 4870250 | 1006778930 | 20051216 | 20051216 | 0 |
| 4870252 | 1006778934 | 20020101 | 20051005 | 3 |
| 4870252 | 1006778935 | 20051009 | 20051109 | 0 |
| 4870252 | 1006778936 | 20051110 | 20051116 | 0 |
| 4870252 | 1006778937 | 20051007 | 20051026 | 0 |
| 4870252 | 1006778938 | 20051008 | 20051009 | 0 |
| 4870252 | 1006778939 | 20051008 | 20051009 | 0 |
| 4870252 | 1006778940 | 20051010 | 20051010 | 0 |
| 4870252 | 1006778941 | 20051010 | 20051010 | 0 |
| 4870252 | 1006778942 | 20051016 | 20051016 | 0 |
| 4870252 | 1006778944 | 20051006 | 20051008 | 0 |
| 4870252 | 1006778945 | 20051010 | 20051017 | 0 |
| 4870252 | 1006778946 | 20051009 | 20051018 | 0 |
| 4870252 | 1006778947 | 20051009 | 20051009 | 0 |
| 4870252 | 1006778948 | 20051017 | 20051017 | 0 |
| 4870252 | 1006778949 | 20051006 | 20051007 | 0 |
| 4870252 | 1006778950 | 20051007 | 20051008 | 0 |
| 4870252 | 1006778951 | 20051007 | 20051007 | 0 |
| 4870255 | 1006778954 | 20051207 | 20051207 | 0 |
| 4870255 | 1006778955 | 20051130 | 20051130 | 0 |
| 4870255 | 1006778956 | 20051207 | 20051207 | 0 |
| 4870256 | 1006778957 | 20050301 | 20050301 | 0 |
| 4870257 | 1006778958 | 20050104 | 20050928 | 0 |
| 4870257 | 1006778959 | 20050504 | 20050928 | 0 |
| 4870257 | 1006778960 | 20050301 | 20050928 | 0 |
| 4870257 | 1006778961 | 20050501 | 20050928 | 0 |
| 4870258 | 1006778963 | 20020101 | 20020101 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870258 | 1006778964 | 20030701 | 20030701 | 0 |
| 4870258 | 1006778965 | 20030701 | 20030701 | 0 |
| 4870272 | 1006779201 | 20051129 | 20051129 | 0 |
| 4870319 | 1006779354 | - | - | 1 |
| 4870329 | 1006779391 | 20010319 | 20010319 | 0 |
| 4870343 | 1006779487 | 20051007 | 20051007 | 0 |
| 4870343 | 1006779488 | 20051007 | 20051007 | 0 |
| 4870344 | 1006779489 | 20040513 | 20040816 | 0 |
| 4870344 | 1006779490 | 20010604 | 20040816 | 3 |
| 4870344 | 1006779491 | 20020425 | 20040425 | 2 |
| 4870344 | 1006779492 | 20001102 | 20050414 | 4 |
| 4870344 | 1006779493 | 20040819 | 20040819 | 0 |
| 4870346 | 1006779495 | 20051011 | 20051122 | 0 |
| 4870346 | 1006779496 | 20051011 | 20051122 | 0 |
| 4870346 | 1006779497 | 19990406 | 20051122 | 6 |
| 4870346 | 1006779498 | 19990406 | 20051128 | 6 |
| 4870346 | 1006779499 | 20040329 | 20051128 | 1 |
| 4870346 | 1006779500 | 20040329 | 20051122 | 1 |
| 4870346 | 1006779501 | 20040427 | 20051122 | 1 |
| 4870346 | 1006779502 | 19990406 | 20051122 | 6 |
| 4870347 | 1006779503 | 20000901 | 20000901 | 0 |
| 4870347 | 1006779504 | 20020417 | 20020417 | 0 |
| 4870347 | 1006779506 | 20000101 | 20000101 | 0 |
| 4870347 | 1006779507 | 20000101 | 20000101 | 0 |
| 4870347 | 1006779508 | 20050401 | 20050601 | 0 |
| 4870347 | 1006779509 | 20000101 | 20000101 | 0 |
| 4870348 | 1006779510 | 20030520 | 20030530 | 0 |
| 4870348 | 1006779511 | 20030505 | 20030519 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870348 | 1006779512 | 19950101 | 20030529 | 8 |
| 4870349 | 1006779519 | 20030401 | 20030403 | 0 |
| 4870349 | 1006779520 | 20030318 | 20030401 | 0 |
| 4870350 | 1006779524 | 20051123 | 20051123 | 0 |
| 4870350 | 1006779525 | 20051125 | 20051127 | 0 |
| 4870351 | 1006779535 | 20031214 | 20041116 | 0 |
| 4870351 | 1006779536 | 19991117 | 19991117 | 0 |
| 4870351 | 1006779537 | 20030215 | 20030215 | 0 |
| 4870351 | 1006779538 | 20021012 | 20021012 | 0 |
| 4870351 | 1006779539 | 20020514 | 20020514 | 0 |
| 4870351 | 1006779540 | 20030927 | 20030927 | 0 |
| 4870351 | 1006779541 | 19991130 | 19991130 | 0 |
| 4870352 | 1006779542 | 20050709 | 20051124 | 0 |
| 4870353 | 1006779543 | 20050625 | 20051117 | 0 |
| 4870354 | 1006779545 | 20051226 | 20051226 | 0 |
| 4870354 | 1006779546 | 20051223 | 20051223 | 0 |
| 4870355 | 1006779547 | 20050801 | 20050901 | 0 |
| 4870356 | 1006779555 | 19990629 | 19990629 | 0 |
| 4870356 | 1006779556 | 19990622 | 19990622 | 0 |
| 4870356 | 1006779557 | 20040820 | 20040820 | 0 |
| 4870357 | 1006779558 | 20010201 | 20010214 | 0 |
| 4870357 | 1006779559 | 20010215 | 20010627 | 0 |
| 4870357 | 1006779560 | 20010201 | 20010627 | 0 |
| 4870357 | 1006779561 | 20010201 | 20010627 | 0 |
| 4870358 | 1006779562 | 20010201 | 20010201 | 0 |
| 4870358 | 1006779563 | 20010201 | 20010201 | 0 |
| 4870358 | 1006779564 | 20010201 | 20010201 | 0 |
| 4870359 | 1006779565 | 20050405 | 20050405 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870359 | 1006779566 | 20050405 | 20051107 | 0 |
| 4870359 | 1006779567 | 20050405 | 20050405 | 0 |
| 4870359 | 1006779568 | 20050311 | 20050311 | 0 |
| 4870359 | 1006779569 | 20050311 | 20050311 | 0 |
| 4870360 | 1006779570 | 20031104 | 20031118 | 0 |
| 4870360 | 1006779571 | 20031118 | 20031129 | 0 |
| 4870360 | 1006779572 | 19961113 | 19961113 | 0 |
| 4870360 | 1006779573 | 20031104 | 20031104 | 0 |
| 4870365 | 1006779617 | 20030421 | 20030421 | 0 |
| 4870370 | 1006779665 | 20050315 | 20050818 | 0 |
| 4870370 | 1006779666 | 20050315 | 20050818 | 0 |
| 4870370 | 1006779667 | 20021001 | 20021001 | 0 |
| 4870370 | 1006779668 | 20050315 | 20050315 | 0 |
| 4870370 | 1006779669 | 19980101 | 19980101 | 0 |
| 4870370 | 1006779670 | 20021001 | 20021001 | 0 |
| 4870370 | 1006779671 | 20021001 | 20021001 | 0 |
| 4870370 | 1006779672 | 20021001 | 20021001 | 0 |
| 4870370 | 1006779673 | 20040101 | 20040101 | 0 |
| 4870370 | 1006779674 | 20050101 | 20050101 | 0 |
| 4870370 | 1006779675 | 20050803 | 20050803 | 0 |
| 4870372 | 1006779677 | 20050523 | 20050619 | 0 |
| 4870372 | 1006779678 | 19980401 | 19980401 | 0 |
| 4870372 | 1006779679 | 19980401 | 19980401 | 0 |
| 4870372 | 1006779680 | 19980401 | 19980401 | 0 |
| 4870372 | 1006779681 | 20050401 | 20050401 | 0 |
| 4870372 | 1006779682 | 19980401 | 19980401 | 0 |
| 4870372 | 1006779683 | 19980401 | 19980401 | 0 |
| 4870379 | 1006779698 | 20051119 | 20051119 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870385 | 1006779719 | 20010409 | 20040601 | 3 |
| 4870387 | 1006779756 | 20011004 | 20020301 | 0 |
| 4870392 | 1006779816 | - | - | 0 |
| 4870392 | 1006779817 | - | - | 0 |
| 4870392 | 1006779818 | - | - | 0 |
| 4870392 | 1006779819 | - | - | 0 |
| 4870392 | 1006779820 | - | - | 0 |
| 4870414 | 1006779896 | 20040112 | 20040112 | 0 |
| 4870415 | 1006779901 | 20041001 | 20041001 | 0 |
| 4870415 | 1006779903 | 20040904 | 20040904 | 0 |
| 4870415 | 1006779904 | 20040904 | 20040904 | 0 |
| 4870415 | 1006779905 | 20041004 | 20041004 | 0 |
| 4870418 | 1006779917 | 20041205 | 20041205 | 0 |
| 4870419 | 1006779918 | 20030701 | 20030701 | 0 |
| 4870421 | 1006779923 | 20031201 | 20031201 | 0 |
| 4870423 | 1006779936 | 20041201 | 20041201 | 0 |
| 4870423 | 1006779937 | 20041201 | 20041201 | 0 |
| 4870425 | 1006779940 | 20040101 | 20040101 | 0 |
| 4870425 | 1006779941 | 20040101 | 20040101 | 0 |
| 4870426 | 1006779944 | 20040101 | 20040101 | 0 |
| 4870430 | 1006779951 | 20040901 | 20040901 | 0 |
| 4870430 | 1006779952 | 19980101 | 19980101 | 0 |
| 4870431 | 1006779954 | 20020101 | 20041201 | 2 |
| 4870433 | 1006779956 | 20040501 | 20040501 | 0 |
| 4870433 | 1006779957 | 20040501 | 20040501 | 0 |
| 4870433 | 1006779958 | 20040501 | 20040501 | 0 |
| 4870433 | 1006779959 | 20040621 | 20040621 | 0 |
| 4870433 | 1006779961 | 20040501 | 20040501 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870434 | 1006779966 | 20050301 | 20050325 | 0 |
| 4870438 | 1006779971 | - | - | 2 |
| 4870439 | 1006779972 | - | - | 0 |
| 4870440 | 1006779973 | 20050310 | 20050310 | 0 |
| 4870440 | 1006779974 | 20050311 | 20050311 | 0 |
| 4870442 | 1006779983 | - | - | 4 |
| 4870446 | 1006779992 | - | - | 5 |
| 4870448 | 1006779995 | 20041013 | 20041013 | 0 |
| 4870449 | 1006779996 | 20050709 | 20050709 | 0 |
| 4870453 | 1006780033 | 20050601 | 20050601 | 0 |
| 4870455 | 1006780039 | 20050915 | 20050915 | 0 |
| 4870457 | 1006780045 | 20050922 | 20050922 | 0 |
| 4870458 | 1006780056 | 20050729 | 20050729 | 0 |
| 4870458 | 1006780057 | 20050728 | 20050728 | 0 |
| 4870458 | 1006780058 | 20050728 | 20050728 | 0 |
| 4870458 | 1006780059 | 20050728 | 20050728 | 0 |
| 4870459 | 1006780060 | 20020601 | 20051127 | 3 |
| 4870459 | 1006780069 | 20020101 | 20040818 | 2 |
| 4870459 | 1006780070 | 20020101 | 20040818 | 2 |
| 4870460 | 1006780071 | 20051003 | 20051215 | 0 |
| 4870460 | 1006780072 | 20051206 | 20051206 | 0 |
| 4870460 | 1006780073 | 20051223 | 20051223 | 0 |
| 4870460 | 1006780075 | 20050826 | 20050826 | 0 |
| 4870460 | 1006780076 | 20050826 | 20050826 | 0 |
| 4870460 | 1006780077 | 20050826 | 20050826 | 0 |
| 4870460 | 1006780078 | 20050826 | 20051206 | 0 |
| 4870460 | 1006780079 | 20051206 | 20051206 | 0 |
| 4870460 | 1006780081 | 20051223 | 20051223 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870461 | 1006780082 | 20040819 | 20040930 | 0 |
| 4870461 | 1006780084 | 20020624 | 20040927 | 2 |
| 4870461 | 1006780085 | 20040610 | 20040915 | 0 |
| 4870463 | 1006780087 | 20050723 | 20050723 | 0 |
| 4870463 | 1006780088 | 19990629 | 20050723 | 6 |
| 4870463 | 1006780090 | 20050620 | 20050620 | 0 |
| 4870463 | 1006780091 | 20010307 | 20010307 | 0 |
| 4870463 | 1006780092 | 20050620 | 20050620 | 0 |
| 4870463 | 1006780093 | 20050605 | 20050605 | 0 |
| 4870463 | 1006780094 | 20050706 | 20050706 | 0 |
| 4870463 | 1006780095 | 20050620 | 20050620 | 0 |
| 4870463 | 1006780096 | 19990828 | 19990828 | 0 |
| 4870464 | 1006780097 | 20030404 | 20051112 | 2 |
| 4870465 | 1006780110 | 20050801 | 20050801 | 0 |
| 4870468 | 1006780116 | 20020904 | 20020904 | 0 |
| 4870468 | 1006780117 | 20020824 | 20021209 | 0 |
| 4870469 | 1006780121 | 20050704 | 20051010 | 0 |
| 4870480 | 1006780170 | 20051128 | 20051128 | 0 |
| 4870480 | 1006780171 | 20051128 | 20051128 | 0 |
| 4870480 | 1006780172 | 20051128 | 20051128 | 0 |
| 4870480 | 1006780173 | 20051128 | 20051128 | 0 |
| 4870480 | 1006780174 | 20051128 | 20051128 | 0 |
| 4870480 | 1006780175 | 20051128 | 20051128 | 0 |
| 4870480 | 1006780176 | 20051202 | 20051202 | 0 |
| 4870480 | 1006780177 | 20051202 | 20051202 | 0 |
| 4870480 | 1006780178 | 20051202 | 20051202 | 0 |
| 4870484 | 1006780188 | 20051003 | 20051003 | 0 |
| 4870484 | 1006780189 | 20051001 | 20051001 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870484 | 1006780190 | 20050301 | 20050301 | 0 |
| 4870484 | 1006780191 | 20051001 | 20051001 | 0 |
| 4870512 | 1006780283 | 20040201 | 20040301 | 0 |
| 4870512 | 1006780284 | 20040501 | 20040927 | 0 |
| 4870512 | 1006780285 | 20040928 | 20050301 | 0 |
| 4870512 | 1006780286 | 20050511 | 20050513 | 0 |
| 4870512 | 1006780287 | 20050514 | 20050514 | 0 |
| 4870512 | 1006780288 | 20050515 | 20050516 | 0 |
| 4870512 | 1006780289 | 20050517 | 20050517 | 0 |
| 4870512 | 1006780290 | 20050518 | 20050522 | 0 |
| 4870512 | 1006780291 | 20050523 | 20050523 | 0 |
| 4870512 | 1006780292 | 20050524 | 20050530 | 0 |
| 4870512 | 1006780293 | 20050531 | 20050531 | 0 |
| 4870512 | 1006780294 | 20050601 | 20050705 | 0 |
| 4870512 | 1006780296 | 20040904 | 20041004 | 0 |
| 4870512 | 1006780297 | 20050621 | 20050705 | 0 |
| 4870512 | 1006780298 | 20040420 | 20040424 | 0 |
| 4870512 | 1006780299 | 20040425 | 20040427 | 0 |
| 4870512 | 1006780300 | 20040428 | 20040512 | 0 |
| 4870529 | 1006780356 | 20051107 | 20051107 | 0 |
| 4870529 | 1006780357 | 20051107 | 20051107 | 0 |
| 4870529 | 1006780358 | 20051107 | 20051107 | 0 |
| 4870529 | 1006780359 | 20051113 | 20051113 | 0 |
| 4870529 | 1006780360 | 20051108 | 20051108 | 0 |
| 4870529 | 1006780361 | 20051113 | 20051113 | 0 |
| 4870529 | 1006780362 | 20051108 | 20051108 | 0 |
| 4870529 | 1006780363 | 20051108 | 20051108 | 0 |
| 4870529 | 1006780364 | 20051109 | 20051109 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870529 | 1006780365 | 20051110 | 20051117 | 0 |
| 4870529 | 1006780366 | 20051112 | 20051112 | 0 |
| 4870529 | 1006780367 | 20051117 | 20051126 | 0 |
| 4870529 | 1006780368 | 20051108 | 20051108 | 0 |
| 4870529 | 1006780369 | 20051116 | 20051116 | 0 |
| 4870529 | 1006780370 | 20051119 | 20051119 | 0 |
| 4870529 | 1006780371 | 20051115 | 20051115 | 0 |
| 4870529 | 1006780372 | 20051117 | 20051117 | 0 |
| 4870529 | 1006780373 | 20051108 | 20051112 | 0 |
| 4870529 | 1006780374 | 20051108 | 20051130 | 0 |
| 4870529 | 1006780375 | 20051108 | 20051130 | 0 |
| 4870529 | 1006780376 | 20051116 | 20051116 | 0 |
| 4870529 | 1006780377 | 20051120 | 20051120 | 0 |
| 4870529 | 1006780378 | 20051112 | 20051123 | 0 |
| 4870529 | 1006780379 | 20051120 | 20051126 | 0 |
| 4870535 | 1006780400 | 20021109 | 20021109 | 0 |
| 4870535 | 1006780402 | 19930508 | 19930508 | 0 |
| 4870535 | 1006780403 | 19980101 | 19980101 | 0 |
| 4870535 | 1006780404 | 19930508 | 19930508 | 0 |
| 4870535 | 1006780405 | 20020101 | 20020101 | 0 |
| 4870550 | 1006780462 | 20051101 | 20051201 | 0 |
| 4870552 | 1006780473 | 20050501 | 20051105 | 0 |
| 4870552 | 1006780474 | 20051010 | 20051108 | 0 |
| 4870552 | 1006780475 | 20051010 | 20051010 | 0 |
| 4870552 | 1006780476 | - | - | 0 |
| 4870552 | 1006780478 | 20051105 | 20051105 | 0 |
| 4870552 | 1006780479 | 20051102 | 20051104 | 0 |
| 4870552 | 1006780480 | 20051010 | 20051105 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870552 | 1006780481 | 20050501 | 20051105 | 0 |
| 4870553 | 1006780482 | 20050401 | 20050401 | 0 |
| 4870553 | 1006780483 | 20050101 | 20050101 | 0 |
| 4870553 | 1006780484 | 20051118 | 20051209 | 0 |
| 4870553 | 1006780485 | 20021008 | 20021008 | 0 |
| 4870553 | 1006780486 | 19970826 | 19970826 | 0 |
| 4870553 | 1006780487 | 20000125 | 20000125 | 0 |
| 4870553 | 1006780488 | 19970908 | 19970908 | 0 |
| 4870553 | 1006780489 | 19990304 | 19990304 | 0 |
| 4870567 | 1006780536 | 20040729 | 20040901 | 0 |
| 4870567 | 1006780537 | 20040902 | 20040902 | 0 |
| 4870568 | 1006780549 | 20051022 | 20051120 | 0 |
| 4870568 | 1006780550 | 20051120 | 20051120 | 0 |
| 4870568 | 1006780551 | 20051022 | 20051120 | 0 |
| 4870568 | 1006780552 | 20051022 | 20051120 | 0 |
| 4870569 | 1006780553 | 20051005 | 20051106 | 0 |
| 4870569 | 1006780554 | 20051005 | 20051106 | 0 |
| 4870570 | 1006780555 | 20030101 | 20050101 | 2 |
| 4870571 | 1006780556 | 20050901 | 20050912 | 0 |
| 4870571 | 1006780557 | 20050901 | 20050912 | 0 |
| 4870572 | 1006780558 | 20031219 | 20031219 | 0 |
| 4870572 | 1006780559 | 20031220 | 20040122 | 0 |
| 4870572 | 1006780560 | 20040123 | 20040205 | 0 |
| 4870572 | 1006780561 | 20031205 | 20041203 | 0 |
| 4870572 | 1006780562 | 20031204 | 20040204 | 0 |
| 4870572 | 1006780563 | 20031204 | 20040204 | 0 |
| 4870572 | 1006780564 | 20021205 | 20031203 | 0 |
| 4870572 | 1006780565 | 20040205 | 20040205 | 0 |

Project: AERS 2006Q1

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870572 | 1006780566 | 20021205 | 20021205 | 0 |
| 4870572 | 1006780567 | 20021205 | 20021205 | 0 |
| 4870572 | 1006780568 | 20021205 | 20021205 | 0 |
| 4870572 | 1006780569 | 20051205 | 20051205 | 0 |
| 4870572 | 1006780570 | 20030508 | 20030508 | 0 |
| 4870572 | 1006780571 | 20021205 | 20021205 | 0 |
| 4870572 | 1006780572 | 20030508 | 20030508 | 0 |
| 4870572 | 1006780573 | 20030508 | 20030508 | 0 |
| 4870572 | 1006780574 | 20031225 | 20040105 | 0 |
| 4870572 | 1006780575 | 20030225 | 20030225 | 0 |
| 4870572 | 1006780577 | 20040510 | 20040510 | 0 |
| 4870576 | 1006780598 | 20051125 | 20051125 | 0 |
| 4870577 | 1006780599 | 20051030 | 20051104 | 0 |
| 4870577 | 1006780601 | 20051031 | 20051104 | 0 |
| 4870578 | 1006780602 | 20041027 | 20041027 | 0 |
| 4870578 | 1006780603 | 20041027 | 20041027 | 0 |
| 4870578 | 1006780604 | 20041027 | 20041027 | 0 |
| 4870578 | 1006780605 | 20041027 | 20041027 | 0 |
| 4870578 | 1006780606 | 20041027 | 20041027 | 0 |
| 4870579 | 1006780607 | 20050422 | 20050422 | 0 |
| 4870579 | 1006780608 | 20050422 | 20050422 | 0 |
| 4870579 | 1006780609 | 20050422 | 20050422 | 0 |
| 4870579 | 1006780610 | 20050422 | 20050422 | 0 |
| 4870580 | 1006780611 | 20050721 | 20050822 | 0 |
| 4870580 | 1006780612 | 20050721 | 20050721 | 0 |
| 4870581 | 1006780613 | 20051117 | 20051117 | 0 |
| 4870581 | 1006780614 | 20051117 | 20051117 | 0 |
| 4870581 | 1006780615 | 20051118 | 20051128 | 0 |

Project: AERS 2006Q1

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870582 | 1006780620 | 20050908 | 20051006 | 0 |
| 4870582 | 1006780621 | 20050908 | 20051006 | 0 |
| 4870582 | 1006780622 | 20050908 | 20050908 | 0 |
| 4870582 | 1006780623 | 20051006 | 20051006 | 0 |
| 4870582 | 1006780624 | 20050908 | 20050908 | 0 |
| 4870582 | 1006780625 | 20051006 | 20051006 | 0 |
| 4870582 | 1006780626 | 20050908 | 20050908 | 0 |
| 4870582 | 1006780627 | 20050908 | 20050908 | 0 |
| 4870583 | 1006780631 | 20050329 | 20051130 | 0 |
| 4870583 | 1006780632 | 20050329 | 20050329 | 0 |
| 4870583 | 1006780636 | 20050301 | 20050301 | 0 |
| 4870584 | 1006780638 | 20050329 | 20051130 | 0 |
| 4870584 | 1006780640 | 20050329 | 20050329 | 0 |
| 4870584 | 1006780644 | 20050301 | 20050301 | 0 |
| 4870585 | 1006780645 | 20050201 | 20050201 | 0 |
| 4870586 | 1006780648 | 20020501 | 20020501 | 0 |
| 4870586 | 1006780649 | 20020501 | 20020501 | 0 |
| 4870586 | 1006780650 | 20020501 | 20020501 | 0 |
| 4870588 | 1006780653 | - | - | 3 |
| 4870592 | 1006780677 | 20051129 | 20051129 | 0 |
| 4870592 | 1006780678 | 20051129 | 20051129 | 0 |
| 4870592 | 1006780679 | 20051128 | 20051202 | 0 |
| 4870593 | 1006780687 | 20051129 | 20051129 | 0 |
| 4870594 | 1006780689 | 20050105 | 20050105 | 0 |
| 4870594 | 1006780690 | 20050105 | 20050105 | 0 |
| 4870594 | 1006780691 | 20050501 | 20050501 | 0 |
| 4870594 | 1006780692 | 20050105 | 20050105 | 0 |
| 4870604 | 1006780724 | 20050918 | 20050918 | 0 |

Project: AERS 2006Q1

Page 322 of 827

14SEP2015

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870604 | 1006780725 | 20050917 | 20050917 | 0 |
| 4870604 | 1006780726 | 20050917 | 20050917 | 0 |
| 4870618 | 1006780754 | 20050101 | 20050101 | 0 |
| 4870618 | 1006780755 | 20040101 | 20050101 | 1 |
| 4870667 | 1006780970 | 20051116 | 20051208 | 0 |
| 4870667 | 1006780971 | 20051116 | 20051208 | 0 |
| 4870667 | 1006780972 | 20041031 | 20041031 | 0 |
| 4870669 | 1006780978 | 20040519 | 20040616 | 0 |
| 4870669 | 1006780979 | 20040519 | 20040616 | 0 |
| 4870671 | 1006780985 | 20051130 | 20051130 | 0 |
| 4870674 | 1006780989 | 20051218 | 20051218 | 0 |
| 4870684 | 1006781027 | 20030101 | 20050901 | 2 |
| 4870685 | 1006781029 | - | - | 1 |
| 4870686 | 1006781035 | 20051101 | 20051228 | 0 |
| 4870687 | 1006781037 | 20040101 | 20040701 | 0 |
| 4870688 | 1006781038 | 20040108 | 20040108 | 0 |
| 4870689 | 1006781039 | 20001214 | 20030101 | 2 |
| 4870691 | 1006781043 | 20050817 | 20050829 | 0 |
| 4870691 | 1006781044 | 20050817 | 20050829 | 0 |
| 4870691 | 1006781045 | 20050817 | 20050817 | 0 |
| 4870692 | 1006781046 | 20050901 | 20050904 | 0 |
| 4870692 | 1006781047 | 20050907 | 20050913 | 0 |
| 4870692 | 1006781048 | 20050827 | 20050905 | 0 |
| 4870692 | 1006781049 | 20050827 | 20050905 | 0 |
| 4870692 | 1006781050 | 20050827 | 20050905 | 0 |
| 4870692 | 1006781051 | 20050906 | 20050907 | 0 |
| 4870692 | 1006781052 | 20050907 | 20050913 | 0 |
| 4870692 | 1006781053 | 20050907 | 20050913 | 0 |

Project: AERS 2006Q1 ADVERSE EVENT REPORTING SYSTEM (AERS) Therapy Listings

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870692 | 1006781054 | 20050907 | 20050913 | 0 |
| 4870692 | 1006781055 | 20050908 | 20050913 | 0 |
| 4870692 | 1006781056 | 20050909 | 20050913 | 0 |
| 4870692 | 1006781057 | 20050908 | 20050913 | 0 |
| 4870692 | 1006781058 | 20050603 | 20050603 | 0 |
| 4870692 | 1006781059 | 20050603 | 20050603 | 0 |
| 4870692 | 1006781060 | 20050603 | 20050603 | 0 |
| 4870692 | 1006781061 | 20050603 | 20050603 | 0 |
| 4870693 | 1006781062 | 20020905 | 20020905 | 0 |
| 4870693 | 1006781063 | 20050907 | 20050907 | 0 |
| 4870694 | 1006781064 | 20050521 | 20050523 | 0 |
| 4870694 | 1006781066 | 20050604 | 20050818 | 0 |
| 4870694 | 1006781067 | 20050524 | 20050626 | 0 |
| 4870694 | 1006781068 | 20050526 | 20050605 | 0 |
| 4870694 | 1006781069 | 20050625 | 20050901 | 0 |
| 4870694 | 1006781070 | 20050518 | 20050530 | 0 |
| 4870694 | 1006781071 | 20050521 | 20050713 | 0 |
| 4870694 | 1006781072 | 20050531 | 20050901 | 0 |
| 4870694 | 1006781073 | 20050603 | 20050712 | 0 |
| 4870694 | 1006781074 | 20050605 | 20050822 | 0 |
| 4870694 | 1006781075 | 20050605 | 20050901 | 0 |
| 4870694 | 1006781076 | 20050525 | 20050901 | 0 |
| 4870694 | 1006781077 | 20050518 | 20050524 | 0 |
| 4870695 | 1006781078 | 20030916 | 20031008 | 0 |
| 4870695 | 1006781079 | 20020220 | 20031008 | 1 |
| 4870696 | 1006781090 | 20050919 | 20050926 | 0 |
| 4870696 | 1006781091 | 19980101 | 19980101 | 0 |
| 4870696 | 1006781092 | 19980101 | 19980101 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870696 | 1006781093 | 19980101 | 19980101 | 0 |
| 4870696 | 1006781094 | 19980101 | 19980101 | 0 |
| 4870697 | 1006781095 | - | - | 2 |
| 4870698 | 1006781096 | 20051107 | 20051204 | 0 |
| 4870698 | 1006781097 | 20051107 | 20051107 | 0 |
| 4870698 | 1006781098 | 20051112 | 20051112 | 0 |
| 4870698 | 1006781099 | 20051107 | 20051107 | 0 |
| 4870698 | 1006781100 | 20051107 | 20051109 | 0 |
| 4870698 | 1006781101 | 20051107 | 20051115 | 0 |
| 4870698 | 1006781102 | 20051117 | 20051120 | 0 |
| 4870698 | 1006781103 | 20051122 | 20051128 | 0 |
| 4870698 | 1006781104 | 20051115 | 20051128 | 0 |
| 4870698 | 1006781105 | 20051115 | 20051202 | 0 |
| 4870700 | 1006781113 | 20040505 | 20040505 | 0 |
| 4870701 | 1006781114 | 20051207 | 20051209 | 0 |
| 4870701 | 1006781115 | 20051209 | 20051209 | 0 |
| 4870702 | 1006781117 | 20051111 | 20051116 | 0 |
| 4870702 | 1006781118 | 20030215 | 20051117 | 2 |
| 4870702 | 1006781119 | 20051117 | 20051121 | 0 |
| 4870704 | 1006781125 | 20040825 | 20040825 | 0 |
| 4870704 | 1006781126 | 20040825 | 20040825 | 0 |
| 4870705 | 1006781127 | 20050719 | 20050726 | 0 |
| 4870705 | 1006781128 | 20050624 | 20050819 | 0 |
| 4870706 | 1006781129 | 19990622 | 19990622 | 0 |
| 4870706 | 1006781130 | 20040820 | 20040820 | 0 |
| 4870706 | 1006781131 | 19990629 | 19990629 | 0 |
| 4870706 | 1006781132 | 19990622 | 20040819 | 5 |
| 4870707 | 1006781133 | 20051107 | 20051110 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870707 | 1006781134 | 20051114 | 20051119 | 0 |
| 4870708 | 1006781137 | 20051001 | 20051101 | 0 |
| 4870709 | 1006781138 | 20050908 | 20051014 | 0 |
| 4870709 | 1006781139 | 20050913 | 20051017 | 0 |
| 4870709 | 1006781140 | 20050912 | 20051014 | 0 |
| 4870709 | 1006781141 | 20050908 | 20051014 | 0 |
| 4870709 | 1006781142 | 20051009 | 20051009 | 0 |
| 4870709 | 1006781143 | 20050913 | 20050928 | 0 |
| 4870710 | 1006781144 | 20040612 | 20041007 | 0 |
| 4870710 | 1006781145 | 20000101 | 20030201 | 2 |
| 4870710 | 1006781146 | 20040401 | 20041007 | 0 |
| 4870711 | 1006781151 | 19970326 | 19970326 | 0 |
| 4870712 | 1006781154 | 20051216 | 20051220 | 0 |
| 4870717 | 1006781171 | 20051208 | 20051216 | 0 |
| 4870717 | 1006781172 | 20051208 | 20051216 | 0 |
| 4870717 | 1006781173 | 20051208 | 20051216 | 0 |
| 4870718 | 1006781177 | 20000108 | 20000108 | 0 |
| 4870719 | 1006781178 | 20041001 | 20050213 | 0 |
| 4870720 | 1006781180 | 20051124 | 20051129 | 0 |
| 4870721 | 1006781181 | 20040825 | 20040825 | 0 |
| 4870721 | 1006781182 | 20040825 | 20040825 | 0 |
| 4870722 | 1006781183 | 20040825 | 20040825 | 0 |
| 4870722 | 1006781184 | 20040825 | 20040825 | 0 |
| 4870723 | 1006781185 | 20050527 | 20050705 | 0 |
| 4870723 | 1006781186 | 20050527 | 20050705 | 0 |
| 4870723 | 1006781187 | 20050616 | 20050704 | 0 |
| 4870723 | 1006781188 | 20050616 | 20050704 | 0 |
| 4870723 | 1006781189 | 20050527 | 20050703 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870723 | 1006781190 | 20050527 | 20050703 | 0 |
| 4870723 | 1006781191 | 20050527 | 20050703 | 0 |
| 4870724 | 1006781192 | 20051031 | 20051105 | 0 |
| 4870724 | 1006781193 | 20051031 | 20051105 | 0 |
| 4870724 | 1006781194 | 20051117 | 20051122 | 0 |
| 4870724 | 1006781195 | 20051117 | 20051117 | 0 |
| 4870724 | 1006781196 | 20051031 | 20051105 | 0 |
| 4870724 | 1006781197 | 20051117 | 20051117 | 0 |
| 4870724 | 1006781198 | 20051012 | 20051012 | 0 |
| 4870724 | 1006781199 | 20051012 | 20051012 | 0 |
| 4870724 | 1006781200 | 20051012 | 20051012 | 0 |
| 4870724 | 1006781201 | 20051012 | 20051012 | 0 |
| 4870724 | 1006781202 | 20051022 | 20051112 | 0 |
| 4870724 | 1006781203 | 20051022 | 20051022 | 0 |
| 4870724 | 1006781204 | 20051031 | 20051031 | 0 |
| 4870724 | 1006781205 | 20051122 | 20051122 | 0 |
| 4870725 | 1006781206 | 20050824 | 20050828 | 0 |
| 4870725 | 1006781207 | 20050824 | 20050826 | 0 |
| 4870732 | 1006781240 | 20051208 | 20051209 | 0 |
| 4870733 | 1006781246 | - | - | 1 |
| 4870733 | 1006781247 | - | - | 1 |
| 4870733 | 1006781248 | - | - | 1 |
| 4870733 | 1006781249 | - | - | 0 |
| 4870733 | 1006781250 | - | - | 0 |
| 4870741 | 1006781281 | 20051117 | 20051130 | 0 |
| 4870741 | 1006781282 | 20051117 | 20051130 | 0 |
| 4870755 | 1006781312 | 20041005 | 20041005 | 0 |
| 4870755 | 1006781313 | 20041006 | 20041202 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870755 | 1006781314 | 20041006 | 20041114 | 0 |
| 4870755 | 1006781320 | 20041006 | 20041006 | 0 |
| 4870755 | 1006781321 | 20041113 | 20041113 | 0 |
| 4870755 | 1006781325 | 20041012 | 20041012 | 0 |
| 4870755 | 1006781328 | 20041011 | 20041011 | 0 |
| 4870755 | 1006781329 | 20041215 | 20041215 | 0 |
| 4870755 | 1006781330 | 20050115 | 20050115 | 0 |
| 4870755 | 1006781331 | 20041014 | 20041014 | 0 |
| 4870755 | 1006781332 | 20041009 | 20041009 | 0 |
| 4870755 | 1006781333 | 20041014 | 20041014 | 0 |
| 4870755 | 1006781334 | 20041007 | 20041007 | 0 |
| 4870755 | 1006781336 | 20041009 | 20041009 | 0 |
| 4870755 | 1006781338 | 20041127 | 20041127 | 0 |
| 4870755 | 1006781340 | 20041118 | 20041125 | 0 |
| 4870755 | 1006781341 | 20050210 | 20050225 | 0 |
| 4870755 | 1006781342 | 20041012 | 20041012 | 0 |
| 4870755 | 1006781343 | 20050305 | 20050307 | 0 |
| 4870756 | 1006781344 | 20050831 | 20050908 | 0 |
| 4870756 | 1006781345 | 20030615 | 20030615 | 0 |
| 4870757 | 1006781346 | 20051207 | 20051207 | 0 |
| 4870757 | 1006781347 | 20051207 | 20051207 | 0 |
| 4870758 | 1006781348 | 20010220 | 20010220 | 0 |
| 4870758 | 1006781349 | 20010221 | 20010221 | 0 |
| 4870758 | 1006781350 | 20010328 | 20010328 | 0 |
| 4870758 | 1006781351 | 20010330 | 20010330 | 0 |
| 4870758 | 1006781352 | 20010223 | 20010223 | 0 |
| 4870758 | 1006781353 | 20010221 | 20010221 | 0 |
| 4870758 | 1006781354 | 20010306 | 20010306 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870758 | 1006781355 | 20010221 | 20010221 | 0 |
| 4870758 | 1006781356 | 20010401 | 20010401 | 0 |
| 4870758 | 1006781357 | 20010227 | 20010227 | 0 |
| 4870758 | 1006781358 | 20010220 | 20010220 | 0 |
| 4870758 | 1006781359 | 20010401 | 20010401 | 0 |
| 4870758 | 1006781360 | 20010223 | 20010223 | 0 |
| 4870758 | 1006781361 | 20010303 | 20010303 | 0 |
| 4870763 | 1006781377 | 20000503 | 20000503 | 0 |
| 4870764 | 1006781378 | 20030101 | 20040901 | 1 |
| 4870764 | 1006781379 | 20030101 | 20040901 | 1 |
| 4870764 | 1006781380 | 20040101 | 20040101 | 0 |
| 4870764 | 1006781382 | 20030101 | 20030101 | 0 |
| 4870765 | 1006781383 | 20001001 | 20040901 | 3 |
| 4870765 | 1006781390 | 20010101 | 20030101 | 2 |
| 4870765 | 1006781391 | 20010101 | 20030501 | 2 |
| 4870765 | 1006781392 | 20030101 | 20030401 | 0 |
| 4870765 | 1006781393 | 20010101 | 20030101 | 2 |
| 4870765 | 1006781394 | 20030101 | 20030101 | 0 |
| 4870765 | 1006781395 | 19960101 | 19960101 | 0 |
| 4870766 | 1006781396 | 20010701 | 20040101 | 2 |
| 4870767 | 1006781401 | 19990101 | 20040901 | 5 |
| 4870767 | 1006781402 | 19900101 | 20040101 | 14 |
| 4870767 | 1006781403 | 19900101 | 20040101 | 14 |
| 4870767 | 1006781404 | 19900101 | 20040101 | 14 |
| 4870767 | 1006781405 | 19900101 | 20040101 | 14 |
| 4870767 | 1006781406 | 19900101 | 20040101 | 14 |
| 4870767 | 1006781407 | 19950101 | 19950101 | 0 |
| 4870767 | 1006781408 | 19980101 | 19980101 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870767 | 1006781409 | 19990101 | 20040101 | 5 |
| 4870767 | 1006781410 | 19700101 | 19700101 | 0 |
| 4870767 | 1006781411 | 19700101 | 19700101 | 0 |
| 4870767 | 1006781412 | 19900101 | 20040101 | 14 |
| 4870767 | 1006781413 | 19900101 | 19900101 | 0 |
| 4870767 | 1006781414 | 19950101 | 19950101 | 0 |
| 4870767 | 1006781415 | 19950101 | 19950101 | 0 |
| 4870768 | 1006781416 | 20020101 | 20040901 | 2 |
| 4870769 | 1006781418 | 19990901 | 20030720 | 4 |
| 4870769 | 1006781419 | 19990901 | 20030720 | 4 |
| 4870770 | 1006781425 | 20010801 | 20041104 | 3 |
| 4870770 | 1006781426 | 20010801 | 20041104 | 3 |
| 4870771 | 1006781431 | 19990801 | 20040901 | 5 |
| 4870772 | 1006781440 | 19990601 | 19990901 | 0 |
| 4870772 | 1006781441 | 19990601 | 19990901 | 0 |
| 4870773 | 1006781442 | 20040701 | 20040701 | 0 |
| 4870774 | 1006781443 | 20010801 | 20030901 | 2 |
| 4870775 | 1006781447 | 20010315 | 20040929 | 3 |
| 4870776 | 1006781448 | 20000101 | 20020101 | 2 |
| 4870777 | 1006781451 | 20031106 | 20040115 | 0 |
| 4870778 | 1006781458 | 20040501 | 20040501 | 0 |
| 4870779 | 1006781461 | 20010126 | 20010430 | 0 |
| 4870779 | 1006781462 | 20030815 | 20031125 | 0 |
| 4870779 | 1006781463 | 20010126 | 20010430 | 0 |
| 4870779 | 1006781464 | 20030815 | 20031125 | 0 |
| 4870780 | 1006781474 | 20000710 | 20000710 | 0 |
| 4870780 | 1006781475 | 19991101 | 19991101 | 2 |
| 4870780 | 1006781476 | 20000710 | 20020901 | 2 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870780 | 1006781477 | 20000710 | 20000710 | 0 |
| 4870780 | 1006781478 | 19991101 | 19991101 | 2 |
| 4870780 | 1006781479 | 20000710 | 20020901 | 2 |
| 4870781 | 1006781507 | 20000405 | 20031217 | 3 |
| 4870782 | 1006781521 | 19990911 | 19990911 | 0 |
| 4870783 | 1006781522 | 20010101 | 20030101 | 3 |
| 4870783 | 1006781523 | 19780702 | 20050201 | 26 |
| 4870783 | 1006781527 | 19780702 | 20050201 | 26 |
| 4870783 | 1006781528 | 19750101 | 19750101 | 0 |
| 4870784 | 1006781530 | 20020101 | 20020101 | 0 |
| 4870785 | 1006781538 | 20020401 | 20020401 | 0 |
| 4870786 | 1006781548 | 19990723 | 20040319 | 4 |
| 4870786 | 1006781549 | 19990723 | 20040319 | 4 |
| 4870786 | 1006781550 | 20021101 | 20021101 | 0 |
| 4870786 | 1006781551 | 20021101 | 20040801 | 1 |
| 4870786 | 1006781552 | 20020301 | 20020301 | 0 |
| 4870787 | 1006781559 | 20000328 | 20011001 | 1 |
| 4870788 | 1006781565 | 20000501 | 20040101 | 3 |
| 4870788 | 1006781566 | 20001101 | 20001101 | 0 |
| 4870788 | 1006781567 | 20000501 | 20020101 | 1 |
| 4870788 | 1006781568 | 20020201 | 20020201 | 0 |
| 4870789 | 1006781574 | 20010601 | 20010601 | 0 |
| 4870789 | 1006781575 | 20040601 | 20040601 | 0 |
| 4870789 | 1006781576 | 20010601 | 20010601 | 0 |
| 4870789 | 1006781577 | 20040601 | 20040601 | 0 |
| 4870791 | 1006781584 | 20010703 | 20020211 | 0 |
| 4870791 | 1006781585 | 20010703 | 20020211 | 0 |
| 4870791 | 1006781587 | 20010912 | 20020201 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870791 | 1006781589 | 20010716 | 20020301 | 0 |
| 4870791 | 1006781590 | 20010827 | 20040701 | 2 |
| 4870791 | 1006781592 | 20010926 | 20020301 | 0 |
| 4870792 | 1006781593 | 19990501 | 20020101 | 2 |
| 4870792 | 1006781594 | 19990501 | 20020101 | 2 |
| 4870792 | 1006781595 | 19990501 | 20020101 | 2 |
| 4870792 | 1006781596 | 19990501 | 20020101 | 2 |
| 4870793 | 1006781600 | 20000908 | 20000918 | 0 |
| 4870794 | 1006781609 | 20000101 | 20000401 | 0 |
| 4870794 | 1006781613 | 20000301 | 20000301 | 0 |
| 4870795 | 1006781617 | 20000510 | 20020530 | 2 |
| 4870795 | 1006781618 | 19990713 | 19990917 | 0 |
| 4870796 | 1006781644 | 20000101 | 20000101 | 0 |
| 4870797 | 1006781648 | 20051119 | 20051119 | 0 |
| 4870797 | 1006781650 | 20051119 | 20051119 | 0 |
| 4870797 | 1006781651 | 20051118 | 20051119 | 0 |
| 4870799 | 1006781664 | 20010101 | 20040901 | 3 |
| 4870800 | 1006781666 | 19990101 | 20051001 | 6 |
| 4870800 | 1006781667 | 20051001 | 20051001 | 0 |
| 4870800 | 1006781668 | 19780101 | 19780101 | 0 |
| 4870802 | 1006781670 | 20050919 | 20050919 | 0 |
| 4870802 | 1006781671 | 20050808 | 20050808 | 0 |
| 4870802 | 1006781672 | 20050531 | 20050919 | 0 |
| 4870802 | 1006781673 | 20050515 | 20050515 | 0 |
| 4870802 | 1006781674 | 20050510 | 20050510 | 0 |
| 4870803 | 1006781675 | 20050901 | 20051220 | 0 |
| 4870803 | 1006781676 | 20050901 | 20050901 | 0 |
| 4870803 | 1006781677 | 20050901 | 20051220 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870804 | 1006781678 | 20051009 | 20051009 | 0 |
| 4870805 | 1006781679 | 20051118 | 20051118 | 0 |
| 4870805 | 1006781680 | 20051118 | 20051118 | 0 |
| 4870806 | 1006781683 | - | - | 0 |
| 4870807 | 1006781684 | 20050509 | 20050510 | 0 |
| 4870807 | 1006781688 | 20050509 | 20050510 | 0 |
| 4870808 | 1006781697 | 20050313 | 20050314 | 0 |
| 4870808 | 1006781698 | 20050310 | 20050314 | 0 |
| 4870808 | 1006781699 | 20050312 | 20050314 | 0 |
| 4870809 | 1006781700 | 20041001 | 20041111 | 0 |
| 4870810 | 1006781701 | 20050805 | 20050805 | 0 |
| 4870810 | 1006781702 | 20050802 | 20050802 | 0 |
| 4870810 | 1006781703 | 20050413 | 20050806 | 0 |
| 4870810 | 1006781704 | 20050413 | 20050413 | 0 |
| 4870810 | 1006781705 | 20050413 | 20050805 | 0 |
| 4870810 | 1006781706 | 20050608 | 20050803 | 0 |
| 4870810 | 1006781707 | 20050608 | 20050803 | 0 |
| 4870813 | 1006781710 | 20000101 | 20010701 | 1 |
| 4870814 | 1006781711 | 20050322 | 20050322 | 0 |
| 4870814 | 1006781712 | 20050322 | 20050322 | 0 |
| 4870814 | 1006781713 | 20050322 | 20050322 | 0 |
| 4870816 | 1006781715 | 20030219 | 20040915 | 1 |
| 4870817 | 1006781716 | 20010401 | 20010706 | 0 |
| 4870818 | 1006781721 | 20000101 | 20040101 | 4 |
| 4870819 | 1006781727 | 20010727 | 20010727 | 0 |
| 4870822 | 1006781773 | 20030101 | 20040101 | 1 |
| 4870823 | 1006781775 | 20040613 | 20040930 | 0 |
| 4870824 | 1006781779 | 20030301 | 20040611 | 1 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870825 | 1006781783 | 20020201 | 20030601 | 1 |
| 4870827 | 1006781785 | 20051101 | 20051101 | 0 |
| 4870827 | 1006781786 | 20040101 | 20051101 | 1 |
| 4870828 | 1006781788 | 20030201 | 20030519 | 0 |
| 4870828 | 1006781789 | 20000901 | 20030519 | 2 |
| 4870828 | 1006781790 | 20000901 | 20030519 | 2 |
| 4870828 | 1006781791 | 20000929 | 20030519 | 2 |
| 4870828 | 1006781792 | 20000901 | 20030519 | 2 |
| 4870829 | 1006781794 | 19990901 | 20000601 | 0 |
| 4870829 | 1006781795 | 19990901 | 20000601 | 0 |
| 4870830 | 1006781796 | 20010416 | 20010416 | 0 |
| 4870831 | 1006781806 | 20030101 | 20030101 | 0 |
| 4870832 | 1006781809 | 20030825 | 20030903 | 0 |
| 4870832 | 1006781810 | 20030825 | 20030903 | 0 |
| 4870834 | 1006781814 | 20040706 | 20040706 | 0 |
| 4870834 | 1006781820 | 20040624 | 20040624 | 0 |
| 4870836 | 1006781835 | 20020101 | 20040101 | 2 |
| 4870838 | 1006781839 | 20030519 | 20030717 | 0 |
| 4870839 | 1006781840 | 20010101 | 20021001 | 1 |
| 4870840 | 1006781841 | 20040101 | 20040101 | 0 |
| 4870842 | 1006781845 | 20010101 | 20010101 | 0 |
| 4870843 | 1006781846 | 20000601 | 20031201 | 3 |
| 4870846 | 1006781849 | 19990201 | 20000101 | 0 |
| 4870847 | 1006781850 | 20040101 | 20040101 | 0 |
| 4870849 | 1006781858 | 20010806 | 20040901 | 3 |
| 4870849 | 1006781859 | 20010806 | 20040901 | 3 |
| 4870851 | 1006781865 | 20010101 | 20031201 | 2 |
| 4870853 | 1006781867 | 20030630 | 20040209 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870853 | 1006781868 | 20030630 | 20040209 | 0 |
| 4870855 | 1006781873 | 20010501 | 20010501 | 0 |
| 4870855 | 1006781874 | 20010501 | 20010501 | 0 |
| 4870858 | 1006781877 | 20040929 | 20040929 | 0 |
| 4870859 | 1006781879 | 19990101 | 19990101 | 0 |
| 4870860 | 1006781880 | 20030601 | 20041001 | 1 |
| 4870862 | 1006781885 | 20000320 | 20041111 | 4 |
| 4870862 | 1006781886 | 20000320 | 20041111 | 4 |
| 4870865 | 1006781903 | 19991102 | 20011109 | 2 |
| 4870865 | 1006781904 | 19991102 | 20011109 | 2 |
| 4870865 | 1006781905 | 19800101 | 19800101 | 0 |
| 4870867 | 1006781908 | 20000101 | 20020101 | 2 |
| 4870868 | 1006781911 | 20010701 | 20030809 | 2 |
| 4870868 | 1006781912 | 20010701 | 20030809 | 2 |
| 4870869 | 1006781914 | 19980101 | 20040101 | 6 |
| 4870870 | 1006781916 | 20010101 | 20030621 | 2 |
| 4870872 | 1006781921 | 20020401 | 20040701 | 2 |
| 4870873 | 1006781930 | 20020112 | 20031023 | 1 |
| 4870873 | 1006781931 | 19990101 | 20031023 | 4 |
| 4870873 | 1006781932 | 19990101 | 20031023 | 4 |
| 4870873 | 1006781933 | 20020112 | 20031023 | 1 |
| 4870873 | 1006781934 | 19990101 | 20031023 | 4 |
| 4870873 | 1006781935 | 19990101 | 20031023 | 4 |
| 4870873 | 1006781939 | 19980101 | 20020101 | 4 |
| 4870873 | 1006781940 | 19960101 | 19960101 | 0 |
| 4870873 | 1006781941 | 19980101 | 19980101 | 0 |
| 4870873 | 1006781942 | 19980101 | 19980101 | 0 |
| 4870873 | 1006781943 | 19980101 | 19980101 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870873 | 1006781944 | 19990101 | 19990101 | 0 |
| 4870873 | 1006781945 | 19990101 | 19990101 | 0 |
| 4870874 | 1006781946 | 19990101 | 19991201 | 0 |
| 4870875 | 1006781948 | 20030101 | 20040101 | 1 |
| 4870878 | 1006781952 | 20010301 | 20040930 | 3 |
| 4870886 | 1006781988 | 20050513 | 20050513 | 0 |
| 4870886 | 1006781989 | 20050513 | 20050513 | 0 |
| 4870886 | 1006781990 | 20050513 | 20050515 | 0 |
| 4870886 | 1006781991 | 20050513 | 20050514 | 0 |
| 4870886 | 1006781992 | 20050419 | 20050419 | 0 |
| 4870886 | 1006781993 | 20050419 | 20050419 | 0 |
| 4870886 | 1006781994 | 20050420 | 20050424 | 0 |
| 4870886 | 1006781995 | 20050511 | 20050512 | 0 |
| 4870886 | 1006781996 | 20050424 | 20050424 | 0 |
| 4870886 | 1006781997 | 20050420 | 20050420 | 0 |
| 4870886 | 1006781998 | 20050511 | 20050511 | 0 |
| 4870886 | 1006781999 | 20050511 | 20050511 | 0 |
| 4870886 | 1006782000 | 20050111 | 20050602 | 0 |
| 4870886 | 1006782001 | 20050111 | 20050602 | 0 |
| 4870886 | 1006782002 | 20050602 | 20050602 | 0 |
| 4870886 | 1006782004 | 20011120 | 20050601 | 3 |
| 4870886 | 1006782005 | 20050406 | 20050406 | 0 |
| 4870886 | 1006782006 | 20050406 | 20050406 | 0 |
| 4870886 | 1006782007 | 20050406 | 20050406 | 0 |
| 4870886 | 1006782008 | 20050406 | 20050406 | 0 |
| 4870886 | 1006782009 | 20050406 | 20050406 | 0 |
| 4870886 | 1006782010 | 20050420 | 20050420 | 0 |
| 4870886 | 1006782011 | 20050413 | 20050413 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870888 | 1006782014 | 20050501 | 20051213 | 0 |
| 4870891 | 1006782034 | 20050922 | 20050922 | 0 |
| 4870891 | 1006782035 | 20050922 | 20050923 | 0 |
| 4870891 | 1006782036 | 20050922 | 20050923 | 0 |
| 4870892 | 1006782037 | 20050214 | 20050309 | 0 |
| 4870892 | 1006782039 | 20050214 | 20050214 | 0 |
| 4870892 | 1006782040 | 20050218 | 20050303 | 0 |
| 4870892 | 1006782041 | 20050210 | 20050210 | 0 |
| 4870892 | 1006782042 | 20050222 | 20050223 | 0 |
| 4870892 | 1006782043 | 20050214 | 20050214 | 0 |
| 4870892 | 1006782044 | 20050219 | 20050219 | 0 |
| 4870892 | 1006782045 | 20050215 | 20050218 | 0 |
| 4870892 | 1006782046 | 20050223 | 20050223 | 0 |
| 4870892 | 1006782047 | 20050216 | 20050221 | 0 |
| 4870892 | 1006782048 | 20050222 | 20050227 | 0 |
| 4870892 | 1006782049 | 20050216 | 20050223 | 0 |
| 4870892 | 1006782050 | 20050228 | 20050303 | 0 |
| 4870892 | 1006782051 | 20050221 | 20050221 | 0 |
| 4870892 | 1006782052 | 20050216 | 20050216 | 0 |
| 4870892 | 1006782053 | 20050215 | 20050219 | 0 |
| 4870892 | 1006782054 | 20050215 | 20050215 | 0 |
| 4870892 | 1006782055 | 20050221 | 20050221 | 0 |
| 4870892 | 1006782056 | 20050222 | 20050222 | 0 |
| 4870892 | 1006782057 | 20050222 | 20050225 | 0 |
| 4870892 | 1006782058 | 20050224 | 20050227 | 0 |
| 4870892 | 1006782059 | 20050213 | 20050213 | 0 |
| 4870892 | 1006782060 | 20050214 | 20050216 | 0 |
| 4870892 | 1006782061 | 20050218 | 20050223 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870892 | 1006782062 | 20050219 | 20050219 | 0 |
| 4870892 | 1006782063 | 20050225 | 20050303 | 0 |
| 4870892 | 1006782064 | 20050217 | 20050217 | 0 |
| 4870892 | 1006782065 | 20050215 | 20050303 | 0 |
| 4870892 | 1006782066 | 20050221 | 20050221 | 0 |
| 4870892 | 1006782067 | 20050222 | 20050222 | 0 |
| 4870892 | 1006782068 | 20050215 | 20050215 | 0 |
| 4870892 | 1006782069 | 20050216 | 20050216 | 0 |
| 4870892 | 1006782070 | 20050218 | 20050218 | 0 |
| 4870892 | 1006782071 | 20050214 | 20050214 | 0 |
| 4870892 | 1006782072 | 20050213 | 20050219 | 0 |
| 4870892 | 1006782073 | 20050224 | 20050225 | 0 |
| 4870892 | 1006782074 | 20050224 | 20050224 | 0 |
| 4870892 | 1006782075 | 20050223 | 20050223 | 0 |
| 4870892 | 1006782076 | 20050309 | 20050309 | 0 |
| 4870892 | 1006782077 | 20050306 | 20050306 | 0 |
| 4870892 | 1006782078 | 20050305 | 20050305 | 0 |
| 4870892 | 1006782079 | 20050304 | 20050304 | 0 |
| 4870892 | 1006782080 | 20050303 | 20050303 | 0 |
| 4870892 | 1006782082 | 20050302 | 20050302 | 0 |
| 4870892 | 1006782083 | 20050228 | 20050228 | 0 |
| 4870892 | 1006782084 | 20050224 | 20050224 | 0 |
| 4870892 | 1006782085 | 20050216 | 20050216 | 0 |
| 4870892 | 1006782086 | 20050224 | 20050224 | 0 |
| 4870892 | 1006782087 | 20050213 | 20050214 | 0 |
| 4870892 | 1006782088 | 20050216 | 20050216 | 0 |
| 4870892 | 1006782089 | 20050218 | 20050218 | 0 |
| 4870892 | 1006782090 | 20050220 | 20050220 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870892 | 1006782091 | 20050219 | 20050219 | 0 |
| 4870892 | 1006782092 | 20050228 | 20050306 | 0 |
| 4870892 | 1006782093 | 20050228 | 20050228 | 0 |
| 4870892 | 1006782094 | 20050227 | 20050227 | 0 |
| 4870892 | 1006782095 | 20050226 | 20050226 | 0 |
| 4870892 | 1006782096 | 20050224 | 20050224 | 0 |
| 4870892 | 1006782097 | 20050225 | 20050225 | 0 |
| 4870892 | 1006782098 | 20050223 | 20050223 | 0 |
| 4870892 | 1006782099 | 20050222 | 20050222 | 0 |
| 4870892 | 1006782100 | 20050217 | 20050217 | 0 |
| 4870892 | 1006782101 | 20050216 | 20050216 | 0 |
| 4870892 | 1006782102 | 20050214 | 20050214 | 0 |
| 4870892 | 1006782103 | 20050215 | 20050215 | 0 |
| 4870892 | 1006782104 | 20050215 | 20050215 | 0 |
| 4870892 | 1006782105 | 20050222 | 20050222 | 0 |
| 4870892 | 1006782106 | 20050228 | 20050228 | 0 |
| 4870892 | 1006782107 | 20050301 | 20050301 | 0 |
| 4870892 | 1006782108 | 20050216 | 20050218 | 0 |
| 4870892 | 1006782109 | 20050216 | 20050222 | 0 |
| 4870892 | 1006782110 | 20050228 | 20050228 | 0 |
| 4870892 | 1006782111 | 20050223 | 20050301 | 0 |
| 4870892 | 1006782112 | 20050217 | 20050217 | 0 |
| 4870892 | 1006782113 | 20050219 | 20050223 | 0 |
| 4870892 | 1006782114 | 20050218 | 20050218 | 0 |
| 4870892 | 1006782115 | 20050219 | 20050221 | 0 |
| 4870892 | 1006782116 | 20050302 | 20050302 | 0 |
| 4870892 | 1006782117 | 20050218 | 20050218 | 0 |
| 4870892 | 1006782118 | 20050223 | 20050223 | 0 |

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870892 | 1006782119 | 20050304 | 20050304 | 0 |
| 4870892 | 1006782120 | 20050305 | 20050305 | 0 |
| 4870892 | 1006782121 | 20050223 | 20050223 | 0 |
| 4870892 | 1006782122 | 20050306 | 20050306 | 0 |
| 4870892 | 1006782123 | 20050309 | 20050309 | 0 |
| 4870892 | 1006782124 | 20050308 | 20050308 | 0 |
| 4870892 | 1006782125 | 20050307 | 20050307 | 0 |
| 4870892 | 1006782126 | 20050306 | 20050306 | 0 |
| 4870892 | 1006782127 | 20050303 | 20050303 | 0 |
| 4870892 | 1006782128 | 20050225 | 20050225 | 0 |
| 4870892 | 1006782129 | 20050224 | 20050224 | 0 |
| 4870892 | 1006782130 | 20050224 | 20050226 | 0 |
| 4870892 | 1006782131 | 20050302 | 20050302 | 0 |
| 4870892 | 1006782132 | 20050228 | 20050228 | 0 |
| 4870892 | 1006782133 | 20050214 | 20050214 | 0 |
| 4870892 | 1006782134 | 20050221 | 20050221 | 0 |
| 4870892 | 1006782135 | 20050214 | 20050214 | 0 |
| 4870892 | 1006782136 | 20050214 | 20050214 | 0 |
| 4870892 | 1006782137 | 20050223 | 20050223 | 0 |
| 4870892 | 1006782138 | 20050223 | 20050223 | 0 |
| 4870892 | 1006782139 | 20050214 | 20050214 | 0 |
| 4870892 | 1006782140 | 20050215 | 20050215 | 0 |
| 4870892 | 1006782141 | 20050215 | 20050215 | 0 |
| 4870892 | 1006782142 | 20050214 | 20050214 | 0 |
| 4870892 | 1006782143 | 20050218 | 20050222 | 0 |
| 4870894 | 1006782147 | 20050101 | 20050101 | 0 |
| 4870898 | 1006782159 | 20050201 | 20051001 | 0 |
| 4870900 | 1006782163 | 20040101 | 20051030 | 1 |

Page 340 of 827 14SEP2015

Project: AERS 2006Q1

| Report's unique number | Number for identifying drug from ISR | Date when drug therapy started | Date when drug therapy ended | Derived duration |
|------------------------|--------------------------------------|--------------------------------|------------------------------|------------------|
| 4870902 | 1006782168 | 20051221 | 20051221 | 0 |
| 4870903 | 1006782169 | 20051012 | 20051123 | 0 |
| 4870903 | 1006782170 | 20051214 | 20051214 | 0 |
| 4870903 | 1006782171 | 20051012 | 20051123 | 0 |
| 4870903 | 1006782172 | 20051012 | 20051012 | 0 |
| 4870903 | 1006782173 | 20051214 | 20051214 | 0 |
| 4870903 | 1006782177 | 20051012 | 20051012 | 0 |
| 4870903 | 1006782178 | 20051012 | 20051012 | 0 |
| 4870903 | 1006782179 | 20051012 | 20051012 | 0 |
| 4870903 | 1006782180 | 20051012 | 20051012 | 0 |
| 4870903 | 1006782181 | 20051010 | 20051010 | 0 |
| 4870904 | 1006782183 | 20051011 | 20051011 | 0 |
| 4870904 | 1006782184 | 20051011 | 20051011 | 0 |
| 4870917 | 1006782244 | 20020722 | 20020722 | 0 |
| 4870917 | 1006782245 | 20020722 | 20020722 | 0 |
| 4870917 | 1006782246 | 20020722 | 20020722 | 0 |
| 4870922 | 1006782268 | 20030801 | 20030804 | 0 |
| 4870922 | 1006782269 | 20030805 | 20030805 | 0 |
| 4870922 | 1006782270 | 20030801 | 20030808 | 0 |
| 4870976 | 1006782436 | 20050711 | 20050822 | 0 |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|--------------------------------------|
| 4793437 | 1006499909 | DIABETES MELLITUS |
| 4802758 | 1006528830 | ACUTE MYELOID LEUKAEMIA |
| 4807735 | 1006576213 | LUNG DISORDER |
| 4807884 | 1006546701 | PARKINSON'S DISEASE |
| 4810789 | 1006557089 | HYPERTONIC BLADDER |
| 4810789 | 1006588338 | HYPERTONIC BLADDER |
| 4811786 | 1006562404 | MESOTHELIOMA |
| 4813034 | 1006566431 | EPILEPSY |
| 4813034 | 1006601168 | DEMENTIA |
| 4813034 | 1006601169 | EPILEPSY |
| 4815387 | 1006596772 | METASTASES TO BONE |
| 4817144 | 1006582227 | MULTIPLE MYELOMA |
| 4817145 | 1006582228 | METASTASES TO BONE |
| 4817146 | 1006582230 | METASTASES TO BONE |
| 4817148 | 1006582233 | PROSTATE CANCER METASTATIC |
| 4817149 | 1006582234 | METASTASES TO BONE |
| 4817159 | 1006582292 | OSTEOPOROSIS |
| 4817167 | 1006582324 | MULTIPLE MYELOMA |
| 4819355 | 1006590009 | DIABETES MELLITUS INSULIN-DEPENDENT |
| 4820164 | 1006592680 | HODGKIN'S DISEASE |
| 4820164 | 1006612262 | HODGKIN'S DISEASE |
| 4821833 | 1006599623 | ONYCHOMYCOSIS |
| 4826267 | 1006616466 | LEUKAEMIA PLASMACYTIC |
| 4826267 | 1006627645 | LEUKAEMIA PLASMACYTIC |
| 4826274 | 1006616477 | MYELODYSPLASTIC SYNDROME |
| 4826360 | 1006616799 | ALCOHOL WITHDRAWAL SYNDROME |
| 4826360 | 1006646257 | ANXIETY |
| 4826360 | 1006646263 | NAUSEA |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|--|
| 4828303 | 1006624790 | ANAESTHESIA |
| 4828303 | 1006624791 | INDUCTION OF ANAESTHESIA |
| 4828303 | 1006624792 | MAINTENANCE OF ANAESTHESIA |
| 4828303 | 1006624795 | PREMEDICATION |
| 4828303 | 1006624796 | ANAESTHESIA |
| 4828303 | 1006624797 | HYPOTONIA |
| 4828303 | 1006624800 | ANALGESIC THERAPY |
| 4828303 | 1006624802 | ANALGESIC THERAPY |
| 4828303 | 1006624803 | ANAESTHESIA |
| 4828303 | 1006624804 | ANAESTHESIA |
| 4828303 | 1006624806 | ANAESTHESIA |
| 4828303 | 1006624807 | PREMEDICATION |
| 4832882 | 1006644307 | CHEMOTHERAPY |
| 4832882 | 1006644308 | CHEMOTHERAPY |
| 4833762 | 1006646649 | CONTRACEPTION |
| 4834797 | 1006650318 | ANXIETY |
| 4834797 | 1006674751 | ILL-DEFINED DISORDER |
| 4834797 | 1006674753 | ALCOHOL WITHDRAWAL SYNDROME |
| 4834797 | 1006674755 | NAUSEA |
| 4838069 | 1006664089 | CHRONIC MYELOID LEUKAEMIA |
| 4838069 | 1006690892 | CHRONIC MYELOID LEUKAEMIA |
| 4846119 | 1006693270 | MENORRHAGIA |
| 4846435 | 1006694159 | CONTRACEPTION |
| 4847003 | 1006696440 | PROPHYLAXIS AGAINST TRANSPLANT REJECTION |
| 4847053 | 1006696663 | RHEUMATOID ARTHRITIS |
| 4847638 | 1006698536 | CONTRACEPTION |
| 4852120 | 1006715372 | DRUG USE FOR UNKNOWN INDICATION |
| 4865588 | 1006759846 | HYPERHIDROSIS |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|---|
| 4867362 | 1006767685 | ACUTE MYELOID LEUKAEMIA |
| 4867362 | 1006789786 | ACUTE MYELOID LEUKAEMIA |
| 4867362 | 1006789787 | ACUTE MYELOID LEUKAEMIA |
| 4867362 | 1006789792 | PROPHYLAXIS |
| 4867362 | 1006789793 | PROPHYLAXIS |
| 4867362 | 1006789795 | PROPHYLAXIS |
| 4867362 | 1006789803 | PROPHYLAXIS |
| 4867364 | 1006767690 | MYELODYSPLASTIC SYNDROME |
| 4867364 | 1006789905 | MYELODYSPLASTIC SYNDROME |
| 4867364 | 1006789922 | MYELODYSPLASTIC SYNDROME |
| 4867364 | 1006789940 | PROPHYLAXIS |
| 4867364 | 1006789941 | PROPHYLAXIS |
| 4867364 | 1006789942 | PROPHYLAXIS |
| 4867364 | 1006789949 | PROPHYLAXIS |
| 4867367 | 1006767694 | ACUTE MYELOID LEUKAEMIA |
| 4867367 | 1006790043 | ACUTE MYELOID LEUKAEMIA |
| 4867367 | 1006790044 | ACUTE MYELOID LEUKAEMIA |
| 4867367 | 1006790047 | PROPHYLAXIS |
| 4867367 | 1006790048 | PROPHYLAXIS |
| 4867367 | 1006790049 | PROPHYLAXIS |
| 4867367 | 1006790056 | PROPHYLAXIS |
| 4867370 | 1006767702 | REFRACTORY ANAEMIA WITH AN EXCESS OF BLASTS |
| 4867370 | 1006790098 | REFRACTORY ANAEMIA WITH AN EXCESS OF BLASTS |
| 4867370 | 1006790102 | REFRACTORY ANAEMIA WITH AN EXCESS OF BLASTS |
| 4867370 | 1006790107 | PROPHYLAXIS |
| 4867370 | 1006790109 | PROPHYLAXIS |
| 4867370 | 1006790111 | PROPHYLAXIS |
| 4867370 | 1006790120 | PROPHYLAXIS |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|---|
| 4867373 | 1006767712 | ACUTE MYELOID LEUKAEMIA |
| 4867373 | 1006790138 | ACUTE MYELOID LEUKAEMIA |
| 4867373 | 1006790140 | ACUTE MYELOID LEUKAEMIA |
| 4867373 | 1006790142 | PROPHYLAXIS |
| 4867373 | 1006790145 | PROPHYLAXIS |
| 4867373 | 1006790148 | PROPHYLAXIS |
| 4867373 | 1006790153 | PROPHYLAXIS |
| 4867375 | 1006767714 | ACUTE MYELOID LEUKAEMIA |
| 4867375 | 1006790176 | ACUTE MYELOID LEUKAEMIA |
| 4867375 | 1006790178 | ACUTE MYELOID LEUKAEMIA |
| 4867375 | 1006790183 | PROPHYLAXIS |
| 4867375 | 1006790194 | PROPHYLAXIS |
| 4867375 | 1006790217 | PROPHYLAXIS |
| 4867375 | 1006790411 | PROPHYLAXIS |
| 4867377 | 1006767717 | REFRACTORY ANAEMIA WITH AN EXCESS OF BLASTS |
| 4867377 | 1006790542 | REFRACTORY ANAEMIA WITH AN EXCESS OF BLASTS |
| 4867377 | 1006790543 | REFRACTORY ANAEMIA WITH AN EXCESS OF BLASTS |
| 4867377 | 1006790545 | PROPHYLAXIS |
| 4867377 | 1006790547 | PROPHYLAXIS |
| 4867377 | 1006790548 | PROPHYLAXIS |
| 4867377 | 1006790554 | PROPHYLAXIS |
| 4867384 | 1006767733 | ACUTE MYELOID LEUKAEMIA |
| 4867384 | 1006790724 | ACUTE MYELOID LEUKAEMIA |
| 4867384 | 1006790725 | ACUTE MYELOID LEUKAEMIA |
| 4867384 | 1006790727 | PROPHYLAXIS |
| 4867384 | 1006790730 | PROPHYLAXIS |
| 4867384 | 1006790731 | PROPHYLAXIS |
| 4867384 | 1006790738 | PROPHYLAXIS |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|--------------------------------------|
| 4867390 | 1006767761 | ACUTE MYELOID LEUKAEMIA |
| | | |
| 4867390 | 1006790064 | ACUTE MYELOID LEUKAEMIA |
| 4867390 | 1006790066 | ACUTE MYELOID LEUKAEMIA |
| 4867390 | 1006790083 | PROPHYLAXIS |
| 4867390 | 1006790085 | PROPHYLAXIS |
| 4867390 | 1006790086 | PROPHYLAXIS |
| 4867392 | 1006767776 | ACUTE MYELOID LEUKAEMIA |
| 4867392 | 1006790882 | ACUTE MYELOID LEUKAEMIA |
| 4867392 | 1006790885 | ACUTE MYELOID LEUKAEMIA |
| 4867392 | 1006790892 | PROPHYLAXIS |
| 4867392 | 1006790895 | PROPHYLAXIS |
| 4867392 | 1006790897 | PROPHYLAXIS |
| 4867392 | 1006790934 | PROPHYLAXIS |
| 4867604 | 1006768378 | ACUTE MYELOID LEUKAEMIA |
| 4867604 | 1006790096 | ACUTE MYELOID LEUKAEMIA |
| 4867604 | 1006790100 | ACUTE MYELOID LEUKAEMIA |
| 4867604 | 1006790104 | PROPHYLAXIS |
| 4867604 | 1006790106 | PROPHYLAXIS |
| 4867630 | 1006768432 | ACUTE MYELOID LEUKAEMIA |
| 4867630 | 1006790806 | ACUTE MYELOID LEUKAEMIA |
| 4867630 | 1006790811 | PROPHYLAXIS |
| 4867630 | 1006790813 | PROPHYLAXIS |
| 4867630 | 1006790816 | PROPHYLAXIS |
| 4867630 | 1006790823 | PROPHYLAXIS |
| 4869006 | 1006773747 | OSTEOPOROSIS |
| 4870242 | 1006778880 | ANAESTHESIA |
| 4870242 | 1006778881 | SEDATIVE THERAPY |
| | | |
| 4870242 | 1006778882 | HYPERTENSION |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|--------------------------------------|---------------------------------------|
| 4870242 | 1006778884 | HYPERTENSION |
| 4870242 | 1006778885 | BLOOD CHOLESTEROL INCREASED |
| 4870243 | 1006778886 | LUNG ADENOCARCINOMA |
| 4870243 | 1006778887 | NON-SMALL CELL LUNG CANCER |
| 4870243 | 1006778888 | DEPRESSION |
| 4870243 | 1006778889 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE |
| 4870243 | 1006778890 | TACHYARRHYTHMIA |
| 4870243 | 1006778891 | CANCER PAIN |
| 4870243 | 1006778892 | NAUSEA |
| 4870243 | 1006778893 | ANGINA PECTORIS |
| 4870243 | 1006778894 | TACHYARRHYTHMIA |
| 4870243 | 1006778895 | ANGINA PECTORIS |
| 4870243 | 1006778896 | ANGINA PECTORIS |
| 4870243 | 1006778897 | NON-SMALL CELL LUNG CANCER |
| 4870243 | 1006778898 | NON-SMALL CELL LUNG CANCER |
| 4870243 | 1006778899 | NON-SMALL CELL LUNG CANCER |
| 4870245 | 1006778918 | OSTEOPOROSIS |
| 4870247 | 1006778921 | DRUG USE FOR UNKNOWN INDICATION |
| 4870247 | 1006778922 | DRUG USE FOR UNKNOWN INDICATION |
| 4870247 | 1006778923 | OSTEOPOROSIS |
| 4870248 | 1006778924 | NON-SMALL CELL LUNG CANCER |
| 4870249 | 1006778925 | SEDATION |
| 4870249 | 1006778926 | ANAESTHESIA |
| 4870250 | 1006778927 | EPIDURAL ANAESTHESIA |
| 4870250 | 1006778928 | CAESAREAN SECTION |
| 4870250 | 1006778929 | SPINAL ANAESTHESIA |
| 4870250 | 1006778930 | LOCAL ANAESTHESIA |
| 4870252 | 1006778934 | SCHIZOPHRENIA |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|--------------------------------------|
| 4870252 | 1006778937 | EPILEPSY |
| 4870252 | 1006778938 | EPILEPSY |
| 4870252 | 1006778939 | LIVER DISORDER |
| 4870252 | 1006778942 | EPILEPSY |
| 4870252 | 1006778944 | EPILEPSY |
| 4870252 | 1006778945 | PNEUMONIA |
| 4870252 | 1006778946 | PNEUMONIA |
| 4870252 | 1006778949 | EPILEPSY |
| 4870252 | 1006778950 | EPILEPSY |
| 4870252 | 1006778951 | EPILEPSY |
| 4870253 | 1006778952 | HYPERTENSION |
| 4870254 | 1006778953 | INSOMNIA |
| 4870255 | 1006778954 | RECTAL CANCER |
| 4870255 | 1006778955 | RECTAL CANCER |
| 4870255 | 1006778956 | RECTAL CANCER |
| 4870256 | 1006778957 | BENIGN PROSTATIC HYPERPLASIA |
| 4870257 | 1006778958 | THROMBOSIS |
| 4870257 | 1006778959 | THROMBOSIS |
| 4870257 | 1006778960 | HYPERTENSION |
| 4870257 | 1006778961 | ARRHYTHMIA |
| 4870258 | 1006778963 | HYPERTENSION |
| 4870302 | 1006779257 | CROHN'S DISEASE |
| 4870302 | 1006779258 | CROHN'S DISEASE |
| 4870303 | 1006779259 | RHEUMATOID ARTHRITIS |
| 4870304 | 1006779262 | RETINITIS |
| 4870304 | 1006779265 | VIRAL INFECTION |
| 4870304 | 1006779267 | PROPHYLAXIS |
| 4870304 | 1006779269 | PROPHYLAXIS |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|--------------------------------------|--------------------------------------|
| 4870304 | 1006779272 | UVEITIS |
| 4870304 | 1006779274 | GLAUCOMA |
| 4870304 | 1006779276 | GLAUCOMA |
| 4870304 | 1006779278 | INFECTION PROPHYLAXIS |
| 4870304 | 1006779281 | UVEITIS |
| 4870305 | 1006779286 | CROHN'S DISEASE |
| 4870305 | 1006779287 | CROHN'S DISEASE |
| 4870305 | 1006779288 | CROHN'S DISEASE |
| 4870319 | 1006779354 | CROHN'S DISEASE |
| 4870320 | 1006779355 | CROHN'S DISEASE |
| 4870321 | 1006779356 | DRUG USE FOR UNKNOWN INDICATION |
| 4870322 | 1006779358 | CROHN'S DISEASE |
| 4870323 | 1006779368 | CROHN'S DISEASE |
| 4870323 | 1006779369 | CROHN'S DISEASE |
| 4870323 | 1006779370 | CROHN'S DISEASE |
| 4870324 | 1006779373 | RHEUMATOID ARTHRITIS |
| 4870324 | 1006779376 | RHEUMATOID ARTHRITIS |
| 4870324 | 1006779377 | RHEUMATOID ARTHRITIS |
| 4870324 | 1006779378 | RHEUMATOID ARTHRITIS |
| 4870324 | 1006779379 | RHEUMATOID ARTHRITIS |
| 4870324 | 1006779380 | RHEUMATOID ARTHRITIS |
| 4870324 | 1006779381 | RHEUMATOID ARTHRITIS |
| 4870324 | 1006779382 | RHEUMATOID ARTHRITIS |
| 4870324 | 1006779383 | RHEUMATOID ARTHRITIS |
| 4870325 | 1006779384 | RHEUMATOID ARTHRITIS |
| 4870326 | 1006779385 | DRUG USE FOR UNKNOWN INDICATION |
| 4870327 | 1006779386 | CROHN'S DISEASE |
| 4870328 | 1006779388 | RHEUMATOID ARTHRITIS |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|---------------------------------------|
| 4870329 | 1006779391 | RHEUMATOID ARTHRITIS |
| 4870330 | 1006779407 | RHEUMATOID ARTHRITIS |
| 4870330 | 1006779408 | DRUG USE FOR UNKNOWN INDICATION |
| 4870330 | 1006779409 | DRUG USE FOR UNKNOWN INDICATION |
| 4870331 | 1006779411 | RHEUMATOID ARTHRITIS |
| 4870332 | 1006779438 | RHEUMATOID ARTHRITIS |
| 4870333 | 1006779463 | RHEUMATOID ARTHRITIS |
| 4870333 | 1006779464 | RHEUMATOID ARTHRITIS |
| 4870334 | 1006779465 | CROHN'S DISEASE |
| 4870335 | 1006779470 | RHEUMATOID ARTHRITIS |
| 4870336 | 1006779477 | RHEUMATOID ARTHRITIS |
| 4870336 | 1006779478 | RHEUMATOID ARTHRITIS |
| 4870343 | 1006779487 | RESTLESS LEGS SYNDROME |
| 4870343 | 1006779488 | SLEEP DISORDER |
| 4870344 | 1006779489 | HIV INFECTION |
| 4870344 | 1006779490 | HIV INFECTION |
| 4870344 | 1006779491 | HIV INFECTION |
| 4870344 | 1006779492 | HIV INFECTION |
| 4870344 | 1006779493 | HIV INFECTION |
| 4870346 | 1006779495 | HYPERTENSION |
| 4870347 | 1006779503 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE |
| 4870347 | 1006779504 | BREAST CANCER |
| 4870348 | 1006779510 | ESSENTIAL HYPERTENSION |
| 4870348 | 1006779512 | ARRHYTHMIA |
| 4870348 | 1006779516 | WHEEZING |
| 4870348 | 1006779517 | DYSPNOEA |
| 4870349 | 1006779519 | ESSENTIAL HYPERTENSION |
| 4870349 | 1006779521 | HYPOTHYROIDISM |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|--------------------------------------|
| 4870349 | 1006779522 | HORMONE REPLACEMENT THERAPY |
| 4870350 | 1006779524 | SCIATICA |
| 4870350 | 1006779526 | ATRIAL FIBRILLATION |
| 4870350 | 1006779527 | CARDIAC ASSISTANCE DEVICE USER |
| 4870350 | 1006779528 | HYPERTENSION |
| 4870350 | 1006779529 | THYROID DISORDER |
| 4870350 | 1006779530 | ATRIAL FIBRILLATION |
| 4870350 | 1006779532 | ARTHRITIS |
| 4870351 | 1006779535 | ESSENTIAL HYPERTENSION |
| 4870351 | 1006779536 | HYPERLIPIDAEMIA |
| 4870351 | 1006779537 | ESSENTIAL HYPERTENSION |
| 4870351 | 1006779538 | CEREBRAL INFARCTION |
| 4870351 | 1006779539 | HEMIPLEGIA |
| 4870351 | 1006779540 | DIABETES MELLITUS |
| 4870351 | 1006779541 | CONVULSION |
| 4870352 | 1006779542 | HIV INFECTION |
| 4870353 | 1006779543 | OSTEOARTHRITIS |
| 4870355 | 1006779547 | INTERVERTEBRAL DISC PROTRUSION |
| 4870355 | 1006779548 | SCIATICA |
| 4870355 | 1006779549 | ACCIDENT |
| 4870355 | 1006779550 | HYPERTENSION |
| 4870355 | 1006779552 | VITAMIN SUPPLEMENTATION |
| 4870355 | 1006779554 | BLOOD PRESSURE |
| 4870356 | 1006779555 | HIV INFECTION |
| 4870356 | 1006779556 | HIV INFECTION |
| 4870356 | 1006779557 | HIV INFECTION |
| 4870358 | 1006779562 | HIV INFECTION |
| 4870358 | 1006779563 | HIV INFECTION |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event | |
|------------------------|--------------------------------------|--------------------------------------|--|
| 4870358 | 1006779564 | HIV INFECTION | |
| 4870359 | 1006779565 | CEREBROVASCULAR ACCIDENT PROPHYLAXIS | |
| 4870359 | 1006779566 | CEREBROVASCULAR ACCIDENT PROPHYLAXIS | |
| 4870359 | 1006779567 | CEREBROVASCULAR ACCIDENT PROPHYLAXIS | |
| 4870359 | 1006779568 | BLOOD CHOLESTEROL INCREASED | |
| 4870359 | 1006779569 | DEPRESSION | |
| 4870360 | 1006779570 | HIV TEST POSITIVE | |
| 4870360 | 1006779572 | HIV TEST POSITIVE | |
| 4870360 | 1006779573 | HIV TEST POSITIVE | |
| 4870362 | 1006779587 | RHEUMATOID ARTHRITIS | |
| 4870363 | 1006779599 | CROHN'S DISEASE | |
| 4870364 | 1006779602 | CROHN'S DISEASE | |
| 4870365 | 1006779617 | RHEUMATOID ARTHRITIS | |
| 4870366 | 1006779640 | RHEUMATOID ARTHRITIS | |
| 4870367 | 1006779656 | RHEUMATOID ARTHRITIS | |
| 4870370 | 1006779665 | BREAST CANCER METASTATIC | |
| 4870370 | 1006779666 | BREAST CANCER METASTATIC | |
| 4870370 | 1006779667 | HYPERTENSION | |
| 4870370 | 1006779668 | THROMBOSIS PROPHYLAXIS | |
| 4870370 | 1006779669 | HYPERTENSION | |
| 4870370 | 1006779670 | OSTEOPOROSIS | |
| 4870370 | 1006779671 | HYPERCHOLESTEROLAEMIA | |
| 4870370 | 1006779672 | OSTEOPOROSIS | |
| 4870370 | 1006779673 | DYSPEPSIA | |
| 4870370 | 1006779674 | DIABETES MELLITUS | |
| 4870370 | 1006779675 | MUSCULOSKELETAL CHEST PAIN | |
| 4870372 | 1006779677 | NON-SMALL CELL LUNG CANCER | |
| 4870372 | 1006779678 | HYPERTENSION | |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event | |
|------------------------|--------------------------------------|--------------------------------------|--|
| 4870372 | 1006779679 | ANGINA PECTORIS | |
| 4870372 | 1006779680 | HYPERTENSION | |
| 4870372 | 1006779681 | PROPHYLAXIS | |
| 4870372 | 1006779682 | ANGINA PECTORIS | |
| 4870372 | 1006779683 | ANGINA PECTORIS | |
| 4870379 | 1006779698 | DIABETES MELLITUS | |
| 4870385 | 1006779719 | RHEUMATOID ARTHRITIS | |
| 4870386 | 1006779739 | RHEUMATOID ARTHRITIS | |
| 4870387 | 1006779756 | RHEUMATOID ARTHRITIS | |
| 4870388 | 1006779778 | RHEUMATOID ARTHRITIS | |
| 4870389 | 1006779793 | RHEUMATOID ARTHRITIS | |
| 4870390 | 1006779796 | RHEUMATOID ARTHRITIS | |
| 4870391 | 1006779802 | RHEUMATOID ARTHRITIS | |
| 4870392 | 1006779815 | RHEUMATOID ARTHRITIS | |
| 4870393 | 1006779821 | RHEUMATOID ARTHRITIS | |
| 4870414 | 1006779896 | MAJOR DEPRESSION | |
| 4870415 | 1006779901 | DEPRESSION | |
| 4870415 | 1006779903 | STENT PLACEMENT | |
| 4870415 | 1006779904 | CORONARY ARTERY OCCLUSION | |
| 4870415 | 1006779905 | DEPRESSION | |
| 4870416 | 1006779912 | PSEUDODEMENTIA | |
| 4870416 | 1006779913 | SLEEP DISORDER | |
| 4870416 | 1006779914 | PSEUDODEMENTIA | |
| 4870416 | 1006779915 | SLEEP DISORDER | |
| 4870418 | 1006779917 | DEPRESSION | |
| 4870419 | 1006779918 | SLEEP DISORDER | |
| 4870421 | 1006779923 | INSOMNIA | |
| 4870422 | 1006779928 | DEPRESSION | |

| N Report's unique number | umber for identifying drug from ISR | Preferred term to describe the event | |
|-----------------------------|-------------------------------------|--------------------------------------|--|
| 4870422 | 1006779929 | SLEEP DISORDER | |
| 4870425 | 1006779940 | ANXIETY | |
| 4870425 | 1006779941 | INSOMNIA | |
| 4870426 | 1006779944 | INSOMNIA | |
| 4870430 | 1006779952 | INSOMNIA | |
| 4870432 | 1006779955 | SLEEP DISORDER | |
| 4870434 | 1006779966 | SLEEP DISORDER | |
| 4870438 | 1006779971 | INSOMNIA | |
| 4870440 | 1006779973 | DEPRESSION | |
| 4870441 | 1006779975 | PANIC DISORDER | |
| 4870441 | 1006779976 | DEPRESSION | |
| 4870441 | 1006779977 | ANXIETY | |
| 4870441 | 1006779978 | SLEEP DISORDER | |
| 4870442 | 1006779983 | PARKINSON'S DISEASE | |
| 4870444 | 1006779989 | INSOMNIA | |
| 4870446 | 1006779992 | DEPRESSION | |
| 4870449 | 1006779996 | DEPRESSION | |
| 4870453 | 1006780033 | INSOMNIA | |
| 4870454 | 1006780037 | INSOMNIA | |
| 4870454 | 1006780038 | DEPRESSION | |
| 4870455 | 1006780039 | INSOMNIA | |
| 4870457 | 1006780045 | ANXIETY | |
| 4870458 | 1006780056 | CHEMOTHERAPY | |
| 4870459 | 1006780060 | HIV INFECTION | |
| 4870460 | 1006780071 | ANAEMIA OF MALIGNANT DISEASE | |
| 4870461 | 1006780082 | ANKYLOSING SPONDYLITIS | |
| 4870461 | 1006780083 | CROHN'S DISEASE | |
| 4870461 | 1006780084 | ANKYLOSING SPONDYLITIS | |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|--------------------------------------|--------------------------------------|
| 4870461 | 1006780085 | CROHN'S DISEASE |
| 4870463 | 1006780087 | ANAEMIA |
| 4870463 | 1006780088 | ANAEMIA |
| 4870464 | 1006780097 | RENAL TRANSPLANT |
| 4870465 | 1006780110 | MYELODYSPLASTIC SYNDROME |
| 4870466 | 1006780112 | DRUG USE FOR UNKNOWN INDICATION |
| 4870467 | 1006780113 | DRUG USE FOR UNKNOWN INDICATION |
| 4870468 | 1006780116 | ANKYLOSING SPONDYLITIS |
| 4870469 | 1006780121 | PSORIASIS |
| 4870482 | 1006780184 | LUNG NEOPLASM MALIGNANT |
| 4870482 | 1006780185 | LUNG NEOPLASM MALIGNANT |
| 4870483 | 1006780186 | NON-SMALL CELL LUNG CANCER |
| 4870483 | 1006780187 | INTERSTITIAL LUNG DISEASE |
| 4870484 | 1006780188 | RHEUMATOID ARTHRITIS |
| 4870484 | 1006780189 | RHEUMATOID ARTHRITIS |
| 4870484 | 1006780190 | RHEUMATOID ARTHRITIS |
| 4870486 | 1006780197 | POLYARTHRITIS |
| 4870486 | 1006780198 | ATRIAL FIBRILLATION |
| 4870486 | 1006780200 | RHEUMATOID ARTHRITIS |
| 4870529 | 1006780356 | CEREBRAL HAEMORRHAGE |
| 4870529 | 1006780357 | HYPERTENSION |
| 4870529 | 1006780358 | HYPOKALAEMIA |
| 4870529 | 1006780359 | HYPERTENSION |
| 4870529 | 1006780360 | PROPHYLAXIS |
| 4870529 | 1006780361 | HYPERTENSION |
| 4870529 | 1006780362 | HYPERLIPIDAEMIA |
| 4870529 | 1006780363 | DIABETES MELLITUS |
| 4870529 | 1006780364 | DIURETIC THERAPY |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|--------------------------------------|---|
| 4870529 | 1006780365 | INFLAMMATION |
| 4870529 | 1006780366 | HYPERTENSION |
| 4870529 | 1006780367 | PYREXIA |
| 4870529 | 1006780368 | PROPHYLAXIS |
| 4870529 | 1006780369 | PROPHYLAXIS |
| 4870529 | 1006780371 | HYPERTENSION |
| 4870529 | 1006780372 | ANALGESIC EFFECT |
| 4870529 | 1006780373 | GASTRIC ULCER |
| 4870529 | 1006780374 | PROPHYLAXIS |
| 4870529 | 1006780375 | PROPHYLAXIS |
| 4870529 | 1006780376 | ANXIETY DISORDER |
| 4870529 | 1006780377 | DIABETES MELLITUS |
| 4870529 | 1006780378 | IMPAIRED GASTRIC EMPTYING |
| 4870529 | 1006780379 | INFECTION |
| 4870529 | 1006780380 | INFECTION |
| 4870534 | 1006780399 | DRUG USE FOR UNKNOWN INDICATION |
| 4870535 | 1006780400 | HYPERTENSION |
| 4870535 | 1006780401 | HYPERTENSION |
| 4870535 | 1006780402 | HYPERTENSION |
| 4870535 | 1006780403 | DIABETES MELLITUS NON-INSULIN-DEPENDENT |
| 4870535 | 1006780404 | DIABETES MELLITUS NON-INSULIN-DEPENDENT |
| 4870535 | 1006780405 | HYPERLIPIDAEMIA |
| 4870550 | 1006780462 | ATRIAL FIBRILLATION |
| 4870550 | 1006780465 | ANALGESIC EFFECT |
| 4870552 | 1006780479 | PHARYNGITIS |
| 4870553 | 1006780482 | ARTHRALGIA |
| 4870553 | 1006780485 | DIABETES MELLITUS |
| 4870553 | 1006780486 | HYPERURICAEMIA |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|--|
| 4870553 | 1006780487 | DIABETES MELLITUS |
| 4870553 | 1006780488 | TINEA INFECTION |
| 4870553 | 1006780489 | HYPERKERATOSIS |
| 4870566 | 1006780533 | HYPERTENSION |
| 4870567 | 1006780536 | HYPERTENSION |
| 4870567 | 1006780538 | HYPERTENSION |
| 4870567 | 1006780539 | INSOMNIA |
| 4870568 | 1006780549 | ESSENTIAL HYPERTENSION |
| 4870568 | 1006780550 | ESSENTIAL HYPERTENSION |
| 4870568 | 1006780551 | ATRIAL FIBRILLATION |
| 4870568 | 1006780552 | ATRIAL FLUTTER |
| 4870569 | 1006780553 | OEDEMA PERIPHERAL |
| 4870569 | 1006780554 | OEDEMA PERIPHERAL |
| 4870570 | 1006780555 | RHEUMATOID ARTHRITIS |
| 4870571 | 1006780556 | POLYURIA |
| 4870571 | 1006780557 | POLYDIPSIA |
| 4870572 | 1006780558 | RHEUMATOID ARTHRITIS |
| 4870572 | 1006780561 | RHEUMATOID ARTHRITIS |
| 4870572 | 1006780566 | RHEUMATOID ARTHRITIS |
| 4870572 | 1006780567 | PROPHYLAXIS AGAINST GASTROINTESTINAL ULCER |
| 4870572 | 1006780568 | INTESTINAL FUNCTIONAL DISORDER |
| 4870572 | 1006780569 | PROPHYLAXIS AGAINST GASTROINTESTINAL ULCER |
| 4870572 | 1006780570 | ANAEMIA |
| 4870572 | 1006780571 | RHEUMATOID ARTHRITIS |
| 4870572 | 1006780572 | BRONCHIECTASIS |
| 4870572 | 1006780573 | OSTEOPOROSIS |
| 4870572 | 1006780574 | INSOMNIA |
| 4870572 | 1006780575 | PARAESTHESIA |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|--------------------------------------|--------------------------------------|
| 4870572 | 1006780576 | PARAESTHESIA |
| 4870572 | 1006780578 | DIABETES MELLITUS |
| 4870574 | 1006780586 | CLOSTRIDIAL INFECTION |
| 4870577 | 1006780599 | TONSILLITIS |
| 4870577 | 1006780601 | TONSILLITIS |
| 4870579 | 1006780607 | PERITONITIS |
| 4870579 | 1006780608 | GENERAL ANAESTHESIA |
| 4870579 | 1006780609 | GENERAL ANAESTHESIA |
| 4870579 | 1006780610 | GENERAL ANAESTHESIA |
| 4870580 | 1006780611 | PROSTATE CANCER |
| 4870581 | 1006780613 | NON-SMALL CELL LUNG CANCER |
| | | |
| 4870581 | 1006780614 1006780615 | NON-SMALL CELL LUNG CANCER |
| 4870581 | | NON-SMALL CELL LUNG CANCER |
| 4870582 | 1006780620 | BLADDER NEOPLASM |
| 4870582 | 1006780621 | BLADDER NEOPLASM |
| 4870583 | 1006780631 | DIABETES MELLITUS |
| 4870583 | 1006780632 | DIABETES MELLITUS |
| 4870583 | 1006780634 | MYOCARDIAL ISCHAEMIA |
| 4870583 | 1006780635 | BLOOD CHOLESTEROL INCREASED |
| 4870583 | 1006780636 | BLOOD PRESSURE INCREASED |
| 4870583 | 1006780637 | MYOCARDIAL ISCHAEMIA |
| 4870584 | 1006780638 | DIABETES MELLITUS |
| 4870584 | 1006780639 | DIABETES MELLITUS |
| 4870584 | 1006780641 | MYOCARDIAL ISCHAEMIA |
| 4870584 | 1006780642 | BLOOD CHOLESTEROL INCREASED |
| 4870584 | 1006780643 | MYOCARDIAL ISCHAEMIA |
| 4870584 | 1006780644 | BLOOD PRESSURE INCREASED |
| 4870586 | 1006780648 | HIV INFECTION |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|--------------------------------------|--------------------------------------|
| 4870586 | 1006780649 | HIV INFECTION |
| 4870586 | 1006780650 | HIV INFECTION |
| 4870587 | 1006780651 | SCHIZOPHRENIA |
| 4870589 | 1006780657 | DIABETES MELLITUS |
| 4870591 | 1006780666 | TESTICULAR MASS |
| 4870591 | 1006780667 | TESTICULAR MASS |
| 4870591 | 1006780668 | TESTICULAR MASS |
| 4870591 | 1006780669 | TESTICULAR MASS |
| 4870591 | 1006780670 | TESTICULAR MASS |
| 4870591 | 1006780671 | TESTICULAR MASS |
| 4870591 | 1006780672 | TESTICULAR MASS |
| 4870591 | 1006780673 | TESTICULAR MASS |
| 4870591 | 1006780674 | TESTICULAR MASS |
| 4870591 | 1006780675 | TESTICULAR MASS |
| 4870592 | 1006780677 | UTERINE CANCER |
| 4870592 | 1006780678 | UTERINE CANCER |
| 4870593 | 1006780687 | BLOOD IRON INCREASED |
| 4870594 | 1006780689 | HAEMORRHAGE |
| 4870604 | 1006780724 | TRAUMATIC HAEMORRHAGE |
| 4870618 | 1006780754 | MYOCARDIAL INFARCTION |
| 4870623 | 1006780773 | SUICIDE ATTEMPT |
| 4870623 | 1006780774 | EPILEPSY |
| 4870624 | 1006780776 | DRUG USE FOR UNKNOWN INDICATION |
| 4870659 | 1006780918 | NAUSEA |
| 4870659 | 1006780919 | GASTROINTESTINAL DISORDER |
| 4870659 | 1006780921 | GOUT |
| 4870659 | 1006780922 | PROPHYLAXIS |
| 4870659 | 1006780923 | MEMORY IMPAIRMENT |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|--------------------------------------|--------------------------------------|
| 4870659 | 1006780925 | PAIN |
| 4870659 | 1006780927 | SLEEP DISORDER THERAPY |
| 4870659 | 1006780932 | CONSTIPATION |
| 4870659 | 1006780933 | CONSTIPATION |
| 4870661 | 1006780941 | PAIN MANAGEMENT |
| 4870661 | 1006780942 | DRUG USE FOR UNKNOWN INDICATION |
| 4870661 | 1006780943 | DRUG USE FOR UNKNOWN INDICATION |
| 4870661 | 1006780944 | DRUG USE FOR UNKNOWN INDICATION |
| 4870661 | 1006780945 | DRUG USE FOR UNKNOWN INDICATION |
| 4870661 | 1006780948 | DRUG USE FOR UNKNOWN INDICATION |
| 4870661 | 1006780949 | DRUG USE FOR UNKNOWN INDICATION |
| 4870661 | 1006780950 | DRUG USE FOR UNKNOWN INDICATION |
| 4870662 | 1006780951 | MULTIPLE SCLEROSIS |
| 4870663 | 1006780954 | HYPOTHYROIDISM |
| 4870663 | 1006780955 | ANXIETY |
| 4870663 | 1006780956 | HYPERTENSION |
| 4870663 | 1006780957 | FLUID RETENTION |
| 4870663 | 1006780959 | ANGINA PECTORIS |
| 4870663 | 1006780960 | ANXIETY |
| 4870663 | 1006780965 | NAUSEA |
| 4870667 | 1006780972 | ANXIETY |
| 4870668 | 1006780973 | DEMENTIA ALZHEIMER'S TYPE |
| 4870668 | 1006780974 | HYPERTENSION |
| 4870668 | 1006780976 | AFFECTIVE DISORDER |
| 4870668 | 1006780977 | VITAMIN B12 DEFICIENCY |
| 4870669 | 1006780982 | MEMORY IMPAIRMENT |
| 4870669 | 1006780983 | OSTEOPOROSIS |
| 4870671 | 1006780985 | ORAL INFECTION |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|--|
| 4870671 | 1006780986 | DRUG USE FOR UNKNOWN INDICATION |
| 4870672 | 1006780987 | DRUG USE FOR UNKNOWN INDICATION |
| 4870673 | 1006780988 | NAIL TINEA |
| 4870674 | 1006780989 | CEREBRAL HAEMORRHAGE |
| 4870684 | 1006781027 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE |
| 4870685 | 1006781029 | HYPERTENSION |
| 4870686 | 1006781035 | BIPOLAR DISORDER |
| 4870689 | 1006781039 | DEPRESSION |
| 4870690 | 1006781040 | ASTHMA |
| 4870691 | 1006781043 | ASTHMA |
| 4870691 | 1006781044 | ASTHMA |
| 4870692 | 1006781046 | HERPES ZOSTER |
| 4870692 | 1006781047 | GASTRIC ULCER |
| 4870692 | 1006781048 | NUTRITIONAL SUPPORT |
| 4870692 | 1006781049 | NUTRITIONAL SUPPORT |
| 4870692 | 1006781050 | NUTRITIONAL SUPPORT |
| 4870692 | 1006781051 | NUTRITIONAL SUPPORT |
| 4870692 | 1006781052 | NUTRITIONAL SUPPORT |
| 4870692 | 1006781053 | PNEUMONIA |
| 4870692 | 1006781054 | PNEUMONIA |
| 4870692 | 1006781055 | DISSEMINATED INTRAVASCULAR COAGULATION |
| 4870692 | 1006781056 | CARDIAC FAILURE |
| 4870692 | 1006781057 | CARDIAC FAILURE |
| 4870692 | 1006781058 | CHEMOTHERAPY |
| 4870692 | 1006781059 | CHEMOTHERAPY |
| 4870692 | 1006781060 | CHEMOTHERAPY |
| 4870692 | 1006781061 | CHEMOTHERAPY |
| 4870693 | 1006781062 | HERPES ZOSTER |

ADVERSE EVENT REPORTING SYSTEM (AERS) Indication Listings

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|---|
| 4870693 | 1006781063 | HERPES ZOSTER |
| 4870694 | 1006781064 | ALLOGENIC BONE MARROW TRANSPLANTATION THERAPY |
| 4870694 | 1006781067 | IMMUNOSUPPRESSANT DRUG THERAPY |
| 4870694 | 1006781068 | IMMUNOSUPPRESSANT DRUG THERAPY |
| 4870694 | 1006781069 | IMMUNOSUPPRESSANT DRUG THERAPY |
| 4870695 | 1006781078 | HEPATIC CIRRHOSIS |
| 4870696 | 1006781090 | EAR INFECTION |
| 4870697 | 1006781095 | DEPRESSION |
| 4870698 | 1006781096 | HEPATITIS B |
| 4870698 | 1006781099 | HEPATITIS B |
| 4870698 | 1006781104 | ASCITES |
| 4870698 | 1006781105 | ASCITES |
| 4870700 | 1006781113 | NEOPLASM PROPHYLAXIS |
| 4870702 | 1006781119 | DRUG RESISTANCE |
| 4870703 | 1006781122 | PAIN |
| 4870704 | 1006781124 | ANTIVIRAL PROPHYLAXIS |
| 4870704 | 1006781125 | ANTIVIRAL PROPHYLAXIS |
| 4870705 | 1006781128 | PARKINSON'S DISEASE |
| 4870706 | 1006781129 | HIV INFECTION |
| 4870706 | 1006781130 | HIV INFECTION |
| 4870706 | 1006781131 | HIV INFECTION |
| 4870706 | 1006781132 | HIV INFECTION |
| 4870707 | 1006781133 | PANCREATITIS |
| 4870710 | 1006781144 | HEPATIC CIRRHOSIS |
| 4870710 | 1006781145 | HEPATIC CIRRHOSIS |
| 4870712 | 1006781153 | DEPRESSION |
| 4870714 | 1006781156 | HIV INFECTION |
| 4870714 | 1006781157 | HIV INFECTION |

| N Report's unique number | lumber for identifying drug from ISR | Preferred term to describe the event | |
|-----------------------------|---|--------------------------------------|--|
| 4870714 | 1006781158 | HIV INFECTION | |
| 4870715 | 1006781159 | HIV INFECTION | |
| 4870715 | 1006781160 | HIV INFECTION | |
| 4870715 | 1006781161 | HIV INFECTION | |
| 4870716 | 1006781165 | HIV INFECTION | |
| 4870716 | 1006781166 | HIV INFECTION | |
| 4870716 | 1006781167 | HIV INFECTION | |
| 4870716 | 1006781168 | HIV INFECTION | |
| 4870717 | 1006781176 | SLEEP DISORDER | |
| 4870719 | 1006781178 | ASTHMA | |
| 4870721 | 1006781181 | HIV INFECTION | |
| 4870721 | 1006781182 | HIV INFECTION | |
| 4870722 | 1006781183 | HIV INFECTION | |
| 4870722 | 1006781184 | HIV INFECTION | |
| 4870723 | 1006781185 | INFECTION | |
| 4870723 | 1006781185 | PACEMAKER COMPLICATION | |
| 4870723 | 1006781186 | ENDOCARDITIS | |
| 4870723 | 1006781187 | INFECTION | |
| 4870723 | 1006781187 | PACEMAKER COMPLICATION | |
| 4870723 | 1006781188 | ENDOCARDITIS | |
| 4870723 | 1006781190 | INFECTION | |
| 4870723 | 1006781190 | PACEMAKER COMPLICATION | |
| 4870723 | 1006781191 | ENDOCARDITIS | |
| 4870724 | 1006781192 | GASTROENTERITIS | |
| 4870724 | 1006781193 | GASTROENTERITIS | |
| 4870724 | 1006781194 | GASTROENTERITIS | |
| 4870724 | 1006781195 | GASTROENTERITIS | |
| 4870724 | 1006781196 | GASTROENTERITIS | |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|--------------------------------------|--------------------------------------|
| 4870724 | 1006781197 | GASTROENTERITIS |
| 4870724 | 1006781198 | INFLUENZA |
| 4870724 | 1006781202 | CERVICAL ROOT PAIN |
| 4870724 | 1006781203 | CERVICAL ROOT PAIN |
| 4870724 | 1006781204 | GASTROENTERITIS |
| 4870725 | 1006781206 | SINUSITIS |
| 4870725 | 1006781207 | SINUSITIS |
| 4870732 | 1006781242 | DRUG USE FOR UNKNOWN INDICATION |
| 4870733 | 1006781245 | PSYCHOTIC DISORDER |
| 4870733 | 1006781246 | DIABETES MELLITUS |
| 4870733 | 1006781247 | HYPERTENSION |
| 4870733 | 1006781248 | HYPERTENSION |
| 4870733 | 1006781249 | CEREBRAL INFARCTION |
| 4870733 | 1006781250 | CEREBRAL INFARCTION |
| 4870735 | 1006781252 | DRUG USE FOR UNKNOWN INDICATION |
| 4870736 | 1006781254 | SCHIZOPHRENIA |
| 4870736 | 1006781255 | SCHIZOPHRENIA |
| 4870737 | 1006781256 | DRUG USE FOR UNKNOWN INDICATION |
| 4870737 | 1006781257 | DRUG USE FOR UNKNOWN INDICATION |
| 4870738 | 1006781259 | SCHIZOPHRENIA |
| 4870738 | 1006781260 | SCHIZOPHRENIA |
| 4870738 | 1006781262 | SCHIZOPHRENIA |
| 4870738 | 1006781263 | SCHIZOPHRENIA |
| 4870738 | 1006781264 | SCHIZOPHRENIA |
| 4870738 | 1006781265 | SCHIZOPHRENIA |
| 4870738 | 1006781266 | SCHIZOPHRENIA |
| 4870738 | 1006781267 | SCHIZOPHRENIA |
| 4870739 | 1006781268 | DRUG USE FOR UNKNOWN INDICATION |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|--------------------------------------|---|
| 4870739 | 1006781270 | DRUG USE FOR UNKNOWN INDICATION |
| 4870741 | 1006781283 | DRUG USE FOR UNKNOWN INDICATION |
| 4870753 | 1006781310 | DRUG USE FOR UNKNOWN INDICATION |
| 4870754 | 1006781311 | HEPATITIS C |
| 4870756 | 1006781344 | BREAST CANCER |
| 4870763 | 1006781377 | ARTHRITIS |
| 4870764 | 1006781378 | OSTEOARTHRITIS |
| 4870764 | 1006781379 | ARTHRALGIA |
| 4870765 | 1006781383 | ARTHRALGIA |
| 4870765 | 1006781387 | GASTROOESOPHAGEAL REFLUX DISEASE |
| 4870766 | 1006781396 | ARTHRITIS |
| 4870766 | 1006781397 | HYPOTHYROIDISM |
| 4870766 | 1006781398 | HYPERTENSION |
| 4870766 | 1006781399 | HYPERTENSION |
| 4870766 | 1006781400 | DIABETES MELLITUS NON-INSULIN-DEPENDENT |
| 4870767 | 1006781401 | ARTHRITIS |
| 4870767 | 1006781403 | HYPERTENSION |
| 4870767 | 1006781404 | OEDEMA PERIPHERAL |
| 4870767 | 1006781408 | ARTHRALGIA |
| 4870767 | 1006781410 | LETHARGY |
| 4870767 | 1006781411 | VITAMIN SUPPLEMENTATION |
| 4870767 | 1006781413 | FEELING OF RELAXATION |
| 4870767 | 1006781414 | DYSPEPSIA |
| 4870767 | 1006781415 | GASTROOESOPHAGEAL REFLUX DISEASE |
| 4870768 | 1006781416 | ARTHRITIS |
| 4870769 | 1006781418 | OSTEOARTHRITIS |
| 4870770 | 1006781425 | ROTATOR CUFF SYNDROME |
| 4870770 | 1006781426 | OSTEOARTHRITIS |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|--------------------------------------|
| 4870771 | 1006781431 | ARTHRALGIA |
| 4870772 | 1006781440 | RHEUMATOID ARTHRITIS |
| 4870773 | 1006781442 | PAIN |
| 4870774 | 1006781443 | BACK PAIN |
| 4870774 | 1006781444 | ANXIETY DISORDER |
| 4870775 | 1006781447 | ARTHRITIS |
| 4870776 | 1006781448 | PAIN |
| 4870777 | 1006781451 | BACK PAIN |
| 4870778 | 1006781458 | BREAST CANCER |
| 4870778 | 1006781459 | BREAST CANCER |
| 4870779 | 1006781461 | MONARTHRITIS |
| 4870779 | 1006781463 | LIMB DISCOMFORT |
| 4870780 | 1006781474 | INTERVERTEBRAL DISC DEGENERATION |
| 4870780 | 1006781477 | OSTEOARTHRITIS |
| 4870781 | 1006781507 | ARTHRITIS |
| 4870782 | 1006781521 | PAIN |
| 4870783 | 1006781522 | ARTHRALGIA |
| 4870784 | 1006781530 | GOUT |
| 4870784 | 1006781531 | BIPOLAR DISORDER |
| 4870784 | 1006781533 | BIPOLAR DISORDER |
| 4870785 | 1006781538 | ARTHRITIS |
| 4870785 | 1006781542 | DIZZINESS |
| 4870785 | 1006781547 | HYPERLIPIDAEMIA |
| 4870786 | 1006781548 | OSTEOARTHRITIS |
| 4870786 | 1006781549 | MUSCULOSKELETAL PAIN |
| 4870786 | 1006781550 | HYPERTENSION |
| 4870786 | 1006781551 | BLOOD CHOLESTEROL |
| 4870786 | 1006781552 | BLOOD CHOLESTEROL |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|--------------------------------------|
| 4870786 | 1006781553 | BENIGN PROSTATIC HYPERPLASIA |
| 4870786 | 1006781557 | HYPERTENSION |
| 4870786 | 1006781558 | CARDIAC DISORDER |
| 4870787 | 1006781559 | FIBROMYALGIA |
| 4870788 | 1006781565 | ARTHRITIS |
| 4870789 | 1006781574 | RHEUMATOID ARTHRITIS |
| 4870789 | 1006781576 | ARTHRITIS |
| 4870790 | 1006781582 | PAIN |
| 4870790 | 1006781583 | PAIN |
| 4870791 | 1006781584 | SPINAL OSTEOARTHRITIS |
| 4870791 | 1006781585 | BACK PAIN |
| 4870791 | 1006781590 | BLOOD CHOLESTEROL INCREASED |
| 4870792 | 1006781593 | NEURALGIA |
| 4870792 | 1006781595 | PAIN |
| 4870793 | 1006781600 | PAIN IN EXTREMITY |
| 4870794 | 1006781609 | PERIARTHRITIS |
| 4870795 | 1006781617 | OSTEOARTHRITIS |
| 4870796 | 1006781644 | ARTHRITIS |
| 4870797 | 1006781648 | PREMATURE LABOUR |
| 4870797 | 1006781649 | ASTHMA |
| 4870797 | 1006781650 | DYSPEPSIA |
| 4870797 | 1006781651 | PREMATURE LABOUR |
| 4870799 | 1006781664 | SPONDYLITIS |
| 4870800 | 1006781666 | HYPERTENSION |
| 4870800 | 1006781668 | DIABETES MELLITUS INSULIN-DEPENDENT |
| 4870801 | 1006781669 | ARTHRALGIA |
| 4870802 | 1006781670 | NON-SMALL CELL LUNG CANCER |
| 4870802 | 1006781671 | NON-SMALL CELL LUNG CANCER |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|--------------------------------------|
| 4870803 | 1006781675 | SCHIZOPHRENIA |
| 4870803 | 1006781676 | ANXIETY |
| 4870803 | 1006781677 | ANXIETY |
| 4870805 | 1006781679 | NEPHROBLASTOMA |
| 4870805 | 1006781680 | NEPHROBLASTOMA |
| 4870806 | 1006781683 | DRUG USE FOR UNKNOWN INDICATION |
| 4870807 | 1006781684 | BLADDER CANCER RECURRENT |
| 4870808 | 1006781698 | DIABETES MELLITUS |
| 4870808 | 1006781699 | DIABETES MELLITUS |
| 4870809 | 1006781700 | ACNE |
| 4870810 | 1006781701 | BREAST CANCER |
| 4870810 | 1006781702 | BREAST CANCER |
| 4870810 | 1006781705 | PREMEDICATION |
| 4870810 | 1006781706 | PREMEDICATION |
| 4870810 | 1006781707 | PREMEDICATION |
| 4870811 | 1006781708 | SCHIZOPHRENIA |
| 4870813 | 1006781710 | SHOULDER PAIN |
| 4870814 | 1006781711 | NON-SMALL CELL LUNG CANCER |
| 4870814 | 1006781712 | NON-SMALL CELL LUNG CANCER |
| 4870814 | 1006781713 | NON-SMALL CELL LUNG CANCER |
| 4870817 | 1006781716 | ARTHRITIS |
| 4870817 | 1006781717 | ARTHRITIS |
| 4870817 | 1006781718 | ARTHRITIS |
| 4870817 | 1006781719 | ARTHRITIS |
| 4870817 | 1006781720 | UPPER RESPIRATORY TRACT INFECTION |
| 4870818 | 1006781721 | OSTEOARTHRITIS |
| 4870819 | 1006781727 | ARTHRITIS |
| 4870821 | 1006781771 | NECK PAIN |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|---|--------------------------------------|
| 4870823 | 1006781775 | INTERVERTEBRAL DISC PROTRUSION |
| 4870824 | 1006781779 | OSTEOPOROSIS |
| 4870825 | 1006781783 | RHEUMATOID ARTHRITIS |
| 4870827 | 1006781785 | MIGRAINE |
| 4870827 | 1006781786 | MIGRAINE |
| 4870828 | 1006781788 | ARTHRITIS |
| 4870828 | 1006781789 | BLOOD CHOLESTEROL INCREASED |
| 4870828 | 1006781790 | HYPERTENSION |
| 4870828 | 1006781791 | HYPERTENSION |
| 4870828 | 1006781792 | PROPHYLAXIS |
| 4870829 | 1006781794 | ARTHRALGIA |
| 4870829 | 1006781795 | BACK PAIN |
| 4870830 | 1006781796 | OSTEOARTHRITIS |
| 4870831 | 1006781806 | PAIN |
| 4870832 | 1006781809 | BACK PAIN |
| 4870832 | 1006781810 | ARTHRITIS |
| 4870834 | 1006781814 | BACK PAIN |
| 4870835 | 1006781822 | ARTHRALGIA |
| 4870836 | 1006781835 | ARTHRITIS |
| 4870837 | 1006781837 | VASCULITIS |
| 4870838 | 1006781839 | SHOULDER PAIN |
| 4870839 | 1006781840 | ARTHRITIS |
| 4870840 | 1006781841 | ARTHRITIS |
| 4870842 | 1006781845 | ARTHRITIS |
| 4870846 | 1006781849 | ARTHROPATHY |
| 4870847 | 1006781850 | ARTHRALGIA |
| 4870849 | 1006781858 | OSTEOARTHRITIS |
| 4870849 | 1006781859 | COSTOCHONDRITIS |

ADVERSE EVENT REPORTING SYSTEM (AERS) Indication Listings

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|--------------------------------------|--------------------------------------|
| 4870853 | 1006781867 | ARTHRITIS |
| 4870853 | 1006781869 | ARTHRITIS |
| 4870853 | 1006781870 | BLOOD PRESSURE |
| 4870855 | 1006781873 | ARTHRITIS |
| 4870855 | 1006781874 | LIMB INJURY |
| 4870858 | 1006781877 | MUSCLE STRAIN |
| 4870862 | 1006781885 | ARTHRITIS |
| 4870865 | 1006781903 | CARPAL TUNNEL SYNDROME |
| 4870865 | 1006781904 | ARTHRITIS |
| 4870865 | 1006781905 | HORMONE REPLACEMENT THERAPY |
| 4870867 | 1006781908 | ARTHRALGIA |
| 4870868 | 1006781911 | CARPAL TUNNEL SYNDROME |
| 4870868 | 1006781912 | ROTATOR CUFF SYNDROME |
| 4870869 | 1006781914 | ARTHRITIS |
| 4870870 | 1006781916 | ARTHRITIS |
| 4870872 | 1006781921 | ARTHRITIS |
| 4870873 | 1006781930 | ROTATOR CUFF SYNDROME |
| 4870873 | 1006781933 | TENDONITIS |
| 4870873 | 1006781936 | INSOMNIA |
| 4870873 | 1006781937 | ALLERGIC SINUSITIS |
| 4870873 | 1006781938 | WHEEZING |
| 4870873 | 1006781939 | MENOPAUSE |
| 4870873 | 1006781940 | DEPRESSION |
| 4870873 | 1006781944 | DEPRESSION |
| 4870874 | 1006781946 | ARTHRITIS |
| 4870875 | 1006781948 | BACK PAIN |
| 4870878 | 1006781952 | RHEUMATOID ARTHRITIS |
| 4870879 | 1006781960 | DRUG USE FOR UNKNOWN INDICATION |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|--------------------------------------|--|
| 4870886 | 1006781988 | GASTROINTESTINAL CANCER METASTATIC |
| 4870886 | 1006781989 | OESOPHAGEAL ADENOCARCINOMA STAGE IV |
| 4870888 | 1006782014 | LOSS OF CONSCIOUSNESS |
| 4870891 | 1006782034 | COLON CANCER |
| 4870892 | 1006782037 | ELECTROCARDIOGRAM ST SEGMENT ELEVATION |
| 4870892 | 1006782040 | ANGINA PECTORIS |
| 4870892 | 1006782041 | HYPERTENSION |
| 4870892 | 1006782043 | HYPERTENSION |
| 4870892 | 1006782046 | POLYURIA |
| 4870892 | 1006782047 | DIABETES MELLITUS |
| 4870892 | 1006782049 | AZOTAEMIA |
| 4870892 | 1006782051 | ANGINA PECTORIS |
| 4870892 | 1006782052 | INFECTION PROPHYLAXIS |
| 4870892 | 1006782053 | RESTLESSNESS |
| 4870892 | 1006782055 | HYPERTENSION |
| 4870892 | 1006782059 | THROMBOSIS |
| 4870892 | 1006782060 | ANAEMIA |
| 4870892 | 1006782062 | CONSTIPATION |
| 4870892 | 1006782064 | CONSTIPATION |
| 4870892 | 1006782065 | HYPERLIPIDAEMIA |
| 4870892 | 1006782066 | PROPHYLAXIS |
| 4870892 | 1006782067 | POLYURIA |
| 4870892 | 1006782070 | CONSTIPATION |
| 4870892 | 1006782071 | THROMBOSIS PROPHYLAXIS |
| 4870892 | 1006782085 | GASTROINTESTINAL DISORDER |
| 4870892 | 1006782087 | ANGINA PECTORIS |
| 4870892 | 1006782104 | ANAEMIA |
| 4870892 | 1006782108 | INFECTION PROPHYLAXIS |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event |
|------------------------|--------------------------------------|--------------------------------------|
| 4870892 | 1006782109 | ANAEMIA |
| 4870892 | 1006782111 | INFECTION PROPHYLAXIS |
| 4870892 | 1006782112 | CARDIAC FAILURE |
| 4870892 | 1006782115 | INFECTION PROPHYLAXIS |
| 4870892 | 1006782117 | CARDIAC FAILURE |
| 4870892 | 1006782118 | SEDATIVE THERAPY |
| 4870892 | 1006782130 | COAGULATION TIME |
| 4870892 | 1006782133 | ANGINA PECTORIS |
| 4870892 | 1006782135 | GASTROINTESTINAL DISORDER |
| 4870892 | 1006782136 | ACIDOSIS |
| 4870892 | 1006782138 | INFECTION |
| 4870892 | 1006782140 | RESTLESSNESS |
| 4870892 | 1006782141 | RESTLESSNESS |
| 4870892 | 1006782142 | SLEEP DISORDER |
| 4870894 | 1006782147 | DRUG USE FOR UNKNOWN INDICATION |
| 4870898 | 1006782159 | JESSNER'S LYMPHOCYTIC INFILTRATION |
| 4870900 | 1006782163 | RHEUMATOID ARTHRITIS |
| 4870900 | 1006782164 | DRUG USE FOR UNKNOWN INDICATION |
| 4870902 | 1006782168 | BENIGN PROSTATIC HYPERPLASIA |
| 4870903 | 1006782169 | BREAST CANCER |
| 4870903 | 1006782170 | BREAST CANCER |
| 4870903 | 1006782171 | BREAST CANCER |
| 4870903 | 1006782172 | ERYTHROPENIA |
| 4870903 | 1006782173 | BREAST CANCER |
| 4870903 | 1006782174 | DEPRESSION |
| 4870903 | 1006782175 | DIABETES MELLITUS |
| 4870903 | 1006782176 | DEPRESSION |
| 4870903 | 1006782178 | PREMEDICATION |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event | |
|------------------------|---|--------------------------------------|--|
| 4870903 | 1006782179 | PREMEDICATION | |
| 4870903 | 1006782180 | PREMEDICATION | |
| 4870904 | 1006782183 | COLORECTAL CANCER | |
| 4870917 | 1006782244 | HIV INFECTION | |
| 4870917 | 1006782245 | HIV INFECTION | |
| 4870917 | 1006782246 | HIV INFECTION | |
| 4870922 | 1006782268 | DRUG USE FOR UNKNOWN INDICATION | |
| 4870922 | 1006782269 | DRUG USE FOR UNKNOWN INDICATION | |
| 4870922 | 1006782270 | DRUG USE FOR UNKNOWN INDICATION | |
| 4870923 | 1006782277 | GASTROINTESTINAL HAEMORRHAGE | |
| 4870976 | 1006782436 | ADENOCARCINOMA PANCREAS | |
| 4870976 | 1006782437 | ADENOCARCINOMA PANCREAS | |
| 4870976 | 1006782438 | ADENOCARCINOMA PANCREAS | |
| 4870976 | 1006782439 | ADENOCARCINOMA PANCREAS | |
| 4870976 | 1006782440 | PANCREATIC ENZYMES | |
| 4870976 | 1006782441 | NAUSEA | |
| 4870976 | 1006782445 | DIARRHOEA | |
| 4870976 | 1006782446 | NAUSEA | |
| 4870977 | 1006782447 | HIV INFECTION | |
| 4870977 | 1006782448 | FUNGAL INFECTION | |
| 4870977 | 1006782449 | HIV INFECTION | |
| 4870977 | 1006782450 | HIV INFECTION | |
| 4870977 | 1006782451 | HIV INFECTION | |
| 4870979 | 1006782456 | HYPERTHYROIDISM | |
| 4870994 | 1006782489 | OVARIAN CANCER | |
| 4870994 | 1006782490 | OVARIAN CANCER | |
| 4870994 | 1006782491 | ANAEMIA | |
| 4871004 | 1006782514 | DRUG USE FOR UNKNOWN INDICATION | |

| N Report's unique number | lumber for identifying drug from ISR | Preferred term to describe the event | |
|-----------------------------|---|--------------------------------------|--|
| 4871006 | 1006782517 | NEUROPATHY | |
| 4871006 | 1006782518 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871006 | 1006782519 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871006 | 1006782520 | PAIN | |
| 4871006 | 1006782521 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871016 | 1006782541 | SCHIZOPHRENIA | |
| 4871017 | 1006782542 | SCHIZOPHRENIA | |
| 4871018 | 1006782543 | AGITATION | |
| 4871018 | 1006782544 | DEMENTIA | |
| 4871018 | 1006782545 | DEPRESSION | |
| 4871018 | 1006782546 | BLOOD PRESSURE | |
| 4871018 | 1006782547 | ANTICOAGULANT THERAPY | |
| 4871018 | 1006782548 | INSOMNIA | |
| 4871019 | 1006782550 | ANXIETY | |
| 4871040 | 1006782573 | HIV INFECTION | |
| 4871040 | 1006782574 | HIV INFECTION | |
| 4871057 | 1006782593 | HYPERTENSION | |
| 4871057 | 1006782594 | HYPERTENSION | |
| 4871057 | 1006782595 | PROPHYLAXIS | |
| 4871074 | 1006782619 | DIABETES MELLITUS | |
| 4871074 | 1006782621 | DIABETES MELLITUS | |
| 4871074 | 1006782622 | DIABETES MELLITUS | |
| 4871086 | 1006782646 | DYSLIPIDAEMIA | |
| 4871086 | 1006782648 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871086 | 1006782649 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871086 | 1006782650 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871086 | 1006782651 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871087 | 1006782652 | DYSLIPIDAEMIA | |

| Report's unique number | Number for identifying drug from ISR | Preferred term to describe the event | |
|------------------------|--------------------------------------|--------------------------------------|--|
| 4871087 | 1006782653 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871087 | 1006782654 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871087 | 1006782655 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871087 | 1006782656 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871087 | 1006782657 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871087 | 1006782658 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871088 | 1006782660 | DYSLIPIDAEMIA | |
| 4871088 | 1006782661 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871088 | 1006782662 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871088 | 1006782663 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871088 | 1006782664 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782665 | DYSLIPIDAEMIA | |
| 4871089 | 1006782666 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782667 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782668 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782669 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782670 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782672 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782673 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782674 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782675 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782676 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782677 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782678 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782680 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871089 | 1006782681 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871101 | 1006782699 | DYSLIPIDAEMIA | |
| 4871101 | 1006782700 | DRUG USE FOR UNKNOWN INDICATION | |

| | Number for identifying drug from | Due former data may be also swither the account. | |
|------------------------|----------------------------------|--|--|
| Report's unique number | ISR | Preferred term to describe the event | |
| 4871101 | 1006782701 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871101 | 1006782702 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871102 | 1006782703 | DYSLIPIDAEMIA | |
| 4871103 | 1006782704 | HYPERLIPIDAEMIA | |
| 4871103 | 1006782705 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871103 | 1006782706 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871103 | 1006782707 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871103 | 1006782708 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871105 | 1006782710 | DYSLIPIDAEMIA | |
| 4871105 | 1006782711 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871105 | 1006782712 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871105 | 1006782713 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871105 | 1006782714 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871105 | 1006782715 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871105 | 1006782717 | DRUG USE FOR UNKNOWN INDICATION | |
| 4871106 | 1006782718 | CONSTIPATION | |
| 4871106 | 1006782719 | BLOOD CHOLESTEROL INCREASED | |
| 4871106 | 1006782721 | SINUS DISORDER | |
| 4871127 | 1006782755 | THROMBOSIS PROPHYLAXIS | |
| 4871127 | 1006782757 | EMPHYSEMA | |
| 4871127 | 1006782758 | EMPHYSEMA | |
| 4871127 | 1006782759 | INSOMNIA | |
| 4871127 | 1006782760 | EMPHYSEMA | |
| 4871127 | 1006782761 | DIABETES MELLITUS | |
| 4871127 | 1006782762 | EMPHYSEMA | |
| 4871134 | 1006782772 | DIABETES MELLITUS | |
| 4871134 | 1006782775 | DIABETES MELLITUS | |
| 4871141 | 1006782789 | DIABETES MELLITUS | |

ADVERSE EVENT REPORTING SYSTEM (AERS) Indication Listings

| | Number for identifying drug from | |
|------------------------|----------------------------------|--------------------------------------|
| Report's unique number | ISR | Preferred term to describe the event |
| 4871141 | 1006782790 | ILL-DEFINED DISORDER |
| 4871146 | 1006782801 | DIABETES MELLITUS |
| 4871160 | 1006782819 | DIABETES MELLITUS |
| 4871160 | 1006782820 | DIABETES MELLITUS |
| 4871180 | 1006782857 | OPERATIVE HAEMORRHAGE |
| 4871210 | 1006782896 | DYSLIPIDAEMIA |
| 4871210 | 1006782897 | DRUG USE FOR UNKNOWN INDICATION |
| 4871210 | 1006782898 | DRUG USE FOR UNKNOWN INDICATION |
| 4871210 | 1006782899 | DRUG USE FOR UNKNOWN INDICATION |
| 4871210 | 1006782900 | DRUG USE FOR UNKNOWN INDICATION |
| 4871210 | 1006782901 | DRUG USE FOR UNKNOWN INDICATION |
| 4871210 | 1006782902 | DRUG USE FOR UNKNOWN INDICATION |
| 4871210 | 1006782903 | DRUG USE FOR UNKNOWN INDICATION |
| 4871211 | 1006782904 | HYPERLIPIDAEMIA |
| 4871211 | 1006782905 | DRUG USE FOR UNKNOWN INDICATION |
| 4871211 | 1006782906 | DRUG USE FOR UNKNOWN INDICATION |
| 4871212 | 1006782907 | HYPERLIPIDAEMIA |
| 4871212 | 1006782909 | DRUG USE FOR UNKNOWN INDICATION |
| 4871212 | 1006782910 | DRUG USE FOR UNKNOWN INDICATION |
| 4871212 | 1006782911 | DRUG USE FOR UNKNOWN INDICATION |

Summary Tables

The Summary Tables section presents aggregated safety data to support pharmacovigilance signal detection and risk evaluation. These tables include analyses of adverse events by System Organ Class (SOC) and Preferred Term (PT), drug-event frequencies, patient outcomes (e.g., death, hospitalization), and demographic trends (e.g., gender, age groups).

The data are summarized to provide a high-level overview of potential safety concerns and reporting patterns across the database.

Demographic Summary Table Derived Age Group

| | | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------|---------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| Gender | Female | 3128 (52.91) | 10127 (59.37) | 15944 (52.71) | 4464 (57.56) | 33663 (55.21) |
| | Male | 2616 (44.25) | 6716 (39.37) | 14022 (46.35) | 3223 (41.56) | 26577 (43.59) |
| | Missing | 146 (2.47) | 179 (1.05) | 239 (0.79) | 60 (0.77) | 624 (1.02) |
| | Not Specified | 3 (0.05) | 9 (0.05) | 4 (0.01) | 1 (0.01) | 17 (0.03) |
| | Unknown | 19 (0.32) | 27 (0.16) | 42 (0.14) | 7 (0.09) | 95 (0.16) |
| Report Code | Direct | 383 (6.48) | 1044 (6.12) | 1698 (5.61) | 572 (7.38) | 3697 (6.06) |
| | Expedited | 4286 (72.50) | 11553 (67.73) | 22426 (74.13) | 5751 (74.16) | 44016 (72.19) |
| | Periodic | 1243 (21.03) | 4461 (26.15) | 6127 (20.25) | 1432 (18.47) | 13263 (21.75) |
| Occupation Code | Consumer | 1495 (25.29) | 4776 (28.00) | 6116 (20.22) | 1553 (20.03) | 13940 (22.86) |
| | Lawyer | 287 (4.85) | 1557 (9.13) | 3619 (11.96) | 551 (7.11) | 6014 (9.86) |
| | Physician | 1958 (33.12) | 5071 (29.73) | 10420 (34.45) | 2519 (32.48) | 19968 (32.75) |
| | Missing | 1013 (17.13) | 2569 (15.06) | 4848 (16.03) | 1457 (18.79) | 9887 (16.21) |
| | Other Health Professional | 846 (14.31) | 2226 (13.05) | 3588 (11.86) | 1040 (13.41) | 7700 (12.63) |
| | Pharmacist | 313 (5.29) | 859 (5.04) | 1660 (5.49) | 635 (8.19) | 3467 (5.69) |
| Age (Years) | Number | 5912 | 17058 | 30251 | 7755 | 60976 |
| | Mean | 14.86 | 40.62 | 62.37 | 81.47 | 54.11 |
| | Median | 17.00 | 42.00 | 62.00 | 80.00 | 56.00 |
| | Geometric Mean | 14.86 | 40.62 | 62.37 | 81.47 | 54.11 |
| | Minimum | 0.00 | 26.00 | 51.00 | 76.00 | 0.00 |
| | Maximum | 25.00 | 50.00 | 75.00 | 108.0 | 108.0 |
| | Standard Deviation | 7.71 | 6.97 | 7.04 | 4.66 | 19.39 |
| | Range | 0-25 | 26-50 | 51-75 | 76-108 | 0-108 |
| Weight (Kilograms) | Number | 2366 | 7638 | 15651 | 3368 | 29023 |

Project: AERS 2006Q1
Page 379 of 827
14SEP2015

Demographic Summary Table Derived Age Group

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| Mean | 52.45 | 81.79 | 82.70 | 70.06 | 78.53 |
| Median | 54.00 | 79.00 | 80.00 | 69.00 | 77.00 |
| Geometric Mean | 52.45 | 81.79 | 82.70 | 70.06 | 78.53 |
| Minimum | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Maximum | 771.0 | 267.0 | 876.0 | 183.0 | 876.0 |
| Standard Deviation | 34.43 | 25.36 | 24.33 | 17.62 | 26.40 |
| Range | 0-771 | 0-267 | 0-876 | 0-183 | 0-876 |

| | | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| Drug Role | Primary Suspect Drug | 3349 (56.65) | 8573 (50.26) | 13041 (43.11) | 3122 (40.26) | 28085 (46.06) |
| | Secondary Suspect Drug | 75 (1.27) | 159 (0.93) | 317 (1.05) | 90 (1.16) | 641 (1.05) |
| | Concomitant | 2465 (41.69) | 8307 (48.70) | 16871 (55.77) | 4540 (58.54) | 32183 (52.78) |
| | Interacting | 23 (0.39) | 19 (0.11) | 22 (0.07) | 3 (0.04) | 67 (0.11) |
| Drug Name Source | Validated name used | 4504 (76.18) | 13647 (80.00) | 23971 (79.24) | 6090 (78.53) | 48212 (79.07) |
| | Verbatim name used | 1408 (23.82) | 3411 (20.00) | 6280 (20.76) | 1665 (21.47) | 12764 (20.93) |
| Dechallenge Code | Does Not Apply | 988 (16.71) | 2810 (16.47) | 4332 (14.32) | 999 (12.88) | 9129 (14.97) |
| | Missing | 4095 (69.27) | 12545 (73.54) | 23314 (77.07) | 5929 (76.45) | 45883 (75.25) |
| | Negative dechallenge | 115 (1.95) | 263 (1.54) | 365 (1.21) | 120 (1.55) | 863 (1.42) |
| | Unknown | 307 (5.19) | 594 (3.48) | 983 (3.25) | 274 (3.53) | 2158 (3.54) |
| | Positive dechallenge | 407 (6.88) | 846 (4.96) | 1257 (4.16) | 433 (5.58) | 2943 (4.83) |
| Rechallenge Code | Does Not Apply | 1431 (24.21) | 3754 (22.01) | 5722 (18.92) | 1450 (18.70) | 12357 (20.27) |
| | Missing | 4127 (69.81) | 12669 (74.27) | 23551 (77.85) | 6019 (77.61) | 46366 (76.04) |
| | Negative dechallenge | 19 (0.32) | 63 (0.37) | 106 (0.35) | 32 (0.41) | 220 (0.36) |
| | Unknown | 280 (4.74) | 469 (2.75) | 739 (2.44) | 227 (2.93) | 1715 (2.81) |
| | Positive dechallenge | 55 (0.93) | 103 (0.60) | 133 (0.44) | 27 (0.35) | 318 (0.52) |
| Route | AURICULAR (OTIC) | 1 (0.02) | 4 (0.02) | 2 (0.01) | | 7 (0.01) |
| | BUCCAL | 1 (0.02) | 12 (0.07) | 13 (0.04) | 1 (0.01) | 27 (0.04) |
| | CUTANEOUS | 1 (0.02) | 10 (0.06) | 1 (0.00) | | 12 (0.02) |
| | DENTAL | | 3 (0.02) | 1 (0.00) | 1 (0.01) | 5 (0.01) |
| | ENDOTRACHEAL | | | 2 (0.01) | | 2 (0.00) |
| | EPIDURAL | 3 (0.05) | 11 (0.06) | 11 (0.04) | 6 (0.08) | 31 (0.05) |
| | INTRA CORPUS CAVERNOSU | | 1 (0.01) | | | 1 (0.00) |
| | INTRA-ARTERIAL | 4 (0.07) | 3 (0.02) | 10 (0.03) | | 17 (0.03) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| INTRA-ARTICULAR | 1 (0.02) | | 1 (0.00) | 3 (0.04) | 5 (0.01) |
| INTRA-UTERINE | 58 (0.98) | 182 (1.07) | 6 (0.02) | 1 (0.01) | 247 (0.41) |
| INTRACAVERNOUS | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| INTRACEREBRAL | | | 1 (0.00) | | 1 (0.00) |
| INTRADERMAL | 7 (0.12) | 7 (0.04) | 6 (0.02) | | 20 (0.03) |
| INTRADISCAL (INTRASPIN | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| INTRAMENINGEAL | | | 1 (0.00) | | 1 (0.00) |
| INTRAMUSCULAR | 90 (1.52) | 617 (3.62) | 691 (2.28) | 36 (0.46) | 1434 (2.35) |
| INTRAOCULAR | | 4 (0.02) | 14 (0.05) | 3 (0.04) | 21 (0.03) |
| INTRAPERITONEAL | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| INTRAPLEURAL | | | 1 (0.00) | | 1 (0.00) |
| INTRASYNOVIAL | | 1 (0.01) | | | 1 (0.00) |
| INTRATHECAL | 7 (0.12) | 9 (0.05) | 13 (0.04) | | 29 (0.05) |
| INTRATHORACIC | | | 1 (0.00) | | 1 (0.00) |
| INTRATUMOR | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| INTRAVENOUS | 235 (3.97) | 627 (3.68) | 1396 (4.61) | 308 (3.97) | 2566 (4.21) |
| INTRAVENOUS BOLUS | 2 (0.03) | 8 (0.05) | 41 (0.14) | 9 (0.12) | 60 (0.10) |
| INTRAVENOUS DRIP | 8 (0.14) | 64 (0.38) | 149 (0.49) | 35 (0.45) | 256 (0.42) |
| INTRAVESICAL | | 4 (0.02) | 35 (0.12) | 18 (0.23) | 57 (0.09) |
| MISSING | 2600 (43.98) | 7368 (43.19) | 13008 (43.00) | 3785 (48.81) | 26761 (43.89) |
| NASAL | 11 (0.19) | 44 (0.26) | 28 (0.09) | 7 (0.09) | 90 (0.15) |
| OPHTHALMIC | 3 (0.05) | 22 (0.13) | 32 (0.11) | 22 (0.28) | 79 (0.13) |
| ORAL | 2060 (34.84) | 5332 (31.26) | 9459 (31.27) | 2606 (33.60) | 19457 (31.91) |
| OROPHARINGEAL | 3 (0.05) | 4 (0.02) | 5 (0.02) | 1 (0.01) | 13 (0.02) |
| OTHER | 9 (0.15) | 18 (0.11) | 24 (0.08) | 12 (0.15) | 63 (0.10) |
| PARENTERAL | 8 (0.14) | 6 (0.04) | 18 (0.06) | 4 (0.05) | 36 (0.06) |
| PERIARTICULAR | • | 1 (0.01) | | | 1 (0.00) |
| PERINEURAL | | | 3 (0.01) | 3 (0.04) | 6 (0.01) |

| | | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| | RECTAL | 8 (0.14) | 6 (0.04) | 9 (0.03) | 4 (0.05) | 27 (0.04) |
| | RESPIRATORY (INHALATIO | 70 (1.18) | 51 (0.30) | 94 (0.31) | 31 (0.40) | 246 (0.40) |
| | RETROBULBAR | | 1 (0.01) | | | 1 (0.00) |
| | SUBCONJUNCTIVAL | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| | SUBCUTANEOUS | 132 (2.23) | 553 (3.24) | 869 (2.87) | 120 (1.55) | 1674 (2.75) |
| | SUBDERMAL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| | SUBLINGUAL | 10 (0.17) | 8 (0.05) | 4 (0.01) | 2 (0.03) | 24 (0.04) |
| | TOPICAL | 57 (0.96) | 60 (0.35) | 49 (0.16) | 10 (0.13) | 176 (0.29) |
| | TRANSDERMAL | 72 (1.22) | 112 (0.66) | 62 (0.20) | 15 (0.19) | 261 (0.43) |
| | TRANSMAMMARY | 4 (0.07) | | | | 4 (0.01) |
| | TRANSPLACENTAL | 62 (1.05) | 3 (0.02) | | | 65 (0.11) |
| | UNKNOWN | 193 (3.26) | 1555 (9.12) | 4153 (13.73) | 707 (9.12) | 6608 (10.84) |
| | URETHRAL | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| | VAGINAL | 191 (3.23) | 338 (1.98) | 29 (0.10) | 3 (0.04) | 561 (0.92) |
| Drugname | (HURICANE BENZOCAINE T | | | 1 (0.00) | | 1 (0.00) |
| | (HURRICAINE) BENZOCAIN | | | 1 (0.00) | | 1 (0.00) |
| | 1 CONCOMITANT DRUG | 2 (0.03) | 2 (0.01) | 3 (0.01) | | 7 (0.01) |
| | 100% OXYGEN (OXYGEN) | 1 (0.02) | | | | 1 (0.00) |
| | 13 CIS-RETINOINC ACID | | | 1 (0.00) | | 1 (0.00) |
| | 2% LIDOCAINE (LIDOCAIN | 1 (0.02) | | | | 1 (0.00) |
| | 2MG CERCINE TABLETS | | 1 (0.01) | | | 1 (0.00) |
| | 3TC | | 2 (0.01) | | | 2 (0.00) |
| | 4 WAY FAST ACTING NASA | | | 1 (0.00) | | 1 (0.00) |
| | 49653 | | | 1 (0.00) | | 1 (0.00) |
| | 5% DEXTROSE, 0.2% SODI | 1 (0.02) | | | | 1 (0.00) |
| | 5'FEC | | | 1 (0.00) | | 1 (0.00) |
| | 5-HTP | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| 506U78 | | 2 (0.01) | | | 2 (0.00) |
| 6-MP | | 2 (0.01) | | | 2 (0.00) |
| 6MP | 1 (0.02) | | | | 1 (0.00) |
| 70% NPH HUMAN INSULIN | | | 1 (0.00) | | 1 (0.00) |
| A AND D ORIGINAL (LANO | 1 (0.02) | | | | 1 (0.00) |
| A AND D ORIGINAL (LANO | 1 (0.02) | | | | 1 (0.00) |
| ABACAVIR | | 6 (0.04) | 3 (0.01) | | 9 (0.01) |
| ABATACEPT | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| ABCIXIMAB | | | 1 (0.00) | | 1 (0.00) |
| ABELCET | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ABILIFY | 24 (0.41) | 40 (0.23) | 17 (0.06) | 3 (0.04) | 84 (0.14) |
| ABILIT | | | 1 (0.00) | | 1 (0.00) |
| ABRAXANE (PACLITAXEL) | | | 1 (0.00) | | 1 (0.00) |
| ACARBOSE | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| ACARBOSE (ACARBOSE) | | | 1 (0.00) | | 1 (0.00) |
| ACARD | | | 2 (0.01) | | 2 (0.00) |
| ACC 200 | | | 3 (0.01) | | 3 (0.00) |
| ACCOLATE | | 4 (0.02) | 7 (0.02) | 1 (0.01) | 12 (0.02) |
| ACCUPAQUE (IOHEXOL) | | | 1 (0.00) | | 1 (0.00) |
| ACCUPRIL | | 11 (0.06) | 46 (0.15) | 7 (0.09) | 64 (0.10) |
| ACCUPRIN | | | 1 (0.00) | | 1 (0.00) |
| ACCURETIC | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ACCUTANE | 206 (3.48) | 46 (0.27) | 4 (0.01) | | 256 (0.42) |
| ACE INHIBITOR | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| ACE INHIBITOR NOS | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| ACEBUTOLOL | | | 9 (0.03) | | 9 (0.01) |
| ACECLOFENAC (ACECLOFEN | | 1 (0.01) | | | 1 (0.00) |
| ACECOL | | | 3 (0.01) | 7 (0.09) | 10 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ACECOL (TEMOCAPRIL HYD | | | | 1 (0.01) | 1 (0.00) |
| ACEDICONE | | | 2 (0.01) | | 2 (0.00) |
| ACEMETACIN | 1 (0.02) | | | | 1 (0.00) |
| ACENOCOUMAROL | | | 2 (0.01) | | 2 (0.00) |
| ACENOCOUMAROL | | | | 1 (0.01) | 1 (0.00) |
| ACENOCOUMAROL (ACENOCO | | | 1 (0.00) | | 1 (0.00) |
| ACENOCOUMAROL (ACENOCO | | | 1 (0.00) | | 1 (0.00) |
| ACENOCOUMEROL | | | 1 (0.00) | | 1 (0.00) |
| ACEON | | | 1 (0.00) | | 1 (0.00) |
| ACERCOMP (HYDROCHLOROT | | | 1 (0.00) | | 1 (0.00) |
| ACETADOTE | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| ACETAMINOPHEN | 58 (0.98) | 75 (0.44) | 125 (0.41) | 40 (0.52) | 298 (0.49) |
| ACETAMINOPHEN -ESTRA | | | 1 (0.00) | | 1 (0.00) |
| ACETAMINOPHEN (+) CODE | | | 1 (0.00) | | 1 (0.00) |
| ACETAMINOPHEN + SALICY | | | | 1 (0.01) | 1 (0.00) |
| ACETAMINOPHEN AND CODE | | 1 (0.01) | 2 (0.01) | 3 (0.04) | 6 (0.01) |
| ACETAMINOPHEN AND CODE | | | 2 (0.01) | | 2 (0.00) |
| ACETAMINOPHEN AND DIHY | | | 1 (0.00) | | 1 (0.00) |
| ACETAMINOPHEN AND HYDR | 5 (0.08) | 33 (0.19) | 14 (0.05) | 4 (0.05) | 56 (0.09) |
| ACETAMINOPHEN AND ORPH | | | 1 (0.00) | | 1 (0.00) |
| ACETAMINOPHEN AND OXYC | | | 3 (0.01) | | 3 (0.00) |
| ACETAMINOPHEN AND OXYC | | | | 1 (0.01) | 1 (0.00) |
| ACETAMINOPHEN AND PROP | | 3 (0.02) | | 2 (0.03) | 5 (0.01) |
| ACETAMINOPHEN AND PROP | | 1 (0.01) | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| ACETAMINOPHEN AND TRAM | | | 1 (0.00) | | 1 (0.00) |
| ACETAMINOPHEN W/ CODEI | | 3 (0.02) | 2 (0.01) | 1 (0.01) | 6 (0.01) |
| ACETAMINOPHEN W/ CODEI | | | 1 (0.00) | | 1 (0.00) |
| ACETAMINOPHEN W/ CODEI | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ACETAMINOPHEN W/ PROPO | | 1 (0.01) | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| ACETAMINOPHEN/CODEINE | | | 1 (0.00) | | 1 (0.00) |
| ACETAZOLAMIDE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ACETOSAL (ACETYLSALICY | | | 1 (0.00) | | 1 (0.00) |
| ACETYLCHOLINE CHLORIDE | | | | 2 (0.03) | 2 (0.00) |
| ACETYLCYSTEINE | 4 (0.07) | 3 (0.02) | 2 (0.01) | 2 (0.03) | 11 (0.02) |
| ACETYLSALICYLATE | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| ACETYLSALICYLATE LYSIN | | 1 (0.01) | | | 1 (0.00) |
| ACETYLSALICYLATE LYSIN | | | | 1 (0.01) | 1 (0.00) |
| ACETYLSALICYLIC ACID | | | 3 (0.01) | | 3 (0.00) |
| ACETYLSALICYLIC ACID (| | | | 1 (0.01) | 1 (0.00) |
| ACETYLSALICYLIC ACID + | | | 1 (0.00) | | 1 (0.00) |
| ACETYLSALICYLIC ACID S | 1 (0.02) | 6 (0.04) | 43 (0.14) | 29 (0.37) | 79 (0.13) |
| ACETYLSALICYLIC ACID/ | | 1 (0.01) | | | 1 (0.00) |
| ACETYLSCYSTEINE | | | | 1 (0.01) | 1 (0.00) |
| ACETYSALICYLIC ACID (A | | | 1 (0.00) | | 1 (0.00) |
| ACFOL | | 1 (0.01) | | | 1 (0.00) |
| ACHILLES TENDON MUSCUL | | | 1 (0.00) | | 1 (0.00) |
| ACIDUM FOLICUM | 2 (0.03) | | | | 2 (0.00) |
| ACIFLUX (ALGITEC) | | | | 1 (0.01) | 1 (0.00) |
| ACINON | | | 4 (0.01) | | 4 (0.01) |
| ACIPEX | | | 1 (0.00) | | 1 (0.00) |
| ACIPHEX | | 13 (0.08) | 29 (0.10) | 8 (0.10) | 50 (0.08) |
| ACITERTIN | | | 1 (0.00) | | 1 (0.00) |
| ACITRETIN | 1 (0.02) | 1 (0.01) | 4 (0.01) | 1 (0.01) | 7 (0.01) |
| ACITRETIN (ACITRETIN) | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ACLARUBICIN HYDROCHLOR | | | | 1 (0.01) | 1 (0.00) |
| ACLARUBICIN HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ACLOTINE | | 2 (0.01) | | | 2 (0.00) |
| ACLOVATE | | | 1 (0.00) | | 1 (0.00) |
| ACLOVATE OINTMENT | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ACNE MEDICATION | 1 (0.02) | | | | 1 (0.00) |
| ACOVIL | | | | 1 (0.01) | 1 (0.00) |
| ACTIDUE GIORNO + NOTTE | | 1 (0.01) | | | 1 (0.00) |
| ACTIFED | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ACTIFED JOUR ET NUIT (| | | 1 (0.00) | | 1 (0.00) |
| ACTIGALL | | | 1 (0.00) | | 1 (0.00) |
| ACTIMAX (MOXIFLOXACIN) | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ACTIMMUNE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ACTIMMUNE (INTERFERON | | | 1 (0.00) | | 1 (0.00) |
| ACTINAL | | | 1 (0.00) | | 1 (0.00) |
| ACTIQ | 2 (0.03) | 1 (0.01) | 2 (0.01) | | 5 (0.01) |
| ACTIRA | | 1 (0.01) | | | 1 (0.00) |
| ACTIT (MAGNESIUM CHLOR | | | 1 (0.00) | | 1 (0.00) |
| ACTIVACIN (ALTEPLASE) | | | 1 (0.00) | | 1 (0.00) |
| ACTIVACIN (ALTEPLASE)P | | | | 1 (0.01) | 1 (0.00) |
| ACTIVACIN(ALTEPLASE) P | | | 1 (0.00) | | 1 (0.00) |
| ACTIVACIN(ALTEPLASE) P | | | 1 (0.00) | | 1 (0.00) |
| ACTIVASE | | 1 (0.01) | 3 (0.01) | 3 (0.04) | 7 (0.01) |
| ACTIVASE 1 MG/ML GENEN | | | 1 (0.00) | | 1 (0.00) |
| ACTIVELLA | | | 1 (0.00) | | 1 (0.00) |
| ACTIVELLA (OESTRANORM) | | | 1 (0.00) | | 1 (0.00) |
| ACTLIYSE (ALTEPLASE) P | | | | 1 (0.01) | 1 (0.00) |
| ACTO /METFORMIN | | | 1 (0.00) | | 1 (0.00) |
| ACTONEL | | 10 (0.06) | 43 (0.14) | 14 (0.18) | 67 (0.11) |
| ACTOPLUS MET | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ACTOPLUS MET (PIOGLITA | | 1 (0.01) | | | 1 (0.00) |
| ACTOS | | 30 (0.18) | 164 (0.54) | 26 (0.34) | 220 (0.36) |
| ACTOS (PIOGLITAZONE HC | | 3 (0.02) | | | 3 (0.00) |
| ACTOS (PIOGLITAZONE HY | | | 1 (0.00) | | 1 (0.00) |
| ACTOS ^LILLY ^ | | | 3 (0.01) | | 3 (0.00) |
| ACTOS(PIOGLITAZONE HYR | | | 1 (0.00) | | 1 (0.00) |
| ACTRAPHANE 30 NOVOLET | | | 1 (0.00) | | 1 (0.00) |
| ACTRAPID | | 3 (0.02) | 10 (0.03) | | 13 (0.02) |
| ACTRAPID NOVOLET | | 2 (0.01) | | | 2 (0.00) |
| ACUATIM | | | 3 (0.01) | | 3 (0.00) |
| ACUPAN | | 4 (0.02) | 1 (0.00) | | 5 (0.01) |
| ACYCLOVIR | 7 (0.12) | 16 (0.09) | 31 (0.10) | 5 (0.06) | 59 (0.10) |
| ACYCLOVIR (ACICLOVIR) | | 2 (0.01) | | | 2 (0.00) |
| ACYCLOVIR SODIUM | 2 (0.03) | 1 (0.01) | 7 (0.02) | 1 (0.01) | 11 (0.02) |
| ADAFERON (A643-INTERFE | | 1 (0.01) | | | 1 (0.00) |
| ADAGEN | 3 (0.05) | | | | 3 (0.00) |
| ADALAT | 3 (0.05) | 4 (0.02) | 48 (0.16) | 16 (0.21) | 71 (0.12) |
| ADALAT CC | 1 (0.02) | | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| ADALAT XL (NIFEDIPINE) | | | 1 (0.00) | | 1 (0.00) |
| ADANCOR | | | | 5 (0.06) | 5 (0.01) |
| ADANCOR (NICORANDIL) | | | | 1 (0.01) | 1 (0.00) |
| ADAPALENE | 1 (0.02) | | | | 1 (0.00) |
| ADCAL D3 | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ADDERAL (AMFETAMINE AS | 1 (0.02) | | | | 1 (0.00) |
| ADDERALL (AMFETAMINE A | 4 (0.07) | | | | 4 (0.01) |
| ADDERALL (AMPHETAMINE | 2 (0.03) | | | | 2 (0.00) |
| ADDERALL (OBETROL/0134 | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ADDERALL 10 | 20 (0.34) | 9 (0.05) | 1 (0.00) | | 30 (0.05) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ADDERALL 15 | 1 (0.02) | | | | 1 (0.00) |
| ADDERALL 20 | 1 (0.02) | | | | 1 (0.00) |
| ADDERALL 30 | 2 (0.03) | | | | 2 (0.00) |
| ADDERALL TABLETS | | 1 (0.01) | | | 1 (0.00) |
| ADDERALL XR (AMFETAMIN | | 1 (0.01) | | | 1 (0.00) |
| ADDERALL XR 10 | 12 (0.20) | 4 (0.02) | | | 16 (0.03) |
| ADDERALL XR 15 | 1 (0.02) | | | | 1 (0.00) |
| ADDERALL XR 20 | 2 (0.03) | | | | 2 (0.00) |
| ADDERALL XR 25 | 1 (0.02) | | | | 1 (0.00) |
| ADDERALL XR 30 | 8 (0.14) | 1 (0.01) | | | 9 (0.01) |
| ADEFOVIR DIPIVOXIL | | | 1 (0.00) | | 1 (0.00) |
| ADEFOVIR DIPIVOXIL (AD | 1 (0.02) | | | | 1 (0.00) |
| ADEFOVIR DIPIVOXIL (AD | 1 (0.02) | | | | 1 (0.00) |
| ADEFOVIR DIPIVOXIL KIT | | | 1 (0.00) | | 1 (0.00) |
| ADELT | | 1 (0.01) | | | 1 (0.00) |
| ADENOCK | | | 1 (0.00) | | 1 (0.00) |
| ADENOSCAN | | 2 (0.01) | 2 (0.01) | 6 (0.08) | 10 (0.02) |
| ADENOSINE | 1 (0.02) | | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| ADENOSINE 5- TRIPHOSPH | 1 (0.02) | | | | 1 (0.00) |
| ADEPAL (LEVONORGESTREL | 1 (0.02) | | | | 1 (0.00) |
| ADETPHOS (AD | | | 1 (0.00) | | 1 (0.00) |
| ADIPEX | | | 1 (0.00) | | 1 (0.00) |
| ADIRO | | | | 1 (0.01) | 1 (0.00) |
| ADIRO 100 (ACETYLSALIC | | | 1 (0.00) | | 1 (0.00) |
| ADOLONTA | | | 1 (0.00) | | 1 (0.00) |
| ADONA | | | 7 (0.02) | 1 (0.01) | 8 (0.01) |
| ADONA (CARBAZOCHRO | | | | 1 (0.01) | 1 (0.00) |
| ADONA (CARBAZOCHROME S | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ADOXA | | 1 (0.01) | | | 1 (0.00) |
| ADRENAL CORTEX EXTRACT | 1 (0.02) | | | | 1 (0.00) |
| ADRENAL HORMONE PREPAR | | | 1 (0.00) | | 1 (0.00) |
| ADRIACIN | 1 (0.02) | | | | 1 (0.00) |
| ADRIAMYCIN (DOXORUBICI | | | 1 (0.00) | | 1 (0.00) |
| ADRIAMYCIN PFS | 3 (0.05) | | 6 (0.02) | 1 (0.01) | 10 (0.02) |
| ADRIBLASTINE (DOXORUBI | | | 1 (0.00) | | 1 (0.00) |
| ADRONAT | | | 1 (0.00) | | 1 (0.00) |
| ADVACAR | | | 1 (0.00) | | 1 (0.00) |
| ADVAFERON | | 1 (0.01) | | | 1 (0.00) |
| ADVAIR (FLUTICASONE PR | | 1 (0.01) | | | 1 (0.00) |
| ADVAIR (FLUTICASONE) | | 2 (0.01) | | | 2 (0.00) |
| ADVAIR (SALMETEROL XIN | | 1 (0.01) | | | 1 (0.00) |
| ADVAIR (SALMETEROL/FLU | | | 1 (0.00) | | 1 (0.00) |
| ADVAIR (SERETIDE) | | | 11 (0.04) | 4 (0.05) | 15 (0.02) |
| ADVAIR DISKUS (FLUTICA | 1 (0.02) | | | | 1 (0.00) |
| ADVAIR DISKUS (FLUTICA | 1 (0.02) | | | | 1 (0.00) |
| ADVAIR DISKUS 100/50 | 10 (0.17) | 14 (0.08) | 51 (0.17) | 6 (0.08) | 81 (0.13) |
| ADVAIR DISKUS 250/50 | 1 (0.02) | 4 (0.02) | 5 (0.02) | 1 (0.01) | 11 (0.02) |
| ADVAIR INHALER | | 1 (0.01) | | | 1 (0.00) |
| ADVANDAMET | | 1 (0.01) | | | 1 (0.00) |
| ADVATE (OCTOCOG ALFA) | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| ADVAUR | | 1 (0.01) | | | 1 (0.00) |
| ADVICOR | | | 2 (0.01) | | 2 (0.00) |
| ADVIL | 20 (0.34) | 42 (0.25) | 40 (0.13) | 9 (0.12) | 111 (0.18) |
| ADVIL /00109201/ | | 1 (0.01) | | | 1 (0.00) |
| ADVIL COLD AND SINUS | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| ADVIL COLD AND SINUS (| 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ADVIL ENFANTS ET NOURR | 1 (0.02) | | | | 1 (0.00) |
| ADVODART | | | 1 (0.00) | | 1 (0.00) |
| AERIUS | | | 1 (0.00) | | 1 (0.00) |
| AERIUS | 1 (0.02) | | | | 1 (0.00) |
| AERIUS (DESLORATADINE) | 1 (0.02) | | | | 1 (0.00) |
| AERIUS (DESLORATADINE) | | 1 (0.01) | | | 1 (0.00) |
| AERIUS TABLETS (DESLOR | | 1 (0.01) | | | 1 (0.00) |
| AEROLIN | | 1 (0.01) | | | 1 (0.00) |
| AFEDITAB CR | | | 1 (0.00) | | 1 (0.00) |
| AFRIN | | | 1 (0.00) | | 1 (0.00) |
| AGGRASTAT | | 3 (0.02) | 7 (0.02) | 5 (0.06) | 15 (0.02) |
| AGGRENOX | | 2 (0.01) | 3 (0.01) | 4 (0.05) | 9 (0.01) |
| AGIOMAX (BIVALIRUDIN)I | | | 1 (0.00) | | 1 (0.00) |
| AGRYLIN | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| AGRYLIN (ANAGRELIDE HY | | | 1 (0.00) | | 1 (0.00) |
| AI: BONE TISSUE HUMAN | | 1 (0.01) | | | 1 (0.00) |
| AI: MUSCULOSKELETAL SO | | 1 (0.01) | | | 1 (0.00) |
| AI:BONE TISSUE HUMAN T | | 1 (0.01) | | | 1 (0.00) |
| AIRBORNE FORMULA 1X EV | | 1 (0.01) | | | 1 (0.00) |
| AK-FLUOR, 10%, AKORN | | | 3 (0.01) | | 3 (0.00) |
| AKARIN (CITALOPRAM) | | | | 1 (0.01) | 1 (0.00) |
| AKINETON | 1 (0.02) | 2 (0.01) | 3 (0.01) | | 6 (0.01) |
| AKNE-MYCIN | 1 (0.02) | | | | 1 (0.00) |
| AKNEFUG MINO (MINOCYCL | 1 (0.02) | | | | 1 (0.00) |
| ALAVERT | | 1 (0.01) | | | 1 (0.00) |
| ALAVERT D-12 (LORATADI | | | 1 (0.00) | | 1 (0.00) |
| ALAVERT D-12 (LORATADI | | | 4 (0.01) | | 4 (0.01) |
| ALB. INH | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ALBENDAZOLE | 4 (0.07) | | 1 (0.00) | | 5 (0.01) |
| ALBENZA | 1 (0.02) | | | | 1 (0.00) |
| ALBUMIN (HUMAN) | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| ALBUMINAR-5 | | | 1 (0.00) | | 1 (0.00) |
| ALBUTEROL | 44 (0.74) | 34 (0.20) | 55 (0.18) | 19 (0.25) | 152 (0.25) |
| ALBUTEROL (ALBUTEROL S | 1 (0.02) | | | | 1 (0.00) |
| ALBUTEROL IHL | | | 1 (0.00) | | 1 (0.00) |
| ALBUTEROL SULATE | | | | 1 (0.01) | 1 (0.00) |
| ALBUTEROL SULFATE | 2 (0.03) | | 2 (0.01) | | 4 (0.01) |
| ALBUTEROL SULFATE (+ | | | 1 (0.00) | | 1 (0.00) |
| ALBUTEROL SULFATE AND | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| ALBUTEROL SULFATE AUTO | 7 (0.12) | 3 (0.02) | 12 (0.04) | 4 (0.05) | 26 (0.04) |
| ALBUTEROL/PRATROPIUM M | | 1 (0.01) | | | 1 (0.00) |
| ALBYL-E (ACETYLSALICYL | | | | 1 (0.01) | 1 (0.00) |
| ALCOHOL | 4 (0.07) | 14 (0.08) | 2 (0.01) | | 20 (0.03) |
| ALCOHOL (ETHANOL) | | 3 (0.02) | | | 3 (0.00) |
| ALDACTACINE | | | 1 (0.00) | | 1 (0.00) |
| ALDACTAZIDE | | | 1 (0.00) | | 1 (0.00) |
| ALDACTAZIDE (ALDACTAZI | | | 1 (0.00) | | 1 (0.00) |
| ALDACTAZINE | | | 1 (0.00) | 3 (0.04) | 4 (0.01) |
| ALDACTON (SPIRONOLACTO | | | 1 (0.00) | | 1 (0.00) |
| ALDACTONE | 2 (0.03) | 5 (0.03) | 23 (0.08) | 30 (0.39) | 60 (0.10) |
| ALDALIX | | | | 1 (0.01) | 1 (0.00) |
| ALDARA | | 6 (0.04) | 2 (0.01) | | 8 (0.01) |
| ALDESLEUKIN 18 MILLION | | | 1 (0.00) | | 1 (0.00) |
| ALDOMET | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| ALDORIL 15 | | | 1 (0.00) | | 1 (0.00) |
| ALDURAZYME | 5 (0.08) | | | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ALEMTUZUMAB | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| ALENDRONATE SODIUM | | 2 (0.01) | 12 (0.04) | 3 (0.04) | 17 (0.03) |
| ALENDRONATE SODIUM (AL | | | | 1 (0.01) | 1 (0.00) |
| ALENDRONATE(ALENDRONAT | | | 1 (0.00) | | 1 (0.00) |
| ALENDRONIC ACID | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| ALEPSAL | | | 1 (0.00) | | 1 (0.00) |
| ALERTEC | | 1 (0.01) | | | 1 (0.00) |
| ALESION | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| ALESION (| | | 1 (0.00) | | 1 (0.00) |
| ALESION (EPINASTINE) | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ALESSE | | 4 (0.02) | | | 4 (0.01) |
| ALESSE 21 (ETHINYL EST | 1 (0.02) | | | | 1 (0.00) |
| ALEVE | 7 (0.12) | 50 (0.29) | 63 (0.21) | 5 (0.06) | 125 (0.20) |
| ALEVE /00256202/ (N | | | | 1 (0.01) | 1 (0.00) |
| ALEVE (CAPLET) | 5 (0.08) | 11 (0.06) | 15 (0.05) | 9 (0.12) | 40 (0.07) |
| ALEVE COLD + SINUS CAP | | | 1 (0.00) | | 1 (0.00) |
| ALEXAN (SPIRONOLACTONE | | | 1 (0.00) | | 1 (0.00) |
| ALFACALCIDOL | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| ALFACALCIDOL (ALFACALC | | | 2 (0.01) | | 2 (0.00) |
| ALFACALCIDOL (ALFACALC | | | 1 (0.00) | | 1 (0.00) |
| ALFADIL BPH | | | 1 (0.00) | | 1 (0.00) |
| ALFAROL | 1 (0.02) | | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| ALFAROL (ALFACALCIDOL) | | | 2 (0.01) | | 2 (0.00) |
| ALFAROL (ALFACALCIDOL) | | | 1 (0.00) | | 1 (0.00) |
| ALFUZOSIN | | | 1 (0.00) | | 1 (0.00) |
| ALFUZOSIN HYDROCHLORID | | | | 1 (0.01) | 1 (0.00) |
| ALIMPTA | 1 (0.02) | | | | 1 (0.00) |
| ALIMTA | | 1 (0.01) | 13 (0.04) | 1 (0.01) | 15 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ALIMTA (PEMETREXID) | | | 1 (0.00) | | 1 (0.00) |
| ALINIA | | | 1 (0.00) | | 1 (0.00) |
| ALKA-SELTZER | | | 1 (0.00) | | 1 (0.00) |
| ALKA-SELTZER PLUS COLD | | 1 (0.01) | | | 1 (0.00) |
| ALKA-SELTZER PLUS COLD | | 2 (0.01) | | | 2 (0.00) |
| ALKALI THERAPY NOS (AL | 1 (0.02) | | | | 1 (0.00) |
| ALKALI THERAPY NOS (AL | 1 (0.02) | | | | 1 (0.00) |
| ALKERAN | | | 6 (0.02) | 6 (0.08) | 12 (0.02) |
| ALL AD HD DRUGS | 1 (0.02) | | | | 1 (0.00) |
| ALL OTHER THERAPEUTIC | | 1 (0.01) | 6 (0.02) | 3 (0.04) | 10 (0.02) |
| ALL OTHER THERAPEUTIC | | | 1 (0.00) | | 1 (0.00) |
| ALL OTHER THERAPEUTIC | 2 (0.03) | 10 (0.06) | 19 (0.06) | 6 (0.08) | 37 (0.06) |
| ALL OTHER THERAPEUTIC | | | 1 (0.00) | | 1 (0.00) |
| ALLEGRA | 10 (0.17) | 31 (0.18) | 34 (0.11) | 8 (0.10) | 83 (0.14) |
| ALLEGRA (FEXOFANADINE | | 1 (0.01) | | | 1 (0.00) |
| ALLELOCK | | 1 (0.01) | 4 (0.01) | 2 (0.03) | 7 (0.01) |
| ALLELOCK (OLOPATADINE | | 1 (0.01) | | | 1 (0.00) |
| ALLELOCK (OLOPATADINE | | 1 (0.01) | | | 1 (0.00) |
| ALLEREST (PHENYLEPHRIN | 2 (0.03) | | | | 2 (0.00) |
| ALLERGENIC EXTRACT | | | 3 (0.01) | | 3 (0.00) |
| ALLERGENIC EXTRACT -DI | | 1 (0.01) | | | 1 (0.00) |
| ALLERGIN (CHLORPHENAMI | | 1 (0.01) | | | 1 (0.00) |
| ALLERGY MEDICINE | | | 1 (0.00) | | 1 (0.00) |
| ALLERGY SHOTS (NOS) | | 1 (0.01) | | | 1 (0.00) |
| ALLERTEC | 1 (0.02) | | | | 1 (0.00) |
| ALLOGRAFT, BONE BONE | | 1 (0.01) | | | 1 (0.00) |
| ALLOPUR (ALLOPURINOL) | | | | 1 (0.01) | 1 (0.00) |
| ALLOPURINOL | 2 (0.03) | 14 (0.08) | 73 (0.24) | 22 (0.28) | 111 (0.18) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ALLOPURINOL (200 MG) A | | | 1 (0.00) | | 1 (0.00) |
| ALLOPURINOL MSD | | | 1 (0.00) | | 1 (0.00) |
| ALLOPUSINOL | | | | 1 (0.01) | 1 (0.00) |
| ALMAGATE | | | 1 (0.00) | | 1 (0.00) |
| ALMAGATE (ALMAGATE) | | | 1 (0.00) | | 1 (0.00) |
| ALMAGEL | | 2 (0.01) | | | 2 (0.00) |
| ALOH/MGOH/SIMTH XTRA S | | 1 (0.01) | | | 1 (0.00) |
| ALOH/MGOH/SIMTH XTRA S | | | 1 (0.00) | | 1 (0.00) |
| ALOSENN | | | 3 (0.01) | | 3 (0.00) |
| ALOXI | | 4 (0.02) | 9 (0.03) | 4 (0.05) | 17 (0.03) |
| ALPHA GLUCOSIDASE INHI | | | 1 (0.00) | | 1 (0.00) |
| ALPHA LIPOIC ACID (THI | | | 1 (0.00) | | 1 (0.00) |
| ALPHA-LIPON (THIOCTIC | | | 1 (0.00) | | 1 (0.00) |
| ALPHAGAN | | | 14 (0.05) | 4 (0.05) | 18 (0.03) |
| ALPHAGAN (BRIMONIDINE | | | | 1 (0.01) | 1 (0.00) |
| ALPHAGAN P | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| ALPRAZOLAM | 7 (0.12) | 25 (0.15) | 25 (0.08) | 5 (0.06) | 62 (0.10) |
| ALPRESS | | | | 1 (0.01) | 1 (0.00) |
| ALPROSTADIL | 2 (0.03) | 1 (0.01) | 2 (0.01) | 5 (0.06) | 10 (0.02) |
| ALREX | | | 1 (0.00) | | 1 (0.00) |
| ALREX (LOTEPREDNOL ETA | | | 1 (0.00) | | 1 (0.00) |
| ALTACE | 4 (0.07) | 15 (0.09) | 51 (0.17) | 26 (0.34) | 96 (0.16) |
| ALTAT | | | | 4 (0.05) | 4 (0.01) |
| ALTENOLOL | | | 1 (0.00) | | 1 (0.00) |
| ALTHIAZIDE | | 1 (0.01) | | | 1 (0.00) |
| ALTHIAZIDE AND SPIRONO | | | 1 (0.00) | | 1 (0.00) |
| ALUMINUM HYDROXIDE AND | | | 1 (0.00) | | 1 (0.00) |
| ALUMINUM HYDROXIDE GEL | | 2 (0.01) | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ALVEDON | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| ALVEDON (PARACETAMOL) | | 1 (0.01) | | | 1 (0.00) |
| ALVEDON (PARACETAMOL) | | | 1 (0.00) | | 1 (0.00) |
| ALVERINE | | | 1 (0.00) | | 1 (0.00) |
| ALVERINE CITRATE | | | 1 (0.00) | | 1 (0.00) |
| AMANTADINE | | 1 (0.01) | | | 1 (0.00) |
| AMANTADINE (AMANTADINE | | 1 (0.01) | | | 1 (0.00) |
| AMANTADINE HCL | | 7 (0.04) | 13 (0.04) | 1 (0.01) | 21 (0.03) |
| AMANTADINE SULFATE | | | | 3 (0.04) | 3 (0.00) |
| AMARYL | | 28 (0.16) | 143 (0.47) | 28 (0.36) | 199 (0.33) |
| AMBIEN | 8 (0.14) | 82 (0.48) | 96 (0.32) | 14 (0.18) | 200 (0.33) |
| AMBIEN (ZOLIPIDEM TART | | | 1 (0.00) | | 1 (0.00) |
| AMBIEN (ZOLPIDEM TARTR | | 1 (0.01) | | | 1 (0.00) |
| AMBIEN (ZOLPIDEM TATRA | | | 1 (0.00) | | 1 (0.00) |
| AMBIEN CR | | 3 (0.02) | 4 (0.01) | 1 (0.01) | 8 (0.01) |
| AMBISOME | 2 (0.03) | 5 (0.03) | 2 (0.01) | | 9 (0.01) |
| AMBROXOL (AMBROXOL) | 1 (0.02) | | | | 1 (0.00) |
| AMERGE | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| AMERICAN FARE NICOTINE | | | 1 (0.00) | | 1 (0.00) |
| AMERIDE | | | 2 (0.01) | | 2 (0.00) |
| AMEVIVE | 1 (0.02) | 5 (0.03) | 9 (0.03) | 5 (0.06) | 20 (0.03) |
| AMEVIVE (AL | | 1 (0.01) | | | 1 (0.00) |
| AMIAS 2MG TABLETS | | | | 1 (0.01) | 1 (0.00) |
| AMICAR | | | 2 (0.01) | | 2 (0.00) |
| AMIDRINE GENERIC | | 1 (0.01) | | | 1 (0.00) |
| AMIFOSTINE | | | 1 (0.00) | | 1 (0.00) |
| AMIKACIN | 1 (0.02) | 2 (0.01) | 4 (0.01) | | 7 (0.01) |
| AMIKACIN (AMIKICAN) | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| AMIKACIN BANYU | 1 (0.02) | | | | 1 (0.00) |
| AMIKACIN SULFATE | | 4 (0.02) | | | 4 (0.01) |
| AMIKIN | | | 2 (0.01) | | 2 (0.00) |
| AMIKLIN | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| AMIKLIN INJ | 1 (0.02) | | | | 1 (0.00) |
| AMILORID NM PHARMA | | | 1 (0.00) | | 1 (0.00) |
| AMILORIDE CHLORTHALIDO | | 1 (0.01) | | | 1 (0.00) |
| AMILORIDE HCL | | | 1 (0.00) | | 1 (0.00) |
| AMILORIDE HCL AND HYDR | | | | 1 (0.01) | 1 (0.00) |
| AMILORIDE HYDROCHLORID | | | | 1 (0.01) | 1 (0.00) |
| AMILORIDE HYDROCHLORID | | | | 1 (0.01) | 1 (0.00) |
| AMINO ACIDS | | 1 (0.01) | | | 1 (0.00) |
| AMINOFILINA (AMINOPHYL | 1 (0.02) | | | | 1 (0.00) |
| AMINOGLYCOSIDE ANTIBAC | | 1 (0.01) | | | 1 (0.00) |
| AMINOHIPPURATE SODIUM | 2 (0.03) | | | | 2 (0.00) |
| AMINOPHYLLIN | 2 (0.03) | | | | 2 (0.00) |
| AMINOPHYLLINE | | 4 (0.02) | | | 4 (0.01) |
| AMINOSALICYLIC ACID AN | | 1 (0.01) | | | 1 (0.00) |
| AMIODARON HYDROCHLORID | 1 (0.02) | | | | 1 (0.00) |
| AMIODARONE | 1 (0.02) | | 17 (0.06) | 7 (0.09) | 25 (0.04) |
| AMIODARONE | | | 1 (0.00) | | 1 (0.00) |
| AMIODARONE (AMIODARON | | | 1 (0.00) | | 1 (0.00) |
| AMIODARONE 200MG | | | 2 (0.01) | | 2 (0.00) |
| AMIODARONE 400 MG, TH | | | 1 (0.00) | | 1 (0.00) |
| AMIODARONE (AMIODARONE | | | | 1 (0.01) | 1 (0.00) |
| AMIODARONE (AMIODARONE | | | | 1 (0.01) | 1 (0.00) |
| AMIODARONE (AMIODARONE | | | | 1 (0.01) | 1 (0.00) |
| AMIODARONE 150 MG /3 M | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| AMIODARONE 200 MG | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| AMIODARONE HCL | 2 (0.03) | | 9 (0.03) | 12 (0.15) | 23 (0.04) |
| AMIODARONE HYDROCHLORI | | | 5 (0.02) | 2 (0.03) | 7 (0.01) |
| AMIODARONE;;;ANTIARRHY | | | | 1 (0.01) | 1 (0.00) |
| AMISALIN (PROCAINAMIDE | | | | 1 (0.01) | 1 (0.00) |
| AMISULPRIDE | | 1 (0.01) | 17 (0.06) | 1 (0.01) | 19 (0.03) |
| AMISULPRIDE (AMISULPRI | | | 1 (0.00) | | 1 (0.00) |
| AMITRIPTYLIN | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| AMITRIPTYLINE | 1 (0.02) | | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| AMITRIPTYLINE (AMITRIP | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| AMITRIPTYLINE HCL | 5 (0.08) | 12 (0.07) | 22 (0.07) | 7 (0.09) | 46 (0.08) |
| AMITRIPTYLINE HCL 100M | | 1 (0.01) | | | 1 (0.00) |
| AMITRIPTYLINE HYDROCHL | | 1 (0.01) | 16 (0.05) | 2 (0.03) | 19 (0.03) |
| AMLODIN | | | 7 (0.02) | 2 (0.03) | 9 (0.01) |
| AMLODIPINE | 4 (0.07) | 7 (0.04) | 51 (0.17) | 15 (0.19) | 77 (0.13) |
| AMLODIPINE BESILATE (A | | | 1 (0.00) | | 1 (0.00) |
| AMLODIPINE BESILATE TA | | | 2 (0.01) | | 2 (0.00) |
| AMLODIPINE BESYLATE | | 4 (0.02) | 26 (0.09) | 11 (0.14) | 41 (0.07) |
| AMLODIPINE MESYLATE | | | 1 (0.00) | | 1 (0.00) |
| AMLOR | | | 5 (0.02) | 7 (0.09) | 12 (0.02) |
| AMMONIUM LACTATE | | | 1 (0.00) | | 1 (0.00) |
| AMNESTEEM | 7 (0.12) | 6 (0.04) | | | 13 (0.02) |
| AMOBAN | | 3 (0.02) | 1 (0.00) | 2 (0.03) | 6 (0.01) |
| AMOBAN (ZOPICLONE) | | | 2 (0.01) | | 2 (0.00) |
| AMOBARBITAL SODIUM | | | 1 (0.00) | | 1 (0.00) |
| AMOCILLIN | 4 (0.07) | | | | 4 (0.01) |
| AMOCLAV | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| AMOKSIKLAV | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| AMOKSIKLAV (NGX) (AMOX | 1 (0.02) | | | | 1 (0.00) |
| AMOXAN | 1 (0.02) | | | | 1 (0.00) |
| AMOXAPINE | | 1 (0.01) | | | 1 (0.00) |
| AMOXICILLIN | 17 (0.29) | 24 (0.14) | 18 (0.06) | 3 (0.04) | 62 (0.10) |
| AMOXICILLIN (AMOXICILL | | 1 (0.01) | | | 1 (0.00) |
| AMOXICILLIN + CLAVULAN | 1 (0.02) | 2 (0.01) | 5 (0.02) | 1 (0.01) | 9 (0.01) |
| AMOXICILLIN + CLAVULAN | | 1 (0.01) | | | 1 (0.00) |
| AMOXICILLIN / CLAVULAN | | | 1 (0.00) | | 1 (0.00) |
| AMOXICILLIN AND CLAVUL | 1 (0.02) | 4 (0.02) | 2 (0.01) | | 7 (0.01) |
| AMOXICILLIN CLAVULANAT | | | | 1 (0.01) | 1 (0.00) |
| AMOXICILLIN SODIUM | 1 (0.02) | | | | 1 (0.00) |
| AMOXICILLIN TRIHYDRATE | 2 (0.03) | 3 (0.02) | 3 (0.01) | 1 (0.01) | 9 (0.01) |
| AMOXICILLIN-CLAVULANIC | | 1 (0.01) | | | 1 (0.00) |
| AMOXICILLIN/SULBACTAM | | | | 1 (0.01) | 1 (0.00) |
| AMOXICILLINE + AC CLAV | | 1 (0.01) | | | 1 (0.00) |
| AMOXICILLINE RPG | | | | 1 (0.01) | 1 (0.00) |
| AMOXIL | 7 (0.12) | 2 (0.01) | | | 9 (0.01) |
| AMOXIL ^BEECHAM PHARM^ | | 1 (0.01) | | | 1 (0.00) |
| AMPCILLIN | 1 (0.02) | | | | 1 (0.00) |
| AMPHETAMINE SULFATE | | 1 (0.01) | | | 1 (0.00) |
| AMPHO-MORONAL (AMPHOTE | 1 (0.02) | | | | 1 (0.00) |
| AMPHOTERICIN B | 1 (0.02) | 5 (0.03) | 5 (0.02) | | 11 (0.02) |
| AMPICILLIN | 3 (0.05) | | 2 (0.01) | | 5 (0.01) |
| AMPICILLIN AND SULBACT | | | 1 (0.00) | | 1 (0.00) |
| AMPICILLIN IV | | | 1 (0.00) | | 1 (0.00) |
| AMPICILLIN SODIUM | 4 (0.07) | 1 (0.01) | | 2 (0.03) | 7 (0.01) |
| AMPICILLIN SODIUM W/SU | | 1 (0.01) | | | 1 (0.00) |
| AMPICILLIN SODIUM/SULB | | 2 (0.01) | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| AMPRENAVIR | | 1 (0.01) | | | 1 (0.00) |
| ANABOLIC STEROIDS | | 1 (0.01) | | | 1 (0.00) |
| ANACIN | | | 5 (0.02) | | 5 (0.01) |
| ANACIN PAIN RELIEVER (| 1 (0.02) | | | | 1 (0.00) |
| ANADIN IBUPROFEN (IBUP | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ANAESTHETIC | | | 1 (0.00) | | 1 (0.00) |
| ANAESTHETIC (UNSPECIFI | 1 (0.02) | | | | 1 (0.00) |
| ANAFRANIL | 2 (0.03) | 3 (0.02) | 1 (0.00) | | 6 (0.01) |
| ANAGRELIDE (NGX) (ANAG | | 1 (0.01) | | | 1 (0.00) |
| ANAGRELIDE HCL | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| ANALGESIC OR ANESTHETI | | 2 (0.01) | 7 (0.02) | 1 (0.01) | 10 (0.02) |
| ANALGESICS | | | 2 (0.01) | 3 (0.04) | 5 (0.01) |
| ANALGESICS (ANALGESICS | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ANALGETICS | | 1 (0.01) | | | 1 (0.00) |
| ANAPEINE | | 1 (0.01) | | | 1 (0.00) |
| ANAPROX | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ANASTRAZOL | | 2 (0.01) | | | 2 (0.00) |
| ANASTROZOLE | | | 1 (0.00) | | 1 (0.00) |
| ANASTROZOLE | | | 1 (0.00) | | 1 (0.00) |
| ANCARON (AMIODARONE, T | | 2 (0.01) | 5 (0.02) | 1 (0.01) | 8 (0.01) |
| ANCEF | 1 (0.02) | 3 (0.02) | 6 (0.02) | | 10 (0.02) |
| ANCORON | | | 1 (0.00) | | 1 (0.00) |
| ANDOL (ACETYLSALICYLIC | | | 1 (0.00) | | 1 (0.00) |
| ANDRODERM | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ANDROGEL | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |
| ANDROGEL 5.0 G | | | 1 (0.00) | | 1 (0.00) |
| ANDROGEL GEL 1% SOLVAY | | 1 (0.01) | | | 1 (0.00) |
| ANEMET | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ANEXATE | | | | 2 (0.03) | 2 (0.00) |
| ANGELIQ | | | 4 (0.01) | | 4 (0.01) |
| ANGIOMAX | | 4 (0.02) | 16 (0.05) | 10 (0.13) | 30 (0.05) |
| ANGIOTENSIN II ANTAGON | | | 1 (0.00) | | 1 (0.00) |
| ANGIPRESS | | | 1 (0.00) | | 1 (0.00) |
| ANOPYRIN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ANPLAG | | | 1 (0.00) | | 1 (0.00) |
| ANTABUSE | | 3 (0.02) | | | 3 (0.00) |
| ANTACID TAB | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| ANTALVIC (DEXTROPOROPO | | | 1 (0.00) | | 1 (0.00) |
| ANTARA | | | 1 (0.00) | | 1 (0.00) |
| ANTARA (MICRONIZED) | | | 2 (0.01) | | 2 (0.00) |
| ANTI DEPRESSANTS | | | 1 (0.00) | | 1 (0.00) |
| ANTI HIV | | 1 (0.01) | | | 1 (0.00) |
| ANTI-ASTHMATICS | | | 1 (0.00) | | 1 (0.00) |
| ANTI-CHOLESTEROL MEDIC | | 1 (0.01) | | | 1 (0.00) |
| ANTI-COMMON COLD DRUGS | | | 2 (0.01) | | 2 (0.00) |
| ANTI-DIABETES (ANTI-DI | | | 1 (0.00) | | 1 (0.00) |
| ANTI-DIABETICS | 2 (0.03) | | | | 2 (0.00) |
| ANTI-HYPERTENSIVE | | | 1 (0.00) | | 1 (0.00) |
| ANTI-HYPERTENSIVE MEDI | | | | 1 (0.01) | 1 (0.00) |
| ANTI-HYPERTENSIVES | | | | 1 (0.01) | 1 (0.00) |
| ANTI-INFLAMMATORIES | | | 1 (0.00) | | 1 (0.00) |
| ANTI-PARATHYROID HORMO | | 1 (0.01) | | | 1 (0.00) |
| ANTI-PYSCHOTICS | | 1 (0.01) | | | 1 (0.00) |
| ANTI-TUBERCULOSIS MEDI | | 2 (0.01) | | | 2 (0.00) |
| ANTIASTHMATICS | | | 1 (0.00) | | 1 (0.00) |
| ANTIBIOTIC | 2 (0.03) | 5 (0.03) | 1 (0.00) | | 8 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ANTIBIOTIC (ANTIBIOTIC | | 1 (0.01) | | | 1 (0.00) |
| ANTIBIOTIC (NOS) | | | 1 (0.00) | | 1 (0.00) |
| ANTIBIOTIC OINTMENT | | | 1 (0.00) | | 1 (0.00) |
| ANTIBIOTICS | 5 (0.08) | 10 (0.06) | 9 (0.03) | 2 (0.03) | 26 (0.04) |
| ANTIBIOTICS (ANTIBIOTI | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ANTIBIOTICS (ANTIBIOTI | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ANTIBIOTICS (NOT SPECI | | | 1 (0.00) | | 1 (0.00) |
| ANTIBIOTICS FOR TOPICA | | | 1 (0.00) | | 1 (0.00) |
| ANTIBIOTICS NOS | | | 1 (0.00) | | 1 (0.00) |
| ANTICOAGULANT (ANTICOA | | 1 (0.01) | | | 1 (0.00) |
| ANTICOAGULANT 4% SODIU | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ANTICOAGULANT CITRATE | | | | 1 (0.01) | 1 (0.00) |
| ANTICOAGULANT THERAPY | | | 1 (0.00) | | 1 (0.00) |
| ANTICOAGULANTS (ANTICO | | | | 1 (0.01) | 1 (0.00) |
| ANTICOAGULANTS (ANTITH | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ANTICONVULSANT | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ANTICONVULSANT MEDICAT | 1 (0.02) | | | | 1 (0.00) |
| ANTICONVULSANTS | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ANTIDEPRESSANT | 2 (0.03) | | | | 2 (0.00) |
| ANTIDEPRESSANT (ANTIDE | | 1 (0.01) | | | 1 (0.00) |
| ANTIDEPRESSANTS | | 2 (0.01) | 6 (0.02) | | 8 (0.01) |
| ANTIDEPRESSANTS (ANTID | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| ANTIDEPRESSANTS (NOS) | | | 1 (0.00) | | 1 (0.00) |
| ANTIDIABETIC | | 2 (0.01) | | | 2 (0.00) |
| ANTIDIABETIC DRUGS | | | 1 (0.00) | | 1 (0.00) |
| ANTIFUNGAL TREATMENT | 1 (0.02) | | | | 1 (0.00) |
| ANTIHISTAMINE | | 1 (0.01) | | | 1 (0.00) |
| ANTIHISTAMINES | 3 (0.05) | 1 (0.01) | 2 (0.01) | | 6 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ANTIHYPERTENSIVE | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| ANTIHYPERTENSIVE (ANTI | | 1 (0.01) | | | 1 (0.00) |
| ANTIHYPERTENSIVE AGENT | | | 1 (0.00) | | 1 (0.00) |
| ANTIHYPERTENSIVE AGENT | | | 1 (0.00) | | 1 (0.00) |
| ANTIHYPERTENSIVE DRUG | | | 1 (0.00) | | 1 (0.00) |
| ANTIHYPERTENSIVE DRUGS | | | 1 (0.00) | | 1 (0.00) |
| ANTIHYPERTENSIVE MEDIC | | | | 1 (0.01) | 1 (0.00) |
| ANTIHYPERTENSIVE MEDIC | | | 1 (0.00) | | 1 (0.00) |
| ANTIHYPERTENSIVES | 1 (0.02) | 4 (0.02) | 8 (0.03) | 5 (0.06) | 18 (0.03) |
| ANTIHYPERTENSIVES (ANT | 2 (0.03) | | | | 2 (0.00) |
| ANTIHYPERTENSIVES (ANT | 1 (0.02) | | | | 1 (0.00) |
| ANTIHYPERTENSIVES (ANT | | 2 (0.01) | 6 (0.02) | 4 (0.05) | 12 (0.02) |
| ANTIHYPERTINSIVES | | | 1 (0.00) | | 1 (0.00) |
| ANTIINFLAMMATORY/ANTIR | | 1 (0.01) | | | 1 (0.00) |
| ANTIMICROBIAL (UNSPECI | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| ANTIMIGRAINE PREPARATI | | 1 (0.01) | | | 1 (0.00) |
| ANTINEOPLASTIC | | | 1 (0.00) | | 1 (0.00) |
| ANTINEOPLASTIC (UNSPEC | | | 1 (0.00) | | 1 (0.00) |
| ANTINEOPLASTIC AGENTS | | | 2 (0.01) | | 2 (0.00) |
| ANTIPLATELET AGENTS | | | | 1 (0.01) | 1 (0.00) |
| ANTIPSYCHOTIC AGENT (A | | | 1 (0.00) | | 1 (0.00) |
| ANTIPSYCHOTIC AGENT (N | 1 (0.02) | | | | 1 (0.00) |
| ANTIRETROVIRALS (ANTIR | | 1 (0.01) | | | 1 (0.00) |
| ANTITHROMBIN III (ANTI | | | 1 (0.00) | | 1 (0.00) |
| ANTITHYMOCYTE IMMUNOGL | 1 (0.02) | | | | 1 (0.00) |
| ANTITUSSIVE NOS | 2 (0.03) | | | | 2 (0.00) |
| ANTIVERT | | | | 2 (0.03) | 2 (0.00) |
| ANTIVERT PFIZER (MECL | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ANTIVIRAL (ANTIVIRALS | | | 1 (0.00) | | 1 (0.00) |
| ANTIVIRALS FOR SYSTEMI | | 1 (0.01) | | | 1 (0.00) |
| ANTRA | | | 1 (0.00) | | 1 (0.00) |
| ANYRUME | 2 (0.03) | | | | 2 (0.00) |
| ANZEMET | | 7 (0.04) | 3 (0.01) | 1 (0.01) | 11 (0.02) |
| AOTAL (ACAMPROSATE) | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| APAP 500 MG/ HYDROCODO | | | | 1 (0.01) | 1 (0.00) |
| APAP TAB | | | 2 (0.01) | | 2 (0.00) |
| APLISOL DIAGNOSTIC ANT | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| APO-GO | | 1 (0.01) | | | 1 (0.00) |
| APO-LEFLUNOMIDE (LEFLU | | | 1 (0.00) | | 1 (0.00) |
| APO-LEVOCARB | | | | 1 (0.01) | 1 (0.00) |
| APO-NADOL | | | 1 (0.00) | | 1 (0.00) |
| APO-PAROXETINE (PAROXE | 1 (0.02) | | | | 1 (0.00) |
| APO-PREDNISONE | | | 1 (0.00) | | 1 (0.00) |
| APOMORPHINE HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |
| APOMORPHINE HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |
| APPROVEL | | | | 1 (0.01) | 1 (0.00) |
| APREPITANT | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| APRESOLINE | | | 1 (0.00) | | 1 (0.00) |
| APRI | | 2 (0.01) | | | 2 (0.00) |
| APRINDINE HYDROCHLORID | | | 3 (0.01) | | 3 (0.00) |
| APROTIN | | 1 (0.01) | | | 1 (0.00) |
| APROTININ | | | 4 (0.01) | | 4 (0.01) |
| APROVEL | | 1 (0.01) | 1 (0.00) | 3 (0.04) | 5 (0.01) |
| APROVEL TABS 150 MG | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| APTIVUS | | 5 (0.03) | 3 (0.01) | | 8 (0.01) |
| AQUAFRESH EXTREME CLEA | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| AQUAFRESH EXTREME CLEA | | 1 (0.01) | | | 1 (0.00) |
| AQUAMEPHYTON | | | 1 (0.00) | | 1 (0.00) |
| AQUAPHOR | | | 1 (0.00) | | 1 (0.00) |
| AQUAPHOR (XIPAMIDE FOR | | | 1 (0.00) | | 1 (0.00) |
| AQUEOUS CREAM (EMULSIF | | | 1 (0.00) | | 1 (0.00) |
| AQUEOUS CREAM (EMULSIF | | | 1 (0.00) | | 1 (0.00) |
| AQUILEA | | 1 (0.01) | | | 1 (0.00) |
| AQUPLA | | 1 (0.01) | | | 1 (0.00) |
| ARA-C (CYTARBINE) | | 1 (0.01) | | | 1 (0.00) |
| ARALEN | 1 (0.02) | | | | 1 (0.00) |
| ARANESP | 1 (0.02) | 3 (0.02) | 13 (0.04) | 4 (0.05) | 21 (0.03) |
| ARASENA-A | | | 1 (0.00) | | 1 (0.00) |
| ARAVA | | 9 (0.05) | 11 (0.04) | | 20 (0.03) |
| ARBEKACIN SULFATE | | | 2 (0.01) | | 2 (0.00) |
| ARCOXIA | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ARDINEX | | | 1 (0.00) | | 1 (0.00) |
| AREDIA | | 2 (0.01) | 26 (0.09) | 10 (0.13) | 38 (0.06) |
| ARELIX ACE (RAMIPRIL, | | | | 1 (0.01) | 1 (0.00) |
| ARESTIN | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| ARGATROBAN | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| ARICEPT | | 1 (0.01) | 36 (0.12) | 70 (0.90) | 107 (0.18) |
| ARICEPT (CONEPEZIL HYD | | | | 1 (0.01) | 1 (0.00) |
| ARICEPT (DONEPEZIL HYD | | | | 1 (0.01) | 1 (0.00) |
| ARICEPT (DONEPEZILE HY | | | | 1 (0.01) | 1 (0.00) |
| ARICEPT /JPN/ (DONEPEZ | | | 1 (0.00) | | 1 (0.00) |
| ARICFEPT (DONEPEZIL HY | | | | 1 (0.01) | 1 (0.00) |
| ARIFON (INDAPAMIDE) | | | 1 (0.00) | | 1 (0.00) |
| ARIMIDEX | | 5 (0.03) | 34 (0.11) | 11 (0.14) | 50 (0.08) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ARIPIPRAZOLE | 3 (0.05) | 8 (0.05) | 3 (0.01) | 1 (0.01) | 15 (0.02) |
| ARIPIPRAZOLE (ARIPIPRA | | 4 (0.02) | 1 (0.00) | | 5 (0.01) |
| ARIPIPRAZOLE 30 MG TAB | | | 1 (0.00) | | 1 (0.00) |
| ARIPIPRAZOLE 5 MG | 1 (0.02) | | | | 1 (0.00) |
| ARIXTRA | | | 6 (0.02) | | 6 (0.01) |
| ARMOUR THYROID 120 MG | | | 1 (0.00) | | 1 (0.00) |
| ARMOUR THYROID TABLETS | | | 5 (0.02) | | 5 (0.01) |
| AROMASIN | | 4 (0.02) | 17 (0.06) | 3 (0.04) | 24 (0.04) |
| AROMASIN (EXEMESTNE) | | | | 1 (0.01) | 1 (0.00) |
| AROMYCIN | | | | 2 (0.03) | 2 (0.00) |
| AROPAX | | 1 (0.01) | | | 1 (0.00) |
| ARSENIC TRIOXIDE | 2 (0.03) | 3 (0.02) | 8 (0.03) | 4 (0.05) | 17 (0.03) |
| ARSENIC TRIOXIDE 10MG/ | | | | 1 (0.01) | 1 (0.00) |
| ARTANE | | | 6 (0.02) | 1 (0.01) | 7 (0.01) |
| ARTHROTEC | | 5 (0.03) | 8 (0.03) | 4 (0.05) | 17 (0.03) |
| ARTICIAL TEARS | | | | 1 (0.01) | 1 (0.00) |
| ARTIFICIAL TEARS | | | 1 (0.00) | | 1 (0.00) |
| ARTIST | | 1 (0.01) | 10 (0.03) | | 11 (0.02) |
| ASA (ASPIRIN (ACETYLSA | | | 1 (0.00) | | 1 (0.00) |
| ASA (ASPIRIN (ACETYLSA | | | 2 (0.01) | | 2 (0.00) |
| ASA TABS (ACETYLSALICY | | | 1 (0.00) | | 1 (0.00) |
| ASACOL | 7 (0.12) | 9 (0.05) | 6 (0.02) | 3 (0.04) | 25 (0.04) |
| ASAFLOW | | | 3 (0.01) | | 3 (0.00) |
| ASANTIN | | | | 1 (0.01) | 1 (0.00) |
| ASASANTIN | | | | 1 (0.01) | 1 (0.00) |
| ASASANTIN - SLOW RELEA | | | | 2 (0.03) | 2 (0.00) |
| ASASANTIN SR (CAPSULE, | | | 1 (0.00) | | 1 (0.00) |
| ASCAL | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ASCAL CARDIO | | | 1 (0.00) | | 1 (0.00) |
| ASCORBIC ACID | 1 (0.02) | 7 (0.04) | 5 (0.02) | 3 (0.04) | 16 (0.03) |
| ASCRIPTIN (ACETYLSALIC | | | | 1 (0.01) | 1 (0.00) |
| ASM981 | | | 1 (0.00) | | 1 (0.00) |
| ASMANEX TWISTHALER | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ASORBIC ACID | | | 1 (0.00) | | 1 (0.00) |
| ASPARA-CA (ASPARTATE | | | | 1 (0.01) | 1 (0.00) |
| ASPARTIC ACID | 1 (0.02) | | | | 1 (0.00) |
| ASPARTIC ACID (ASPARTI | 1 (0.02) | | | | 1 (0.00) |
| ASPEGIC | | 1 (0.01) | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| ASPEGIC 1000 | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ASPENON CAPSULES | | | 1 (0.00) | | 1 (0.00) |
| ASPERCREME | | | 1 (0.00) | | 1 (0.00) |
| ASPERGIC | | | 1 (0.00) | | 1 (0.00) |
| ASPIRIN | 14 (0.24) | 165 (0.97) | 911 (3.01) | 266 (3.43) | 1356 (2.22) |
| ASPIRIN ENTERIC COATED | | | | 1 (0.01) | 1 (0.00) |
| ASPIRIN FREE EXCEDRIN | | | 2 (0.01) | | 2 (0.00) |
| ASPIRIN LYSINE | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| ASPIRIN TAB | | | 1 (0.00) | | 1 (0.00) |
| ASPIRINE 9ACETYLSALICY | | 1 (0.01) | | | 1 (0.00) |
| ASPRIN (ACETYLSALICYLI | | 1 (0.01) | | | 1 (0.00) |
| ASTELIN | | 4 (0.02) | 4 (0.01) | 1 (0.01) | 9 (0.01) |
| ASTHMA MEDICATION | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| ASTHMAXINE | | | | 1 (0.01) | 1 (0.00) |
| ASTOMIN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ASTRIX (ACETYLSALICYLI | | | | 2 (0.03) | 2 (0.00) |
| ASVERIN | 18 (0.30) | 2 (0.01) | | | 20 (0.03) |
| ASVERN (TIPEPIDINE HIB | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ATACAND | | 4 (0.02) | 28 (0.09) | 11 (0.14) | 43 (0.07) |
| ATACAND HCT | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| ATARAX | 6 (0.10) | 9 (0.05) | 15 (0.05) | 7 (0.09) | 37 (0.06) |
| ATARAX (TABLET) (HYDO | | 1 (0.01) | | | 1 (0.00) |
| ATAZANAVIR | 1 (0.02) | 5 (0.03) | | | 6 (0.01) |
| ATAZANAVIR (ATAZANAVIR | | | 1 (0.00) | | 1 (0.00) |
| ATAZANAVIR (REYATAZ) | | | 1 (0.00) | | 1 (0.00) |
| ATELEC | | 1 (0.01) | 9 (0.03) | | 10 (0.02) |
| ATELEC (CILNIDIPINE) | | | 1 (0.00) | | 1 (0.00) |
| ATELEC (CLINIDIPINE) | | | 1 (0.00) | | 1 (0.00) |
| ATENILON | | | | 1 (0.01) | 1 (0.00) |
| ATENOL | | | 1 (0.00) | | 1 (0.00) |
| ATENOLO | | | 2 (0.01) | | 2 (0.00) |
| ATENOLOL | 7 (0.12) | 48 (0.28) | 230 (0.76) | 84 (1.08) | 369 (0.61) |
| ATENOMEL (ATENOLOL) | | | 1 (0.00) | | 1 (0.00) |
| ATGAM | 1 (0.02) | | | | 1 (0.00) |
| ATHYMIL | | | | 1 (0.01) | 1 (0.00) |
| ATHYMIL (MIANSERIN) | | | 1 (0.00) | | 1 (0.00) |
| ATIVAN | 4 (0.07) | 35 (0.21) | 57 (0.19) | 7 (0.09) | 103 (0.17) |
| ATMADISC MITE | 1 (0.02) | | | | 1 (0.00) |
| ATOMOXETINE HYDROCHLOR | 2 (0.03) | | | | 2 (0.00) |
| ATOMOXETINE HYDROCHLOR | 1 (0.02) | | | | 1 (0.00) |
| ATOMOXETINE HYDROCHLOR | 1 (0.02) | | | | 1 (0.00) |
| ATOMOXETINE HYDROCHLOR | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ATOMOXETINE HYDROCHLOR | 1 (0.02) | | | | 1 (0.00) |
| ATOMOXETINE HYDROCHLOR | 1 (0.02) | | | | 1 (0.00) |
| ATORVASTATIN | | 1 (0.01) | 4 (0.01) | 1 (0.01) | 6 (0.01) |
| ATORVASTATIN 80 MG | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ATORVASTATIN 40 MG PFI | | | 1 (0.00) | | 1 (0.00) |
| ATORVASTATIN CALCIUM | | 13 (0.08) | 71 (0.23) | 18 (0.23) | 102 (0.17) |
| ATRACURIUM BESYLATE | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ATROPINE | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| ATROPINE SULFATE | | | 1 (0.00) | | 1 (0.00) |
| ATROPINE W/DIPHENOXYLA | | 1 (0.01) | | | 1 (0.00) |
| ATROVENT | | 3 (0.02) | 13 (0.04) | 4 (0.05) | 20 (0.03) |
| ATROVENT HFA | | | 1 (0.00) | | 1 (0.00) |
| ATUSS DM | | | 1 (0.00) | | 1 (0.00) |
| AUGEMENTIN | 1 (0.02) | | | | 1 (0.00) |
| AUGMENTIN | | 2 (0.01) | 4 (0.01) | 1 (0.01) | 7 (0.01) |
| AUGMENTIN '125' | 14 (0.24) | 25 (0.15) | 17 (0.06) | 12 (0.15) | 68 (0.11) |
| AUGMENTIN '250' | 2 (0.03) | 2 (0.01) | | | 4 (0.01) |
| AUGMENTIN '500' | | | 1 (0.00) | | 1 (0.00) |
| AUGMENTIN '875' | 1 (0.02) | | | | 1 (0.00) |
| AUGMENTIN /UNK/ | | 1 (0.01) | | | 1 (0.00) |
| AULIN | | | | 1 (0.01) | 1 (0.00) |
| AULIN (NIMESULIDE) | | | | 1 (0.01) | 1 (0.00) |
| AUTOLOGOUS TRANSPLANTA | | | 1 (0.00) | | 1 (0.00) |
| AVALI | | | | 1 (0.01) | 1 (0.00) |
| AVALIDE | | 1 (0.01) | 12 (0.04) | 1 (0.01) | 14 (0.02) |
| AVALIDE (IRBESARTAN) | | | | 1 (0.01) | 1 (0.00) |
| AVANDAMET | | 13 (0.08) | 26 (0.09) | 1 (0.01) | 40 (0.07) |
| AVANDAMET (METFORMIN H | | | 1 (0.00) | | 1 (0.00) |
| AVANDAMET (METFORMIN H | | | 1 (0.00) | | 1 (0.00) |
| AVANDAMET (ROSIGLITAZO | | 1 (0.01) | | | 1 (0.00) |
| AVANDARYL | | | 1 (0.00) | 3 (0.04) | 4 (0.01) |
| AVANDIA | 1 (0.02) | 32 (0.19) | 115 (0.38) | 13 (0.17) | 161 (0.26) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| AVANDIA (ROSIGLITAZONE | | | 1 (0.00) | | 1 (0.00) |
| AVANZA (MIRTAZAPINE) | | | 1 (0.00) | | 1 (0.00) |
| AVAPRO | | 9 (0.05) | 29 (0.10) | 10 (0.13) | 48 (0.08) |
| AVASTIN | 2 (0.03) | 52 (0.30) | 112 (0.37) | 21 (0.27) | 187 (0.31) |
| AVASTIN (BAVACIZUMAB) | | 1 (0.01) | | | 1 (0.00) |
| AVASTIN (BEVACIZUMAB) | | | 1 (0.00) | | 1 (0.00) |
| AVASTIN (BEVACIZUMAB) | | | 4 (0.01) | | 4 (0.01) |
| AVASTIN (INJECTION FOR | | | 1 (0.00) | | 1 (0.00) |
| AVASTIN(BEVACIZUMAB) P | | 1 (0.01) | | | 1 (0.00) |
| AVEENO | | | 1 (0.00) | | 1 (0.00) |
| AVELOX | 5 (0.08) | 24 (0.14) | 25 (0.08) | 18 (0.23) | 72 (0.12) |
| AVENTYL HCL | | | 1 (0.00) | | 1 (0.00) |
| AVILAC (GALACTOSE, LAC | | 2 (0.01) | | | 2 (0.00) |
| AVINZA | | 2 (0.01) | 4 (0.01) | | 6 (0.01) |
| AVLOCARDYL | 1 (0.02) | 2 (0.01) | 2 (0.01) | 4 (0.05) | 9 (0.01) |
| AVODART | | | 7 (0.02) | 6 (0.08) | 13 (0.02) |
| AVONEX | 18 (0.30) | 497 (2.91) | 601 (1.99) | 8 (0.10) | 1124 (1.84) |
| AVONEX | | 1 (0.01) | | | 1 (0.00) |
| AVONEX LIQUID | | 18 (0.11) | 19 (0.06) | 1 (0.01) | 38 (0.06) |
| AVONEX LIQUID (INTERFE | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| AVONEX LYOPHILIZED | | 11 (0.06) | 27 (0.09) | 1 (0.01) | 39 (0.06) |
| AXEPIM (CEFEPIME HYDRO | | 1 (0.01) | | | 1 (0.00) |
| AXID | | | 6 (0.02) | | 6 (0.01) |
| AYGESTIN | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| AZACITIDINE (AZACITIDI | | | 4 (0.01) | 2 (0.03) | 6 (0.01) |
| AZACITIDINE (VIDAZA) (| | | | 1 (0.01) | 1 (0.00) |
| AZACTAM | | | 3 (0.01) | | 3 (0.00) |
| AZAMUN | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| AZANIN | | 3 (0.02) | | | 3 (0.00) |
| AZATHIOPRINE | 11 (0.19) | 31 (0.18) | 14 (0.05) | | 56 (0.09) |
| AZATHIORPINE | | | 1 (0.00) | | 1 (0.00) |
| AZELASTINE HCL | | 1 (0.01) | | | 1 (0.00) |
| AZITHROMYCIN | 8 (0.14) | 14 (0.08) | 5 (0.02) | 6 (0.08) | 33 (0.05) |
| AZMACORT | | 5 (0.03) | 4 (0.01) | 3 (0.04) | 12 (0.02) |
| AZOPT | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| AZT | | 1 (0.01) | | | 1 (0.00) |
| AZTREONAM | | | | 1 (0.01) | 1 (0.00) |
| AZULFIDINE | | 5 (0.03) | 3 (0.01) | 1 (0.01) | 9 (0.01) |
| AZULFIDINE EN-TABS | | | 2 (0.01) | | 2 (0.00) |
| B-VOLTAREN | | | 1 (0.00) | | 1 (0.00) |
| B12 | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| B4Z-MC-LYBX COMORBID O | 1 (0.02) | | | | 1 (0.00) |
| BAACTRIM (SULFAMETHOXA | | 1 (0.01) | | | 1 (0.00) |
| BABY ASPIRIN (ACETYLSA | | | 1 (0.00) | | 1 (0.00) |
| BACITRACIN | | | 1 (0.00) | | 1 (0.00) |
| BACLOFEN | 3 (0.05) | 26 (0.15) | 31 (0.10) | 4 (0.05) | 64 (0.10) |
| BACOFEN | | | | 1 (0.01) | 1 (0.00) |
| BACTRIM | 12 (0.20) | 15 (0.09) | 8 (0.03) | 3 (0.04) | 38 (0.06) |
| BACTRIM (SULFAMETHOXAZ | 1 (0.02) | | | | 1 (0.00) |
| BACTRIM DS | 9 (0.15) | 7 (0.04) | 11 (0.04) | | 27 (0.04) |
| BAKTAR | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BAKTAR (SULFAMETHOXAZO | | | | 1 (0.01) | 1 (0.00) |
| BALANCED SALT SOLUTION | | 7 (0.04) | 1 (0.00) | | 8 (0.01) |
| BANAN | 4 (0.07) | | | | 4 (0.01) |
| BARACLUDE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| BARBITURATES | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BARNIDIPINE | | | | 1 (0.01) | 1 (0.00) |
| BASEN | | | 6 (0.02) | 1 (0.01) | 7 (0.01) |
| BASEN | | | 1 (0.00) | | 1 (0.00) |
| BASEN TABLETS (VOGLIBO | | | 1 (0.00) | | 1 (0.00) |
| BASEN TABLETS 0.3 | | | 2 (0.01) | | 2 (0.00) |
| BASILIXIMAB | 1 (0.02) | | | | 1 (0.00) |
| BAVACIZAMALS | | 1 (0.01) | | | 1 (0.00) |
| BAY43-9006 (SO | | | 1 (0.00) | | 1 (0.00) |
| BAY43-9006 (SORAFENIB) | | | 2 (0.01) | | 2 (0.00) |
| BAYASPIRIN | | 1 (0.01) | | | 1 (0.00) |
| BAYCARON | | | | 1 (0.01) | 1 (0.00) |
| BAYCOL | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| BAYER ENTERIC ASPIRIN | | | 1 (0.00) | | 1 (0.00) |
| BAYNAS | | | 1 (0.00) | | 1 (0.00) |
| BC ALLERGY SINUS HEADA | | 1 (0.01) | | | 1 (0.00) |
| BC PAIN RELIEF ARTHRIT | | 1 (0.01) | | | 1 (0.00) |
| BC POWDER (NEW FORMULA | | | 1 (0.00) | | 1 (0.00) |
| BC POWDER (OLD FORMULA | | 1 (0.01) | | | 1 (0.00) |
| BCG THERAPEUTICS | | 2 (0.01) | 4 (0.01) | | 6 (0.01) |
| BCG VACCINE (BCG VACCI | | | 1 (0.00) | | 1 (0.00) |
| BECLAZONE (BECLOMETASO | | 1 (0.01) | | | 1 (0.00) |
| BECLOMETHASONE DIPROPI | 1 (0.02) | 4 (0.02) | 2 (0.01) | 3 (0.04) | 10 (0.02) |
| BECLOVENT | | | 1 (0.00) | | 1 (0.00) |
| BECODISKS | | | | 2 (0.03) | 2 (0.00) |
| BECOSULES CAPSULE (ASC | | | 1 (0.00) | | 1 (0.00) |
| BECOSYM FORTE (PYRIDOX | | | 1 (0.00) | | 1 (0.00) |
| BECOTIDE | 3 (0.05) | | 2 (0.01) | | 5 (0.01) |
| BECOTIDE INHALER | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BEFACT FORTE | | | 1 (0.00) | | 1 (0.00) |
| BELLADONNA (BELLADONNA | | | 1 (0.00) | | 1 (0.00) |
| BELLERGAL-S TABLETS | | | 1 (0.00) | | 1 (0.00) |
| BELOC | | | 2 (0.01) | | 2 (0.00) |
| BELOC MITE | | | | 1 (0.01) | 1 (0.00) |
| BELOC ZOK | | | 1 (0.00) | | 1 (0.00) |
| BELOC ZOK MITE | | 1 (0.01) | | | 1 (0.00) |
| BELOC-ZOC COMP (HYDROC | | 1 (0.01) | | | 1 (0.00) |
| BELOC-ZOK MITE (METOPR | | | 2 (0.01) | | 2 (0.00) |
| BEMIPARIN SODIUM | | | 1 (0.00) | | 1 (0.00) |
| BEN-GAY | | | 1 (0.00) | | 1 (0.00) |
| BENACAR | | | 1 (0.00) | | 1 (0.00) |
| BENADRYL | 18 (0.30) | 27 (0.16) | 45 (0.15) | 6 (0.08) | 96 (0.16) |
| BENADRYL ALLERGY/SINUS | 1 (0.02) | | | | 1 (0.00) |
| BENADRYL CREAM EXTRA S | | | 1 (0.00) | | 1 (0.00) |
| BENAZEPRIL (BENAZEPRIL | | | 1 (0.00) | | 1 (0.00) |
| BENAZEPRIL + AMLODIPIN | | | 1 (0.00) | | 1 (0.00) |
| BENAZEPRIL 20MG NOVART | | | 1 (0.00) | | 1 (0.00) |
| BENAZEPRIL HCL | | 3 (0.02) | 1 (0.00) | 1 (0.01) | 5 (0.01) |
| BENAZEPRIL HYDROCHLORI | | | 2 (0.01) | | 2 (0.00) |
| BENDROFLUAZIDE | | | 7 (0.02) | | 7 (0.01) |
| BENDROFLUAZIDE | | | | 1 (0.01) | 1 (0.00) |
| BENDROFLUAZIDE (BENDR | | | 1 (0.00) | | 1 (0.00) |
| BENDROFLUAZIDE (BENDRO | | | 5 (0.02) | | 5 (0.01) |
| BENDROFLUMETHIAZIDE | | | 5 (0.02) | 8 (0.10) | 13 (0.02) |
| BENDROFLUMETHIAZIDE (B | | | 1 (0.00) | | 1 (0.00) |
| BENDROFLUMETHIAZIDUM | | | 1 (0.00) | | 1 (0.00) |
| BENECAR | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BENECOL | | 1 (0.01) | | | 1 (0.00) |
| BENEFIX | 4 (0.07) | 3 (0.02) | | | 7 (0.01) |
| BENERVA | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| BENERVA (THIAMINE HYDR | | | 1 (0.00) | | 1 (0.00) |
| BENEXATE HYDROCHLORIDE | | | 1 (0.00) | | 1 (0.00) |
| BENGAY (MENTHOL) | | | | 1 (0.01) | 1 (0.00) |
| BENGAY PAIN RELIEVING | | 1 (0.01) | | | 1 (0.00) |
| BENGAY ULTRA STRENGTH | | 3 (0.02) | | | 3 (0.00) |
| BENICAR | 2 (0.03) | 2 (0.01) | 29 (0.10) | 4 (0.05) | 37 (0.06) |
| BENICAR HCT | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| BENICARE (OLMESARTAN M | | | 1 (0.00) | | 1 (0.00) |
| BENSERAZIDE HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |
| BENTYL | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| BENYLIN 1 ALL-IN-ONE C | 1 (0.02) | | | | 1 (0.00) |
| BENZALIN | | 3 (0.02) | | | 3 (0.00) |
| BENZAMYCIN | 1 (0.02) | | | | 1 (0.00) |
| BENZATROPINE | | 2 (0.01) | | | 2 (0.00) |
| BENZATROPINE (BENZATRO | | 1 (0.01) | | | 1 (0.00) |
| BENZOCAINE (HURRICAINE | | | 1 (0.00) | | 1 (0.00) |
| BENZOCAINE -HURRICAINE | | 1 (0.01) | | | 1 (0.00) |
| BENZOCAINE -HURRICAINE | | | 1 (0.00) | | 1 (0.00) |
| BENZOCAINE 20% | | | 1 (0.00) | | 1 (0.00) |
| BENZOCAINE SPRAY 20% | | | 1 (0.00) | | 1 (0.00) |
| BENZOCAINE TOPICAL 20% | | | 1 (0.00) | | 1 (0.00) |
| BENZOCAINE TOPICAL 20% | | | 1 (0.00) | | 1 (0.00) |
| BENZOCAINE, BUTAMBEN, | 1 (0.02) | | | | 1 (0.00) |
| BENZOCAINE-HURRICAINE- | 1 (0.02) | | | | 1 (0.00) |
| BENZODIAZEPINE | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BENZODIAZEPINE DERIVAT | | | 1 (0.00) | | 1 (0.00) |
| BENZODIAZEPINE DERIVAT | | 2 (0.01) | | | 2 (0.00) |
| BENZODIAZEPINES | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| BENZODIAZEPRINE | | | 1 (0.00) | | 1 (0.00) |
| BENZONATATE | | | | 1 (0.01) | 1 (0.00) |
| BENZTROPINE MESYLATE | 1 (0.02) | 5 (0.03) | 1 (0.00) | | 7 (0.01) |
| BENZTROPINE MESYLATE (| | | 1 (0.00) | | 1 (0.00) |
| BERACHIN | 1 (0.02) | | | | 1 (0.00) |
| BERAPROST SODIUM | | | 1 (0.00) | | 1 (0.00) |
| BERAPROST SODIUM (BERA | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| BERIZYM | | | 2 (0.01) | | 2 (0.00) |
| BEROCCA | | | 1 (0.00) | | 1 (0.00) |
| BEROCCA PLUS TABLETS | | | 1 (0.00) | | 1 (0.00) |
| BERODUAL | | | 1 (0.00) | | 1 (0.00) |
| BERODUAL (IPRATROPIUM | | | 1 (0.00) | | 1 (0.00) |
| BESITRAN | | | | 1 (0.01) | 1 (0.00) |
| BESPAR | 1 (0.02) | | | | 1 (0.00) |
| BESTATIN (UBENIMEX) | | 2 (0.01) | | | 2 (0.00) |
| BETA BLOCKER | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| BETA BLOCKING AGENTS | | | 6 (0.02) | | 6 (0.01) |
| BETA BLOCKING AGENTS (| | | 1 (0.00) | | 1 (0.00) |
| BETA-BLOCKER | | 1 (0.01) | | | 1 (0.00) |
| BETA-BLOCKER (NOS) | | | | 1 (0.01) | 1 (0.00) |
| BETABLOCKER | | | 1 (0.00) | | 1 (0.00) |
| BETADINE | | 1 (0.01) | 9 (0.03) | 1 (0.01) | 11 (0.02) |
| BETAFERON | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| BETAFERON | | 1 (0.01) | | | 1 (0.00) |
| BETAFERON (BETAFERON (| | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BETAFERON (INTERFERON | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| BETAFERON (INTERFERON | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| BETAFERON (INTERFERON | 3 (0.05) | 3 (0.02) | | | 6 (0.01) |
| BETAFERON (INTERFERON | | 1 (0.01) | | | 1 (0.00) |
| BETAFERON (INTERFERON | | | 1 (0.00) | | 1 (0.00) |
| BETAFERON (INTERFERON | | 1 (0.01) | | | 1 (0.00) |
| BETAFERON (INTERFERON | | 1 (0.01) | | | 1 (0.00) |
| BETAFERON (INTERFERON | | 3 (0.02) | | | 3 (0.00) |
| BETAFERON 250 ?G, 500 | 1 (0.02) | | | | 1 (0.00) |
| BETAFERON 250 UG, 500 | | 1 (0.01) | | | 1 (0.00) |
| BETAFERON 250 UG, 500 | 1 (0.02) | | | | 1 (0.00) |
| BETAFERON 250 UG, 500 | | 1 (0.01) | | | 1 (0.00) |
| BETAFERON(BETAFERON (S | | | 1 (0.00) | | 1 (0.00) |
| BETAFERON(INTEREFERON | 1 (0.02) | | | | 1 (0.00) |
| BETAFERON(INTERFERON B | | 2 (0.01) | | | 2 (0.00) |
| BETAFERON(INTERFERON B | | | 1 (0.00) | | 1 (0.00) |
| BETAFERON(INTERFERON B | | 1 (0.01) | | | 1 (0.00) |
| BETAFERONE | | 1 (0.01) | | | 1 (0.00) |
| BETAGAN | | | 2 (0.01) | | 2 (0.00) |
| BETAHISTINE (BETAHISTI | | | | 2 (0.03) | 2 (0.00) |
| BETALOC | | 2 (0.01) | | | 2 (0.00) |
| BETAMAC | | | | 1 (0.01) | 1 (0.00) |
| BETAMETASONE | | 1 (0.01) | | | 1 (0.00) |
| BETAMETHASONE | 5 (0.08) | | 3 (0.01) | 1 (0.01) | 9 (0.01) |
| BETAMETHASONE DIPROPIO | | | 1 (0.00) | | 1 (0.00) |
| BETAMETHASONE SODIUM P | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| BETAMETHASONE VALERATE | | 1 (0.01) | | | 1 (0.00) |
| BETAMETHASONE/CALCIPOT | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BETANOL | | 1 (0.01) | | | 1 (0.00) |
| BETAPACE | | | 3 (0.01) | 2 (0.03) | 5 (0.01) |
| BETAPRED | | 1 (0.01) | | | 1 (0.00) |
| BETASERC | | 2 (0.01) | | | 2 (0.00) |
| BETASERC (BETAHISTINE | | | 1 (0.00) | | 1 (0.00) |
| BETASERC /NET/ (BETAHI | | | | 1 (0.01) | 1 (0.00) |
| BETASERON | 5 (0.08) | 88 (0.52) | 93 (0.31) | 3 (0.04) | 189 (0.31) |
| BETASERON (INTERFERON | | | 1 (0.00) | | 1 (0.00) |
| BETASERON (INTERFERON | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| BETASERON (INTERFERON | | | 1 (0.00) | | 1 (0.00) |
| BETASERON (INTERFERON | | 1 (0.01) | | | 1 (0.00) |
| BETASERON(INTERFERON B | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| BETATOP | | | 2 (0.01) | | 2 (0.00) |
| BETAXA | | | 1 (0.00) | | 1 (0.00) |
| BETAXOLOL | 3 (0.05) | | 1 (0.00) | | 4 (0.01) |
| BETESERON (INTERFERON | | | 1 (0.00) | | 1 (0.00) |
| BETNESOL-N EYE OINTMEN | | | 1 (0.00) | | 1 (0.00) |
| BETNOVATE (BET | | 1 (0.01) | | | 1 (0.00) |
| BETNOVATE (BETAMETHASO | | 1 (0.01) | | | 1 (0.00) |
| BETOPIC (BETAMETHASONE | | | 1 (0.00) | | 1 (0.00) |
| BETOPTIC | | | 1 (0.00) | | 1 (0.00) |
| BEVACIZUMAB | | 2 (0.01) | 10 (0.03) | 2 (0.03) | 14 (0.02) |
| BEVACIZUMAB 15MG/KG | | 1 (0.01) | | | 1 (0.00) |
| BEVACIZUMAB GENENTEC | | 1 (0.01) | | | 1 (0.00) |
| BEVACIZUMAB 0R PLACEBO | | 1 (0.01) | | | 1 (0.00) |
| BEVACIZUMAB 1252 MG IV | | | 1 (0.00) | | 1 (0.00) |
| BEVACIZUMAB 15MG/KG | | 1 (0.01) | | | 1 (0.00) |
| BEVACIZUMAB GENENTECH | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BEVACIZUMAB OR PLACEBO | | | 1 (0.00) | | 1 (0.00) |
| BEVACIZUMAB OR PLACEBO | | | 1 (0.00) | | 1 (0.00) |
| BEVACIZUMAB OR PLACEBO | | | 1 (0.00) | | 1 (0.00) |
| BEVACIZUMAB OR PLACEBO | | | 2 (0.01) | | 2 (0.00) |
| BEVACIZUMAB, 15 MG/KG | | | | 1 (0.01) | 1 (0.00) |
| BEXTRA | 1 (0.02) | 27 (0.16) | 47 (0.16) | 19 (0.25) | 94 (0.15) |
| BEXXAR | | 1 (0.01) | | | 1 (0.00) |
| BEZAFIBRATE | | 2 (0.01) | 1 (0.00) | 4 (0.05) | 7 (0.01) |
| BEZALIP | | | 1 (0.00) | | 1 (0.00) |
| BEZATOL | | | 2 (0.01) | | 2 (0.00) |
| BEZATOL - SLOW RELEASE | | | | 1 (0.01) | 1 (0.00) |
| BH-AC | | 1 (0.01) | | | 1 (0.00) |
| BI-SIFROL TABLETS | | | 1 (0.00) | | 1 (0.00) |
| BIAPENEM | | | 1 (0.00) | | 1 (0.00) |
| BIAXIN | 3 (0.05) | 1 (0.01) | 6 (0.02) | 2 (0.03) | 12 (0.02) |
| BIAXIN XL | 2 (0.03) | | 4 (0.01) | | 6 (0.01) |
| BICALUTAMIDE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| BICARBONATED RINGER'S | | | 1 (0.00) | | 1 (0.00) |
| BICLAR (C | | | 1 (0.00) | | 1 (0.00) |
| BIFITERAL | | 1 (0.01) | | | 1 (0.00) |
| BIGOMET | | | 1 (0.00) | | 1 (0.00) |
| BIODINE | | 1 (0.01) | | | 1 (0.00) |
| BIOFERMIN | 7 (0.12) | 1 (0.01) | | | 8 (0.01) |
| BIOFERMIN R | | 1 (0.01) | | | 1 (0.00) |
| BIOFERMIN R (STREPTOCO | | | 1 (0.00) | | 1 (0.00) |
| BIOTIN | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| BIPERIDEN HYDROCHLORID | 2 (0.03) | 1 (0.01) | 3 (0.01) | | 6 (0.01) |
| BIPERIDENI | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BIPHOSPHONATE (BISPHOS | | 1 (0.01) | | | 1 (0.00) |
| BIPRETERAX | | | 1 (0.00) | | 1 (0.00) |
| BIPROFENID | | | 1 (0.00) | | 1 (0.00) |
| BIRODOGYL | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| BIRTH CONTROL | 3 (0.05) | 3 (0.02) | | | 6 (0.01) |
| BIRTH CONTROL NAME UNK | 1 (0.02) | | | | 1 (0.00) |
| BIRTH CONTROL NOS | 1 (0.02) | | | | 1 (0.00) |
| BIRTH CONTROL PILL | 1 (0.02) | | | | 1 (0.00) |
| BIRTH CONTROL PILLS | 8 (0.14) | 8 (0.05) | 2 (0.01) | | 18 (0.03) |
| BIRTH CONTROL PILLS NO | 3 (0.05) | | | | 3 (0.00) |
| BISACODY | | | 1 (0.00) | | 1 (0.00) |
| BISACODYL | | | 1 (0.00) | | 1 (0.00) |
| BISOLVON | 2 (0.03) | | | | 2 (0.00) |
| BISOMERCK | | | | 1 (0.01) | 1 (0.00) |
| BISOPROLOL | | 3 (0.02) | 5 (0.02) | 5 (0.06) | 13 (0.02) |
| BISOPROLOL (BISOPROLOL | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| BISOPROLOL (NGX) (BISO | | | 1 (0.00) | | 1 (0.00) |
| BISOPROLOL 5 MG | | | 1 (0.00) | | 1 (0.00) |
| BISOPROLOL ALPHARMA | | | 1 (0.00) | | 1 (0.00) |
| BISOPROLOL FUMARATE | | 4 (0.02) | 8 (0.03) | 10 (0.13) | 22 (0.04) |
| BISOPROLOL FUMARATE AN | | | 1 (0.00) | | 1 (0.00) |
| BISULFAN (BUSULFAN) | | | 1 (0.00) | | 1 (0.00) |
| BIVALIRUDIN | | | 1 (0.00) | | 1 (0.00) |
| BIVALIRUDIN INJECTABLE | | | | 1 (0.01) | 1 (0.00) |
| BLACK COHOSH | | | 5 (0.02) | | 5 (0.01) |
| BLADDERON | | | 1 (0.00) | | 1 (0.00) |
| BLEOMYCIN | 1 (0.02) | 6 (0.04) | 4 (0.01) | | 11 (0.02) |
| BLINDED ADEFOVIR DIPIV | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BLINDED THEAPY (INTERF | | | 1 (0.00) | | 1 (0.00) |
| BLINDED THERAPY (INTER | | | 2 (0.01) | | 2 (0.00) |
| BLINDED THERAPY (INTER | | | 16 (0.05) | 2 (0.03) | 18 (0.03) |
| BLINDED: CETUXIMAB | | | 1 (0.00) | | 1 (0.00) |
| BLINDED: IRBESARTAN | | | 1 (0.00) | | 1 (0.00) |
| BLINDED; RISPERIDONE | | 1 (0.01) | | | 1 (0.00) |
| BLOOD PESSURE MEDICATI | | | | 1 (0.01) | 1 (0.00) |
| BLOOD PRESSURE MEDICAT | | 3 (0.02) | 13 (0.04) | 2 (0.03) | 18 (0.03) |
| BLOOD PRESSURE MEDICAT | | | | 1 (0.01) | 1 (0.00) |
| BLOOD PRESSURE MEDICAT | | | | 1 (0.01) | 1 (0.00) |
| BLOOD PRESSURE MEDICAT | | | 1 (0.00) | | 1 (0.00) |
| BLOOD PRESSURE MEDICAT | | | 1 (0.00) | | 1 (0.00) |
| BLOOD PRESSURE MEDS | | | 1 (0.00) | | 1 (0.00) |
| BLOOD THINNER (UNSPECI | | | 2 (0.01) | | 2 (0.00) |
| BLOOD TRANSFUSION (BLO | | | 1 (0.00) | | 1 (0.00) |
| BLOOD TRANSFUSION, AUX | 2 (0.03) | | | | 2 (0.00) |
| BLOPRESS | 1 (0.02) | | 8 (0.03) | 1 (0.01) | 10 (0.02) |
| BLOPRESS | | | 1 (0.00) | | 1 (0.00) |
| BLOPRESS (CANDESARTAN | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| BLOPRESS PLUS | | | 1 (0.00) | | 1 (0.00) |
| BLOPRESS TABLETS 4 | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| BLOPRESS TABLETS 8 | | | 2 (0.01) | | 2 (0.00) |
| BONDRONAT | | | 1 (0.00) | | 1 (0.00) |
| BONE GRAFT MATERIAL BO | | | 1 (0.00) | | 1 (0.00) |
| BONE TISSUE HUMAN | | 1 (0.01) | | | 1 (0.00) |
| BONEFOS BOEHRINGER I | | | 1 (0.00) | | 1 (0.00) |
| BONEFOS (CLODRONATE DI | | | 1 (0.00) | | 1 (0.00) |
| BONIVA | | 22 (0.13) | 115 (0.38) | 37 (0.48) | 174 (0.29) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BONIVA (IBANDRONIC ACI | | | | 1 (0.01) | 1 (0.00) |
| BONVIVA | | | 1 (0.00) | | 1 (0.00) |
| BOOSTRIX | | | 1 (0.00) | | 1 (0.00) |
| BORTEZOMIB 3MG | | | 1 (0.00) | | 1 (0.00) |
| BORTEZOMIB (BORTEZOMIB | | | 1 (0.00) | | 1 (0.00) |
| BOSENTAN | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| BOSENTAN (BOSENTAN L. | | | 1 (0.00) | | 1 (0.00) |
| BOSENTAN(BOSENTAN I,PH | | | 1 (0.00) | | 1 (0.00) |
| BOSENTAN(BOSENTAN, BOS | 1 (0.02) | | | | 1 (0.00) |
| вотох | | 8 (0.05) | 5 (0.02) | | 13 (0.02) |
| BOTOX A 100 UNITS (ALL | | 1 (0.01) | | | 1 (0.00) |
| BOTOX COSMETIC | | 5 (0.03) | 4 (0.01) | | 9 (0.01) |
| BOTULINUM TOXIN TYPE A | | 1 (0.01) | | | 1 (0.00) |
| BOTULINUM TOXIN TYPE B | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| BOTULISM ANTITOXIN E | | | 1 (0.00) | | 1 (0.00) |
| BREDININ | | | 1 (0.00) | | 1 (0.00) |
| BREMON TABLETS | 1 (0.02) | | | | 1 (0.00) |
| BRICANYL | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| BRICANYL (GU | | | 1 (0.00) | | 1 (0.00) |
| BRIMONIDINE TARTRATE | | | | 3 (0.04) | 3 (0.00) |
| BRIPLATIN | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| BROCIN | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| BROMAZEPAM | | 1 (0.01) | 4 (0.01) | 3 (0.04) | 8 (0.01) |
| BROMOCRIPTINE MESYLATE | | 3 (0.02) | 4 (0.01) | | 7 (0.01) |
| BROMODRIPTINE (BROMOCR | 1 (0.02) | | | | 1 (0.00) |
| BROMOKIN | | 1 (0.01) | | | 1 (0.00) |
| BRONCHORETARD | | | | 1 (0.01) | 1 (0.00) |
| BRONDILAT | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BROTIZOLAM | | | | 1 (0.01) | 1 (0.00) |
| BRUFEN (IBUPROFEN) | | | 5 (0.02) | | 5 (0.01) |
| BRUFEN ^ABBOTT^ (IBUPR | | 1 (0.01) | | | 1 (0.00) |
| BRUFEN ^ABBOT^ (IBUPRO | | 1 (0.01) | | | 1 (0.00) |
| BSS | | | 1 (0.00) | | 1 (0.00) |
| BUCILLAMINE | | | | 1 (0.01) | 1 (0.00) |
| BUDES | | | 1 (0.00) | | 1 (0.00) |
| BUDESONID | | | 1 (0.00) | | 1 (0.00) |
| BUDESONIDE | 4 (0.07) | 5 (0.03) | 6 (0.02) | 11 (0.14) | 26 (0.04) |
| BUDESONIDE AND FORMOTE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| BUFFERIN | 2 (0.03) | | 2 (0.01) | 5 (0.06) | 9 (0.01) |
| BUFFERIN/JPN/ (ACETYLS | | | | 1 (0.01) | 1 (0.00) |
| BUFLOMEDIL 600 | | | 1 (0.00) | | 1 (0.00) |
| BUFLOMEDIL HYDROCHLORI | | | | 2 (0.03) | 2 (0.00) |
| BUMETADINE INJ. USP 1. | | | 1 (0.00) | | 1 (0.00) |
| BUMETANIDE | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| BUMEX | | | 2 (0.01) | | 2 (0.00) |
| BUP-4 | 1 (0.02) | | | | 1 (0.00) |
| BUPIVACAINE | 1 (0.02) | | 5 (0.02) | | 6 (0.01) |
| BUPIVACAINE HCL | | 4 (0.02) | | | 4 (0.01) |
| BUPIVACAINE HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |
| BUPRENORPHINE (BUPRENO | | | 2 (0.01) | | 2 (0.00) |
| BUPRENORPHINE HCL | 34 (0.58) | 53 (0.31) | 2 (0.01) | 1 (0.01) | 90 (0.15) |
| BUPRENORPHINE HYDROCHL | | | | 1 (0.01) | 1 (0.00) |
| BUPRENORPHINE/NALOXONE | | | 3 (0.01) | | 3 (0.00) |
| BUPROPION | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| BUPROPION HCL | 2 (0.03) | 14 (0.08) | 8 (0.03) | | 24 (0.04) |
| BUPROPION HYDROCHLORID | 1 (0.02) | 4 (0.02) | 2 (0.01) | | 7 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BUPROPION HYDROCHLORID | | 1 (0.01) | | | 1 (0.00) |
| BUPROPION SR -TEVA- | | | 1 (0.00) | | 1 (0.00) |
| BUPROPION SR 150 MG TE | | | 1 (0.00) | | 1 (0.00) |
| BUPROPRION HCL | | | 1 (0.00) | | 1 (0.00) |
| BURANA (IBUPROFEN) | | 2 (0.01) | | | 2 (0.00) |
| BURINEX | 1 (0.02) | | | | 1 (0.00) |
| BUSCOPAN | | 2 (0.01) | | | 2 (0.00) |
| BUSCOPAN (SCOPOLAMINE | | 1 (0.01) | | | 1 (0.00) |
| BUSPAR | 6 (0.10) | 8 (0.05) | 17 (0.06) | 1 (0.01) | 32 (0.05) |
| BUSPIRONE | | 1 (0.01) | | | 1 (0.00) |
| BUSPIRONE HCL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BUSULFAN | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| BUSULFAN (BUSULFAN) | | | 1 (0.00) | | 1 (0.00) |
| BUSULFAN UMBILICAL COR | | 1 (0.01) | | | 1 (0.00) |
| BUTALBITAL | | | 3 (0.01) | | 3 (0.00) |
| BUTALBITAL + ACETAMINO | | 1 (0.01) | | | 1 (0.00) |
| BUTALBITAL + CAFFEINE | | 1 (0.01) | | | 1 (0.00) |
| BUTALBITAL ACETAMINOPH | | 2 (0.01) | | | 2 (0.00) |
| BUTETANIDE | | | 1 (0.00) | | 1 (0.00) |
| BUTISOL SODIUM | | 1 (0.01) | | | 1 (0.00) |
| BUTYLSCOPOLAMIN (HYOSC | 1 (0.02) | | | | 1 (0.00) |
| BYETTA | 1 (0.02) | 111 (0.65) | 311 (1.03) | 24 (0.31) | 447 (0.73) |
| BYETTA INJECTION (0.35 | | 1 (0.01) | | | 1 (0.00) |
| C-PAP | | | 1 (0.00) | | 1 (0.00) |
| CA. GLUCONATE | | | 1 (0.00) | | 1 (0.00) |
| CABASER | | | | 1 (0.01) | 1 (0.00) |
| CABASERIL | | 1 (0.01) | | | 1 (0.00) |
| CABERGOLINE | 2 (0.03) | 6 (0.04) | 17 (0.06) | 4 (0.05) | 29 (0.05) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CADUET | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| CAELYX | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| CAFFEINE CITRATE (CAFF | 1 (0.02) | | | | 1 (0.00) |
| CALAN | | 2 (0.01) | 11 (0.04) | | 13 (0.02) |
| CALCET | | | 1 (0.00) | | 1 (0.00) |
| CALCICHEW | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CALCICHEW (CALCIUM CAR | | | 1 (0.00) | | 1 (0.00) |
| CALCICHEW-D3 (COLECALC | | | 1 (0.00) | | 1 (0.00) |
| CALCICHEW-D3 FORTE | | 1 (0.01) | | | 1 (0.00) |
| CALCIDIA (CALCIUM CARB | | | | 1 (0.01) | 1 (0.00) |
| CALCIMED D3 | | | 1 (0.00) | | 1 (0.00) |
| CALCIORAL | | | 2 (0.01) | | 2 (0.00) |
| CALCIPARINE | | | | 2 (0.03) | 2 (0.00) |
| CALCIPARINE 'SANOFI' (| | | | 1 (0.01) | 1 (0.00) |
| CALCIPOTRIENE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CALCIPOTRIOL (CALCIPOT | | 1 (0.01) | | | 1 (0.00) |
| CALCIPOTRIOL (CALCIPRO | | 1 (0.01) | | | 1 (0.00) |
| CALCIPRANE | | | 1 (0.00) | | 1 (0.00) |
| CALCITONIN SALMON | | | | 2 (0.03) | 2 (0.00) |
| CALCITONIN-SALMON | | | 1 (0.00) | | 1 (0.00) |
| CALCITRIOL | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| CALCIUM (CALCIUM) | | 3 (0.02) | 4 (0.01) | | 7 (0.01) |
| CALCIUM (UNSPECIFIED) | | | 13 (0.04) | 5 (0.06) | 18 (0.03) |
| CALCIUM (UNSPECIFIED) | | 2 (0.01) | | 2 (0.03) | 4 (0.01) |
| CALCIUM ACETATE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CALCIUM ANTAGONIST (CA | | | | 2 (0.03) | 2 (0.00) |
| CALCIUM CARBONATE | | | 6 (0.02) | 1 (0.01) | 7 (0.01) |
| CALCIUM CARBONATE (CAL | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CALCIUM CARBONATE (FOR | 1 (0.02) | | | | 1 (0.00) |
| CALCIUM CARBONATE + CH | | | | 1 (0.01) | 1 (0.00) |
| CALCIUM CARBONATE AND | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| CALCIUM CARBONATE TABL | | | 3 (0.01) | | 3 (0.00) |
| CALCIUM CARBONATE TABL | | | 1 (0.00) | | 1 (0.00) |
| CALCIUM CHANNEL BLOCKE | | 1 (0.01) | | 2 (0.03) | 3 (0.00) |
| CALCIUM CHLORIDE (CA | | | 1 (0.00) | | 1 (0.00) |
| CALCIUM CITRATE (CALCI | | | 1 (0.00) | | 1 (0.00) |
| CALCIUM FOLINATE | | 1 (0.01) | | | 1 (0.00) |
| CALCIUM GLUCONATE | 2 (0.03) | 2 (0.01) | 20 (0.07) | 8 (0.10) | 32 (0.05) |
| CALCIUM LACTOGLUCONATE | | 1 (0.01) | | | 1 (0.00) |
| CALCIUM LEVOFOLINATE | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| CALCIUM LEVOFOLINATE (| | | 3 (0.01) | | 3 (0.00) |
| CALCIUM SANDOZ | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CALCIUM SANDOZ FORTE D | | | 1 (0.00) | | 1 (0.00) |
| CALCIUM SUPPLEMENT | | | | 1 (0.01) | 1 (0.00) |
| CALCIUM WITH MAGNESIUM | | | 1 (0.00) | | 1 (0.00) |
| CALCIUM WITH VITAMIN D | | | | 1 (0.01) | 1 (0.00) |
| CALCORT | | | | 1 (0.01) | 1 (0.00) |
| CALONAL | 3 (0.05) | | 2 (0.01) | | 5 (0.01) |
| CALONAL (| | | | 1 (0.01) | 1 (0.00) |
| CALONAL (ACETAMINOPHEN | | | | 3 (0.04) | 3 (0.00) |
| CALTAN | | 2 (0.01) | | | 2 (0.00) |
| CALTAN (CALCIUM CARBON | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| CALTIN (CALCIUM CARBON | | | 1 (0.00) | | 1 (0.00) |
| CALTRATE | | | 1 (0.00) | | 1 (0.00) |
| CAM | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| CAMOMILE TEA | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CAMPATH | 1 (0.02) | 2 (0.01) | 4 (0.01) | 3 (0.04) | 10 (0.02) |
| CAMPATH (ALEMTUZUMAB) | | 1 (0.01) | | | 1 (0.00) |
| CAMPAZINE | | | 1 (0.00) | | 1 (0.00) |
| CAMPRAL | | 4 (0.02) | 1 (0.00) | 1 (0.01) | 6 (0.01) |
| CAMPTOSAR | | 1 (0.01) | 10 (0.03) | | 11 (0.02) |
| CANCER VACCINE INJECTA | | | 1 (0.00) | | 1 (0.00) |
| CANCIDAS | 2 (0.03) | 7 (0.04) | 3 (0.01) | | 12 (0.02) |
| CANDESARTAN | | | 3 (0.01) | 2 (0.03) | 5 (0.01) |
| CANDESARTAN (CANDESART | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| CANDESARTAN CILEXETIL | | | 2 (0.01) | | 2 (0.00) |
| CANDESARTAN CILEXETIL | | | | 1 (0.01) | 1 (0.00) |
| CANDESARTAN CILEXETIL | | | 4 (0.01) | | 4 (0.01) |
| CANESTEN | | 1 (0.01) | | | 1 (0.00) |
| CANFERON | | | 2 (0.01) | | 2 (0.00) |
| CANNABINOIDS | 1 (0.02) | | | | 1 (0.00) |
| CANNABIS (CANNABIS) | 1 (0.02) | | | | 1 (0.00) |
| CANNBIS VAPORIZED AD L | | | 1 (0.00) | | 1 (0.00) |
| CANSIDAS | | | 1 (0.00) | | 1 (0.00) |
| CAPASTA (CAPREOMYCIN S | | | | 1 (0.01) | 1 (0.00) |
| CAPECITABINE | | 14 (0.08) | 27 (0.09) | 2 (0.03) | 43 (0.07) |
| CAPECITABINE (CAPECITA | | | 5 (0.02) | | 5 (0.01) |
| CAPECITABINE 1500 MG/M | | | 1 (0.00) | | 1 (0.00) |
| CAPECITABINE PO | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CAPOTEN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CAPREOMYCIN | | 1 (0.01) | | | 1 (0.00) |
| CAPSAICIN | | | 1 (0.00) | | 1 (0.00) |
| CAPTOPRIL | 3 (0.05) | 4 (0.02) | 21 (0.07) | 9 (0.12) | 37 (0.06) |
| CAPTOPRIL | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CAPTOPRIL MSD | | | 1 (0.00) | | 1 (0.00) |
| CAPZASIN HP 0.1 | | 1 (0.01) | | | 1 (0.00) |
| CARAFATE | | 3 (0.02) | 4 (0.01) | | 7 (0.01) |
| CARBA (CARBAMAZEPINE) | | | 1 (0.00) | | 1 (0.00) |
| CARBAMAZEPINE | 24 (0.41) | 26 (0.15) | 20 (0.07) | 2 (0.03) | 72 (0.12) |
| CARBATROL | 2 (0.03) | 6 (0.04) | 3 (0.01) | | 11 (0.02) |
| CARBAZOCHROME SODIUM S | | | 3 (0.01) | | 3 (0.00) |
| CARBENIN | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| CARBENIN (BETAMIPRON, | | | | 1 (0.01) | 1 (0.00) |
| CARBENIN (BETAMIPRON/P | | | 1 (0.00) | | 1 (0.00) |
| CARBIDOPA + LEVODOPA | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| CARBIDOPA + LEVODOPA C | | | 1 (0.00) | | 1 (0.00) |
| CARBIDOPA AND LEVODOPA | 1 (0.02) | | 6 (0.02) | 1 (0.01) | 8 (0.01) |
| CARBIDOPA/LEVODOPA ER | | | 1 (0.00) | | 1 (0.00) |
| CARBIMAZOLE | | 2 (0.01) | | | 2 (0.00) |
| CARBIMAZOLE (CARBIMAZO | | | | 1 (0.01) | 1 (0.00) |
| CARBOCAIN | | | 1 (0.00) | | 1 (0.00) |
| CARBOCAINA | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| CARBOCAINA + ADRENALIN | | 1 (0.01) | | | 1 (0.00) |
| CARBOCAINE | | | 1 (0.00) | | 1 (0.00) |
| CARBOCISTEINE | | | 1 (0.00) | | 1 (0.00) |
| CARBOCISTEINE LYSINE | | | 1 (0.00) | | 1 (0.00) |
| CARBOFED DM DROPS 1MG | 1 (0.02) | | | | 1 (0.00) |
| CARBOLITIUM | | 1 (0.01) | | | 1 (0.00) |
| CARBON DIOXIDE GAS GRE | | 1 (0.01) | | | 1 (0.00) |
| CARBOPLATIN | 2 (0.03) | 12 (0.07) | 73 (0.24) | 13 (0.17) | 100 (0.16) |
| CARBOPLATIN (NGX) (CAR | | | 1 (0.00) | | 1 (0.00) |
| CARBOPLATIN 50 MG VIAL | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CARBOPLATINE | | | 2 (0.01) | | 2 (0.00) |
| CARBOPLATINE TEVA | | | 1 (0.00) | | 1 (0.00) |
| CARDENALIN | | | 1 (0.00) | 5 (0.06) | 6 (0.01) |
| CARDENALIN (DOXAZOSIN) | | | 8 (0.03) | | 8 (0.01) |
| CARDENSIEL (FILM-COATE | | | | 1 (0.01) | 1 (0.00) |
| CARDIAC MEDICATION NOS | | | 1 (0.00) | | 1 (0.00) |
| CARDIAC THERAPY (CARDI | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| CARDIAC TISSUE HUMAN | | | | 3 (0.04) | 3 (0.00) |
| CARDIKET | | | | 1 (0.01) | 1 (0.00) |
| CARDILATE | | | 1 (0.00) | | 1 (0.00) |
| CARDIOLITE | | 6 (0.04) | 6 (0.02) | 1 (0.01) | 13 (0.02) |
| CARDIOVASCULAR SYSTEM | | | 1 (0.00) | | 1 (0.00) |
| CARDIOVASCULAR SYSTEM | | | 1 (0.00) | | 1 (0.00) |
| CARDIOVASCULAR SYSTEM | | | | 1 (0.01) | 1 (0.00) |
| CARDISER - SLOW RELEAS | | | 1 (0.00) | | 1 (0.00) |
| CARDIZEM | | 8 (0.05) | 35 (0.12) | 19 (0.25) | 62 (0.10) |
| CARDIZEM (DILATIAZEM) | | | 1 (0.00) | | 1 (0.00) |
| CARDIZEM CD | | 2 (0.01) | 11 (0.04) | 2 (0.03) | 15 (0.02) |
| CARDIZEM LA | | | | 1 (0.01) | 1 (0.00) |
| CARDURA | | | 18 (0.06) | 5 (0.06) | 23 (0.04) |
| CARDYL | | | 1 (0.00) | | 1 (0.00) |
| CARDYL (ATORVASTATIN) | | | 1 (0.00) | | 1 (0.00) |
| CARIMUNE | | | 3 (0.01) | | 3 (0.00) |
| CARISOPRODOL | | 8 (0.05) | 5 (0.02) | | 13 (0.02) |
| CARMEN | | | 3 (0.01) | | 3 (0.00) |
| CARMENT (LERCANIDIPINE | | | 1 (0.00) | | 1 (0.00) |
| CARMUSTINE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CARTEOLOL HCL | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CARTEOLOL HYDROCHLORID | | | 1 (0.00) | | 1 (0.00) |
| CARTIA XG | | | 1 (0.00) | | 1 (0.00) |
| CARTIA XT | | | 6 (0.02) | 1 (0.01) | 7 (0.01) |
| CARTIA/AUS/ | | | | 1 (0.01) | 1 (0.00) |
| CARTICEL | | 2 (0.01) | | | 2 (0.00) |
| CARVEDILOL | 1 (0.02) | 1 (0.01) | 15 (0.05) | 17 (0.22) | 34 (0.06) |
| CARVIDELOL | | | 1 (0.00) | | 1 (0.00) |
| CASODEX | | | 11 (0.04) | 13 (0.17) | 24 (0.04) |
| CASPOFUNGIN | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| CATAFLAM | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| CATAPRES | | 4 (0.02) | 5 (0.02) | 2 (0.03) | 11 (0.02) |
| CATAPRES /USA/ | | 1 (0.01) | | | 1 (0.00) |
| CATAPRES-TTS-1 | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| CATHFLO ACTIVASE | | | 1 (0.00) | | 1 (0.00) |
| CAVERJECT | | 1 (0.01) | 3 (0.01) | 2 (0.03) | 6 (0.01) |
| CBV (ZIODUVINDE W/LAMI | | 1 (0.01) | | | 1 (0.00) |
| CC-5013 REVLIMID | | | 1 (0.00) | | 1 (0.00) |
| CC-5013 (CAPSULES) REV | | | | 2 (0.03) | 2 (0.00) |
| CDDP | | 1 (0.01) | | | 1 (0.00) |
| CEBUTID | | | 1 (0.00) | | 1 (0.00) |
| CECLOR | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| CEDAX | 1 (0.02) | | | | 1 (0.00) |
| CEFACIDAL | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| CEFACLOR | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| CEFADROXIL | | 2 (0.01) | | | 2 (0.00) |
| CEFALIUM (CAFFEINE, DI | | 1 (0.01) | | | 1 (0.00) |
| CEFAMEZIN | 2 (0.03) | | | | 2 (0.00) |
| CEFAZOLIN | 3 (0.05) | 8 (0.05) | 17 (0.06) | 3 (0.04) | 31 (0.05) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CEFAZOLIN FOR INJECTIO | | | 1 (0.00) | | 1 (0.00) |
| CEFAZOLIN SODIUM | | 3 (0.02) | | | 3 (0.00) |
| CEFAZOLIN SODIUM | | 1 (0.01) | | | 1 (0.00) |
| CEFAZOLIN SODIUM (KEFZ | | 1 (0.01) | | | 1 (0.00) |
| CEFAZOLIN SODIUM IN DE | | | 1 (0.00) | | 1 (0.00) |
| CEFCAPENE PIVOXIL HYDR | | | | 3 (0.04) | 3 (0.00) |
| CEFDITOREN PIVOXIL | | | 2 (0.01) | | 2 (0.00) |
| CEFDITOREN PIVOXIL (CE | 1 (0.02) | | | | 1 (0.00) |
| CEFDITOREN PIVOXIL (CE | | | 1 (0.00) | | 1 (0.00) |
| CEFDITOREN PIVOXIL (SI | 1 (0.02) | | | | 1 (0.00) |
| CEFDITOREN PIVOXIL (SI | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| CEFEPIME | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CEFEPIME DIHYDROCHLORI | | | 1 (0.00) | | 1 (0.00) |
| CEFEPIME HCL | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| CEFEPIME, ELAN LABORAT | | | | 1 (0.01) | 1 (0.00) |
| CEFIPEM | | 1 (0.01) | | | 1 (0.00) |
| CEFIXIME CHEWABLE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| CEFMETAZON | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| CEFMETAZON (CEFMETAZOL | | 1 (0.01) | | | 1 (0.00) |
| CEFOBID | 1 (0.02) | | | | 1 (0.00) |
| CEFOPERAZONE | | | | 1 (0.01) | 1 (0.00) |
| CEFOPERAZONE SODIUM | | | 1 (0.00) | | 1 (0.00) |
| CEFOPERAZONE SODIUM/SU | | | 1 (0.00) | | 1 (0.00) |
| CEFOPERAZONE SODIUM/SU | | | 1 (0.00) | | 1 (0.00) |
| CEFOPERAZONE/SULBACTAM | | | 1 (0.00) | | 1 (0.00) |
| CEFOTAXIME | 3 (0.05) | | | | 3 (0.00) |
| CEFOTAXIME SODIUM | 6 (0.10) | | | | 6 (0.01) |
| CEFOTIAM HYDROCHLORIDE | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CEFOTIAM HYDROCHLORIDE | | | 1 (0.00) | | 1 (0.00) |
| CEFPIROME | | | 1 (0.00) | | 1 (0.00) |
| CEFPODOXIME PROXETIL | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| CEFPROZIL | 1 (0.02) | | | | 1 (0.00) |
| CEFRADINE | | 1 (0.01) | | | 1 (0.00) |
| CEFSPAN (CEFIXIME) | 1 (0.02) | | | | 1 (0.00) |
| CEFTAZIDIME | 1 (0.02) | | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| CEFTAZIDIME SODIUM | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| CEFTAZIDMINE PENTAHYDR | | | | 2 (0.03) | 2 (0.00) |
| CEFTIBUTEN | 1 (0.02) | | | | 1 (0.00) |
| CEFTIN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| CEFTRIAXONE | 4 (0.07) | 4 (0.02) | 8 (0.03) | 5 (0.06) | 21 (0.03) |
| CEFTRIAXONE SODIUM | 2 (0.03) | 2 (0.01) | 4 (0.01) | 2 (0.03) | 10 (0.02) |
| CEFURIM ECO 500 (CEFU | | | 1 (0.00) | | 1 (0.00) |
| CEFUROXIM | | | 2 (0.01) | | 2 (0.00) |
| CEFUROXIME | 1 (0.02) | 4 (0.02) | 11 (0.04) | 3 (0.04) | 19 (0.03) |
| CEFUROXIME AXETIL | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| CEFUROXIME SODIUM | | | | 1 (0.01) | 1 (0.00) |
| CEFZIL | 9 (0.15) | | | | 9 (0.01) |
| CEFZON | 2 (0.03) | 1 (0.01) | 2 (0.01) | 1 (0.01) | 6 (0.01) |
| CELCEPT | | | 1 (0.00) | | 1 (0.00) |
| CELEBRA | | | 1 (0.00) | | 1 (0.00) |
| CELEBREX | 4 (0.07) | 51 (0.30) | 151 (0.50) | 35 (0.45) | 241 (0.40) |
| CELEBREX (CELECOXIB) | | | | 1 (0.01) | 1 (0.00) |
| CELECOXIB | | 4 (0.02) | 3 (0.01) | 4 (0.05) | 11 (0.02) |
| CELECOXIB 200MG | | | | 1 (0.01) | 1 (0.00) |
| CELECOXIB (CELECOXIB) | | 1 (0.01) | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| CELECOXIB 200 MG PFIZE | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CELECTOL | | | | 2 (0.03) | 2 (0.00) |
| CELESDEPOT INJECTABLE | | | 1 (0.00) | | 1 (0.00) |
| CELESTAMINE (BETAMETHA | | | 3 (0.01) | | 3 (0.00) |
| CELESTAMINE TAB | | | 2 (0.01) | | 2 (0.00) |
| CELESTENE | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| CELESTENE (BET | | | 1 (0.00) | | 1 (0.00) |
| CELESTENE (BETAMETHASO | | | 1 (0.00) | | 1 (0.00) |
| CELESTONE | 6 (0.10) | 2 (0.01) | 1 (0.00) | | 9 (0.01) |
| CELESTONE TAB | | | 1 (0.00) | | 1 (0.00) |
| CELEXA | 7 (0.12) | 41 (0.24) | 22 (0.07) | 4 (0.05) | 74 (0.12) |
| CELLCEPT | 7 (0.12) | 17 (0.10) | 28 (0.09) | 1 (0.01) | 53 (0.09) |
| CELLCEPT/RAPAMUNE | | 1 (0.01) | | | 1 (0.00) |
| CELLUVISE | | | 1 (0.00) | | 1 (0.00) |
| CELOCURINE | | 1 (0.01) | | | 1 (0.00) |
| CELTECT | | | 1 (0.00) | | 1 (0.00) |
| CELTECT (OXATOMIDE) | | 1 (0.01) | | | 1 (0.00) |
| CENESTIN | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CENTOLIN (SALBUTAMOL) | | | | 1 (0.01) | 1 (0.00) |
| CENTRUM | 1 (0.02) | 2 (0.01) | 2 (0.01) | 1 (0.01) | 6 (0.01) |
| CENTRUM (MINERALS NOS, | | 1 (0.01) | | | 1 (0.00) |
| CENTRUM (MINERALS NOS, | | 1 (0.01) | | | 1 (0.00) |
| CENTRUM (MULTIVITAMIN/ | | | 1 (0.00) | | 1 (0.00) |
| CENTRUM A TO ZINC (MIN | | | 1 (0.00) | | 1 (0.00) |
| CENTRUM PERFORMANCE | | | 1 (0.00) | | 1 (0.00) |
| CENTRUM SILVER | | | 3 (0.01) | 2 (0.03) | 5 (0.01) |
| CENTRUM SILVER (CENTRU | | | 1 (0.00) | | 1 (0.00) |
| CENTYL (BENDROFLUMETHI | | 1 (0.01) | | | 1 (0.00) |
| CENTYL MITE W/POTASSIU | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CENTYL WITH POTASSIUM | | | 1 (0.00) | | 1 (0.00) |
| CEPHALEXIN | 1 (0.02) | 4 (0.02) | 10 (0.03) | 2 (0.03) | 17 (0.03) |
| CEPHALOSPORIN | | | 2 (0.01) | | 2 (0.00) |
| CEPRANDAL | | 2 (0.01) | | | 2 (0.00) |
| CERAZETTE | | 2 (0.01) | | | 2 (0.00) |
| CERCINE | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| CEREBYX | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| CEREZYME | 12 (0.20) | 7 (0.04) | 14 (0.05) | 6 (0.08) | 39 (0.06) |
| CERNILTON | | 1 (0.01) | | | 1 (0.00) |
| CEROCRAL | | | 1 (0.00) | 3 (0.04) | 4 (0.01) |
| CERUCAL | | 1 (0.01) | | | 1 (0.00) |
| CERVIDIL | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| CETIRIZIN | | | 1 (0.00) | | 1 (0.00) |
| CETIRIZINE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| CETIRIZINE HCL | 1 (0.02) | 1 (0.01) | | 1 (0.01) | 3 (0.00) |
| CETIRIZINE HCL AND PSE | | | 1 (0.00) | | 1 (0.00) |
| CETIRIZINE HYDROCHLORI | 1 (0.02) | | | | 1 (0.00) |
| CETROTIDE | | 2 (0.01) | | | 2 (0.00) |
| CETROTIDE (CETRORELIX | | 1 (0.01) | | | 1 (0.00) |
| CETUXIMAB | | 25 (0.15) | 99 (0.33) | 9 (0.12) | 133 (0.22) |
| CETUXIMAB 100 MG VIA | | 1 (0.01) | | | 1 (0.00) |
| CETUXIMAB (MERCK AND C | | | 1 (0.00) | | 1 (0.00) |
| CHEMOTHERAPEUTICS,OTHE | | 3 (0.02) | 12 (0.04) | 2 (0.03) | 17 (0.03) |
| CHEMOTHERAPY | 1 (0.02) | 2 (0.01) | 4 (0.01) | 2 (0.03) | 9 (0.01) |
| CHEMOTHERAPY (CHEMOTHE | | 2 (0.01) | | | 2 (0.00) |
| CHEMOTHERAPY REGIMENS | | | | 1 (0.01) | 1 (0.00) |
| CHILDREN'S ADVIL | 6 (0.10) | | | | 6 (0.01) |
| CHILDREN'S CLARITIN | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CHILDREN'S IBUPROFEN S | 1 (0.02) | | | | 1 (0.00) |
| CHILDREN'S MOTRIN | 2 (0.03) | | | | 2 (0.00) |
| CHILDREN'S PANADOL COL | 1 (0.02) | | | | 1 (0.00) |
| CHILDREN'S PEDIACARE M | 1 (0.02) | | | | 1 (0.00) |
| CHILDREN'S PEDIACARE M | 1 (0.02) | | | | 1 (0.00) |
| CHILDREN'S PEDIACARE N | 2 (0.03) | | | | 2 (0.00) |
| CHILDREN'S PEDICARE MU | 1 (0.02) | | | | 1 (0.00) |
| CHILDREN'S SUDAFED NAS | 1 (0.02) | | | | 1 (0.00) |
| CHINESE MEDICINES | 1 (0.02) | | | | 1 (0.00) |
| CHLORAL HYDRATE | | | | 1 (0.01) | 1 (0.00) |
| CHLORAL HYDRATE (CHLOR | | | 2 (0.01) | | 2 (0.00) |
| CHLORAL HYDRATE LIQUID | | | 1 (0.00) | | 1 (0.00) |
| CHLORALDURAT | | | 1 (0.00) | | 1 (0.00) |
| CHLORAMPHENICOL | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CHLORAPREP | | | 1 (0.00) | | 1 (0.00) |
| CHLORAPREP 26ML WITH T | | | 1 (0.00) | | 1 (0.00) |
| CHLORAPREP ONE-STEP SE | 1 (0.02) | | | | 1 (0.00) |
| CHLORAPREP WITH TINT | | | 2 (0.01) | | 2 (0.00) |
| CHLORDIAZEPOXIDE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CHLORMADINONE ACETATE | | 1 (0.01) | | | 1 (0.00) |
| CHLORMADINONE ACETATE | | | 5 (0.02) | | 5 (0.01) |
| CHLOROTHIAZIDE | | | 2 (0.01) | | 2 (0.00) |
| CHLORPHENIRAMINE MALEA | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| CHLORPHENIRAMINE, D-PS | | | 1 (0.00) | | 1 (0.00) |
| CHLORPHENIRAMINE/PARAC | | 2 (0.01) | | | 2 (0.00) |
| CHLORPROMAZINE | 1 (0.02) | 3 (0.02) | 1 (0.00) | 2 (0.03) | 7 (0.01) |
| CHLORPROMAZINE HCL | | 2 (0.01) | | | 2 (0.00) |
| CHLORTHALIDONE | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CHOLEBINE (COLESTILAN) | | | 1 (0.00) | | 1 (0.00) |
| CHOLECALCIFEROL | | | | 2 (0.03) | 2 (0.00) |
| CHOLESTEROL | | | 1 (0.00) | | 1 (0.00) |
| CHOLESTEROL MEDCIATION | | | 1 (0.00) | | 1 (0.00) |
| CHOLESTEROL MEDICATION | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| CHOLESTEROL- AND TRIGL | | | 2 (0.01) | | 2 (0.00) |
| CHOLESTYRAMINAL | | | 1 (0.00) | | 1 (0.00) |
| CHOLESTYRAMINAL (COLES | | | 1 (0.00) | | 1 (0.00) |
| CHOLESTYRAMINE | | | 2 (0.01) | | 2 (0.00) |
| CHOLINESTERASE INHIBIT | | | | 3 (0.04) | 3 (0.00) |
| CHONDROITIN / GLUCOSAM | | 1 (0.01) | | | 1 (0.00) |
| CHONDROSULF (CHONDROIT | | | | 1 (0.01) | 1 (0.00) |
| CHORIONIC GONADOTROPIN | | 3 (0.02) | | | 3 (0.00) |
| CHRONADALATE | | | 2 (0.01) | | 2 (0.00) |
| CIALIS | 3 (0.05) | 31 (0.18) | 70 (0.23) | 6 (0.08) | 110 (0.18) |
| CIBLOR | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| CICLESONIDE | | 1 (0.01) | | | 1 (0.00) |
| CIFLOX | 1 (0.02) | | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| CIFLOX (CIPROFLOXACIN) | | | 1 (0.00) | | 1 (0.00) |
| CIFLOX (MOXIFLOXACIN) | | | 1 (0.00) | | 1 (0.00) |
| CIKLOSPORIN | | | 1 (0.00) | | 1 (0.00) |
| CILAZAPRIL | | | 1 (0.00) | | 1 (0.00) |
| CILAZAPRIL (CILAZAPRIL | | | | 1 (0.01) | 1 (0.00) |
| CILEST | | 2 (0.01) | | | 2 (0.00) |
| CILIFT (CITALOPRAM) | | 1 (0.01) | | | 1 (0.00) |
| CILOSTAZOL | | | 5 (0.02) | 5 (0.06) | 10 (0.02) |
| CIMETIDINE | | 1 (0.01) | 5 (0.02) | 1 (0.01) | 7 (0.01) |
| CINACALCET | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CINAL TABLETS | | | 1 (0.00) | | 1 (0.00) |
| CIORDINOL (CLOPENTHIXO | | 1 (0.01) | | | 1 (0.00) |
| CIPRALEX | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| CIPRALEX (ESCITALOPRAM | 3 (0.05) | 9 (0.05) | 8 (0.03) | 3 (0.04) | 23 (0.04) |
| CIPRAMIL | 2 (0.03) | 2 (0.01) | | | 4 (0.01) |
| CIPRAMIL | | 1 (0.01) | | | 1 (0.00) |
| CIPRO | 6 (0.10) | 9 (0.05) | 17 (0.06) | 7 (0.09) | 39 (0.06) |
| CIPRO /00697201/ | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CIPRO XR | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| CIPROFIBRATE | | | | 1 (0.01) | 1 (0.00) |
| CIPROFLAXACIN | | 4 (0.02) | 4 (0.01) | 2 (0.03) | 10 (0.02) |
| CIPROFLOXACIN | 8 (0.14) | 12 (0.07) | 22 (0.07) | 18 (0.23) | 60 (0.10) |
| CIPROFLOXACIN 500 MG | | 1 (0.01) | | | 1 (0.00) |
| CIPROFLOXACIN 250 | | 1 (0.01) | | | 1 (0.00) |
| CIPROFLOXACIN HCL | | 1 (0.01) | 9 (0.03) | 5 (0.06) | 15 (0.02) |
| CIPROFLOXACIN HYDROCHL | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CIPROXAN (CIPROFLOXACI | | 1 (0.01) | | | 1 (0.00) |
| CIPROXAN (CIPROFLOXACI | | | 1 (0.00) | | 1 (0.00) |
| CIPROXAN(CIPROFLOXACIN | | | 1 (0.00) | | 1 (0.00) |
| CIPROXIN 500MG | | 1 (0.01) | | | 1 (0.00) |
| CIPROXIN (CIPROFLOXACI | | | 2 (0.01) | | 2 (0.00) |
| CIRPO (CIPROFLOXACIN H | | 1 (0.01) | | | 1 (0.00) |
| CIRRUS | | | 1 (0.00) | | 1 (0.00) |
| CISAPRIDE | | | 1 (0.00) | | 1 (0.00) |
| CISATRACURIUM BESYLATE | | | 1 (0.00) | | 1 (0.00) |
| CISDYNE | 1 (0.02) | | | | 1 (0.00) |
| CISORDINOL (CLOPENTHIX | | 2 (0.01) | | | 2 (0.00) |
| CISORDINOL - SLOW RELE | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CISPLATIN | 3 (0.05) | 25 (0.15) | 75 (0.25) | 6 (0.08) | 109 (0.18) |
| CISPLATIN (CISPLATIN U | | | 1 (0.00) | | 1 (0.00) |
| CISPLATIN (CISPLATIN) | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| CITALOPRAM | 3 (0.05) | 10 (0.06) | 6 (0.02) | 2 (0.03) | 21 (0.03) |
| CITALOPRAM (CITALOPRAM | 2 (0.03) | 4 (0.02) | 3 (0.01) | | 9 (0.01) |
| CITALOPRAM 20 MG DR. R | | 1 (0.01) | | | 1 (0.00) |
| CITALOPRAM 20 MG IVAX | | 1 (0.01) | | | 1 (0.00) |
| CITALOPRAM HYDROBROMID | 18 (0.30) | 26 (0.15) | 24 (0.08) | 7 (0.09) | 75 (0.12) |
| CITALOPRAM HYDROBROMII | 1 (0.02) | | | | 1 (0.00) |
| CITROLOPRAM | | | 1 (0.00) | | 1 (0.00) |
| CLACID | | | | 1 (0.01) | 1 (0.00) |
| CLACIUM CHLORIDE (CALC | | | 1 (0.00) | | 1 (0.00) |
| CLADRIBINE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CLAFORAN | 2 (0.03) | 2 (0.01) | | | 4 (0.01) |
| CLAMOXYL | | 3 (0.02) | 4 (0.01) | 1 (0.01) | 8 (0.01) |
| CLARAVIS | 20 (0.34) | 10 (0.06) | | | 30 (0.05) |
| CLARINEX | 1 (0.02) | 6 (0.04) | 4 (0.01) | 2 (0.03) | 13 (0.02) |
| CLARINEX/USA/(DESLORAT | | 1 (0.01) | | | 1 (0.00) |
| CLARITHROMYCIN | 8 (0.14) | 13 (0.08) | 17 (0.06) | 5 (0.06) | 43 (0.07) |
| CLARITIN | 7 (0.12) | 15 (0.09) | 23 (0.08) | 6 (0.08) | 51 (0.08) |
| CLARITIN-D | 2 (0.03) | 3 (0.02) | 4 (0.01) | | 9 (0.01) |
| CLARITIN-D ALLERGY/CON | | | 1 (0.00) | | 1 (0.00) |
| CLASTOBAN | | | 1 (0.00) | | 1 (0.00) |
| CLAVENTIN | | 1 (0.01) | | | 1 (0.00) |
| CLAVURION | 1 (0.02) | | | | 1 (0.00) |
| CLEANAL | | | | 2 (0.03) | 2 (0.00) |
| CLEAR CARE 120Z BOTTLE | | | 1 (0.00) | | 1 (0.00) |
| CLEAR CARE CIBA VISION | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CLEAR EYES FOR DRY EYE | | | 1 (0.00) | | 1 (0.00) |
| CLEMASTINE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CLEMASTINE FUMARATE | | 2 (0.01) | | | 2 (0.00) |
| CLEOCIN | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| CLEOCIN T GEL (CLINDAM | 1 (0.02) | | | | 1 (0.00) |
| CLEXANE | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| CLEXANE /GFR/(HEPARI | | | 1 (0.00) | | 1 (0.00) |
| CLIMAGEST (ESTRADIOL V | | | 1 (0.00) | | 1 (0.00) |
| CLIMARA | | 6 (0.04) | 7 (0.02) | | 13 (0.02) |
| CLINDAMICYN | | 1 (0.01) | | | 1 (0.00) |
| CLINDAMYCIN | 2 (0.03) | 5 (0.03) | 6 (0.02) | 5 (0.06) | 18 (0.03) |
| CLINDAMYCIN HCL | 6 (0.10) | 3 (0.02) | 4 (0.01) | 1 (0.01) | 14 (0.02) |
| CLINDAMYCIN HYDROCHLOR | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| CLINDAMYCIN PHOSPHATE | 3 (0.05) | 1 (0.01) | 2 (0.01) | 2 (0.03) | 8 (0.01) |
| CLINORIL | | | 2 (0.01) | 3 (0.04) | 5 (0.01) |
| CLOBAZAM | | | | 1 (0.01) | 1 (0.00) |
| CLOBETASOL | | | 1 (0.00) | | 1 (0.00) |
| CLOBETASOL OINTMENT (C | | 1 (0.01) | | | 1 (0.00) |
| CLOBETASOL PROPIONATE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| CLOBEX | | 2 (0.01) | | | 2 (0.00) |
| CLODRONATE DISODIUM (C | | | 2 (0.01) | | 2 (0.00) |
| CLODRONATE DISODIUM (C | | | 1 (0.00) | | 1 (0.00) |
| CLOFARABINE | 14 (0.24) | 2 (0.01) | 8 (0.03) | 5 (0.06) | 29 (0.05) |
| CLOFARABINE GENZYM | | | 1 (0.00) | | 1 (0.00) |
| CLOFARABINE GENZYME | | | 1 (0.00) | | 1 (0.00) |
| CLOFAZIMINE | | 1 (0.01) | | | 1 (0.00) |
| CLOLAR | 2 (0.03) | 1 (0.01) | 2 (0.01) | | 5 (0.01) |
| CLOMID | 2 (0.03) | 4 (0.02) | | | 6 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CLOMIPHENE | | 1 (0.01) | | | 1 (0.00) |
| CLOMIPHENE CITRATE | | 2 (0.01) | | | 2 (0.00) |
| CLOMIPRAMINE HCL | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| CLONAZEPAM | 13 (0.22) | 37 (0.22) | 36 (0.12) | 5 (0.06) | 91 (0.15) |
| CLONAZEPAM | | | 1 (0.00) | | 1 (0.00) |
| CLONAZEPAM (CLONAZEPAM | | 1 (0.01) | | | 1 (0.00) |
| CLONIDINE | 15 (0.25) | 13 (0.08) | 16 (0.05) | 5 (0.06) | 49 (0.08) |
| CLONIDINE HCL | | | 2 (0.01) | | 2 (0.00) |
| CLONIDINE HCL (CLONIDI | | | | 1 (0.01) | 1 (0.00) |
| CLONIDINE HYDROCHLORID | | | 1 (0.00) | | 1 (0.00) |
| CLONIDINIE (CLONIDINE) | | | 1 (0.00) | | 1 (0.00) |
| CLONOPIN | | 5 (0.03) | | | 5 (0.01) |
| CLOPIDOGREL | | 2 (0.01) | 15 (0.05) | 6 (0.08) | 23 (0.04) |
| CLOPIDOGREL (CLOPIDOGR | | | | 1 (0.01) | 1 (0.00) |
| CLOPIDOGREL BISULFATE | | | 11 (0.04) | 5 (0.06) | 16 (0.03) |
| CLOPIXOL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CLOPIXOL (HYDROCHLORID | | | | 1 (0.01) | 1 (0.00) |
| CLORANA | | | | 1 (0.01) | 1 (0.00) |
| CLORAZEPATE DIPOTASSIU | | 6 (0.04) | 3 (0.01) | | 9 (0.01) |
| CLOSTRIDIUM BUTYRICUM | 1 (0.02) | | | | 1 (0.00) |
| CLOTIAPINE | | 1 (0.01) | | | 1 (0.00) |
| CLOTRIMAZOLE | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| CLOXAZOLAM | | | | 2 (0.03) | 2 (0.00) |
| CLOZAPINE | 45 (0.76) | 425 (2.49) | 336 (1.11) | 62 (0.80) | 868 (1.42) |
| CLOZAPINE (CLOZAPNE) (| | | 1 (0.00) | | 1 (0.00) |
| CLOZAPINE TABLETS, 12. | | 1 (0.01) | | | 1 (0.00) |
| CLOZARIL | 5 (0.08) | 25 (0.15) | 11 (0.04) | 4 (0.05) | 45 (0.07) |
| CO-AMILOFRUSE | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CO-BENELDOPA | | | 1 (0.00) | | 1 (0.00) |
| CO-CARELDOPA | | | 1 (0.00) | | 1 (0.00) |
| CO-CODAMOL | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| CO-DIOVAN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| CO-DIOVAN (VALSARTAN/H | | | 2 (0.01) | | 2 (0.00) |
| CO-DYDRAMOL | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| CO-DYDRAMOL (DIHYDROCO | | | 1 (0.00) | | 1 (0.00) |
| CO-PHENOTROPE | | 1 (0.01) | | | 1 (0.00) |
| CO-RENITEN | | | 1 (0.00) | | 1 (0.00) |
| CO-TRIMAZOLE | 1 (0.02) | | | | 1 (0.00) |
| CO-TRIMAZOLE 800 MG/16 | | 1 (0.01) | | | 1 (0.00) |
| CO-TRIMAZOLE ^DAKOTA P | | | 1 (0.00) | | 1 (0.00) |
| CO-TRIMOXAZOLE | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| CO-TRIMOXAZOLE (SULFA | | 1 (0.01) | | | 1 (0.00) |
| COAPROVEL | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| COAPROVEL (HYDROCHLORO | | | | 2 (0.03) | 2 (0.00) |
| COAPROVEL (IRBESARTAN) | | | | 1 (0.01) | 1 (0.00) |
| COAPROVEL TABS | | | | 1 (0.01) | 1 (0.00) |
| COAPROVEL TABS 300MG/1 | | 1 (0.01) | | 2 (0.03) | 3 (0.00) |
| COCAINE | | 2 (0.01) | | | 2 (0.00) |
| COCAINE (COCAINE) | 2 (0.03) | | | | 2 (0.00) |
| COCAINE(COCAINE) | | 1 (0.01) | | | 1 (0.00) |
| COCARL | 3 (0.05) | | | | 3 (0.00) |
| COD LIVER OIL | | | 1 (0.00) | | 1 (0.00) |
| CODATEN | | 2 (0.01) | | | 2 (0.00) |
| CODE UNBROKEN | | | | 2 (0.03) | 2 (0.00) |
| CODEINE | | 6 (0.04) | 4 (0.01) | | 10 (0.02) |
| CODEINE (CODEINE) | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CODEINE PHOSPHATE | | | 1 (0.00) | | 1 (0.00) |
| CODEINE PHOSPHATE (COD | | 2 (0.01) | | | 2 (0.00) |
| CODEINE PHOSPHATE/PARA | | | 1 (0.00) | | 1 (0.00) |
| CODEINE/GUAIFENESIN | | 1 (0.01) | | | 1 (0.00) |
| COGENTIN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| COLACE | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| COLACE (DOCUSATE SODIU | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| COLACE (DOSCUATE SODIU | | 1 (0.01) | | | 1 (0.00) |
| COLCHICINE | | 7 (0.04) | 3 (0.01) | | 10 (0.02) |
| COLCHICINE (WATSON LAB | | | 1 (0.00) | | 1 (0.00) |
| COLCHICUM JTL LIQ | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| COLD MEDICINE (UNSPECI | 1 (0.02) | | | | 1 (0.00) |
| COLECALCIFEROL (COLCAL | | | | 1 (0.01) | 1 (0.00) |
| COLECALCIFEROL (COLECA | | | | 1 (0.01) | 1 (0.00) |
| COLESTID | | | 1 (0.00) | | 1 (0.00) |
| COLESTIPOL HYDROCHLORI | | | 1 (0.00) | | 1 (0.00) |
| COLISTIN (COLISTIN) | | | | 2 (0.03) | 2 (0.00) |
| COLISTIN SULFATE | | 2 (0.01) | | | 2 (0.00) |
| COLISTIN SULFATE (COLI | | 5 (0.03) | | | 5 (0.01) |
| COLOXYL WITH SENNA | | | 2 (0.01) | | 2 (0.00) |
| COMBIPATCH | | | 1 (0.00) | | 1 (0.00) |
| COMBIVENT | | | 10 (0.03) | 5 (0.06) | 15 (0.02) |
| COMBIVENT (ALBUTEROL | | | 1 (0.00) | | 1 (0.00) |
| COMBIVENT (ALBUTEROL, | | | 1 (0.00) | | 1 (0.00) |
| COMBIVIR | 6 (0.10) | 20 (0.12) | 4 (0.01) | | 30 (0.05) |
| COMELIAN | | | | 3 (0.04) | 3 (0.00) |
| COMMIT | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| COMMIT NICOTINE POLACR | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| COMPATH | 1 (0.02) | | | | 1 (0.00) |
| COMPAZINE | | 3 (0.02) | 8 (0.03) | 1 (0.01) | 12 (0.02) |
| COMPD W WART REMOVAL S | | | 1 (0.00) | | 1 (0.00) |
| COMTAN | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| COMTESS (ENTACAPONE) | | | | 1 (0.01) | 1 (0.00) |
| COMTREX | | 1 (0.01) | | | 1 (0.00) |
| COMTREX DAY + NIGHT CO | | | 1 (0.00) | | 1 (0.00) |
| CONCERIA | 1 (0.02) | | | | 1 (0.00) |
| CONCERTA | 53 (0.90) | 10 (0.06) | 8 (0.03) | | 71 (0.12) |
| CONCERTA OROS | 1 (0.02) | | | | 1 (0.00) |
| CONCOR | | 1 (0.01) | 6 (0.02) | 3 (0.04) | 10 (0.02) |
| CONCOR (BISOPROLOL) | | | 3 (0.01) | | 3 (0.00) |
| CONCOR 10 MG(10 MG)(BI | | | 1 (0.00) | | 1 (0.00) |
| CONCOR COR | | | 2 (0.01) | | 2 (0.00) |
| CONCURRENT MEDICATIONS | | | 1 (0.00) | | 1 (0.00) |
| CONDIUREN | | | 1 (0.00) | | 1 (0.00) |
| CONIEL | | | 3 (0.01) | 9 (0.12) | 12 (0.02) |
| CONIEL (BENIDIPINE HYD | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| CONJUGATED ESTROGENS/M | | | 1 (0.00) | | 1 (0.00) |
| CONTAC 12-HOUR COLD CA | | | 2 (0.01) | | 2 (0.00) |
| CONTACT COLD AND FLU | | 1 (0.01) | | | 1 (0.00) |
| CONTOMIN | | 2 (0.01) | | | 2 (0.00) |
| CONTRACEPTIVE | 69 (1.17) | 63 (0.37) | | | 132 (0.22) |
| CONTRACEPTIVE DRUG NOS | 2 (0.03) | | | | 2 (0.00) |
| CONTRACEPTIVE NOS | | 1 (0.01) | | | 1 (0.00) |
| CONTRACEPTIVE PILL NOS | | 2 (0.01) | | | 2 (0.00) |
| CONTRACEPTIVE, UNSPECI | | 1 (0.01) | | | 1 (0.00) |
| CONTRACEPTIVES | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CONTRAMAL | 1 (0.02) | | | | 1 (0.00) |
| CONTRAMAL RETARD | | | | 1 (0.01) | 1 (0.00) |
| CONTRAST MEDIA | | 1 (0.01) | | | 1 (0.00) |
| COOL MINT LISTERINE (M | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| COPAXONE | 4 (0.07) | 41 (0.24) | 30 (0.10) | | 75 (0.12) |
| COPEGUS | 4 (0.07) | 8 (0.05) | 3 (0.01) | | 15 (0.02) |
| COPROXAMOL | | 1 (0.01) | | | 1 (0.00) |
| COQUELUSEDAL | 1 (0.02) | | | | 1 (0.00) |
| CORDARONE | | | 27 (0.09) | 16 (0.21) | 43 (0.07) |
| CORDERON | | | 1 (0.00) | | 1 (0.00) |
| CORDIPATCH | | | | 1 (0.01) | 1 (0.00) |
| COREG | | 7 (0.04) | 33 (0.11) | 18 (0.23) | 58 (0.10) |
| COREG (CAREDILOL) | | | 1 (0.00) | | 1 (0.00) |
| COREG (CARVEDIOL) | | 1 (0.01) | | | 1 (0.00) |
| CORGARD | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| CORICIDIN | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| CORICIDIN (ACETAMINOPH | | | 1 (0.00) | | 1 (0.00) |
| CORICIDIN D TABLETS | | | 1 (0.00) | | 1 (0.00) |
| CORICIDIN HBP COUGH + | 1 (0.02) | | | | 1 (0.00) |
| CORICIDIN HBP COUGH AN | 1 (0.02) | | | | 1 (0.00) |
| CORICIDIN SINUS H/A(X- | | 1 (0.01) | | | 1 (0.00) |
| CORICIDINE HBP COUGH A | 2 (0.03) | | | | 2 (0.00) |
| CORINAE | | | 1 (0.00) | | 1 (0.00) |
| CORINAE L | | | 1 (0.00) | | 1 (0.00) |
| CORINAEL (NIFEDIPINE) | | | 1 (0.00) | | 1 (0.00) |
| CORMAX (CLOBETASOL PRO | | | 1 (0.00) | | 1 (0.00) |
| CORODARONE | | 1 (0.01) | | | 1 (0.00) |
| CORODIL | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| COROPRES | | 1 (0.01) | | | 1 (0.00) |
| CORTANCYL | 2 (0.03) | 15 (0.09) | 9 (0.03) | 5 (0.06) | 31 (0.05) |
| CORTANCYL (PREDNISONE) | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| CORTANSYL | | | 1 (0.00) | | 1 (0.00) |
| CORTEF | 6 (0.10) | 2 (0.01) | | 1 (0.01) | 9 (0.01) |
| CORTICOID | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| CORTICOIDS | | 4 (0.02) | | | 4 (0.01) |
| CORTICOSTERIODS | 1 (0.02) | | | | 1 (0.00) |
| CORTICOSTEROID | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| CORTICOSTEROID NOS | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| CORTICOSTEROID NOS (CO | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| CORTICOSTEROIDS | | 2 (0.01) | 7 (0.02) | 1 (0.01) | 10 (0.02) |
| CORTICOSTEROIDS (CORTI | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CORTICOSTEROIDS (NO IN | | | 1 (0.00) | | 1 (0.00) |
| CORTICOSTEROIDS (UNSPE | 2 (0.03) | 1 (0.01) | 5 (0.02) | | 8 (0.01) |
| CORTICOTROPIN | 1 (0.02) | | | | 1 (0.00) |
| CORTISOL | 1 (0.02) | | | | 1 (0.00) |
| CORTISONE ACETATE | 1 (0.02) | 1 (0.01) | 5 (0.02) | 1 (0.01) | 8 (0.01) |
| CORTISONE ACETATE TAB | | | 2 (0.01) | 3 (0.04) | 5 (0.01) |
| CORTRIL | | | | 1 (0.01) | 1 (0.00) |
| CORTRIL (HYDROCORTISON | | | | 1 (0.01) | 1 (0.00) |
| CORUNO -MOLSIDOMINE | | | | 1 (0.01) | 1 (0.00) |
| CORVASAL | | 1 (0.01) | 1 (0.00) | 3 (0.04) | 5 (0.01) |
| CORVASAL (MOLSIDOMINE) | | | | 1 (0.01) | 1 (0.00) |
| COSMEGEN | | | 1 (0.00) | | 1 (0.00) |
| COSMO INSULIN PUMP | 1 (0.02) | | | | 1 (0.00) |
| COSOPT | | 1 (0.01) | 3 (0.01) | 3 (0.04) | 7 (0.01) |
| COTAREG | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| COTAZYM | 1 (0.02) | | | | 1 (0.00) |
| COTIRMOXAZOLE | | 1 (0.01) | | | 1 (0.00) |
| COTRIM | 4 (0.07) | 4 (0.02) | 5 (0.02) | | 13 (0.02) |
| COUAMDINE (WARFARIN SO | | 1 (0.01) | | | 1 (0.00) |
| COUGH AND COLD PREPARA | | 2 (0.01) | | | 2 (0.00) |
| COUGH SYRUP | | | 1 (0.00) | | 1 (0.00) |
| COUGH, COLD, AND FLU T | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| COUMADIN | 3 (0.05) | 28 (0.16) | 109 (0.36) | 79 (1.02) | 219 (0.36) |
| COUMARIN | | | 1 (0.00) | | 1 (0.00) |
| COVERA-HS | | | 2 (0.01) | 3 (0.04) | 5 (0.01) |
| COVEREX | | | 1 (0.00) | | 1 (0.00) |
| COVERSUM | | | | 1 (0.01) | 1 (0.00) |
| COVERSUM COMBI | | | | 1 (0.01) | 1 (0.00) |
| COVERSYL | | | 3 (0.01) | 9 (0.12) | 12 (0.02) |
| COVERSYL (PERINDOPRIL | | | 1 (0.00) | | 1 (0.00) |
| COVERSYL (PERINDOPRIL | | | 1 (0.00) | | 1 (0.00) |
| COVERSYL (PERINDOPRIL) | | | 1 (0.00) | 4 (0.05) | 5 (0.01) |
| COVERSYL/BEL/(PERINDOP | | | 1 (0.00) | | 1 (0.00) |
| COXTRAL (NIMESULIDE) | | 1 (0.01) | | | 1 (0.00) |
| COZAAR | | 13 (0.08) | 63 (0.21) | 22 (0.28) | 98 (0.16) |
| COZAAR (LOSAETAN POTAS | | | 1 (0.00) | | 1 (0.00) |
| CRAVIT | 2 (0.03) | 3 (0.02) | 1 (0.00) | 1 (0.01) | 7 (0.01) |
| CRAVIT OPHTHALMIC SOLU | | | | 1 (0.01) | 1 (0.00) |
| CRBOPLATIN | | | | 1 (0.01) | 1 (0.00) |
| CREATINE MONOHYDRATE | | 1 (0.01) | | | 1 (0.00) |
| CREON | 3 (0.05) | | 3 (0.01) | | 6 (0.01) |
| CREST W/ FLUORIDE | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| CRESTOR | | 14 (0.08) | 37 (0.12) | 3 (0.04) | 54 (0.09) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CRESTOR (ROSUVATATIN) | | | 1 (0.00) | | 1 (0.00) |
| CRINONE | | 2 (0.01) | | | 2 (0.00) |
| CRIXIVAN | 1 (0.02) | 10 (0.06) | 3 (0.01) | | 14 (0.02) |
| CSE INHIBITOR NOS | | | 1 (0.00) | | 1 (0.00) |
| CSF | 1 (0.02) | | | | 1 (0.00) |
| CUBICIN | | 4 (0.02) | 6 (0.02) | 3 (0.04) | 13 (0.02) |
| CUPRIMINE | | 1 (0.01) | | | 1 (0.00) |
| CYAMEMAZINE | | 2 (0.01) | | | 2 (0.00) |
| CYAMEMAZINE (CYAMEMAZI | | | | 1 (0.01) | 1 (0.00) |
| CYANOCOBALAMIN | 1 (0.02) | 4 (0.02) | 6 (0.02) | 1 (0.01) | 12 (0.02) |
| CYANOCOBALAMIN/PYRIDOX | | | | 1 (0.01) | 1 (0.00) |
| CYCLIZINE | | 1 (0.01) | 4 (0.01) | 1 (0.01) | 6 (0.01) |
| CYCLOBENZAPRINE 10 MG | | 1 (0.01) | | | 1 (0.00) |
| CYCLOBENZAPRINE HCL | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| CYCLOBENZAPRINE HYDROC | 1 (0.02) | 3 (0.02) | 1 (0.00) | | 5 (0.01) |
| CYCLOBENZAPRINE PO | | | 1 (0.00) | | 1 (0.00) |
| CYCLOCORT | | | | 1 (0.01) | 1 (0.00) |
| CYCLONAMINE (ETAMSILAT | | | 1 (0.00) | | 1 (0.00) |
| CYCLOPENTOLATE HCL | | | | 1 (0.01) | 1 (0.00) |
| CYCLOPHOSPHAMIDE | 8 (0.14) | 14 (0.08) | 55 (0.18) | 3 (0.04) | 80 (0.13) |
| CYCLOPHOSPHAMIDE + DOX | | | 1 (0.00) | | 1 (0.00) |
| CYCLOPHOSPHAMIDE 9CYCL | 1 (0.02) | | | | 1 (0.00) |
| CYCLOPORINE (CYCLOSPOR | 1 (0.02) | | | | 1 (0.00) |
| CYCLORCATE | | | 1 (0.00) | | 1 (0.00) |
| CYCLOSPORINE | 17 (0.29) | 31 (0.18) | 21 (0.07) | 5 (0.06) | 74 (0.12) |
| CYCLOSPORINWE | | 1 (0.01) | | | 1 (0.00) |
| CYCRIN | | | 1 (0.00) | | 1 (0.00) |
| CYLERT | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CYMAMEMAZINE | | 2 (0.01) | | | 2 (0.00) |
| CYMBALTA | 10 (0.17) | 88 (0.52) | 67 (0.22) | 14 (0.18) | 179 (0.29) |
| CYMERIN | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| CYMEVEN | 1 (0.02) | | | | 1 (0.00) |
| CYMEVENE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CYNBALTA | | 1 (0.01) | | | 1 (0.00) |
| CYNT 'BEIERSDORF' | | | 2 (0.01) | | 2 (0.00) |
| CYPHER | | | 1 (0.00) | | 1 (0.00) |
| CYPHER CORONARY STENT | | | 1 (0.00) | | 1 (0.00) |
| CYPHER DES | | | 1 (0.00) | | 1 (0.00) |
| CYPHER DES CARDIAC STE | | | 2 (0.01) | | 2 (0.00) |
| CYPHER SIROLIMUS-ELITI | | | 1 (0.00) | | 1 (0.00) |
| CYPHER STENT CORDIS JO | | | 1 (0.00) | | 1 (0.00) |
| CYPROHEPTADINE HCL | | | 1 (0.00) | | 1 (0.00) |
| CYPROHEPTADINE HYDROCH | | | | 1 (0.01) | 1 (0.00) |
| CYPROTERONE ACETATE + | 1 (0.02) | | | | 1 (0.00) |
| CYSTEX | | | 2 (0.01) | | 2 (0.00) |
| CYTARABINE | 4 (0.07) | 11 (0.06) | 24 (0.08) | 2 (0.03) | 41 (0.07) |
| CYTOGAM | 1 (0.02) | | | | 1 (0.00) |
| CYTOMEL | | | 2 (0.01) | | 2 (0.00) |
| CYTOSINE ARABINOSIDE | | 6 (0.04) | 4 (0.01) | | 10 (0.02) |
| CYTOTEC | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| CYTOXAN | 1 (0.02) | 4 (0.02) | 8 (0.03) | 2 (0.03) | 15 (0.02) |
| D FOSFENAL | | | 1 (0.00) | | 1 (0.00) |
| D-VIS-SOL (COLECALCIFE | 1 (0.02) | | | | 1 (0.00) |
| D.H.E. 45 | | | 1 (0.00) | | 1 (0.00) |
| D5W 500 | | | 1 (0.00) | | 1 (0.00) |
| DACARBAZINE | | 3 (0.02) | 16 (0.05) | 1 (0.01) | 20 (0.03) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DACLIZUMAB | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| DAFALGAN | | 2 (0.01) | | | 2 (0.00) |
| DAFLON (DIOSMIN) | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| DAFLON 500 | | 1 (0.01) | | | 1 (0.00) |
| DAFORIN | 1 (0.02) | | | | 1 (0.00) |
| DAI-KENCHU-TO ORAL POW | | | 1 (0.00) | | 1 (0.00) |
| DAIVOBET | | | 1 (0.00) | | 1 (0.00) |
| DAIVOCET | | | 1 (0.00) | | 1 (0.00) |
| DAIVONEX | | | | 1 (0.01) | 1 (0.00) |
| DALACIN | | | 3 (0.01) | | 3 (0.00) |
| DALACIN C | 2 (0.03) | | | | 2 (0.00) |
| DALACIN VAGINAL CREAM | | 2 (0.01) | | | 2 (0.00) |
| DALMANE | | 3 (0.02) | 1 (0.00) | 1 (0.01) | 5 (0.01) |
| DALTEPARIN (DALTEPARIN | | | 1 (0.00) | | 1 (0.00) |
| DANAPAROID SODIUM | 1 (0.02) | | 3 (0.01) | 4 (0.05) | 8 (0.01) |
| DANATROL | | | | 1 (0.01) | 1 (0.00) |
| DANAZOL | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| DANTOIN | 1 (0.02) | | | | 1 (0.00) |
| DANTRIUM | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| DAONIL | 2 (0.03) | | 5 (0.02) | 1 (0.01) | 8 (0.01) |
| DAPOTUM/SCH/ (FLUPHENA | | | 1 (0.00) | | 1 (0.00) |
| DAPSONE | 1 (0.02) | 7 (0.04) | 9 (0.03) | | 17 (0.03) |
| DAPTOMYCIN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DARBEPOETIN ALFA | | | 9 (0.03) | | 9 (0.01) |
| DARBEPOETIN ALFA (ARAN | | | 1 (0.00) | | 1 (0.00) |
| DARVO ET (DEXTROPROPOX | | | 1 (0.00) | | 1 (0.00) |
| DARVOCET | | 12 (0.07) | 12 (0.04) | 4 (0.05) | 28 (0.05) |
| DARVOCET-N (PROPACET) | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DARVOCET-N 100 | | | 7 (0.02) | 1 (0.01) | 8 (0.01) |
| DARVOCET-N 50 | | 11 (0.06) | 9 (0.03) | 1 (0.01) | 21 (0.03) |
| DARVOCETT | | | 1 (0.00) | | 1 (0.00) |
| DAUNORUBICIN | | 1 (0.01) | | | 1 (0.00) |
| DAUNORUBICIN HCL | 4 (0.07) | | 3 (0.01) | | 7 (0.01) |
| DAUNORUBICIN HYDROCHLO | | | 2 (0.01) | | 2 (0.00) |
| DAYQUIL | | 1 (0.01) | | | 1 (0.00) |
| DDAVP | 3 (0.05) | 1 (0.01) | 1 (0.00) | | 5 (0.01) |
| DECA-DURABOLIN | | 2 (0.01) | | | 2 (0.00) |
| DECADRON | 8 (0.14) | 14 (0.08) | 19 (0.06) | 5 (0.06) | 46 (0.08) |
| DECADRON (DEXAMETHAOSN | | | 1 (0.00) | | 1 (0.00) |
| DECADRON PHOSPHATE | | 3 (0.02) | 8 (0.03) | | 11 (0.02) |
| DECADRON SRC | | 10 (0.06) | 19 (0.06) | 2 (0.03) | 31 (0.05) |
| DECAPEPTYL | | 1 (0.01) | | | 1 (0.00) |
| DECAPEPTYL (GONADORELI | | 2 (0.01) | | | 2 (0.00) |
| DECONGESTANT | 1 (0.02) | | | | 1 (0.00) |
| DECORTIN | 1 (0.02) | 1 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| DECORTIN H | | | 1 (0.00) | | 1 (0.00) |
| DEDROGYL | | | 1 (0.00) | | 1 (0.00) |
| DEDROGYL (CALCIFEDIOL) | | | 1 (0.00) | | 1 (0.00) |
| DEFINITY | | | 4 (0.01) | | 4 (0.01) |
| DEFLAZACORT | | 2 (0.01) | 4 (0.01) | | 6 (0.01) |
| DEFOBIN | 1 (0.02) | | | | 1 (0.00) |
| DELFLEX W/ DEXTROSE 1. | | | 2 (0.01) | | 2 (0.00) |
| DELIX | | | 1 (0.00) | | 1 (0.00) |
| DELSYM | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| DELTASONE | | | 1 (0.00) | | 1 (0.00) |
| DELURSAN | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DEMADEX | | 3 (0.02) | 7 (0.02) | 1 (0.01) | 11 (0.02) |
| DEMEROL | 3 (0.05) | 4 (0.02) | 1 (0.00) | | 8 (0.01) |
| DEMOXEPAM | | 1 (0.01) | | | 1 (0.00) |
| DEMULEN 1/35-21 | | 2 (0.01) | | | 2 (0.00) |
| DENAVIR | | 1 (0.01) | | | 1 (0.00) |
| DENOSINE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DEPAKEN (VALPROATE SOD | 1 (0.02) | | | | 1 (0.00) |
| DEPAKENE | 15 (0.25) | 24 (0.14) | 10 (0.03) | 6 (0.08) | 55 (0.09) |
| DEPAKENE-R (VALPOATE S | | | 1 (0.00) | | 1 (0.00) |
| DEPAKINE /00228502/ | 1 (0.02) | | | | 1 (0.00) |
| DEPAKINE CHRONO SUSPEN | 1 (0.02) | | | | 1 (0.00) |
| DEPAKOTE | 29 (0.49) | 57 (0.33) | 29 (0.10) | 8 (0.10) | 123 (0.20) |
| DEPAKOTE - SLOW RELEAS | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| DEPAKOTE ER | 2 (0.03) | 2 (0.01) | 2 (0.01) | | 6 (0.01) |
| DEPAKOTE ER (TABLETS) | | | 1 (0.00) | | 1 (0.00) |
| DEPAS | 2 (0.03) | 4 (0.02) | | 1 (0.01) | 7 (0.01) |
| DEPAS (ETIZOLAM) | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| DEPO-ESTRADIOL | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| DEPO-MEDROL | 1 (0.02) | 7 (0.04) | 7 (0.02) | 1 (0.01) | 16 (0.03) |
| DEPO-PROVERA | 32 (0.54) | 39 (0.23) | 2 (0.01) | | 73 (0.12) |
| DEPO-PROVERA SUSPENSIO | 2 (0.03) | 3 (0.02) | | | 5 (0.01) |
| DEPO-TESTOSTERONE | | | 4 (0.01) | | 4 (0.01) |
| DEPO-TESTOSTERONE (TES | | 1 (0.01) | | | 1 (0.00) |
| DEPOCYT | | | 1 (0.00) | | 1 (0.00) |
| DEPODUR | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| DEPRAKINE | 3 (0.05) | | | | 3 (0.00) |
| DEPROMEL 25 | | | | 1 (0.01) | 1 (0.00) |
| DERINOX | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DERMATOLOGIC (UNSPECIF | | | 2 (0.01) | | 2 (0.00) |
| DERMOVATE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| DEROXAT | 1 (0.02) | 6 (0.04) | 7 (0.02) | 4 (0.05) | 18 (0.03) |
| DESFERAL | 3 (0.05) | 4 (0.02) | 1 (0.00) | | 8 (0.01) |
| DESFERAL (DEFEROXAMINE | | | 1 (0.00) | | 1 (0.00) |
| DESFLURANE | | 1 (0.01) | | | 1 (0.00) |
| DESIPRAMINE HCL | | 2 (0.01) | | | 2 (0.00) |
| DESIPRAMINE HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |
| DESLORATADINE | | 1 (0.01) | | | 1 (0.00) |
| DESMOPRESSIN | | | 1 (0.00) | | 1 (0.00) |
| DESMOPRESSIN ACETATE | 3 (0.05) | 2 (0.01) | 1 (0.00) | | 6 (0.01) |
| DESMOSPRAY | 1 (0.02) | | | | 1 (0.00) |
| DESMOTABS | 1 (0.02) | | | | 1 (0.00) |
| DESOGESTREL AND ETHINY | | 1 (0.01) | | | 1 (0.00) |
| DESOWEN | | | 1 (0.00) | | 1 (0.00) |
| DESOXYN | | 2 (0.01) | | | 2 (0.00) |
| DESYREL | | 2 (0.01) | 6 (0.02) | 5 (0.06) | 13 (0.02) |
| DETENSIEL | | | 1 (0.00) | | 1 (0.00) |
| DETENSIEL | | | 1 (0.00) | | 1 (0.00) |
| DETROL | | 2 (0.01) | 10 (0.03) | 5 (0.06) | 17 (0.03) |
| DETROL - SLOW RELEASE | | | 1 (0.00) | | 1 (0.00) |
| DETROL /01350202/ (TOL | | | | 1 (0.01) | 1 (0.00) |
| DETROL LA | | | 17 (0.06) | 14 (0.18) | 31 (0.05) |
| DETROL LA (TOLTERODINE | | 1 (0.01) | | | 1 (0.00) |
| DETRUSITOL | | | 1 (0.00) | | 1 (0.00) |
| DETURGYLONE | | 1 (0.01) | | | 1 (0.00) |
| DEXAMETASON TABLETS | | 1 (0.01) | | | 1 (0.00) |
| DEXAMETHASONE | 3 (0.05) | 11 (0.06) | 42 (0.14) | 2 (0.03) | 58 (0.10) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DEXAMETHASONE (DEXMETH | | 1 (0.01) | | | 1 (0.00) |
| DEXAMETHASONE ACETATE | 1 (0.02) | | | | 1 (0.00) |
| DEXAMETHASONE PO | | | 1 (0.00) | | 1 (0.00) |
| DEXAMETHASONE SODIUM P | 3 (0.05) | 5 (0.03) | 9 (0.03) | 1 (0.01) | 18 (0.03) |
| DEXAMETHASONE TAB | 1 (0.02) | 7 (0.04) | 22 (0.07) | 5 (0.06) | 35 (0.06) |
| DEXAMETHASONE/DOXORUBI | | | 1 (0.00) | | 1 (0.00) |
| DEXAMFETAMINE (DEXAMFE | 1 (0.02) | | | | 1 (0.00) |
| DEXAMYTREX AUGENSALBE | | 1 (0.01) | | | 1 (0.00) |
| DEXAVEN (DEXAMETHASONE | 1 (0.02) | | | | 1 (0.00) |
| DEXCHLORPHENIRAMINE MA | | | 1 (0.00) | | 1 (0.00) |
| DEXEDRINE | 3 (0.05) | | | | 3 (0.00) |
| DEXMEDETOMIDENE | | | 1 (0.00) | | 1 (0.00) |
| DEXMEDETOMIDINE | | | | 1 (0.01) | 1 (0.00) |
| DEXTROAMPHETAMINE 10 M | 1 (0.02) | | | | 1 (0.00) |
| DEXTROMETHORPHAN (DEXT | 1 (0.02) | | | | 1 (0.00) |
| DEXTROMETHORPHAN (NGX) | 1 (0.02) | | | | 1 (0.00) |
| DEXTROMETHORPHAN HYDRO | 4 (0.07) | | | 1 (0.01) | 5 (0.01) |
| DEXTROPROPOXYPHENE | | | 1 (0.00) | | 1 (0.00) |
| DEXTROPROPOXYPHENE HYD | | | 1 (0.00) | | 1 (0.00) |
| DEXTROSE | 1 (0.02) | | | | 1 (0.00) |
| DEXTROSE 5% | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DEXTROSE 5% AND SODIUM | 1 (0.02) | | | | 1 (0.00) |
| DF118 | | | 1 (0.00) | | 1 (0.00) |
| DHEA | | | 1 (0.00) | | 1 (0.00) |
| DI HYDAN | | | | 1 (0.01) | 1 (0.00) |
| DI-ANTALVIC | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| DI-ANTALVIC (APOREX) | | 2 (0.01) | | | 2 (0.00) |
| DI-ANTALVIC (DEXTROPOP | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DI-HYDAN (PHENYTOIN) T | | | 1 (0.00) | | 1 (0.00) |
| DIABETA | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| DIABETES MEDICATION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DIABETES MELLITUS THER | | | 1 (0.00) | | 1 (0.00) |
| DIABETICINE | | | 1 (0.00) | | 1 (0.00) |
| DIABINESE | | 2 (0.01) | | | 2 (0.00) |
| DIAFUSOR | | | | 2 (0.03) | 2 (0.00) |
| DIALYSIS | | | 2 (0.01) | | 2 (0.00) |
| DIALYSIS (DIALYSIS TRE | 1 (0.02) | | | | 1 (0.00) |
| DIAMICRON | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| DIAMICRON (GLICLAZIDE) | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| DIAMICRON (GLICLAZIDE) | | | 1 (0.00) | | 1 (0.00) |
| DIAMICRON MR | | | 2 (0.01) | | 2 (0.00) |
| DIAMORPHINE (DIAMORPHI | | 1 (0.01) | | | 1 (0.00) |
| DIAMOX | | 2 (0.01) | 2 (0.01) | 3 (0.04) | 7 (0.01) |
| DIANE (CYPROTERONE ACE | | 2 (0.01) | | | 2 (0.00) |
| DIANEAL | | 1 (0.01) | 7 (0.02) | 1 (0.01) | 9 (0.01) |
| DIANEAL PD-2 2.5 | | | 1 (0.00) | | 1 (0.00) |
| DIANEAL PD-4 1.5 | | | 2 (0.01) | | 2 (0.00) |
| DIANEAL PD4 ULTRABAG | | | 1 (0.00) | | 1 (0.00) |
| DIANETTE | 2 (0.03) | 2 (0.01) | | | 4 (0.01) |
| DIART | 1 (0.02) | | | | 1 (0.00) |
| DIART | | | 1 (0.00) | | 1 (0.00) |
| DIART (AZOSEMIDE) | | | 1 (0.00) | | 1 (0.00) |
| DIASTAT ACUDIAL | 1 (0.02) | | | | 1 (0.00) |
| DIATRIZOATE ORAL SOLN | | | | 1 (0.01) | 1 (0.00) |
| DIAVAN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| DIAZEAM (DIAZEPAM) | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DIAZEPAM | 5 (0.08) | 29 (0.17) | 28 (0.09) | 2 (0.03) | 64 (0.10) |
| DIAZIDE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| DIAZIDE (GLICLAZIDE) | | | 1 (0.00) | | 1 (0.00) |
| DIAZOXIDE | 1 (0.02) | | | | 1 (0.00) |
| DICLAC | | 2 (0.01) | | | 2 (0.00) |
| DICLOCIL | 1 (0.02) | | | | 1 (0.00) |
| DICLOFENAC | 4 (0.07) | 6 (0.04) | 15 (0.05) | 6 (0.08) | 31 (0.05) |
| DICLOFENAC 75MG | | | 1 (0.00) | | 1 (0.00) |
| DICLOFENAC (NGX) (DICL | | | 1 (0.00) | | 1 (0.00) |
| DICLOFENAC 75 MG | | | 2 (0.01) | | 2 (0.00) |
| DICLOFENAC EPOLAMINE P | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DICLOFENAC NA | | | 1 (0.00) | | 1 (0.00) |
| DICLOFENAC POTASSIUM | 1 (0.02) | | | | 1 (0.00) |
| DICLOFENAC RATIOPHARM | | 1 (0.01) | | | 1 (0.00) |
| DICLOFENAC SODIUM | 1 (0.02) | 7 (0.04) | 19 (0.06) | 3 (0.04) | 30 (0.05) |
| DICLOFENAC-RATIOPHARM | | 1 (0.01) | | | 1 (0.00) |
| DICLONEFAC (DICLOFENAC | | | 1 (0.00) | | 1 (0.00) |
| DICLOXACILLIN | | 1 (0.01) | | | 1 (0.00) |
| DICYCLOMINE | | | | 2 (0.03) | 2 (0.00) |
| DICYCLOMINE HYDROCHLOR | | | | 1 (0.01) | 1 (0.00) |
| DICYCLOVIR | | | 1 (0.00) | | 1 (0.00) |
| DICYLOMINE (ALL OTHER | | | 1 (0.00) | | 1 (0.00) |
| DIDANOSINE | 4 (0.07) | 10 (0.06) | 2 (0.01) | 1 (0.01) | 17 (0.03) |
| DIDROCAL | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| DIDRONEL | | 1 (0.01) | | | 1 (0.00) |
| DIFFERIN | 2 (0.03) | | | | 2 (0.00) |
| DIFFU K | | | 1 (0.00) | 6 (0.08) | 7 (0.01) |
| DIFLUCAN | | 6 (0.04) | 13 (0.04) | 8 (0.10) | 27 (0.04) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DIFLUCAN (FLUCONAZOLE) | | 3 (0.02) | 1 (0.00) | 1 (0.01) | 5 (0.01) |
| DIFORMIN RETARD | | | 2 (0.01) | | 2 (0.00) |
| DIFOSFONAL | | | 1 (0.00) | | 1 (0.00) |
| DIGESTIVES, INCL ENZYM | | | 1 (0.00) | | 1 (0.00) |
| DIGIMERCK MINOR | | | 1 (0.00) | | 1 (0.00) |
| DIGITALIS | | | 3 (0.01) | | 3 (0.00) |
| DIGITALIS CAP | | | 1 (0.00) | | 1 (0.00) |
| DIGITEK | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| DIGITEK 0.25 MG | | | 1 (0.00) | | 1 (0.00) |
| DIGITEX | | | 2 (0.01) | | 2 (0.00) |
| DIGITOXIN TAB | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| DIGOXIN | 2 (0.03) | 7 (0.04) | 46 (0.15) | 42 (0.54) | 97 (0.16) |
| DIGOXIN | | | 1 (0.00) | | 1 (0.00) |
| DIGOXIN (DIOXIN) | 1 (0.02) | | | | 1 (0.00) |
| DIGOXIN SEMI | | | 1 (0.00) | | 1 (0.00) |
| DIGOXINA | 1 (0.02) | | | | 1 (0.00) |
| DIHYDROCODEINE | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| DIHYDROCODEINE (DIHYDR | | | 2 (0.01) | | 2 (0.00) |
| DIHYDROCODRINE (DIHYDR | | | 1 (0.00) | | 1 (0.00) |
| DIHYDROERGOTAMINE MESY | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| DILACOR XR | | | 1 (0.00) | | 1 (0.00) |
| DILANDID | | 2 (0.01) | | | 2 (0.00) |
| DILANTIN | 3 (0.05) | 23 (0.13) | 27 (0.09) | 4 (0.05) | 57 (0.09) |
| DILANTIN (PHENYTOIN /0 | | 1 (0.01) | | | 1 (0.00) |
| DILANTIN /AUS/ (PHENYT | | | 1 (0.00) | | 1 (0.00) |
| DILANTIN /AUS/(PHENYTO | | | 1 (0.00) | | 1 (0.00) |
| DILANTIN /CAN/ (PHENYT | | | 1 (0.00) | | 1 (0.00) |
| DILANTIN KAPSEAL | 3 (0.05) | 1 (0.01) | 6 (0.02) | 3 (0.04) | 13 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DILATREND | | 2 (0.01) | 4 (0.01) | 2 (0.03) | 8 (0.01) |
| DILAUDID | 2 (0.03) | 4 (0.02) | 14 (0.05) | | 20 (0.03) |
| DILAUDIND (HYDROMORPHO | | | 1 (0.00) | | 1 (0.00) |
| DILTIA | | | | 1 (0.01) | 1 (0.00) |
| DILTIAZEM | 1 (0.02) | 1 (0.01) | 13 (0.04) | 6 (0.08) | 21 (0.03) |
| DILTIAZEM HCL | 1 (0.02) | 10 (0.06) | 11 (0.04) | 13 (0.17) | 35 (0.06) |
| DILTIAZEM HYDROCHLORID | | 1 (0.01) | 3 (0.01) | 5 (0.06) | 9 (0.01) |
| DILTIAZEM HYDROCHLORID | | 1 (0.01) | | | 1 (0.00) |
| DILTIAZEM MALATE | | | | 3 (0.04) | 3 (0.00) |
| DILTIAZEM RETARD | | 1 (0.01) | | | 1 (0.00) |
| DIMENHYDRINATE | | | 4 (0.01) | | 4 (0.01) |
| DIMETHYL SULFONE | | | 2 (0.01) | | 2 (0.00) |
| DINOPROSTONE GEL (DINO | 2 (0.03) | | | | 2 (0.00) |
| DIOCOMB SI | | | 1 (0.00) | | 1 (0.00) |
| DIOSMIN | | | 2 (0.01) | | 2 (0.00) |
| DIOSMINE, HESPERIDINE | | | 1 (0.00) | | 1 (0.00) |
| DIOVAN | 1 (0.02) | 35 (0.21) | 138 (0.46) | 32 (0.41) | 206 (0.34) |
| DIOVAN AMLO | | 1 (0.01) | | | 1 (0.00) |
| DIOVAN HCT | | 6 (0.04) | 19 (0.06) | 1 (0.01) | 26 (0.04) |
| DIOVAN HCT (CO-DIOVAN) | | | 1 (0.00) | | 1 (0.00) |
| DIOVAN TABLETS | | | 1 (0.00) | | 1 (0.00) |
| DIOVAN ^CIBA-GEIGY ^ (V | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| DIOVANCE (VALSARTAN) | | | 1 (0.00) | | 1 (0.00) |
| DIOVANE | | | 2 (0.01) | | 2 (0.00) |
| DIPENTUM | | 3 (0.02) | | | 3 (0.00) |
| DIPHANTOINE | | 1 (0.01) | | | 1 (0.00) |
| DIPHENHYDRAMINE | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| DIPHENHYDRAMINE CITRAT | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DIPHENHYDRAMINE HCL | 1 (0.02) | 2 (0.01) | 8 (0.03) | | 11 (0.02) |
| DIPHENHYDRAMINE HYDROC | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| DIPHENOXYLATE | | | 1 (0.00) | | 1 (0.00) |
| DIPHTHERIA AND TETANUS | | 2 (0.01) | | | 2 (0.00) |
| DIPHTHERIA, PERTUSSIS, | 1 (0.02) | | | | 1 (0.00) |
| DIPIDOLOR | | | 1 (0.00) | | 1 (0.00) |
| DIPIDOLOR (PIRITRAMIDE | | | | 1 (0.01) | 1 (0.00) |
| DIPRIVAN | 1 (0.02) | 13 (0.08) | 6 (0.02) | | 20 (0.03) |
| DIPROGENTA CREAM | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| DIPROLENE | | 2 (0.01) | | | 2 (0.00) |
| DIPROLENE CREAM (BETAM | | | 1 (0.00) | | 1 (0.00) |
| DIPROSONE | | | 1 (0.00) | | 1 (0.00) |
| DIPTHERIA AND TETANUS | | 1 (0.01) | | | 1 (0.00) |
| DIPYRIDAMOLE | | 1 (0.01) | 8 (0.03) | 2 (0.03) | 11 (0.02) |
| DIPYRONE (METAMIZOLE S | | 1 (0.01) | | | 1 (0.00) |
| DIPYRONE AND VITAMIN B | | | 2 (0.01) | | 2 (0.00) |
| DIPYRONE TAB | | 4 (0.02) | 5 (0.02) | 1 (0.01) | 10 (0.02) |
| DISCOTRINE (GLYCERYL T | | | | 1 (0.01) | 1 (0.00) |
| DISENTRONIC H_TRON PLU | | 1 (0.01) | | | 1 (0.00) |
| DISOPYRAMIDE | | | | 1 (0.01) | 1 (0.00) |
| DISPERSIBLE ASPIRIN TA | | | | 1 (0.01) | 1 (0.00) |
| DISPRIN | | 1 (0.01) | | | 1 (0.00) |
| DISTRANEURIN | | | | 2 (0.03) | 2 (0.00) |
| DISTRANEURINE | | | | 1 (0.01) | 1 (0.00) |
| DITHRANOL | | | 1 (0.00) | | 1 (0.00) |
| DITROPAN | | 2 (0.01) | 8 (0.03) | 2 (0.03) | 12 (0.02) |
| DITROPAN XL | | 1 (0.01) | 3 (0.01) | 5 (0.06) | 9 (0.01) |
| DIURETIC | | | 2 (0.01) | 3 (0.04) | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DIURETIC (UNSPECIFIED) | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| DIURETICS | | | | 1 (0.01) | 1 (0.00) |
| DIURETICS (DIURETICS) | | | | 1 (0.01) | 1 (0.00) |
| DIVALPROEX SODIUM | 1 (0.02) | 5 (0.03) | 2 (0.01) | 1 (0.01) | 9 (0.01) |
| DIVALPROIC ACID | | 1 (0.01) | | | 1 (0.00) |
| DIVAN | | | 1 (0.00) | | 1 (0.00) |
| DLANTIN -PHENYTOIN- | | 1 (0.01) | | | 1 (0.00) |
| DMSO 70% LYNCOURT PHAR | | 1 (0.01) | | | 1 (0.00) |
| DOBUTAMINE HCL | 2 (0.03) | | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| DOCETAXEL | | 4 (0.02) | 11 (0.04) | 1 (0.01) | 16 (0.03) |
| DOCETAXEL (DOCETAXEL) | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DOCETAXEL 35 MG/M2 | | | 1 (0.00) | | 1 (0.00) |
| DOCETAXEL 75 MG/M2 (DO | | | 1 (0.00) | | 1 (0.00) |
| DOCETAXEL, 80 MG INJEC | | | 1 (0.00) | | 1 (0.00) |
| DOCETAXEL/75MG/M2 | | | 1 (0.00) | | 1 (0.00) |
| DOCTTAXEL 25 MG/ML AVE | | | 1 (0.00) | | 1 (0.00) |
| DOCUSATE SODIUM | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| DOCUSATE SODIUM (DOCUS | | 1 (0.01) | | | 1 (0.00) |
| DOCUSATE SODIUM CAPSUL | | | 2 (0.01) | | 2 (0.00) |
| DOCUSATE SODIUM/SENNA | | | | 1 (0.01) | 1 (0.00) |
| DOCUSATE/ SENNOSIDES | | | | 1 (0.01) | 1 (0.00) |
| DOGMATYL | | 7 (0.04) | | 1 (0.01) | 8 (0.01) |
| DOGMATYL (SULPIRIDE) | | | 1 (0.00) | | 1 (0.00) |
| DOGMATYL (SULPIRIDE) (| | | 1 (0.00) | | 1 (0.00) |
| DOGMATYL CAPSULES | | | 1 (0.00) | | 1 (0.00) |
| DOLASETRON 100 MG /5ML | | | | 1 (0.01) | 1 (0.00) |
| DOLCONTIN (MORPHINE SU | | | 2 (0.01) | | 2 (0.00) |
| DOLIPRANE | | 2 (0.01) | 3 (0.01) | 1 (0.01) | 6 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DOLONEX DT (PIROXICAM | | 1 (0.01) | | | 1 (0.00) |
| DOLOREX FORTE | | | 1 (0.00) | | 1 (0.00) |
| DOMEBORO | | | 1 (0.00) | | 1 (0.00) |
| DOMINAL | | 1 (0.01) | | | 1 (0.00) |
| DOMINAL FORTE | | | 1 (0.00) | | 1 (0.00) |
| DOMPERIDON | | | 2 (0.01) | | 2 (0.00) |
| DOMPERIDONE | 1 (0.02) | | 5 (0.02) | 1 (0.01) | 7 (0.01) |
| DOMPERIDONE (DOMPERIDO | | | 2 (0.01) | | 2 (0.00) |
| DONEPEZIL HCL | | | | 3 (0.04) | 3 (0.00) |
| DONEPEZIL HYDROCHLORID | | | | 2 (0.03) | 2 (0.00) |
| DOPAMINE | 2 (0.03) | | 4 (0.01) | | 6 (0.01) |
| DOPAMINE HCL | 3 (0.05) | | | | 3 (0.00) |
| DOPAMINERGIC AGENTS | | | | 2 (0.03) | 2 (0.00) |
| DOPASTON | | | 1 (0.00) | | 1 (0.00) |
| DOPRAM | 1 (0.02) | | | | 1 (0.00) |
| DORAL | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| DORAL (QUAZEPAM) (QUAZ | | | 1 (0.00) | | 1 (0.00) |
| DORMICUM (NITRAZEPAM) | | | 1 (0.00) | | 1 (0.00) |
| DORMONID | | 1 (0.01) | | | 1 (0.00) |
| DORSPAN | | 1 (0.01) | | | 1 (0.00) |
| DORYX | | 4 (0.02) | | | 4 (0.01) |
| DORZOLAMIDE (DORZOLAMI | | | 1 (0.00) | | 1 (0.00) |
| DOSTINEX | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| DOTAREM DOTAREM | | 1 (0.01) | | | 1 (0.00) |
| DOTAREM UNKNOWN | | 1 (0.01) | | | 1 (0.00) |
| DOTAREM -MEGLUMINE GAD | | 1 (0.01) | | | 1 (0.00) |
| DOTHIEPIN HYDROCHLORID | | 3 (0.02) | | | 3 (0.00) |
| DOVONEX | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DOVONEX CREAM | | | 1 (0.00) | | 1 (0.00) |
| DOXABEN | | | | 1 (0.01) | 1 (0.00) |
| DOXAZOSIN | | | 5 (0.02) | 2 (0.03) | 7 (0.01) |
| DOXAZOSIN (DOXAZOSIN) | | | 10 (0.03) | 1 (0.01) | 11 (0.02) |
| DOXAZOSIN MESYLATE | | 1 (0.01) | 5 (0.02) | 2 (0.03) | 8 (0.01) |
| DOXAZOSIN MESYLATE TAB | 2 (0.03) | | | | 2 (0.00) |
| DOXAZOSIN TABLET 4MG (| | | | 1 (0.01) | 1 (0.00) |
| DOXAZOSIN;; ZENITH ; A | | | 1 (0.00) | | 1 (0.00) |
| DOXEPIN | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| DOXEPIN HCL | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| DOXEPIN HYDROCHLORIDE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| DOXIDAN (CASANTHRANOL, | | 1 (0.01) | | | 1 (0.00) |
| DOXIL | | 9 (0.05) | 28 (0.09) | 5 (0.06) | 42 (0.07) |
| DOXIL (DOXORUBICIN HYD | | 1 (0.01) | 3 (0.01) | 3 (0.04) | 7 (0.01) |
| DOXORUBICIN | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| DOXORUBICIN (DOXORUBIC | | | 4 (0.01) | | 4 (0.01) |
| DOXORUBICIN (NGX) (DOX | 1 (0.02) | | | | 1 (0.00) |
| DOXORUBICIN HCL | | 7 (0.04) | 13 (0.04) | | 20 (0.03) |
| DOXORUBICIN HYDROCHLOR | | 3 (0.02) | 4 (0.01) | | 7 (0.01) |
| DOXORUBICIN(DOXORUBICI | | | 1 (0.00) | | 1 (0.00) |
| DOXYCLINE | 1 (0.02) | | | | 1 (0.00) |
| DOXYCYCLINE | 6 (0.10) | 7 (0.04) | 7 (0.02) | 1 (0.01) | 21 (0.03) |
| DOXYCYCLINE +AMBROXOL | | | 1 (0.00) | | 1 (0.00) |
| DOXYCYCLINE HCL | | | 1 (0.00) | | 1 (0.00) |
| DOXYCYCLINE HYCLATE | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| DOXYCYINE | | 1 (0.01) | | | 1 (0.00) |
| DR. SCHOLL'S EXTRA THI | | | 1 (0.00) | | 1 (0.00) |
| DR.SCHOLL'S EXTRA THIC | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DRAMAMINE | 11 (0.19) | 1 (0.01) | | | 12 (0.02) |
| DREISACARB | | | 1 (0.00) | | 1 (0.00) |
| DRIPTANE (OXYBUTYNIN H | | 1 (0.01) | | | 1 (0.00) |
| DROPERIDOL | 1 (0.02) | | | | 1 (0.00) |
| DROSPIRENONE + ETHINYL | 1 (0.02) | | | | 1 (0.00) |
| DROTRECOGIN | | | 1 (0.00) | | 1 (0.00) |
| DROXIDOPA | | | 1 (0.00) | | 1 (0.00) |
| DRUG (DRUG) | | | 1 (0.00) | | 1 (0.00) |
| DRUG (DRUG)UNSPECIFIED | | | | 1 (0.01) | 1 (0.00) |
| DRUG, UNSPECIFIED | | | 1 (0.00) | | 1 (0.00) |
| DRUG, UNSPECIFIED (DRU | | | | 2 (0.03) | 2 (0.00) |
| DUCENE | | 1 (0.01) | | | 1 (0.00) |
| DUET DHA (PRENATAL VIT | 1 (0.02) | | | | 1 (0.00) |
| DULCOLAX | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| DULOXETINE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| DULOXETINE HYDROCHLORI | | | 1 (0.00) | | 1 (0.00) |
| DULOXETINE HYDROCHLORI | | | 3 (0.01) | | 3 (0.00) |
| DULOXETINE HYDROCHLORI | 1 (0.02) | | | | 1 (0.00) |
| DULOXETINE HYDROCHLORI | 1 (0.02) | | | | 1 (0.00) |
| DUONEB | | | 1 (0.00) | | 1 (0.00) |
| DUOVENT (FENOTEROL HYD | | | 1 (0.00) | | 1 (0.00) |
| DUPHALAC | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| DURACLON | | | 1 (0.00) | | 1 (0.00) |
| DURAGESIC | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| DURAGESIC-100 | 1 (0.02) | 18 (0.11) | 22 (0.07) | 7 (0.09) | 48 (0.08) |
| DURAGESIC-25 | | 3 (0.02) | | | 3 (0.00) |
| DURAGESIC-50 | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| DURAMORPH PF | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DURAPATITE | | | 1 (0.00) | | 1 (0.00) |
| DURAPREP | | | 1 (0.00) | | 1 (0.00) |
| DURATEARS | | | 1 (0.00) | | 1 (0.00) |
| DURCEF (CEFADROXIL) | | 1 (0.01) | | | 1 (0.00) |
| DUREFERON DURETT | | | 1 (0.00) | | 1 (0.00) |
| DUROFERON | | | 2 (0.01) | | 2 (0.00) |
| DUROGESIC MATRIX | | 1 (0.01) | | | 1 (0.00) |
| DUROTEP | | | 8 (0.03) | | 8 (0.01) |
| DUTASTERIDE | | | 8 (0.03) | | 8 (0.01) |
| DYAZIDE | | 4 (0.02) | 12 (0.04) | 2 (0.03) | 18 (0.03) |
| DYAZIDE (HYDROCHLOROTH | | | 1 (0.00) | | 1 (0.00) |
| DYDROGESTERONE AND EST | | | 1 (0.00) | | 1 (0.00) |
| DYNACIRC | | | 2 (0.01) | | 2 (0.00) |
| DYPHYLLINE | | | 1 (0.00) | | 1 (0.00) |
| DYSPORT (BOTULINUM TOX | | | 2 (0.01) | | 2 (0.00) |
| DYST-ESE | | | 1 (0.00) | | 1 (0.00) |
| DYTIDE | | | | 1 (0.01) | 1 (0.00) |
| E.S. BAYER BACK + BODY | | | 1 (0.00) | | 1 (0.00) |
| EBRANTIL | | | | 1 (0.01) | 1 (0.00) |
| ECOPIRIN | | | 2 (0.01) | | 2 (0.00) |
| ECOTRIN | | 2 (0.01) | 12 (0.04) | 8 (0.10) | 22 (0.04) |
| ECOTRIN (ACETYLSALICYL | | | 2 (0.01) | | 2 (0.00) |
| EDARAVONE (EDARAVONE) | | | 1 (0.00) | | 1 (0.00) |
| EDETATE DISODIUM | 2 (0.03) | | | | 2 (0.00) |
| EDEX | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| EFALIZUMAB (EFALIZUMAB | | | 1 (0.00) | | 1 (0.00) |
| EFALIZUMAB (EFALIZUMAB | | 4 (0.02) | 9 (0.03) | | 13 (0.02) |
| EFALIZUMAB (EFALIZUMAB | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| EFALIZUMAB(EFALIZUMAB) | | | 1 (0.00) | | 1 (0.00) |
| EFALIZUMAB(EFALIZUMAB) | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| EFAVIRENZ | 4 (0.07) | 14 (0.08) | 5 (0.02) | | 23 (0.04) |
| EFECTIN (VEN | | 1 (0.01) | | | 1 (0.00) |
| EFECTIN (VENLAFAXINE H | | 1 (0.01) | | | 1 (0.00) |
| EFECTIN (VENLAFAXINE H | | | 1 (0.00) | | 1 (0.00) |
| EFEROX | | | 2 (0.01) | | 2 (0.00) |
| EFEXOR | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| EFEXOR (VENLAFAXINE HY | 1 (0.02) | | | | 1 (0.00) |
| EFEXOR 9VENLAFAXINE HY | | 1 (0.01) | | | 1 (0.00) |
| EFFEOR (VENLAFAXINE HY | | | 1 (0.00) | | 1 (0.00) |
| EFFERALGAN | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| EFFERALGAN (PARACETAMO | | 1 (0.01) | | | 1 (0.00) |
| EFFERALGAN CODEINE | | | 4 (0.01) | | 4 (0.01) |
| EFFEXOR | 22 (0.37) | 84 (0.49) | 65 (0.21) | 4 (0.05) | 175 (0.29) |
| EFFEXOR (VENLAFAXINE H | | | 1 (0.00) | | 1 (0.00) |
| EFFEXOR XR | 14 (0.24) | 37 (0.22) | 40 (0.13) | 6 (0.08) | 97 (0.16) |
| EFUDEX | | | 2 (0.01) | | 2 (0.00) |
| ELAVIL | 3 (0.05) | 10 (0.06) | 14 (0.05) | 6 (0.08) | 33 (0.05) |
| ELCITONIN | | | | 1 (0.01) | 1 (0.00) |
| ELCITONIN (ELCATONIN) | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| ELDEPRYL | | | 2 (0.01) | | 2 (0.00) |
| ELECTROLYTES (UNSPECIF | | | | 1 (0.01) | 1 (0.00) |
| ELETRIPTAN | 1 (0.02) | | | | 1 (0.00) |
| ELIDEL | 16 (0.27) | 3 (0.02) | 4 (0.01) | 2 (0.03) | 25 (0.04) |
| ELIGARD | | | 2 (0.01) | | 2 (0.00) |
| ELISOR | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| ELISOR TABS | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ELISOR TABS 20 MG | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| ELLENCE | | | 2 (0.01) | | 2 (0.00) |
| ELMIRON | | 2 (0.01) | | | 2 (0.00) |
| ELOCON | 3 (0.05) | | | | 3 (0.00) |
| ELOXATIN | | 2 (0.01) | 4 (0.01) | 4 (0.05) | 10 (0.02) |
| ELOXATIN - CARBOPLATIN | | 1 (0.01) | | | 1 (0.00) |
| ELOXATIN /GFR/ (OXALIP | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ELOXATINE /FRA/ (OXALI | | | | 1 (0.01) | 1 (0.00) |
| ELSPAR | 2 (0.03) | | | | 2 (0.00) |
| ELSPAR (ASPARAGINASE/M | | | | 1 (0.01) | 1 (0.00) |
| ELTROXIN | | | 3 (0.01) | | 3 (0.00) |
| EMCONCOR | | | 1 (0.00) | | 1 (0.00) |
| EMCONCOR (BISOPROLOL) | | | | 2 (0.03) | 2 (0.00) |
| EMCYT | | | | 1 (0.01) | 1 (0.00) |
| EMEND | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| EMETROL | | | 1 (0.00) | | 1 (0.00) |
| EMETROL (GLUCOSE, FRUC | | | 2 (0.01) | | 2 (0.00) |
| EMLA | 2 (0.03) | | | | 2 (0.00) |
| EMOLLENT CREAM | 1 (0.02) | | | | 1 (0.00) |
| EMOLLIENTS AND PROTECT | 2 (0.03) | | | | 2 (0.00) |
| EMSELEX EXTENDED RELEA | | 1 (0.01) | | | 1 (0.00) |
| EMTRICITABINE (EMTRICI | | 1 (0.01) | | | 1 (0.00) |
| EMTRICITABINE/TENOFOVI | | 1 (0.01) | | | 1 (0.00) |
| EMTRICITABINE/TENOFOVI | | 2 (0.01) | | | 2 (0.00) |
| EMTRIVA | | 4 (0.02) | | | 4 (0.01) |
| ENABLEX | | 4 (0.02) | 31 (0.10) | 32 (0.41) | 67 (0.11) |
| ENALAPRIL | 1 (0.02) | 2 (0.01) | 16 (0.05) | 4 (0.05) | 23 (0.04) |
| ENALAPRIL MALEATE | 4 (0.07) | 4 (0.02) | 54 (0.18) | 19 (0.25) | 81 (0.13) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ENALAPRIL MALEATE AND | | | 1 (0.00) | | 1 (0.00) |
| ENALAPRIL MALEATE TABL | | | 1 (0.00) | | 1 (0.00) |
| ENALAPRIL MERCK + CO. | | | 1 (0.00) | | 1 (0.00) |
| ENALAPRIL+HYDROCHLOROT | | | 1 (0.00) | | 1 (0.00) |
| ENALOC | | | 1 (0.00) | | 1 (0.00) |
| ENANTONE LP (LEUPROLI | | | 1 (0.00) | | 1 (0.00) |
| ENAP | | | 3 (0.01) | | 3 (0.00) |
| ENARMON DEPOT (TESTOST | | | 2 (0.01) | | 2 (0.00) |
| ENBREL | 9 (0.15) | 26 (0.15) | 36 (0.12) | 5 (0.06) | 76 (0.12) |
| ENBREL 50 MG-PFS- AMGE | | | 1 (0.00) | | 1 (0.00) |
| ENCADE CAPS 25 MG | | | 1 (0.00) | | 1 (0.00) |
| ENDOBULIN/IVEEGAM S/D | 2 (0.03) | 2 (0.01) | | 1 (0.01) | 5 (0.01) |
| ENDOCET | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| ENDOCET (OXYCOCET) | | | 1 (0.00) | | 1 (0.00) |
| ENDOCET 10MG/650MG END | | | 1 (0.00) | | 1 (0.00) |
| ENDOCET 7.5/500 MG END | | 1 (0.01) | | | 1 (0.00) |
| ENDOCORT EC | | | | 1 (0.01) | 1 (0.00) |
| ENDOSOL EXTRA | | | | 1 (0.01) | 1 (0.00) |
| ENDOXAN | 1 (0.02) | 6 (0.04) | 13 (0.04) | 2 (0.03) | 22 (0.04) |
| ENDOXAN (CYCLOPHOSPHAM | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ENDRATE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ENFUVIRTIDE 90 MG | | 1 (0.01) | | | 1 (0.00) |
| ENKAID | | | | 2 (0.03) | 2 (0.00) |
| ENLON-PLUS | | | 1 (0.00) | | 1 (0.00) |
| ENOCITABINE | | 1 (0.01) | | | 1 (0.00) |
| ENOXACIN | | | 1 (0.00) | | 1 (0.00) |
| ENOXAPARIN (ENOXAPARIN | | | | 1 (0.01) | 1 (0.00) |
| ENOXAPARIN SODIUM | | 7 (0.04) | 15 (0.05) | 8 (0.10) | 30 (0.05) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ENOXIMONE | | | | 2 (0.03) | 2 (0.00) |
| ENTACAPONE | | | 1 (0.00) | | 1 (0.00) |
| ENTECAVIR | | 4 (0.02) | | | 4 (0.01) |
| ENTEX CAP | | 4 (0.02) | 1 (0.00) | | 5 (0.01) |
| ENTOCORT | | | 2 (0.01) | | 2 (0.00) |
| ENTOCORT (BUDESONIDE) | 1 (0.02) | | | | 1 (0.00) |
| ENVACAR (AMLODIPINE/AT | | | 1 (0.00) | | 1 (0.00) |
| EPADEL | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| EPADEL (ETHYL ICOSAPEN | | | | 1 (0.01) | 1 (0.00) |
| EPALRESTAT | | | 1 (0.00) | | 1 (0.00) |
| EPELIN KAPSEALS (PHENY | | | 1 (0.00) | | 1 (0.00) |
| EPHEDRINE | | | 1 (0.00) | | 1 (0.00) |
| EPHYNAL | | | | 3 (0.04) | 3 (0.00) |
| EPI DRIP | | | 1 (0.00) | | 1 (0.00) |
| EPIDURAL | | | 1 (0.00) | | 1 (0.00) |
| EPILIM | 2 (0.03) | 1 (0.01) | 2 (0.01) | | 5 (0.01) |
| EPILIM (VALPROATE SODI | | 1 (0.01) | | | 1 (0.00) |
| EPILIM CHRONO TABLETS | 2 (0.03) | 2 (0.01) | | | 4 (0.01) |
| EPILIM TABLETS | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| EPINEPHRINE | 3 (0.05) | 2 (0.01) | 3 (0.01) | | 8 (0.01) |
| EPINEPHRINE 0.3MG | 1 (0.02) | | | | 1 (0.00) |
| EPIPEN | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| EPIRUBICIN | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| EPIRUBICIN HCL | | | 1 (0.00) | | 1 (0.00) |
| EPIRUBICIN HYDROCHLORI | | 1 (0.01) | | | 1 (0.00) |
| EPITOMAX | 4 (0.07) | | | | 4 (0.01) |
| EPIVIR | 1 (0.02) | 23 (0.13) | 13 (0.04) | | 37 (0.06) |
| EPIVIR-HBV | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| EPLERENONE (EPLERENONE | 2 (0.03) | | | | 2 (0.00) |
| EPOCELIN (CEFTIZOXIME | 1 (0.02) | | | | 1 (0.00) |
| EPOETIN | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| EPOETIN ALFA | | | 1 (0.00) | | 1 (0.00) |
| EPOETIN BETA | | | 2 (0.01) | | 2 (0.00) |
| EPOGEN | | 6 (0.04) | 5 (0.02) | | 11 (0.02) |
| EPOPROSTENOL SODIUM | 1 (0.02) | | | | 1 (0.00) |
| EPOPROSTENOL SODIUM (E | 1 (0.02) | | | | 1 (0.00) |
| EPREX | | | 1 (0.00) | | 1 (0.00) |
| EPREX /SCH | 1 (0.02) | | | | 1 (0.00) |
| EPROSARTAN | | | | 1 (0.01) | 1 (0.00) |
| EPTIFIBATIDE | | | 1 (0.00) | | 1 (0.00) |
| EPZICOM | | 4 (0.02) | 1 (0.00) | | 5 (0.01) |
| EPZICOM | | | 1 (0.00) | | 1 (0.00) |
| EQUANIL | | 2 (0.01) | | 2 (0.03) | 4 (0.01) |
| EQUATE MADE BY PERRIGO | | | 1 (0.00) | | 1 (0.00) |
| EQUATE NICOTINE GUM 2M | 2 (0.03) | 13 (0.08) | 10 (0.03) | 1 (0.01) | 26 (0.04) |
| EQUATE NICOTINE GUM 2M | 2 (0.03) | 5 (0.03) | 3 (0.01) | | 10 (0.02) |
| EQUATE POWDER LAXATIVE | | | | 1 (0.01) | 1 (0.00) |
| EQUETRO | | 2 (0.01) | | | 2 (0.00) |
| ERBITUX | | 7 (0.04) | 15 (0.05) | 6 (0.08) | 28 (0.05) |
| ERBITUX -CETUXIMAB- | | | 1 (0.00) | | 1 (0.00) |
| ERBITUX-CETUXIMAB- 100 | | 1 (0.01) | | | 1 (0.00) |
| ERBTIUX | | 1 (0.01) | | | 1 (0.00) |
| ERDOSTEINE | | | 1 (0.00) | | 1 (0.00) |
| ERGENYL | 2 (0.03) | 3 (0.02) | | | 5 (0.01) |
| ERGENYL CHRONO (VALPRO | 1 (0.02) | | | | 1 (0.00) |
| ERGENYL CHRONO TABLETS | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ERITROPOIETIN | | | 2 (0.01) | | 2 (0.00) |
| ERLOTINIB | | | 1 (0.00) | | 1 (0.00) |
| ERLOTINIB HCL (TABLET | | | 1 (0.00) | | 1 (0.00) |
| ERLOTINIB (ERLOTINIB) | | | 2 (0.01) | | 2 (0.00) |
| ERLOTINIB (ERLOTINIB) | | | 1 (0.00) | | 1 (0.00) |
| ERLOTINIB (ERLOTINIB)T | | | 1 (0.00) | | 1 (0.00) |
| ERLOTINIB (ERLOTINIB)T | | | 1 (0.00) | | 1 (0.00) |
| ERLOTINIB (TABLET) | | | 1 (0.00) | | 1 (0.00) |
| ERLOTINIB 150 MG | | 1 (0.01) | | | 1 (0.00) |
| ERLOTINIB 150MG | | | 1 (0.00) | | 1 (0.00) |
| ERLOTINIB HCL (TABLET) | | 2 (0.01) | 6 (0.02) | 3 (0.04) | 11 (0.02) |
| ERLOTINIB(ERLOTINIB) T | | | 2 (0.01) | | 2 (0.00) |
| ERLOTINIB(ERLOTINIB) T | | | 1 (0.00) | | 1 (0.00) |
| ERTAPENEM 1 GM VIAL ME | | 1 (0.01) | | | 1 (0.00) |
| ERTAPENEM 1GM VIAL MER | | | 1 (0.00) | | 1 (0.00) |
| ERY-TAB | | | 2 (0.01) | | 2 (0.00) |
| ERYTHROCIN | | | 1 (0.00) | | 1 (0.00) |
| ERYTHROMYCIN | 6 (0.10) | 6 (0.04) | 1 (0.00) | 1 (0.01) | 14 (0.02) |
| ERYTHROMYCIN 2% TOPICA | | 2 (0.01) | | | 2 (0.00) |
| ERYTHROMYCIN BASE | 1 (0.02) | | | | 1 (0.00) |
| ERYTHROMYCIN GEL | 1 (0.02) | | | | 1 (0.00) |
| ERYTHROPOIETIC FACTOR | | | 2 (0.01) | | 2 (0.00) |
| ERYTHROPOIETIN | | | 1 (0.00) | | 1 (0.00) |
| ERYTHROPOIETIN (ERYTHR | | | 1 (0.00) | | 1 (0.00) |
| ESBERIVEN | | | 1 (0.00) | | 1 (0.00) |
| ESCITALOIPRAM (ESCITAL | | 1 (0.01) | | | 1 (0.00) |
| ESCITALOPRAM (ESCITALO | 2 (0.03) | 1 (0.01) | 1 (0.00) | | 4 (0.01) |
| ESCITALOPRAM (OPEN-LAB | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ESCITALOPRAM OXALATE | 4 (0.07) | 16 (0.09) | 9 (0.03) | 2 (0.03) | 31 (0.05) |
| ESE 1000 | 1 (0.02) | | | | 1 (0.00) |
| ESGIC-PLUS | | 1 (0.01) | | | 1 (0.00) |
| ESIDRIX | | 5 (0.03) | 5 (0.02) | 1 (0.01) | 11 (0.02) |
| ESKALITH | | 4 (0.02) | 2 (0.01) | 1 (0.01) | 7 (0.01) |
| ESKALITH AND ESKALITH | | 1 (0.01) | | | 1 (0.00) |
| ESKALITH CR | | 2 (0.01) | | | 2 (0.00) |
| ESKAZOLE | | 1 (0.01) | | | 1 (0.00) |
| ESOMEPRAZOLE | | 6 (0.04) | 5 (0.02) | 2 (0.03) | 13 (0.02) |
| ESOMEPRAZOLE (ESOMEPRA | | | 4 (0.01) | | 4 (0.01) |
| ESOMEPRAZOLE MAGNESIUM | | 4 (0.02) | 4 (0.01) | | 8 (0.01) |
| ESOMEPRAZOLE MAGNESIUM | | | 1 (0.00) | | 1 (0.00) |
| ESOMPERAZOLE | | 1 (0.01) | | | 1 (0.00) |
| ESPUMISAN | | 1 (0.01) | | | 1 (0.00) |
| ESTALIS SEQUI | | 1 (0.01) | | | 1 (0.00) |
| ESTERIFIED ESTROGEN | | 1 (0.01) | | | 1 (0.00) |
| ESTRACE | | 4 (0.02) | 30 (0.10) | | 34 (0.06) |
| ESTRACYT | | | 1 (0.00) | | 1 (0.00) |
| ESTRACYT | | | | 1 (0.01) | 1 (0.00) |
| ESTRACYT (ESTRAMUSITIN | | | 1 (0.00) | | 1 (0.00) |
| ESTRACYT (ESTRAMUSTINE | | | 3 (0.01) | | 3 (0.00) |
| ESTRACYT (ESTRAMUSTINE | | | 1 (0.00) | | 1 (0.00) |
| ESTRADERM | | | 4 (0.01) | | 4 (0.01) |
| ESTRADERM TTS 25 | | | | 1 (0.01) | 1 (0.00) |
| ESTRADIOL | | 5 (0.03) | 15 (0.05) | | 20 (0.03) |
| ESTRADIOL AND ESTRIOL | | | 1 (0.00) | | 1 (0.00) |
| ESTRADIOL INJ | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ESTRADIOL PATCH | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ESTRADOT | | | 1 (0.00) | | 1 (0.00) |
| ESTRATEST | | 4 (0.02) | 9 (0.03) | | 13 (0.02) |
| ESTREVA | | 2 (0.01) | | | 2 (0.00) |
| ESTROGEN | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| ESTROGEN (ESTROGEN NOS | | 1 (0.01) | | | 1 (0.00) |
| ESTROGEN PATCH | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ESTROGEN REPLACEMENT | | | 1 (0.00) | | 1 (0.00) |
| ESTROGENS | | | 1 (0.00) | | 1 (0.00) |
| ESTROGENS (UNSPECIFIED | | 1 (0.01) | 6 (0.02) | 2 (0.03) | 9 (0.01) |
| ESTROGENS CONJUGATED | | | 2 (0.01) | | 2 (0.00) |
| ESTROGENS CONJUGATED W | | 1 (0.01) | | | 1 (0.00) |
| ESTROGENS GEL | | 1 (0.01) | | | 1 (0.00) |
| ESTROGENS SOL/INJ | | | 2 (0.01) | | 2 (0.00) |
| ESTROPIPATE | | | 1 (0.00) | | 1 (0.00) |
| ESTROSTEP FE | | 1 (0.01) | | | 1 (0.00) |
| ESTROSTEP FE (ETHINYL | 1 (0.02) | | | | 1 (0.00) |
| ETALPHA | | | 1 (0.00) | | 1 (0.00) |
| ETANERCEPT | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| ETANERCEPT (AMGEN) | | | 1 (0.00) | | 1 (0.00) |
| ETANERCEPT 25MG/VIAL A | | 1 (0.01) | | | 1 (0.00) |
| ETHAMBUTOL 400 MGM | | | 1 (0.00) | | 1 (0.00) |
| ETHAMBUTOL HCL | | | 3 (0.01) | | 3 (0.00) |
| ETHAMBUTOL HYDROCHLORI | | 1 (0.01) | | | 1 (0.00) |
| ETHANOL | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| ETHANOL (ETHANOL) | | | 1 (0.00) | | 1 (0.00) |
| ETHINYL ESTRADIOL AND | 2 (0.03) | 2 (0.01) | | | 4 (0.01) |
| ETHINYL ESTRADIOL TAB | | 2 (0.01) | | | 2 (0.00) |
| ETHINYLESTRADIOL + GES | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ETHINYLESTRADIOL+GESTO | | 2 (0.01) | | | 2 (0.00) |
| ETHOSUXIMIDE | 2 (0.03) | 2 (0.01) | | | 4 (0.01) |
| ETHOSUXIMIDE (ZARONTIN | | | 1 (0.00) | | 1 (0.00) |
| ETHYL ICOSAPENTATE | | | | 1 (0.01) | 1 (0.00) |
| ETHYL LOFLAZEPATE | 1 (0.02) | | | | 1 (0.00) |
| ETHYLENE GLYCOL (NO PR | | 1 (0.01) | | | 1 (0.00) |
| ETHYOL | | 3 (0.02) | 10 (0.03) | 2 (0.03) | 15 (0.02) |
| ETILEFRINE HYDROCHLORI | | | 5 (0.02) | | 5 (0.01) |
| ETIZOLAM | | | | 2 (0.03) | 2 (0.00) |
| ETODOLAC | 1 (0.02) | 3 (0.02) | 13 (0.04) | 1 (0.01) | 18 (0.03) |
| ETOMIDATE | | | 1 (0.00) | | 1 (0.00) |
| ETOPOPHOS (ETOPOSIDE) | | | 1 (0.00) | | 1 (0.00) |
| ETOPOSIDE | 1 (0.02) | 2 (0.01) | 7 (0.02) | 1 (0.01) | 11 (0.02) |
| ETORICOXIB | | | 2 (0.01) | | 2 (0.00) |
| ETRETINATE | | 1 (0.01) | | | 1 (0.00) |
| EUCALCIC (CALCIUM CARB | | | | 1 (0.01) | 1 (0.00) |
| EUGLUAN | | | 1 (0.00) | | 1 (0.00) |
| EUGLUCON | | | 7 (0.02) | | 7 (0.01) |
| EUGLUCON (GLIBENCLAMID | | | 1 (0.00) | | 1 (0.00) |
| EUGLUCON N | | | 1 (0.00) | | 1 (0.00) |
| EUGYNON | 2 (0.03) | | | | 2 (0.00) |
| EULEXIN | | | 1 (0.00) | | 1 (0.00) |
| EUPANTOL | | | | 1 (0.01) | 1 (0.00) |
| EUPHYLLINE | | | | 1 (0.01) | 1 (0.00) |
| EUPHYTOSE | 1 (0.02) | | | | 1 (0.00) |
| EUROBIOL | | | 3 (0.01) | | 3 (0.00) |
| EUROCAL (COLECALCIFERO | | | 1 (0.00) | | 1 (0.00) |
| EUTHYROX | 1 (0.02) | | 5 (0.02) | | 6 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| EUTIROX | | 1 (0.01) | | | 1 (0.00) |
| EVISTA | | 3 (0.02) | 69 (0.23) | 34 (0.44) | 106 (0.17) |
| EVOXAC | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| EXCEDRIN | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| EXCEDRIN (ACETAMINOPHE | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| EXCEDRIN (MIGRAINE) | | 4 (0.02) | 7 (0.02) | 3 (0.04) | 14 (0.02) |
| EXCEDRIN EXTRA STRENGT | | | 2 (0.01) | | 2 (0.00) |
| EXCEDRIN EXTRA STRENGT | | | 1 (0.00) | | 1 (0.00) |
| EXCEDRIN EXTRA STRENGT | | | 1 (0.00) | | 1 (0.00) |
| EXCEGRAN | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| EXCEGRAN | 1 (0.02) | | | | 1 (0.00) |
| EXCEGRAN (ZONISAMIDE) | | 2 (0.01) | | | 2 (0.00) |
| EXCELASE | | | | 3 (0.04) | 3 (0.00) |
| EXELON | | 1 (0.01) | 3 (0.01) | 19 (0.25) | 23 (0.04) |
| EXEMESTANE | | 1 (0.01) | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| EXENATIDE (EXENATIDE) | | | 1 (0.00) | | 1 (0.00) |
| EXJADE | 10 (0.17) | 1 (0.01) | 8 (0.03) | 3 (0.04) | 22 (0.04) |
| EXTENDED PHENYTOIN SOD | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| EXTRA STRENGTH TYLENOL | 2 (0.03) | 6 (0.04) | 9 (0.03) | 5 (0.06) | 22 (0.04) |
| EXTRANEAL | | | | 2 (0.03) | 2 (0.00) |
| EYE DROPS | 1 (0.02) | | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| EYE DROPS NOS (EYE DRO | 1 (0.02) | | | | 1 (0.00) |
| EYE TISSUE HUMAN | | 1 (0.01) | 2 (0.01) | 3 (0.04) | 6 (0.01) |
| EYE TISSUE HUMAN 10417 | | | | 1 (0.01) | 1 (0.00) |
| EZETIMIBE | | 2 (0.01) | 4 (0.01) | 1 (0.01) | 7 (0.01) |
| EZETIMIBE (EZETIMIBE) | | | 3 (0.01) | | 3 (0.00) |
| EZETIMIBE 10 MG MERCK/ | | 1 (0.01) | | | 1 (0.00) |
| EZETIMIBE/SIMVASTATIN | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| EZETIMIBE/SIMVASTATIN | | | 1 (0.00) | | 1 (0.00) |
| EZETROL | | | 1 (0.00) | | 1 (0.00) |
| EZETROL (EZETIMIBE) | | | 2 (0.01) | | 2 (0.00) |
| EZETROL 10 MG MEDIMART | | | 1 (0.00) | | 1 (0.00) |
| F6SO4 | | | 1 (0.00) | | 1 (0.00) |
| FABRAZYME | 8 (0.14) | 11 (0.06) | 8 (0.03) | | 27 (0.04) |
| FACTIVE | 6 (0.10) | 37 (0.22) | 16 (0.05) | 4 (0.05) | 63 (0.10) |
| FACTIVE | 1 (0.02) | | | | 1 (0.00) |
| FACTOR VIII, RECOMBINA | | | 2 (0.01) | | 2 (0.00) |
| FALITHROM | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| FAMCICLOVIR | | 2 (0.01) | | | 2 (0.00) |
| FAMOTIDINE | 1 (0.02) | 7 (0.04) | 17 (0.06) | 4 (0.05) | 29 (0.05) |
| FAMPRIDINE | | 1 (0.01) | | | 1 (0.00) |
| FAMVIR | | 3 (0.02) | | 1 (0.01) | 4 (0.01) |
| FANSIDAR | | 1 (0.01) | | | 1 (0.00) |
| FARESTON | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| FASLODEX | | 2 (0.01) | 5 (0.02) | 3 (0.04) | 10 (0.02) |
| FASTIC | | | 2 (0.01) | | 2 (0.00) |
| FE SULFATE | | | 1 (0.00) | | 1 (0.00) |
| FE-TINIC | | | | 2 (0.03) | 2 (0.00) |
| FEIBA | | | 1 (0.00) | | 1 (0.00) |
| FEIBA VH IMMUNO | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| FELDENE | 1 (0.02) | 2 (0.01) | 10 (0.03) | 1 (0.01) | 14 (0.02) |
| FELODIPINE | | | 18 (0.06) | 2 (0.03) | 20 (0.03) |
| FEMARA | 1 (0.02) | 7 (0.04) | 22 (0.07) | 4 (0.05) | 34 (0.06) |
| FEMHRT | | | 2 (0.01) | | 2 (0.00) |
| FEMHRT (ANOVLAR) | | | 1 (0.00) | | 1 (0.00) |
| FEMRING | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FEMULEN (ETYNODIOL | | 1 (0.01) | | | 1 (0.00) |
| FEMULEN (ETYNODIOL DIA | | 5 (0.03) | | | 5 (0.01) |
| FENOFIBRATE | 1 (0.02) | | 8 (0.03) | 2 (0.03) | 11 (0.02) |
| FENOFIBRATE (MICRONIZE | | | 1 (0.00) | | 1 (0.00) |
| FENOPROFEN CALCIUM | | | 1 (0.00) | | 1 (0.00) |
| FENOTEROL HYDROBROMIDE | 1 (0.02) | | | | 1 (0.00) |
| FENTANEST | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| FENTANYL | 6 (0.10) | 20 (0.12) | 28 (0.09) | 7 (0.09) | 61 (0.10) |
| FENTANYL CITRATE | 3 (0.05) | 1 (0.01) | 5 (0.02) | | 9 (0.01) |
| FENTANYL TRANSDERMAL S | | 3 (0.02) | 9 (0.03) | 1 (0.01) | 13 (0.02) |
| FENYTOIN | | 1 (0.01) | | | 1 (0.00) |
| FERRIC GLUCONATE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| FERRIC PYROPHOSPHATE (| 1 (0.02) | | | | 1 (0.00) |
| FERRIMED | 1 (0.02) | | | | 1 (0.00) |
| FERRLECIT | | 4 (0.02) | 5 (0.02) | 1 (0.01) | 10 (0.02) |
| FERROMIA | | | 2 (0.01) | | 2 (0.00) |
| FERROMIA (FERROUS CITR | | 1 (0.01) | | | 1 (0.00) |
| FERROMIA (FERROUS CITR | | 1 (0.01) | | | 1 (0.00) |
| FERROUS FUMARATE | 2 (0.03) | | | | 2 (0.00) |
| FERROUS GLUCONATE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| FERROUS SULFATE | | | 1 (0.00) | | 1 (0.00) |
| FERROUS SULFATE (PREPA | | | 1 (0.00) | | 1 (0.00) |
| FERROUS SULFATE TAB | 1 (0.02) | 6 (0.04) | 7 (0.02) | 1 (0.01) | 15 (0.02) |
| FERRUM | | | 1 (0.00) | | 1 (0.00) |
| FESO4 | | | 1 (0.00) | | 1 (0.00) |
| FEXADIN | | 1 (0.01) | | | 1 (0.00) |
| FEXOFENADINE 180MG | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| FEXOFENADINE 180MG AVE | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FEXOFENADINE HYDROCHLO | | 1 (0.01) | | | 1 (0.00) |
| FEXOFENADINE TEVA | 1 (0.02) | | | | 1 (0.00) |
| FIBERCON (POLYCARBOPHI | | 1 (0.01) | | | 1 (0.00) |
| FILGRASTIM | 1 (0.02) | | | | 1 (0.00) |
| FILGRASTIM (FILGRASTIM | | | 1 (0.00) | | 1 (0.00) |
| FINASTERIDE | | | | 2 (0.03) | 2 (0.00) |
| FIORCET (BUTALBITAL) | 1 (0.02) | | | | 1 (0.00) |
| FIORICET | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| FIORICET TABLETS | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |
| FIORINAL | | | 3 (0.01) | | 3 (0.00) |
| FIORINAL W/CODEINE | | 1 (0.01) | | | 1 (0.00) |
| FISH (FISH OIL) | | 1 (0.01) | | | 1 (0.00) |
| FISH OIL (FISH OIL) | | | | 1 (0.01) | 1 (0.00) |
| FISH OIL SUPPLEMENT | 1 (0.02) | | | | 1 (0.00) |
| FIV-ASA | | | 1 (0.00) | | 1 (0.00) |
| FK506 (TACROLIMUS CAPS | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| FK506 (TACROLIMUS CAPS | | | 1 (0.00) | | 1 (0.00) |
| FK506 (TACROLIMUS) CAP | | 3 (0.02) | 7 (0.02) | | 10 (0.02) |
| FK506(TACROLIMUS CAPSU | | 1 (0.01) | | | 1 (0.00) |
| FK506(TACROLIMUS) CAPS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| FLAGYL | 7 (0.12) | 7 (0.04) | 8 (0.03) | 3 (0.04) | 25 (0.04) |
| FLECAINIDE ACETATE | 4 (0.07) | 4 (0.02) | 8 (0.03) | 5 (0.06) | 21 (0.03) |
| FLEET | | | | 1 (0.01) | 1 (0.00) |
| FLEET ACCU-PREP | | | 1 (0.00) | | 1 (0.00) |
| FLEETS PHOSPHASODA | | | 1 (0.00) | | 1 (0.00) |
| FLEETS PHOSPHO SODA | | | 1 (0.00) | | 1 (0.00) |
| FLEETS PHOSPHO- SODA | | | | 1 (0.01) | 1 (0.00) |
| FLEETS PHOSPHOSODA | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FLEMOXIN SOLUTAB | 1 (0.02) | | | | 1 (0.00) |
| FLEXERIL | 1 (0.02) | 33 (0.19) | 10 (0.03) | 1 (0.01) | 45 (0.07) |
| FLINSTONES (VITAMINS N | | 1 (0.01) | | | 1 (0.00) |
| FLINTSTONES MULTIPLE V | 1 (0.02) | | | | 1 (0.00) |
| FLIVAS | | | 1 (0.00) | | 1 (0.00) |
| FLIVAS (NAFTOPIDIL) (T | | | | 1 (0.01) | 1 (0.00) |
| FLIXONASE | 2 (0.03) | 1 (0.01) | 1 (0.00) | | 4 (0.01) |
| FLIXOTIDE | | 4 (0.02) | | 1 (0.01) | 5 (0.01) |
| FLIXOTIDE DISKUS | | | 1 (0.00) | | 1 (0.00) |
| FLOLAN | 5 (0.08) | 3 (0.02) | 3 (0.01) | 1 (0.01) | 12 (0.02) |
| FLOMAX | | 3 (0.02) | 26 (0.09) | 22 (0.28) | 51 (0.08) |
| FLOMAX (MORNIFLUMATE) | | 1 (0.01) | 11 (0.04) | 2 (0.03) | 14 (0.02) |
| FLOMOX | 1 (0.02) | 4 (0.02) | | | 5 (0.01) |
| FLOMOX (CE | | 1 (0.01) | | | 1 (0.00) |
| FLOMOX (CEFCAPENE PIVO | | 1 (0.01) | | | 1 (0.00) |
| FLONASE | 6 (0.10) | 12 (0.07) | 17 (0.06) | 3 (0.04) | 38 (0.06) |
| FLORID-F (MICONAZOLE) | | 1 (0.01) | | | 1 (0.00) |
| FLORINEF | 1 (0.02) | | | | 1 (0.00) |
| FLOVENT | 4 (0.07) | 12 (0.07) | 9 (0.03) | 5 (0.06) | 30 (0.05) |
| FLOVENT 44 MDI | | | 1 (0.00) | | 1 (0.00) |
| FLOXACILLIN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| FLOXAL AUGENSALBE | | | | 1 (0.01) | 1 (0.00) |
| FLOXIN | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| FLUANXOL | | 2 (0.01) | | | 2 (0.00) |
| FLUCLOXACILLIN | | 1 (0.01) | | | 1 (0.00) |
| FLUCLOXACILLIN | | | 1 (0.00) | | 1 (0.00) |
| FLUCLOXACILLIN (FLUCLO | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| FLUCONAZOLE | 3 (0.05) | 15 (0.09) | 19 (0.06) | 4 (0.05) | 41 (0.07) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FLUCTIN (FLUOXETINE HY | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| FLUCTINE | | | 2 (0.01) | | 2 (0.00) |
| FLUDARA | 3 (0.05) | | 6 (0.02) | 1 (0.01) | 10 (0.02) |
| FLUDARA I.V. (FLUDARAB | | | 1 (0.00) | | 1 (0.00) |
| FLUDARABINE | | 3 (0.02) | 6 (0.02) | | 9 (0.01) |
| FLUDARABINE PHOSPHAT (| | | 1 (0.00) | | 1 (0.00) |
| FLUDARABINE PHOSPHATE | 1 (0.02) | 4 (0.02) | 9 (0.03) | | 14 (0.02) |
| FLUDEX | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| FLUDROCORTISONE | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| FLUFENAZIN (FLUPHENAZI | | 1 (0.01) | | | 1 (0.00) |
| FLUID | | | 1 (0.00) | | 1 (0.00) |
| FLUINDIONE | | | | 1 (0.01) | 1 (0.00) |
| FLUIR (FORMOTREOL | | 1 (0.01) | | | 1 (0.00) |
| FLUITRAN | | | 2 (0.01) | | 2 (0.00) |
| FLUMARIN | | 1 (0.01) | | | 1 (0.00) |
| FLUMARIN (FLO | | 1 (0.01) | | | 1 (0.00) |
| FLUMARIN (FLOMOXEF SOD | | 1 (0.01) | | | 1 (0.00) |
| FLUMEZIN | 1 (0.02) | | | | 1 (0.00) |
| FLUNCONAZOLE (FLUNCONA | | 1 (0.01) | | | 1 (0.00) |
| FLUNISOLIDE | | | 1 (0.00) | | 1 (0.00) |
| FLUNITRAZEPAM | | 1 (0.01) | | | 1 (0.00) |
| FLUOCINOLONE ACETONIDE | 1 (0.02) | | | | 1 (0.00) |
| FLUOCINOLONE ACETONIDE | 1 (0.02) | | | | 1 (0.00) |
| FLUOCINONIDE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| FLUOROURACIL | 1 (0.02) | 12 (0.07) | 66 (0.22) | 6 (0.08) | 85 (0.14) |
| FLUOROURACIL INJ | | | 1 (0.00) | | 1 (0.00) |
| FLUOROURACIL ^TEVA^ - | | | 1 (0.00) | | 1 (0.00) |
| FLUOXETIN 'RATIOPHARM' | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FLUOXETINA | | 1 (0.01) | | | 1 (0.00) |
| FLUOXETINE | 4 (0.07) | 24 (0.14) | 16 (0.05) | 4 (0.05) | 48 (0.08) |
| FLUOXETINE HCL | 3 (0.05) | 12 (0.07) | 6 (0.02) | 2 (0.03) | 23 (0.04) |
| FLUOXETINE HYDROCHLORI | 2 (0.03) | 3 (0.02) | 4 (0.01) | | 9 (0.01) |
| FLUOXETINIE (FLUOXETIN | | 1 (0.01) | | | 1 (0.00) |
| FLUPHENAZINE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| FLUPHENAZINE DECANOATE | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| FLUPHENAZINE HCL | | | 1 (0.00) | | 1 (0.00) |
| FLUPREDNIDENE ACETATE | | 1 (0.01) | | | 1 (0.00) |
| FLURAZEPAM | | 3 (0.02) | | | 3 (0.00) |
| FLURBIPROPHEN | | 1 (0.01) | | | 1 (0.00) |
| FLUROX | | | 1 (0.00) | | 1 (0.00) |
| FLUSPI (FLUSPIRILENE) | | | 1 (0.00) | | 1 (0.00) |
| FLUTAMIDE | | | 6 (0.02) | 1 (0.01) | 7 (0.01) |
| FLUTICASON | | 1 (0.01) | | | 1 (0.00) |
| FLUTICASONE | 1 (0.02) | | | | 1 (0.00) |
| FLUTICASONE PROPIONATE | 2 (0.03) | 1 (0.01) | 4 (0.01) | | 7 (0.01) |
| FLUTICASONE PROPIONATE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| FLUTICASONE PROPIONATE | | | 1 (0.00) | | 1 (0.00) |
| FLUTICASONE W/SALMETER | | | 1 (0.00) | | 1 (0.00) |
| FLUTIDE | 1 (0.02) | | | | 1 (0.00) |
| FLUVASTATIN | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| FLUVASTATIN SODIUM | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| FLUVOXAMINE | | | 1 (0.00) | | 1 (0.00) |
| FLUVOXAMINE (FLUVOXAMI | 1 (0.02) | | | | 1 (0.00) |
| FLUVOXAMINE MALEATE | 2 (0.03) | 5 (0.03) | 3 (0.01) | | 10 (0.02) |
| FLUZONE | | 3 (0.02) | | | 3 (0.00) |
| FOCALIN | 7 (0.12) | 1 (0.01) | | | 8 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FOCALIN XR | 11 (0.19) | | | | 11 (0.02) |
| FOLACIN | | | 2 (0.01) | | 2 (0.00) |
| FOLATE | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| FOLATE SODIUM | 1 (0.02) | | | | 1 (0.00) |
| FOLFOX | | | 1 (0.00) | | 1 (0.00) |
| FOLGARD | | | 1 (0.00) | | 1 (0.00) |
| FOLIC ACID | 4 (0.07) | 19 (0.11) | 59 (0.20) | 10 (0.13) | 92 (0.15) |
| FOLINIC ACID | | | 4 (0.01) | | 4 (0.01) |
| FOLLITROPIN BETA | | 3 (0.02) | | | 3 (0.00) |
| FONDAPARINUX | | | 1 (0.00) | | 1 (0.00) |
| FONZYLANE | | | | 4 (0.05) | 4 (0.01) |
| FONZYLANE (BULFOMEDIL | | | | 1 (0.01) | 1 (0.00) |
| FORADIL | 2 (0.03) | 4 (0.02) | 13 (0.04) | 3 (0.04) | 22 (0.04) |
| FORASEQ | | 3 (0.02) | | | 3 (0.00) |
| FORMOTEROL | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| FORMOTEROL FUMARATE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| FORMOTEROL INHALER | | | | 1 (0.01) | 1 (0.00) |
| FORSTEO (T | | | 1 (0.00) | | 1 (0.00) |
| FORSTEO PEN (FORSTEO | | | 1 (0.00) | | 1 (0.00) |
| FORSTEO (TERIPARATIDE | | | | 1 (0.01) | 1 (0.00) |
| FORSTEO(TERIPARATIDE U | | | 1 (0.00) | | 1 (0.00) |
| FORTAMET | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| FORTAZ | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| FORTECORTIN | | | 3 (0.01) | | 3 (0.00) |
| FORTECORTIN /00016001/ | | | 1 (0.00) | | 1 (0.00) |
| FORTECORTIN TABLETS | | | 2 (0.01) | | 2 (0.00) |
| FORTEN PEN | | | | 1 (0.01) | 1 (0.00) |
| FORTEO | | 29 (0.17) | 257 (0.85) | 274 (3.53) | 560 (0.92) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FORTEO PEN | | | 1 (0.00) | | 1 (0.00) |
| FORTEO PEN (FOETEO PE | | | | 1 (0.01) | 1 (0.00) |
| FORTEO PEN (250MCG/ML) | | 1 (0.01) | | | 1 (0.00) |
| FORTEO PEN (FORTEO PEN | | 1 (0.01) | | | 1 (0.00) |
| FORTEO PEN (FORTEO PEN | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| FORTEO PEN, 250MCG/ML | | | 1 (0.00) | | 1 (0.00) |
| FORTOVASE | 2 (0.03) | | | | 2 (0.00) |
| FORTZAAR | | | 1 (0.00) | | 1 (0.00) |
| FOSAMAX | | 11 (0.06) | 151 (0.50) | 123 (1.59) | 285 (0.47) |
| FOSAMAX (ALENDRONAE SO | | | 1 (0.00) | | 1 (0.00) |
| FOSAMAX (ALLENDRONATE | | | 1 (0.00) | | 1 (0.00) |
| FOSAMAX ONCE WEEKLY | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| FOSAMAX PLUS D | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| FOSAMPRENAVIR | | 1 (0.01) | | | 1 (0.00) |
| FOSCARNET | 1 (0.02) | | | | 1 (0.00) |
| FOSCAVIR | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| FOSINOPRIL | | | 1 (0.00) | | 1 (0.00) |
| FOSINOPRIL SODIUM | | 2 (0.01) | 7 (0.02) | 1 (0.01) | 10 (0.02) |
| FOSPHENYTOIN SODIUM | 2 (0.03) | 2 (0.01) | 1 (0.00) | | 5 (0.01) |
| FOSRENOL | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| FOY | | | 1 (0.00) | | 1 (0.00) |
| FOY (GABEXATE MESILATE | | | 2 (0.01) | | 2 (0.00) |
| FOY (GABEXATE MESILATE | | | | 2 (0.03) | 2 (0.00) |
| FOZITEC TABS | | | | 1 (0.01) | 1 (0.00) |
| FRACTAL | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| FRACTIONATED | | 1 (0.01) | | | 1 (0.00) |
| FRAGMIN | 2 (0.03) | 6 (0.04) | 6 (0.02) | 1 (0.01) | 15 (0.02) |
| FRAXIPARINE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FRESH FROZEN PLASMA | | | 1 (0.00) | | 1 (0.00) |
| FRESHBURST LISTERINE (| | 1 (0.01) | | | 1 (0.00) |
| FRISIUM | | 1 (0.01) | | | 1 (0.00) |
| FROBEN (FLURBIPROFEN) | | 1 (0.01) | | | 1 (0.00) |
| FROVA | | 1 (0.01) | | | 1 (0.00) |
| FROZEN BONE TISSUE A | | 1 (0.01) | | | 1 (0.00) |
| FRUSEMIDE | | 1 (0.01) | 3 (0.01) | 3 (0.04) | 7 (0.01) |
| FRUSEMIDE TABLET BP (F | | | | 1 (0.01) | 1 (0.00) |
| FUCIDINE CAP | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| FULCALIQ | | | 1 (0.00) | | 1 (0.00) |
| FULVESTRANT 50MG/ML AS | | | 1 (0.00) | | 1 (0.00) |
| FUNGIZONE | 1 (0.02) | 1 (0.01) | | 3 (0.04) | 5 (0.01) |
| FUNGUARD (MICAFUNGIN I | | | | 1 (0.01) | 1 (0.00) |
| FUNGUARD (MICAFUNGIN) | 2 (0.03) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 5 (0.01) |
| FUNGUARD(MICAFUNGIN) I | | | 1 (0.00) | | 1 (0.00) |
| FURADANTIN | | | 1 (0.00) | | 1 (0.00) |
| FURON | | | 2 (0.01) | | 2 (0.00) |
| FURORESE | | | 2 (0.01) | | 2 (0.00) |
| FUROSEM | | | | 1 (0.01) | 1 (0.00) |
| FUROSEMIDE | 8 (0.14) | 23 (0.13) | 82 (0.27) | 47 (0.61) | 160 (0.26) |
| FUROSEMIDE INJ SOLN | | | | 1 (0.01) | 1 (0.00) |
| FUROSEMIDE TABLETS, US | | | 1 (0.00) | | 1 (0.00) |
| FURSULTIAMINE | | | | 1 (0.01) | 1 (0.00) |
| FURTULON | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| FUZEON | | 10 (0.06) | 6 (0.02) | | 16 (0.03) |
| FYBOGEL | | | | 1 (0.01) | 1 (0.00) |
| GABAPENTIN | 1 (0.02) | 20 (0.12) | 22 (0.07) | 7 (0.09) | 50 (0.08) |
| GABEXATE MESILATE | | | 3 (0.01) | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GABEXATE MESILATE (REM | | | | 1 (0.01) | 1 (0.00) |
| GABITRIL | 3 (0.05) | 12 (0.07) | 4 (0.01) | 1 (0.01) | 20 (0.03) |
| GADOLINIUM | | | 1 (0.00) | | 1 (0.00) |
| GALANTAMINE HYDROBROMI | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| GALFER | 2 (0.03) | | | | 2 (0.00) |
| GAMIMUNE N 10% | | | 1 (0.00) | | 1 (0.00) |
| GAMIMUNE N 5% | 1 (0.02) | | | | 1 (0.00) |
| GAMMAGARD | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| GAMMAGARD S/D | | | 5 (0.02) | | 5 (0.01) |
| GAMMAGARD SD (IMMUNOGL | 1 (0.02) | | | | 1 (0.00) |
| GAMMAR-P I.V. | 1 (0.02) | | | | 1 (0.00) |
| GAMUNEX | 2 (0.03) | 7 (0.04) | 2 (0.01) | 1 (0.01) | 12 (0.02) |
| GAMUNEX (IMMUNOGLOBULI | 1 (0.02) | | | | 1 (0.00) |
| GANCICLOVIR | 1 (0.02) | 1 (0.01) | 4 (0.01) | | 6 (0.01) |
| GANCICLOVIR (GANCICLO | | | 1 (0.00) | | 1 (0.00) |
| GARDENAL | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| GARDENALE (PHENOBARBIT | | 2 (0.01) | | | 2 (0.00) |
| GARLIC | | 1 (0.01) | | | 1 (0.00) |
| GASLON N (IRSOGLADINE | 1 (0.02) | | | | 1 (0.00) |
| GASMOTIN | | | 5 (0.02) | | 5 (0.01) |
| GASMOTIN (MOSAPRIDE CI | | | 3 (0.01) | | 3 (0.00) |
| GASPORT (FAMOT | | | | 1 (0.01) | 1 (0.00) |
| GASTER | | 2 (0.01) | 5 (0.02) | 2 (0.03) | 9 (0.01) |
| GASTER D | | 2 (0.01) | 9 (0.03) | 6 (0.08) | 17 (0.03) |
| GASTER D /KOR/ (FAMOTI | | | | 1 (0.01) | 1 (0.00) |
| GASTER RAPIDLY-DISINTE | | 1 (0.01) | | | 1 (0.00) |
| GASTER TABLETS | | | 1 (0.00) | | 1 (0.00) |
| GASTROCROM | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GASTROINTESTINAL PREPA | | | 4 (0.01) | | 4 (0.01) |
| GASTROM | 1 (0.02) | | | | 1 (0.00) |
| GASTROM (ECABET MONOSO | | | 1 (0.00) | | 1 (0.00) |
| GASTROSIL (METOCLOPRAM | | | 1 (0.00) | | 1 (0.00) |
| GATIFLOXACIN | | 1 (0.01) | 7 (0.02) | 12 (0.15) | 20 (0.03) |
| GAVISCON | | 3 (0.02) | | | 3 (0.00) |
| GAVISON (SODIUM ALGINA | | 1 (0.01) | | | 1 (0.00) |
| GEFITINIB | | | 4 (0.01) | | 4 (0.01) |
| GEFITINIB (GEFITINIB) | | | 1 (0.00) | | 1 (0.00) |
| GEMCITABINE | | 2 (0.01) | 9 (0.03) | | 11 (0.02) |
| GEMCITABINE HYDROCHLO | | 1 (0.01) | | | 1 (0.00) |
| GEMCITABINE (MG/M2) | | | 1 (0.00) | | 1 (0.00) |
| GEMCITABINE HYDROCHLOR | | | | 1 (0.01) | 1 (0.00) |
| GEMCITABINE HYDROCHLOR | | | 5 (0.02) | | 5 (0.01) |
| GEMCITABINE HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |
| GEMCITABINE, CONTROL F | | | 1 (0.00) | | 1 (0.00) |
| GEMFIBROZIL | | 8 (0.05) | 14 (0.05) | 2 (0.03) | 24 (0.04) |
| GEMTUZUMAB OZOGAMICIN | | | 1 (0.00) | | 1 (0.00) |
| GEMTUZUMAB OZOGAMICIN | 1 (0.02) | 1 (0.01) | 13 (0.04) | | 15 (0.02) |
| GEMZAR | 4 (0.07) | 12 (0.07) | 74 (0.24) | 10 (0.13) | 100 (0.16) |
| GEMZAR 750 MG/M2 E LIL | | | 1 (0.00) | | 1 (0.00) |
| GEN NITRO (GLYCERYL TR | | | | 1 (0.01) | 1 (0.00) |
| GENERAL ANAESTHETICS | | | 1 (0.00) | | 1 (0.00) |
| GENERIC UNKNOWN | | 1 (0.01) | | | 1 (0.00) |
| GENGRAF | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| GENOTONORM (SOMATROPIN | | 1 (0.01) | | | 1 (0.00) |
| GENOTROPIN | 31 (0.52) | 6 (0.04) | 7 (0.02) | 1 (0.01) | 45 (0.07) |
| GENOTROPIN (SOMATROPIN | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GENTACIN | | 3 (0.02) | | | 3 (0.00) |
| GENTAMICIN | 4 (0.07) | 4 (0.02) | 8 (0.03) | 7 (0.09) | 23 (0.04) |
| GENTAMICIN SULFATE | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| GENTEAL (NVO) | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| GENTEAL LUBRICANT EYE | | | 1 (0.00) | | 1 (0.00) |
| GENTEAL LUBRICATING EY | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| GENTEAL MILD LUBRICANT | | | | 1 (0.01) | 1 (0.00) |
| GENTIAN VIOLET | | 1 (0.01) | | | 1 (0.00) |
| GENUINE BAYER CAPLETS | | | | 1 (0.01) | 1 (0.00) |
| GEODON | 15 (0.25) | 30 (0.18) | 6 (0.02) | 1 (0.01) | 52 (0.09) |
| GEODONE (ZIPRASIDONE H | | 1 (0.01) | | | 1 (0.00) |
| GINGER | | | 2 (0.01) | | 2 (0.00) |
| GINKGO BILOBA | | | 1 (0.00) | | 1 (0.00) |
| GINKGO BILOBA EXTRACT | | 2 (0.01) | | | 2 (0.00) |
| GINKOR FORT | | | | 1 (0.01) | 1 (0.00) |
| GINKOR FORT (GINKGO BI | | | 1 (0.00) | | 1 (0.00) |
| GLARGINE INSULIN | | | 1 (0.00) | | 1 (0.00) |
| GLATIRAMER ACETATE | | 11 (0.06) | | | 11 (0.02) |
| GLEEVEC | 6 (0.10) | 27 (0.16) | 37 (0.12) | 9 (0.12) | 79 (0.13) |
| GLIADEL | | | 2 (0.01) | | 2 (0.00) |
| GLIBENCLAMID | | | | 1 (0.01) | 1 (0.00) |
| GLIBENCLAMIDE | | 1 (0.01) | 6 (0.02) | 2 (0.03) | 9 (0.01) |
| GLIBENCLAMIDE/METFORMI | | | 1 (0.00) | | 1 (0.00) |
| GLIBENKLAMID | | | | 1 (0.01) | 1 (0.00) |
| GLIBOMET | | | 2 (0.01) | | 2 (0.00) |
| GLICLAZIDE | | | 11 (0.04) | 4 (0.05) | 15 (0.02) |
| GLICLAZIDE (GLICLAZIDE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| GLIMEPIRIDE | | | 13 (0.04) | | 13 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GLIMICRON | | | 5 (0.02) | 2 (0.03) | 7 (0.01) |
| GLIMICRON | | | 1 (0.00) | | 1 (0.00) |
| GLIMICRON (GLICLAZIDE) | | | 1 (0.00) | | 1 (0.00) |
| GLIPERIMIDE | | | 2 (0.01) | | 2 (0.00) |
| GLIPIZIDE | | 10 (0.06) | 51 (0.17) | 15 (0.19) | 76 (0.12) |
| GLORIAMIN | | | | 1 (0.01) | 1 (0.00) |
| GLUCADOL | | | 1 (0.00) | | 1 (0.00) |
| GLUCAGON | | | 1 (0.00) | | 1 (0.00) |
| GLUCAGON G NOVO | | | | 1 (0.01) | 1 (0.00) |
| GLUCOBAY | | 3 (0.02) | 4 (0.01) | 2 (0.03) | 9 (0.01) |
| GLUCOCORTICOIDS | | | 1 (0.00) | | 1 (0.00) |
| GLUCOPHAG | | | 3 (0.01) | | 3 (0.00) |
| GLUCOPHAGE | 3 (0.05) | 83 (0.49) | 267 (0.88) | 19 (0.25) | 372 (0.61) |
| GLUCOPHAGE | | | 1 (0.00) | | 1 (0.00) |
| GLUCOPHAGE XL | | | 1 (0.00) | | 1 (0.00) |
| GLUCOPHAGE XR | | 7 (0.04) | 14 (0.05) | | 21 (0.03) |
| GLUCOR | | | 1 (0.00) | | 1 (0.00) |
| GLUCOSAMINE | | | 16 (0.05) | 2 (0.03) | 18 (0.03) |
| GLUCOSAMINE / CHONDROT | | | 1 (0.00) | | 1 (0.00) |
| GLUCOSAMINE CHONDROITI | | | | 1 (0.01) | 1 (0.00) |
| GLUCOSAMINE W/CHONDROI | | | | 1 (0.01) | 1 (0.00) |
| GLUCOSE | | 1 (0.01) | | | 1 (0.00) |
| GLUCOSE (GLUCOSE) | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| GLUCOTROL | | 5 (0.03) | 36 (0.12) | 3 (0.04) | 44 (0.07) |
| GLUCOTROL XL | | 3 (0.02) | 16 (0.05) | | 19 (0.03) |
| GLUCOVANCE | | 15 (0.09) | 47 (0.16) | 11 (0.14) | 73 (0.12) |
| GLUFAST | | | 1 (0.00) | | 1 (0.00) |
| GLURENORM | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GLYBURIDE | 1 (0.02) | 6 (0.04) | 89 (0.29) | 31 (0.40) | 127 (0.21) |
| GLYBURIDE AND METFORMI | | 1 (0.01) | 8 (0.03) | | 9 (0.01) |
| GLYBURIDE AND METFORMI | | | 1 (0.00) | | 1 (0.00) |
| GLYBURIDE W/METFORMIN | | 1 (0.01) | | | 1 (0.00) |
| GLYCEOL (FRUCTOSE, GLY | | | 4 (0.01) | | 4 (0.01) |
| GLYCEROL (FRUCTOSE, GL | | | 1 (0.00) | | 1 (0.00) |
| GLYCERYL TRINITRATE | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| GLYCERYL TRINITRATE (G | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| GLYCYRON | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| GLYNASE | | | 3 (0.01) | | 3 (0.00) |
| GLYSET | | | 1 (0.00) | | 1 (0.00) |
| GM-CSF (GM-CSF (N/A)) | | 1 (0.01) | | | 1 (0.00) |
| GOLD SALT (GOLD) (INJE | | | 1 (0.00) | | 1 (0.00) |
| GOLYTELY | | 1 (0.01) | | | 1 (0.00) |
| GONADORELIN INJ | | 2 (0.01) | | | 2 (0.00) |
| GONADOTROPHINE CHORION | 1 (0.02) | | | | 1 (0.00) |
| GONADOTROPIN RELEASING | | 1 (0.01) | | | 1 (0.00) |
| GONAL-F | | 2 (0.01) | | | 2 (0.00) |
| GOODMIN | | | 1 (0.00) | | 1 (0.00) |
| GOPTEN | | | 5 (0.02) | 2 (0.03) | 7 (0.01) |
| GOSERELIN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| GOSERELIN ACETATE | | 1 (0.01) | | | 1 (0.00) |
| GRAFTS/DEVICES (NOT FR | | 1 (0.01) | | | 1 (0.00) |
| GRAMALIL | | | 1 (0.00) | | 1 (0.00) |
| GRAN | 5 (0.08) | | 1 (0.00) | 1 (0.01) | 7 (0.01) |
| GRANDAXIN | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| GRANISETRON | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| GRANISETRON HCL | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GRANISETRON HCL | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| GRANOCYTE (LENOGRASTIM | | | 2 (0.01) | | 2 (0.00) |
| GRANULOCYTE COLONY STI | 6 (0.10) | | | | 6 (0.01) |
| GRANULOCYTE COLONY STI | 1 (0.02) | | | | 1 (0.00) |
| GRAVOL TAB | | 1 (0.01) | | | 1 (0.00) |
| GREAT GRAPE CHILDREN'S | 1 (0.02) | | | | 1 (0.00) |
| GRIFULVIN V, UNSPECIFI | 1 (0.02) | | | | 1 (0.00) |
| GROWTH HORMONE | | | 1 (0.00) | | 1 (0.00) |
| GRTPA (ALTEPL | | | 1 (0.00) | | 1 (0.00) |
| GRTPA (ALTEPLASE) PWDR | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| GUAIFENESIN | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| GUAIFENESIN SYRUP (RUG | | 1 (0.01) | | | 1 (0.00) |
| GUAIFENEX LA | | | 1 (0.00) | | 1 (0.00) |
| GUAIFENSIN | | | | 1 (0.01) | 1 (0.00) |
| GUTRON | | | | 1 (0.01) | 1 (0.00) |
| GW433908 | | | 1 (0.00) | | 1 (0.00) |
| GW679769 | | | 1 (0.00) | | 1 (0.00) |
| GYNERGENE CAFEINE | | 1 (0.01) | | | 1 (0.00) |
| GYNO-DAKTARIN | | | 1 (0.00) | | 1 (0.00) |
| GYNOKADIN GEL (ESTRADI | | | 3 (0.01) | | 3 (0.00) |
| H-CORT | | | 1 (0.00) | | 1 (0.00) |
| HABEKACIN | | | | 1 (0.01) | 1 (0.00) |
| HABEKACIN (ARBEKACIN) | | | 1 (0.00) | | 1 (0.00) |
| HABITROL | 1 (0.02) | 8 (0.05) | 1 (0.00) | | 10 (0.02) |
| HAEMATE (FACTOT VIII | | 1 (0.01) | | | 1 (0.00) |
| HALCION | 1 (0.02) | 2 (0.01) | 8 (0.03) | 1 (0.01) | 12 (0.02) |
| HALDOL | 6 (0.10) | 6 (0.04) | 12 (0.04) | 1 (0.01) | 25 (0.04) |
| HALDOL DECANOATE (HALO | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HALDOL SOLUTAB | | 4 (0.02) | 2 (0.01) | | 6 (0.01) |
| HALFLYTELY | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| HALOPERIDOL | 3 (0.05) | 17 (0.10) | 5 (0.02) | 6 (0.08) | 31 (0.05) |
| HALOPERIDOL DECANOATE | | 2 (0.01) | | | 2 (0.00) |
| HALOPERIDOL LACTATE | | 1 (0.01) | | | 1 (0.00) |
| HARMONET | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| HARNAL | | | 3 (0.01) | 4 (0.05) | 7 (0.01) |
| HARNAL (TAMSULOSIN HYD | | | | 1 (0.01) | 1 (0.00) |
| HARNAL D (TAMSULOSIN H | | | | 2 (0.03) | 2 (0.00) |
| HAVLANE | | 1 (0.01) | | | 1 (0.00) |
| HC TUSSIVE | | 1 (0.01) | | | 1 (0.00) |
| HCTZ (HYDROCHLOROTHIAZ | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| HCTZ 25 MG /LISINOPRIL | | | 1 (0.00) | | 1 (0.00) |
| HCTZ 25/TRIAMTERENE | | | | 1 (0.01) | 1 (0.00) |
| HEART MEDICATION | | 1 (0.01) | | 2 (0.03) | 3 (0.00) |
| HEART MEDICATIONS (SPE | | | 1 (0.00) | | 1 (0.00) |
| HEART MEDICINE | | | | 1 (0.01) | 1 (0.00) |
| HEHPEARIN | | | 1 (0.00) | | 1 (0.00) |
| HEMATOPOETIC PROGENITO | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| HEMODIALYSIS | | | 1 (0.00) | | 1 (0.00) |
| HEMOFIL (FACTOR VIII (| 2 (0.03) | | | | 2 (0.00) |
| HEP B | 1 (0.02) | | | | 1 (0.00) |
| HEPARIN | 7 (0.12) | 12 (0.07) | 28 (0.09) | 13 (0.17) | 60 (0.10) |
| HEPARIN 300 UNITS | | | 1 (0.00) | | 1 (0.00) |
| HEPARIN LOCK-FLUSH | | | 1 (0.00) | | 1 (0.00) |
| HEPARIN SODIUM | 2 (0.03) | 2 (0.01) | 7 (0.02) | 3 (0.04) | 14 (0.02) |
| HEPARIN SODIUM 20,000 | | | | 1 (0.01) | 1 (0.00) |
| HEPARIN SODIUM 25,000 | | | | 2 (0.03) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HEPARIN SODIUM 25,000 | | | | 1 (0.01) | 1 (0.00) |
| HEPARIN SODIUM INJECTI | | | 1 (0.00) | | 1 (0.00) |
| HEPARIN SODIUM WITH SO | | | | 1 (0.01) | 1 (0.00) |
| HEPARINE SODIQUE CHOAY | | 1 (0.01) | | | 1 (0.00) |
| HEPATIL | | 1 (0.01) | | | 1 (0.00) |
| HEPATITIS A/HEPATITIS | 1 (0.02) | | | | 1 (0.00) |
| HEPSERA | | 4 (0.02) | 6 (0.02) | | 10 (0.02) |
| HEPTAMINOL | | 1 (0.01) | | | 1 (0.00) |
| HERBAL AND DIET MEDICA | | 1 (0.01) | | | 1 (0.00) |
| HERBAL SUPPLEMENT WHIC | | 2 (0.01) | | | 2 (0.00) |
| HERBESSER | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| HERBS | | | 1 (0.00) | | 1 (0.00) |
| HERCEPTIN | | 20 (0.12) | 41 (0.14) | 2 (0.03) | 63 (0.10) |
| HERCEPTIN (TRASTUZUMAB | | 1 (0.01) | | | 1 (0.00) |
| HERCEPTIN (TRASTUZUMAB | | 1 (0.01) | | | 1 (0.00) |
| HERCEPTIN (TRASTUZUMAB | | | 1 (0.00) | | 1 (0.00) |
| HERCEPTIN(TRASTUZUMAB) | | | 1 (0.00) | | 1 (0.00) |
| HERCEPTINE | | | 2 (0.01) | | 2 (0.00) |
| HEROIN | 1 (0.02) | | | | 1 (0.00) |
| HERPARIN | | | 1 (0.00) | | 1 (0.00) |
| HIDANTAL | | 2 (0.01) | | | 2 (0.00) |
| HIGH BLOOD PRESSURE ME | | | 2 (0.01) | | 2 (0.00) |
| HIGH BLOOD PRESSURE ME | | | 1 (0.00) | | 1 (0.00) |
| HIGH DOSE STEROIDS | | | 1 (0.00) | | 1 (0.00) |
| HIPREX | | | 1 (0.00) | | 1 (0.00) |
| HIRUDOID | 1 (0.02) | | | | 1 (0.00) |
| HISTACOL TAB | | 1 (0.01) | | | 1 (0.00) |
| HIV TREATMENTS (UNSPEC | 2 (0.03) | | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HOKUNALIN | | | | 3 (0.04) | 3 (0.00) |
| HOME OXYGEN (OXYGEN) | | | 1 (0.00) | | 1 (0.00) |
| HOMEOPATHIC MEDICATION | | | 1 (0.00) | | 1 (0.00) |
| HOMEOPATHIC PREPARATIO | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| HOMEOPATHIC PREPARATIO | 1 (0.02) | | | | 1 (0.00) |
| HOMEOPATIC PREPARATION | | | 2 (0.01) | | 2 (0.00) |
| HOMEOPATIC PREPARATION | | | 1 (0.00) | | 1 (0.00) |
| HONVAN | | | 2 (0.01) | | 2 (0.00) |
| HORIZON | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| HORMONAL CONTRACEPTIVE | | 3 (0.02) | | | 3 (0.00) |
| HORMONE AGENT | | | 1 (0.00) | | 1 (0.00) |
| HORMONE REPLACEMENT TH | | | 3 (0.01) | | 3 (0.00) |
| HORMONES | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| HORMONES (UNSPECIFIED) | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| HPC-C THAWED | 1 (0.02) | | | | 1 (0.00) |
| HRF - GONADORELIN | | 1 (0.01) | | | 1 (0.00) |
| HRT | | | 1 (0.00) | | 1 (0.00) |
| HTN | | | 1 (0.00) | | 1 (0.00) |
| HUMACART 30% REGULAR, | | | | 2 (0.03) | 2 (0.00) |
| HUMAJECT - HUMULIN 70/ | | 1 (0.01) | | | 1 (0.00) |
| HUMAJECT - HUMULIN N (| | | 1 (0.00) | | 1 (0.00) |
| HUMALOG | 10 (0.17) | 23 (0.13) | 61 (0.20) | 11 (0.14) | 105 (0.17) |
| HUMALOG (INSULIN ANALO | | 1 (0.01) | | | 1 (0.00) |
| HUMALOG 25% LISPRO, 75 | | | | 1 (0.01) | 1 (0.00) |
| HUMALOG MIX 50/50 | | | 2 (0.01) | | 2 (0.00) |
| HUMALOG MIX 75/25 | | 3 (0.02) | 12 (0.04) | 8 (0.10) | 23 (0.04) |
| HUMALOG PEN | 1 (0.02) | | 4 (0.01) | | 5 (0.01) |
| HUMALOG PEN (HUMALOG P | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HUMAN ALBUMIN GRIFOLS | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| HUMAN BONE FOR TRANSPL | | | 1 (0.00) | | 1 (0.00) |
| HUMAN BONE FOR TRANSPL | | 1 (0.01) | | | 1 (0.00) |
| HUMAN INSULIN | | 1 (0.01) | | | 1 (0.00) |
| HUMAN INSULIN (RDNA OR | 1 (0.02) | | | | 1 (0.00) |
| HUMAN INSULIN (RDNA OR | | | 1 (0.00) | | 1 (0.00) |
| HUMAN MIXTARD 30 HM(GE | | 1 (0.01) | | | 1 (0.00) |
| HUMATROPE | 16 (0.27) | 8 (0.05) | 7 (0.02) | 1 (0.01) | 32 (0.05) |
| HUMIBID L.A. | | | 1 (0.00) | | 1 (0.00) |
| HUMIRA | 1 (0.02) | 17 (0.10) | 29 (0.10) | 4 (0.05) | 51 (0.08) |
| HUMIRA 40 MG ABBOTT | | | 1 (0.00) | | 1 (0.00) |
| HUMIRA 40 MG/ 0.8 ML P | | | 1 (0.00) | | 1 (0.00) |
| HUMULIN | | 1 (0.01) | 8 (0.03) | | 9 (0.01) |
| HUMULIN (HUMAN INSULIN | | 1 (0.01) | | | 1 (0.00) |
| HUMULIN (INSULIN HUMAN | | | | 1 (0.01) | 1 (0.00) |
| HUMULIN 70/30 | 2 (0.03) | 15 (0.09) | 27 (0.09) | 11 (0.14) | 55 (0.09) |
| HUMULIN 70/30 (HUMAN I | | | 1 (0.00) | | 1 (0.00) |
| HUMULIN H INSULIN | | | 1 (0.00) | | 1 (0.00) |
| HUMULIN INSULIN | | | 1 (0.00) | | 1 (0.00) |
| HUMULIN L | | 2 (0.01) | | 2 (0.03) | 4 (0.01) |
| HUMULIN N | 1 (0.02) | 7 (0.04) | 34 (0.11) | 10 (0.13) | 52 (0.09) |
| HUMULIN NPH (HUMAN INS | 1 (0.02) | | | | 1 (0.00) |
| HUMULIN NPH(HUMAN INSU | | | 1 (0.00) | | 1 (0.00) |
| HUMULIN R | 2 (0.03) | 4 (0.02) | 18 (0.06) | 4 (0.05) | 28 (0.05) |
| HUMULIN U ULTRALENTE | | 1 (0.01) | | | 1 (0.00) |
| HUMULIN-N INSULIN | | | 1 (0.00) | | 1 (0.00) |
| HUMULINE NPH | | | 1 (0.00) | | 1 (0.00) |
| HUMULINI-N INSULIN (IN | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HURRICAINE BENZOCAINE | | 1 (0.01) | | | 1 (0.00) |
| HURRICAINE BENZOCAINE | | | 2 (0.01) | | 2 (0.00) |
| HURRICAINE SPRAY 20% | | 1 (0.01) | | | 1 (0.00) |
| HURRICAINE TOPICAL SPR | | | 1 (0.00) | | 1 (0.00) |
| HURRICANE 20% BENZOCAI | | 1 (0.01) | | | 1 (0.00) |
| HUSCODE | | | | 1 (0.01) | 1 (0.00) |
| HUSTAZOL | 1 (0.02) | | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| HYCODAN | | 1 (0.01) | | | 1 (0.00) |
| HYDERGINE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| HYDRALAZINE | | 1 (0.01) | 8 (0.03) | 2 (0.03) | 11 (0.02) |
| HYDRALAZINE 12.5 MG | | | 1 (0.00) | | 1 (0.00) |
| HYDRALAZINE 50 MG PLIV | | | | 1 (0.01) | 1 (0.00) |
| HYDRALAZINE HCL | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| HYDREA | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| HYDREA (HYDROXYCABAMID | | | | 1 (0.01) | 1 (0.00) |
| HYDREX SEMI (HYDROCHLO | | | 1 (0.00) | | 1 (0.00) |
| HYDROCHLOROTHIAZID | | 1 (0.01) | | | 1 (0.00) |
| HYDROCHLOROTHIAZIDE | 1 (0.02) | 23 (0.13) | 107 (0.35) | 28 (0.36) | 159 (0.26) |
| HYDROCHLOROTHIAZIDE 25 | | | 1 (0.00) | | 1 (0.00) |
| HYDROCHLOROTHIAZIDE AN | | | 2 (0.01) | | 2 (0.00) |
| HYDROCHLOROTHIAZIDE AN | | | 2 (0.01) | | 2 (0.00) |
| HYDROCHLOROTHIAZIDE AN | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| HYDROCHLOROTHIAZIDE AN | | | 1 (0.00) | | 1 (0.00) |
| HYDROCHLOROTHIAZIDE TA | | | 1 (0.00) | | 1 (0.00) |
| HYDROCHLOROTHIAZIDE TA | | | 1 (0.00) | | 1 (0.00) |
| HYDROCHLOROTHIAZIDE W/ | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| HYDROCHLOROTHIAZIDE/OL | | | 1 (0.00) | | 1 (0.00) |
| HYDROCHLOROTHIAZIDE/TR | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HYDROCHLOROTHIAZIDEL | | | 1 (0.00) | | 1 (0.00) |
| HYDROCODONE | 1 (0.02) | 5 (0.03) | 4 (0.01) | | 10 (0.02) |
| HYDROCODONE + ACETAMIN | | 5 (0.03) | | | 5 (0.01) |
| HYDROCODONE BITARTRATE | | 14 (0.08) | 15 (0.05) | 2 (0.03) | 31 (0.05) |
| HYDROCODONE BITARTRATE | | 7 (0.04) | 10 (0.03) | | 17 (0.03) |
| HYDROCODONE BITARTRATE | | 1 (0.01) | | | 1 (0.00) |
| HYDROCODONE HYDROCHLOR | | 5 (0.03) | 4 (0.01) | 1 (0.01) | 10 (0.02) |
| HYDROCODONE WITH APAP | | 1 (0.01) | | | 1 (0.00) |
| HYDROCODONE/APAP (HYDR | | | 1 (0.00) | | 1 (0.00) |
| HYDROCODONE/APAP (VICO | | | | 1 (0.01) | 1 (0.00) |
| HYDROCORITISONE HEMISU | | | 1 (0.00) | | 1 (0.00) |
| HYDROCORTISON | | | 1 (0.00) | | 1 (0.00) |
| HYDROCORTISONE | 13 (0.22) | 7 (0.04) | 11 (0.04) | 1 (0.01) | 32 (0.05) |
| HYDROCORTISONE AC | | 1 (0.01) | | | 1 (0.00) |
| HYDROCORTISONE HEMISUC | | | 1 (0.00) | | 1 (0.00) |
| HYDROCORTISONE HEMISUC | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| HYDROCORTONE | | | 2 (0.01) | | 2 (0.00) |
| HYDROCORTONE PHOSPHATE | 1 (0.02) | | | | 1 (0.00) |
| HYDRODIURIL | | | 9 (0.03) | 2 (0.03) | 11 (0.02) |
| HYDROMORPH CONTIN | | | 1 (0.00) | | 1 (0.00) |
| HYDROMORPH CONTIN (HYD | | | 1 (0.00) | | 1 (0.00) |
| HYDROMORPHONE | | | | 1 (0.01) | 1 (0.00) |
| HYDROMORPHONE HCL (HY | | | | 1 (0.01) | 1 (0.00) |
| HYDROMORPHONE HCL | | 5 (0.03) | 5 (0.02) | 4 (0.05) | 14 (0.02) |
| HYDROMORPHONE HCL CR | | | | 1 (0.01) | 1 (0.00) |
| HYDROMORPHONE HCL CR C | | | 1 (0.00) | | 1 (0.00) |
| HYDROMORPHONE HYDROCHL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| HYDROMORPHONE;;;OPIOID | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HYDROTALCITE | | 1 (0.01) | | | 1 (0.00) |
| HYDROXOCOBALAMIN | | | | 1 (0.01) | 1 (0.00) |
| HYDROXOCOBALAMIN (HYDR | | | | 1 (0.01) | 1 (0.00) |
| HYDROXYCHLOROQUINE SUL | 1 (0.02) | 1 (0.01) | 7 (0.02) | | 9 (0.01) |
| HYDROXYCOBALAMIN | | | | 1 (0.01) | 1 (0.00) |
| HYDROXYUREA | 1 (0.02) | 2 (0.01) | 6 (0.02) | 2 (0.03) | 11 (0.02) |
| HYDROXYZINE | 1 (0.02) | 2 (0.01) | 5 (0.02) | 1 (0.01) | 9 (0.01) |
| HYDROXYZINE HCL | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| HYDROXYZINE HYDROCHLOR | | 3 (0.02) | | | 3 (0.00) |
| HYDROXYZINE PAMOATE | 1 (0.02) | 1 (0.01) | | 1 (0.01) | 3 (0.00) |
| HYOSCINE HBR HYT | | 2 (0.01) | | | 2 (0.00) |
| HYOSCYAMINE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| HYOSCYAMINE 0.375 | | | 1 (0.00) | | 1 (0.00) |
| HYOSCYAMINE-EXTENDED-R | | | 1 (0.00) | | 1 (0.00) |
| HYPAQUE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| HYPEN | | | 2 (0.01) | | 2 (0.00) |
| HYPERHEP | | 1 (0.01) | | | 1 (0.00) |
| HYPERHEP B S/D | | 1 (0.01) | | | 1 (0.00) |
| HYPERICUM PERFORATUM (| 2 (0.03) | | | | 2 (0.00) |
| HYPERTENSION MED | | | 2 (0.01) | | 2 (0.00) |
| HYPERTENSION MEDICATIO | | | 3 (0.01) | 2 (0.03) | 5 (0.01) |
| HYPNOGEN (ZOLPID | | 1 (0.01) | | | 1 (0.00) |
| HYPNOGEN (ZOLPIDEM TA | | 1 (0.01) | | | 1 (0.00) |
| HYPNOVEL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| HYPOGLYCEMICS | | | 1 (0.00) | | 1 (0.00) |
| HYRDROCOD/APAP -GENERI | 1 (0.02) | | | | 1 (0.00) |
| HYSRON | | | 2 (0.01) | | 2 (0.00) |
| HYSRON (MEDROXYPROGEST | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HYTACAND | | | | 1 (0.01) | 1 (0.00) |
| HYTRIN | | | 15 (0.05) | 6 (0.08) | 21 (0.03) |
| HYTRIN (TERAZOSIN HYDR | | | | 1 (0.01) | 1 (0.00) |
| HYTRIN 5MG (HYTRIN) (T | | | | 1 (0.01) | 1 (0.00) |
| HYZAAR | | 10 (0.06) | 47 (0.16) | 8 (0.10) | 65 (0.11) |
| HYZAAR (LOSARTAN/HYDRO | | | | 1 (0.01) | 1 (0.00) |
| I-131 | | | 1 (0.00) | | 1 (0.00) |
| IBANDRONIC ACID | | | 1 (0.00) | | 1 (0.00) |
| IBUPROFEN | 47 (0.79) | 91 (0.53) | 89 (0.29) | 17 (0.22) | 244 (0.40) |
| IBUPROFEN TABLETS | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| IBUPROFENE MSD | | 1 (0.01) | | | 1 (0.00) |
| ICA-17043 VS PLACEBO (| 1 (0.02) | | | | 1 (0.00) |
| ICA-17043 VS. PLACEBO | | 1 (0.01) | | | 1 (0.00) |
| ICL670A | 3 (0.05) | | | | 3 (0.00) |
| IDAPTAN | | | | 1 (0.01) | 1 (0.00) |
| IDARUBICIN HCL | | 6 (0.04) | | 1 (0.01) | 7 (0.01) |
| IDARUBICIN HYDROCHLORI | | | 1 (0.00) | | 1 (0.00) |
| IDARUBICINE | | 1 (0.01) | | | 1 (0.00) |
| IDROLAX (MACROGOL) | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| IFEX | | | 1 (0.00) | | 1 (0.00) |
| IFOMIDE | | 1 (0.01) | | | 1 (0.00) |
| IFOSFAMIDE | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| IGIV GENERIC | | 2 (0.01) | 8 (0.03) | 1 (0.01) | 11 (0.02) |
| IGIV GENERIC (IMMUNOGL | | 1 (0.01) | 6 (0.02) | 1 (0.01) | 8 (0.01) |
| IKOREL | | | 1 (0.00) | | 1 (0.00) |
| ILETIN | 2 (0.03) | 3 (0.02) | | | 5 (0.01) |
| ILLICIT DRUGS | | 1 (0.01) | | | 1 (0.00) |
| IMATINIB | 3 (0.05) | 5 (0.03) | 2 (0.01) | | 10 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| IMDIUM (LOPERAMIDE HYD | | | 1 (0.00) | | 1 (0.00) |
| IMDUR | | | 12 (0.04) | 8 (0.10) | 20 (0.03) |
| IMIGRAN | | 2 (0.01) | | | 2 (0.00) |
| IMIGRANE | | 1 (0.01) | | | 1 (0.00) |
| IMIJECT | | 2 (0.01) | | | 2 (0.00) |
| IMIPENEM | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| IMIPENEM/CILASTATIN | | | 2 (0.01) | | 2 (0.00) |
| IMIPRAMINE | 5 (0.08) | 10 (0.06) | 4 (0.01) | | 19 (0.03) |
| IMIPRAMINE HCL | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| IMIPRAMINE HYDROCHLORI | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| IMIQUIMOD | | 2 (0.01) | | | 2 (0.00) |
| IMIQUIMOD (IMIQUIMOD) | | | 1 (0.00) | | 1 (0.00) |
| IMITREX | 5 (0.08) | 29 (0.17) | 19 (0.06) | | 53 (0.09) |
| IMMUCYST | | 3 (0.02) | 31 (0.10) | 20 (0.26) | 54 (0.09) |
| IMMUKIN (INTERFERON GA | 1 (0.02) | | | | 1 (0.00) |
| IMMUNE CELLS HUMAN | | | 2 (0.01) | | 2 (0.00) |
| IMMUNE GLOBULIN (HUMAN | | | 1 (0.00) | | 1 (0.00) |
| IMMUNE GLOBULIN INTRAV | 4 (0.07) | 8 (0.05) | 18 (0.06) | 5 (0.06) | 35 (0.06) |
| IMMUNE GLOBULIN TALECR | 1 (0.02) | | | | 1 (0.00) |
| IMMUNOGLOBULIN (IMMUNO | | 1 (0.01) | | | 1 (0.00) |
| IMMUNOGLOBULIN (NOS) | | | | 1 (0.01) | 1 (0.00) |
| IMMUNOGLOBULIN G HUMAN | | | 1 (0.00) | | 1 (0.00) |
| IMMUNOSUPPRESSIVE | | | 1 (0.00) | | 1 (0.00) |
| IMMUNOSUPPRESSIVE AGEN | | 1 (0.01) | | | 1 (0.00) |
| IMMUNOSUPPRESSIVE AGEN | 1 (0.02) | | | | 1 (0.00) |
| IMODIUM | 2 (0.03) | 4 (0.02) | 11 (0.04) | | 17 (0.03) |
| IMOVANE | 1 (0.02) | 1 (0.01) | 4 (0.01) | 2 (0.03) | 8 (0.01) |
| IMOVANE | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| IMPACTED CORTICAL WED | | | 1 (0.00) | | 1 (0.00) |
| IMUKIN (INTERFERON GAM | 1 (0.02) | | | | 1 (0.00) |
| IMURAN | 3 (0.05) | 6 (0.04) | 6 (0.02) | | 15 (0.02) |
| IMUREK | 1 (0.02) | | | | 1 (0.00) |
| IMUREL | 6 (0.10) | 4 (0.02) | 5 (0.02) | | 15 (0.02) |
| INALADUO | | | 1 (0.00) | | 1 (0.00) |
| INDAPAMIDE | | 2 (0.01) | 4 (0.01) | 6 (0.08) | 12 (0.02) |
| INDERAL | 1 (0.02) | 4 (0.02) | 13 (0.04) | 4 (0.05) | 22 (0.04) |
| INDERAL LA | | 4 (0.02) | 7 (0.02) | | 11 (0.02) |
| INDINAVIR SULFATE | | 1 (0.01) | | | 1 (0.00) |
| INDINIVIR SULFATE | | 1 (0.01) | | | 1 (0.00) |
| INDOBUFEN | | | 1 (0.00) | | 1 (0.00) |
| INDOCIN | 1 (0.02) | 2 (0.01) | 3 (0.01) | | 6 (0.01) |
| INDOMETHACIN | 3 (0.05) | 3 (0.02) | 5 (0.02) | 1 (0.01) | 12 (0.02) |
| INDREAL-LA (PROPRANOLO | | 1 (0.01) | | | 1 (0.00) |
| INFANT'S FORMULA | 1 (0.02) | | | | 1 (0.00) |
| INFANT'S PEDIACARE DEC | 1 (0.02) | | | | 1 (0.00) |
| INFANT'S PEDIACARE DEC | 1 (0.02) | | | | 1 (0.00) |
| INFANT'S PEDIACARE DEC | 1 (0.02) | | | | 1 (0.00) |
| INFANT'S PEDIACARE DEC | 1 (0.02) | | | | 1 (0.00) |
| INFANT'S PEDIACARE DEC | 1 (0.02) | | | | 1 (0.00) |
| INFANT'S PEDICARE | 1 (0.02) | | | | 1 (0.00) |
| INFANTS' PEDIACARE LON | 2 (0.03) | | | | 2 (0.00) |
| INFED | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| INFERAX (INTERFERON AL | | | 1 (0.00) | | 1 (0.00) |
| INFERGEN | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| INFLAMMATORY DRUG | | 1 (0.01) | | | 1 (0.00) |
| INFLIXIMAB | 3 (0.05) | 18 (0.11) | 18 (0.06) | 1 (0.01) | 40 (0.07) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| INFLUENZA VACCINE | | | 1 (0.00) | | 1 (0.00) |
| INFLUENZA VIRUS VACCIN | 1 (0.02) | | | | 1 (0.00) |
| INFLUENZA VIRUS VACCIN | | | 1 (0.00) | | 1 (0.00) |
| INFLUENZA VIRUS VACCIN | | | 1 (0.00) | | 1 (0.00) |
| INFLUSPLIT | | | 1 (0.00) | | 1 (0.00) |
| INFLUSPLIT SSW | | 2 (0.01) | | | 2 (0.00) |
| INFLUVAC | | | 1 (0.00) | | 1 (0.00) |
| INFREE | | | 1 (0.00) | | 1 (0.00) |
| INH | | | 1 (0.00) | | 1 (0.00) |
| INHALER | | 1 (0.01) | | | 1 (0.00) |
| INHALERS | 1 (0.02) | | | | 1 (0.00) |
| INHALERS NOS | | | 1 (0.00) | | 1 (0.00) |
| INHIBACE PLUS (CILAZAP | | | 1 (0.00) | | 1 (0.00) |
| INIPOMP | | 2 (0.01) | | | 2 (0.00) |
| INIPOMP (PANTOPRAZOLE) | | | 2 (0.01) | | 2 (0.00) |
| INIPOMP (PANTOPRAZOLE, | | | 1 (0.00) | | 1 (0.00) |
| INJECTABLE GOLD (UNSPE | | | 1 (0.00) | | 1 (0.00) |
| INNOHEP | | | 3 (0.01) | | 3 (0.00) |
| INSULATARD NPH HUMAN | | 2 (0.01) | | | 2 (0.00) |
| INSULIIN(INSULIN) | | | 1 (0.00) | | 1 (0.00) |
| INSULIN | 7 (0.12) | 48 (0.28) | 101 (0.33) | 15 (0.19) | 171 (0.28) |
| INSULIN (I | 1 (0.02) | | | | 1 (0.00) |
| INSULIN (INSULIN) | 1 (0.02) | 1 (0.01) | 6 (0.02) | | 8 (0.01) |
| INSULIN (INSULIN) INJE | | | 1 (0.00) | | 1 (0.00) |
| INSULIN (INSULIN, ANIM | 1 (0.02) | | | | 1 (0.00) |
| INSULIN ASPART | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| INSULIN ASPART, BIPHAS | | 1 (0.01) | | | 1 (0.00) |
| INSULIN DETEMIR PENFIL | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| INSULIN GLARGINE | | | 2 (0.01) | | 2 (0.00) |
| INSULIN GLARGINE (INSU | | | 1 (0.00) | | 1 (0.00) |
| INSULIN HUMALOG (LILLY | 1 (0.02) | | | | 1 (0.00) |
| INSULIN HUMAN | | | 2 (0.01) | | 2 (0.00) |
| INSULIN HUMAN (INSULIN | | | 1 (0.00) | | 1 (0.00) |
| INSULIN HUMULIN 70/30 | | | 1 (0.00) | | 1 (0.00) |
| INSULIN INJECTION, BIP | | | 1 (0.00) | | 1 (0.00) |
| INSULIN INJECTION, BIP | | | 1 (0.00) | | 1 (0.00) |
| INSULIN LISPRO | 2 (0.03) | | | | 2 (0.00) |
| INSULIN NORDISK MIXTAR | | 1 (0.01) | | | 1 (0.00) |
| INSULIN NOS | | | 1 (0.00) | | 1 (0.00) |
| INSULIN PUMP | 2 (0.03) | | | | 2 (0.00) |
| INSULIN PUMP NOS | | | 1 (0.00) | | 1 (0.00) |
| INSULIN, BIPHASIC ISOP | | | 2 (0.01) | | 2 (0.00) |
| INSULIN, NEUTRAL | | | 1 (0.00) | | 1 (0.00) |
| INSULINE | | | 1 (0.00) | | 1 (0.00) |
| INSULINES | | | 1 (0.00) | | 1 (0.00) |
| INSULINS | | | 1 (0.00) | | 1 (0.00) |
| INSUMAN RAPID | | | 1 (0.00) | | 1 (0.00) |
| INTEGRILIN | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| INTERFERON | | 4 (0.02) | 8 (0.03) | | 12 (0.02) |
| INTERFERON ALFA | | | 3 (0.01) | | 3 (0.00) |
| INTERFERON ALFA (INTER | | 1 (0.01) | | | 1 (0.00) |
| INTERFERON ALFA-2A | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| INTERFERON ALFA-2B INJ | | 2 (0.01) | | | 2 (0.00) |
| INTERFERON ALFACON-1 | | | 1 (0.00) | | 1 (0.00) |
| INTERFERON ALFACON-L (| | | 1 (0.00) | | 1 (0.00) |
| INTERFERON BETA-1B UNB | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| INTERFERON GAMMA (INTE | 1 (0.02) | | | | 1 (0.00) |
| INTERFERON GAMMA-1B | | 3 (0.02) | 25 (0.08) | 4 (0.05) | 32 (0.05) |
| INTERFERON INJECTABLE | | | 1 (0.00) | | 1 (0.00) |
| INTRATECT (IMMUNOGLOBU | | | 1 (0.00) | | 1 (0.00) |
| INTRAUTERINE COPPER CO | 12 (0.20) | 23 (0.13) | | | 35 (0.06) |
| INTRAVENOUS IMMUNE GLO | | | | 2 (0.03) | 2 (0.00) |
| INTRAVENOUS IMMUNE GLO | | | | 1 (0.01) | 1 (0.00) |
| INTRON A | | 7 (0.04) | 14 (0.05) | 1 (0.01) | 22 (0.04) |
| INTRON A (INTERFERON A | | 1 (0.01) | | | 1 (0.00) |
| INTRON A (INTERFERON A | | | 1 (0.00) | | 1 (0.00) |
| INTRON A (INTERFERON A | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| INTRON A (INTERFERON A | | | 1 (0.00) | | 1 (0.00) |
| INTRON A (INTERFERON A | | | 1 (0.00) | | 1 (0.00) |
| INTRONA (INJECTION) (I | | | 1 (0.00) | | 1 (0.00) |
| INVANZ | 2 (0.03) | 2 (0.01) | 3 (0.01) | 2 (0.03) | 9 (0.01) |
| INVIRASE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| IOPAMIRO | | | 2 (0.01) | | 2 (0.00) |
| IOPAMIRON | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| IOPIDENE | | 1 (0.01) | | | 1 (0.00) |
| IOPROMIDE(IOPROMIDE) I | | | 1 (0.00) | | 1 (0.00) |
| IPRATROPIUM BROMIDE | | | 5 (0.02) | 5 (0.06) | 10 (0.02) |
| IPREN 400 MG | | | 2 (0.01) | | 2 (0.00) |
| IRBESARTAN | | | 9 (0.03) | 8 (0.10) | 17 (0.03) |
| IRBESARTAN AND HYDROCH | | | 1 (0.00) | | 1 (0.00) |
| IRENAT (SODIUM PERCHLO | | | 1 (0.00) | | 1 (0.00) |
| IRESSA | | 7 (0.04) | 41 (0.14) | 6 (0.08) | 54 (0.09) |
| IRINOTECAN HCL | 1 (0.02) | 11 (0.06) | 28 (0.09) | 1 (0.01) | 41 (0.07) |
| IRON | 2 (0.03) | 3 (0.02) | 1 (0.00) | | 6 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| IRON (IRON) | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| IRON (UNSPECIFIED) | | | 1 (0.00) | | 1 (0.00) |
| IRON DEXTRAN | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| IRON SALT | 1 (0.02) | | | | 1 (0.00) |
| IRON SULFATETHIAMIN CO | | | 1 (0.00) | | 1 (0.00) |
| IRON TABLETS | 3 (0.05) | | | | 3 (0.00) |
| IRRADIATION | | 2 (0.01) | | | 2 (0.00) |
| ISALON | | | 1 (0.00) | | 1 (0.00) |
| ISCOTIN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ISDN | | | | 1 (0.01) | 1 (0.00) |
| ISMN | | | | 1 (0.01) | 1 (0.00) |
| ISMO | | | 2 (0.01) | | 2 (0.00) |
| ISODINE | | 1 (0.01) | | | 1 (0.00) |
| ISOFLURANE | | | 1 (0.00) | | 1 (0.00) |
| ISONIAZID | 2 (0.03) | 3 (0.02) | 12 (0.04) | 2 (0.03) | 19 (0.03) |
| ISOPHANE INSULIN | | | 3 (0.01) | | 3 (0.00) |
| ISOPROTERENOL | | 1 (0.01) | | | 1 (0.00) |
| ISOPTIN | 1 (0.02) | | 1 (0.00) | 3 (0.04) | 5 (0.01) |
| ISOPTIN SR | | | 3 (0.01) | | 3 (0.00) |
| ISORDIL | | | 4 (0.01) | 2 (0.03) | 6 (0.01) |
| ISOSORBID MONONITRANS | | | 1 (0.00) | | 1 (0.00) |
| ISOSORBID MONONITRATE | | | 1 (0.00) | | 1 (0.00) |
| ISOSORBIDE | | | 11 (0.04) | 8 (0.10) | 19 (0.03) |
| ISOSORBIDE (ISOSORBIDE | | | | 1 (0.01) | 1 (0.00) |
| ISOSORBIDE DINITRATE | | | 7 (0.02) | 6 (0.08) | 13 (0.02) |
| ISOSORBIDE MONONITRATE | | | 16 (0.05) | 5 (0.06) | 21 (0.03) |
| ISOSORBIDE MONONITRATE | | | 2 (0.01) | | 2 (0.00) |
| ISOTONIC SOLUTION | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ISOTONIC SOLUTIONS | | | 2 (0.01) | | 2 (0.00) |
| ISOTONIC SOLUTIONS INJ | | | 1 (0.00) | | 1 (0.00) |
| ISOTRETINOIN | 13 (0.22) | 5 (0.03) | | | 18 (0.03) |
| ISOVORIN | | 1 (0.01) | | | 1 (0.00) |
| ISOVUE (IOPAMIDOL INJ. | | 1 (0.01) | | | 1 (0.00) |
| ISOVUE-128 | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ISOVUE-300 | | 5 (0.03) | 3 (0.01) | | 8 (0.01) |
| ISRADIPINE | | | 5 (0.02) | | 5 (0.01) |
| ITRACOL | | | 1 (0.00) | | 1 (0.00) |
| ITRACONAZOLE | 3 (0.05) | 1 (0.01) | 1 (0.00) | 2 (0.03) | 7 (0.01) |
| ITRIZOLE | | 4 (0.02) | 3 (0.01) | | 7 (0.01) |
| IVERMECTIN | | | 2 (0.01) | | 2 (0.00) |
| IXPRIM | | 2 (0.01) | | | 2 (0.00) |
| JATROSOM (TRANYLCYPROM | 3 (0.05) | | | | 3 (0.00) |
| JATROSOM (TRANYLCYPROP | 1 (0.02) | | | | 1 (0.00) |
| JODETTEN | | 1 (0.01) | | | 1 (0.00) |
| JODETTEN - SLOW RELEAS | | | 1 (0.00) | | 1 (0.00) |
| JOSIR | | | 1 (0.00) | | 1 (0.00) |
| JUNEL 1.5/30 | 1 (0.02) | | | | 1 (0.00) |
| JUVELA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| JUVELA NICOTINATE | | | 2 (0.01) | | 2 (0.00) |
| K-DUR 10 | | 1 (0.01) | 4 (0.01) | 5 (0.06) | 10 (0.02) |
| KADIAN | 1 (0.02) | 3 (0.02) | 5 (0.02) | | 9 (0.01) |
| KAKKON | 1 (0.02) | | | | 1 (0.00) |
| KAKKON-TO | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| KAKODIN | | | 1 (0.00) | | 1 (0.00) |
| KALETRA | 6 (0.10) | 38 (0.22) | 1 (0.00) | | 45 (0.07) |
| KALETRA (LOPINAVIR/RIT | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| KAMI-SHOYO-SAN | 1 (0.02) | | | | 1 (0.00) |
| KAPANOL | | | 1 (0.00) | | 1 (0.00) |
| KARDEGIC | | | 8 (0.03) | 5 (0.06) | 13 (0.02) |
| KARIVA | 4 (0.07) | 2 (0.01) | | | 6 (0.01) |
| KARVEA (IRBESARTAN) | | | | 1 (0.01) | 1 (0.00) |
| KARVEZIDE (HYDROCHLORO | | | 1 (0.00) | | 1 (0.00) |
| KARVEZIDE TABS | | | 1 (0.00) | | 1 (0.00) |
| KASKADIL | | 1 (0.01) | | | 1 (0.00) |
| KEFLEX | 5 (0.08) | 9 (0.05) | 4 (0.01) | | 18 (0.03) |
| KEFLEX (CEFALEXIN MONH | | 1 (0.01) | | | 1 (0.00) |
| KEFLEX (CEFALEXIN MONO | | | | 1 (0.01) | 1 (0.00) |
| KEFZOL | | | 1 (0.00) | | 1 (0.00) |
| KEISHIBUKURYOUGAN (HER | | | 1 (0.00) | | 1 (0.00) |
| KEISHIBUKURYOUGAN (HER | | | 1 (0.00) | | 1 (0.00) |
| KEKTOCONAZOLE (KETOCON | | | | 1 (0.01) | 1 (0.00) |
| KENACORT-A OPHTHALMIC | | 2 (0.01) | 3 (0.01) | 1 (0.01) | 6 (0.01) |
| KENALOG | 1 (0.02) | 5 (0.03) | 6 (0.02) | | 12 (0.02) |
| KENALOG-10 | | | 2 (0.01) | | 2 (0.00) |
| KENTERA (WATSON LABORA | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| KENZEN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| KENZEN 8 MG | | | 1 (0.00) | | 1 (0.00) |
| KEPIVANCE | | | 1 (0.00) | | 1 (0.00) |
| KEPPRA | 20 (0.34) | 21 (0.12) | 12 (0.04) | 3 (0.04) | 56 (0.09) |
| KERLONE | | | 1 (0.00) | | 1 (0.00) |
| KETAMINE HCI INJ. USP | 1 (0.02) | | | | 1 (0.00) |
| KETAMINE HCL | 1 (0.02) | | | | 1 (0.00) |
| KETAS (IBUDILAST) CAPS | | | 1 (0.00) | | 1 (0.00) |
| KETEK | 5 (0.08) | 43 (0.25) | 26 (0.09) | 6 (0.08) | 80 (0.13) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| KETEX (TELITHROMYCIN) | | | 1 (0.00) | | 1 (0.00) |
| KETOCONAZOLE | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| KETODERM | | | 2 (0.01) | | 2 (0.00) |
| KETOPROFEN | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| KETOROLAC TROMETHAMINE | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| KETOTIFEN FUMARATE | | | | 1 (0.01) | 1 (0.00) |
| KEVATRIL | | | 1 (0.00) | | 1 (0.00) |
| KEVATRIL (GRANISETRON | | | 2 (0.01) | | 2 (0.00) |
| KINEDAK | | | 2 (0.01) | | 2 (0.00) |
| KINERET | 3 (0.05) | 3 (0.02) | | | 6 (0.01) |
| KININ | | | | 1 (0.01) | 1 (0.00) |
| KIVEXA | | 4 (0.02) | | | 4 (0.01) |
| KLACID | | | 3 (0.01) | | 3 (0.00) |
| KLACID FORTE TABLETS | 1 (0.02) | | | | 1 (0.00) |
| KLACID MR TABLETS | | | 1 (0.00) | | 1 (0.00) |
| KLARICID | 4 (0.07) | 1 (0.01) | | | 5 (0.01) |
| KLARICID TABLETS | 1 (0.02) | | | | 1 (0.00) |
| KLIOFEM | | | 1 (0.00) | | 1 (0.00) |
| KLONOPIN | 5 (0.08) | 65 (0.38) | 28 (0.09) | 4 (0.05) | 102 (0.17) |
| KLONOPIN (BUPROPION HY | | 1 (0.01) | | | 1 (0.00) |
| KLOR-CON | | 1 (0.01) | 10 (0.03) | | 11 (0.02) |
| KN-MG3 | | | 3 (0.01) | | 3 (0.00) |
| KN3B | | | | 1 (0.01) | 1 (0.00) |
| KOGENATE | 1 (0.02) | | | | 1 (0.00) |
| KOGENATE FS | 3 (0.05) | | | | 3 (0.00) |
| KOLANTYL (ALUMINIUM HY | | | | 1 (0.01) | 1 (0.00) |
| KREDEX | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| KU-ZYME CAPSULES | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| KYORIN AP2 | 1 (0.02) | | | | 1 (0.00) |
| KYRTIL (GRANISETRON) | | | 1 (0.00) | | 1 (0.00) |
| KYTRIL | 1 (0.02) | 2 (0.01) | 14 (0.05) | 2 (0.03) | 19 (0.03) |
| L -THYROXINE | | 1 (0.01) | | | 1 (0.00) |
| L-ASPARTATE POTASSIUM | | 1 (0.01) | | | 1 (0.00) |
| L-DOPA | | | | 2 (0.03) | 2 (0.00) |
| L-THYROXIN | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| L-THYROXIN ^HENNING BE | 1 (0.02) | | | | 1 (0.00) |
| L-THYROXINE | | 1 (0.01) | 11 (0.04) | 1 (0.01) | 13 (0.02) |
| L-THYROXINE (LEVOTHYRO | 2 (0.03) | | | | 2 (0.00) |
| L-THYROXINE (LEVOTHYRO | | 1 (0.01) | | | 1 (0.00) |
| LABETALOL | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| LABETALOL 20 MG | | | 1 (0.00) | | 1 (0.00) |
| LABETALOL HCL | 1 (0.02) | 1 (0.01) | 4 (0.01) | 1 (0.01) | 7 (0.01) |
| LABETALOL HYDROCHLORID | | 2 (0.01) | 3 (0.01) | 1 (0.01) | 6 (0.01) |
| LABETOLOL | | | 1 (0.00) | | 1 (0.00) |
| LAC B (LACTOBACILLUS B | | | | 1 (0.01) | 1 (0.00) |
| LAC B (LACTOBACILLUS B | | | | 1 (0.01) | 1 (0.00) |
| LAC-HYDRIN (AMMONIUM L | | | 1 (0.00) | | 1 (0.00) |
| LACHESIS | | | 1 (0.00) | | 1 (0.00) |
| LACTATE RINGER SOLUTIO | 1 (0.02) | | | | 1 (0.00) |
| LACTATED RINGER'S | 1 (0.02) | 6 (0.04) | 1 (0.00) | | 8 (0.01) |
| LACTATED RINGER'S (RIN | | | 1 (0.00) | | 1 (0.00) |
| LACTATED RINGER'S IN P | | 1 (0.01) | | | 1 (0.00) |
| LACTEC-G | | | 1 (0.00) | | 1 (0.00) |
| LACTULOSE | 1 (0.02) | 4 (0.02) | 3 (0.01) | 2 (0.03) | 10 (0.02) |
| LADOSE (FLUOXETINE HYD | | 1 (0.01) | | | 1 (0.00) |
| LAMALINE SUPPOSITORIES | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LAMICTAL | 103 (1.74) | 128 (0.75) | 57 (0.19) | 3 (0.04) | 291 (0.48) |
| LAMISIL | 4 (0.07) | 27 (0.16) | 25 (0.08) | 8 (0.10) | 64 (0.10) |
| LAMIVUDINE | 4 (0.07) | 30 (0.18) | 9 (0.03) | | 43 (0.07) |
| LAMIVUDINE + ZIDOVUDIN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LAMOTRIGIN (LAMOTRIGIN | | 1 (0.01) | | | 1 (0.00) |
| LAMOTRIGINE | 11 (0.19) | 9 (0.05) | 8 (0.03) | | 28 (0.05) |
| LANDEL | | | 1 (0.00) | | 1 (0.00) |
| LANOXICAPS | | | 1 (0.00) | | 1 (0.00) |
| LANOXIN | 2 (0.03) | 2 (0.01) | 9 (0.03) | 13 (0.17) | 26 (0.04) |
| LANREOTIDE | | | | 1 (0.01) | 1 (0.00) |
| LANSAP | | 1 (0.01) | | | 1 (0.00) |
| LANSAP 400 (LANSOPRAZO | | 1 (0.01) | | | 1 (0.00) |
| LANSAP 800 (LANSOPRAZO | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| LANSOPRAZOL (LANSOPRAZ | | 1 (0.01) | | | 1 (0.00) |
| LANSOPRAZOLE | | 9 (0.05) | 37 (0.12) | 13 (0.17) | 59 (0.10) |
| LANTAS (INSULIN GLARGI | | 1 (0.01) | | | 1 (0.00) |
| LANTHANUM CARBONATE (L | | | 1 (0.00) | | 1 (0.00) |
| LANTUS | 10 (0.17) | 25 (0.15) | 155 (0.51) | 23 (0.30) | 213 (0.35) |
| LANVIS | 3 (0.05) | | | | 3 (0.00) |
| LANZOPRAZOLE (LANSOPRA | | | 1 (0.00) | | 1 (0.00) |
| LARIAM | 6 (0.10) | 12 (0.07) | 2 (0.01) | | 20 (0.03) |
| LAROXYL | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| LARPOSE | | 1 (0.01) | | | 1 (0.00) |
| LARPOSE (LORAZEPAM) | | 1 (0.01) | | | 1 (0.00) |
| LASILIX | 1 (0.02) | | 5 (0.02) | 12 (0.15) | 18 (0.03) |
| LASILIX RETARD | | | | 1 (0.01) | 1 (0.00) |
| LASIX | 4 (0.07) | 19 (0.11) | 82 (0.27) | 50 (0.64) | 155 (0.25) |
| LASIX (FUROSEMIDE /00 | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LASIX (FUROSEMIDE, FUR | | | | 1 (0.01) | 1 (0.00) |
| LASTET | | | 1 (0.00) | | 1 (0.00) |
| LATANOPROST | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| LAUBEEL | | 1 (0.01) | | | 1 (0.00) |
| LECITHIN | 3 (0.05) | | | | 3 (0.00) |
| LECITHIN (LECITHIN) | | | 1 (0.00) | | 1 (0.00) |
| LEDERFOLINE | | | 1 (0.00) | | 1 (0.00) |
| LEFLUNOMIDE | | 2 (0.01) | 8 (0.03) | | 10 (0.02) |
| LEFTOSE | | 1 (0.01) | | | 1 (0.00) |
| LEFTOSE (LYSOZYME) | | | 1 (0.00) | | 1 (0.00) |
| LEIOS (LEVONORGESTREL/ | | 1 (0.01) | | | 1 (0.00) |
| LEKOVIT CA (COLECALCIF | | | | 1 (0.01) | 1 (0.00) |
| LENALIDOMIDE | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| LENALIDOMIDE 25 MG, 5 | | | 1 (0.00) | | 1 (0.00) |
| LENALIDOMIDE 5 MG , 25 | | | 1 (0.00) | | 1 (0.00) |
| LENALIDOMIDE 5 MG CELG | | | 1 (0.00) | | 1 (0.00) |
| LENALIDOMIDE 5 MG. 25M | | | 1 (0.00) | | 1 (0.00) |
| LENDORM | | | | 2 (0.03) | 2 (0.00) |
| LENDORMIN | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| LENTARON | | | 1 (0.00) | | 1 (0.00) |
| LEPIRUDIN | | 1 (0.01) | | | 1 (0.00) |
| LEPIRUDIN 100 MG IN D5 | | | 1 (0.00) | | 1 (0.00) |
| LEPONEX | | 7 (0.04) | 4 (0.01) | | 11 (0.02) |
| LEPTICUR | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LEPTOS | | 1 (0.01) | | | 1 (0.00) |
| LERCAN | | | 1 (0.00) | | 1 (0.00) |
| LERCANIDIPINE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| LESCOL | | 4 (0.02) | 5 (0.02) | 7 (0.09) | 16 (0.03) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LESCOL XL | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| LETROZOLE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| LEUCOVORIN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| LEUCOVORIN CALCIUM | | | 9 (0.03) | 1 (0.01) | 10 (0.02) |
| LEUCOVORIN CALCIUM FOR | | | 1 (0.00) | | 1 (0.00) |
| LEUKERAN | | | 1 (0.00) | | 1 (0.00) |
| LEUKINE | | 1 (0.01) | | | 1 (0.00) |
| LEUKINE VS. PLACEBO (G | | 1 (0.01) | | | 1 (0.00) |
| LEUKOTRAP RC SYSTEM, D | | 2 (0.01) | | | 2 (0.00) |
| LEUPLIN | | | | 1 (0.01) | 1 (0.00) |
| LEUPLIN INJECTABLE | | | | 2 (0.03) | 2 (0.00) |
| LEUPROLIDE ACETATE | 1 (0.02) | 10 (0.06) | 14 (0.05) | 3 (0.04) | 28 (0.05) |
| LEUPRORELIN (LEUPROREL | | | 1 (0.00) | | 1 (0.00) |
| LEUPRORELIN ACETATE (E | | | 1 (0.00) | | 1 (0.00) |
| LEVAQUIN | 1 (0.02) | 33 (0.19) | 39 (0.13) | 7 (0.09) | 80 (0.13) |
| LEVAXIN | | 6 (0.04) | 3 (0.01) | | 9 (0.01) |
| LEVEMIR | 1 (0.02) | | 4 (0.01) | | 5 (0.01) |
| LEVENOX (HEPARIN-FRACT | | 1 (0.01) | | | 1 (0.00) |
| LEVETIRACETAM | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| LEVITRA | | 35 (0.21) | 72 (0.24) | 10 (0.13) | 117 (0.19) |
| LEVO-THYROXIN | | | 2 (0.01) | | 2 (0.00) |
| LEVO-TIROXINA | 1 (0.02) | | | | 1 (0.00) |
| LEVOBUPIVACAINE | | | | 1 (0.01) | 1 (0.00) |
| LEVOCARB | | | | 2 (0.03) | 2 (0.00) |
| LEVOCARNITIN | | 1 (0.01) | | | 1 (0.00) |
| LEVODOPA | | | 4 (0.01) | 2 (0.03) | 6 (0.01) |
| LEVODOPA+BENSERAZIDE | | | | 2 (0.03) | 2 (0.00) |
| LEVOFLOXACIN | 3 (0.05) | 5 (0.03) | 18 (0.06) | 2 (0.03) | 28 (0.05) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LEVOFLOXACTIN | | | 1 (0.00) | | 1 (0.00) |
| LEVOMEPROMAZINE | | | 1 (0.00) | | 1 (0.00) |
| LEVOMEPROMAZINE (LEVOM | | | 1 (0.00) | | 1 (0.00) |
| LEVONELLE | | 1 (0.01) | | | 1 (0.00) |
| LEVONORGESTREL | | 7 (0.04) | 2 (0.01) | | 9 (0.01) |
| LEVONORGESTREL + ETHIN | 1 (0.02) | | | | 1 (0.00) |
| LEVONORGESTREL AND ETH | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| LEVOPHED | | | 4 (0.01) | | 4 (0.01) |
| LEVOTHROID | | | 12 (0.04) | 1 (0.01) | 13 (0.02) |
| LEVOTHROXIN | | | 1 (0.00) | | 1 (0.00) |
| LEVOTHYROX | | 2 (0.01) | 11 (0.04) | 4 (0.05) | 17 (0.03) |
| LEVOTHYROX 50 (TABLET) | | | 1 (0.00) | | 1 (0.00) |
| LEVOTHYROXINE | | 2 (0.01) | | | 2 (0.00) |
| LEVOTHYROXINE 0.15MG T | | | 1 (0.00) | | 1 (0.00) |
| LEVOTHYROXINE SODIUM | 8 (0.14) | 35 (0.21) | 83 (0.27) | 25 (0.32) | 151 (0.25) |
| LEVOTHYROXINE SODIUM A | | | 1 (0.00) | | 1 (0.00) |
| LEVOTHYROXINE SODIUM T | | | 1 (0.00) | | 1 (0.00) |
| LEVOTHYROXYINE | | 1 (0.01) | | | 1 (0.00) |
| LEVOXYL | 1 (0.02) | 26 (0.15) | 50 (0.17) | 8 (0.10) | 85 (0.14) |
| LEVSIN | | | 1 (0.00) | | 1 (0.00) |
| LEXAPRO | 35 (0.59) | 96 (0.56) | 45 (0.15) | 11 (0.14) | 187 (0.31) |
| LEXAPRO (ESCITALOPRAM | | | 1 (0.00) | | 1 (0.00) |
| LEXAPRO /USA/ (ESCITAL | | 3 (0.02) | | | 3 (0.00) |
| LEXAPRO/USA/(ESCITALOP | | | 1 (0.00) | | 1 (0.00) |
| LEXIVA | | 8 (0.05) | 2 (0.01) | | 10 (0.02) |
| LEXOMIL | | 3 (0.02) | 1 (0.00) | 3 (0.04) | 7 (0.01) |
| LEXOMIL (BROMAZEPAM) | | 1 (0.01) | | | 1 (0.00) |
| LEXOTAN | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LEXOTAN (BROMAZEPAM) | 1 (0.02) | | | | 1 (0.00) |
| LEXOTANIL | | 1 (0.01) | | | 1 (0.00) |
| LIASOPHIN | | | 1 (0.00) | | 1 (0.00) |
| LIBRAX | | | 3 (0.01) | | 3 (0.00) |
| LIBRAX CAPSULES | | | 1 (0.00) | | 1 (0.00) |
| LIBRIUM | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| LIDOCAINE | 2 (0.03) | 10 (0.06) | 6 (0.02) | 1 (0.01) | 19 (0.03) |
| LIDOCAINE 1% | | 1 (0.01) | | | 1 (0.00) |
| LIDOCAINE 2% | | 1 (0.01) | | | 1 (0.00) |
| LIDOCAINE AND EPINEPHR | 2 (0.03) | | | | 2 (0.00) |
| LIDOCAINE AND PRILOCAI | | | 1 (0.00) | | 1 (0.00) |
| LIDOCAINE HCL | 2 (0.03) | | | | 2 (0.00) |
| LIDOCAINE HYDROCHLORID | | 2 (0.01) | | | 2 (0.00) |
| LIDOCAINE HYDROCHLORID | | | | 1 (0.01) | 1 (0.00) |
| LIDODERM | | 2 (0.01) | | | 2 (0.00) |
| LIGNOCAINE | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| LIGNOCAINE HYDROCHLORI | | 1 (0.01) | | | 1 (0.00) |
| LIGNOCAINE HYDROCHLORI | | 1 (0.01) | | | 1 (0.00) |
| LIMAS (LITHIUM CARBONA | | | 1 (0.00) | | 1 (0.00) |
| LIMAS (LITHIUM CARBONA | | | 2 (0.01) | | 2 (0.00) |
| LIMETHASON | | | 1 (0.00) | | 1 (0.00) |
| LINEX | | 1 (0.01) | | | 1 (0.00) |
| LINEZOLID | 1 (0.02) | | 6 (0.02) | 1 (0.01) | 8 (0.01) |
| LINEZOLID 600 MG | | | 1 (0.00) | | 1 (0.00) |
| LINEZOLID 600MG | 1 (0.02) | | | | 1 (0.00) |
| LINEZOLID SOLUTION, ST | | | 1 (0.00) | | 1 (0.00) |
| LIORESAL | 4 (0.07) | 3 (0.02) | 4 (0.01) | | 11 (0.02) |
| LIORESAL NOVARTIS | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LIOTHYRONINE SODIUM | | 1 (0.01) | | | 1 (0.00) |
| LIPANTHYL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LIPANTHYL SUPRA 160 LM | | | 1 (0.00) | | 1 (0.00) |
| LIPANTHYL 'FOURNIER' | | | 1 (0.00) | | 1 (0.00) |
| LIPANTYL | | | 1 (0.00) | | 1 (0.00) |
| LIPEMOL TABS 20 MG | | | 1 (0.00) | | 1 (0.00) |
| LIPID LOWERING TREATME | | | 1 (0.00) | | 1 (0.00) |
| LIPIDIL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LIPITOR | 3 (0.05) | 75 (0.44) | 334 (1.10) | 89 (1.15) | 501 (0.82) |
| LIPLAT | | | 1 (0.00) | | 1 (0.00) |
| LIPLAT TABS | | | 1 (0.00) | | 1 (0.00) |
| LIPOSTAT 10% | | | 1 (0.00) | | 1 (0.00) |
| LIPRAM | | | 1 (0.00) | | 1 (0.00) |
| LISINOPRIL | 4 (0.07) | 35 (0.21) | 142 (0.47) | 44 (0.57) | 225 (0.37) |
| LISINOPRIL AND HYDROCH | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| LISINOPRIL ORALS | | 1 (0.01) | | | 1 (0.00) |
| LISINOPRIL W/HYDROCHLO | | 1 (0.01) | | | 1 (0.00) |
| LISINOPRIL-BC | | | 2 (0.01) | | 2 (0.00) |
| LISTERINE (MENTHOL, ME | 3 (0.05) | 2 (0.01) | 2 (0.01) | | 7 (0.01) |
| LISTERINE ANTISEPTIC M | | 3 (0.02) | | | 3 (0.00) |
| LISTERINE POCKET MIST | | | 1 (0.00) | | 1 (0.00) |
| LITALIR | | | 3 (0.01) | | 3 (0.00) |
| LITHIUM | 5 (0.08) | 35 (0.21) | 14 (0.05) | | 54 (0.09) |
| LITHIUM | | 1 (0.01) | | | 1 (0.00) |
| LITHIUM (LITHIUM) | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| LITHIUM (LITHIUM) CAPS | | 1 (0.01) | | | 1 (0.00) |
| LITHIUM 300 MG | | | 1 (0.00) | | 1 (0.00) |
| LITHIUM ASPARTATE | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LITHIUM CARBONATE | 6 (0.10) | 20 (0.12) | 15 (0.05) | | 41 (0.07) |
| LITHIUM CARBONATE CAPS | | | 1 (0.00) | | 1 (0.00) |
| LITHIUM CITRATE | | | 1 (0.00) | | 1 (0.00) |
| LITHIUM SULFATE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LITHOBID | 1 (0.02) | 3 (0.02) | 3 (0.01) | | 7 (0.01) |
| LITHONATE | | | 1 (0.00) | | 1 (0.00) |
| LITICARB | | 3 (0.02) | | | 3 (0.00) |
| LITIPOR | | | 1 (0.00) | | 1 (0.00) |
| LIVACT | | | 1 (0.00) | | 1 (0.00) |
| LIVER HYDROLYSIS COMBI | | | 1 (0.00) | | 1 (0.00) |
| LIVOSTIN NASAL SUSPENS | 1 (0.02) | | | | 1 (0.00) |
| LIXACOL (MESALAZINE) | | | 1 (0.00) | | 1 (0.00) |
| LO/OVRAL | | 3 (0.02) | | | 3 (0.00) |
| LOBU | | | 1 (0.00) | | 1 (0.00) |
| LOCHOL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LOCOL | | 1 (0.01) | 3 (0.01) | 2 (0.03) | 6 (0.01) |
| LODINE | | 1 (0.01) | 4 (0.01) | 3 (0.04) | 8 (0.01) |
| LODOPIN | | | 2 (0.01) | | 2 (0.00) |
| LOESTRIN 21 1/20 | | 1 (0.01) | | | 1 (0.00) |
| LOESTRIN 24 | | 1 (0.01) | | | 1 (0.00) |
| LOGIMAT | | | | 1 (0.01) | 1 (0.00) |
| LOMOTIL | | 5 (0.03) | 3 (0.01) | | 8 (0.01) |
| LONAFARNIB OR PLACEBO | | | 2 (0.01) | | 2 (0.00) |
| LONGES | 2 (0.03) | | | | 2 (0.00) |
| LONOX | | | 3 (0.01) | | 3 (0.00) |
| LONOXIN | | | | 1 (0.01) | 1 (0.00) |
| LOPEMIN | | 3 (0.02) | | | 3 (0.00) |
| LOPERAMID (LOPERAMIDE | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LOPERAMIDE | 1 (0.02) | 1 (0.01) | 8 (0.03) | 2 (0.03) | 12 (0.02) |
| LOPERAMIDE HCL | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| LOPERAMIDE HYDROCHLORI | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| LOPID | | 2 (0.01) | 5 (0.02) | 1 (0.01) | 8 (0.01) |
| LOPINAVIR | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LOPINAVIR + RITONAVIR | | 2 (0.01) | | | 2 (0.00) |
| LOPINAVIR AND RITONAVI | | 1 (0.01) | | | 1 (0.00) |
| LOPINAVIR/RITONAVIR | | 3 (0.02) | | | 3 (0.00) |
| LOPRESSOR | | 6 (0.04) | 34 (0.11) | 14 (0.18) | 54 (0.09) |
| LORA TAB | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| LORAMET | | | 3 (0.01) | | 3 (0.00) |
| LORATADIN | | 1 (0.01) | | | 1 (0.00) |
| LORATADINE | 6 (0.10) | 7 (0.04) | 9 (0.03) | 2 (0.03) | 24 (0.04) |
| LORATADINE (CLARITIN) | | 1 (0.01) | | | 1 (0.00) |
| LORAZEPAM | 9 (0.15) | 52 (0.30) | 37 (0.12) | 14 (0.18) | 112 (0.18) |
| LORAZEPAN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LORCAM | | | 1 (0.00) | | 1 (0.00) |
| LORCAM (LORNOXICAM) | | | | 2 (0.03) | 2 (0.00) |
| LORCET-HD | | 10 (0.06) | 4 (0.01) | 1 (0.01) | 15 (0.02) |
| LORMETAZEPAM | | | 3 (0.01) | | 3 (0.00) |
| LORMETAZEPAM (LORMETAZ | | | 2 (0.01) | | 2 (0.00) |
| LORTAB | 4 (0.07) | 27 (0.16) | 22 (0.07) | 1 (0.01) | 54 (0.09) |
| LORZAAR PLUS | | | 2 (0.01) | | 2 (0.00) |
| LOSARTAN | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| LOSARTAN (LOSARTAN POT | | | 1 (0.00) | | 1 (0.00) |
| LOSARTAN MERCK AND CO | 1 (0.02) | | | | 1 (0.00) |
| LOSARTAN POTASSIUM | | 3 (0.02) | 13 (0.04) | 9 (0.12) | 25 (0.04) |
| LOSARTAN POTASSIUM AND | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LOSEC | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| LOSEC (OMEPRAZOLE) | | 1 (0.01) | | | 1 (0.00) |
| LOTENSIN | 1 (0.02) | 6 (0.04) | 31 (0.10) | 4 (0.05) | 42 (0.07) |
| LOTREL | | 13 (0.08) | 55 (0.18) | 12 (0.15) | 80 (0.13) |
| LOTRISONE | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| LOVAN | | | 1 (0.00) | | 1 (0.00) |
| LOVASTATIN | | 2 (0.01) | 13 (0.04) | 4 (0.05) | 19 (0.03) |
| LOVENOX | 3 (0.05) | 2 (0.01) | 24 (0.08) | 13 (0.17) | 42 (0.07) |
| LOVOXIL | | | 1 (0.00) | | 1 (0.00) |
| LOW MOLECULAR WEIGHT H | | | | 1 (0.01) | 1 (0.00) |
| LOW MOLECULAR WEIGHT H | | 1 (0.01) | | | 1 (0.00) |
| LOXAPAC | | 1 (0.01) | | | 1 (0.00) |
| LOXAPINE SUCCINATE | | | 1 (0.00) | | 1 (0.00) |
| LOXEN | | | 1 (0.00) | 7 (0.09) | 8 (0.01) |
| LOXEN LP | | | | 2 (0.03) | 2 (0.00) |
| LOXONIN | 4 (0.07) | 4 (0.02) | 12 (0.04) | 2 (0.03) | 22 (0.04) |
| LOXONIN | | | | 1 (0.01) | 1 (0.00) |
| LOXONIN (LOXOPROFEN SO | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| LOXOPROFEN SODIUM (LOX | | 1 (0.01) | | | 1 (0.00) |
| LOZIDE | | | 1 (0.00) | | 1 (0.00) |
| LOZOL | | 1 (0.01) | 6 (0.02) | 1 (0.01) | 8 (0.01) |
| LUBRIDERM SKIN RENEWAL | | 1 (0.01) | | | 1 (0.00) |
| LUBRIDERM SKIN RENEWEL | | 1 (0.01) | | | 1 (0.00) |
| LUCRIN | | | 1 (0.00) | | 1 (0.00) |
| LUDIOMIL | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| LUDIOMIL 75 | | | | 1 (0.01) | 1 (0.00) |
| LULLAN | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| LULLAN (PEROSPIRONE HY | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LUMIGAN | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| LUNESTA | 12 (0.20) | 187 (1.10) | 255 (0.84) | 99 (1.28) | 553 (0.91) |
| LUNESTA (2 MG) | | | 1 (0.00) | | 1 (0.00) |
| LUPRON | 5 (0.08) | | 7 (0.02) | 6 (0.08) | 18 (0.03) |
| LUPRON DEPOT | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| LUPRON DEPOT-3 | 1 (0.02) | 4 (0.02) | | | 5 (0.01) |
| LUPRON DEPOT-PED | | 1 (0.01) | | | 1 (0.00) |
| LUSTRAL | | 2 (0.01) | | | 2 (0.00) |
| LUSTRAL (SERTRALINE) | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LUTENYL | | 1 (0.01) | | | 1 (0.00) |
| LUTENYL (NOMEGESTROL A | | 2 (0.01) | | | 2 (0.00) |
| LUVOX | 8 (0.14) | 1 (0.01) | 3 (0.01) | 2 (0.03) | 14 (0.02) |
| LY231514(PEMETREXED) V | | | | 1 (0.01) | 1 (0.00) |
| LY317615(ENZASTAURIN (| | | 1 (0.00) | | 1 (0.00) |
| LYMPHAZURIN | | | 1 (0.00) | | 1 (0.00) |
| LYRICA | 7 (0.12) | 57 (0.33) | 84 (0.28) | 49 (0.63) | 197 (0.32) |
| LYRICA | | | 1 (0.00) | | 1 (0.00) |
| LYSODREN | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| LYSOPAINE | | 1 (0.01) | | | 1 (0.00) |
| LYSOZYME HYDROCHLORIDE | 1 (0.02) | | | | 1 (0.00) |
| M.V.I. | | 6 (0.04) | 1 (0.00) | 1 (0.01) | 8 (0.01) |
| MAALOX FAST BLOCKER | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| MABTHER | | | 1 (0.00) | | 1 (0.00) |
| MABTHERA | | | 1 (0.00) | | 1 (0.00) |
| MABTHERA | | | 1 (0.00) | | 1 (0.00) |
| MABTHERA | 1 (0.02) | | | | 1 (0.00) |
| MABTHERA (RITUX | | 1 (0.01) | | | 1 (0.00) |
| MABTHERA (RITUXIMAB)C | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MABTHERA (RITUXIMAB) C | | | 1 (0.00) | | 1 (0.00) |
| MABTHERA (RITUXIMAB) C | 3 (0.05) | 2 (0.01) | 22 (0.07) | 3 (0.04) | 30 (0.05) |
| MABTHERA (RITUXIMAB) C | | | 1 (0.00) | | 1 (0.00) |
| MABTHERA (RITUXIMAB)CO | | | 1 (0.00) | 3 (0.04) | 4 (0.01) |
| MABTHERA(RITUXIMAB) CO | | 3 (0.02) | 4 (0.01) | 1 (0.01) | 8 (0.01) |
| MACRO BID / NITROFURAN | | | 1 (0.00) | | 1 (0.00) |
| MACROBID | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| MACRODANTIN | | | 1 (0.00) | 3 (0.04) | 4 (0.01) |
| MACROLIN | | 2 (0.01) | | | 2 (0.00) |
| MACUGEN | 1 (0.02) | | 1 (0.00) | 7 (0.09) | 9 (0.01) |
| MADOPAR | | | 7 (0.02) | 4 (0.05) | 11 (0.02) |
| MADOPAR CR | | 2 (0.01) | | | 2 (0.00) |
| MADOPARK | | | | 1 (0.01) | 1 (0.00) |
| MADOPARK TABLET | | | | 1 (0.01) | 1 (0.00) |
| MAGIC MOUTHWASH | | | 5 (0.02) | | 5 (0.01) |
| MAGISTROL (MEGESTROL) | | | 1 (0.00) | | 1 (0.00) |
| MAGLAX | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| MAGMITT | | | 4 (0.01) | | 4 (0.01) |
| MAGNEROT CLASSIC | | | 2 (0.01) | | 2 (0.00) |
| MAGNESIUM | 1 (0.02) | 2 (0.01) | 3 (0.01) | 1 (0.01) | 7 (0.01) |
| MAGNESIUM (MAGNESIUM) | | | 2 (0.01) | | 2 (0.00) |
| MAGNESIUM HYDROXIDE TA | | 2 (0.01) | | | 2 (0.00) |
| MAGNESIUM OROTATE | | | 3 (0.01) | | 3 (0.00) |
| MAGNESIUM OXIDE | 4 (0.07) | 2 (0.01) | 11 (0.04) | | 17 (0.03) |
| MAGNESIUM OXIDE (MAGNE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MAGNESIUM SULFATE | | | 3 (0.01) | 2 (0.03) | 5 (0.01) |
| MAGNEVIST | 3 (0.05) | 4 (0.02) | 6 (0.02) | 1 (0.01) | 14 (0.02) |
| MAGNEX | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MAGNEX (SULBACTAM, CEF | | 1 (0.01) | | | 1 (0.00) |
| MAGNYL | | | | 1 (0.01) | 1 (0.00) |
| MAIBASTAN | | | | 3 (0.04) | 3 (0.00) |
| MAIBBASTAN (PRAVASTATI | | | | 1 (0.01) | 1 (0.00) |
| MAINTATE | | | 7 (0.02) | | 7 (0.01) |
| MAINTOWA | | | 1 (0.00) | | 1 (0.00) |
| MALARONE | 5 (0.08) | 12 (0.07) | 7 (0.02) | 1 (0.01) | 25 (0.04) |
| MANDELIC ACID | | | 1 (0.00) | | 1 (0.00) |
| MANIDIPINE HYDROCHLORI | | | 1 (0.00) | | 1 (0.00) |
| MANNITOL | 3 (0.05) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 6 (0.01) |
| MANSIL (OXAMNIQUINE) | | 1 (0.01) | | | 1 (0.00) |
| MANTADIX (| | | | 1 (0.01) | 1 (0.00) |
| MANY CONCOMITANT MEDIC | | | 1 (0.00) | | 1 (0.00) |
| MANY MEDICATIONS (NOS) | | | | 1 (0.01) | 1 (0.00) |
| MARCAIN SPINAL (MARCAI | | | 1 (0.00) | | 1 (0.00) |
| MARCAINE | 1 (0.02) | 4 (0.02) | 1 (0.00) | 1 (0.01) | 7 (0.01) |
| MARCOUMAR | | | | 1 (0.01) | 1 (0.00) |
| MARCUMAR | 1 (0.02) | 1 (0.01) | 14 (0.05) | 2 (0.03) | 18 (0.03) |
| MAREVAN | | 2 (0.01) | 3 (0.01) | 1 (0.01) | 6 (0.01) |
| MARIJUANA | 2 (0.03) | | | | 2 (0.00) |
| MARIJUANA (CANNABIS) | | 1 (0.01) | | | 1 (0.00) |
| MARKEVAN ^BRITISH DRUG | | | 1 (0.00) | | 1 (0.00) |
| MARVELON | 1 (0.02) | 4 (0.02) | | | 5 (0.01) |
| MARZULENE S | | | | 2 (0.03) | 2 (0.00) |
| MARZULENE S GRANULES 3 | | | 1 (0.00) | | 1 (0.00) |
| MARZULENE-S | | | | 1 (0.01) | 1 (0.00) |
| MAVIK | | 4 (0.02) | 6 (0.02) | 2 (0.03) | 12 (0.02) |
| MAXAIR | 1 (0.02) | 3 (0.02) | | 1 (0.01) | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MAXALT | 3 (0.05) | 5 (0.03) | | | 8 (0.01) |
| MAXALT-MLT | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| MAXAQUIN | | | 3 (0.01) | | 3 (0.00) |
| MAXIDE AND POTASSIUM S | | 1 (0.01) | | | 1 (0.00) |
| MAXIDEX (BENZALKONIUM | | 1 (0.01) | | | 1 (0.00) |
| MAXIDEX (BENZALKONIUM | | 1 (0.01) | | | 1 (0.00) |
| MAXIPIME | 1 (0.02) | 2 (0.01) | 8 (0.03) | 5 (0.06) | 16 (0.03) |
| MAXITROL | | | 1 (0.00) | | 1 (0.00) |
| MAXOLON | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| MAXZIDE | | 3 (0.02) | 9 (0.03) | 1 (0.01) | 13 (0.02) |
| MD-GASTROVIEW | 1 (0.02) | | | | 1 (0.00) |
| MD-GASTROVIEW INDONATE | 1 (0.02) | | | | 1 (0.00) |
| MEBEVERINE HYDROCHLORI | | | | 2 (0.03) | 2 (0.00) |
| MECLIZINE | 1 (0.02) | 5 (0.03) | 3 (0.01) | 3 (0.04) | 12 (0.02) |
| MECOBALAMIN | | | 1 (0.00) | | 1 (0.00) |
| MEDET | | | 2 (0.01) | | 2 (0.00) |
| MEDIATENSYL | | | 2 (0.01) | | 2 (0.00) |
| MEDIATOR | | | 3 (0.01) | | 3 (0.00) |
| MEDICATION (NOS) | | 1 (0.01) | | | 1 (0.00) |
| MEDICATION (NOT SPECIF | | | 1 (0.00) | | 1 (0.00) |
| MEDICINALPRODUCT NOT S | 1 (0.02) | 9 (0.05) | 1 (0.00) | 1 (0.01) | 12 (0.02) |
| MEDICON | 5 (0.08) | | 1 (0.00) | | 6 (0.01) |
| MEDIUM-CHAIN TRIGLYCER | 2 (0.03) | | | | 2 (0.00) |
| MEDROL | 2 (0.03) | 12 (0.07) | 11 (0.04) | 3 (0.04) | 28 (0.05) |
| MEDROL ACETATE | | | 2 (0.01) | | 2 (0.00) |
| MEDROXYPROGESTERONE AC | | 2 (0.01) | 17 (0.06) | 1 (0.01) | 20 (0.03) |
| MEFENAMIC ACID | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MEFLOQUINE | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MEFLOQUINE (NGX)(MEFLO | | | 1 (0.00) | | 1 (0.00) |
| MEFLOQUINE HCL | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| MEFOXIN | | | | 1 (0.01) | 1 (0.00) |
| MEGACE | 4 (0.07) | 3 (0.02) | 10 (0.03) | 4 (0.05) | 21 (0.03) |
| MEGASTROL (MEGESTROL) | | | 1 (0.00) | | 1 (0.00) |
| MEGESTROL ACETATE | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| MEILAX | | | 1 (0.00) | | 1 (0.00) |
| MELATONIN (MELATONIN) | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| MELATONIN (MELATONIN) | | | 1 (0.00) | | 1 (0.00) |
| MELATONINA | 1 (0.02) | | | | 1 (0.00) |
| MELLARIL | 2 (0.03) | | | | 2 (0.00) |
| MELOXICAM | | | 4 (0.01) | 5 (0.06) | 9 (0.01) |
| MELOXICAM (MELOXICAM) | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MELPERON | | | 1 (0.00) | | 1 (0.00) |
| MELPERONE | | | 1 (0.00) | | 1 (0.00) |
| MELPERONE-G-MPHD+LIQ(M | | | | 1 (0.01) | 1 (0.00) |
| MELPHALAN | | 1 (0.01) | 14 (0.05) | 2 (0.03) | 17 (0.03) |
| MEMANTINE (OPEN LABEL, | | | | 1 (0.01) | 1 (0.00) |
| MEMANTINE (OPEN-LABEL) | | | 1 (0.00) | | 1 (0.00) |
| MEMANTINE HCL | | | 5 (0.02) | 21 (0.27) | 26 (0.04) |
| MEMBERS MARK NICOTINE | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| MENATETRENONE CAPSULES | | | 2 (0.01) | | 2 (0.00) |
| MENESIT | | | 5 (0.02) | | 5 (0.01) |
| MENOTROPINS | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| MENTAX | | | 1 (0.00) | | 1 (0.00) |
| MEPERIDINE | | 1 (0.01) | | | 1 (0.00) |
| MEPERIDINE 75MG/ML | | 1 (0.01) | | | 1 (0.00) |
| MEPERIDINE HCL | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MEPERIDINE HYDROCHLORI | | | 1 (0.00) | | 1 (0.00) |
| MEPIVACAINE HYDROCHLOR | | 1 (0.01) | | | 1 (0.00) |
| MEPIVACAINE HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |
| MEPROBAMATE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MEPRON | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MEPRONIZINE (ACEPROMET | | | 1 (0.00) | | 1 (0.00) |
| MEPROZINE | | | 1 (0.00) | | 1 (0.00) |
| MEPROZINE 50/25 CAPSUL | | | 1 (0.00) | | 1 (0.00) |
| MERCAPTOPURINE | 2 (0.03) | 2 (0.01) | 1 (0.00) | | 5 (0.01) |
| MERCAZOLE | 1 (0.02) | | | | 1 (0.00) |
| MERCKFORMIN | | | 1 (0.00) | | 1 (0.00) |
| MERIDIA | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| MEROPEN | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| MEROPEN (MEROPENEM) | | | 1 (0.00) | | 1 (0.00) |
| MEROPEN (MEROPENEM) | | | 4 (0.01) | | 4 (0.01) |
| MEROPEN (MEROPENEM) IN | | | 2 (0.01) | | 2 (0.00) |
| MEROPENEM | 3 (0.05) | 6 (0.04) | 7 (0.02) | 4 (0.05) | 20 (0.03) |
| MEROPENEM (MEROPENEM) | 1 (0.02) | 4 (0.02) | 1 (0.00) | | 6 (0.01) |
| MESALAMINE | 2 (0.03) | 4 (0.02) | 7 (0.02) | 2 (0.03) | 15 (0.02) |
| MESALAZINE | | | 1 (0.00) | | 1 (0.00) |
| MESALAZINE CONTROLLED | | 1 (0.01) | | | 1 (0.00) |
| MESNA | | 2 (0.01) | | | 2 (0.00) |
| MESNEX | 1 (0.02) | | | | 1 (0.00) |
| MESTACINE | 1 (0.02) | | | | 1 (0.00) |
| MESTINON | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| MESULID (NIMESULIDE) | | | 1 (0.00) | | 1 (0.00) |
| METADATE CD | 3 (0.05) | | | | 3 (0.00) |
| METAGLIP | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| METAMIZOL | | 1 (0.01) | | | 1 (0.00) |
| METAMIZOLE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| METAMUCIL | | | | 1 (0.01) | 1 (0.00) |
| METAMUCIL SUGAR-FREE T | | | | 1 (0.01) | 1 (0.00) |
| METAMUCIL-2 | | 1 (0.01) | | | 1 (0.00) |
| METFIN | | | 1 (0.00) | | 1 (0.00) |
| METFORMAX | | 3 (0.02) | | | 3 (0.00) |
| METFORMIN | 4 (0.07) | 81 (0.47) | 304 (1.00) | 31 (0.40) | 420 (0.69) |
| METFORMIN (METFORMIN / | | 1 (0.01) | | | 1 (0.00) |
| METFORMIN (NGX) (METFO | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| METFORMIN HCL | 3 (0.05) | 20 (0.12) | 57 (0.19) | 6 (0.08) | 86 (0.14) |
| METFORMIN HYDROCHLORID | | 9 (0.05) | 17 (0.06) | 2 (0.03) | 28 (0.05) |
| METFORMIN HYDROCHLORID | | | 1 (0.00) | | 1 (0.00) |
| METFORMINE (METFORMIN) | | | 1 (0.00) | | 1 (0.00) |
| METHADONE | 1 (0.02) | 10 (0.06) | 2 (0.01) | | 13 (0.02) |
| METHADONE (METHADONE) | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| METHADONE DISKETTE | | 1 (0.01) | | | 1 (0.00) |
| METHADONE HCL | 5 (0.08) | 13 (0.08) | 4 (0.01) | 1 (0.01) | 23 (0.04) |
| METHADONE HYDROCHLORID | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| METHADONE STREULI | | 1 (0.01) | | | 1 (0.00) |
| METHADOSE | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| METHADOSE | | | 1 (0.00) | | 1 (0.00) |
| METHAMPHETAMINE HYDROC | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| METHAMPHETAMINE HYDROC | 1 (0.02) | | | | 1 (0.00) |
| METHANOL (METHANOL) | | 1 (0.01) | | | 1 (0.00) |
| METHERGINE | 1 (0.02) | 8 (0.05) | | | 9 (0.01) |
| METHIMAZOLE | 1 (0.02) | 4 (0.02) | 3 (0.01) | | 8 (0.01) |
| METHIMAZOLE TABLETS, U | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| METHOCARBAMOL | | | 4 (0.01) | | 4 (0.01) |
| METHOTREXATE | 36 (0.61) | 82 (0.48) | 146 (0.48) | 16 (0.21) | 280 (0.46) |
| METHOTREXATE SODIUM | | 3 (0.02) | 7 (0.02) | | 10 (0.02) |
| METHYCELLULOSE SUSPENS | | | 1 (0.00) | | 1 (0.00) |
| METHYCOBAL (MECOBALAMI | | 1 (0.01) | | | 1 (0.00) |
| METHYCOBAL (MECOBALAMI | | | 1 (0.00) | | 1 (0.00) |
| METHYLCELLULOSE | 1 (0.02) | | | | 1 (0.00) |
| METHYLCELLULOSE (FORMU | | 1 (0.01) | | | 1 (0.00) |
| METHYLCOBAL | | | 1 (0.00) | | 1 (0.00) |
| METHYLCOBAL (MECOBALAM | | 1 (0.01) | | | 1 (0.00) |
| METHYLDIGOXIN | | | 1 (0.00) | | 1 (0.00) |
| METHYLDOPA | 1 (0.02) | | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| METHYLPHENIDATE | 4 (0.07) | 1 (0.01) | | | 5 (0.01) |
| METHYLPHENIDATE HCL | 13 (0.22) | 1 (0.01) | 2 (0.01) | | 16 (0.03) |
| METHYLPHENIDATE HYDROC | 1 (0.02) | | | | 1 (0.00) |
| METHYLPHENIDATE SR | 1 (0.02) | | | | 1 (0.00) |
| METHYLPHENOBARBITONE | | 1 (0.01) | | | 1 (0.00) |
| METHYLPREDNISOLONE | 6 (0.10) | 15 (0.09) | 20 (0.07) | | 41 (0.07) |
| METHYLPREDNISOLONE (ME | | | 1 (0.00) | | 1 (0.00) |
| METHYLPREDNISOLONE ACE | | | 1 (0.00) | | 1 (0.00) |
| METHYLPREDNISOLONE SOD | 1 (0.02) | 1 (0.01) | 4 (0.01) | | 6 (0.01) |
| METHYLPREDNISONE | | 1 (0.01) | | | 1 (0.00) |
| METHYSERGIDE | | 1 (0.01) | | | 1 (0.00) |
| METICILINA (METICILLIN | 1 (0.02) | | | | 1 (0.00) |
| METLIGINE | | 1 (0.01) | | | 1 (0.00) |
| METOCLOPRAMIDE | 4 (0.07) | 11 (0.06) | 14 (0.05) | 4 (0.05) | 33 (0.05) |
| METOCLOPRAMIDE (METOCL | | | 1 (0.00) | | 1 (0.00) |
| METOCLOPRAMIDE 10 MG / | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| METOCLOPRAMIDE HYDROCH | | | | 1 (0.01) | 1 (0.00) |
| METOHEXAL | | 2 (0.01) | | | 2 (0.00) |
| METOLATE | | 1 (0.01) | | | 1 (0.00) |
| METOLAZONE | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| METOPROLANOL | | | 1 (0.00) | | 1 (0.00) |
| METOPROLOL | 1 (0.02) | 13 (0.08) | 48 (0.16) | 16 (0.21) | 78 (0.13) |
| METOPROLOL | | | 1 (0.00) | | 1 (0.00) |
| METOPROLOL (MEROPROLOL | | | 1 (0.00) | | 1 (0.00) |
| METOPROLOL (METOPROLOL | | 2 (0.01) | 10 (0.03) | 3 (0.04) | 15 (0.02) |
| METOPROLOL SUCCINATE | | 3 (0.02) | 19 (0.06) | 3 (0.04) | 25 (0.04) |
| METOPROLOL TARTRATE | | 1 (0.01) | 11 (0.04) | 5 (0.06) | 17 (0.03) |
| METOPROLOL XL (METOPRO | | | 1 (0.00) | | 1 (0.00) |
| METROCREAM | | 1 (0.01) | | | 1 (0.00) |
| METROGEL-VAGINAL | 1 (0.02) | | | | 1 (0.00) |
| METRONAZOLE | | | 1 (0.00) | | 1 (0.00) |
| METRONIDAZOLE | 7 (0.12) | 4 (0.02) | 7 (0.02) | 4 (0.05) | 22 (0.04) |
| METRONIDAZOLE CREAM | | 5 (0.03) | | | 5 (0.01) |
| METRONIDAZOLE HCL | | | 1 (0.00) | | 1 (0.00) |
| METRONIDAZOLE W/SPIRAM | | | 2 (0.01) | | 2 (0.00) |
| METRONIDOZOLE | | | 1 (0.00) | | 1 (0.00) |
| METROPROLOL 50MG | | 1 (0.01) | | | 1 (0.00) |
| MEVACOR | | 2 (0.01) | 2 (0.01) | 3 (0.04) | 7 (0.01) |
| MEVALOTIN | | | 4 (0.01) | | 4 (0.01) |
| MEXAZOLAM | 1 (0.02) | | | | 1 (0.00) |
| MEXILETINE HYDROCHLORI | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| MEXITIL | | | 2 (0.01) | 3 (0.04) | 5 (0.01) |
| MIACALCIN | | 1 (0.01) | 1 (0.00) | 5 (0.06) | 7 (0.01) |
| MIANSERIN HYDROCHLORID | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MICAFUNGIN (MICAFUNGIN | | | 4 (0.01) | | 4 (0.01) |
| MICAFUNGIN SODIUM | | | 4 (0.01) | | 4 (0.01) |
| MICARDIS | | 2 (0.01) | 17 (0.06) | 8 (0.10) | 27 (0.04) |
| MICARDIS HCT | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| MICARDIS HCT (TELMISAR | | | | 1 (0.01) | 1 (0.00) |
| MICARDIS TABLETS (7/14 | | 1 (0.01) | | | 1 (0.00) |
| MICONAZOLE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| MICROGESTIN FE 1/20 | | 1 (0.01) | | | 1 (0.00) |
| MICROGYNON /GFR/ (ETH | 1 (0.02) | | | | 1 (0.00) |
| MICROGYNON (ETHINYLEST | | 2 (0.01) | | | 2 (0.00) |
| MICRONASE | | | 11 (0.04) | | 11 (0.02) |
| MICRONOR | | 3 (0.02) | | | 3 (0.00) |
| MICROPAKINE GRANULE | 3 (0.05) | | | | 3 (0.00) |
| MICROPAKINE GRANULES | 1 (0.02) | | | | 1 (0.00) |
| MICROVLAR | | 1 (0.01) | | | 1 (0.00) |
| MIDAZOLAM | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| MIDAZOLAM HCL | 1 (0.02) | 3 (0.02) | 1 (0.00) | 3 (0.04) | 8 (0.01) |
| MIDAZOLAM HYDROCHLORID | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| MIDODRINE (MIDODRINE) | | | | 1 (0.01) | 1 (0.00) |
| MIDODRINE (MIDODRINE) | | | | 1 (0.01) | 1 (0.00) |
| MIDODRINE HCL | | | 1 (0.00) | | 1 (0.00) |
| MIDODRINE HYDROCHLORID | | | 1 (0.00) | | 1 (0.00) |
| MIDOL | 4 (0.07) | 1 (0.01) | | | 5 (0.01) |
| MIDRIN | | 1 (0.01) | | | 1 (0.00) |
| MIFEPREX | 1 (0.02) | | | | 1 (0.00) |
| MIFEPRISTONE | 1 (0.02) | | | | 1 (0.00) |
| MIFEPRISTONE TABLETS, | 20 (0.34) | 19 (0.11) | | | 39 (0.06) |
| MIFLASONE | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MIFLONIDE | | 1 (0.01) | | | 1 (0.00) |
| MIGLITOL TABLET (MIGLI | | | 2 (0.01) | | 2 (0.00) |
| MIGRALEVE | | 1 (0.01) | | | 1 (0.00) |
| MILK OF MAGNESIA TAB | | | | 1 (0.01) | 1 (0.00) |
| MILK OF MAGNESIUM | | | 1 (0.00) | | 1 (0.00) |
| MILK THISTLE FRUIT CAP | | | 2 (0.01) | | 2 (0.00) |
| MILNACIPRAN | | | 4 (0.01) | | 4 (0.01) |
| MILRINONE LACTATE | | | 2 (0.01) | | 2 (0.00) |
| MILURIT | | | | 1 (0.01) | 1 (0.00) |
| MIMPARA | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| MINI MED 715 INSULIN P | | | 1 (0.00) | | 1 (0.00) |
| MINI MED METRONIC INSU | 1 (0.02) | | | | 1 (0.00) |
| MINIMED 508 PUMP | | 1 (0.01) | | | 1 (0.00) |
| MINIMED INSULIN PUMP | | 1 (0.01) | | | 1 (0.00) |
| MINIMED MEDTRONIC | | | 1 (0.00) | | 1 (0.00) |
| MINIMED PARADIGM INSUL | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| MINIPRESS | | | | 1 (0.01) | 1 (0.00) |
| MINIRIN | | 4 (0.02) | | 1 (0.01) | 5 (0.01) |
| MINIRIN ^AVENTIS PHARM | 1 (0.02) | | | | 1 (0.00) |
| MINOCIN | 4 (0.07) | | | | 4 (0.01) |
| MINOCYCLINE 100 MG RAN | | | 1 (0.00) | | 1 (0.00) |
| MINOCYCLINE HCL | 17 (0.29) | 3 (0.02) | | 1 (0.01) | 21 (0.03) |
| MINOCYCLINE HYDROCHLOR | | | 2 (0.01) | | 2 (0.00) |
| MINOXIDIL | | 6 (0.04) | 1 (0.00) | | 7 (0.01) |
| MINOXIDIL 2% | | | 1 (0.00) | | 1 (0.00) |
| MIO ALDORON | | | 1 (0.00) | | 1 (0.00) |
| MIOSTAT | | | 1 (0.00) | | 1 (0.00) |
| MIRACLID | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MIRALAX | 3 (0.05) | 1 (0.01) | 1 (0.00) | | 5 (0.01) |
| MIRAPEX | | 3 (0.02) | 8 (0.03) | 6 (0.08) | 17 (0.03) |
| MIRAPEX HARMACIA + U | | | 1 (0.00) | | 1 (0.00) |
| MIRAPEXIN | | | 1 (0.00) | | 1 (0.00) |
| MIRCETTE | 1 (0.02) | | | | 1 (0.00) |
| MIRENA | 49 (0.83) | 168 (0.98) | 3 (0.01) | 1 (0.01) | 221 (0.36) |
| MIRTAZAPINE | 2 (0.03) | 24 (0.14) | 11 (0.04) | 8 (0.10) | 45 (0.07) |
| MISOPROSTOL | 3 (0.05) | 2 (0.01) | 1 (0.00) | | 6 (0.01) |
| MIST (MORPHINE SULFATE | | | 1 (0.00) | | 1 (0.00) |
| MISULBAN | | 1 (0.01) | | | 1 (0.00) |
| MITOMYCIN | | 2 (0.01) | 12 (0.04) | 1 (0.01) | 15 (0.02) |
| MITOXANTRONE | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| MIVACRON | 1 (0.02) | | | | 1 (0.00) |
| MIXTARD 20 | | | 1 (0.00) | | 1 (0.00) |
| MIXTARD 20/80 | | | 1 (0.00) | | 1 (0.00) |
| MIXTARD 30/70 PENFILL | | | 1 (0.00) | | 1 (0.00) |
| MIXTARD HUMAN 70/30 | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| MIZORIBINE | | 1 (0.01) | | | 1 (0.00) |
| MIZORIBINE (MIZORIBINE | | | 1 (0.00) | | 1 (0.00) |
| MIZORIBINE (MIZORIBINE | | | 1 (0.00) | | 1 (0.00) |
| MOBAN | | | 1 (0.00) | | 1 (0.00) |
| MOBIC | | 14 (0.08) | 14 (0.05) | 13 (0.17) | 41 (0.07) |
| MOBICOX 15.0 MG TABLET | | | 3 (0.01) | | 3 (0.00) |
| MOCLAMINE | | | 2 (0.01) | | 2 (0.00) |
| MOCLOBEMIDE (MOCLOBEMI | | 1 (0.01) | | | 1 (0.00) |
| MODACIN | | | 2 (0.01) | | 2 (0.00) |
| MODACIN (CEFTAZIDIME) | | | | 2 (0.03) | 2 (0.00) |
| MODAFINIL | 1 (0.02) | | 4 (0.01) | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MODAFINILO | | | 1 (0.00) | | 1 (0.00) |
| MODECATE | | 1 (0.01) | | | 1 (0.00) |
| MODOPAR | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| MODURETIC 5-50 | | | 1 (0.00) | 3 (0.04) | 4 (0.01) |
| MOGADON | | | | 1 (0.01) | 1 (0.00) |
| MOLSIDOMIN | | | | 1 (0.01) | 1 (0.00) |
| MOLSIDOMINE | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| MOLSIDOMINE - SLOW REL | | | | 1 (0.01) | 1 (0.00) |
| MOMETASONE | | 1 (0.01) | | | 1 (0.00) |
| MOMETASONE FUROATE | | | 1 (0.00) | | 1 (0.00) |
| MONISTAT | 2 (0.03) | | | | 2 (0.00) |
| MONISTAT 1 COMBINATION | 44 (0.74) | 80 (0.47) | 5 (0.02) | 1 (0.01) | 130 (0.21) |
| MONISTAT 7 VAG CREAM W | | | 1 (0.00) | | 1 (0.00) |
| MONISTAT-1 | 3 (0.05) | | | | 3 (0.00) |
| MONISTAT-1 VAG OINT 6. | 86 (1.45) | 160 (0.94) | 10 (0.03) | 2 (0.03) | 258 (0.42) |
| MONO-TILDIEM | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| MONOCOR (BISOPROLOL) | | | 1 (0.00) | | 1 (0.00) |
| MONOCOR (BISOPROLOL, U | | | 1 (0.00) | | 1 (0.00) |
| MONOCORDIL | | | 1 (0.00) | | 1 (0.00) |
| MONOCORDIL (ISOSORBIDE | | | | 1 (0.01) | 1 (0.00) |
| MONONESSA | 1 (0.02) | | | | 1 (0.00) |
| MONOPRIL | | 3 (0.02) | 19 (0.06) | 2 (0.03) | 24 (0.04) |
| MONTELUKAST | 1 (0.02) | | | | 1 (0.00) |
| MONURIL | | 1 (0.01) | | | 1 (0.00) |
| MOOD MEDICATION | | | 1 (0.00) | | 1 (0.00) |
| MOPRAL | | 8 (0.05) | 8 (0.03) | 4 (0.05) | 20 (0.03) |
| MOPRAL (OMEPRAZOLE) CA | 1 (0.02) | | | | 1 (0.00) |
| MORPHINE | 5 (0.08) | 29 (0.17) | 27 (0.09) | 7 (0.09) | 68 (0.11) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MORPHINE PUMP | | | 1 (0.00) | | 1 (0.00) |
| MORPHINE SULFATE | 8 (0.14) | 20 (0.12) | 28 (0.09) | 5 (0.06) | 61 (0.10) |
| MORPHINE SULFATE INJ | | 2 (0.01) | | | 2 (0.00) |
| MOSAPRIDE CITRATE | | | 1 (0.00) | | 1 (0.00) |
| MOTILIUM | | | 4 (0.01) | | 4 (0.01) |
| MOTILYO | | | 1 (0.00) | | 1 (0.00) |
| MOTIVAN | | | 1 (0.00) | | 1 (0.00) |
| MOTRIN | 5 (0.08) | 27 (0.16) | 32 (0.11) | | 64 (0.10) |
| MOTRIN (CONTIN) | | 1 (0.01) | | | 1 (0.00) |
| MOVELAT | | | 1 (0.00) | | 1 (0.00) |
| MOVER | | | 1 (0.00) | | 1 (0.00) |
| MOVICOLON (SODIUM CHLO | | | 1 (0.00) | | 1 (0.00) |
| MOXIFLOXACIN 400 MG | | | 2 (0.01) | | 2 (0.00) |
| MOXIFLOXACIN HCL | | 3 (0.02) | 3 (0.01) | 2 (0.03) | 8 (0.01) |
| MOXIFLOXACIN HYDROCHLO | | 1 (0.01) | | | 1 (0.00) |
| MOXONIDINE | | 1 (0.01) | | | 1 (0.00) |
| MOXYPEN | 2 (0.03) | | | | 2 (0.00) |
| MS CONTIN | 2 (0.03) | 13 (0.08) | 6 (0.02) | 6 (0.08) | 27 (0.04) |
| MS CONTN | | | | 1 (0.01) | 1 (0.00) |
| MS04 | | | 1 (0.00) | | 1 (0.00) |
| MSIR | | | 1 (0.00) | | 1 (0.00) |
| MST | | | 3 (0.01) | | 3 (0.00) |
| MUCINEX | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| MUCINEX D | | 1 (0.01) | | | 1 (0.00) |
| MUCINEX DM | | | 1 (0.00) | | 1 (0.00) |
| MUCODYNE | 14 (0.24) | 3 (0.02) | | 1 (0.01) | 18 (0.03) |
| MUCODYNE (CARBOCISTEIN | 1 (0.02) | | | | 1 (0.00) |
| MUCOMYST | 1 (0.02) | | 3 (0.01) | 3 (0.04) | 7 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MUCOSOLVAN | | 1 (0.01) | | | 1 (0.00) |
| MUCOSOLVAN (AMBROXOL H | | | 1 (0.00) | | 1 (0.00) |
| MUCOSTA | | | 4 (0.01) | 5 (0.06) | 9 (0.01) |
| MUCOSTA (REBAMIPIDE) | | | 1 (0.00) | | 1 (0.00) |
| MUCOSTA (REBAMIPIDE) (| | | 1 (0.00) | | 1 (0.00) |
| MUCOSTA (REBAMIPIDE) T | | | | 1 (0.01) | 1 (0.00) |
| MUCOSTAN (REBAMIPIDE) | | | 1 (0.00) | | 1 (0.00) |
| MUCOTRON | | | | 2 (0.03) | 2 (0.00) |
| MULTI-VITAMIN | 4 (0.07) | 16 (0.09) | 9 (0.03) | 3 (0.04) | 32 (0.05) |
| MULTI-VITAMINS | | | 1 (0.00) | | 1 (0.00) |
| MULTIHANCE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MULTIPLE DRUG THERAPY | | | | 2 (0.03) | 2 (0.00) |
| MULTIPLE HEART MEDICAT | | | | 1 (0.01) | 1 (0.00) |
| MULTIPLE MEDICATIONS | | 2 (0.01) | 1 (0.00) | 2 (0.03) | 5 (0.01) |
| MULTIPLE MEDICATIONS (| | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| MULTIPLE UNSPECIFIED M | | 2 (0.01) | | 2 (0.03) | 4 (0.01) |
| MULTIPLE VITAMINS (ASC | | | 1 (0.00) | | 1 (0.00) |
| MULTIVITAMIN | | 18 (0.11) | 21 (0.07) | 6 (0.08) | 45 (0.07) |
| MULTIVITAMIN (MULTIVIT | | | 1 (0.00) | | 1 (0.00) |
| MULTIVITAMIN AND MINER | | | 1 (0.00) | | 1 (0.00) |
| MULTIVITAMIN ^LAPPE^ | | | 1 (0.00) | | 1 (0.00) |
| MULTIVITAMINS (ASCORBI | | 1 (0.01) | | | 1 (0.00) |
| MULTIVITAMINS (ASCORBI | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| MULTIVITAMINS (ERGOCAL | | | | 1 (0.01) | 1 (0.00) |
| MULTIVITAMINS (MULTIVI | | 1 (0.01) | | | 1 (0.00) |
| MULTIVITAMINS AND IRON | 2 (0.03) | | | | 2 (0.00) |
| MULTIVITAMINS, COMBINA | | 1 (0.01) | | | 1 (0.00) |
| MULTIVITAMINS, PLAIN | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MULTIVITAMINS, PLAIN (| | | 3 (0.01) | | 3 (0.00) |
| MUPIROCIN | | 2 (0.01) | | | 2 (0.00) |
| MUSCLE RELAXANT | | 2 (0.01) | | | 2 (0.00) |
| MUSCLE RELAXANT (NOS) | | | 1 (0.00) | | 1 (0.00) |
| MUSCULAX | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| MYAMBUTOL | 2 (0.03) | | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| MYCOPHENOLATE | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| MYCOPHENOLATE MOFETIL | 4 (0.07) | 9 (0.05) | 18 (0.06) | | 31 (0.05) |
| MYCOPHENOLATE MOFETIL | 1 (0.02) | | | | 1 (0.00) |
| MYCOPHENOLATE MOFETIL | | | 1 (0.00) | | 1 (0.00) |
| MYCOPHENOLATE MOFETIL | | | 1 (0.00) | | 1 (0.00) |
| MYCOPHENOLATE MOFETIL | | | 1 (0.00) | | 1 (0.00) |
| MYCOPHENOLATE MOFETIL | 5 (0.08) | 3 (0.02) | 9 (0.03) | | 17 (0.03) |
| MYCOPHENOLATE SODIUM | | 1 (0.01) | | | 1 (0.00) |
| MYCOPHENOLIC ACID | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MYFORTIC | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| MYLANTA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MYLANTA (ALUMINIUM HYD | | | | 1 (0.01) | 1 (0.00) |
| MYLOTARG | 2 (0.03) | 21 (0.12) | 37 (0.12) | 9 (0.12) | 69 (0.11) |
| MYOBLOC | | 1 (0.01) | | | 1 (0.00) |
| MYOBLOC (BOTULINUM TOX | | 1 (0.01) | | | 1 (0.00) |
| MYOCET | | | 1 (0.00) | | 1 (0.00) |
| MYONAL | | | 1 (0.00) | | 1 (0.00) |
| MYONAL (EPERISONE HYDR | | 1 (0.01) | | | 1 (0.00) |
| MYOVIEW | | | 1 (0.00) | | 1 (0.00) |
| MYSLEE | 4 (0.07) | 4 (0.02) | 2 (0.01) | 2 (0.03) | 12 (0.02) |
| MYSOLINE | | | 1 (0.00) | | 1 (0.00) |
| MYTELASE | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NABUMETONE | | | 1 (0.00) | | 1 (0.00) |
| NACOM RETARD | | | 3 (0.01) | | 3 (0.00) |
| NADOLOL | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| NADROPARIN CALCIUM | | | | 3 (0.04) | 3 (0.00) |
| NAFAMOSTAT MESILATE | | | 1 (0.00) | | 1 (0.00) |
| NAFAMOSTAT MESILATE (N | 3 (0.05) | | | | 3 (0.00) |
| NAFCILLIN | | | 1 (0.00) | | 1 (0.00) |
| NAFCILLIN INJECTION IN | | 1 (0.01) | | | 1 (0.00) |
| NAFTIDROFURYL (NAFTIDR | | | | 1 (0.01) | 1 (0.00) |
| NALCROM | 2 (0.03) | | | | 2 (0.00) |
| NALOXONE | 2 (0.03) | | | | 2 (0.00) |
| NAMENDA | | 2 (0.01) | 5 (0.02) | 29 (0.37) | 36 (0.06) |
| NANDROLONE DECANOATE | 1 (0.02) | | | | 1 (0.00) |
| NAPA | | | 2 (0.01) | | 2 (0.00) |
| NAPHAZOLINE HCL | 1 (0.02) | | | | 1 (0.00) |
| NAPRAPAC 375 (COPACKAG | | | | 1 (0.01) | 1 (0.00) |
| NAPRELAN | | | 1 (0.00) | | 1 (0.00) |
| NAPROSYN | 4 (0.07) | 6 (0.04) | 3 (0.01) | | 13 (0.02) |
| NAPROSYN CR | | | | 1 (0.01) | 1 (0.00) |
| NAPROXEN | 7 (0.12) | 18 (0.11) | 19 (0.06) | 3 (0.04) | 47 (0.08) |
| NAPROXEN SODIUM | | | 2 (0.01) | | 2 (0.00) |
| NARAMIG | | 2 (0.01) | | | 2 (0.00) |
| NARCAN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| NARCOTICS NOS | | | 1 (0.00) | | 1 (0.00) |
| NARDIL | 1 (0.02) | 7 (0.04) | 8 (0.03) | 1 (0.01) | 17 (0.03) |
| NAROPIN | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| NASACORT | | | 5 (0.02) | | 5 (0.01) |
| NASACORT AQ | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NASAL SPRAY | | | 2 (0.01) | | 2 (0.00) |
| NASAL SPRAY ^IPRATROPI | | | | 1 (0.01) | 1 (0.00) |
| NASALCROM | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| NASAREL | | | | 1 (0.01) | 1 (0.00) |
| NASOLIN | | 1 (0.01) | | | 1 (0.00) |
| NASONEX | 2 (0.03) | 8 (0.05) | 7 (0.02) | | 17 (0.03) |
| NATALIZUMAB | | 5 (0.03) | | | 5 (0.01) |
| NATEGLINIDE | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| NATRECOR | | | | 2 (0.03) | 2 (0.00) |
| NATRILIX | | 1 (0.01) | | | 1 (0.00) |
| NATRIX | | 1 (0.01) | | | 1 (0.00) |
| NATULAN (PROCARBAZINE | 1 (0.02) | | | | 1 (0.00) |
| NATURAL CITRUS LISTERI | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| NATURE-MADE MULTIVITAM | | 1 (0.01) | | | 1 (0.00) |
| NATURETI | | 1 (0.01) | | | 1 (0.00) |
| NAUZELIN | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| NAVANE | | 4 (0.02) | | | 4 (0.01) |
| NAVELBINE | | | 13 (0.04) | 3 (0.04) | 16 (0.03) |
| NAVELBINE (VINORELBINE | | | 3 (0.01) | | 3 (0.00) |
| NAVELBINE (VINORELBINE | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| NAVOBAN | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| NEBILET | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| NEBIVOLOL (NEBIVOLOL) | | | 1 (0.00) | | 1 (0.00) |
| NEBIVOLOL HCL | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| NEBULIZER | | | 1 (0.00) | | 1 (0.00) |
| NECON | | 1 (0.01) | | | 1 (0.00) |
| NEFAZODONE HCL | | | 1 (0.00) | | 1 (0.00) |
| NEFOPAM | | 3 (0.02) | | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NELFINAVIR | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| NELFINAVIR MESILATE (N | 1 (0.02) | | | | 1 (0.00) |
| NELFINAVIR TABLETS | | 1 (0.01) | | | 1 (0.00) |
| NEO DOPASTON (CARBIDOP | | | | 2 (0.03) | 2 (0.00) |
| NEO-MERCAZOLE TAB | 1 (0.02) | 1 (0.01) | | 2 (0.03) | 4 (0.01) |
| NEO-MINOPHAGEN C | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| NEOBLOC | | 1 (0.01) | | | 1 (0.00) |
| NEOPAREN (AMINO ACIDS/ | | | 2 (0.01) | | 2 (0.00) |
| NEOPERIDOL | | 2 (0.01) | | | 2 (0.00) |
| NEOPHAGEN | | | 2 (0.01) | | 2 (0.00) |
| NEOPHYLLIN | | | 3 (0.01) | | 3 (0.00) |
| NEORAL | 7 (0.12) | 8 (0.05) | 14 (0.05) | 2 (0.03) | 31 (0.05) |
| NEORECORMON | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| NEOSPORIN | 2 (0.03) | 4 (0.02) | 1 (0.00) | 1 (0.01) | 8 (0.01) |
| NEOSPORIN G.U. IRRIGAN | | | 1 (0.00) | | 1 (0.00) |
| NEOSPORIN LIP THERAPY | | 1 (0.01) | | | 1 (0.00) |
| NEOZINE | | 1 (0.01) | | | 1 (0.00) |
| NEPHROCAPS | | | 1 (0.00) | | 1 (0.00) |
| NEULASTA | | 1 (0.01) | 7 (0.02) | 3 (0.04) | 11 (0.02) |
| NEUPOGEN | 2 (0.03) | 6 (0.04) | 6 (0.02) | | 14 (0.02) |
| NEUROBION | | | 1 (0.00) | | 1 (0.00) |
| NEUROMUSCULAR MEDICATI | | 1 (0.01) | | | 1 (0.00) |
| NEURONTIN | 4 (0.07) | 105 (0.62) | 121 (0.40) | 26 (0.34) | 256 (0.42) |
| NEUROVITAN | | | 1 (0.00) | | 1 (0.00) |
| NEUTRA-PHOS (SODIUM PH | | 1 (0.01) | | | 1 (0.00) |
| NEUTROGIN | 3 (0.05) | | | | 3 (0.00) |
| NEUTROSPEC | | 3 (0.02) | 6 (0.02) | | 9 (0.01) |
| NEVANAC | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NEVIRAPINE | 2 (0.03) | 12 (0.07) | 1 (0.00) | | 15 (0.02) |
| NEXAVAR | | 1 (0.01) | 12 (0.04) | 5 (0.06) | 18 (0.03) |
| NEXIUM | 7 (0.12) | 53 (0.31) | 96 (0.32) | 19 (0.25) | 175 (0.29) |
| NIACIN | | 1 (0.01) | 10 (0.03) | | 11 (0.02) |
| NIASPAN | | 3 (0.02) | 11 (0.04) | 1 (0.01) | 15 (0.02) |
| NIASPAN ER | | | 1 (0.00) | | 1 (0.00) |
| NICABATE CQ 4MG LOZENG | | 2 (0.01) | | | 2 (0.00) |
| NICARDIPINE HCL | 1 (0.02) | | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| NICARDIPINE HYDROCHLOR | 1 (0.02) | 5 (0.03) | 1 (0.00) | 1 (0.01) | 8 (0.01) |
| NICERGOLINE | | | 2 (0.01) | | 2 (0.00) |
| NICHOLIN | | | | 1 (0.01) | 1 (0.00) |
| NICODERM | 1 (0.02) | 2 (0.01) | | 1 (0.01) | 4 (0.01) |
| NICODERM CQ | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| NICORANDIL | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| NICORANDIL (NICORANDIL | | | 3 (0.01) | | 3 (0.00) |
| NICORETTE | 5 (0.08) | 42 (0.25) | 41 (0.14) | 6 (0.08) | 94 (0.15) |
| NICORETTE (MINT) | 21 (0.36) | 102 (0.60) | 72 (0.24) | 6 (0.08) | 201 (0.33) |
| NICORETTE (ORANGE) | 5 (0.08) | 25 (0.15) | 11 (0.04) | | 41 (0.07) |
| NICORETTE FRESHMINT | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| NICORETTE OTC GUM, ORI | 1 (0.02) | | | | 1 (0.00) |
| NICORETTE OTC, MINT | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| NICOTINE | 1 (0.02) | 6 (0.04) | 10 (0.03) | | 17 (0.03) |
| NICOTINE GUM | | 1 (0.01) | | | 1 (0.00) |
| NICOTINE PATCHES | | 1 (0.01) | | | 1 (0.00) |
| NICOTINE POLACRILEX | | | | 1 (0.01) | 1 (0.00) |
| NICOTINE POLACRILEX GU | | | 1 (0.00) | | 1 (0.00) |
| NICOTINIC ACID | | 1 (0.01) | | | 1 (0.00) |
| NIDREL | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NIFATENOL | | | 2 (0.01) | | 2 (0.00) |
| NIFEDIPINE | 3 (0.05) | 12 (0.07) | 31 (0.10) | 10 (0.13) | 56 (0.09) |
| NIFEDIPINE LONG ACTING | | | 1 (0.00) | | 1 (0.00) |
| NIFELANTERN CR | | | 3 (0.01) | | 3 (0.00) |
| NIFLAN | | 2 (0.01) | | | 2 (0.00) |
| NIMBEX | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| NIMESULIDE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| NIMODIPINE | | | 1 (0.00) | | 1 (0.00) |
| NINJIN-TO | | 2 (0.01) | | | 2 (0.00) |
| NIOPAM | | 1 (0.01) | | | 1 (0.00) |
| NIPENT | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| NIPHEDIPINE | 1 (0.02) | | | | 1 (0.00) |
| NIQUITIN | | | 1 (0.00) | | 1 (0.00) |
| NIQUITIN CQ CLEAR 21MG | | 1 (0.01) | | | 1 (0.00) |
| NISOLDIPINE | | | 1 (0.00) | | 1 (0.00) |
| NITRATES | | | 1 (0.00) | | 1 (0.00) |
| NITRENDIPINE | | | 2 (0.01) | | 2 (0.00) |
| NITRO | | | | 3 (0.04) | 3 (0.00) |
| NITRO-DUR | | | 2 (0.01) | 3 (0.04) | 5 (0.01) |
| NITRO-SPRAY | | | | 1 (0.01) | 1 (0.00) |
| NITRO-TABL | | 2 (0.01) | | | 2 (0.00) |
| NITRODERM | 1 (0.02) | | 2 (0.01) | 4 (0.05) | 7 (0.01) |
| NITROFURANTOIN | 1 (0.02) | 2 (0.01) | | 1 (0.01) | 4 (0.01) |
| NITROGLYCERIN | | 5 (0.03) | 17 (0.06) | 7 (0.09) | 29 (0.05) |
| NITROLINGUAL PUMPSPRAY | | | 1 (0.00) | | 1 (0.00) |
| NITROQUICK | | | | 1 (0.01) | 1 (0.00) |
| NITROQUICK 0.4 MG TABL | | 1 (0.01) | | | 1 (0.00) |
| NITROSTAT | | 1 (0.01) | 3 (0.01) | 2 (0.03) | 6 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NITROUS OXIDE W/ OXYGE | 1 (0.02) | | | | 1 (0.00) |
| NIVADIL | | 3 (0.02) | 2 (0.01) | 5 (0.06) | 10 (0.02) |
| NIVADIL (NILVADIPINE) | | | 1 (0.00) | | 1 (0.00) |
| NIVADIL (NILVADIPINE) | | | 1 (0.00) | | 1 (0.00) |
| NIX | | 1 (0.01) | | | 1 (0.00) |
| NIZORAL | 1 (0.02) | 2 (0.01) | 1 (0.00) | 2 (0.03) | 6 (0.01) |
| NO CONCURRENT MEDICATI | 81 (1.37) | 220 (1.29) | 98 (0.32) | 11 (0.14) | 410 (0.67) |
| NO CONCURRENT MEDICATI | 1 (0.02) | 4 (0.02) | 1 (0.00) | | 6 (0.01) |
| NO THERAPY | | 1 (0.01) | | | 1 (0.00) |
| NOCTAMID | | | 1 (0.00) | | 1 (0.00) |
| NOCTAMID (LORMETAZEPAM | | 1 (0.01) | | | 1 (0.00) |
| NOCTRAN 10 | | | | 1 (0.01) | 1 (0.00) |
| NOLVADEX | 1 (0.02) | 7 (0.04) | 13 (0.04) | 1 (0.01) | 22 (0.04) |
| NON-SPECIFIED URINARY | | | 1 (0.00) | | 1 (0.00) |
| NON-STEROIDAL ANTI-INF | | 1 (0.01) | | | 1 (0.00) |
| NONE | 1 (0.02) | | | | 1 (0.00) |
| NOOTROPYL | | | 1 (0.00) | | 1 (0.00) |
| NORCO | | 6 (0.04) | 3 (0.01) | | 9 (0.01) |
| NORDITROPIN CARTRIDGES | 1 (0.02) | | | | 1 (0.00) |
| NORDITROPIN NORDIFLEX | 4 (0.07) | 1 (0.01) | | | 5 (0.01) |
| NORDITROPIN SIMPLEXX | 8 (0.14) | | 1 (0.00) | | 9 (0.01) |
| NOREPINEPHRINE | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| NOREPINEPHRINE HYDROCH | | 1 (0.01) | | | 1 (0.00) |
| NORETHINDRONE + ETHINY | | 1 (0.01) | | | 1 (0.00) |
| NORETHINDRONE ACETATE | | | 1 (0.00) | | 1 (0.00) |
| NORETHISTERONE | 1 (0.02) | | | | 1 (0.00) |
| NORFLEX | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| NORFLOXACIN | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NORGESTIMATE AND ETHIN | | 1 (0.01) | | | 1 (0.00) |
| NORGESTON LEVONORGESTR | | 1 (0.01) | | | 1 (0.00) |
| NORGESTON TABLET | | 1 (0.01) | | | 1 (0.00) |
| NORGESTREL AND ETHINYL | | 2 (0.01) | | | 2 (0.00) |
| NORLUTEN | 1 (0.02) | | | | 1 (0.00) |
| NORMAL HUMAN IMMUNOGLO | | 1 (0.01) | | | 1 (0.00) |
| NORMAL SALINE | 2 (0.03) | 1 (0.01) | | 2 (0.03) | 5 (0.01) |
| NORMISON (TEMAZEPAM) | | 2 (0.01) | | | 2 (0.00) |
| NORMITEN | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| NORMODYNE | | | | 1 (0.01) | 1 (0.00) |
| NOROXIN | | 3 (0.02) | 4 (0.01) | 2 (0.03) | 9 (0.01) |
| NORPLANT SYSTEM | 2 (0.03) | | | | 2 (0.00) |
| NORSET | 2 (0.03) | 1 (0.01) | 3 (0.01) | | 6 (0.01) |
| NORTRIPTYLINE | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| NORTRIPTYLINE 25MG | | 1 (0.01) | | | 1 (0.00) |
| NORTRIPTYLINE HCL | 3 (0.05) | 9 (0.05) | 7 (0.02) | | 19 (0.03) |
| NORTRIPTYLINE HYDROCHL | | | 1 (0.00) | | 1 (0.00) |
| NORVASC | 5 (0.08) | 49 (0.29) | 145 (0.48) | 66 (0.85) | 265 (0.43) |
| NORVASC /00972401/ | | | | 1 (0.01) | 1 (0.00) |
| NORVASC/DEN/ (AMLODIPI | | | 1 (0.00) | | 1 (0.00) |
| NORVASK | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| NORVASTATIN | | | 1 (0.00) | | 1 (0.00) |
| NORVIR | 1 (0.02) | 13 (0.08) | 6 (0.02) | | 20 (0.03) |
| NOT REPORTED MEDICATIO | | | 1 (0.00) | | 1 (0.00) |
| NOTEN (STENOLOL) | | | 1 (0.00) | | 1 (0.00) |
| NOVALGIN | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| NOVALGIN (METAMIZOLE S | | | 1 (0.00) | | 1 (0.00) |
| NOVAMIN (PROCHLORPERAZ | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NOVANTRONE | 2 (0.03) | 13 (0.08) | 11 (0.04) | 2 (0.03) | 28 (0.05) |
| NOVAS (ALL OTHER THERA | | | 1 (0.00) | | 1 (0.00) |
| NOVATREX | | 3 (0.02) | 2 (0.01) | 1 (0.01) | 6 (0.01) |
| NOVATREX (METHOTREXATE | | 1 (0.01) | | | 1 (0.00) |
| NOVATREX ^ACHE^ | | | 1 (0.00) | | 1 (0.00) |
| NOVO NORDISK | | | 1 (0.00) | | 1 (0.00) |
| NOVOLIN | | | 6 (0.02) | | 6 (0.01) |
| NOVOLIN 30/70 | | | 1 (0.00) | | 1 (0.00) |
| NOVOLIN 30R | | | 1 (0.00) | | 1 (0.00) |
| NOVOLIN 30R CHU | | 1 (0.01) | | | 1 (0.00) |
| NOVOLIN 70/30 | | | 7 (0.02) | | 7 (0.01) |
| NOVOLIN GE NPH PENFILL | | | 3 (0.01) | | 3 (0.00) |
| NOVOLIN INSULIN SLIDIN | | | 1 (0.00) | | 1 (0.00) |
| NOVOLIN N | 1 (0.02) | 2 (0.01) | 5 (0.02) | 1 (0.01) | 9 (0.01) |
| NOVOLIN R | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| NOVOLOG | 9 (0.15) | 7 (0.04) | 31 (0.10) | 1 (0.01) | 48 (0.08) |
| NOVOLOG MIX 70/30 | | 5 (0.03) | 3 (0.01) | | 8 (0.01) |
| NOVOLOG PEN | | | | 1 (0.01) | 1 (0.00) |
| NOVOMIX | | | 1 (0.00) | | 1 (0.00) |
| NOVOMIX (INSULIN ASPAR | | 1 (0.01) | | | 1 (0.00) |
| NOVONORM | | 2 (0.01) | 6 (0.02) | | 8 (0.01) |
| NOVOPLATINUM | | | 1 (0.00) | | 1 (0.00) |
| NOVORAPID | 8 (0.14) | 12 (0.07) | 9 (0.03) | | 29 (0.05) |
| NOVORAPID /DEN/ (INSUL | 1 (0.02) | | | | 1 (0.00) |
| NOVORAPID CHU | | | 1 (0.00) | | 1 (0.00) |
| NOVOSEVEN | 7 (0.12) | 12 (0.07) | 6 (0.02) | 2 (0.03) | 27 (0.04) |
| NOZINAN | | | 1 (0.00) | | 1 (0.00) |
| NOZINAN (LEVOMEPROMAZI | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NPH INSULIN | | 1 (0.01) | 9 (0.03) | 4 (0.05) | 14 (0.02) |
| NSAID'S | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| NSAIDS | | | 2 (0.01) | | 2 (0.00) |
| NSAR | | 1 (0.01) | | | 1 (0.00) |
| NU-LOTAN | | | | 2 (0.03) | 2 (0.00) |
| NUBAIN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| NUFOL | | | | 1 (0.01) | 1 (0.00) |
| NUROFEN PLUS (CODEINE) | | 1 (0.01) | | | 1 (0.00) |
| NUTRAVIEW | | | 1 (0.00) | | 1 (0.00) |
| NUTRIFLEX (AMINO ACIDS | | | 1 (0.00) | | 1 (0.00) |
| NUTROPIN | 11 (0.19) | 1 (0.01) | | | 12 (0.02) |
| NUTROPIN AQ | 15 (0.25) | | | | 15 (0.02) |
| NUVARING | 5 (0.08) | 23 (0.13) | | | 28 (0.05) |
| NYASPAN | | | 1 (0.00) | | 1 (0.00) |
| NYQUIL COLD/FLU RELIEF | 1 (0.02) | | | | 1 (0.00) |
| NYQUIL MULTISYMPTOM | | 1 (0.01) | | | 1 (0.00) |
| NYSTATIN | 4 (0.07) | | 2 (0.01) | 2 (0.03) | 8 (0.01) |
| OCTAGAM | 1 (0.02) | | | | 1 (0.00) |
| OCTAGAM 5% (IMMUNOGLOB | | | 1 (0.00) | | 1 (0.00) |
| OCUFLOX | | | | 1 (0.01) | 1 (0.00) |
| OCUPRESS | | | | 1 (0.01) | 1 (0.00) |
| OCUVITE | | | 1 (0.00) | | 1 (0.00) |
| ODRIC | | | 1 (0.00) | | 1 (0.00) |
| OESTROGENIC DRUG | | 1 (0.01) | | | 1 (0.00) |
| OESTROPROGESTATIVE MED | | 1 (0.01) | | | 1 (0.00) |
| OFLOCET | | 1 (0.01) | | 2 (0.03) | 3 (0.00) |
| OFLOCET (OFLOXACINE) | | | | 1 (0.01) | 1 (0.00) |
| OFLOXACIN | | 8 (0.05) | | 2 (0.03) | 10 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| OGEN | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| OLANZAPINE | 5 (0.08) | 24 (0.14) | 19 (0.06) | 8 (0.10) | 56 (0.09) |
| OLANZAPINE | | | | 1 (0.01) | 1 (0.00) |
| OLMESARTAN | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| OLMETEC | | | 10 (0.03) | 6 (0.08) | 16 (0.03) |
| OLMETEC (OLMESARTAN ME | | | 1 (0.00) | | 1 (0.00) |
| OLMETEC (OLMESARTAN) | | | | 5 (0.06) | 5 (0.01) |
| OMACOR | 1 (0.02) | 3 (0.02) | 4 (0.01) | | 8 (0.01) |
| OMALIZUMAB (OMALIZUMAB | | 1 (0.01) | | | 1 (0.00) |
| OMEGA 3 | | | 1 (0.00) | | 1 (0.00) |
| OMEGA 3 (FISH OIL) | | | 1 (0.00) | | 1 (0.00) |
| OMEGA 3-6-9 (OMEGA 6 T | | 1 (0.01) | | | 1 (0.00) |
| OMEGA-3 | 1 (0.02) | | | | 1 (0.00) |
| OMEGA-3 MARINE TRIGLYC | | 1 (0.01) | | | 1 (0.00) |
| OMEPRAL | | | 4 (0.01) | 3 (0.04) | 7 (0.01) |
| OMEPRAL (OMEPRAZOLE0 T | | | 1 (0.00) | | 1 (0.00) |
| OMEPRAL SODIUM | | | 1 (0.00) | | 1 (0.00) |
| OMEPRAZOLE | 6 (0.10) | 22 (0.13) | 89 (0.29) | 39 (0.50) | 156 (0.26) |
| OMEPRAZOLE UNKNOWN | 1 (0.02) | | | | 1 (0.00) |
| OMEPRAZOLE MAGNESIUM | | | | 1 (0.01) | 1 (0.00) |
| OMEPRAZOLUM | | | 1 (0.00) | | 1 (0.00) |
| OMIX | | | 1 (0.00) | | 1 (0.00) |
| OMNIC | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| OMNICEF | 9 (0.15) | 2 (0.01) | 4 (0.01) | | 15 (0.02) |
| OMNIPAQUE 140 | 1 (0.02) | 2 (0.01) | 2 (0.01) | 1 (0.01) | 6 (0.01) |
| OMNIPAQUE 300 | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| OMNIPAQUE 350 | | 2 (0.01) | | | 2 (0.00) |
| OMNISCAN | 1 (0.02) | | 2 (0.01) | 1 (0.01) | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ONCOVIN | 2 (0.03) | | 5 (0.02) | | 7 (0.01) |
| ONDANSETRON | 1 (0.02) | 4 (0.02) | 15 (0.05) | 3 (0.04) | 23 (0.04) |
| ONDANSETRON HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |
| ONE-A-DAY ESSENTIAL VI | | | 1 (0.00) | | 1 (0.00) |
| ONE-A-DAY WOMEN'S VITA | | 1 (0.01) | | | 1 (0.00) |
| ONE-ALPHA (ALFACALCIDO | | | | 1 (0.01) | 1 (0.00) |
| ONEALFA | | 6 (0.04) | | | 6 (0.01) |
| ONON | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ONTAK (DENILEUKIN DIFT | | | 1 (0.00) | | 1 (0.00) |
| ONXOL 300 MG MAYNE | | | 1 (0.00) | | 1 (0.00) |
| OPALMON | | | | 1 (0.01) | 1 (0.00) |
| OPIOIDS | | | 2 (0.01) | | 2 (0.00) |
| OPIPRAMOL HYDROCHLORID | | | 1 (0.00) | | 1 (0.00) |
| OPIUM TINCTURE (OPIUM | 1 (0.02) | | | | 1 (0.00) |
| OPIUM TINCTURE (OPIUM | 1 (0.02) | | | | 1 (0.00) |
| OPSO | | | 1 (0.00) | | 1 (0.00) |
| OPTIMARK | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| OPTIRAY (IOVERSOL) SOL | | 1 (0.01) | | | 1 (0.00) |
| OPTIRAY 160 | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| OPTIRAY 240 | | | 2 (0.01) | | 2 (0.00) |
| OPTIRAY 300 | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| OPTIRAY 320 | | 1 (0.01) | 7 (0.02) | 5 (0.06) | 13 (0.02) |
| OPTIRAY 350 | | 1 (0.01) | | | 1 (0.00) |
| OPTIRAY(IOVERSOL) SOLU | | | 1 (0.00) | | 1 (0.00) |
| OPTIVAR | | 1 (0.01) | | | 1 (0.00) |
| ORABET | 2 (0.03) | | | | 2 (0.00) |
| ORACEFAL | 1 (0.02) | | | | 1 (0.00) |
| ORACILLINE | 2 (0.03) | | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ORAGEL ADVANCED TOOTH | | 1 (0.01) | | | 1 (0.00) |
| ORAL (CONTRACEPTIVE NO | 1 (0.02) | | | | 1 (0.00) |
| ORAL ANTIDIABETICS | | | 1 (0.00) | | 1 (0.00) |
| ORAL B REMBRANT COMPLE | | | 1 (0.00) | | 1 (0.00) |
| ORAL CONTRACEPTIVE | | 1 (0.01) | | | 1 (0.00) |
| ORAL CONTRACEPTIVE NOS | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ORAL CONTRACEPTIVE PIL | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| ORAL CONTRACEPTIVES | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| ORAL SOLUTION THER | | 1 (0.01) | | | 1 (0.00) |
| ORALOVITE | | | 1 (0.00) | | 1 (0.00) |
| ORAMORPH SR | 3 (0.05) | | 1 (0.00) | | 4 (0.01) |
| ORAP | | 2 (0.01) | | | 2 (0.00) |
| ORAPRED | | | 1 (0.00) | | 1 (0.00) |
| ORAPRED (PREDNISOLONE | 1 (0.02) | | | | 1 (0.00) |
| ORAPRED (PREDNISOLONE | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| ORAPRED(PREDNISOLONE S | | | | 1 (0.01) | 1 (0.00) |
| ORAPRED(PREDNISOLONE S | | 1 (0.01) | | | 1 (0.00) |
| ORAPRED(PREDNISOLONE S | | | 1 (0.00) | | 1 (0.00) |
| ORBENINE | | | 1 (0.00) | | 1 (0.00) |
| ORCIPRENALINE | | | 3 (0.01) | | 3 (0.00) |
| ORFIDAL | | | 1 (0.00) | | 1 (0.00) |
| ORFINIL | | 1 (0.01) | | | 1 (0.00) |
| ORGANIC NITRATES | | | 1 (0.00) | | 1 (0.00) |
| ORGANIC NITRATES (ORGA | | | 1 (0.00) | | 1 (0.00) |
| ORIGLUCON | | | 1 (0.00) | | 1 (0.00) |
| ORLISTAT | 3 (0.05) | | 1 (0.00) | | 4 (0.01) |
| OROCAL | | | 3 (0.01) | | 3 (0.00) |
| OROCAL D3 | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| OROMORPH | | | 1 (0.00) | | 1 (0.00) |
| OROXINE | | 2 (0.01) | | | 2 (0.00) |
| ORPHENADRINE | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| ORTHO CYCLEN-28 | | 4 (0.02) | | | 4 (0.01) |
| ORTHO DIAPHRAGM | 1 (0.02) | | | | 1 (0.00) |
| ORTHO EVRA | 76 (1.29) | 90 (0.53) | 1 (0.00) | | 167 (0.27) |
| ORTHO TRI-CYCLEN | 23 (0.39) | 17 (0.10) | | | 40 (0.07) |
| ORTHO TRI-CYCLEN LO | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| ORTHO TRI-CYCLEN LO (E | 1 (0.02) | | | | 1 (0.00) |
| ORTHO-NOVUM | | 1 (0.01) | | | 1 (0.00) |
| ORTHO-NOVUM 7/7/7-21 | 2 (0.03) | 4 (0.02) | | | 6 (0.01) |
| ORTHO-PREFEST | | | 1 (0.00) | | 1 (0.00) |
| ORTHOCLONE OKT3 | | 1 (0.01) | | | 1 (0.00) |
| ORTHOSIPHON ARISTATUS | | 1 (0.01) | | | 1 (0.00) |
| ORUDIS | | | | 1 (0.01) | 1 (0.00) |
| OS-CAL | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| OS-CAL + D (CALCIUM CA | | | 1 (0.00) | | 1 (0.00) |
| OS-CAL 500 + D | | | | 1 (0.01) | 1 (0.00) |
| OSCAL (CALCIUM CARBONA | | | | 1 (0.01) | 1 (0.00) |
| OSELTAMIVIR | | | 1 (0.00) | | 1 (0.00) |
| OSTELUC (ETODOLAC) PER | | | 1 (0.00) | | 1 (0.00) |
| OSTEO-BI-FLEX | | | 1 (0.00) | | 1 (0.00) |
| OSTRAM-VIT.D3 | | | 1 (0.00) | | 1 (0.00) |
| OTC COLD MEDICINE | | | 1 (0.00) | | 1 (0.00) |
| OTC COLD MEDICINE (OTH | | | 1 (0.00) | | 1 (0.00) |
| OTHER COLD COMBINATION | 2 (0.03) | | | | 2 (0.00) |
| OTHER MEDICATIONS | | | 1 (0.00) | | 1 (0.00) |
| OTHER MEDICATIONS () A | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| OVCON 35 + GENERIC OF | | 1 (0.01) | | | 1 (0.00) |
| OVCON-35 | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| OVESTERIN | | | | 1 (0.01) | 1 (0.00) |
| OVESTIN | | | 1 (0.00) | | 1 (0.00) |
| OVIDE | 2 (0.03) | | | | 2 (0.00) |
| OVIDREL | | 1 (0.01) | | | 1 (0.00) |
| OVRAL | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| OVRAL-L (LEVONORGESTRE | | 1 (0.01) | | | 1 (0.00) |
| OXACILLIN | | | | 1 (0.01) | 1 (0.00) |
| OXALIPLATIN | | 4 (0.02) | 22 (0.07) | 1 (0.01) | 27 (0.04) |
| OXALIPLATIN (OXALIPLAT | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| OXALIPLATIN 130 MG/M2 | | | 2 (0.01) | | 2 (0.00) |
| OXALIPLATIN 130MG/M2 | | | 1 (0.00) | | 1 (0.00) |
| OXALIPLATIN(OXALIPLATI | | | 1 (0.00) | | 1 (0.00) |
| OXALIPLATINO | | | 1 (0.00) | | 1 (0.00) |
| OXANDRIN | | 1 (0.01) | | | 1 (0.00) |
| OXANDROLONE | | | 4 (0.01) | | 4 (0.01) |
| OXAPAX | 1 (0.02) | | | | 1 (0.00) |
| OXAPAX (OXAZEPAM) | | | 1 (0.00) | | 1 (0.00) |
| OXAPROZIN | | 1 (0.01) | | | 1 (0.00) |
| OXAZEPAM | 1 (0.02) | 3 (0.02) | 7 (0.02) | 1 (0.01) | 12 (0.02) |
| OXCARBAZEPINE | 3 (0.05) | 2 (0.01) | 2 (0.01) | | 7 (0.01) |
| OXEOL | | | 1 (0.00) | | 1 (0.00) |
| OXETORONE FUMARATE (OX | | 1 (0.01) | | | 1 (0.00) |
| OXGEN | | | 1 (0.00) | | 1 (0.00) |
| OXIS TURBOHALER | | | | 1 (0.01) | 1 (0.00) |
| OXPRENOLOL HCL | | | 1 (0.00) | | 1 (0.00) |
| OXPRENOLOL HYDROCHLORI | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| OXYBUTYNIN | 1 (0.02) | 2 (0.01) | 3 (0.01) | | 6 (0.01) |
| OXYBUTYNIN CHLORIDE | 2 (0.03) | | | | 2 (0.00) |
| OXYBUTYNIN CHLORIDE SY | 1 (0.02) | | | | 1 (0.00) |
| OXYBUTYNIN CHLORIDE SY | 1 (0.02) | | | | 1 (0.00) |
| OXYCODON KAPSELN 5MG(O | | | | 1 (0.01) | 1 (0.00) |
| OXYCODONE | 2 (0.03) | 6 (0.04) | 8 (0.03) | 2 (0.03) | 18 (0.03) |
| OXYCODONE (OXYCODONE) | | 1 (0.01) | | | 1 (0.00) |
| OXYCODONE - EXTENDED R | | | 1 (0.00) | | 1 (0.00) |
| OXYCODONE 20 MG | | | 1 (0.00) | | 1 (0.00) |
| OXYCODONE 40MG | | | 1 (0.00) | | 1 (0.00) |
| OXYCODONE 5/APAP 500 | 1 (0.02) | | | | 1 (0.00) |
| OXYCODONE AND ACETAMIN | | 1 (0.01) | | | 1 (0.00) |
| OXYCODONE ER | | 1 (0.01) | | | 1 (0.00) |
| OXYCODONE ER 40 MG DAV | | 1 (0.01) | | | 1 (0.00) |
| OXYCODONE ER 80 MG | | 1 (0.01) | | | 1 (0.00) |
| OXYCODONE HCI CONTROLL | | | 1 (0.00) | | 1 (0.00) |
| OXYCODONE HCL | 4 (0.07) | 24 (0.14) | 30 (0.10) | 2 (0.03) | 60 (0.10) |
| OXYCODONE HYDROCHLORID | | 1 (0.01) | | | 1 (0.00) |
| OXYCODONE HYDROCHLORID | | 1 (0.01) | | | 1 (0.00) |
| OXYCODONE HYDROCHLORID | | 1 (0.01) | | | 1 (0.00) |
| OXYCODONE HYDROCHLORID | | 1 (0.01) | | | 1 (0.00) |
| OXYCODONE TABLETS, USP | | | 1 (0.00) | | 1 (0.00) |
| OXYCODONE-EXTENDED REL | | | 1 (0.00) | | 1 (0.00) |
| OXYCODONE/APAP | 1 (0.02) | | | | 1 (0.00) |
| OXYCODONE/APAP 5MG/325 | | | 1 (0.00) | | 1 (0.00) |
| OXYCONTIN | 18 (0.30) | 74 (0.43) | 59 (0.20) | 5 (0.06) | 156 (0.26) |
| OXYCONTIN CR | | | | 1 (0.01) | 1 (0.00) |
| OXYGEN | 3 (0.05) | 3 (0.02) | 4 (0.01) | 4 (0.05) | 14 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| OXYGEN (OXYGEN) | 2 (0.03) | 1 (0.01) | 2 (0.01) | 2 (0.03) | 7 (0.01) |
| OXYIR | | 2 (0.01) | | | 2 (0.00) |
| OXYMETAZOLINE HYDROCHL | | | 1 (0.00) | | 1 (0.00) |
| OXYNORM | | 1 (0.01) | | | 1 (0.00) |
| OXYTETRACYCLINE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| OXYTOCIN | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| OXYTROL | | | | 1 (0.01) | 1 (0.00) |
| OYCODONE (OXYCODONE) | | | 1 (0.00) | | 1 (0.00) |
| PA | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| PACERONE | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| PACIL | | | 1 (0.00) | | 1 (0.00) |
| PACKED RED BLOOD CELLS | | | | 1 (0.01) | 1 (0.00) |
| PACLITAXEL | 1 (0.02) | 7 (0.04) | 26 (0.09) | 4 (0.05) | 38 (0.06) |
| PACLITAXEL 350 MG 100 | | | 1 (0.00) | | 1 (0.00) |
| PAIN KILLERS | | | 1 (0.00) | | 1 (0.00) |
| PAIN MED (NOS) | | | | 1 (0.01) | 1 (0.00) |
| PAIN MEDICATION | | 1 (0.01) | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| PAMELOR | | 2 (0.01) | | | 2 (0.00) |
| PAMIDORNATE (PAMIDRONA | | | 1 (0.00) | | 1 (0.00) |
| PAMIDRONATE (PAMIDRONA | | 1 (0.01) | | | 1 (0.00) |
| PAMIDRONATE DISODIUM | 2 (0.03) | 3 (0.02) | 15 (0.05) | 4 (0.05) | 24 (0.04) |
| PAMIDRONIC ACID | 1 (0.02) | | | | 1 (0.00) |
| PANADOL HOT | | 2 (0.01) | | | 2 (0.00) |
| PANAFIL (PAPAIN, UREA, | | 1 (0.01) | | | 1 (0.00) |
| PANALDINE | | 2 (0.01) | 7 (0.02) | 2 (0.03) | 11 (0.02) |
| PANAMAX | | | | 1 (0.01) | 1 (0.00) |
| PANCREASE | | 1 (0.01) | | | 1 (0.00) |
| PANCREASE (PANCRELIPAS | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PANCREASE/LIPASE/AMYLA | | 1 (0.01) | | | 1 (0.00) |
| PANCREATIN TRIPLE STRE | | | 1 (0.00) | | 1 (0.00) |
| PANCREON | | | | 1 (0.01) | 1 (0.00) |
| PANCURONIUM BROMIDE | | | 1 (0.00) | | 1 (0.00) |
| PANODIL ZAPP | | 1 (0.01) | | | 1 (0.00) |
| PANOKASE | | | | 1 (0.01) | 1 (0.00) |
| PANSPORIN T | | | 1 (0.00) | | 1 (0.00) |
| PANTECTA | | | | 1 (0.01) | 1 (0.00) |
| PANTECTA (PANTOPRAZOLE | | 1 (0.01) | | | 1 (0.00) |
| PANTELMIN | | 1 (0.01) | | | 1 (0.00) |
| PANTETHINE | | 1 (0.01) | | | 1 (0.00) |
| PANTHOL | | | 1 (0.00) | | 1 (0.00) |
| PANTOLOC ^SOLVAY ^ | | | | 2 (0.03) | 2 (0.00) |
| PANTOPRAZOL | | | 2 (0.01) | | 2 (0.00) |
| PANTOPRAZOLE | | 4 (0.02) | 11 (0.04) | 2 (0.03) | 17 (0.03) |
| PANTOPRAZOLE SODIUM | 1 (0.02) | 10 (0.06) | 24 (0.08) | 9 (0.12) | 44 (0.07) |
| PANTOSIN | | | | 1 (0.01) | 1 (0.00) |
| PANTOTHENIC ACID (PANT | | | 1 (0.00) | | 1 (0.00) |
| PANTOZOL | | 3 (0.02) | 1 (0.00) | 2 (0.03) | 6 (0.01) |
| PANTOZOL (PANTOPRAZOLE | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| PANTOZOL (PATNOPRAZOLE | | | 1 (0.00) | | 1 (0.00) |
| PANTPAS (PANTOPRAZOLE, | | 1 (0.01) | | | 1 (0.00) |
| PANVITAN | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| PARACETAMOL | 5 (0.08) | 6 (0.04) | 15 (0.05) | 1 (0.01) | 27 (0.04) |
| PARACETAMOL (PARACETAM | 1 (0.02) | | | | 1 (0.00) |
| PARACETAMOL+CODEINE (N | | 1 (0.01) | | | 1 (0.00) |
| PARACETAMOL/HYDROCODON | | | 1 (0.00) | | 1 (0.00) |
| PARACETAMOL/HYDROCODON | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PARACETAMOL/OXYCODONE | | 2 (0.01) | | | 2 (0.00) |
| PARACETAMOLUM | | | | 1 (0.01) | 1 (0.00) |
| PARAFON FORTE DSC | | 2 (0.01) | | | 2 (0.00) |
| PARALGIN FORTE | | 3 (0.02) | | | 3 (0.00) |
| PARAMOL-118 | | | 1 (0.00) | | 1 (0.00) |
| PARAPLATIN | 1 (0.02) | 6 (0.04) | 26 (0.09) | 2 (0.03) | 35 (0.06) |
| PARAPRES (CANDESARTAN | | | 1 (0.00) | | 1 (0.00) |
| PARAPSYLLIUM | | | 1 (0.00) | | 1 (0.00) |
| PARCOPA | | | 1 (0.00) | | 1 (0.00) |
| PAREMYD | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| PAREMYD, 1%/0.25%, AKO | | 1 (0.01) | | | 1 (0.00) |
| PARGEVERINE HYDROCHLOR | | | 2 (0.01) | | 2 (0.00) |
| PARIET | | 1 (0.01) | 5 (0.02) | 1 (0.01) | 7 (0.01) |
| PARIET (RABEPRAZOLE) (| 1 (0.02) | | | | 1 (0.00) |
| PARKINANE | | | 1 (0.00) | | 1 (0.00) |
| PARLODEL | 1 (0.02) | 2 (0.01) | 3 (0.01) | | 6 (0.01) |
| PARNATE | | 2 (0.01) | | | 2 (0.00) |
| PAROXETINE | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| PAROXETINE 20 MG ANDRX | | 1 (0.01) | | | 1 (0.00) |
| PAROXETINE HCL | 7 (0.12) | 38 (0.22) | 19 (0.06) | 2 (0.03) | 66 (0.11) |
| PAROXETINE HYDROCHLORI | 3 (0.05) | 5 (0.03) | 3 (0.01) | | 11 (0.02) |
| PARVOLEX | 1 (0.02) | | | | 1 (0.00) |
| PASIL (PAZUFLOXACIN ME | | 1 (0.01) | | | 1 (0.00) |
| PATANOL | | | 1 (0.00) | | 1 (0.00) |
| PAVALIX | | 2 (0.01) | | | 2 (0.00) |
| PAVULON | | 1 (0.01) | | | 1 (0.00) |
| PAXAM (2 MG, TABLET) (| | 1 (0.01) | | | 1 (0.00) |
| PAXIL | 54 (0.91) | 121 (0.71) | 106 (0.35) | 16 (0.21) | 297 (0.49) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PAXIL (PAROXETINE HYDR | | 1 (0.01) | | | 1 (0.00) |
| PAXIL CR | 13 (0.22) | 29 (0.17) | 19 (0.06) | | 61 (0.10) |
| PAYNOCIL | | | | 1 (0.01) | 1 (0.00) |
| PAZUCROSS INJECTION | | | | 1 (0.01) | 1 (0.00) |
| PCA PUMP COUN | | 1 (0.01) | | | 1 (0.00) |
| PEDIAPRED (GENERIC) | 1 (0.02) | | | | 1 (0.00) |
| PEG-INRON INJECTABLE P | | 1 (0.01) | | | 1 (0.00) |
| PEG-INTERFERON A-2A (R | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| PEG-INTERFERON ALFA 2A | 2 (0.03) | 9 (0.05) | 5 (0.02) | | 16 (0.03) |
| PEG-INTERFERON ALFA-2B | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| PEG-INTERFERON ALFA-2B | | | 1 (0.00) | | 1 (0.00) |
| PEG-INTRON | 5 (0.08) | 52 (0.30) | 47 (0.16) | | 104 (0.17) |
| PEG-INTRON (PEGINTERFE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PEG-INTRON (PEGINTERFE | | | 1 (0.00) | | 1 (0.00) |
| PEG-INTRON (PEGINTERFE | | | | 1 (0.01) | 1 (0.00) |
| PEG-INTRON 120 MG SCHE | | 1 (0.01) | | | 1 (0.00) |
| PEGASYS | 5 (0.08) | 57 (0.33) | 43 (0.14) | 6 (0.08) | 111 (0.18) |
| PEGINTERFERON ALFA 2A | | | 1 (0.00) | | 1 (0.00) |
| PEGINTERFERON ALFA-2A | | | 1 (0.00) | | 1 (0.00) |
| PEGINTRON (PEGINTERFER | | 1 (0.01) | | | 1 (0.00) |
| PEMETREXED DAY 1 OF | | | 1 (0.00) | | 1 (0.00) |
| PEMETREXED (PEMETREXED | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| PEMETREXED (PEMETREXED | | | 1 (0.00) | | 1 (0.00) |
| PEMETREXED - ELI LILLY | | | 1 (0.00) | | 1 (0.00) |
| PEMETREXED(PEMETREXED) | | | 1 (0.00) | | 1 (0.00) |
| PEMETREXED(PEMETREXED) | | | 1 (0.00) | | 1 (0.00) |
| PEMOLINE | | | 2 (0.01) | | 2 (0.00) |
| PENFILL 30R CHU | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PENFILL N CHU | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| PENFILL R CHU | | | 1 (0.00) | | 1 (0.00) |
| PENICILLIN | 2 (0.03) | | 9 (0.03) | | 11 (0.02) |
| PENICILLIN (UNSPECIFIE | | 2 (0.01) | | | 2 (0.00) |
| PENICILLIN G | | 1 (0.01) | | | 1 (0.00) |
| PENICILLIN G PROCAINE | | 1 (0.01) | | | 1 (0.00) |
| PENICILLIN G SODIUM | | 1 (0.01) | | | 1 (0.00) |
| PENICILLIN V | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| PENICILLIN V POTASSIUM | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| PENTACARINAT | | 2 (0.01) | | | 2 (0.00) |
| PENTAMIDINE 300 MG INJ | 1 (0.02) | | | | 1 (0.00) |
| PENTASA | 5 (0.08) | 8 (0.05) | 3 (0.01) | 2 (0.03) | 18 (0.03) |
| PENTAZOCINE AND NALOXO | | | 1 (0.00) | | 1 (0.00) |
| PENTAZOCINE LACTATE | | | 1 (0.00) | | 1 (0.00) |
| PENTCILLIN (PIPERACILL | | | | 1 (0.01) | 1 (0.00) |
| PENTOSAN POLYSULFATE S | | 1 (0.01) | | | 1 (0.00) |
| PENTOTHAL | 1 (0.02) | | | | 1 (0.00) |
| PENTOXIFYLLINE | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| PEPCID | | 7 (0.04) | 11 (0.04) | 1 (0.01) | 19 (0.03) |
| PEPCID AC | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| PEPCID RPD | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| PEPTO BISMOL | 1 (0.02) | | | | 1 (0.00) |
| PERAZINE | | 1 (0.01) | | | 1 (0.00) |
| PERCOCET | 1 (0.02) | 24 (0.14) | 31 (0.10) | 8 (0.10) | 64 (0.10) |
| PERCOCET (OXYCODONE HY | | 1 (0.01) | | | 1 (0.00) |
| PERCODAN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PERCOGESIC | | | | 2 (0.03) | 2 (0.00) |
| PERDIPINE | | | | 2 (0.03) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PERFALGAN | 2 (0.03) | 3 (0.02) | 3 (0.01) | | 8 (0.01) |
| PERFALGAN (ACETAMINOPH | | | 1 (0.00) | | 1 (0.00) |
| PERGOLIDE MESYLATE | | | 1 (0.00) | | 1 (0.00) |
| PERIACTIN | 10 (0.17) | | 1 (0.00) | | 11 (0.02) |
| PERINDOPRIL | | 3 (0.02) | 4 (0.01) | 1 (0.01) | 8 (0.01) |
| PERINDOPRIL (PERINDOPR | | | | 1 (0.01) | 1 (0.00) |
| PERINDOPRIL ERBUMINE | | | 3 (0.01) | | 3 (0.00) |
| PERINDOPRIL ERUMINE | | | | 1 (0.01) | 1 (0.00) |
| PERIOSTAT | | | 2 (0.01) | | 2 (0.00) |
| PERMAX | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| PERMIXON | | | | 1 (0.01) | 1 (0.00) |
| PEROCT | | | 1 (0.00) | | 1 (0.00) |
| PERSANTIN | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| PERSANTIN DEPOT | | 1 (0.01) | | | 1 (0.00) |
| PERSANTINE | | 1 (0.01) | | | 1 (0.00) |
| PETHIDINE | 1 (0.02) | | | | 1 (0.00) |
| PETIBELLE 30 (21) (DRO | | 1 (0.01) | | | 1 (0.00) |
| PETIBELLE 30 (21)(ETHI | 1 (0.02) | | | | 1 (0.00) |
| PETROLATUM, WHITE | | | 1 (0.00) | | 1 (0.00) |
| PHEN-FEN 30MG W | | | 1 (0.00) | | 1 (0.00) |
| PHENAZOPYRIDINE HCL TA | | | | 1 (0.01) | 1 (0.00) |
| PHENERGAN | | 5 (0.03) | 2 (0.01) | 1 (0.01) | 8 (0.01) |
| PHENERGAN HCL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PHENERGAN TABLETS/SUPP | | 1 (0.01) | | | 1 (0.00) |
| PHENERGAN VC W/ CODEIN | 1 (0.02) | | | | 1 (0.00) |
| PHENERGAN W/ CODEINE | | 1 (0.01) | | | 1 (0.00) |
| PHENIRAMINE | | | 1 (0.00) | | 1 (0.00) |
| PHENOBAL (PHENOBARBITA | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PHENOBAL (PHENOBARITAL | | | 1 (0.00) | | 1 (0.00) |
| PHENOBARBITAL | | 1 (0.01) | | | 1 (0.00) |
| PHENOBARBITAL TAB | 5 (0.08) | 4 (0.02) | 4 (0.01) | 2 (0.03) | 15 (0.02) |
| PHENOBARBITAL TABLETS | | 1 (0.01) | | | 1 (0.00) |
| PHENOBARBITONE | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| PHENOL + ZINC OXIDE LI | 2 (0.03) | | | | 2 (0.00) |
| PHENORAL (PHENOBARBITA | | | 1 (0.00) | | 1 (0.00) |
| PHENOXYMETHYLPENICILLI | | 1 (0.01) | | | 1 (0.00) |
| PHENPROCOUMON | | | 7 (0.02) | | 7 (0.01) |
| PHENTERMINE | 1 (0.02) | 10 (0.06) | 1 (0.00) | | 12 (0.02) |
| PHENTERMINE CAPSULES, | | 1 (0.01) | | | 1 (0.00) |
| PHENTERMINE TABLETS, U | | 1 (0.01) | | | 1 (0.00) |
| PHENYLBUTAZONE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PHENYLPROPANOLAMINE | 1 (0.02) | | | | 1 (0.00) |
| PHENYTEK | | | | 1 (0.01) | 1 (0.00) |
| PHENYTOIN | 8 (0.14) | 14 (0.08) | 18 (0.06) | 7 (0.09) | 47 (0.08) |
| PHENYTOIN INJECTION (P | | | 1 (0.00) | | 1 (0.00) |
| PHENYTOIN SODIUM | 2 (0.03) | 5 (0.03) | 5 (0.02) | | 12 (0.02) |
| PHENYTOIN SODIUM CAP | 6 (0.10) | 2 (0.01) | 1 (0.00) | | 9 (0.01) |
| PHOSBLOCK 250 MG TABLE | | | 1 (0.00) | | 1 (0.00) |
| PHOTOFRIN | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| PHYSIO 35 | | 3 (0.02) | | | 3 (0.00) |
| PHYTOMENADIONE | | | 1 (0.00) | | 1 (0.00) |
| PHYTONADIONE | 1 (0.02) | | | | 1 (0.00) |
| PIAS | | | 1 (0.00) | | 1 (0.00) |
| PILOCARPINE | | | | 1 (0.01) | 1 (0.00) |
| PIMOZIDE | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| PINAVERIUM BROMIDE | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PINDOLOL | | | 1 (0.00) | | 1 (0.00) |
| PINEX | | | 1 (0.00) | | 1 (0.00) |
| PIOGLITAZONE HCL | | 3 (0.02) | 5 (0.02) | 1 (0.01) | 9 (0.01) |
| PIPERACILLIN AND TAZOB | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PIPERACILLIN SODIUM | | 1 (0.01) | | | 1 (0.00) |
| PIPERACILLIN SODIUM W/ | | | 1 (0.00) | | 1 (0.00) |
| PIPERACILLIN SODIUM/TA | | | 1 (0.00) | | 1 (0.00) |
| PIPERACILLIN/TAZOBACTA | | | 1 (0.00) | | 1 (0.00) |
| PIPERACILLINE/TAZOBACT | | | 1 (0.00) | | 1 (0.00) |
| PIPRAM | | | 1 (0.00) | | 1 (0.00) |
| PIRACETAM | | | | 1 (0.01) | 1 (0.00) |
| PIRIBEDIL | | 1 (0.01) | | | 1 (0.00) |
| PIRITON | | 2 (0.01) | | | 2 (0.00) |
| PIRITRAMIDE | 1 (0.02) | | | | 1 (0.00) |
| PIROXICAM | 3 (0.05) | 2 (0.01) | 9 (0.03) | | 14 (0.02) |
| PITOCIN | | 1 (0.01) | | | 1 (0.00) |
| PL | 5 (0.08) | 5 (0.03) | 8 (0.03) | | 18 (0.03) |
| PL (PYRIDOXAL) | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| PL GRAN. | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PL-GRANULES | | | | 2 (0.03) | 2 (0.00) |
| PLACEBO | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PLANTABEN | | 4 (0.02) | | | 4 (0.01) |
| PLANTAGO OVATA | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| PLANUM | | 1 (0.01) | | | 1 (0.00) |
| PLAQUENIL | 1 (0.02) | 18 (0.11) | 15 (0.05) | 2 (0.03) | 36 (0.06) |
| PLASIL | 1 (0.02) | | | | 1 (0.00) |
| PLASMA | | 1 (0.01) | | | 1 (0.00) |
| PLASMAPHERESIS | 2 (0.03) | | 2 (0.01) | | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PLASMAPHERESIS (PLASMA | | 2 (0.01) | | | 2 (0.00) |
| PLASMAPHORESIS (ALL OT | | 1 (0.01) | | | 1 (0.00) |
| PLATELETS | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| PLATINOL | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| PLAVIX | 2 (0.03) | 25 (0.15) | 154 (0.51) | 82 (1.06) | 263 (0.43) |
| PLENDIL | | 6 (0.04) | 12 (0.04) | 2 (0.03) | 20 (0.03) |
| PLETAL | | 1 (0.01) | 4 (0.01) | 1 (0.01) | 6 (0.01) |
| PNEUMOREL | | 1 (0.01) | | | 1 (0.00) |
| PNEUMOVAX (PNEUMOCOCCA | | | 1 (0.00) | | 1 (0.00) |
| POLARAMINE | 2 (0.03) | | 5 (0.02) | 1 (0.01) | 8 (0.01) |
| POLOCAINE | | | | 3 (0.04) | 3 (0.00) |
| POLPRAZOL | | | 2 (0.01) | | 2 (0.00) |
| POLYGAM | | | 1 (0.00) | | 1 (0.00) |
| POLYGAM S/D | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| POLYPHARMACY | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| PONTAL (MEFENAMIC ACID | | 1 (0.01) | | | 1 (0.00) |
| POSACONAZOLE | | | 1 (0.00) | | 1 (0.00) |
| POTASSIUM | | 2 (0.01) | 4 (0.01) | 3 (0.04) | 9 (0.01) |
| POTASSIUM (POTASSIUM) | | | 1 (0.00) | | 1 (0.00) |
| POTASSIUM (UNSPECIFIED | | | 2 (0.01) | | 2 (0.00) |
| POTASSIUM CHLORIDE | | 2 (0.01) | 18 (0.06) | 9 (0.12) | 29 (0.05) |
| POTASSIUM PERMANGANATE | | 1 (0.01) | | | 1 (0.00) |
| POTASSIUM PHOSPHATES | | 1 (0.01) | | | 1 (0.00) |
| POVIDONE IODINE | | | | 2 (0.03) | 2 (0.00) |
| PPD PARKDALE LOT U | | | 1 (0.00) | | 1 (0.00) |
| PPD PARKDALE PPD LO | | | 1 (0.00) | | 1 (0.00) |
| PPD AVENTIS PASTEUR LO | | | 1 (0.00) | | 1 (0.00) |
| PPD-PARKEDALE PHARMACE | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PPD-TUBERCULIN | | | 1 (0.00) | | 1 (0.00) |
| PRAMIPEXOLE DIHYDROCHL | | | 4 (0.01) | | 4 (0.01) |
| PRANDIN | | 2 (0.01) | 22 (0.07) | 4 (0.05) | 28 (0.05) |
| PRANLUKAST (PRANLUKAST | | 1 (0.01) | | | 1 (0.00) |
| PRANOLOL | | | 1 (0.00) | | 1 (0.00) |
| PRAVACHOL | | 2 (0.01) | 41 (0.14) | 12 (0.15) | 55 (0.09) |
| PRAVASIN | | | 2 (0.01) | | 2 (0.00) |
| PRAVASTATIN | 1 (0.02) | | 9 (0.03) | 8 (0.10) | 18 (0.03) |
| PRAVASTATIN SODIUM | | | 6 (0.02) | 2 (0.03) | 8 (0.01) |
| PRAXILENE | | | | 1 (0.01) | 1 (0.00) |
| PRAXILENE (NAFTIDROFUR | | | | 1 (0.01) | 1 (0.00) |
| PRAXILENE (NAFTIDROFUR | | | | 1 (0.01) | 1 (0.00) |
| PRAZEPAM | | | 3 (0.01) | | 3 (0.00) |
| PRAZOSIN | | | 2 (0.01) | | 2 (0.00) |
| PRAZOSIN GITS | 1 (0.02) | | | | 1 (0.00) |
| PRAZOSIN HYDROCHLORIDE | | | 1 (0.00) | | 1 (0.00) |
| PRECEDEX | | | 1 (0.00) | | 1 (0.00) |
| PRECIPATED CALCIUM CAR | | | | 1 (0.01) | 1 (0.00) |
| PRECIPITATED CALCIUM C | | 1 (0.01) | | 2 (0.03) | 3 (0.00) |
| PRECOSE | | | 3 (0.01) | | 3 (0.00) |
| PRED FORTE | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| PRED-G | | | 1 (0.00) | | 1 (0.00) |
| PREDFOAM (PREDNISOLONE | | 1 (0.01) | | | 1 (0.00) |
| PREDNISOLONE | 23 (0.39) | 34 (0.20) | 77 (0.25) | 13 (0.17) | 147 (0.24) |
| PREDNISOLONE ACETATE | | | | 1 (0.01) | 1 (0.00) |
| PREDNISOLONE ACETATE O | | | 1 (0.00) | | 1 (0.00) |
| PREDNISOLONE SODIUM ME | 2 (0.03) | | | | 2 (0.00) |
| PREDNISOLONE SODIUM PH | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PREDNISOLONE SODIUM SU | | | 2 (0.01) | | 2 (0.00) |
| PREDNISOLONE TAB | 4 (0.07) | 1 (0.01) | 2 (0.01) | | 7 (0.01) |
| PREDNISOLUT | 1 (0.02) | | | | 1 (0.00) |
| PREDNISON | | 1 (0.01) | | | 1 (0.00) |
| PREDNISONE | 16 (0.27) | 82 (0.48) | 113 (0.37) | 20 (0.26) | 231 (0.38) |
| PREDNISONE (PREDNISONE | | 1 (0.01) | | | 1 (0.00) |
| PREDNISONE (PREDNISONE | | | 1 (0.00) | | 1 (0.00) |
| PREDNISONE 50MG TAB | 1 (0.02) | | | | 1 (0.00) |
| PREDNISONE TAB | 2 (0.03) | 15 (0.09) | 46 (0.15) | 8 (0.10) | 71 (0.12) |
| PREDNISONUM | | 1 (0.01) | | | 1 (0.00) |
| PREDNISOONE | | 1 (0.01) | | | 1 (0.00) |
| PREDNSIOLIONE | | 1 (0.01) | | | 1 (0.00) |
| PREDONINE | 3 (0.05) | 10 (0.06) | 7 (0.02) | 1 (0.01) | 21 (0.03) |
| PREGABALIN | | 1 (0.01) | | | 1 (0.00) |
| PREGABALIN 75 MG P | | | 1 (0.00) | | 1 (0.00) |
| PREGABALIN (PREGABALIN | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| PREGABALIN 50 MG/TID | | 1 (0.01) | | | 1 (0.00) |
| PRELONE | 3 (0.05) | | 1 (0.00) | | 4 (0.01) |
| PREMARIN | | 32 (0.19) | 159 (0.53) | 19 (0.25) | 210 (0.34) |
| PREMARIN(CONJUGATED ES | | | 1 (0.00) | | 1 (0.00) |
| PREMPHASE (CONJUGATED | | | 1 (0.00) | | 1 (0.00) |
| PREMPHASE (PREMARIN;CY | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| PREMPHASE 14/14 | | 4 (0.02) | 5 (0.02) | | 9 (0.01) |
| PREMPRO | | 44 (0.26) | 474 (1.57) | 10 (0.13) | 528 (0.87) |
| PREMPRO (CONJUGATED A | | | 1 (0.00) | | 1 (0.00) |
| PREMPRO (CONJUGATED AC | | | 1 (0.00) | | 1 (0.00) |
| PREMPRO (CONJUGATED ES | | | 1 (0.00) | | 1 (0.00) |
| PREMPRO (ESTROGENS CON | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PRENATAL VITAMINS | 4 (0.07) | 17 (0.10) | | | 21 (0.03) |
| PRENATAL VITAMINS (ASC | | 1 (0.01) | | | 1 (0.00) |
| PRENATAL VITAMINS (ASC | | 2 (0.01) | | | 2 (0.00) |
| PRENATE | 1 (0.02) | | | | 1 (0.00) |
| PREPARATION H | | | 1 (0.00) | | 1 (0.00) |
| PREPIDIL | | 1 (0.01) | | | 1 (0.00) |
| PRESTARIUM FORTE | | | 1 (0.00) | | 1 (0.00) |
| PRETERAX | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| PRETERAX (INDAPAMIDE, | | | | 1 (0.01) | 1 (0.00) |
| PREVACID | 5 (0.08) | 30 (0.18) | 67 (0.22) | 16 (0.21) | 118 (0.19) |
| PREVALITE | | | | 2 (0.03) | 2 (0.00) |
| PREVICID | | | 1 (0.00) | | 1 (0.00) |
| PREVISCAN | | 2 (0.01) | 2 (0.01) | 7 (0.09) | 11 (0.02) |
| PREVISCAN (FLUINDIONE) | 1 (0.02) | | 3 (0.01) | 3 (0.04) | 7 (0.01) |
| PREVISCAN 9FLUINDIONE) | | | 1 (0.00) | | 1 (0.00) |
| PREZOLON | | | | 1 (0.01) | 1 (0.00) |
| PRIADEL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PRIALT | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PRIALTZ (ZICONOTIDE IN | | | 1 (0.00) | | 1 (0.00) |
| PRILOCAINE CITANEST 4% | | 1 (0.01) | | | 1 (0.00) |
| PRILOSEC | 3 (0.05) | 40 (0.23) | 70 (0.23) | 10 (0.13) | 123 (0.20) |
| PRILOSEC OTC | | 2 (0.01) | | | 2 (0.00) |
| PRIMATENE MIST | 3 (0.05) | 9 (0.05) | 8 (0.03) | | 20 (0.03) |
| PRIMATENE NASAL MIST | | 1 (0.01) | | | 1 (0.00) |
| PRIMAXIN | 1 (0.02) | | 12 (0.04) | 5 (0.06) | 18 (0.03) |
| PRIMIDONE | 2 (0.03) | 1 (0.01) | 4 (0.01) | 1 (0.01) | 8 (0.01) |
| PRIMPERAN INJ | | | 4 (0.01) | | 4 (0.01) |
| PRIMPERAN TAB | 1 (0.02) | 2 (0.01) | 10 (0.03) | 3 (0.04) | 16 (0.03) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PRINIVIL | 1 (0.02) | 5 (0.03) | 29 (0.10) | 9 (0.12) | 44 (0.07) |
| PRINZIDE | | | 3 (0.01) | | 3 (0.00) |
| PRIORIX | 2 (0.03) | | | | 2 (0.00) |
| PRIXAR | | | | 1 (0.01) | 1 (0.00) |
| PROBENECID | | | 1 (0.00) | | 1 (0.00) |
| PROCAINE HCL | 3 (0.05) | | | | 3 (0.00) |
| PROCAPTAN | | | | 1 (0.01) | 1 (0.00) |
| PROCARBAZINE HYDROCHLO | | | 1 (0.00) | | 1 (0.00) |
| PROCARDIA | | | 12 (0.04) | 2 (0.03) | 14 (0.02) |
| PROCARDIA XL | | 1 (0.01) | 6 (0.02) | 2 (0.03) | 9 (0.01) |
| PROCHLORPERAZINE | | 2 (0.01) | 2 (0.01) | 2 (0.03) | 6 (0.01) |
| PROCHLORPERAZINE MALEA | | | | 1 (0.01) | 1 (0.00) |
| PROCRIT | | 8 (0.05) | 18 (0.06) | 2 (0.03) | 28 (0.05) |
| PROCYCLIDINE HYDROCHLO | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| PROCYCLINE | | 1 (0.01) | | | 1 (0.00) |
| PRODIF (FOSFLUCONAZOLE | | | | 1 (0.01) | 1 (0.00) |
| PROFASI HP (CHORIONIC | | 1 (0.01) | | | 1 (0.00) |
| PROFEN FORTE | | 1 (0.01) | | | 1 (0.00) |
| PROGESTAN | | 3 (0.02) | | | 3 (0.00) |
| PROGESTAN (PROGESTERON | | | 1 (0.00) | | 1 (0.00) |
| PROGESTERON | | | 2 (0.01) | | 2 (0.00) |
| PROGESTERONE | | 10 (0.06) | 3 (0.01) | | 13 (0.02) |
| PROGESTERONE VAGINAL S | | 1 (0.01) | | | 1 (0.00) |
| PROGLYCEM | | | | 1 (0.01) | 1 (0.00) |
| PROGOUT | | 1 (0.01) | | | 1 (0.00) |
| PROGRAF | 17 (0.29) | 22 (0.13) | 32 (0.11) | | 71 (0.12) |
| PROHANCE | 3 (0.05) | 10 (0.06) | 11 (0.04) | 2 (0.03) | 26 (0.04) |
| PROLEUKIN | | | 5 (0.02) | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PROLIXIN | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| PROMAZINE HCL | | | 3 (0.01) | | 3 (0.00) |
| PROMAZINE HYDROCHLORID | | | 2 (0.01) | | 2 (0.00) |
| PROMETHAZINE | 1 (0.02) | 9 (0.05) | 4 (0.01) | 1 (0.01) | 15 (0.02) |
| PROMETHAZINE HCL | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| PROMETRIUM | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |
| PROPAFENONE HCL | | 1 (0.01) | 3 (0.01) | 3 (0.04) | 7 (0.01) |
| PROPAFENONE HYDROCHLOR | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| PROPAIN | | 1 (0.01) | | | 1 (0.00) |
| PROPANOLOL (PROPANOLOL | | 2 (0.01) | | | 2 (0.00) |
| PROPANOLOL HYDROCHLORI | | | 1 (0.00) | | 1 (0.00) |
| PROPECIA | 1 (0.02) | 19 (0.11) | 5 (0.02) | 1 (0.01) | 26 (0.04) |
| PROPIVERINE HYDROCHLOR | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| PROPOFOL | 6 (0.10) | 8 (0.05) | 5 (0.02) | 2 (0.03) | 21 (0.03) |
| PROPOLUS | | | 1 (0.00) | | 1 (0.00) |
| PROPOXYPHENE HCL | | 1 (0.01) | | | 1 (0.00) |
| PROPOXYPHENE HCL AND A | | | | 1 (0.01) | 1 (0.00) |
| PROPOXYPHENE HYDROCHLO | | | 6 (0.02) | | 6 (0.01) |
| PROPOXYPHENE NAPSYLATE | | 1 (0.01) | | | 1 (0.00) |
| PROPOXYPHENE NAPSYLATE | | | | 1 (0.01) | 1 (0.00) |
| PROPRANOLOL | | 14 (0.08) | 11 (0.04) | 2 (0.03) | 27 (0.04) |
| PROPRANOLOL HYDROCHLOR | 1 (0.02) | 1 (0.01) | 3 (0.01) | 1 (0.01) | 6 (0.01) |
| PROPULSID | | | 2 (0.01) | | 2 (0.00) |
| PROPYDERM | | | | 1 (0.01) | 1 (0.00) |
| PROPYLENE GLYCOL | 2 (0.03) | | | | 2 (0.00) |
| PROPYLTHIOURACIL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PROPYLTHIOURACIL TABLE | | | 1 (0.00) | | 1 (0.00) |
| PRORENAL | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PROSCAR | | 4 (0.02) | 9 (0.03) | 6 (0.08) | 19 (0.03) |
| PROSCOPE | | | 1 (0.00) | | 1 (0.00) |
| PROSCOPE 300(IOPROMIDE | | | 1 (0.00) | | 1 (0.00) |
| PROSTACUR (FLUTAMIDE) | | | | 1 (0.01) | 1 (0.00) |
| PROSTACYCLIN (| | | 1 (0.00) | | 1 (0.00) |
| PROSTACYCLIN (EPOPROST | | | 1 (0.00) | | 1 (0.00) |
| PROSTAL | | | 4 (0.01) | | 4 (0.01) |
| PROSTIN VR PEDIATRIC | 1 (0.02) | | | | 1 (0.00) |
| PROSTINE | 2 (0.03) | | | | 2 (0.00) |
| PROTAMINE SULFATE | | | 2 (0.01) | | 2 (0.00) |
| PROTAPHANE | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| PROTAPHANE PENFILL | | | 1 (0.00) | | 1 (0.00) |
| PROTHIADEN | | | 1 (0.00) | | 1 (0.00) |
| PROTON PUMP INHIBITOR | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| PROTONIX | 3 (0.05) | 28 (0.16) | 48 (0.16) | 14 (0.18) | 93 (0.15) |
| PROTONIX 'WYETHY-AYERS | | 1 (0.01) | | | 1 (0.00) |
| PROTOPIC | 9 (0.15) | 6 (0.04) | 9 (0.03) | | 24 (0.04) |
| PROTOVIT (VITAMINS NOS | 1 (0.02) | | | | 1 (0.00) |
| PROVASIN TAB | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PROVENTIL | 1 (0.02) | 6 (0.04) | 4 (0.01) | | 11 (0.02) |
| PROVENTIL-HFA | | | | 2 (0.03) | 2 (0.00) |
| PROVERA | | 3 (0.02) | 93 (0.31) | 4 (0.05) | 100 (0.16) |
| PROVETA TABLET (MEDROX | | | 1 (0.00) | | 1 (0.00) |
| PROVIGIL | 1 (0.02) | 17 (0.10) | 6 (0.02) | 1 (0.01) | 25 (0.04) |
| PROZAC | 18 (0.30) | 62 (0.36) | 75 (0.25) | 8 (0.10) | 163 (0.27) |
| PRYLTEC | | | 2 (0.01) | | 2 (0.00) |
| PSEUDOEPHEDRINE | | | 4 (0.01) | | 4 (0.01) |
| PSEUDOEPHEDRINE HCL | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PSEUDOEPHEDRINE HYDROC | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| PSYCHOLEPTICS (PSYCHOL | 1 (0.02) | | | | 1 (0.00) |
| PSYCHOTROPIC DRUGS | | 1 (0.01) | | | 1 (0.00) |
| PSYLLIUM HUSK | | | 1 (0.00) | | 1 (0.00) |
| PULMICORT | 9 (0.15) | 5 (0.03) | 3 (0.01) | 3 (0.04) | 20 (0.03) |
| PULMICORT RESPULES | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| PULSMARIN A | 2 (0.03) | | | | 2 (0.00) |
| PURAN T4 | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| PURGATIVES AND CLYSTER | | | 1 (0.00) | | 1 (0.00) |
| PURIFIED PROTEIN DERIV | | 1 (0.01) | | | 1 (0.00) |
| PURINETHOL | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| PURSENNID | 3 (0.05) | | 1 (0.00) | | 4 (0.01) |
| PYOSTACINE | | | | 1 (0.01) | 1 (0.00) |
| PYRALGINUM | 1 (0.02) | | | | 1 (0.00) |
| PYRIDIUM(PHENAZOPYRIDI | | | 1 (0.00) | | 1 (0.00) |
| PYRIDOSTIGMINE BROMIDE | | | 1 (0.00) | | 1 (0.00) |
| PYRIDOSTIGMINE BROMIDE | | | 1 (0.00) | | 1 (0.00) |
| PYRIDOXINE | | | 1 (0.00) | | 1 (0.00) |
| PYRIDOXINE HCL | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| PYRINAZIN | 1 (0.02) | | | 2 (0.03) | 3 (0.00) |
| QUESTRAN | | | 1 (0.00) | | 1 (0.00) |
| QUETIAPINE | 4 (0.07) | 9 (0.05) | 3 (0.01) | | 16 (0.03) |
| QUETIAPINE FUMARATE | 3 (0.05) | 6 (0.04) | 5 (0.02) | | 14 (0.02) |
| QUILONUM RETARD | | 2 (0.01) | 6 (0.02) | 1 (0.01) | 9 (0.01) |
| QUINAPRIL | | 3 (0.02) | 10 (0.03) | 2 (0.03) | 15 (0.02) |
| QUINAPRIL HCL | | 1 (0.01) | 4 (0.01) | 1 (0.01) | 6 (0.01) |
| QUININE | | | 3 (0.01) | | 3 (0.00) |
| QUININE SULFATE | | 2 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| QUININE SULPHATE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| QVAR (BECLOMETASONE DI | | | 1 (0.00) | | 1 (0.00) |
| QVAR 40 | | | 1 (0.00) | | 1 (0.00) |
| QVAR 80 | | | 1 (0.00) | | 1 (0.00) |
| R115777 | | 1 (0.01) | | | 1 (0.00) |
| RABEPRAZOLE (RABEPRAZO | | 1 (0.01) | | | 1 (0.00) |
| RABEPRAZOLE SODIUM | | 2 (0.01) | 11 (0.04) | 2 (0.03) | 15 (0.02) |
| RADIATION | | 2 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| RADIATION THERAPY | 1 (0.02) | 3 (0.02) | 21 (0.07) | | 25 (0.04) |
| RADIATION THERAPY (RAD | | | 1 (0.00) | | 1 (0.00) |
| RADIATION THERAPY NO D | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| RADICUT | | | | 2 (0.03) | 2 (0.00) |
| RADIO-ABLATION | | 1 (0.01) | | | 1 (0.00) |
| RADIOTHERAPY | 1 (0.02) | 4 (0.02) | 8 (0.03) | 1 (0.01) | 14 (0.02) |
| RADIOTHERAPY TO BREAST | | | | 1 (0.01) | 1 (0.00) |
| RALOXIFENE HCL | | | 7 (0.02) | 2 (0.03) | 9 (0.01) |
| RAMIPRIL | | 4 (0.02) | 26 (0.09) | 7 (0.09) | 37 (0.06) |
| RAMOSETRON (RAMOSETRON | | | 1 (0.00) | | 1 (0.00) |
| RANAGEL (SEVELAMER HYD | | 1 (0.01) | | | 1 (0.00) |
| RANIDITINE (RANIDITINE | | | 1 (0.00) | | 1 (0.00) |
| RANITIDINE | 7 (0.12) | 5 (0.03) | 29 (0.10) | 5 (0.06) | 46 (0.08) |
| RANITIDINE (RANITIDINE | | 1 (0.01) | | | 1 (0.00) |
| RANITIDINE HCL | | | 4 (0.01) | 2 (0.03) | 6 (0.01) |
| RANITIDINE HYDROCHLORI | 1 (0.02) | 3 (0.02) | 3 (0.01) | 2 (0.03) | 9 (0.01) |
| RAPAMUNE | 7 (0.12) | 20 (0.12) | 36 (0.12) | | 63 (0.10) |
| RAPAMUNE | | 1 (0.01) | | | 1 (0.00) |
| RAPIFEN | | | 1 (0.00) | | 1 (0.00) |
| RAPIMUNE | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| RAPTIVA | | 14 (0.08) | 13 (0.04) | 1 (0.01) | 28 (0.05) |
| RAPTIVA (EFALIZUMAB) P | | | 1 (0.00) | | 1 (0.00) |
| RAPTIVA(EFALIZUMAB) PW | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| RAZADYNE | | | 1 (0.00) | 5 (0.06) | 6 (0.01) |
| RAZADYNE ER | | | | 3 (0.04) | 3 (0.00) |
| REBETOL | 1 (0.02) | 7 (0.04) | 8 (0.03) | | 16 (0.03) |
| REBETRON | | 1 (0.01) | | | 1 (0.00) |
| REBETRON SCHERIN | | 1 (0.01) | | | 1 (0.00) |
| REBIF | 4 (0.07) | 48 (0.28) | 27 (0.09) | | 79 (0.13) |
| REBIF (BETAFERON BETA) | | | 1 (0.00) | | 1 (0.00) |
| REBIF (INTERFERON BETA | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| REBIF (INTREFERON BETA | | 1 (0.01) | | | 1 (0.00) |
| RECITAL | 1 (0.02) | | | | 1 (0.00) |
| RECLIPSEN (WATSON LABO | 1 (0.02) | | | | 1 (0.00) |
| RECLIPSEN (WATSON LABO | 1 (0.02) | | | | 1 (0.00) |
| RECOMBINATE | 4 (0.07) | | | | 4 (0.01) |
| RED BLOOD CELLS | | 4 (0.02) | 3 (0.01) | | 7 (0.01) |
| RED YEAST RICE | | | 1 (0.00) | | 1 (0.00) |
| REDUCTIL 10MG | | 2 (0.01) | | | 2 (0.00) |
| REFACTO | 25 (0.42) | 1 (0.01) | 2 (0.01) | | 28 (0.05) |
| REGLAN | | 2 (0.01) | 2 (0.01) | 2 (0.03) | 6 (0.01) |
| REGLAN | | | 1 (0.00) | | 1 (0.00) |
| REGRANEX | 1 (0.02) | | | | 1 (0.00) |
| REGULAR INSULIN | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| RELACORE | | 1 (0.01) | | | 1 (0.00) |
| RELACORE CARTER REED C | | 1 (0.01) | | | 1 (0.00) |
| RELAFEN | | 5 (0.03) | 5 (0.02) | 4 (0.05) | 14 (0.02) |
| RELENZA | 2 (0.03) | 2 (0.01) | | | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| RELPAX | 3 (0.05) | 4 (0.02) | 3 (0.01) | | 10 (0.02) |
| REMERGON 30 | | | 1 (0.00) | | 1 (0.00) |
| REMERON | 2 (0.03) | 14 (0.08) | 10 (0.03) | 3 (0.04) | 29 (0.05) |
| REMESTYP | | | 1 (0.00) | | 1 (0.00) |
| REMICADE | 14 (0.24) | 52 (0.30) | 58 (0.19) | 8 (0.10) | 132 (0.22) |
| REMINARON | | | 1 (0.00) | | 1 (0.00) |
| REMINYL | | | 2 (0.01) | 10 (0.13) | 12 (0.02) |
| REMODULIN | 1 (0.02) | 4 (0.02) | 1 (0.00) | | 6 (0.01) |
| REMODULIN (ALFACALCIDO | | 1 (0.01) | | | 1 (0.00) |
| RENAGEL | 3 (0.05) | 3 (0.02) | 7 (0.02) | 2 (0.03) | 15 (0.02) |
| RENITEC | | | 3 (0.01) | | 3 (0.00) |
| RENITEC /NET/ (ENALA | | | 1 (0.00) | | 1 (0.00) |
| RENIVACE | | 1 (0.01) | 2 (0.01) | 3 (0.04) | 6 (0.01) |
| RENOVA | | 1 (0.01) | | | 1 (0.00) |
| REOPRO | | | 3 (0.01) | | 3 (0.00) |
| REPAGLINIDE | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| REPAGLINIDE (REPAGLINI | | | | 3 (0.04) | 3 (0.00) |
| REPRODUCTIVE CELLS HUM | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| REQUIP | | 17 (0.10) | 45 (0.15) | 10 (0.13) | 72 (0.12) |
| RESERPINE | | | | 2 (0.03) | 2 (0.00) |
| RESPITANN PD CARBETAP | 1 (0.02) | | | | 1 (0.00) |
| RESTAMIN | | | 1 (0.00) | | 1 (0.00) |
| RESTASIS | | | 1 (0.00) | | 1 (0.00) |
| RESTORIL | | 11 (0.06) | 9 (0.03) | 4 (0.05) | 24 (0.04) |
| RESTYLANE (HYALURONIC | | 1 (0.01) | | | 1 (0.00) |
| RETAFYLLIN | | | 1 (0.00) | | 1 (0.00) |
| RETAPLASE (RETAPLASE) | | | 1 (0.00) | | 1 (0.00) |
| RETEPLASE | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| RETEPLASE | | | 1 (0.00) | | 1 (0.00) |
| RETEPLASE (RETEPLASE) | | 14 (0.08) | 35 (0.12) | | 49 (0.08) |
| RETEVASE | | | 4 (0.01) | | 4 (0.01) |
| RETIN-A | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| RETROVIR | 4 (0.07) | 18 (0.11) | 2 (0.01) | | 24 (0.04) |
| REVATIO | 3 (0.05) | | | 2 (0.03) | 5 (0.01) |
| REVIA | | 1 (0.01) | | | 1 (0.00) |
| REVLIMID | | | 39 (0.13) | 29 (0.37) | 68 (0.11) |
| REVOXYL TABLET | | | | 1 (0.01) | 1 (0.00) |
| REXALL TRANSDERMAL NIC | | 1 (0.01) | | | 1 (0.00) |
| REYATAC (ATAZANAVIR SU | | 1 (0.01) | | | 1 (0.00) |
| REYATAZ | 3 (0.05) | 17 (0.10) | 7 (0.02) | | 27 (0.04) |
| RHEUMATREX | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| RHEUMATREX 9METHOTREXA | | | | 1 (0.01) | 1 (0.00) |
| RHINADVIL (IBUPROFEN/P | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| RHINOCORT | 1 (0.02) | 2 (0.01) | 5 (0.02) | | 8 (0.01) |
| RHINOLAST | | | 3 (0.01) | | 3 (0.00) |
| RHOPHYLAC (ANTI-D IMMU | 1 (0.02) | | | | 1 (0.00) |
| RIBASPHERE | | 9 (0.05) | 4 (0.01) | | 13 (0.02) |
| RIBASPHERE/RIBAVIRIN/T | | 1 (0.01) | | | 1 (0.00) |
| RIBAVIRIN | 1 (0.02) | 12 (0.07) | 11 (0.04) | | 24 (0.04) |
| RIBAVIRIN (NGX) (RIBAV | | | 1 (0.00) | | 1 (0.00) |
| RIBOFLAVINE 400 | | 1 (0.01) | | | 1 (0.00) |
| RID MOUSSE | 1 (0.02) | | | | 1 (0.00) |
| RID SHAMPOO + CONDITIO | 1 (0.02) | | | | 1 (0.00) |
| RIFABUTIN (RIFABUTIN) | | | 1 (0.00) | | 1 (0.00) |
| RIFADIN | | 2 (0.01) | 8 (0.03) | 1 (0.01) | 11 (0.02) |
| RIFADIN (RIFAMPICIN) P | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| RIFAMPICIN | 3 (0.05) | 6 (0.04) | 3 (0.01) | 2 (0.03) | 14 (0.02) |
| RIFAMPIN | | | 2 (0.01) | | 2 (0.00) |
| RIFAMPIN AND ISONIAZID | 2 (0.03) | 1 (0.01) | 1 (0.00) | | 4 (0.01) |
| RIFATER | | 2 (0.01) | | | 2 (0.00) |
| RIFINAH | | | 2 (0.01) | | 2 (0.00) |
| RILMENIDINE PHOSPHATE | | 2 (0.01) | | | 2 (0.00) |
| RILUTEK | 2 (0.03) | | 5 (0.02) | 1 (0.01) | 8 (0.01) |
| RILUZOLE | | | 1 (0.00) | | 1 (0.00) |
| RIMACTANE | | | | 2 (0.03) | 2 (0.00) |
| RIMATIL | | | | 1 (0.01) | 1 (0.00) |
| RIMIFON | | 1 (0.01) | | | 1 (0.00) |
| RINDERON | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| RINGER SOLUTION | | | 1 (0.00) | | 1 (0.00) |
| RINGER'S | | | 2 (0.01) | | 2 (0.00) |
| RISEDRONATE (RISEDRONA | | | 1 (0.00) | | 1 (0.00) |
| RISEDRONATE MONOSODIQU | | 2 (0.01) | | | 2 (0.00) |
| RISEDRONATE SODIUM | 1 (0.02) | 2 (0.01) | 6 (0.02) | | 9 (0.01) |
| RISEDRONIC ACID | | | | 1 (0.01) | 1 (0.00) |
| RISORDAN | | | 1 (0.00) | | 1 (0.00) |
| RISPERDAL | 38 (0.64) | 50 (0.29) | 34 (0.11) | 11 (0.14) | 133 (0.22) |
| RISPERDAL | | 1 (0.01) | | | 1 (0.00) |
| RISPERDAL /SWE/ (RI | | 1 (0.01) | | | 1 (0.00) |
| RISPERDAL /SWE/ (RISP | | 1 (0.01) | | | 1 (0.00) |
| RISPERDAL /SWE/ (RISPE | | | 2 (0.01) | | 2 (0.00) |
| RISPERDAL /SWE/ (RISPE | | | 1 (0.00) | | 1 (0.00) |
| RISPERDAL /SWE/(RISPER | | 1 (0.01) | | | 1 (0.00) |
| RISPERDAL /SWE/RISPERI | | | 1 (0.00) | | 1 (0.00) |
| RISPERDAL CONSTA | 3 (0.05) | 23 (0.13) | 3 (0.01) | 1 (0.01) | 30 (0.05) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| RISPERDAL CONSTA (RISP | | 1 (0.01) | | | 1 (0.00) |
| RISPERDAL CONSTA (RISP | | 1 (0.01) | | | 1 (0.00) |
| RISPERDAL CONSTA 9RISP | | | 1 (0.00) | | 1 (0.00) |
| RISPERDAL/SWE/(RISPERI | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| RISPERIDONE | 13 (0.22) | 18 (0.11) | 14 (0.05) | | 45 (0.07) |
| RITALIN | 34 (0.58) | 9 (0.05) | 13 (0.04) | | 56 (0.09) |
| RITALIN LA | 7 (0.12) | 1 (0.01) | | | 8 (0.01) |
| RITONAVIR | 1 (0.02) | 14 (0.08) | 3 (0.01) | 1 (0.01) | 19 (0.03) |
| RITONAVIR SOFT GELATIN | | | 2 (0.01) | | 2 (0.00) |
| RITUXAN | 4 (0.07) | 8 (0.05) | 15 (0.05) | 7 (0.09) | 34 (0.06) |
| RITUXAN (RITUXIMAB) CO | | | 1 (0.00) | | 1 (0.00) |
| RITUXAN (RITUXIMAB) CO | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| RITUXIMAB | | 7 (0.04) | 10 (0.03) | 4 (0.05) | 21 (0.03) |
| RITUXIMAB (RITUXIMAB) | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| RITUXIMAB 375 MG/M2 | | | | 1 (0.01) | 1 (0.00) |
| RITUXIMAB OR PLACEBO (| 1 (0.02) | | | | 1 (0.00) |
| RITUXIMAB OR PLACEBO (| | 1 (0.01) | | | 1 (0.00) |
| RITUXIMIAB | | | 1 (0.00) | | 1 (0.00) |
| RIVASTIGMINE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| RIVOTRIL | 4 (0.07) | 2 (0.01) | 11 (0.04) | 1 (0.01) | 18 (0.03) |
| RIZABEN | 1 (0.02) | | | | 1 (0.00) |
| RIZE | 1 (0.02) | | | 3 (0.04) | 4 (0.01) |
| RIZEN | | | 2 (0.01) | | 2 (0.00) |
| ROACCUTAN | 15 (0.25) | 2 (0.01) | | | 17 (0.03) |
| ROACCUTANE | 28 (0.47) | 12 (0.07) | 2 (0.01) | | 42 (0.07) |
| ROACCUTANE ROCH | | 1 (0.01) | | | 1 (0.00) |
| ROACCUTANE GEL | | 1 (0.01) | | | 1 (0.00) |
| ROACUTAN | 7 (0.12) | 3 (0.02) | | | 10 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ROBAXIN | 1 (0.02) | 1 (0.01) | 5 (0.02) | | 7 (0.01) |
| ROBITUSSIN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ROBITUSSIN-DM | | 3 (0.02) | | | 3 (0.00) |
| ROCEPHIN | 10 (0.17) | 8 (0.05) | 17 (0.06) | 9 (0.12) | 44 (0.07) |
| ROCEPHINE (CEFTRIAXONE | 1 (0.02) | | | | 1 (0.00) |
| RODOGYL | | | 1 (0.00) | | 1 (0.00) |
| ROFECOXIB | | 1 (0.01) | 3 (0.01) | 2 (0.03) | 6 (0.01) |
| ROFERON-A | | 4 (0.02) | 1 (0.00) | | 5 (0.01) |
| ROGAINE | 3 (0.05) | 4 (0.02) | 4 (0.01) | | 11 (0.02) |
| ROGAINE 5 | 1 (0.02) | | | | 1 (0.00) |
| ROHYPNOL | 1 (0.02) | 1 (0.01) | | 1 (0.01) | 3 (0.00) |
| ROHYPNOL (FLUNITRAZEPA | | 1 (0.01) | | | 1 (0.00) |
| ROHYPNOL /NET/ (FLUNIT | | 2 (0.01) | | | 2 (0.00) |
| ROLAIDS (MAGNESIUM HYD | | 1 (0.01) | | | 1 (0.00) |
| ROLAIDS EXTRA STRENGTH | | | 1 (0.00) | | 1 (0.00) |
| ROPINIROLE | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| ROPINIROLE HYDROCHLORI | | | | 1 (0.01) | 1 (0.00) |
| ROSAC CREAM 10% / 5% S | | | 1 (0.00) | | 1 (0.00) |
| ROSIGLITAZONE | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| ROSIGLITAZONE MALEATE | | 1 (0.01) | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| ROSUVASTATIN | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| ROSUVASTATIN 10MG ASTR | | | 1 (0.00) | | 1 (0.00) |
| ROSUVASTATIN CALCIUM | | 1 (0.01) | | | 1 (0.00) |
| ROVALCYTE | | | 1 (0.00) | | 1 (0.00) |
| ROVAMYCINE | | | 3 (0.01) | | 3 (0.00) |
| ROXATIDINE ACETATE HCL | | | 1 (0.00) | | 1 (0.00) |
| ROXICET | | | | 1 (0.01) | 1 (0.00) |
| ROXICODONE | | 3 (0.02) | | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ROZEREM | 3 (0.05) | 6 (0.04) | 16 (0.05) | 2 (0.03) | 27 (0.04) |
| RUBINTUSSIN CF? | | | 1 (0.00) | | 1 (0.00) |
| RUBOZINC | | | 1 (0.00) | | 1 (0.00) |
| RULID | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| RYTHMODAN | | | | 1 (0.01) | 1 (0.00) |
| RYTHMOL | 1 (0.02) | | 8 (0.03) | 4 (0.05) | 13 (0.02) |
| RYTMONORM (PROPAFENONE | | | 1 (0.00) | | 1 (0.00) |
| SABRILEX | 1 (0.02) | | | | 1 (0.00) |
| SAIZEN | 2 (0.03) | | | | 2 (0.00) |
| SALAZOPYRIN | | | 3 (0.01) | | 3 (0.00) |
| SALBUTAMOL | 3 (0.05) | 3 (0.02) | 7 (0.02) | 5 (0.06) | 18 (0.03) |
| SALBUTAMOL | 1 (0.02) | | | | 1 (0.00) |
| SALBUTAMOL (SALBUTAMOL | 10 (0.17) | | 1 (0.00) | | 11 (0.02) |
| SALBUTAMOL SULFATE | | | 1 (0.00) | | 1 (0.00) |
| SALBUTAMOL SULPHATE | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| SALIGREN | | | 1 (0.00) | | 1 (0.00) |
| SALINE MIXTURE (AMMONI | 1 (0.02) | | | | 1 (0.00) |
| SALMETEROL | | | 4 (0.01) | | 4 (0.01) |
| SALMETEROL DISKUS (GLA | | | 1 (0.00) | | 1 (0.00) |
| SALMETEROL XINAFOATE | | | 1 (0.00) | | 1 (0.00) |
| SALMETEROL XINAFOATE A | | | 1 (0.00) | | 1 (0.00) |
| SALMETEROL/FLUTICASONE | | | | 1 (0.01) | 1 (0.00) |
| SALSALATE 500MG | | | 1 (0.00) | | 1 (0.00) |
| SAMARIUM [153 SM] LEXI | | 1 (0.01) | | | 1 (0.00) |
| SANCTURA | 1 (0.02) | | | 6 (0.08) | 7 (0.01) |
| SANCTURA (TROSPIUM CHL | | | | 1 (0.01) | 1 (0.00) |
| SANDIMMUNE | 4 (0.07) | 4 (0.02) | 8 (0.03) | | 16 (0.03) |
| SANDOGLOBULIN | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SANDOGLOBULIN 6G (IMMU | 1 (0.02) | | | | 1 (0.00) |
| SANDOSTATIN | 1 (0.02) | 1 (0.01) | 10 (0.03) | | 12 (0.02) |
| SANDOSTATIN LAR | | 2 (0.01) | 10 (0.03) | 2 (0.03) | 14 (0.02) |
| SANDOSTATIN LAR DEPOT(| | | 1 (0.00) | | 1 (0.00) |
| SANMIGRAN | | 1 (0.01) | | | 1 (0.00) |
| SANSERT | | 1 (0.01) | | | 1 (0.00) |
| SAQUINAVIR | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SARAFEN INCORRECT PROD | | | 1 (0.00) | | 1 (0.00) |
| SARGENTI RC -2B | | 1 (0.01) | | | 1 (0.00) |
| SARGRAMOSTIN IV | | | 1 (0.00) | | 1 (0.00) |
| SAROTEX | | | 1 (0.00) | | 1 (0.00) |
| SAVARINE | 1 (0.02) | | | | 1 (0.00) |
| SAW PALMETTO | | | 2 (0.01) | | 2 (0.00) |
| SAWACILLIN | 9 (0.15) | 3 (0.02) | 2 (0.01) | | 14 (0.02) |
| SAXIZON | | | 1 (0.00) | | 1 (0.00) |
| SB-743921 INJECTION | | | 1 (0.00) | | 1 (0.00) |
| SCOPOLAMINE AMINOXIDE | | 1 (0.01) | | | 1 (0.00) |
| SEASONABLE (LEVONORGES | 1 (0.02) | | | | 1 (0.00) |
| SEASONALE | | 4 (0.02) | 1 (0.00) | | 5 (0.01) |
| SECOTEX (TAMSULOSIN HY | | | 2 (0.01) | | 2 (0.00) |
| SECOTEX CAPSULES | | | | 1 (0.01) | 1 (0.00) |
| SECOTEX CAPSULES 0.4MG | | | 6 (0.02) | 2 (0.03) | 8 (0.01) |
| SECTRAL | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| SEDIEL | | 2 (0.01) | | | 2 (0.00) |
| SEGURIL | | | | 3 (0.04) | 3 (0.00) |
| SEIZURE MEDICATION | | | 1 (0.00) | | 1 (0.00) |
| SEIZURE MEDICATIONS | 1 (0.02) | | | | 1 (0.00) |
| SELBEX | | 2 (0.01) | 3 (0.01) | 7 (0.09) | 12 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SELBEX (TEPRENONE) | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| SELEGILINE HCL | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| SELENE | | 1 (0.01) | | | 1 (0.00) |
| SELENIUM SULFIDE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| SELEPARINA | | | 1 (0.00) | | 1 (0.00) |
| SELOKEEN | | | 2 (0.01) | | 2 (0.00) |
| SELOKEN | | | 7 (0.02) | 3 (0.04) | 10 (0.02) |
| SELOKEN ZOC (METOPROLO | | | | 1 (0.01) | 1 (0.00) |
| SEMISODIUM VALPROATE | | 1 (0.01) | | | 1 (0.00) |
| SENNA | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| SENNA FRUIT | | 2 (0.01) | | | 2 (0.00) |
| SENNA S | | | 1 (0.00) | | 1 (0.00) |
| SENNOSIDE | | | 2 (0.01) | | 2 (0.00) |
| SENOKOT | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| SENOKOT-S TABLETS | | 1 (0.01) | | | 1 (0.00) |
| SENSIBIT | 1 (0.02) | | | | 1 (0.00) |
| SENSIPAR | | 1 (0.01) | | 2 (0.03) | 3 (0.00) |
| SENSODYNE EXTRA WHITEN | | | 1 (0.00) | | 1 (0.00) |
| SENSODYNE F TOOTHPASTE | | | 1 (0.00) | | 1 (0.00) |
| SEPAZON | | 1 (0.01) | | | 1 (0.00) |
| SEPTOCAINE | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| SEPTRA | 4 (0.07) | 11 (0.06) | 2 (0.01) | | 17 (0.03) |
| SEPTRA DS | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| SEPTRIN | | 1 (0.01) | | | 1 (0.00) |
| SERAX | | 2 (0.01) | | | 2 (0.00) |
| SERENASE | | | 2 (0.01) | | 2 (0.00) |
| SERESTA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SERETIDE | 7 (0.12) | 3 (0.02) | 9 (0.03) | 2 (0.03) | 21 (0.03) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SERETIDE (FLUTICASONE/ | | 1 (0.01) | | | 1 (0.00) |
| SERETIDE (SALMETEROL/F | | 1 (0.01) | | | 1 (0.00) |
| SERETIDE AEROSOL | | | | 1 (0.01) | 1 (0.00) |
| SERETIDE DISKUS | 1 (0.02) | 3 (0.02) | 1 (0.00) | | 5 (0.01) |
| SEREVENT | 4 (0.07) | 2 (0.01) | 8 (0.03) | 1 (0.01) | 15 (0.02) |
| SERMION | | | 3 (0.01) | 4 (0.05) | 7 (0.01) |
| SERMION (NICERGOLINE) | | | | 2 (0.03) | 2 (0.00) |
| SEROPHENE | | 1 (0.01) | | | 1 (0.00) |
| SEROPLEX (ESCITALOPRAM | | 3 (0.02) | | | 3 (0.00) |
| SEROPRAM | | 1 (0.01) | | | 1 (0.00) |
| SEROPRAM /SCH/ (CITALO | | | 1 (0.00) | | 1 (0.00) |
| SEROPRAM /SCH/(CITALOP | | 1 (0.01) | | | 1 (0.00) |
| SEROQUEL | 42 (0.71) | 96 (0.56) | 37 (0.12) | 13 (0.17) | 188 (0.31) |
| SEROSTIM | 1 (0.02) | | | | 1 (0.00) |
| SEROXAT | 4 (0.07) | 4 (0.02) | 5 (0.02) | 2 (0.03) | 15 (0.02) |
| SEROXATE | | | 1 (0.00) | | 1 (0.00) |
| SERTRALINE | 4 (0.07) | 11 (0.06) | 14 (0.05) | 3 (0.04) | 32 (0.05) |
| SERTRALINE HCL | | 3 (0.02) | 3 (0.01) | 2 (0.03) | 8 (0.01) |
| SERTRALINE HYDROCHLORI | 1 (0.02) | 4 (0.02) | 2 (0.01) | | 7 (0.01) |
| SERZONE | 1 (0.02) | 18 (0.11) | 27 (0.09) | 1 (0.01) | 47 (0.08) |
| SEVEN EP | | | | 2 (0.03) | 2 (0.00) |
| SEVEN EP (ENZYMES NOS) | | | 1 (0.00) | | 1 (0.00) |
| SEVERAL CARDIAC DRUGS | | | 1 (0.00) | | 1 (0.00) |
| SEVOFLURANE | 1 (0.02) | 2 (0.01) | 3 (0.01) | | 6 (0.01) |
| SEVREDOL | | 1 (0.01) | | | 1 (0.00) |
| SEVREDOL TABLETS 20 MG | | | | 1 (0.01) | 1 (0.00) |
| SHA-KU-YA-KU-KANN-ZO-U | | | 1 (0.00) | | 1 (0.00) |
| SIBUTRAMINA 15MG BERAN | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SIFROL | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| SIGMART | | | 2 (0.01) | | 2 (0.00) |
| SILDENAFIL | 1 (0.02) | 1 (0.01) | 4 (0.01) | 6 (0.08) | 12 (0.02) |
| SILDENAFIL 50 MG | | | 1 (0.00) | | 1 (0.00) |
| SILDENAFIL CITRATE | 2 (0.03) | 4 (0.02) | 12 (0.04) | | 18 (0.03) |
| SILECE | | | 2 (0.01) | | 2 (0.00) |
| SILVADENE CREAM 1% | 1 (0.02) | | | | 1 (0.00) |
| SILVER GENERATOR | | | | 1 (0.01) | 1 (0.00) |
| SIMPLY SLEEP TYLENOL | | 1 (0.01) | | | 1 (0.00) |
| SIMULECT | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| SIMVASTATIN | 1 (0.02) | 13 (0.08) | 46 (0.15) | 18 (0.23) | 78 (0.13) |
| SIMVASTATIN (SIMVASTAT | | | 1 (0.00) | | 1 (0.00) |
| SINEMET | | 4 (0.02) | 36 (0.12) | 23 (0.30) | 63 (0.10) |
| SINEMET | | | | 1 (0.01) | 1 (0.00) |
| SINEMET 50/200 CARBIDO | | | 1 (0.00) | | 1 (0.00) |
| SINEMET CR | | | 2 (0.01) | 4 (0.05) | 6 (0.01) |
| SINEQUAN | | 5 (0.03) | 2 (0.01) | | 7 (0.01) |
| SINGULAIR | 28 (0.47) | 23 (0.13) | 22 (0.07) | 1 (0.01) | 74 (0.12) |
| SINGULAIR (MONTELIKAST | | 1 (0.01) | | | 1 (0.00) |
| SINTROM | | | 9 (0.03) | 3 (0.04) | 12 (0.02) |
| SINUPRET FORTE | | | 1 (0.00) | | 1 (0.00) |
| SINUS MEDICATION | | 1 (0.01) | | | 1 (0.00) |
| SINUTAB REGULAR STRENG | | | 1 (0.00) | | 1 (0.00) |
| SINUTAB SINUS EXTRA S | | 1 (0.01) | | | 1 (0.00) |
| SIRDALUD | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| SIROLIMUS (SIROLIMUS, | | 1 (0.01) | | | 1 (0.00) |
| SKELAXIN | | 10 (0.06) | 12 (0.04) | 7 (0.09) | 29 (0.05) |
| SKENAN | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SLEEP AID | 1 (0.02) | | | | 1 (0.00) |
| SLEEPING PILL | | | 1 (0.00) | | 1 (0.00) |
| SLEEPING PILL NOS | | 1 (0.01) | | | 1 (0.00) |
| SLEEPING PILLS | | 1 (0.01) | | | 1 (0.00) |
| SLOW-K | | | 1 (0.00) | | 1 (0.00) |
| SLOZEM (DILTIAZEM HYDR | | | | 1 (0.01) | 1 (0.00) |
| SOBREROL | | 1 (0.01) | | | 1 (0.00) |
| SOBRIL | | 1 (0.01) | | | 1 (0.00) |
| SODIUM BICARBONATE | 1 (0.02) | 2 (0.01) | 1 (0.00) | 2 (0.03) | 6 (0.01) |
| SODIUM BICARBONATE IN | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| SODIUM CHLORIDE | 1 (0.02) | | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| SODIUM CHLORIDE 0.9% | 2 (0.03) | | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| SODIUM CHROMOGLYCATE | | 1 (0.01) | | | 1 (0.00) |
| SODIUM FERROUS CITRATE | | 1 (0.01) | | | 1 (0.00) |
| SODIUM RISEDRONATE | | | 1 (0.00) | | 1 (0.00) |
| SOFRASOLONE (PREDNISOL | | | | 1 (0.01) | 1 (0.00) |
| SOL-MEDROL | | | | 1 (0.01) | 1 (0.00) |
| SOLANAX | | 5 (0.03) | | | 5 (0.01) |
| SOLDACTONE | | | | 1 (0.01) | 1 (0.00) |
| SOLDEM 3A | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SOLDESAM | | | 1 (0.00) | | 1 (0.00) |
| SOLIAN | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| SOLITA-T | | | 1 (0.00) | | 1 (0.00) |
| SOLITAR T3 | 1 (0.02) | | | | 1 (0.00) |
| SOLON | | | | 2 (0.03) | 2 (0.00) |
| SOLON (SOFALCONE) | | | | 1 (0.01) | 1 (0.00) |
| SOLU-CORTEF | 1 (0.02) | 3 (0.02) | 3 (0.01) | 1 (0.01) | 8 (0.01) |
| SOLU-DECORTIN-H (PREDN | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SOLU-MEDROL | 6 (0.10) | 12 (0.07) | 29 (0.10) | 4 (0.05) | 51 (0.08) |
| SOLULACT | | 2 (0.01) | | | 2 (0.00) |
| SOLUMEDROL - UPJOHN | | | 1 (0.00) | | 1 (0.00) |
| SOLUPRED | 2 (0.03) | 1 (0.01) | 5 (0.02) | | 8 (0.01) |
| SOMA | | 18 (0.11) | 10 (0.03) | | 28 (0.05) |
| SOMA COMPOUND W/ CODEI | | | 1 (0.00) | | 1 (0.00) |
| SOMAC | | | 1 (0.00) | | 1 (0.00) |
| SOMATROPIN (SOMATROPIN | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| SOMATROPIN (SOMATROPIN | 10 (0.17) | 14 (0.08) | 5 (0.02) | | 29 (0.05) |
| SOMATROPIN (SOMATROPIN | 3 (0.05) | | | | 3 (0.00) |
| SOMATROPIN(SOMATROPIN | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| SOMATROPIN(SOMATROPIN) | 1 (0.02) | | | | 1 (0.00) |
| SOMAVERT | | 5 (0.03) | 2 (0.01) | | 7 (0.01) |
| SOMINEX MAXIMUM STRENG | | 1 (0.01) | | | 1 (0.00) |
| SONATA | 2 (0.03) | 2 (0.01) | 3 (0.01) | | 7 (0.01) |
| SORAFENIB | | 3 (0.02) | 15 (0.05) | | 18 (0.03) |
| SORIATANE | 2 (0.03) | 3 (0.02) | 3 (0.01) | | 8 (0.01) |
| SORTIS | | | 3 (0.01) | | 3 (0.00) |
| SORTIS (ATORVASTATIN) | | | 2 (0.01) | | 2 (0.00) |
| SOTALOL HCL | 1 (0.02) | | 14 (0.05) | 6 (0.08) | 21 (0.03) |
| SOTALOL HYDROCHLORIDE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| SOTOLOL 120 MG | | | 1 (0.00) | | 1 (0.00) |
| SOTRET | 2 (0.03) | | | | 2 (0.00) |
| SPASFON | | 2 (0.01) | | | 2 (0.00) |
| SPECIAFOLDINE | 1 (0.02) | 6 (0.04) | 3 (0.01) | | 10 (0.02) |
| SPIRICORT | | | | 1 (0.01) | 1 (0.00) |
| SPIRIVA | | 4 (0.02) | 52 (0.17) | 18 (0.23) | 74 (0.12) |
| SPIRONOLACTONE | 6 (0.10) | 9 (0.05) | 20 (0.07) | 11 (0.14) | 46 (0.08) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SPIRONOLACTONE ALTIZID | | | 1 (0.00) | | 1 (0.00) |
| SPIROPENT | | | 2 (0.01) | | 2 (0.00) |
| SPORANOX | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| SPP100 +/- AMLDPINE VS | | | 1 (0.00) | | 1 (0.00) |
| SSRI | | | 1 (0.00) | | 1 (0.00) |
| ST JOHN'S WORT | | | 1 (0.00) | | 1 (0.00) |
| ST JOHNS WORT | | | 1 (0.00) | | 1 (0.00) |
| ST. JOSEPH ADULT CHEWA | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| STACKER 2 | | | 1 (0.00) | | 1 (0.00) |
| STADOL | 3 (0.05) | 20 (0.12) | 1 (0.00) | | 24 (0.04) |
| STALEVO (CARBIDOPA, EN | | | 1 (0.00) | | 1 (0.00) |
| STALEVO (CARBIDOPA, EN | | 1 (0.01) | | | 1 (0.00) |
| STALEVO 100 | | | 9 (0.03) | 1 (0.01) | 10 (0.02) |
| STALEVO 150 | | | 1 (0.00) | | 1 (0.00) |
| STANBACK | | | 1 (0.00) | | 1 (0.00) |
| STANGYL | | | | 1 (0.01) | 1 (0.00) |
| STARLIX | | 2 (0.01) | 13 (0.04) | 3 (0.04) | 18 (0.03) |
| STARSIS | | | 4 (0.01) | | 4 (0.01) |
| STATIN (UNSPECIFIED) | | | 1 (0.00) | | 1 (0.00) |
| STAVUDINE | 4 (0.07) | 7 (0.04) | 5 (0.02) | | 16 (0.03) |
| STELAZINE | | | 1 (0.00) | | 1 (0.00) |
| STEROID | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| STEROID (STEROID NOS) | | 1 (0.01) | | | 1 (0.00) |
| STEROID BLOCK CERVICAL | | | 1 (0.00) | | 1 (0.00) |
| STEROID NOS (STEROID N | | | 1 (0.00) | | 1 (0.00) |
| STEROIDS | 3 (0.05) | 2 (0.01) | 4 (0.01) | | 9 (0.01) |
| STEROIDS (CORTICOSTERO | | 1 (0.01) | | | 1 (0.00) |
| STEROIDS (STEROID NOS) | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| STEROIDS (UNK INGREDIE | | 1 (0.01) | | | 1 (0.00) |
| STEROIDS NOS | 6 (0.10) | 10 (0.06) | 4 (0.01) | | 20 (0.03) |
| STI 571 VS IFN-ALPHA + | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| STILNOCT | | | | 1 (0.01) | 1 (0.00) |
| STILNOCT | | | 1 (0.00) | | 1 (0.00) |
| STILNOCT (ZOLPIDEM TAR | | | 1 (0.00) | | 1 (0.00) |
| STILNOX | 1 (0.02) | 6 (0.04) | 1 (0.00) | 3 (0.04) | 11 (0.02) |
| STILNOX (ZOLPIDEM) | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| STILNOX /FRA/ (ZOLPIDE | 1 (0.02) | | | | 1 (0.00) |
| STIMATE | | 1 (0.01) | | | 1 (0.00) |
| STOCRIN | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| STOOL SOFTENER (DOCUSA | | | 1 (0.00) | | 1 (0.00) |
| STRATTERA | 109 (1.84) | 20 (0.12) | 7 (0.02) | | 136 (0.22) |
| STRATTERA (ATOMOXETINE | | 1 (0.01) | | | 1 (0.00) |
| STREPTASE | | | 1 (0.00) | | 1 (0.00) |
| STREPTOMYCIN | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| STREPTOMYCIN (STREPTOM | | 1 (0.01) | | | 1 (0.00) |
| STROMECTOL | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| STUDY MEDICATION NOT G | | | 1 (0.00) | | 1 (0.00) |
| SU 11248 | | | 1 (0.00) | | 1 (0.00) |
| SU-011,248 | | | 2 (0.01) | | 2 (0.00) |
| SU-011,248 (SUNITINIB | | 1 (0.01) | | | 1 (0.00) |
| SUBOXONE | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| SUBSTITOL RETARD KAPSE | 1 (0.02) | | | | 1 (0.00) |
| SUBUTEX | | 1 (0.01) | | | 1 (0.00) |
| SUCCINYLCHOLINE CHLORI | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| SUCRALFATE | | 2 (0.01) | 11 (0.04) | 1 (0.01) | 14 (0.02) |
| SUDAFED (PSEUDOEPHEDRI | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SUDAFED (SHOWER SOOTHE | | | 1 (0.00) | | 1 (0.00) |
| SUDAFED 12 HOUR | 4 (0.07) | 4 (0.02) | 2 (0.01) | | 10 (0.02) |
| SUDAFED COLD + SINUS (| | 1 (0.01) | | | 1 (0.00) |
| SUDAFED COLD + SINUS (| 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| SUDAFED PE (PHENYLEPHR | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| SUDAFED PE SINUS HEADA | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| SUDAFED PFIZER | 1 (0.02) | | | | 1 (0.00) |
| SUDAFED PLUS (PSEUDOEP | | 2 (0.01) | | | 2 (0.00) |
| SUDAFED SEVERE COLD CA | | 1 (0.01) | | | 1 (0.00) |
| SUFENTA | | 2 (0.01) | | | 2 (0.00) |
| SUFENTANIL CITRATE | | | 1 (0.00) | | 1 (0.00) |
| SULFACET-R | | | 2 (0.01) | | 2 (0.00) |
| SULFADIAZINE | | 1 (0.01) | | | 1 (0.00) |
| SULFAMETHOXAZOLE | | | 1 (0.00) | | 1 (0.00) |
| SULFAMETHOXAZOLE + TRI | 1 (0.02) | 6 (0.04) | 4 (0.01) | 2 (0.03) | 13 (0.02) |
| SULFAMETHOXAZOLE AND T | | | 1 (0.00) | | 1 (0.00) |
| SULFAMETHOXAZOLE W/TRI | | | 1 (0.00) | | 1 (0.00) |
| SULFASALAZINE | 1 (0.02) | 11 (0.06) | 12 (0.04) | 1 (0.01) | 25 (0.04) |
| SULFASALAZINE (WATSON | 1 (0.02) | | | | 1 (0.00) |
| SULFUR (HOMEOPATHIC) | | 1 (0.01) | | | 1 (0.00) |
| SULPERAZON (SULBACTAM, | 3 (0.05) | 1 (0.01) | 1 (0.00) | 2 (0.03) | 7 (0.01) |
| SULPERAZONE (CEFOPERAZ | | | 1 (0.00) | | 1 (0.00) |
| SULPIRIDE | | | 4 (0.01) | | 4 (0.01) |
| SULTANOL | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| SUMATRIPTAN SUCCINATE | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| SUN BATH PROTECTIVE TA | | | 1 (0.00) | | 1 (0.00) |
| SUNRYTHM | | | | 3 (0.04) | 3 (0.00) |
| SUPPLEMENTS | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SUPPOSITORY | 2 (0.03) | | | | 2 (0.00) |
| SUPRAX | | 1 (0.01) | | | 1 (0.00) |
| SURBRONC | | | 1 (0.00) | | 1 (0.00) |
| SURGILUBE DK FOUGE | | 1 (0.01) | | | 1 (0.00) |
| SURMONTIL | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| SUSTIVA | 5 (0.08) | 16 (0.09) | 7 (0.02) | | 28 (0.05) |
| SUTENT | | 6 (0.04) | 35 (0.12) | 8 (0.10) | 49 (0.08) |
| SUXAMETHONIUM CHLORIDE | | | 1 (0.00) | | 1 (0.00) |
| SUXINUTIN | 1 (0.02) | | | | 1 (0.00) |
| SYMBICORT | 1 (0.02) | | 7 (0.02) | 2 (0.03) | 10 (0.02) |
| SYMBICORT (SYMBICORT) | | | 1 (0.00) | | 1 (0.00) |
| SYMBICORT TURBUHALER ^ | | | | 1 (0.01) | 1 (0.00) |
| SYMBYAX | 1 (0.02) | 3 (0.02) | | 2 (0.03) | 6 (0.01) |
| SYMBYAX (OLANZAPINE AN | | 1 (0.01) | | | 1 (0.00) |
| SYMLIN | | 1 (0.01) | | | 1 (0.00) |
| SYMMETREL | 2 (0.03) | 1 (0.01) | 2 (0.01) | 6 (0.08) | 11 (0.02) |
| SYNAGIS | 31 (0.52) | | | | 31 (0.05) |
| SYNAGIS (LIQUID) (PALI | 1 (0.02) | | | | 1 (0.00) |
| SYNAGIS (PALIVIZUMAB) | 3 (0.05) | | | | 3 (0.00) |
| SYNTHROID | 18 (0.30) | 102 (0.60) | 229 (0.76) | 56 (0.72) | 405 (0.66) |
| SYNTHROID (LEVOTHYROXI | | | 1 (0.00) | | 1 (0.00) |
| SYNTOCINON | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| TAC 3 | 1 (0.02) | | | | 1 (0.00) |
| TACHIPIRINA (PARACETAM | | 1 (0.01) | | | 1 (0.00) |
| TACLONEX (CALCIPOTRIEN | | 1 (0.01) | | | 1 (0.00) |
| TACROLIMUS | | 4 (0.02) | 4 (0.01) | | 8 (0.01) |
| TACROLIMUS (TACROLIMUS | 1 (0.02) | | | | 1 (0.00) |
| TACROLIMUS, CONTROL FO | | | 3 (0.01) | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TADALAFIL | | | 1 (0.00) | | 1 (0.00) |
| TADALAFIL (TADALAFIL) | | 2 (0.01) | | | 2 (0.00) |
| TADALAFIL (TADALAFIL)T | | 1 (0.01) | | | 1 (0.00) |
| TAGAMET | | 1 (0.01) | 13 (0.04) | 1 (0.01) | 15 (0.02) |
| TAGONIS | | | 1 (0.00) | | 1 (0.00) |
| TAHOR | | | 5 (0.02) | | 5 (0.01) |
| TAHOR (ATORVASTATIN) | 2 (0.03) | 2 (0.01) | 2 (0.01) | 1 (0.01) | 7 (0.01) |
| TAKEPRON | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| TAKEPRON OD TABLETS 15 | | | 1 (0.00) | | 1 (0.00) |
| TALION | | | | 3 (0.04) | 3 (0.00) |
| TALIPEXOLE HYDROCHLORI | | | | 1 (0.01) | 1 (0.00) |
| TALWIN | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| TAMBOCOR | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| TAMIFLU | 88 (1.49) | 37 (0.22) | 11 (0.04) | 6 (0.08) | 142 (0.23) |
| TAMOXIFEN | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| TAMOXIFEN CITRATE | 2 (0.03) | 15 (0.09) | 29 (0.10) | 4 (0.05) | 50 (0.08) |
| TAMOXIFEN TABLETS | | | 1 (0.00) | | 1 (0.00) |
| TAMOXIFEN TABLETS BP 1 | | | 1 (0.00) | | 1 (0.00) |
| TAMOXIFENO | | | | 1 (0.01) | 1 (0.00) |
| TAMSULOSIN HCL | | | 6 (0.02) | 5 (0.06) | 11 (0.02) |
| TAMSULOSIN HYDROCHLORI | | | 2 (0.01) | | 2 (0.00) |
| TANAKAN | | | 1 (0.00) | | 1 (0.00) |
| TANATRIL | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| TARCEVA | | 9 (0.05) | 80 (0.26) | 37 (0.48) | 126 (0.21) |
| TARCOLIMUS | | | 1 (0.00) | | 1 (0.00) |
| TARDYFERON | | 1 (0.01) | 2 (0.01) | 3 (0.04) | 6 (0.01) |
| TARDYFERON B9 | | 1 (0.01) | | | 1 (0.00) |
| TARDYFERON-FOL (FERROU | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TAREG | | 3 (0.02) | 1 (0.00) | 4 (0.05) | 8 (0.01) |
| TAREG D | | | 1 (0.00) | | 1 (0.00) |
| TARGET NTS 21MG | 1 (0.02) | | | | 1 (0.00) |
| TARGET ORIGINAL 2MG | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| TARGOCID | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| TARGRETIN | | 3 (0.02) | 4 (0.01) | | 7 (0.01) |
| TARIVID OPHTHALMIC | | | 2 (0.01) | | 2 (0.00) |
| TARIVID OTIC SOLUTION | | 1 (0.01) | | | 1 (0.00) |
| TARKA | | 1 (0.01) | 5 (0.02) | 2 (0.03) | 8 (0.01) |
| TATHION (GLUTATHIONE) | | 1 (0.01) | | | 1 (0.00) |
| TAVANIC | | 5 (0.03) | 6 (0.02) | | 11 (0.02) |
| TAVANIC 500 | | 1 (0.01) | | | 1 (0.00) |
| TAVEGYL | 1 (0.02) | | | | 1 (0.00) |
| TAVIST-D | | | 2 (0.01) | | 2 (0.00) |
| TAVONIN | | | | 2 (0.03) | 2 (0.00) |
| TAVOR | 5 (0.08) | 8 (0.05) | 3 (0.01) | | 16 (0.03) |
| TAVOR /0027 | | 1 (0.01) | | | 1 (0.00) |
| TAVOR /00273201/ | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| TAXILAN (PERAZINE) | | | 2 (0.01) | | 2 (0.00) |
| TAXOL | | 28 (0.16) | 62 (0.20) | 16 (0.21) | 106 (0.17) |
| TAXOTERE | 1 (0.02) | 8 (0.05) | 42 (0.14) | 3 (0.04) | 54 (0.09) |
| TAXUS (TAMOXIFEN CITRA | | | 2 (0.01) | | 2 (0.00) |
| TAZOCILLINE | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| TAZOCILLINE (PIPERACIL | | 1 (0.01) | | | 1 (0.00) |
| TAZOCILLINE (PIPERACIL | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| TAZOCIN | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| TAZOCIN (PIPERACILLIN | | | | 2 (0.03) | 2 (0.00) |
| TAZOCIN (PIPERACILLIN/ | 2 (0.03) | | 2 (0.01) | | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TAZONAM (PIPERACILLIN/ | | | 1 (0.00) | | 1 (0.00) |
| TAZTIA XT | | | 1 (0.00) | | 1 (0.00) |
| TECHNETIUM TC-99M PENT | | | 1 (0.00) | | 1 (0.00) |
| TECIPUL | | 1 (0.01) | | | 1 (0.00) |
| TEDIVAX | | | 1 (0.00) | | 1 (0.00) |
| TEETING TABLETS NONE H | 1 (0.02) | | | | 1 (0.00) |
| TEGAFUR/GIMERACIL/OTER | | | 1 (0.00) | | 1 (0.00) |
| TEGASEROD | | 2 (0.01) | | | 2 (0.00) |
| TEGRETOL | 37 (0.63) | 47 (0.28) | 20 (0.07) | 12 (0.15) | 116 (0.19) |
| TEGRETOL - LOW RELEASE | | | 1 (0.00) | | 1 (0.00) |
| TEGRETOL-XR | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| TEICOPLANIN (TEICOPLAN | | 1 (0.01) | | | 1 (0.00) |
| TELGIN G | 1 (0.02) | | | | 1 (0.00) |
| TELITHROMYCIN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| TELITHROMYCIN 400 MG T | | | | 1 (0.01) | 1 (0.00) |
| TELMISARTAN | | | 3 (0.01) | | 3 (0.00) |
| TELMISARTAN (TELMISART | | | 2 (0.01) | | 2 (0.00) |
| TELZIR | | 4 (0.02) | | | 4 (0.01) |
| TEMAZEPAM | | 9 (0.05) | 14 (0.05) | 6 (0.08) | 29 (0.05) |
| TEMERIT | | 1 (0.01) | | | 1 (0.00) |
| TEMESTA | 4 (0.07) | 3 (0.02) | 3 (0.01) | 2 (0.03) | 12 (0.02) |
| TEMGESIC | | | 1 (0.00) | | 1 (0.00) |
| TEMODAL | 3 (0.05) | | 7 (0.02) | | 10 (0.02) |
| TEMODAR | | 3 (0.02) | 4 (0.01) | 1 (0.01) | 8 (0.01) |
| TEMOZOLOMIDE CAPSULE | | 1 (0.01) | | | 1 (0.00) |
| TEMOZOLOMIDE CAPSULES | | 2 (0.01) | | | 2 (0.00) |
| TENECTEPLASE - UNKNOWN | | | 1 (0.00) | | 1 (0.00) |
| TENEX | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TENOFOVIR | | 6 (0.04) | 2 (0.01) | | 8 (0.01) |
| TENOFOVIR DISOPROXIL F | | 1 (0.01) | | | 1 (0.00) |
| TENORDATE | | | 1 (0.00) | | 1 (0.00) |
| TENORETIC 100 | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| TENORMIN | 1 (0.02) | 11 (0.06) | 36 (0.12) | 11 (0.14) | 59 (0.10) |
| TENOX | | | | 1 (0.01) | 1 (0.00) |
| TEPRENONE | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| TEQUIN | 1 (0.02) | 11 (0.06) | 6 (0.02) | 9 (0.12) | 27 (0.04) |
| TERALITHE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| TERAZOSIN | | | 4 (0.01) | 4 (0.05) | 8 (0.01) |
| TERAZOSIN (TERAZOSIN) | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| TERAZOSIN 2 MG (SANDOZ | | | 1 (0.00) | | 1 (0.00) |
| TERAZOSIN 5 MG | | | 1 (0.00) | | 1 (0.00) |
| TERAZOSIN 5 MG CAPSULE | | | 1 (0.00) | | 1 (0.00) |
| TERAZOSIN CAPS 5 MG AP | | | 1 (0.00) | | 1 (0.00) |
| TERAZOSIN HCL | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| TERAZOSIN HYDROCHLORID | | | | 2 (0.03) | 2 (0.00) |
| TERBINAFINE | | | 1 (0.00) | | 1 (0.00) |
| TERBINAFINE HCL | 2 (0.03) | 1 (0.01) | 3 (0.01) | 1 (0.01) | 7 (0.01) |
| TERBUTALINE | | 1 (0.01) | | | 1 (0.00) |
| TERBUTALINE SULFATE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| TERCIAN | 1 (0.02) | | | | 1 (0.00) |
| TERCIAN (CYAMEMAZINE) | | 1 (0.01) | | | 1 (0.00) |
| TERCIAN CYAMEMAZINE | | | 1 (0.00) | | 1 (0.00) |
| TERIPARATIDE (TERIPARA | | | | 1 (0.01) | 1 (0.00) |
| TERLIPRESSIN | | | 1 (0.00) | | 1 (0.00) |
| TERMALGIN | | | | 2 (0.03) | 2 (0.00) |
| TERNELIN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TERRA-CORTRIL POLYMYXI | | | 1 (0.00) | | 1 (0.00) |
| TERSIGAN | | | 1 (0.00) | | 1 (0.00) |
| TESSALON | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| TESTOGEL 25 MG | | | 2 (0.01) | | 2 (0.00) |
| TESTOSTERONE | | 4 (0.02) | 2 (0.01) | | 6 (0.01) |
| TETRACYCLINE | 3 (0.05) | 2 (0.01) | 2 (0.01) | 3 (0.04) | 10 (0.02) |
| TETRAMIDE | | | | 3 (0.04) | 3 (0.00) |
| TEVETEN | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| TEVETEN HCT | | | 1 (0.00) | | 1 (0.00) |
| TEVILOR RETARD (VENLAF | | | 1 (0.00) | | 1 (0.00) |
| THALIDOMID | | | 1 (0.00) | | 1 (0.00) |
| THALIDOMIDE | 2 (0.03) | 1 (0.01) | 22 (0.07) | 1 (0.01) | 26 (0.04) |
| THALIDOMIDE (THALIDOM | | 1 (0.01) | | | 1 (0.00) |
| THALIDOMIDE 100MG | | | | 1 (0.01) | 1 (0.00) |
| THALIDOMIDE (THALIDOMI | | | 2 (0.01) | | 2 (0.00) |
| THALIDOMIDE - PHARMION | | | 2 (0.01) | | 2 (0.00) |
| THALIDOMIDE - PHARMION | | | 1 (0.00) | | 1 (0.00) |
| THALIDOMIDE - PHARMION | | | 1 (0.00) | | 1 (0.00) |
| THALIDOMIDE 200 MG | | | 1 (0.00) | | 1 (0.00) |
| THALOMID | | 10 (0.06) | 56 (0.19) | 29 (0.37) | 95 (0.16) |
| THALOMID 300MG + 50M | 1 (0.02) | | | | 1 (0.00) |
| THEO-24 | | | 1 (0.00) | | 1 (0.00) |
| THEO-DUR | 1 (0.02) | 3 (0.02) | 4 (0.01) | 2 (0.03) | 10 (0.02) |
| THEOCHRON | | | 1 (0.00) | | 1 (0.00) |
| THEOPHYLLINE | 10 (0.17) | 11 (0.06) | 10 (0.03) | 7 (0.09) | 38 (0.06) |
| THERACYS | | | 1 (0.00) | | 1 (0.00) |
| THERAGESIC | | | 1 (0.00) | | 1 (0.00) |
| THERAPEUTIC RADIOPHARM | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| THERAPY UNSPECIFIED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| THIAMINE | | 4 (0.02) | 2 (0.01) | | 6 (0.01) |
| THIAMINE HCL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| THIETHYLPERAZINE MALEA | 1 (0.02) | | | | 1 (0.00) |
| THIOGUANINE | | | 1 (0.00) | | 1 (0.00) |
| THIOLA (TIOPRONIN) (TI | | 1 (0.01) | | | 1 (0.00) |
| THIOPENTAL SODIUM | 1 (0.02) | 4 (0.02) | 2 (0.01) | | 7 (0.01) |
| THIOPETA | 2 (0.03) | | | | 2 (0.00) |
| THIORIDAZINE HCL | | | 3 (0.01) | | 3 (0.00) |
| THIOTEPA | 2 (0.03) | | | | 2 (0.00) |
| THORAZINE | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| THROMBO ASS | | | 2 (0.01) | | 2 (0.00) |
| THYM-UVOCAL | 1 (0.02) | | | | 1 (0.00) |
| THYMOGLOBULIN | 1 (0.02) | 2 (0.01) | 4 (0.01) | | 7 (0.01) |
| THYRADIN | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| THYRADIN S | | | | 1 (0.01) | 1 (0.00) |
| THYRADIN S TABLETS | | | 1 (0.00) | | 1 (0.00) |
| THYRAX | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| THYROGEN | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| THYROID | | | 1 (0.00) | | 1 (0.00) |
| THYROID PILLS | | | 1 (0.00) | | 1 (0.00) |
| THYROID TAB | | 10 (0.06) | 18 (0.06) | 3 (0.04) | 31 (0.05) |
| THYROID TABLETS USP | | | | 2 (0.03) | 2 (0.00) |
| THYROXIN | | | 3 (0.01) | | 3 (0.00) |
| THYROXINE | | 3 (0.02) | 5 (0.02) | | 8 (0.01) |
| THYROXINE SODIUM | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| TIAGABINE HCL | 1 (0.02) | | | | 1 (0.00) |
| TIANEPTINE SODIUM | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TIAPRIDAL | | | 1 (0.00) | | 1 (0.00) |
| TIAPROFENIC ACID | | 2 (0.01) | | | 2 (0.00) |
| TIATRAL | | | 2 (0.01) | | 2 (0.00) |
| TIAZAC | | 4 (0.02) | 6 (0.02) | 1 (0.01) | 11 (0.02) |
| TIBIALIS TENDON #05005 | | 1 (0.01) | | | 1 (0.00) |
| TICARCILLIN (TICARCILL | | | 2 (0.01) | | 2 (0.00) |
| TICE BCG | | | 1 (0.00) | | 1 (0.00) |
| TICLID | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| TICLOPIDINE HCL | | | 9 (0.03) | 4 (0.05) | 13 (0.02) |
| TICLOPIDINE HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |
| TICLOPIDINE HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |
| TICLOPIODINE | | | 1 (0.00) | | 1 (0.00) |
| TIENAM | | | 1 (0.00) | | 1 (0.00) |
| TIGECYCLINE | | 1 (0.01) | | | 1 (0.00) |
| TIGECYCLINE 50MG WYE | | | 1 (0.00) | | 1 (0.00) |
| TIGECYCLINE (TIGECYCLI | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| TIGECYCLINE (TYGECYCLI | | 1 (0.01) | | | 1 (0.00) |
| TIKOSYN | | 1 (0.01) | 11 (0.04) | 1 (0.01) | 13 (0.02) |
| TILDIEM 200 R | | | 1 (0.00) | | 1 (0.00) |
| TILIDIN COMP 'ALIUD PH | | | 4 (0.01) | | 4 (0.01) |
| TIMENTIN | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| TIMOLOL MALEATE | | | 2 (0.01) | 4 (0.05) | 6 (0.01) |
| TIMOPTIC | | | 3 (0.01) | 4 (0.05) | 7 (0.01) |
| TIMOPTIC-XE | | | | 1 (0.01) | 1 (0.00) |
| TIMOPTOL-XE | | 1 (0.01) | | | 1 (0.00) |
| TIMOPTOL-XE (TIMOLOL M | | 1 (0.01) | | | 1 (0.00) |
| TINACTIN | 1 (0.02) | | | | 1 (0.00) |
| TINENTIN | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TINZAPARIN | | | 2 (0.01) | | 2 (0.00) |
| TIOTROPIUM | | | 1 (0.00) | | 1 (0.00) |
| TIOTROPIUM BROMIDE | | | 3 (0.01) | | 3 (0.00) |
| TIPRANAVIR | | 1 (0.01) | | | 1 (0.00) |
| TISSEEL VH KIT | | | 1 (0.00) | | 1 (0.00) |
| TISSUCOL | | 2 (0.01) | | | 2 (0.00) |
| TISSUCOL/TISSEL KIT ST | | | 1 (0.00) | | 1 (0.00) |
| TISSUE (SR CORTICAL BL | | | 1 (0.00) | | 1 (0.00) |
| TIZANIDINE HCL | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| TNKASE | | | 1 (0.00) | | 1 (0.00) |
| TOBI | 3 (0.05) | | | | 3 (0.00) |
| TOBRAMYCIN | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| TOBRAMYCINE | | | 1 (0.00) | | 1 (0.00) |
| TOBREX | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| TOCOPHEROL CONCENTRATE | | | 1 (0.00) | | 1 (0.00) |
| TOCOPHERYL NICOTINATE | | | | 1 (0.01) | 1 (0.00) |
| TOFRANIL | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| TOFRANIL-PM 75MG CAPSU | | | 1 (0.00) | | 1 (0.00) |
| TOLBUTAMIDE | | | | 3 (0.04) | 3 (0.00) |
| TOLEXINE | | 1 (0.01) | | | 1 (0.00) |
| TOLPERISONE HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |
| TOLTERODINE TARTRATE | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| TOMIRON | 3 (0.05) | 2 (0.01) | 1 (0.00) | | 6 (0.01) |
| TOPALGIC | | 3 (0.02) | 5 (0.02) | 1 (0.01) | 9 (0.01) |
| TOPAMAX | 21 (0.36) | 44 (0.26) | 18 (0.06) | | 83 (0.14) |
| TOPAMAX /AUS/ (TOPIRAM | 1 (0.02) | | | | 1 (0.00) |
| TOPICAL ACYCLOVIR | | 1 (0.01) | | | 1 (0.00) |
| TOPICAL STEROID | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TOPIRAMATE | 2 (0.03) | 7 (0.04) | 1 (0.00) | | 10 (0.02) |
| TOPLEXIL | | 1 (0.01) | | | 1 (0.00) |
| TOPOTECAN | | 1 (0.01) | 6 (0.02) | 2 (0.03) | 9 (0.01) |
| TOPOTECAN HYDROCHLORID | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| TOPRAL | | | 1 (0.00) | | 1 (0.00) |
| TOPROL | | 3 (0.02) | 4 (0.01) | 5 (0.06) | 12 (0.02) |
| TOPROL-XL | 2 (0.03) | 22 (0.13) | 122 (0.40) | 34 (0.44) | 180 (0.30) |
| TORADOL | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| TORECAN | 1 (0.02) | | | | 1 (0.00) |
| TOREM | | | 1 (0.00) | | 1 (0.00) |
| TOREM (TORASEMIDE) | | | | 1 (0.01) | 1 (0.00) |
| TORSEMIDE | | | 3 (0.01) | 3 (0.04) | 6 (0.01) |
| TOSITUMOMAB | | | 1 (0.00) | | 1 (0.00) |
| TOSUFLOXACIN TOSILATE | | | 2 (0.01) | | 2 (0.00) |
| TOTAL PARENTERAL | | 1 (0.01) | | | 1 (0.00) |
| TOWAMIN | | | | 1 (0.01) | 1 (0.00) |
| TPN | | | 2 (0.01) | | 2 (0.00) |
| TPN (H | | | 1 (0.00) | | 1 (0.00) |
| TPN COMPOUNDED IN PHAR | | | 1 (0.00) | | 1 (0.00) |
| TRACLEER | 7 (0.12) | 10 (0.06) | 21 (0.07) | 1 (0.01) | 39 (0.06) |
| TRACLEER (BOSENTAN TAB | | 1 (0.01) | | | 1 (0.00) |
| TRACRIUM | | 1 (0.01) | | | 1 (0.00) |
| TRALI RED BLOOD CELLS | | | 1 (0.00) | | 1 (0.00) |
| TRAMACET | | | 3 (0.01) | | 3 (0.00) |
| TRAMADOL | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| TRAMADOL (TRAMADOL) | | | 2 (0.01) | | 2 (0.00) |
| TRAMADOL 30 MG | | 1 (0.01) | | | 1 (0.00) |
| TRAMADOL 50 MG | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TRAMADOL HCL | 5 (0.08) | 19 (0.11) | 18 (0.06) | 8 (0.10) | 50 (0.08) |
| TRAMADOL HYDROCHLORIDE | | 3 (0.02) | 10 (0.03) | | 13 (0.02) |
| TRAMADOLOR | | | 3 (0.01) | | 3 (0.00) |
| TRAMAL | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| TRAMSDOL HCL | | | 1 (0.00) | | 1 (0.00) |
| TRANDOLAPRIL | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| TRANEXAMIC ACID | | | 1 (0.00) | | 1 (0.00) |
| TRANGOREX (AMIODARONE, | | | | 1 (0.01) | 1 (0.00) |
| TRANQUINAL | | 1 (0.01) | | | 1 (0.00) |
| TRANSAMIN | 2 (0.03) | 2 (0.01) | | | 4 (0.01) |
| TRANSAMIN (TRANEXAMIC | | 3 (0.02) | | | 3 (0.00) |
| TRANSDERM SCOP | | 1 (0.01) | | | 1 (0.00) |
| TRANSENE (CLORAZEPATE | | | 1 (0.00) | | 1 (0.00) |
| TRANSFUSION NOS (TRANS | | | 1 (0.00) | | 1 (0.00) |
| TRANSIDERM-NITRO | | | | 1 (0.01) | 1 (0.00) |
| TRANSIPEG | | 2 (0.01) | | | 2 (0.00) |
| TRANSIPEG | | | | 1 (0.01) | 1 (0.00) |
| TRANXENE | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| TRANXILIUM | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| TRANXILIUM (CLORAZEPAT | | | 1 (0.00) | | 1 (0.00) |
| TRANYLCYPROMINE | | | 1 (0.00) | | 1 (0.00) |
| TRASTUZUMAB | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| TRASYLOL | 1 (0.02) | | 9 (0.03) | | 10 (0.02) |
| TRAVATAN | | 1 (0.01) | 4 (0.01) | 3 (0.04) | 8 (0.01) |
| TRAVOPROST | | | 1 (0.00) | | 1 (0.00) |
| TRAZODONE | 1 (0.02) | 16 (0.09) | 7 (0.02) | | 24 (0.04) |
| TRAZODONE (NGX) (TRAZO | | 1 (0.01) | | | 1 (0.00) |
| TRAZODONE (TRAZODONE) | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TRAZODONE 50 MG PO | | | 1 (0.00) | | 1 (0.00) |
| TRAZODONE HCL | 1 (0.02) | 12 (0.07) | 6 (0.02) | 2 (0.03) | 21 (0.03) |
| TRAZODONE HYDROCHLORID | | | 5 (0.02) | | 5 (0.01) |
| TRAZODONE HYDROCHLORID | | | 1 (0.00) | | 1 (0.00) |
| TRELSTAR | 1 (0.02) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| TRELSTAR DEPOT | 1 (0.02) | 4 (0.02) | | | 5 (0.01) |
| TRENANTONE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| TRENTAL | | | 6 (0.02) | 1 (0.01) | 7 (0.01) |
| TRENTAL 'BORG' (PENTOX | | | 1 (0.00) | | 1 (0.00) |
| TREO COMP | | | 1 (0.00) | | 1 (0.00) |
| TREVILOR (VENLAFAXINE | | | 1 (0.00) | | 1 (0.00) |
| TRI-SPRINTEC | | 1 (0.01) | | | 1 (0.00) |
| TRIAMCINOLONE | | | 3 (0.01) | | 3 (0.00) |
| TRIAMCINOLONE ACETONID | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| TRIAMCORT | | 1 (0.01) | | | 1 (0.00) |
| TRIAMCORT | | 1 (0.01) | | | 1 (0.00) |
| TRIAMETRINE | | | 1 (0.00) | | 1 (0.00) |
| TRIAMINIC SRT | 1 (0.02) | | | | 1 (0.00) |
| TRIAMINIC VAPOR PATCH | 1 (0.02) | | | | 1 (0.00) |
| TRIAMPTERENE | | | 1 (0.00) | | 1 (0.00) |
| TRIAMTERENE | | | 2 (0.01) | | 2 (0.00) |
| TRIAMTERENE AND HYDROC | | 1 (0.01) | 4 (0.01) | 4 (0.05) | 9 (0.01) |
| TRIAMTERENE/CYCLOTHIAZ | | | 1 (0.00) | | 1 (0.00) |
| TRIATEC | | | 6 (0.02) | 1 (0.01) | 7 (0.01) |
| TRIAZOLAM | 1 (0.02) | 1 (0.01) | | 1 (0.01) | 3 (0.00) |
| TRICOR | | 15 (0.09) | 18 (0.06) | 2 (0.03) | 35 (0.06) |
| TRIFLUCAN | | | 1 (0.00) | | 1 (0.00) |
| TRIFLUOPERAZINE HCL | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TRIHEXYPHENIDYL HCL | | | 1 (0.00) | | 1 (0.00) |
| TRIKOZOL | | | 4 (0.01) | | 4 (0.01) |
| TRILAFON | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| TRILEPTAL | 40 (0.68) | 24 (0.14) | 23 (0.08) | 3 (0.04) | 90 (0.15) |
| TRIMEBUTINE | | | 2 (0.01) | | 2 (0.00) |
| TRIMETAZIDINE DIHYDROC | | | | 1 (0.01) | 1 (0.00) |
| TRIMETHOPRIM | 1 (0.02) | | 1 (0.00) | 3 (0.04) | 5 (0.01) |
| TRIMETHOPRIM + SULFAME | | | 1 (0.00) | | 1 (0.00) |
| TRIMOX | | 1 (0.01) | | | 1 (0.00) |
| TRINIPATCH | | | 1 (0.00) | | 1 (0.00) |
| TRIOFAN (CARBOCISTEINE | | 1 (0.01) | | | 1 (0.00) |
| TRIOMUNE | | 1 (0.01) | | | 1 (0.00) |
| TRIOMUNE TABLETS | | 1 (0.01) | | | 1 (0.00) |
| TRIOPTAL | | | 1 (0.00) | | 1 (0.00) |
| TRIQUILAR | 1 (0.02) | | | | 1 (0.00) |
| TRIQUILAR-21 | | 1 (0.01) | | | 1 (0.00) |
| TRIQUILAR-21 (LEVONORG | | 1 (0.01) | | | 1 (0.00) |
| TRISENOX | | 1 (0.01) | | | 1 (0.00) |
| TRITACE | | | 2 (0.01) | | 2 (0.00) |
| TRITTICO | 1 (0.02) | | | | 1 (0.00) |
| TRIVASTAL | | | | 1 (0.01) | 1 (0.00) |
| TRIVASTAL LP | | | 1 (0.00) | | 1 (0.00) |
| TRIVORA-21 | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| TRIZIVIR | | 6 (0.04) | | | 6 (0.01) |
| TROMBYL | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| TROPICAMIDE | | 1 (0.01) | | | 1 (0.00) |
| TROPISETRON | | | 2 (0.01) | | 2 (0.00) |
| TROXERUTIN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TROXIDONE | | | 1 (0.00) | | 1 (0.00) |
| TRUSOPT | | | 3 (0.01) | | 3 (0.00) |
| TRUVADA | 1 (0.02) | 7 (0.04) | 2 (0.01) | | 10 (0.02) |
| TRUXAL (CHLORPROTHIXEN | | 2 (0.01) | | | 2 (0.00) |
| TS 1 /JPN/ TEGAFUR, GI | | | 1 (0.00) | | 1 (0.00) |
| TS-1 | | | 1 (0.00) | | 1 (0.00) |
| TSUMARA DAIKENCHUTO EX | | | | 1 (0.01) | 1 (0.00) |
| TUBERCULIN PURIFIED PR | | 1 (0.01) | | | 1 (0.00) |
| TUBERSOL | 2 (0.03) | 1 (0.01) | 1 (0.00) | | 4 (0.01) |
| TUBERSOL 5 TU | 1 (0.02) | | | | 1 (0.00) |
| TUBERTEST | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| TUMS | | 2 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| TUMS E-X TABLETS, TROP | 1 (0.02) | | | | 1 (0.00) |
| TUSSI-ORANIDIN NR10-10 | 1 (0.02) | | | | 1 (0.00) |
| TUSSIN DM WALGREENS | 1 (0.02) | | | | 1 (0.00) |
| TUSSIONEX | | 2 (0.01) | | | 2 (0.00) |
| TWINLAB RIPPED FUEL WI | | 1 (0.01) | | | 1 (0.00) |
| TYGACIL | | | 3 (0.01) | | 3 (0.00) |
| TYLENOL | 6 (0.10) | 40 (0.23) | 104 (0.34) | 26 (0.34) | 176 (0.29) |
| TYLENOL (CAPLET) | 14 (0.24) | 88 (0.52) | 269 (0.89) | 53 (0.68) | 424 (0.70) |
| TYLENOL 8 HOUR EXTENDE | | | 1 (0.00) | | 1 (0.00) |
| TYLENOL ARTHRITIS EXTE | | | 5 (0.02) | | 5 (0.01) |
| TYLENOL CHILDRENS ELIX | 1 (0.02) | | | | 1 (0.00) |
| TYLENOL SINUS | | | 1 (0.00) | | 1 (0.00) |
| TYLENOL W/ CODEINE | | 3 (0.02) | 3 (0.01) | 1 (0.01) | 7 (0.01) |
| TYLENOL W/ CODEINE NO. | | 7 (0.04) | 10 (0.03) | 3 (0.04) | 20 (0.03) |
| TYLENOL W/ CODEINE NO. | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| TYLENOL-500 | | 3 (0.02) | 6 (0.02) | | 9 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| UFT | | | 2 (0.01) | | 2 (0.00) |
| ULCER MEDICATION | | | 1 (0.00) | | 1 (0.00) |
| ULCERLMIN | | | 1 (0.00) | | 1 (0.00) |
| ULTANE | | 1 (0.01) | | | 1 (0.00) |
| ULTRACET | | 6 (0.04) | 8 (0.03) | 4 (0.05) | 18 (0.03) |
| ULTRAM | | 24 (0.14) | 26 (0.09) | 2 (0.03) | 52 (0.09) |
| ULTRASE MT20 | | 1 (0.01) | | | 1 (0.00) |
| ULTRAVATE | | 1 (0.01) | | 2 (0.03) | 3 (0.00) |
| ULTRAVIST (PHARMACY BU | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ULTRAVIST 150 | | | 1 (0.00) | | 1 (0.00) |
| ULTRAVIST 300 | | 4 (0.02) | 8 (0.03) | | 12 (0.02) |
| ULTRAVIST 370 | | 2 (0.01) | 6 (0.02) | 2 (0.03) | 10 (0.02) |
| UMATROPE | 1 (0.02) | | | | 1 (0.00) |
| UMULINE (INSULIN HUMAN | | | 1 (0.00) | | 1 (0.00) |
| UMULINE PROTAMINE ISOP | | | 2 (0.01) | | 2 (0.00) |
| UN ALPHA | | | 2 (0.01) | | 2 (0.00) |
| UNACID INJECTION (SULB | | 1 (0.01) | | | 1 (0.00) |
| UNASYN | | 5 (0.03) | 4 (0.01) | 1 (0.01) | 10 (0.02) |
| UNASYN (AMPICILLIN SOD | | | 1 (0.00) | | 1 (0.00) |
| UNIBENESTAN | | | 1 (0.00) | | 1 (0.00) |
| UNIPHYL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| UNIRETIC | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| UNISOM | 9 (0.15) | 6 (0.04) | 1 (0.00) | 1 (0.01) | 17 (0.03) |
| UNISOM SLEEPLESS (DIPH | 1 (0.02) | | | | 1 (0.00) |
| UNITHROID | | | 1 (0.00) | | 1 (0.00) |
| UNIVASC | | | 2 (0.01) | | 2 (0.00) |
| UNKNOWN | 2 (0.03) | 9 (0.05) | 9 (0.03) | 2 (0.03) | 22 (0.04) |
| UNKNOWN ANTIBIOTIC | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| UNKNOWN ANTIDEPRESSANT | | 1 (0.01) | | | 1 (0.00) |
| UNKNOWN DRUG | | 3 (0.02) | 6 (0.02) | | 9 (0.01) |
| UNKNOWN MEDICATION | | 2 (0.01) | 5 (0.02) | 1 (0.01) | 8 (0.01) |
| UNSPECIFIED ANTIBIOTIC | 2 (0.03) | | | | 2 (0.00) |
| UNSPECIFIED ANTICANCER | | | 1 (0.00) | | 1 (0.00) |
| UNSPECIFIED ANTIEPILEP | 2 (0.03) | | | | 2 (0.00) |
| UNSPECIFIED DRUG | 1 (0.02) | 1 (0.01) | 4 (0.01) | | 6 (0.01) |
| UNSPECIFIED DRUGS | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |
| UNSPECIFIED MEDICATION | 1 (0.02) | 3 (0.02) | 3 (0.01) | 1 (0.01) | 8 (0.01) |
| UNSPECIFIED MEDICATION | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| UNSPECIFIED NON-STEROI | | 1 (0.01) | | | 1 (0.00) |
| UNSPECIFIED OTHER MEDI | | | | 1 (0.01) | 1 (0.00) |
| UNSPECIFIED PAIN MEDIC | | | 1 (0.00) | | 1 (0.00) |
| UNSPECIFIED THYROID ME | | | 1 (0.00) | | 1 (0.00) |
| UNSPECIFIED THYROID ME | | 1 (0.01) | | | 1 (0.00) |
| UNSPECIFIED VITAMINS (| | | 2 (0.01) | | 2 (0.00) |
| URALYT | | | 1 (0.00) | | 1 (0.00) |
| URAPIDIL | | | 3 (0.01) | | 3 (0.00) |
| URBADAN | 2 (0.03) | | | | 2 (0.00) |
| URBANYL | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| URBASON | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| UREA PEROXIDE | | 1 (0.01) | | | 1 (0.00) |
| URICONT | | | 1 (0.00) | | 1 (0.00) |
| URINORM | | | 2 (0.01) | | 2 (0.00) |
| URION | | | 1 (0.00) | | 1 (0.00) |
| URION 'BYK GULDEN' | | | 1 (0.00) | | 1 (0.00) |
| UROMITEXAN | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| UROXATRAL | | | 4 (0.01) | 2 (0.03) | 6 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| URSO | | 2 (0.01) | 4 (0.01) | 2 (0.03) | 8 (0.01) |
| URSO | | | 1 (0.00) | | 1 (0.00) |
| URSO (URSODEOXYCHOLIC | | | 1 (0.00) | | 1 (0.00) |
| URSO 250 | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| URSODEOXYCHOLIC ACID | | | | 1 (0.01) | 1 (0.00) |
| URSODIOL | | 1 (0.01) | | | 1 (0.00) |
| URSOLVAN | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| UTROGESTAN | | 3 (0.02) | | | 3 (0.00) |
| VACCINATION | 2 (0.03) | | | | 2 (0.00) |
| VACCINES (VACCINES) | | | | 1 (0.01) | 1 (0.00) |
| VAGIFEM | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| VAGINEX | 3 (0.05) | | | | 3 (0.00) |
| VAGISIL | | 3 (0.02) | | | 3 (0.00) |
| VAGISTAT-1 | 57 (0.96) | 94 (0.55) | 12 (0.04) | | 163 (0.27) |
| VALACYCLOVIR HCL | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| VALCOTE | | | 1 (0.00) | | 1 (0.00) |
| VALCYTE | 3 (0.05) | | 1 (0.00) | | 4 (0.01) |
| VALDECOXIB | | | 3 (0.01) | | 3 (0.00) |
| VALETTE | | 1 (0.01) | | | 1 (0.00) |
| VALIUM | | 27 (0.16) | 42 (0.14) | 4 (0.05) | 73 (0.12) |
| VALPROATE CHRONO | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| VALPROATE SODIUM | 21 (0.36) | 22 (0.13) | 19 (0.06) | 3 (0.04) | 65 (0.11) |
| VALPROIC ACID | 12 (0.20) | 21 (0.12) | 11 (0.04) | | 44 (0.07) |
| VALPROIC ACID TABLETS | | 1 (0.01) | | | 1 (0.00) |
| VALPROICUM | | 1 (0.01) | | | 1 (0.00) |
| VALSARTAN | | 3 (0.02) | 23 (0.08) | 14 (0.18) | 40 (0.07) |
| VALTRAN | | 1 (0.01) | | | 1 (0.00) |
| VALTREX | 16 (0.27) | 27 (0.16) | 27 (0.09) | 12 (0.15) | 82 (0.13) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| VALVERDE (VALERAN EXTR | 1 (0.02) | | | | 1 (0.00) |
| VANCOCIN (VANCOMYCIN H | | | 1 (0.00) | | 1 (0.00) |
| VANCOMYCIN | 9 (0.15) | 11 (0.06) | 39 (0.13) | 14 (0.18) | 73 (0.12) |
| VANCOMYCIN HCL | | 1 (0.01) | | | 1 (0.00) |
| VANCOMYCIN HYDROCHLORI | 2 (0.03) | 1 (0.01) | 3 (0.01) | | 6 (0.01) |
| VANEX-LA (GUAIFENESIN, | | 1 (0.01) | | | 1 (0.00) |
| VANIQA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| VANQUISH | | | 1 (0.00) | | 1 (0.00) |
| VANTAS | | | | 1 (0.01) | 1 (0.00) |
| VAPO STEAM (CAMPHOR 6. | 1 (0.02) | | | | 1 (0.00) |
| VAPORUB | 1 (0.02) | | | | 1 (0.00) |
| VAPOSTEAM | 1 (0.02) | | | | 1 (0.00) |
| VARDENAFIL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| VASERETIC | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| VASOCARDOL CD | | | 1 (0.00) | | 1 (0.00) |
| VASOPRESSIN INJECTION | | | | 1 (0.01) | 1 (0.00) |
| VASOTEC | | 3 (0.02) | 14 (0.05) | 7 (0.09) | 24 (0.04) |
| VASOTEC RPD | | 1 (0.01) | 22 (0.07) | 1 (0.01) | 24 (0.04) |
| VASTAREL | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| VASTAREL ^BIOPHARMA^ | | | | 2 (0.03) | 2 (0.00) |
| VASTEN | | 1 (0.01) | 1 (0.00) | 4 (0.05) | 6 (0.01) |
| VASTEN 20 | | | 1 (0.00) | | 1 (0.00) |
| VASTEN TABS | | | 2 (0.01) | | 2 (0.00) |
| VASTEN TABS 40 MG | | | | 1 (0.01) | 1 (0.00) |
| VECURONIUM BROMIDE | 4 (0.07) | 1 (0.01) | 3 (0.01) | | 8 (0.01) |
| VEEN 3G | 1 (0.02) | | | | 1 (0.00) |
| VEGETAMIN (CHLORPROMAZ | | | | 1 (0.01) | 1 (0.00) |
| VEGETAMIN B (CHLORPROM | | | 5 (0.02) | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| VEINAMITOL | | | | 1 (0.01) | 1 (0.00) |
| VELCADE | | 13 (0.08) | 73 (0.24) | 13 (0.17) | 99 (0.16) |
| VELCADE (BORTEZPMIB) I | | | 6 (0.02) | 1 (0.01) | 7 (0.01) |
| VELOSEF | | | 1 (0.00) | | 1 (0.00) |
| VELOSULIN | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| VELOX (RIMEXOLONE) | | | | 1 (0.01) | 1 (0.00) |
| VENDAL | 1 (0.02) | | | | 1 (0.00) |
| VENLAFAXINE HCL | 3 (0.05) | 26 (0.15) | 4 (0.01) | 2 (0.03) | 35 (0.06) |
| VENLAFAXINE HYDROCHLOR | | | 1 (0.00) | | 1 (0.00) |
| VENOFER | | 2 (0.01) | | | 2 (0.00) |
| VENOGLOBULIN-I | 1 (0.02) | | | | 1 (0.00) |
| VENTAVIS | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| VENTOLIN | 7 (0.12) | 6 (0.04) | 6 (0.02) | 3 (0.04) | 22 (0.04) |
| VENTOLIN HFA | 1 (0.02) | | | | 1 (0.00) |
| VEPESID | | | 1 (0.00) | | 1 (0.00) |
| VERAPAMIL | 3 (0.05) | 4 (0.02) | 61 (0.20) | 19 (0.25) | 87 (0.14) |
| VERAPAMIL (CONTIN) | | | | 1 (0.01) | 1 (0.00) |
| VERAPAMIL EXTENDED-REL | | 8 (0.05) | 3 (0.01) | 1 (0.01) | 12 (0.02) |
| VERAPAMIL HCL | | | 1 (0.00) | | 1 (0.00) |
| VERAPAMIL HYDROCHLORID | | 2 (0.01) | 3 (0.01) | 2 (0.03) | 7 (0.01) |
| VERAPAMIL MSD LP | | | 1 (0.00) | | 1 (0.00) |
| VERCYTE | | | | 1 (0.01) | 1 (0.00) |
| VERELAN | | | 4 (0.01) | | 4 (0.01) |
| VERSED | 2 (0.03) | 2 (0.01) | 1 (0.00) | | 5 (0.01) |
| VERTEPROFIN | | | | 1 (0.01) | 1 (0.00) |
| VESANOID | 1 (0.02) | 3 (0.02) | 3 (0.01) | | 7 (0.01) |
| VESICARE | 1 (0.02) | 8 (0.05) | 11 (0.04) | 8 (0.10) | 28 (0.05) |
| VESIKUR(SOLIFENACIN) T | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| VFEND | | 4 (0.02) | 7 (0.02) | 7 (0.09) | 18 (0.03) |
| VIADUR | | | 1 (0.00) | | 1 (0.00) |
| VIAGRA | 2 (0.03) | 21 (0.12) | 76 (0.25) | 3 (0.04) | 102 (0.17) |
| VIANI | 1 (0.02) | | | | 1 (0.00) |
| VIBRAMYCIN | 2 (0.03) | | | 1 (0.01) | 3 (0.00) |
| VIC ES GENERIC | | 1 (0.01) | | | 1 (0.00) |
| VICKS VAPOSTEAM LIQUID | 1 (0.02) | | | | 1 (0.00) |
| VICODEN | | 1 (0.01) | | | 1 (0.00) |
| VICODIN | | 69 (0.40) | 61 (0.20) | 11 (0.14) | 141 (0.23) |
| VICODIN ES | | 4 (0.02) | 4 (0.01) | | 8 (0.01) |
| VICOPROFEN | | 3 (0.02) | 4 (0.01) | | 7 (0.01) |
| VIDEX | | 13 (0.08) | 3 (0.01) | | 16 (0.03) |
| VIDEX EC | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| VIDISIC EYE GEL | | | | 2 (0.03) | 2 (0.00) |
| VIGABATRIN | 1 (0.02) | | | | 1 (0.00) |
| VIGAMOX | 4 (0.07) | 4 (0.02) | 2 (0.01) | 2 (0.03) | 12 (0.02) |
| VIGAMOX SOLUTIONS | | | | 1 (0.01) | 1 (0.00) |
| VIGIL | | | 2 (0.01) | | 2 (0.00) |
| VINBLASTINE | | 5 (0.03) | 1 (0.00) | 1 (0.01) | 7 (0.01) |
| VINBLASTINE (NGX) (VIN | 1 (0.02) | | | | 1 (0.00) |
| VINCRISTINE | 11 (0.19) | | 6 (0.02) | 1 (0.01) | 18 (0.03) |
| VINCRISTINE SULFATE | 1 (0.02) | | | | 1 (0.00) |
| VINFLUNINE | | | 1 (0.00) | | 1 (0.00) |
| VINORELBINE | | | 3 (0.01) | | 3 (0.00) |
| VINORELBINE TARTRATE | | 2 (0.01) | 4 (0.01) | | 6 (0.01) |
| VIOXX | 25 (0.42) | 1251 (7.33) | 3346 (11.06) | 543 (7.00) | 5165 (8.47) |
| VIRACEPT | 2 (0.03) | 7 (0.04) | 1 (0.00) | | 10 (0.02) |
| VIRAFERON (INTEFERON A | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| VIRAFERONPEG | 1 (0.02) | 1 (0.01) | 7 (0.02) | 1 (0.01) | 10 (0.02) |
| VIRAFERONPEG REDIPEN (| | | 1 (0.00) | | 1 (0.00) |
| VIRAMUNE | 5 (0.08) | 9 (0.05) | 1 (0.00) | | 15 (0.02) |
| VIREAD | 1 (0.02) | 20 (0.12) | 3 (0.01) | | 24 (0.04) |
| VIRUS INFECTION MEDICA | | | 1 (0.00) | | 1 (0.00) |
| VISINE II EYE DROPS | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| VISINE-A | | 1 (0.01) | | | 1 (0.00) |
| VISIPAQUE | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| VISIPAQUE 320 | | | | 1 (0.01) | 1 (0.00) |
| VISKEN | | | 1 (0.00) | | 1 (0.00) |
| VISTAGAN | | 1 (0.01) | | | 1 (0.00) |
| VISTARIL | 4 (0.07) | 2 (0.01) | 2 (0.01) | | 8 (0.01) |
| VISUDYNE | 1 (0.02) | 1 (0.01) | 10 (0.03) | 3 (0.04) | 15 (0.02) |
| VIT C | | | 1 (0.00) | | 1 (0.00) |
| VITA C | | | | 1 (0.01) | 1 (0.00) |
| VITAMEDIN | | 3 (0.02) | | | 3 (0.00) |
| VITAMIN | | 2 (0.01) | | | 2 (0.00) |
| VITAMIN A | | | 1 (0.00) | | 1 (0.00) |
| VITAMIN A (NATURAL) CA | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| VITAMIN AND MINERAL PR | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| VITAMIN B (UNSPECIFIED | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| VITAMIN B COMPLEX CAP | 2 (0.03) | 1 (0.01) | 3 (0.01) | | 6 (0.01) |
| VITAMIN B-12 | 1 (0.02) | | 5 (0.02) | | 6 (0.01) |
| VITAMIN B12 | | 3 (0.02) | 11 (0.04) | 2 (0.03) | 16 (0.03) |
| VITAMIN D | | 2 (0.01) | 5 (0.02) | 5 (0.06) | 12 (0.02) |
| VITAMIN D (UNSPECIFIED | | 1 (0.01) | | | 1 (0.00) |
| VITAMIN E | | 4 (0.02) | 2 (0.01) | 5 (0.06) | 11 (0.02) |
| VITAMIN E (VEGETABLE O | | | | 2 (0.03) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| VITAMIN K | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| VITAMIN NOS (VITAMIN N | 1 (0.02) | | | | 1 (0.00) |
| VITAMIN SOURCE GLUCOSA | | | 1 (0.00) | | 1 (0.00) |
| VITAMINS | 7 (0.12) | 11 (0.06) | 9 (0.03) | 4 (0.05) | 31 (0.05) |
| VITAMINS (UNSPECIFIED) | 4 (0.07) | 5 (0.03) | 21 (0.07) | 2 (0.03) | 32 (0.05) |
| VITAMINS + HERBS | | | 3 (0.01) | | 3 (0.00) |
| VITAMINS NOS | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| VITAMINS NOS (VITAMINS | | | 1 (0.00) | | 1 (0.00) |
| VITAMINS/MINERALS/DIET | 1 (0.02) | | | | 1 (0.00) |
| VITANEURIN (PO) | | | | 1 (0.01) | 1 (0.00) |
| VITARUBIN | | | 2 (0.01) | | 2 (0.00) |
| VITORIN | | | 2 (0.01) | | 2 (0.00) |
| VIVACTIL | | 2 (0.01) | | | 2 (0.00) |
| VIVELLE | | | 1 (0.00) | | 1 (0.00) |
| VIVELLE-DOT | | 6 (0.04) | 5 (0.02) | | 11 (0.02) |
| VOCODIN ES (HYDROCODON | | 1 (0.01) | | | 1 (0.00) |
| VOGLIBOSE | | | 2 (0.01) | | 2 (0.00) |
| VOLMAC | | | 1 (0.00) | | 1 (0.00) |
| VOLON | | | 1 (0.00) | | 1 (0.00) |
| VOLTAREN | 8 (0.14) | 13 (0.08) | 27 (0.09) | 4 (0.05) | 52 (0.09) |
| VOLTAREN-XR | | | 2 (0.01) | | 2 (0.00) |
| VOLTARENE L.P. | | 1 (0.01) | | | 1 (0.00) |
| VOLTARENE LP | | 3 (0.02) | | | 3 (0.00) |
| VORICONAZOLE | 2 (0.03) | 5 (0.03) | | | 7 (0.01) |
| VORICONAZOLE (VORICONA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| VOTUM 20 | | | 1 (0.00) | | 1 (0.00) |
| VP-16 | 1 (0.02) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| VYTORIN | | 4 (0.02) | 39 (0.13) | 5 (0.06) | 48 (0.08) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| WAL-OPHEN EXTRA STRENG | 1 (0.02) | | | | 1 (0.00) |
| WARAN | | | 1 (0.00) | | 1 (0.00) |
| WARFARIN | | 3 (0.02) | 41 (0.14) | 22 (0.28) | 66 (0.11) |
| WARFARIN 2.5 | | | | 1 (0.01) | 1 (0.00) |
| WARFARIN 4MG | | | | 1 (0.01) | 1 (0.00) |
| WARFARIN 7.5MG | | | 1 (0.00) | | 1 (0.00) |
| WARFARIN 10MG-02/06/ | | | 1 (0.00) | | 1 (0.00) |
| WARFARIN 2MG | | | | 1 (0.01) | 1 (0.00) |
| WARFARIN 5MG | | | 1 (0.00) | | 1 (0.00) |
| WARFARIN 10 MG Q DAY | | | | 1 (0.01) | 1 (0.00) |
| WARFARIN 10 MG | | | 1 (0.00) | | 1 (0.00) |
| WARFARIN 2 MG | | | | 2 (0.03) | 2 (0.00) |
| WARFARIN 2 MG AND 3 MG | | | | 1 (0.01) | 1 (0.00) |
| WARFARIN 2MG AND 3 MG | | | | 1 (0.01) | 1 (0.00) |
| WARFARIN 6 MG BRISTOL- | | | 1 (0.00) | | 1 (0.00) |
| WARFARIN DOSE NOT SPEC | | | | 1 (0.01) | 1 (0.00) |
| WARFARIN SODIUM | 6 (0.10) | 12 (0.07) | 63 (0.21) | 28 (0.36) | 109 (0.18) |
| WARFARIN TABS 5; 5 MG | | | 1 (0.00) | | 1 (0.00) |
| WATER PILL NOS | | | 1 (0.00) | | 1 (0.00) |
| WELCHOL | | 1 (0.01) | | | 1 (0.00) |
| WELLBUTRIBN SR 100 MG | | 1 (0.01) | | | 1 (0.00) |
| WELLBUTRIN | 22 (0.37) | 74 (0.43) | 48 (0.16) | 6 (0.08) | 150 (0.25) |
| WELLBUTRIN (BUPROPION | | | 2 (0.01) | | 2 (0.00) |
| WELLBUTRIN SR | 1 (0.02) | 14 (0.08) | 6 (0.02) | | 21 (0.03) |
| WELLBUTRIN XL | 18 (0.30) | 41 (0.24) | 17 (0.06) | 2 (0.03) | 78 (0.13) |
| WINRHO D BAXTER | | 1 (0.01) | | | 1 (0.00) |
| WINRHO SDF | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| WOMEN'S LAXITIVE WALGR | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| WYTENS /SPA/ | | | 1 (0.00) | | 1 (0.00) |
| XALACOM | | | 1 (0.00) | | 1 (0.00) |
| XALATAN | | 5 (0.03) | 18 (0.06) | 8 (0.10) | 31 (0.05) |
| XALCOM (LATANOPROST, T | | | | 1 (0.01) | 1 (0.00) |
| XANAX | 13 (0.22) | 73 (0.43) | 53 (0.18) | 7 (0.09) | 146 (0.24) |
| XANAX /USA/ (ALPRAZO | | 1 (0.01) | | | 1 (0.00) |
| XANAX XR | | | 1 (0.00) | | 1 (0.00) |
| XANOR | | 1 (0.01) | | | 1 (0.00) |
| XATRAL | | | 6 (0.02) | 3 (0.04) | 9 (0.01) |
| XATRAL OD | | | | 1 (0.01) | 1 (0.00) |
| XATRAL XL | | | | 1 (0.01) | 1 (0.00) |
| XELODA | | 3 (0.02) | 30 (0.10) | 12 (0.15) | 45 (0.07) |
| XENADERM (BALSALM OF P | | | | 2 (0.03) | 2 (0.00) |
| XENICAL | 1 (0.02) | 11 (0.06) | 10 (0.03) | | 22 (0.04) |
| XIFAXAN | | 1 (0.01) | | | 1 (0.00) |
| XIGRIS | 5 (0.08) | 9 (0.05) | 15 (0.05) | 3 (0.04) | 32 (0.05) |
| XIGRIS (DROTRECOGIN AL | | 1 (0.01) | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| XIGRIS (DROTRECOGIN AL | | | 1 (0.00) | | 1 (0.00) |
| XIPAMIDE | | | | 1 (0.01) | 1 (0.00) |
| XOLAIR | 2 (0.03) | 11 (0.06) | 7 (0.02) | | 20 (0.03) |
| XOLAIR (OMALIZUMAB)PWD | | | 1 (0.00) | | 1 (0.00) |
| XOLAIR (OMALIZUMAB)PWD | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| XOPENEX | 7 (0.12) | | 3 (0.01) | 2 (0.03) | 12 (0.02) |
| XOPONEX | 1 (0.02) | | | | 1 (0.00) |
| XTRA CARE BODY LOTION | | | 1 (0.00) | | 1 (0.00) |
| XYLOCAINE | | 6 (0.04) | 15 (0.05) | 3 (0.04) | 24 (0.04) |
| XYLOCAINE INJECTION WI | | | 1 (0.00) | | 1 (0.00) |
| XYLOCAINE VISCOUS | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| XYLOCAINE W/ EPINEPHRI | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| XYREM | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| YASMIN | 23 (0.39) | 27 (0.16) | | | 50 (0.08) |
| YENTREVE (DULOXETINE H | | | 1 (0.00) | | 1 (0.00) |
| YENTREVE (DULOXETINE H | | | 3 (0.01) | | 3 (0.00) |
| YENTREVE (DULOXETINE H | | | 1 (0.00) | | 1 (0.00) |
| YENTREVE(DULOXETINE HY | | 1 (0.01) | | | 1 (0.00) |
| YENTREVE(DULOXETINE HY | | | 1 (0.00) | | 1 (0.00) |
| YENTREVE(DULOXETINE HY | | 1 (0.01) | | | 1 (0.00) |
| Z-PACK | | | 1 (0.00) | | 1 (0.00) |
| ZADITEN | 3 (0.05) | 2 (0.01) | | | 5 (0.01) |
| ZALDIAR | 1 (0.02) | | | | 1 (0.00) |
| ZALEPLON | 1 (0.02) | | | | 1 (0.00) |
| ZANAFLEX | | 5 (0.03) | 11 (0.04) | 1 (0.01) | 17 (0.03) |
| ZAND CLEANSING FIBER Z | | | 1 (0.00) | | 1 (0.00) |
| ZANIDIP | | | 2 (0.01) | | 2 (0.00) |
| ZANTAC | 12 (0.20) | 13 (0.08) | 29 (0.10) | 8 (0.10) | 62 (0.10) |
| ZARONTIN | 1 (0.02) | | | | 1 (0.00) |
| ZAROXOLYN | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| ZAVESCA | | | 2 (0.01) | | 2 (0.00) |
| ZD2171 | | | 1 (0.00) | | 1 (0.00) |
| ZEBETA | | 2 (0.01) | 7 (0.02) | 2 (0.03) | 11 (0.02) |
| ZECLAR | | | | 2 (0.03) | 2 (0.00) |
| ZECLAR TABLETS | | 1 (0.01) | | | 1 (0.00) |
| ZEFFIX | | | 1 (0.00) | | 1 (0.00) |
| ZEFIX | | 3 (0.02) | 11 (0.04) | | 14 (0.02) |
| ZEGERID | | | 1 (0.00) | | 1 (0.00) |
| ZELDOX | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ZELDOX (CAPSULES) (ZI | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ZELDOX (CAPSULES) (ZIP | | 2 (0.01) | | | 2 (0.00) |
| ZELITREX | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ZELMAC | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ZELMAC / HTF 919A | | 2 (0.01) | 5 (0.02) | 1 (0.01) | 8 (0.01) |
| ZELNORM | 2 (0.03) | 18 (0.11) | 12 (0.04) | 2 (0.03) | 34 (0.06) |
| ZELNORM /USA/ | | 1 (0.01) | | | 1 (0.00) |
| ZENAPAX | | 7 (0.04) | 5 (0.02) | | 12 (0.02) |
| ZENTEL | 1 (0.02) | | | | 1 (0.00) |
| ZENTEL 400 | | 1 (0.01) | | | 1 (0.00) |
| ZERIT | 2 (0.03) | 9 (0.05) | 8 (0.03) | | 19 (0.03) |
| ZESTORETIC | | 2 (0.01) | 7 (0.02) | 1 (0.01) | 10 (0.02) |
| ZESTRIL | | 10 (0.06) | 50 (0.17) | 12 (0.15) | 72 (0.12) |
| ZETIA | | 3 (0.02) | 35 (0.12) | 6 (0.08) | 44 (0.07) |
| ZEVALIN | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| ZIAC | 1 (0.02) | 9 (0.05) | 12 (0.04) | 3 (0.04) | 25 (0.04) |
| ZIAGEN | 2 (0.03) | 4 (0.02) | 2 (0.01) | | 8 (0.01) |
| ZIAGEN (FORMULATION UN | | 1 (0.01) | | | 1 (0.00) |
| ZICAM | 1 (0.02) | 5 (0.03) | 3 (0.01) | | 9 (0.01) |
| ZICAM ZICUM GLUCO | | | 1 (0.00) | | 1 (0.00) |
| ZICAM 3X | | | 1 (0.00) | | 1 (0.00) |
| ZICAM NA ZICA | | | 1 (0.00) | | 1 (0.00) |
| ZICAM UNKNOWN -OVER T | | 1 (0.01) | | | 1 (0.00) |
| ZICAM COLD NAZAL SPRAY | | 1 (0.01) | | | 1 (0.00) |
| ZICAM COLD REMEDY | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ZICAM COLD REMEDY M | | 1 (0.01) | | | 1 (0.00) |
| ZICAM COLD REMEDY SWAB | | 1 (0.01) | | | 1 (0.00) |
| ZICAM COLD REMEDY ZICA | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ZICAM EXTREME CONGESTI | | 1 (0.01) | | | 1 (0.00) |
| ZICAM INHALER OVER THE | | | 1 (0.00) | | 1 (0.00) |
| ZICAM LIQUID NASAL GEL | | | 1 (0.00) | | 1 (0.00) |
| ZICAM MATRIXX INITIATI | | 1 (0.01) | | | 1 (0.00) |
| ZICAM NASAL SPRAY | | | 1 (0.00) | | 1 (0.00) |
| ZICAM NASAL SPRAY GEL | | | 1 (0.00) | | 1 (0.00) |
| ZICAM NASAL SWABS MATR | | | 1 (0.00) | | 1 (0.00) |
| ZICAM NO-DRIP LIQUID N | | 1 (0.01) | | | 1 (0.00) |
| ZICAM SEVERE CONGESTIO | | 1 (0.01) | | | 1 (0.00) |
| ZICAM ZICAM LLC/MATRIX | | | 1 (0.00) | | 1 (0.00) |
| ZIDOVUDINE | 4 (0.07) | 28 (0.16) | 3 (0.01) | | 35 (0.06) |
| ZINACEF | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ZINC GLUCONATE (ZINC G | 1 (0.02) | | | | 1 (0.00) |
| ZINC SULFATE | 2 (0.03) | | | | 2 (0.00) |
| ZINNAT | | 4 (0.02) | 2 (0.01) | | 6 (0.01) |
| ZINNAT INJECTABLE | | | 1 (0.00) | | 1 (0.00) |
| ZIPRASIDONE (CAPS) (ZI | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ZIPRASIDONE (ZIPRASIDO | 1 (0.02) | | | | 1 (0.00) |
| ZIPRASIDONE HCL | 8 (0.14) | 5 (0.03) | 2 (0.01) | | 15 (0.02) |
| ZIPRASIDONE HYDROCHLOR | 1 (0.02) | | | | 1 (0.00) |
| ZITHROMAC | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| ZITHROMAX | 16 (0.27) | 16 (0.09) | 13 (0.04) | 7 (0.09) | 52 (0.09) |
| ZMAX | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| ZOCOR | 1 (0.02) | 29 (0.17) | 179 (0.59) | 42 (0.54) | 251 (0.41) |
| ZOFRAN | 4 (0.07) | 6 (0.04) | 23 (0.08) | 3 (0.04) | 36 (0.06) |
| ZOLADEX | | 11 (0.06) | 6 (0.02) | 9 (0.12) | 26 (0.04) |
| ZOLEDRONATE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ZOLEDRONIC ACID | | | 9 (0.03) | 2 (0.03) | 11 (0.02) |

| | | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----|-----------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ZC | DLENDRONIC ACID 4 MG | | | 1 (0.00) | | 1 (0.00) |
| ZC | DLMITRIPTAN | | 1 (0.01) | | | 1 (0.00) |
| ZC | DLOFT | 42 (0.71) | 114 (0.67) | 76 (0.25) | 14 (0.18) | 246 (0.40) |
| ZC | DLPIDEM | | 1 (0.01) | | | 1 (0.00) |
| ZC | DLPIDEM 10 | | | 1 (0.00) | | 1 (0.00) |
| ZC | DLPIDEM TARTRATE | | 11 (0.06) | 9 (0.03) | 1 (0.01) | 21 (0.03) |
| ZC | DMETA | | 13 (0.08) | 108 (0.36) | 24 (0.31) | 145 (0.24) |
| ZC | DMIG | | 13 (0.08) | 4 (0.01) | | 17 (0.03) |
| ZC | DMIGORO | | | 1 (0.00) | | 1 (0.00) |
| ZC | DMORPH | | | 2 (0.01) | | 2 (0.00) |
| ZC | ONDAR | | | 1 (0.00) | | 1 (0.00) |
| ZC | DNEGRAN | 7 (0.12) | 7 (0.04) | 3 (0.01) | | 17 (0.03) |
| ZC | ONISAMIDE | 3 (0.05) | 3 (0.02) | 1 (0.00) | | 7 (0.01) |
| ZC | PENEX (LEVALBUTEROL | | | | 1 (0.01) | 1 (0.00) |
| ZC | PHREN | 3 (0.05) | 1 (0.01) | 3 (0.01) | | 7 (0.01) |
| ZC | PICLONE | 1 (0.02) | 1 (0.01) | 4 (0.01) | | 6 (0.01) |
| ZC | PICLONE (ZOPICLONE) | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ZC | PICOOL | | | 2 (0.01) | | 2 (0.00) |
| ZC | DSYN | | 5 (0.03) | 4 (0.01) | 4 (0.05) | 13 (0.02) |
| ZC | DTEPINE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ZC | OTEPINE (ZOTEPINE) | | | 1 (0.00) | | 1 (0.00) |
| ZC | OVIA 1/35E-21 | | 1 (0.01) | | | 1 (0.00) |
| ZC | OVIRAX | 4 (0.07) | 7 (0.04) | 3 (0.01) | 1 (0.01) | 15 (0.02) |
| ZC | DXAN | | | 2 (0.01) | | 2 (0.00) |
| ZC | OXAN LP (DOXAZOSIN) | | | 2 (0.01) | | 2 (0.00) |
| ZU | JCLOPENTHIXOL DECANOA | | 1 (0.01) | | | 1 (0.00) |
| ZY | 'BAN | 5 (0.08) | 16 (0.09) | 4 (0.01) | | 25 (0.04) |
| ZY | CAM NASAL SPRAY | | 1 (0.01) | | | 1 (0.00) |

| | | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| | ZYDOL | | | 1 (0.00) | | 1 (0.00) |
| | ZYDONE | | | 2 (0.01) | | 2 (0.00) |
| | ZYLOPRIM | | | 3 (0.01) | | 3 (0.00) |
| | ZYLOPRIUM | | | 1 (0.00) | | 1 (0.00) |
| | ZYLORIC | | 1 (0.01) | 1 (0.00) | 8 (0.10) | 10 (0.02) |
| | ZYLORIC 100 | | | | 1 (0.01) | 1 (0.00) |
| | ZYMAR | 1 (0.02) | 10 (0.06) | 1 (0.00) | | 12 (0.02) |
| | ZYNTABAC | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| | ZYPREXA | 25 (0.42) | 89 (0.52) | 42 (0.14) | 15 (0.19) | 171 (0.28) |
| | ZYPREXA ZYDIS | 2 (0.03) | 1 (0.01) | 1 (0.00) | | 4 (0.01) |
| | ZYRTEC | 25 (0.42) | 28 (0.16) | 12 (0.04) | 4 (0.05) | 69 (0.11) |
| | ZYRTEC-D 12 HOUR | | 2 (0.01) | | | 2 (0.00) |
| | ZYVOX | 4 (0.07) | 7 (0.04) | 8 (0.03) | 2 (0.03) | 21 (0.03) |
| | [COMPOSITION UNSPECIFI | | 2 (0.01) | 4 (0.01) | 2 (0.03) | 8 (0.01) |
| | [THERAPY UNSPECIFIED] | 1 (0.02) | 33 (0.19) | 134 (0.44) | 23 (0.30) | 191 (0.31) |
| Derived Drug | MISSING | 5912 (100.00) | 17058 (100.00) | 30251 (100.00) | 7755 (100.00) | 60976 (100.00) |

| | | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------|-------------------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|--------------------|
| Preferred Term | 5'NUCLEOTIDASE INCREASED | | 1 (0.01) | | | 1 (0.00) |
| | ABASIA | 13 (0.22) | 88 (0.52) | 134 (0.44) | 54 (0.70) | 289 (0.47) |
| | ABDOMINAL ABSCESS | 12 (0.20) | 4 (0.02) | 14 (0.05) | 2 (0.03) | 32 (0.05) |
| | ABDOMINAL ADHESIONS | 2 (0.03) | 13 (0.08) | 14 (0.05) | 2 (0.03) | 31 (0.05) |
| | ABDOMINAL BRUIT | | 2 (0.01) | 4 (0.01) | | 6 (0.01) |
| | ABDOMINAL CAVITY DRAINAGE | | | | 1 (0.01) | 1 (0.00) |
| | ABDOMINAL DISCOMFORT | 23 (0.39) | 48 (0.28) | 107 (0.35) | 14 (0.18) | 192 (0.31) |
| | ABDOMINAL DISTENSION | 32 (0.54) | 96 (0.56) | 243 (0.80) | 43 (0.55) | 414 (0.68) |
| | ABDOMINAL HAEMATOMA | 1 (0.02) | 4 (0.02) | 14 (0.05) | 4 (0.05) | 23 (0.04) |
| | ABDOMINAL HERNIA | | 3 (0.02) | 31 (0.10) | 3 (0.04) | 37 (0.06) |
| | ABDOMINAL HERNIA REPAIR | | 1 (0.01) | | | 1 (0.00) |
| | ABDOMINAL INFECTION | | 1 (0.01) | 8 (0.03) | 1 (0.01) | 10 (0.02) |
| | ABDOMINAL INJURY | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| | ABDOMINAL MASS | 4 (0.07) | 2 (0.01) | 18 (0.06) | 3 (0.04) | 27 (0.04) |
| | ABDOMINAL NEOPLASM | | 4 (0.02) | 3 (0.01) | 3 (0.04) | 10 (0.02) |
| | ABDOMINAL OPERATION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| | ABDOMINAL PAIN | 190 (3.21) | 419 (2.46) | 528 (1.75) | 118 (1.52) | 1255 (2.06) |
| | ABDOMINAL PAIN LOWER | 9 (0.15) | 29 (0.17) | 65 (0.21) | 8 (0.10) | 111 (0.18) |
| | ABDOMINAL PAIN UPPER | 53 (0.90) | 194 (1.14) | 386 (1.28) | 71 (0.92) | 704 (1.15) |
| | ABDOMINAL RIGIDITY | 1 (0.02) | 3 (0.02) | 1 (0.00) | | 5 (0.01) |
| | ABDOMINAL SEPSIS | | | 5 (0.02) | | 5 (0.01) |
| | ABDOMINAL STRANGULATED HERNIA | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| | ABDOMINAL SYMPTOM | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| | ABDOMINAL TENDERNESS | 1 (0.02) | 5 (0.03) | 4 (0.01) | 3 (0.04) | 13 (0.02) |
| | ABDOMINAL WALL ABSCESS | | 5 (0.03) | 1 (0.00) | | 6 (0.01) |
| | ABDOMINAL WALL CYST | | 1 (0.01) | | | 1 (0.00) |
| | ABDOMINAL WALL DISORDER | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ABDOMINAL WALL INFECTION | | | | 1 (0.01) | 1 (0.00) |
| ABDOMINAL WALL MASS | | | 2 (0.01) | | 2 (0.00) |
| ABNORMAL BEHAVIOUR | 166 (2.81) | 91 (0.53) | 76 (0.25) | 40 (0.52) | 373 (0.61) |
| ABNORMAL DREAMS | 5 (0.08) | 43 (0.25) | 41 (0.14) | 6 (0.08) | 95 (0.16) |
| ABNORMAL FAECES | 2 (0.03) | 2 (0.01) | 10 (0.03) | 5 (0.06) | 19 (0.03) |
| ABNORMAL PALMAR/PLANTAR CREASES | | 4 (0.02) | | | 4 (0.01) |
| ABNORMAL SENSATION IN EYE | | 5 (0.03) | 6 (0.02) | 1 (0.01) | 12 (0.02) |
| ABNORMAL SLEEP-RELATED EVENT | | 9 (0.05) | 3 (0.01) | 1 (0.01) | 13 (0.02) |
| ABORTION | 3 (0.05) | 11 (0.06) | | | 14 (0.02) |
| ABORTION COMPLETE | 1 (0.02) | | | | 1 (0.00) |
| ABORTION INCOMPLETE | 7 (0.12) | 6 (0.04) | | | 13 (0.02) |
| ABORTION INDUCED | 34 (0.58) | 71 (0.42) | | | 105 (0.17) |
| ABORTION INDUCED COMPLICATED | 1 (0.02) | | | | 1 (0.00) |
| ABORTION MISSED | 6 (0.10) | 10 (0.06) | | | 16 (0.03) |
| ABORTION SPONTANEOUS | 37 (0.63) | 152 (0.89) | 1 (0.00) | | 190 (0.31) |
| ABORTION THREATENED | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ABSCESS | 7 (0.12) | 28 (0.16) | 33 (0.11) | 5 (0.06) | 73 (0.12) |
| ABSCESS DRAINAGE | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| ABSCESS INTESTINAL | 6 (0.10) | 3 (0.02) | 3 (0.01) | | 12 (0.02) |
| ABSCESS JAW | | 1 (0.01) | 4 (0.01) | 3 (0.04) | 8 (0.01) |
| ABSCESS LIMB | 1 (0.02) | 12 (0.07) | 14 (0.05) | 3 (0.04) | 30 (0.05) |
| ABSCESS NECK | | 1 (0.01) | 7 (0.02) | | 8 (0.01) |
| ABSCESS ORAL | | 1 (0.01) | 3 (0.01) | 3 (0.04) | 7 (0.01) |
| ABSCESS RUPTURE | | 1 (0.01) | | | 1 (0.00) |
| ABSCESS SOFT TISSUE | | | 2 (0.01) | | 2 (0.00) |
| ABULIA | | | 2 (0.01) | | 2 (0.00) |
| ACALCULIA | | | 2 (0.01) | | 2 (0.00) |
| ACANTHAMOEBA INFECTION | 2 (0.03) | | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------------------|------------------------------|--------------------------------|--------------------------------|--------------------------|--------------------|
| ACANTHOLYSIS | | | 1 (0.00) | | 1 (0.00) |
| ACANTHOSIS | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| ACARODERMATITIS | | 1 (0.01) | 4 (0.01) | 2 (0.03) | 7 (0.01) |
| ACCELERATED HYPERTENSION | | 1 (0.01) | 20 (0.07) | 1 (0.01) | 22 (0.04) |
| ACCELERATED IDIOVENTRICULAR RHYTHM | | 2 (0.01) | | | 2 (0.00) |
| ACCESSORY BREAST | | 2 (0.01) | | | 2 (0.00) |
| ACCIDENT | 4 (0.07) | 7 (0.04) | 28 (0.09) | 6 (0.08) | 45 (0.07) |
| ACCIDENT AT HOME | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ACCIDENT AT WORK | 1 (0.02) | 11 (0.06) | 5 (0.02) | | 17 (0.03) |
| ACCIDENTAL DEATH | 4 (0.07) | 13 (0.08) | 5 (0.02) | 2 (0.03) | 24 (0.04) |
| ACCIDENTAL DRUG INTAKE BY CHILD | 51 (0.86) | | | | 51 (0.08) |
| ACCIDENTAL EXPOSURE | 20 (0.34) | 14 (0.08) | 9 (0.03) | 5 (0.06) | 48 (0.08) |
| ACCIDENTAL NEEDLE STICK | 1 (0.02) | | 7 (0.02) | 1 (0.01) | 9 (0.01) |
| ACCIDENTAL OVERDOSE | 15 (0.25) | 36 (0.21) | 46 (0.15) | 13 (0.17) | 110 (0.18) |
| ACCOMMODATION DISORDER | | 8 (0.05) | 2 (0.01) | | 10 (0.02) |
| ACETABULUM FRACTURE | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| ACHOLIA | | | 1 (0.00) | | 1 (0.00) |
| ACID-BASE BALANCE DISORDER MIXED | | | 1 (0.00) | | 1 (0.00) |
| ACIDOSIS | 11 (0.19) | 13 (0.08) | 24 (0.08) | 7 (0.09) | 55 (0.09) |
| ACIDOSIS HYPERCHLORAEMIC | 2 (0.03) | | | | 2 (0.00) |
| ACINETOBACTER BACTERAEMIA | | 1 (0.01) | | | 1 (0.00) |
| ACINETOBACTER INFECTION | 1 (0.02) | | 3 (0.01) | 2 (0.03) | 6 (0.01) |
| ACNE | 24 (0.41) | 26 (0.15) | 19 (0.06) | 8 (0.10) | 77 (0.13) |
| ACNE CYSTIC | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ACNE FULMINANS | 1 (0.02) | | | | 1 (0.00) |
| ACOUSTIC NEUROMA | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| ACQUIRED CLAW TOE | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|--------------------------------|--------------------------------|--------------------------|--------------------|
| ACQUIRED DIAPHRAGMATIC EVENTRATION | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| ACQUIRED HAEMOPHILIA | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ACQUIRED IMMUNODEFICIENCY SYNDROME | | 4 (0.02) | | | 4 (0.01) |
| ACQUIRED OESOPHAGEAL WEB | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| ACROCHORDON | 1 (0.02) | 3 (0.02) | 6 (0.02) | | 10 (0.02) |
| ACRODERMATITIS ENTEROPATHICA | 1 (0.02) | | | | 1 (0.00) |
| ACTINIC KERATOSIS | | | 17 (0.06) | 2 (0.03) | 19 (0.03) |
| ACTINOMYCOSIS | | 2 (0.01) | 12 (0.04) | 4 (0.05) | 18 (0.03) |
| ACTINOMYCOTIC PULMONARY INFECTION | | | 1 (0.00) | | 1 (0.00) |
| ACTIVATED PARTIAL THROMBOPLASTIN TIME ABNORMAL | | | 2 (0.01) | | 2 (0.00) |
| ACTIVATED PARTIAL THROMBOPLASTIN TIME PROLONGED | 6 (0.10) | 24 (0.14) | 41 (0.14) | 16 (0.21) | 87 (0.14) |
| ACTIVATED PARTIAL THROMBOPLASTIN TIME SHORTENED | 1 (0.02) | 1 (0.01) | 7 (0.02) | | 9 (0.01) |
| ACTIVATED PROTEIN C RESISTANCE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ACTIVITIES OF DAILY LIVING IMPAIRED | 8 (0.14) | 27 (0.16) | 43 (0.14) | 26 (0.34) | 104 (0.17) |
| ACUTE ABDOMEN | 2 (0.03) | 4 (0.02) | 8 (0.03) | 1 (0.01) | 15 (0.02) |
| ACUTE CHEST SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| ACUTE CORONARY SYNDROME | | 43 (0.25) | 136 (0.45) | 20 (0.26) | 199 (0.33) |
| ACUTE FEBRILE NEUTROPHILIC DERMATOSIS | | 2 (0.01) | 6 (0.02) | | 8 (0.01) |
| ACUTE GENERALISED EXANTHEMATOUS PUSTULOSIS | 6 (0.10) | 7 (0.04) | 14 (0.05) | 12 (0.15) | 39 (0.06) |
| ACUTE LEFT VENTRICULAR FAILURE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ACUTE LEUKAEMIA | | | 1 (0.00) | 4 (0.05) | 5 (0.01) |
| ACUTE LYMPHOCYTIC LEUKAEMIA | 12 (0.20) | 2 (0.01) | 1 (0.00) | | 15 (0.02) |
| ACUTE LYMPHOCYTIC LEUKAEMIA RECURRENT | 5 (0.08) | | 1 (0.00) | | 6 (0.01) |
| ACUTE MYELOID LEUKAEMIA | 2 (0.03) | 14 (0.08) | 52 (0.17) | 13 (0.17) | 81 (0.13) |
| ACUTE MYELOID LEUKAEMIA RECURRENT | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| ACUTE MYOCARDIAL INFARCTION | 5 (0.08) | 220 (1.29) | 727 (2.40) | 98 (1.26) | 1050 (1.72) |
| ACUTE PRERENAL FAILURE | | 3 (0.02) | 15 (0.05) | 17 (0.22) | 35 (0.06) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ACUTE PROMYELOCYTIC LEUKAEMIA | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| ACUTE PSYCHOSIS | 3 (0.05) | 3 (0.02) | 2 (0.01) | 2 (0.03) | 10 (0.02) |
| ACUTE PULMONARY HISTOPLASMOSIS | | | 1 (0.00) | | 1 (0.00) |
| ACUTE PULMONARY OEDEMA | 2 (0.03) | 20 (0.12) | 41 (0.14) | 16 (0.21) | 79 (0.13) |
| ACUTE RESPIRATORY DISTRESS SYNDROME | 23 (0.39) | 35 (0.21) | 78 (0.26) | 21 (0.27) | 157 (0.26) |
| ACUTE RESPIRATORY FAILURE | 4 (0.07) | 8 (0.05) | 39 (0.13) | 25 (0.32) | 76 (0.12) |
| ACUTE RIGHT VENTRICULAR FAILURE | | 1 (0.01) | | | 1 (0.00) |
| ACUTE SINUSITIS | | 4 (0.02) | 30 (0.10) | 2 (0.03) | 36 (0.06) |
| ACUTE TONSILLITIS | 2 (0.03) | 2 (0.01) | | 1 (0.01) | 5 (0.01) |
| ADAMS-STOKES SYNDROME | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| ADENOCARCINOMA | | 2 (0.01) | 11 (0.04) | 1 (0.01) | 14 (0.02) |
| ADENOCARCINOMA PANCREAS | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| ADENOID CYSTIC CARCINOMA | | 1 (0.01) | | | 1 (0.00) |
| ADENOIDAL DISORDER | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ADENOIDAL HYPERTROPHY | 4 (0.07) | | | | 4 (0.01) |
| ADENOIDECTOMY | | 1 (0.01) | | | 1 (0.00) |
| ADENOMA BENIGN | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| ADENOMATOUS POLYPOSIS COLI | | | | 1 (0.01) | 1 (0.00) |
| ADENOMYOSIS | | 3 (0.02) | | 1 (0.01) | 4 (0.01) |
| ADENOPATHY SYPHILITIC | | 1 (0.01) | | | 1 (0.00) |
| ADENOSQUAMOUS CELL LUNG CANCER | | | 1 (0.00) | | 1 (0.00) |
| ADENOVIRAL HAEMORRHAGIC CYSTITIS | | 2 (0.01) | | | 2 (0.00) |
| ADENOVIRUS INFECTION | 3 (0.05) | | | | 3 (0.00) |
| ADHESION | 1 (0.02) | 9 (0.05) | 7 (0.02) | 2 (0.03) | 19 (0.03) |
| ADIPOSIS DOLOROSA | | 4 (0.02) | | | 4 (0.01) |
| ADJUSTMENT DISORDER | 3 (0.05) | 8 (0.05) | 3 (0.01) | 1 (0.01) | 15 (0.02) |
| ADJUSTMENT DISORDER WITH ANXIETY | | | 1 (0.00) | | 1 (0.00) |
| ADJUSTMENT DISORDER WITH DEPRESSED MOOD | | | 5 (0.02) | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ADNEXA UTERI MASS | 2 (0.03) | 4 (0.02) | | | 6 (0.01) |
| ADNEXA UTERI PAIN | | 2 (0.01) | | | 2 (0.00) |
| ADRENAL ADENOMA | | 3 (0.02) | 5 (0.02) | | 8 (0.01) |
| ADRENAL CARCINOMA | 2 (0.03) | | | | 2 (0.00) |
| ADRENAL CORTEX DYSPLASIA | 1 (0.02) | | | | 1 (0.00) |
| ADRENAL CORTICAL INSUFFICIENCY | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ADRENAL DISORDER | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| ADRENAL GLAND CANCER METASTATIC | | | 1 (0.00) | | 1 (0.00) |
| ADRENAL HAEMORRHAGE | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| ADRENAL INSUFFICIENCY | 3 (0.05) | 10 (0.06) | 9 (0.03) | | 22 (0.04) |
| ADRENAL INSUFFICIENCY NEONATAL | 1 (0.02) | | | | 1 (0.00) |
| ADRENAL MASS | | 2 (0.01) | 4 (0.01) | 1 (0.01) | 7 (0.01) |
| ADRENAL NEOPLASM | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| ADRENAL SUPPRESSION | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| ADRENALECTOMY | | | 1 (0.00) | | 1 (0.00) |
| ADRENALITIS | | | | 1 (0.01) | 1 (0.00) |
| ADRENOCORTICAL INSUFFICIENCY ACUTE | | 1 (0.01) | 6 (0.02) | 1 (0.01) | 8 (0.01) |
| ADRENOCORTICAL INSUFFICIENCY CHRONIC | | | 3 (0.01) | | 3 (0.00) |
| ADRENOMEGALY | 1 (0.02) | | | | 1 (0.00) |
| ADULT T-CELL LYMPHOMA/LEUKAEMIA | | | | 1 (0.01) | 1 (0.00) |
| ADVERSE DRUG REACTION | 6 (0.10) | 13 (0.08) | 29 (0.10) | 4 (0.05) | 52 (0.09) |
| ADVERSE EVENT | 5 (0.08) | 93 (0.55) | 224 (0.74) | 35 (0.45) | 357 (0.59) |
| AEROMONA INFECTION | | 4 (0.02) | | | 4 (0.01) |
| AFFECT LABILITY | 5 (0.08) | 11 (0.06) | 7 (0.02) | 4 (0.05) | 27 (0.04) |
| AFFECTIVE DISORDER | 7 (0.12) | 10 (0.06) | 5 (0.02) | 1 (0.01) | 23 (0.04) |
| AFFERENT LOOP SYNDROME | | | | 1 (0.01) | 1 (0.00) |
| AGEUSIA | | 28 (0.16) | 41 (0.14) | 15 (0.19) | 84 (0.14) |
| AGGRESSION | 79 (1.34) | 80 (0.47) | 50 (0.17) | 16 (0.21) | 225 (0.37) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------------------|------------------------------|--------------------------------|--------------------------------|--------------------------|--------------------|
| AGITATION | 44 (0.74) | 129 (0.76) | 127 (0.42) | 39 (0.50) | 339 (0.56) |
| AGITATION NEONATAL | 4 (0.07) | | | | 4 (0.01) |
| AGNOSIA | | | 1 (0.00) | | 1 (0.00) |
| AGONAL RHYTHM | 1 (0.02) | | | | 1 (0.00) |
| AGORAPHOBIA | 1 (0.02) | 5 (0.03) | 5 (0.02) | | 11 (0.02) |
| AGRANULOCYTOSIS | 22 (0.37) | 42 (0.25) | 82 (0.27) | 16 (0.21) | 162 (0.27) |
| AIDS DEMENTIA COMPLEX | | 1 (0.01) | | | 1 (0.00) |
| AIDS ENCEPHALOPATHY | | 1 (0.01) | | | 1 (0.00) |
| AIR EMBOLISM | | | 1 (0.00) | | 1 (0.00) |
| AKATHISIA | 6 (0.10) | 11 (0.06) | 4 (0.01) | 2 (0.03) | 23 (0.04) |
| AKINESIA | | 4 (0.02) | 5 (0.02) | 7 (0.09) | 16 (0.03) |
| ALANINE AMINOTRANSFERASE ABNORMAL | | | 4 (0.01) | | 4 (0.01) |
| ALANINE AMINOTRANSFERASE DECREASED | 2 (0.03) | | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| ALANINE AMINOTRANSFERASE INCREASED | 86 (1.45) | 258 (1.51) | 369 (1.22) | 106 (1.37) | 819 (1.34) |
| ALBUMIN URINE PRESENT | | | | 1 (0.01) | 1 (0.00) |
| ALBUMINURIA | | 1 (0.01) | | | 1 (0.00) |
| ALCOHOL DETOXIFICATION | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| ALCOHOL INTERACTION | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| ALCOHOL INTOLERANCE | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| ALCOHOL POISONING | 4 (0.07) | 16 (0.09) | 6 (0.02) | 1 (0.01) | 27 (0.04) |
| ALCOHOL PROBLEM | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ALCOHOL USE | 25 (0.42) | 25 (0.15) | 21 (0.07) | 1 (0.01) | 72 (0.12) |
| ALCOHOL WITHDRAWAL SYNDROME | | 5 (0.03) | 4 (0.01) | | 9 (0.01) |
| ALCOHOLIC | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| ALCOHOLIC LIVER DISEASE | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| ALCOHOLIC PANCREATITIS | | | 1 (0.00) | | 1 (0.00) |
| ALCOHOLISM | | 12 (0.07) | 21 (0.07) | | 33 (0.05) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|--------------------------------|--------------------------------|--------------------------|--------------------|
| ALDOLASE INCREASED | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ALKALOSIS | | | 4 (0.01) | | 4 (0.01) |
| ALLERGENIC DESENSITISATION PROCEDURE | | 1 (0.01) | | | 1 (0.00) |
| ALLERGIC GRANULOMATOUS ANGIITIS | | 4 (0.02) | 20 (0.07) | 6 (0.08) | 30 (0.05) |
| ALLERGIC KERATITIS | | 1 (0.01) | | | 1 (0.00) |
| ALLERGIC RESPIRATORY DISEASE | | | 1 (0.00) | | 1 (0.00) |
| ALLERGIC SINUSITIS | | | 1 (0.00) | | 1 (0.00) |
| ALLERGY TEST POSITIVE | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| ALLERGY TO ANIMAL | | | 2 (0.01) | | 2 (0.00) |
| ALLERGY TO ARTHROPOD STING | | | 2 (0.01) | | 2 (0.00) |
| ALLERGY TO CHEMICALS | | 1 (0.01) | | | 1 (0.00) |
| ALLODYNIA | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| ALLOGENIC BONE MARROW TRANSPLANTATION THERAPY | 1 (0.02) | | | | 1 (0.00) |
| ALOPECIA | 27 (0.46) | 99 (0.58) | 124 (0.41) | 23 (0.30) | 273 (0.45) |
| ALOPECIA AREATA | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| ALOPECIA EFFLUVIUM | | | 1 (0.00) | | 1 (0.00) |
| ALOPECIA TOTALIS | | | 1 (0.00) | | 1 (0.00) |
| ALOPECIA UNIVERSALIS | | 2 (0.01) | | | 2 (0.00) |
| ALPHA 1 FOETOPROTEIN ABNORMAL | 2 (0.03) | | | | 2 (0.00) |
| ALPHA 1 FOETOPROTEIN INCREASED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ALPHA 1 GLOBULIN ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| ALPHA 2 GLOBULIN DECREASED | | | 1 (0.00) | | 1 (0.00) |
| ALPHA 2 GLOBULIN INCREASED | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ALPHA HAEMOLYTIC STREPTOCOCCAL INFECTION | | 4 (0.02) | 6 (0.02) | 1 (0.01) | 11 (0.02) |
| ALPHA TUMOUR NECROSIS FACTOR INCREASED | | | 1 (0.00) | | 1 (0.00) |
| ALPHA-1 ACID GLYCOPROTEIN INCREASED | | 1 (0.01) | | | 1 (0.00) |
| ALTERED VISUAL DEPTH PERCEPTION | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ALTERNARIA INFECTION | | 1 (0.01) | | | 1 (0.00) |
| ALVEOLITIS | | 3 (0.02) | 8 (0.03) | 1 (0.01) | 12 (0.02) |
| ALVEOLITIS ALLERGIC | | 9 (0.05) | 4 (0.01) | | 13 (0.02) |
| ALVEOLITIS FIBROSING | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| ALVEOLOPLASTY | | | 2 (0.01) | | 2 (0.00) |
| AMAUROSIS | | 1 (0.01) | | | 1 (0.00) |
| AMAUROSIS FUGAX | | 1 (0.01) | 19 (0.06) | 3 (0.04) | 23 (0.04) |
| AMBLYOPIA | 1 (0.02) | | 8 (0.03) | | 9 (0.01) |
| AMBLYOPIA STRABISMIC | | 2 (0.01) | | | 2 (0.00) |
| AMENORRHOEA | 12 (0.20) | 37 (0.22) | 2 (0.01) | | 51 (0.08) |
| AMERICAN TRYPANOSOMIASIS | | | | 1 (0.01) | 1 (0.00) |
| AMMONIA INCREASED | 3 (0.05) | 16 (0.09) | 6 (0.02) | 5 (0.06) | 30 (0.05) |
| AMNESIA | 16 (0.27) | 133 (0.78) | 175 (0.58) | 32 (0.41) | 356 (0.58) |
| AMNIOTIC FLUID VOLUME DECREASED | 1 (0.02) | | | | 1 (0.00) |
| AMNIOTIC FLUID VOLUME INCREASED | | 1 (0.01) | | | 1 (0.00) |
| AMOEBIASIS | | | 1 (0.00) | | 1 (0.00) |
| AMPHETAMINES POSITIVE | | | 1 (0.00) | | 1 (0.00) |
| AMPUTATION | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| AMYLOIDOSIS | | | 2 (0.01) | | 2 (0.00) |
| AMYOTROPHIC LATERAL SCLEROSIS | | 3 (0.02) | 9 (0.03) | | 12 (0.02) |
| AMYOTROPHY | | | 5 (0.02) | | 5 (0.01) |
| ANAEMIA | 80 (1.35) | 226 (1.32) | 545 (1.80) | 186 (2.40) | 1037 (1.70) |
| ANAEMIA FOLATE DEFICIENCY | | | 2 (0.01) | | 2 (0.00) |
| ANAEMIA HAEMOLYTIC AUTOIMMUNE | 1 (0.02) | 5 (0.03) | 17 (0.06) | 3 (0.04) | 26 (0.04) |
| ANAEMIA MACROCYTIC | | 8 (0.05) | 13 (0.04) | 4 (0.05) | 25 (0.04) |
| ANAEMIA NEONATAL | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| ANAEMIA OF CHRONIC DISEASE | 1 (0.02) | 3 (0.02) | 5 (0.02) | 1 (0.01) | 10 (0.02) |
| ANAEMIA OF MALIGNANT DISEASE | | | 5 (0.02) | 2 (0.03) | 7 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ANAEMIA POSTOPERATIVE | | | 12 (0.04) | 4 (0.05) | 16 (0.03) |
| ANAEMIA VITAMIN B12 DEFICIENCY | | | 1 (0.00) | | 1 (0.00) |
| ANAEMIC HYPOXIA | | | 1 (0.00) | | 1 (0.00) |
| ANAESTHETIC COMPLICATION | 3 (0.05) | 7 (0.04) | 12 (0.04) | 2 (0.03) | 24 (0.04) |
| ANAESTHETIC COMPLICATION CARDIAC | | | 1 (0.00) | | 1 (0.00) |
| ANAESTHETIC COMPLICATION NEONATAL | 1 (0.02) | | | | 1 (0.00) |
| ANAESTHETIC COMPLICATION PULMONARY | | | 1 (0.00) | | 1 (0.00) |
| ANAL ABSCESS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ANAL CANCER | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| ANAL DISCOMFORT | | 5 (0.03) | 3 (0.01) | | 8 (0.01) |
| ANAL FISSURE | 9 (0.15) | 6 (0.04) | 9 (0.03) | | 24 (0.04) |
| ANAL FISSURE EXCISION | | 1 (0.01) | | | 1 (0.00) |
| ANAL FISTULA | 3 (0.05) | | 9 (0.03) | 2 (0.03) | 14 (0.02) |
| ANAL HAEMORRHAGE | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| ANAL INFLAMMATION | | | | 1 (0.01) | 1 (0.00) |
| ANAL SPHINCTER ATONY | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| ANAL ULCER | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| ANALGESIC ASTHMA SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| ANALGESIC DRUG LEVEL INCREASED | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| ANALGESIC EFFECT | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ANAPHYLACTIC REACTION | 36 (0.61) | 65 (0.38) | 85 (0.28) | 10 (0.13) | 196 (0.32) |
| ANAPHYLACTIC SHOCK | 20 (0.34) | 49 (0.29) | 74 (0.24) | 10 (0.13) | 153 (0.25) |
| ANAPHYLACTOID REACTION | 10 (0.17) | 11 (0.06) | 15 (0.05) | | 36 (0.06) |
| ANAPHYLACTOID SHOCK | 3 (0.05) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 6 (0.01) |
| ANAPLASTIC ASTROCYTOMA | 1 (0.02) | | | | 1 (0.00) |
| ANASTOMOTIC COMPLICATION | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ANASTOMOTIC HAEMORRHAGE | | | 1 (0.00) | | 1 (0.00) |
| ANASTOMOTIC ULCER | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| ANDROGENS DECREASED | | | 1 (0.00) | | 1 (0.00) |
| ANDROGENS INCREASED | 2 (0.03) | | | | 2 (0.00) |
| ANENCEPHALY | | 1 (0.01) | | | 1 (0.00) |
| ANEURYSM | | 19 (0.11) | 52 (0.17) | 7 (0.09) | 78 (0.13) |
| ANEURYSM RUPTURED | | 1 (0.01) | 5 (0.02) | 1 (0.01) | 7 (0.01) |
| ANGER | 10 (0.17) | 31 (0.18) | 22 (0.07) | 2 (0.03) | 65 (0.11) |
| ANGINA BULLOSA HAEMORRHAGICA | | | 1 (0.00) | | 1 (0.00) |
| ANGINA PECTORIS | 10 (0.17) | 179 (1.05) | 527 (1.74) | 60 (0.77) | 776 (1.27) |
| ANGINA UNSTABLE | | 74 (0.43) | 210 (0.69) | 10 (0.13) | 294 (0.48) |
| ANGIOCENTRIC LYMPHOMA | | | 1 (0.00) | | 1 (0.00) |
| ANGIODYSPLASIA | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ANGIOGRAM ABNORMAL | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ANGIOMYOLIPOMA | | | 1 (0.00) | | 1 (0.00) |
| ANGIONEUROTIC OEDEMA | 16 (0.27) | 59 (0.35) | 104 (0.34) | 22 (0.28) | 201 (0.33) |
| ANGIOPATHY | 5 (0.08) | 12 (0.07) | 63 (0.21) | 8 (0.10) | 88 (0.14) |
| ANGIOPLASTY | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| ANGIOTENSIN CONVERTING ENZYME INCREASED | | 3 (0.02) | | | 3 (0.00) |
| ANGLE CLOSURE GLAUCOMA | | 4 (0.02) | 5 (0.02) | 2 (0.03) | 11 (0.02) |
| ANHEDONIA | 16 (0.27) | 13 (0.08) | 24 (0.08) | 6 (0.08) | 59 (0.10) |
| ANHIDROSIS | | | 2 (0.01) | | 2 (0.00) |
| ANIMAL BITE | | 1 (0.01) | 7 (0.02) | | 8 (0.01) |
| ANIMAL SCRATCH | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| ANION GAP ABNORMAL | | | | 1 (0.01) | 1 (0.00) |
| ANION GAP DECREASED | | | | 1 (0.01) | 1 (0.00) |
| ANION GAP INCREASED | 2 (0.03) | 4 (0.02) | | | 6 (0.01) |
| ANISOCYTOSIS | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| ANKLE FRACTURE | 1 (0.02) | 17 (0.10) | 33 (0.11) | 5 (0.06) | 56 (0.09) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| ANKLE OPERATION | | | 2 (0.01) | | 2 (0.00) |
| ANKYLOSING SPONDYLITIS | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| ANOMALY OF EXTERNAL EAR CONGENITAL | 2 (0.03) | | | | 2 (0.00) |
| ANORECTAL DISORDER | 2 (0.03) | 3 (0.02) | 8 (0.03) | 2 (0.03) | 15 (0.02) |
| ANOREXIA | 36 (0.61) | 82 (0.48) | 217 (0.72) | 70 (0.90) | 405 (0.66) |
| ANOREXIA NERVOSA | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ANORGASMIA | 1 (0.02) | 8 (0.05) | 7 (0.02) | | 16 (0.03) |
| ANOSMIA | | 6 (0.04) | 16 (0.05) | 2 (0.03) | 24 (0.04) |
| ANOXIA | | | 3 (0.01) | | 3 (0.00) |
| ANOXIC ENCEPHALOPATHY | | 8 (0.05) | 13 (0.04) | 6 (0.08) | 27 (0.04) |
| ANTEPARTUM HAEMORRHAGE | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| ANTEROGRADE AMNESIA | 1 (0.02) | 1 (0.01) | | 4 (0.05) | 6 (0.01) |
| ANTI FACTOR VII ANTIBODY POSITIVE | | 1 (0.01) | | | 1 (0.00) |
| ANTI FACTOR VIII ANTIBODY POSITIVE | 7 (0.12) | 2 (0.01) | 2 (0.01) | | 11 (0.02) |
| ANTI-ERYTHROCYTE ANTIBODY POSITIVE | 2 (0.03) | | | | 2 (0.00) |
| ANTI-ERYTHROPOIETIN ANTIBODY POSITIVE | | | 1 (0.00) | | 1 (0.00) |
| ANTI-GAD ANTIBODY POSITIVE | | 1 (0.01) | | | 1 (0.00) |
| ANTI-HBC ANTIBODY POSITIVE | | | 1 (0.00) | | 1 (0.00) |
| ANTI-HBS ANTIBODY POSITIVE | 1 (0.02) | | | | 1 (0.00) |
| ANTI-INSULIN ANTIBODY | | | 2 (0.01) | | 2 (0.00) |
| ANTI-INSULIN ANTIBODY POSITIVE | 1 (0.02) | | 5 (0.02) | | 6 (0.01) |
| ANTI-NEUTROPHIL CYTOPLASMIC ANTIBODY POSITIVE VASC | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ANTI-PLATELET ANTIBODY POSITIVE | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| ANTI-SS-A ANTIBODY POSITIVE | | | | 1 (0.01) | 1 (0.00) |
| ANTI-THYROID ANTIBODY POSITIVE | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| ANTIBIOTIC LEVEL ABOVE THERAPEUTIC | 1 (0.02) | | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| ANTIBODY TEST ABNORMAL | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ANTIBODY TEST POSITIVE | 2 (0.03) | | 2 (0.01) | 4 (0.05) | 8 (0.01) |
| ANTICHOLINERGIC SYNDROME | 2 (0.03) | 1 (0.01) | 1 (0.00) | | 4 (0.01) |
| ANTICOAGULATION DRUG LEVEL | | | 1 (0.00) | | 1 (0.00) |
| ANTICONVULSANT DRUG LEVEL ABNORMAL | 1 (0.02) | 1 (0.01) | | 1 (0.01) | 3 (0.00) |
| ANTICONVULSANT DRUG LEVEL ABOVE THERAPEUTIC | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| ANTICONVULSANT DRUG LEVEL BELOW THERAPEUTIC | 1 (0.02) | 2 (0.01) | 7 (0.02) | 1 (0.01) | 11 (0.02) |
| ANTICONVULSANT DRUG LEVEL DECREASED | 3 (0.05) | 1 (0.01) | 6 (0.02) | 2 (0.03) | 12 (0.02) |
| ANTICONVULSANT DRUG LEVEL INCREASED | 2 (0.03) | | 5 (0.02) | 3 (0.04) | 10 (0.02) |
| ANTICONVULSANT TOXICITY | | | 2 (0.01) | | 2 (0.00) |
| ANTIDEPRESSANT DRUG LEVEL | 1 (0.02) | | | | 1 (0.00) |
| ANTIDEPRESSANT DRUG LEVEL INCREASED | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ANTIDIURETIC HORMONE ABNORMALITY | | 1 (0.01) | | | 1 (0.00) |
| ANTIMICROBIAL SUSCEPTIBILITY TEST RESISTANT | | | | 1 (0.01) | 1 (0.00) |
| ANTIMITOCHONDRIAL ANTIBODY POSITIVE | | 1 (0.01) | | | 1 (0.00) |
| ANTINEUTROPHIL CYTOPLASMIC ANTIBODY INCREASED | | | 1 (0.00) | | 1 (0.00) |
| ANTINEUTROPHIL CYTOPLASMIC ANTIBODY POSITIVE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ANTINUCLEAR ANTIBODY | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| ANTINUCLEAR ANTIBODY INCREASED | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| ANTINUCLEAR ANTIBODY POSITIVE | 6 (0.10) | 7 (0.04) | 19 (0.06) | 6 (0.08) | 38 (0.06) |
| ANTIPHOSPHOLIPID ANTIBODIES | | | 2 (0.01) | | 2 (0.00) |
| ANTIPHOSPHOLIPID ANTIBODIES POSITIVE | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| ANTIPHOSPHOLIPID SYNDROME | 3 (0.05) | 7 (0.04) | 1 (0.00) | | 11 (0.02) |
| ANTIPSYCHOTIC DRUG LEVEL ABOVE THERAPEUTIC | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| ANTIPSYCHOTIC DRUG LEVEL BELOW THERAPEUTIC | | | 2 (0.01) | | 2 (0.00) |
| ANTIPSYCHOTIC DRUG LEVEL INCREASED | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| ANTISOCIAL BEHAVIOUR | 1 (0.02) | | | | 1 (0.00) |
| ANTISOCIAL PERSONALITY DISORDER | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ANTITHROMBIN III DECREASED | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| ANTITHROMBIN III DEFICIENCY | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ANURIA | 3 (0.05) | 11 (0.06) | 23 (0.08) | 7 (0.09) | 44 (0.07) |
| ANXIETY | 50 (0.85) | 373 (2.19) | 513 (1.70) | 70 (0.90) | 1006 (1.65) |
| ANXIETY DISORDER | 2 (0.03) | 14 (0.08) | 14 (0.05) | 1 (0.01) | 31 (0.05) |
| AORTIC ANEURYSM | | 5 (0.03) | 44 (0.15) | 16 (0.21) | 65 (0.11) |
| AORTIC ANEURYSM REPAIR | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| AORTIC ANEURYSM RUPTURE | | | 5 (0.02) | 2 (0.03) | 7 (0.01) |
| AORTIC ARTERIOSCLEROSIS | | 4 (0.02) | 25 (0.08) | 11 (0.14) | 40 (0.07) |
| AORTIC BYPASS | | | 1 (0.00) | | 1 (0.00) |
| AORTIC CALCIFICATION | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| AORTIC DILATATION | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| AORTIC DISORDER | | 1 (0.01) | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| AORTIC DISSECTION | 2 (0.03) | 6 (0.04) | 13 (0.04) | | 21 (0.03) |
| AORTIC EMBOLUS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| AORTIC OCCLUSION | | | 3 (0.01) | | 3 (0.00) |
| AORTIC RUPTURE | | | 1 (0.00) | | 1 (0.00) |
| AORTIC SURGERY | | | 1 (0.00) | | 1 (0.00) |
| AORTIC THROMBOSIS | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| AORTIC VALVE CALCIFICATION | | | 5 (0.02) | | 5 (0.01) |
| AORTIC VALVE DISEASE | | 1 (0.01) | 10 (0.03) | 3 (0.04) | 14 (0.02) |
| AORTIC VALVE DISEASE MIXED | | | 2 (0.01) | | 2 (0.00) |
| AORTIC VALVE INCOMPETENCE | 1 (0.02) | 19 (0.11) | 46 (0.15) | 9 (0.12) | 75 (0.12) |
| AORTIC VALVE REPLACEMENT | | 1 (0.01) | 2 (0.01) | 3 (0.04) | 6 (0.01) |
| AORTIC VALVE SCLEROSIS | | | 6 (0.02) | 2 (0.03) | 8 (0.01) |
| AORTIC VALVE STENOSIS | | | 18 (0.06) | 14 (0.18) | 32 (0.05) |
| APALLIC SYNDROME | 1 (0.02) | 2 (0.01) | 3 (0.01) | 2 (0.03) | 8 (0.01) |
| APATHY | 6 (0.10) | 3 (0.02) | 18 (0.06) | 6 (0.08) | 33 (0.05) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| APGAR SCORE ABNORMAL | 1 (0.02) | | | | 1 (0.00) |
| APGAR SCORE LOW | 14 (0.24) | 1 (0.01) | | | 15 (0.02) |
| APHAGIA | 2 (0.03) | 3 (0.02) | 5 (0.02) | 2 (0.03) | 12 (0.02) |
| APHASIA | 13 (0.22) | 31 (0.18) | 61 (0.20) | 11 (0.14) | 116 (0.19) |
| APHONIA | 1 (0.02) | 4 (0.02) | 5 (0.02) | 3 (0.04) | 13 (0.02) |
| APHTHOUS STOMATITIS | 7 (0.12) | 8 (0.05) | 14 (0.05) | 2 (0.03) | 31 (0.05) |
| APICECTOMY | | 2 (0.01) | | | 2 (0.00) |
| APLASIA | 2 (0.03) | 3 (0.02) | 4 (0.01) | 2 (0.03) | 11 (0.02) |
| APLASIA PURE RED CELL | 5 (0.08) | 12 (0.07) | 12 (0.04) | 4 (0.05) | 33 (0.05) |
| APLASTIC ANAEMIA | 3 (0.05) | 1 (0.01) | 7 (0.02) | 7 (0.09) | 18 (0.03) |
| APNOEA | 21 (0.36) | 15 (0.09) | 19 (0.06) | 5 (0.06) | 60 (0.10) |
| APNOEIC ATTACK | 5 (0.08) | | | | 5 (0.01) |
| APPENDICECTOMY | 3 (0.05) | 5 (0.03) | 8 (0.03) | | 16 (0.03) |
| APPENDICITIS | 4 (0.07) | 12 (0.07) | 10 (0.03) | 3 (0.04) | 29 (0.05) |
| APPENDICITIS PERFORATED | | 2 (0.01) | 9 (0.03) | | 11 (0.02) |
| APPENDIX DISORDER | 1 (0.02) | 2 (0.01) | 6 (0.02) | 4 (0.05) | 13 (0.02) |
| APPETITE DISORDER | 1 (0.02) | 2 (0.01) | 4 (0.01) | | 7 (0.01) |
| APPLICATION SITE ABSCESS | | 2 (0.01) | | | 2 (0.00) |
| APPLICATION SITE BLEEDING | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| APPLICATION SITE BURN | 1 (0.02) | 4 (0.02) | 3 (0.01) | | 8 (0.01) |
| APPLICATION SITE DERMATITIS | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| APPLICATION SITE DISCOLOURATION | | 1 (0.01) | | | 1 (0.00) |
| APPLICATION SITE ERYTHEMA | 1 (0.02) | 12 (0.07) | 7 (0.02) | | 20 (0.03) |
| APPLICATION SITE HYPERSENSITIVITY | | | 1 (0.00) | | 1 (0.00) |
| APPLICATION SITE INFECTION | 2 (0.03) | | | 1 (0.01) | 3 (0.00) |
| APPLICATION SITE IRRITATION | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| APPLICATION SITE NECROSIS | | | | 1 (0.01) | 1 (0.00) |
| APPLICATION SITE PAIN | 1 (0.02) | 1 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| APPLICATION SITE PRURITUS | | 1 (0.01) | | | 1 (0.00) |
| APPLICATION SITE REACTION | | | 1 (0.00) | | 1 (0.00) |
| APPLICATION SITE URTICARIA | | 1 (0.01) | | | 1 (0.00) |
| APRAXIA | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| APTYALISM | | 3 (0.02) | | 1 (0.01) | 4 (0.01) |
| ARACHNOIDITIS | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| AREFLEXIA | 8 (0.14) | 2 (0.01) | 11 (0.04) | 3 (0.04) | 24 (0.04) |
| ARM AMPUTATION | 2 (0.03) | 1 (0.01) | 1 (0.00) | | 4 (0.01) |
| ARNOLD-CHIARI MALFORMATION | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ARRESTED LABOUR | | 1 (0.01) | | | 1 (0.00) |
| ARRHYTHMIA | 16 (0.27) | 83 (0.49) | 201 (0.66) | 45 (0.58) | 345 (0.57) |
| ARRHYTHMIA SUPRAVENTRICULAR | 2 (0.03) | | 6 (0.02) | 7 (0.09) | 15 (0.02) |
| ARRHYTHMOGENIC RIGHT VENTRICULAR DYSPLASIA | 1 (0.02) | | | | 1 (0.00) |
| ARTERIAL BRUIT | | | 1 (0.00) | | 1 (0.00) |
| ARTERIAL BYPASS OPERATION | | | 3 (0.01) | | 3 (0.00) |
| ARTERIAL DISORDER | | 1 (0.01) | 20 (0.07) | 6 (0.08) | 27 (0.04) |
| ARTERIAL GRAFT | | | 1 (0.00) | | 1 (0.00) |
| ARTERIAL HAEMORRHAGE | | | 3 (0.01) | | 3 (0.00) |
| ARTERIAL INJURY | | 5 (0.03) | 4 (0.01) | | 9 (0.01) |
| ARTERIAL INSUFFICIENCY | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ARTERIAL OCCLUSIVE DISEASE | 3 (0.05) | 23 (0.13) | 116 (0.38) | 15 (0.19) | 157 (0.26) |
| ARTERIAL REPAIR | | 2 (0.01) | 1 (0.00) | 3 (0.04) | 6 (0.01) |
| ARTERIAL RESTENOSIS | | | 2 (0.01) | | 2 (0.00) |
| ARTERIAL RUPTURE | | 1 (0.01) | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| ARTERIAL SPASM | | | 3 (0.01) | | 3 (0.00) |
| ARTERIAL STENOSIS | | 2 (0.01) | 5 (0.02) | 4 (0.05) | 11 (0.02) |
| ARTERIAL STENOSIS LIMB | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ARTERIAL STENT INSERTION | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ARTERIAL THERAPEUTIC PROCEDURE | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| ARTERIAL THROMBOSIS | | 12 (0.07) | 17 (0.06) | 1 (0.01) | 30 (0.05) |
| ARTERIAL THROMBOSIS LIMB | 1 (0.02) | 3 (0.02) | 6 (0.02) | 1 (0.01) | 11 (0.02) |
| ARTERIOGRAM CORONARY ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| ARTERIOGRAM CORONARY NORMAL | | | 1 (0.00) | | 1 (0.00) |
| ARTERIOPATHIC DISEASE | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| ARTERIOSCLEROSIS | | 35 (0.21) | 120 (0.40) | 32 (0.41) | 187 (0.31) |
| ARTERIOSCLEROSIS CORONARY ARTERY | | 23 (0.13) | 89 (0.29) | 19 (0.25) | 131 (0.21) |
| ARTERIOSPASM CORONARY | | 9 (0.05) | 5 (0.02) | 1 (0.01) | 15 (0.02) |
| ARTERIOVENOUS FISTULA | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| ARTERIOVENOUS FISTULA SITE COMPLICATION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ARTERIOVENOUS FISTULA THROMBOSIS | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| ARTERIOVENOUS MALFORMATION | | 3 (0.02) | 3 (0.01) | 2 (0.03) | 8 (0.01) |
| ARTERITIS | | | | 1 (0.01) | 1 (0.00) |
| ARTERY DISSECTION | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| ARTHRALGIA | 56 (0.95) | 150 (0.88) | 321 (1.06) | 62 (0.80) | 589 (0.97) |
| ARTHRITIS | 6 (0.10) | 52 (0.30) | 81 (0.27) | 15 (0.19) | 154 (0.25) |
| ARTHRITIS BACTERIAL | 2 (0.03) | 2 (0.01) | 11 (0.04) | | 15 (0.02) |
| ARTHRITIS ENTEROPATHIC | | 1 (0.01) | | | 1 (0.00) |
| ARTHRITIS INFECTIVE | | 3 (0.02) | 7 (0.02) | | 10 (0.02) |
| ARTHRITIS REACTIVE | | | 2 (0.01) | | 2 (0.00) |
| ARTHRODESIS | | 2 (0.01) | 4 (0.01) | | 6 (0.01) |
| ARTHROPATHY | 8 (0.14) | 78 (0.46) | 255 (0.84) | 38 (0.49) | 379 (0.62) |
| ARTHROPOD BITE | 4 (0.07) | 2 (0.01) | 7 (0.02) | | 13 (0.02) |
| ARTHROPOD STING | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ARTHROSCOPIC SURGERY | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| ARTHROSCOPY | | 1 (0.01) | | | 1 (0.00) |
| ARTIFICIAL CROWN PROCEDURE | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ARTIFICIAL RUPTURE OF MEMBRANES | 2 (0.03) | | | | 2 (0.00) |
| ASBESTOSIS | | | | 1 (0.01) | 1 (0.00) |
| ASCITES | 12 (0.20) | 25 (0.15) | 50 (0.17) | 15 (0.19) | 102 (0.17) |
| ASPARTATE AMINOTRANSFERASE ABNORMAL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ASPARTATE AMINOTRANSFERASE DECREASED | | | 2 (0.01) | | 2 (0.00) |
| ASPARTATE AMINOTRANSFERASE INCREASED | 8 (0.14) | 16 (0.09) | 32 (0.11) | 5 (0.06) | 61 (0.10) |
| ASPERGILLOSIS | 5 (0.08) | 3 (0.02) | 10 (0.03) | 2 (0.03) | 20 (0.03) |
| ASPHYXIA | 4 (0.07) | 4 (0.02) | 3 (0.01) | | 11 (0.02) |
| ASPIRATION | 9 (0.15) | 9 (0.05) | 23 (0.08) | 12 (0.15) | 53 (0.09) |
| ASPIRATION BONE MARROW ABNORMAL | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| ASPIRATION BRONCHIAL | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ASPIRATION JOINT | | | 1 (0.00) | | 1 (0.00) |
| ASTERIXIS | 1 (0.02) | | 2 (0.01) | 3 (0.04) | 6 (0.01) |
| ASTHENIA | 51 (0.86) | 250 (1.47) | 518 (1.71) | 191 (2.46) | 1010 (1.66) |
| ASTHENOPIA | 1 (0.02) | 5 (0.03) | 7 (0.02) | 6 (0.08) | 19 (0.03) |
| ASTHMA | 30 (0.51) | 62 (0.36) | 101 (0.33) | 21 (0.27) | 214 (0.35) |
| ASTHMATIC CRISIS | | | | 2 (0.03) | 2 (0.00) |
| ASTIGMATISM | | 3 (0.02) | 1 (0.00) | 1 (0.01) | 5 (0.01) |
| ASTROCYTOMA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ASTROCYTOMA, LOW GRADE | 1 (0.02) | | | | 1 (0.00) |
| ATELECTASIS | 6 (0.10) | 4 (0.02) | 33 (0.11) | 4 (0.05) | 47 (0.08) |
| ATHETOSIS | | | 1 (0.00) | | 1 (0.00) |
| ATONIC SEIZURES | 1 (0.02) | | | | 1 (0.00) |
| ATONIC URINARY BLADDER | | | 2 (0.01) | | 2 (0.00) |
| ATRIAL CONDUCTION TIME PROLONGATION | | | 1 (0.00) | | 1 (0.00) |
| ATRIAL FIBRILLATION | 3 (0.05) | 32 (0.19) | 242 (0.80) | 103 (1.33) | 380 (0.62) |
| ATRIAL FLUTTER | 1 (0.02) | 2 (0.01) | 23 (0.08) | 6 (0.08) | 32 (0.05) |
| ATRIAL HYPERTROPHY | | 2 (0.01) | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ATRIAL PRESSURE INCREASED | | | 1 (0.00) | | 1 (0.00) |
| ATRIAL SEPTAL DEFECT | 5 (0.08) | 2 (0.01) | 5 (0.02) | | 12 (0.02) |
| ATRIAL SEPTAL DEFECT REPAIR | | | 1 (0.00) | | 1 (0.00) |
| ATRIAL TACHYCARDIA | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| ATRIAL THROMBOSIS | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| ATRIOVENTRICULAR BLOCK | | 4 (0.02) | 27 (0.09) | 6 (0.08) | 37 (0.06) |
| ATRIOVENTRICULAR BLOCK COMPLETE | 5 (0.08) | 6 (0.04) | 37 (0.12) | 12 (0.15) | 60 (0.10) |
| ATRIOVENTRICULAR BLOCK FIRST DEGREE | 2 (0.03) | 5 (0.03) | 12 (0.04) | 7 (0.09) | 26 (0.04) |
| ATRIOVENTRICULAR BLOCK SECOND DEGREE | | 3 (0.02) | 8 (0.03) | 8 (0.10) | 19 (0.03) |
| ATROPHIC VULVOVAGINITIS | | | 3 (0.01) | | 3 (0.00) |
| ATROPHY | 1 (0.02) | 4 (0.02) | 8 (0.03) | | 13 (0.02) |
| ATROPHY OF TONGUE PAPILLAE | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| ATTENTION DEFICIT/HYPERACTIVITY DISORDER | 2 (0.03) | 2 (0.01) | 3 (0.01) | | 7 (0.01) |
| ATYPICAL MYCOBACTERIAL INFECTION | 3 (0.05) | | | | 3 (0.00) |
| AUDIOGRAM ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| AURA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| AURICULAR SWELLING | | 2 (0.01) | 4 (0.01) | | 6 (0.01) |
| AUTISM | 1 (0.02) | | | | 1 (0.00) |
| AUTOANTIBODY POSITIVE | | 1 (0.01) | | | 1 (0.00) |
| AUTOIMMUNE DISORDER | 1 (0.02) | 4 (0.02) | 4 (0.01) | | 9 (0.01) |
| AUTOIMMUNE HEPATITIS | 4 (0.07) | 10 (0.06) | 9 (0.03) | 1 (0.01) | 24 (0.04) |
| AUTOIMMUNE NEUTROPENIA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| AUTOIMMUNE THROMBOCYTOPENIA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| AUTOIMMUNE THYROIDITIS | 2 (0.03) | 1 (0.01) | 1 (0.00) | | 4 (0.01) |
| AUTOMATISM | | | 1 (0.00) | | 1 (0.00) |
| AUTONOMIC FAILURE SYNDROME | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| AUTONOMIC NERVOUS SYSTEM IMBALANCE | 1 (0.02) | 3 (0.02) | 2 (0.01) | | 6 (0.01) |
| AUTONOMIC NEUROPATHY | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| AV DISSOCIATION | | 1 (0.01) | | | 1 (0.00) |
| AXILLARY MASS | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| AXILLARY PAIN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| AXILLARY VEIN THROMBOSIS | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| AZOOSPERMIA | | 6 (0.04) | 5 (0.02) | | 11 (0.02) |
| AZOTAEMIA | | 1 (0.01) | 10 (0.03) | 4 (0.05) | 15 (0.02) |
| B-CELL LYMPHOMA | | 6 (0.04) | 7 (0.02) | 1 (0.01) | 14 (0.02) |
| B-CELL LYMPHOMA STAGE I | | | 1 (0.00) | | 1 (0.00) |
| B-CELL SMALL LYMPHOCYTIC LYMPHOMA | | | 1 (0.00) | | 1 (0.00) |
| B-CELL UNCLASSIFIABLE LYMPHOMA LOW GRADE | | | 1 (0.00) | | 1 (0.00) |
| B-LYMPHOCYTE COUNT DECREASED | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| BACK DISORDER | | 36 (0.21) | 68 (0.22) | 11 (0.14) | 115 (0.19) |
| BACK INJURY | | 34 (0.20) | 28 (0.09) | 3 (0.04) | 65 (0.11) |
| BACK PAIN | 9 (0.15) | 117 (0.69) | 203 (0.67) | 55 (0.71) | 384 (0.63) |
| BACTERAEMIA | | 4 (0.02) | 16 (0.05) | 6 (0.08) | 26 (0.04) |
| BACTERIA BLOOD IDENTIFIED | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| BACTERIA SPUTUM IDENTIFIED | | | 2 (0.01) | | 2 (0.00) |
| BACTERIA STOOL IDENTIFIED | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| BACTERIA URINE IDENTIFIED | 2 (0.03) | 1 (0.01) | 4 (0.01) | 1 (0.01) | 8 (0.01) |
| BACTERIAL CULTURE POSITIVE | 1 (0.02) | | | | 1 (0.00) |
| BACTERIAL DISEASE CARRIER | 1 (0.02) | | | | 1 (0.00) |
| BACTERIAL INFECTION | 5 (0.08) | 22 (0.13) | 30 (0.10) | 1 (0.01) | 58 (0.10) |
| BACTERIAL PYELONEPHRITIS | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| BACTERIAL SEPSIS | 2 (0.03) | 4 (0.02) | 6 (0.02) | 1 (0.01) | 13 (0.02) |
| BACTERIAL TEST POSITIVE | | | 1 (0.00) | | 1 (0.00) |
| BACTERIURIA | | | 2 (0.01) | | 2 (0.00) |
| BAKER'S CYST EXCISION | | | 2 (0.01) | | 2 (0.00) |
| BALANCE DISORDER | 12 (0.20) | 36 (0.21) | 78 (0.26) | 26 (0.34) | 152 (0.25) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BALANITIS | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| BAND NEUTROPHIL COUNT INCREASED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BANKRUPTCY | | | 1 (0.00) | | 1 (0.00) |
| BARRETT'S OESOPHAGUS | | 3 (0.02) | 5 (0.02) | 1 (0.01) | 9 (0.01) |
| BASAL CELL CARCINOMA | | 3 (0.02) | 16 (0.05) | 3 (0.04) | 22 (0.04) |
| BASE EXCESS DECREASED | | | | 1 (0.01) | 1 (0.00) |
| BASEDOW'S DISEASE | 1 (0.02) | 1 (0.01) | 6 (0.02) | | 8 (0.01) |
| BASILAR ARTERY THROMBOSIS | | 1 (0.01) | | | 1 (0.00) |
| BASILAR MIGRAINE | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| BASOPHIL COUNT INCREASED | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| BASOSQUAMOUS CARCINOMA | | 1 (0.01) | | | 1 (0.00) |
| BECKER'S MUSCULAR DYSTROPHY | | | 1 (0.00) | | 1 (0.00) |
| BED REST | | | 3 (0.01) | | 3 (0.00) |
| BEDRIDDEN | 1 (0.02) | 5 (0.03) | 7 (0.02) | 1 (0.01) | 14 (0.02) |
| BEHCET'S SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| BELLIGERENCE | | | 1 (0.00) | | 1 (0.00) |
| BENCE JONES PROTEIN URINE PRESENT | | | 2 (0.01) | | 2 (0.00) |
| BENCE JONES PROTEINURIA | | | 1 (0.00) | | 1 (0.00) |
| BENIGN BILIARY NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| BENIGN BREAST NEOPLASM | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| BENIGN COLONIC NEOPLASM | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| BENIGN FEMALE REPRODUCTIVE TRACT NEOPLASM | | 1 (0.01) | | | 1 (0.00) |
| BENIGN GASTRIC NEOPLASM | | 1 (0.01) | | | 1 (0.00) |
| BENIGN HEPATIC NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| BENIGN HYDATIDIFORM MOLE | | 1 (0.01) | | | 1 (0.00) |
| BENIGN INTRACRANIAL HYPERTENSION | 9 (0.15) | 6 (0.04) | 2 (0.01) | | 17 (0.03) |
| BENIGN LUNG NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| BENIGN MUSCLE NEOPLASM | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BENIGN NEOPLASM | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| BENIGN NEOPLASM OF SPINAL CORD | 1 (0.02) | | | | 1 (0.00) |
| BENIGN PANCREATIC NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| BENIGN PROSTATIC HYPERPLASIA | 1 (0.02) | 5 (0.03) | 21 (0.07) | 5 (0.06) | 32 (0.05) |
| BEREAVEMENT REACTION | | | | 1 (0.01) | 1 (0.00) |
| BETA 2 MICROGLOBULIN INCREASED | | | | 1 (0.01) | 1 (0.00) |
| BETA HAEMOLYTIC STREPTOCOCCAL INFECTION | 1 (0.02) | | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| BEZOAR | | 1 (0.01) | | | 1 (0.00) |
| BICUSPID AORTIC VALVE | | | 1 (0.00) | | 1 (0.00) |
| BICYTOPENIA | | | | 1 (0.01) | 1 (0.00) |
| BIFASCICULAR BLOCK | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| BILE DUCT CANCER | 1 (0.02) | 2 (0.01) | 2 (0.01) | 1 (0.01) | 6 (0.01) |
| BILE DUCT NECROSIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BILE DUCT OBSTRUCTION | 1 (0.02) | | 14 (0.05) | 1 (0.01) | 16 (0.03) |
| BILE DUCT STENOSIS | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| BILE DUCT STENT INSERTION | | | | 1 (0.01) | 1 (0.00) |
| BILE DUCT STONE | | 3 (0.02) | 4 (0.01) | 3 (0.04) | 10 (0.02) |
| BILIARY ANASTOMOSIS COMPLICATION | | | 1 (0.00) | | 1 (0.00) |
| BILIARY CANCER METASTATIC | | | | 1 (0.01) | 1 (0.00) |
| BILIARY CIRRHOSIS | | 1 (0.01) | | | 1 (0.00) |
| BILIARY CIRRHOSIS PRIMARY | | | | 2 (0.03) | 2 (0.00) |
| BILIARY COLIC | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| BILIARY CYST | | | 1 (0.00) | | 1 (0.00) |
| BILIARY DILATATION | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| BILIARY DYSKINESIA | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| BILIARY TRACT DISORDER | | | 2 (0.01) | | 2 (0.00) |
| BILIARY TRACT INFECTION | | | 1 (0.00) | | 1 (0.00) |
| BILIRUBIN CONJUGATED INCREASED | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------------|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| BINGE EATING | | 1 (0.01) | | | 1 (0.00) |
| BIOPSY | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| BIOPSY BLOOD VESSEL ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| BIOPSY BONE MARROW | | | 2 (0.01) | | 2 (0.00) |
| BIOPSY BONE MARROW ABNORMAL | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| BIOPSY KIDNEY | 2 (0.03) | 2 (0.01) | | | 4 (0.01) |
| BIOPSY KIDNEY ABNORMAL | | 3 (0.02) | 1 (0.00) | 1 (0.01) | 5 (0.01) |
| BIOPSY LIVER ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| BIOPSY LYMPH GLAND ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| BIOPSY MUCOSA ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| BIOPSY MUSCLE ABNORMAL | | | | 1 (0.01) | 1 (0.00) |
| BIOPSY PROSTATE ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| BIOPSY SITE UNSPECIFIED ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| BIOPSY SKIN ABNORMAL | 1 (0.02) | 3 (0.02) | 3 (0.01) | | 7 (0.01) |
| BIOPSY VOCAL CORD | | | 2 (0.01) | | 2 (0.00) |
| BIPOLAR DISORDER | 4 (0.07) | 12 (0.07) | 11 (0.04) | | 27 (0.04) |
| BIPOLAR I DISORDER | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| BITE | | | 1 (0.00) | | 1 (0.00) |
| BLADDER ADENOCARCINOMA STAGE III | | | | 1 (0.01) | 1 (0.00) |
| BLADDER CANCER | | 1 (0.01) | 11 (0.04) | | 12 (0.02) |
| BLADDER CANCER RECURRENT | | | 2 (0.01) | | 2 (0.00) |
| BLADDER CANCER STAGE II | | | 1 (0.00) | | 1 (0.00) |
| BLADDER CANCER STAGE III | | | | 2 (0.03) | 2 (0.00) |
| BLADDER CANCER STAGE IV | | | 1 (0.00) | | 1 (0.00) |
| BLADDER CATHETER PERMANENT | | | | 1 (0.01) | 1 (0.00) |
| BLADDER CATHETERISATION | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| BLADDER CYST | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| BLADDER DISORDER | | 13 (0.08) | 12 (0.04) | 2 (0.03) | 27 (0.04) |
| BLADDER DISTENSION | 2 (0.03) | | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| BLADDER DIVERTICULUM | | 1 (0.01) | | | 1 (0.00) |
| BLADDER INJURY | | 1 (0.01) | | | 1 (0.00) |
| BLADDER NECK OBSTRUCTION | | | 1 (0.00) | | 1 (0.00) |
| BLADDER NECROSIS | | | 2 (0.01) | | 2 (0.00) |
| BLADDER NEOPLASM | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| BLADDER NEOPLASM SURGERY | | | | 1 (0.01) | 1 (0.00) |
| BLADDER OBSTRUCTION | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| BLADDER OPERATION | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| BLADDER PAIN | | 4 (0.02) | 2 (0.01) | 1 (0.01) | 7 (0.01) |
| BLADDER PERFORATION | | | 1 (0.00) | | 1 (0.00) |
| BLADDER PROLAPSE | | | 1 (0.00) | | 1 (0.00) |
| BLADDER SPASM | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| BLADDER SQUAMOUS CELL CARCINOMA STAGE UNSPECIFIED | | | | 4 (0.05) | 4 (0.01) |
| BLADDER TAMPONADE | | | 2 (0.01) | | 2 (0.00) |
| BLAST CELL COUNT INCREASED | 1 (0.02) | | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| BLAST CELL PROLIFERATION | | | 1 (0.00) | | 1 (0.00) |
| BLAST CELLS PRESENT | | | 1 (0.00) | | 1 (0.00) |
| BLAST CRISIS IN MYELOGENOUS LEUKAEMIA | | | 2 (0.01) | | 2 (0.00) |
| BLASTOCYSTIS INFECTION | | 1 (0.01) | | | 1 (0.00) |
| BLEEDING TIME | 2 (0.03) | | | | 2 (0.00) |
| BLEEDING TIME ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| BLEEDING TIME PROLONGED | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| BLEPHARAL PIGMENTATION | | | 2 (0.01) | | 2 (0.00) |
| BLEPHARITIS | | 3 (0.02) | 5 (0.02) | 2 (0.03) | 10 (0.02) |
| BLEPHAROPLASTY | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BLEPHAROSPASM | | 1 (0.01) | | | 1 (0.00) |
| BLIGHTED OVUM | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| BLINDNESS | 7 (0.12) | 27 (0.16) | 56 (0.19) | 19 (0.25) | 109 (0.18) |
| BLINDNESS CORTICAL | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| BLINDNESS TRANSIENT | 2 (0.03) | 14 (0.08) | 23 (0.08) | 4 (0.05) | 43 (0.07) |
| BLINDNESS UNILATERAL | 4 (0.07) | 20 (0.12) | 52 (0.17) | 12 (0.15) | 88 (0.14) |
| BLISTER | 15 (0.25) | 36 (0.21) | 36 (0.12) | 13 (0.17) | 100 (0.16) |
| BLISTER INFECTED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BLOOD ALBUMIN DECREASED | | 6 (0.04) | 16 (0.05) | 2 (0.03) | 24 (0.04) |
| BLOOD ALBUMIN INCREASED | 1 (0.02) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| BLOOD ALCOHOL INCREASED | 3 (0.05) | 3 (0.02) | | | 6 (0.01) |
| BLOOD ALDOSTERONE DECREASED | | | | 1 (0.01) | 1 (0.00) |
| BLOOD ALDOSTERONE INCREASED | | | 1 (0.00) | | 1 (0.00) |
| BLOOD ALKALINE PHOSPHATASE ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| BLOOD ALKALINE PHOSPHATASE INCREASED | 11 (0.19) | 12 (0.07) | 36 (0.12) | 12 (0.15) | 71 (0.12) |
| BLOOD AMYLASE INCREASED | 2 (0.03) | 3 (0.02) | 9 (0.03) | 1 (0.01) | 15 (0.02) |
| BLOOD ANDROSTENEDIONE INCREASED | | 1 (0.01) | | | 1 (0.00) |
| BLOOD ANTIDIURETIC HORMONE INCREASED | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| BLOOD BETA-D-GLUCAN INCREASED | | | 3 (0.01) | | 3 (0.00) |
| BLOOD BICARBONATE DECREASED | 1 (0.02) | 5 (0.03) | 12 (0.04) | 3 (0.04) | 21 (0.03) |
| BLOOD BICARBONATE INCREASED | 2 (0.03) | | 1 (0.00) | 2 (0.03) | 5 (0.01) |
| BLOOD BILIRUBIN ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| BLOOD BILIRUBIN INCREASED | 9 (0.15) | 15 (0.09) | 38 (0.13) | 7 (0.09) | 69 (0.11) |
| BLOOD BILIRUBIN UNCONJUGATED INCREASED | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| BLOOD BLISTER | 2 (0.03) | | 2 (0.01) | | 4 (0.01) |
| BLOOD CALCITONIN INCREASED | 1 (0.02) | | | | 1 (0.00) |
| BLOOD CALCIUM ABNORMAL | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| BLOOD CALCIUM DECREASED | 1 (0.02) | 4 (0.02) | 9 (0.03) | 2 (0.03) | 16 (0.03) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BLOOD CALCIUM INCREASED | | 1 (0.01) | 11 (0.04) | 3 (0.04) | 15 (0.02) |
| BLOOD CARBON MONOXIDE INCREASED | | | 1 (0.00) | | 1 (0.00) |
| BLOOD CHLORIDE DECREASED | | 3 (0.02) | 2 (0.01) | 7 (0.09) | 12 (0.02) |
| BLOOD CHLORIDE INCREASED | 1 (0.02) | 2 (0.01) | | 1 (0.01) | 4 (0.01) |
| BLOOD CHOLESTEROL | | | 2 (0.01) | | 2 (0.00) |
| BLOOD CHOLESTEROL ABNORMAL | 2 (0.03) | 6 (0.04) | 2 (0.01) | | 10 (0.02) |
| BLOOD CHOLESTEROL DECREASED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BLOOD CHOLESTEROL INCREASED | 6 (0.10) | 75 (0.44) | 144 (0.48) | 11 (0.14) | 236 (0.39) |
| BLOOD CHOLINESTERASE DECREASED | | 1 (0.01) | | 3 (0.04) | 4 (0.01) |
| BLOOD CORTISOL DECREASED | 4 (0.07) | 2 (0.01) | 1 (0.00) | | 7 (0.01) |
| BLOOD CORTISOL INCREASED | | | | 3 (0.04) | 3 (0.00) |
| BLOOD COUNT ABNORMAL | | 1 (0.01) | 4 (0.01) | 3 (0.04) | 8 (0.01) |
| BLOOD CREATINE INCREASED | 3 (0.05) | 6 (0.04) | 7 (0.02) | 3 (0.04) | 19 (0.03) |
| BLOOD CREATINE PHOSPHOKINASE | | | 1 (0.00) | | 1 (0.00) |
| BLOOD CREATINE PHOSPHOKINASE ABNORMAL | | | 2 (0.01) | | 2 (0.00) |
| BLOOD CREATINE PHOSPHOKINASE INCREASED | 26 (0.44) | 57 (0.33) | 80 (0.26) | 38 (0.49) | 201 (0.33) |
| BLOOD CREATINE PHOSPHOKINASE MB INCREASED | | 4 (0.02) | 3 (0.01) | 1 (0.01) | 8 (0.01) |
| BLOOD CREATININE | | | | 1 (0.01) | 1 (0.00) |
| BLOOD CREATININE ABNORMAL | | | 4 (0.01) | | 4 (0.01) |
| BLOOD CREATININE DECREASED | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| BLOOD CREATININE INCREASED | 14 (0.24) | 49 (0.29) | 160 (0.53) | 41 (0.53) | 264 (0.43) |
| BLOOD CULTURE POSITIVE | | 5 (0.03) | 7 (0.02) | | 12 (0.02) |
| BLOOD DISORDER | | 7 (0.04) | 12 (0.04) | 2 (0.03) | 21 (0.03) |
| BLOOD ELECTROLYTES ABNORMAL | 2 (0.03) | 1 (0.01) | | 1 (0.01) | 4 (0.01) |
| BLOOD ELECTROLYTES DECREASED | | | 1 (0.00) | | 1 (0.00) |
| BLOOD FIBRINOGEN ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| BLOOD FIBRINOGEN DECREASED | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BLOOD FIBRINOGEN INCREASED | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| BLOOD FOLATE DECREASED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BLOOD FOLLICLE STIMULATING HORMONE INCREASED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BLOOD GASES ABNORMAL | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| BLOOD GLUCOSE | | | 3 (0.01) | | 3 (0.00) |
| BLOOD GLUCOSE ABNORMAL | 1 (0.02) | 1 (0.01) | 9 (0.03) | 1 (0.01) | 12 (0.02) |
| BLOOD GLUCOSE DECREASED | 9 (0.15) | 37 (0.22) | 198 (0.65) | 30 (0.39) | 274 (0.45) |
| BLOOD GLUCOSE FLUCTUATION | 2 (0.03) | 5 (0.03) | 21 (0.07) | 4 (0.05) | 32 (0.05) |
| BLOOD GLUCOSE INCREASED | 24 (0.41) | 128 (0.75) | 478 (1.58) | 61 (0.79) | 691 (1.13) |
| BLOOD GLUCOSE NORMAL | | 1 (0.01) | | | 1 (0.00) |
| BLOOD GROWTH HORMONE INCREASED | | 1 (0.01) | | | 1 (0.00) |
| BLOOD HIV RNA INCREASED | | 2 (0.01) | | | 2 (0.00) |
| BLOOD HOMOCYSTEINE INCREASED | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| BLOOD HUMAN CHORIONIC GONADOTROPIN ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| BLOOD HUMAN CHORIONIC GONADOTROPIN INCREASED | | 5 (0.03) | 2 (0.01) | | 7 (0.01) |
| BLOOD HUMAN CHORIONIC GONADOTROPIN POSITIVE | | 3 (0.02) | | | 3 (0.00) |
| BLOOD IMMUNOGLOBULIN A | 2 (0.03) | | | | 2 (0.00) |
| BLOOD IMMUNOGLOBULIN A DECREASED | | | 1 (0.00) | | 1 (0.00) |
| BLOOD IMMUNOGLOBULIN A INCREASED | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| BLOOD IMMUNOGLOBULIN E INCREASED | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| BLOOD IMMUNOGLOBULIN G DECREASED | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| BLOOD IMMUNOGLOBULIN G INCREASED | | | 1 (0.00) | | 1 (0.00) |
| BLOOD IMMUNOGLOBULIN M INCREASED | 1 (0.02) | | | | 1 (0.00) |
| BLOOD INSULIN DECREASED | | | 1 (0.00) | | 1 (0.00) |
| BLOOD IRON DECREASED | 1 (0.02) | 3 (0.02) | 5 (0.02) | | 9 (0.01) |
| BLOOD IRON INCREASED | | | 2 (0.01) | | 2 (0.00) |
| BLOOD LACTATE DEHYDROGENASE ABNORMAL | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BLOOD LACTATE DEHYDROGENASE INCREASED | 6 (0.10) | 3 (0.02) | 30 (0.10) | 3 (0.04) | 42 (0.07) |
| BLOOD LACTIC ACID DECREASED | | | 1 (0.00) | | 1 (0.00) |
| BLOOD LACTIC ACID INCREASED | | | 6 (0.02) | | 6 (0.01) |
| BLOOD MAGNESIUM ABNORMAL | | | | 1 (0.01) | 1 (0.00) |
| BLOOD MAGNESIUM DECREASED | | 3 (0.02) | 8 (0.03) | 5 (0.06) | 16 (0.03) |
| BLOOD MAGNESIUM INCREASED | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| BLOOD METHAEMOGLOBIN PRESENT | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| BLOOD METHANOL INCREASED | | 1 (0.01) | | | 1 (0.00) |
| BLOOD OESTROGEN ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| BLOOD OESTROGEN DECREASED | | 2 (0.01) | | | 2 (0.00) |
| BLOOD OESTROGEN INCREASED | | 2 (0.01) | | | 2 (0.00) |
| BLOOD OSMOLARITY DECREASED | | | | 2 (0.03) | 2 (0.00) |
| BLOOD OSMOLARITY INCREASED | 1 (0.02) | | | | 1 (0.00) |
| BLOOD PARATHYROID HORMONE DECREASED | | | 1 (0.00) | | 1 (0.00) |
| BLOOD PARATHYROID HORMONE INCREASED | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| BLOOD PH DECREASED | 1 (0.02) | 4 (0.02) | 3 (0.01) | 1 (0.01) | 9 (0.01) |
| BLOOD PH INCREASED | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| BLOOD PHOSPHORUS DECREASED | | | 1 (0.00) | | 1 (0.00) |
| BLOOD POTASSIUM ABNORMAL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BLOOD POTASSIUM DECREASED | 4 (0.07) | 9 (0.05) | 27 (0.09) | 10 (0.13) | 50 (0.08) |
| BLOOD POTASSIUM INCREASED | 4 (0.07) | 5 (0.03) | 18 (0.06) | 11 (0.14) | 38 (0.06) |
| BLOOD PRESSURE | | 3 (0.02) | 2 (0.01) | 1 (0.01) | 6 (0.01) |
| BLOOD PRESSURE ABNORMAL | | 7 (0.04) | 7 (0.02) | 2 (0.03) | 16 (0.03) |
| BLOOD PRESSURE DECREASED | 14 (0.24) | 39 (0.23) | 93 (0.31) | 32 (0.41) | 178 (0.29) |
| BLOOD PRESSURE DIASTOLIC ABNORMAL | 1 (0.02) | | | | 1 (0.00) |
| BLOOD PRESSURE DIASTOLIC DECREASED | 4 (0.07) | 2 (0.01) | 9 (0.03) | 4 (0.05) | 19 (0.03) |
| BLOOD PRESSURE DIASTOLIC INCREASED | | 6 (0.04) | 3 (0.01) | | 9 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BLOOD PRESSURE FLUCTUATION | 1 (0.02) | 2 (0.01) | 7 (0.02) | 7 (0.09) | 17 (0.03) |
| BLOOD PRESSURE IMMEASURABLE | | 1 (0.01) | 10 (0.03) | 3 (0.04) | 14 (0.02) |
| BLOOD PRESSURE INADEQUATELY CONTROLLED | | 5 (0.03) | 25 (0.08) | 4 (0.05) | 34 (0.06) |
| BLOOD PRESSURE INCREASED | 14 (0.24) | 80 (0.47) | 210 (0.69) | 44 (0.57) | 348 (0.57) |
| BLOOD PRESSURE ORTHOSTATIC ABNORMAL | | | 2 (0.01) | | 2 (0.00) |
| BLOOD PRESSURE ORTHOSTATIC DECREASED | | | | 2 (0.03) | 2 (0.00) |
| BLOOD PRESSURE SYSTOLIC DECREASED | 3 (0.05) | 2 (0.01) | 5 (0.02) | | 10 (0.02) |
| BLOOD PRESSURE SYSTOLIC INCREASED | 1 (0.02) | 6 (0.04) | 24 (0.08) | 10 (0.13) | 41 (0.07) |
| BLOOD PROLACTIN INCREASED | 2 (0.03) | 4 (0.02) | 2 (0.01) | | 8 (0.01) |
| BLOOD SODIUM | | | 3 (0.01) | | 3 (0.00) |
| BLOOD SODIUM DECREASED | 1 (0.02) | 10 (0.06) | 19 (0.06) | 13 (0.17) | 43 (0.07) |
| BLOOD SODIUM INCREASED | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| BLOOD STEM CELL TRANSPLANT FAILURE | | 1 (0.01) | | | 1 (0.00) |
| BLOOD TEST ABNORMAL | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| BLOOD TESTOSTERONE DECREASED | | 3 (0.02) | 5 (0.02) | | 8 (0.01) |
| BLOOD TESTOSTERONE INCREASED | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| BLOOD THYROID STIMULATING HORMONE DECREASED | 1 (0.02) | 2 (0.01) | 3 (0.01) | | 6 (0.01) |
| BLOOD THYROID STIMULATING HORMONE INCREASED | | 9 (0.05) | 7 (0.02) | | 16 (0.03) |
| BLOOD TRIGLYCERIDES | | | 1 (0.00) | | 1 (0.00) |
| BLOOD TRIGLYCERIDES INCREASED | 5 (0.08) | 19 (0.11) | 13 (0.04) | 5 (0.06) | 42 (0.07) |
| BLOOD UREA INCREASED | 1 (0.02) | 1 (0.01) | 9 (0.03) | 5 (0.06) | 16 (0.03) |
| BLOOD URIC ACID INCREASED | 1 (0.02) | 1 (0.01) | 3 (0.01) | 1 (0.01) | 6 (0.01) |
| BLOOD URINE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BLOOD URINE PRESENT | 1 (0.02) | 7 (0.04) | 19 (0.06) | 6 (0.08) | 33 (0.05) |
| BLOOD VISCOSITY INCREASED | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| BLOOD ZINC ABNORMAL | 1 (0.02) | | | | 1 (0.00) |
| BLOOD ZINC DECREASED | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BLOODY DISCHARGE | 2 (0.03) | | | 1 (0.01) | 3 (0.00) |
| BLUE TOE SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| BLUNTED AFFECT | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BODY DYSMORPHIC DISORDER | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BODY FAT DISORDER | | | 1 (0.00) | | 1 (0.00) |
| BODY HEIGHT DECREASED | 1 (0.02) | | 5 (0.02) | 3 (0.04) | 9 (0.01) |
| BODY MASS INDEX DECREASED | | | 1 (0.00) | | 1 (0.00) |
| BODY MASS INDEX INCREASED | | 3 (0.02) | | | 3 (0.00) |
| BODY TEMPERATURE | 1 (0.02) | | | | 1 (0.00) |
| BODY TEMPERATURE DECREASED | 2 (0.03) | 3 (0.02) | 7 (0.02) | 1 (0.01) | 13 (0.02) |
| BODY TEMPERATURE FLUCTUATION | | | 1 (0.00) | | 1 (0.00) |
| BODY TEMPERATURE INCREASED | 13 (0.22) | 17 (0.10) | 26 (0.09) | 1 (0.01) | 57 (0.09) |
| BONE CALLUS EXCESSIVE | | | 1 (0.00) | | 1 (0.00) |
| BONE DEBRIDEMENT | | 5 (0.03) | 23 (0.08) | 10 (0.13) | 38 (0.06) |
| BONE DENSITY DECREASED | 3 (0.05) | 3 (0.02) | 12 (0.04) | 4 (0.05) | 22 (0.04) |
| BONE DENSITY INCREASED | | | 1 (0.00) | | 1 (0.00) |
| BONE DEVELOPMENT ABNORMAL | 1 (0.02) | | | | 1 (0.00) |
| BONE DISORDER | | 10 (0.06) | 71 (0.23) | 15 (0.19) | 96 (0.16) |
| BONE EROSION | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| BONE FISSURE | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| BONE FORMATION INCREASED | | | 4 (0.01) | | 4 (0.01) |
| BONE FRAGMENTATION | | | 1 (0.00) | | 1 (0.00) |
| BONE GRAFT | | 3 (0.02) | 1 (0.00) | 1 (0.01) | 5 (0.01) |
| BONE LESION | | | 1 (0.00) | | 1 (0.00) |
| BONE MARROW DISORDER | 2 (0.03) | 3 (0.02) | 2 (0.01) | 3 (0.04) | 10 (0.02) |
| BONE MARROW FAILURE | 7 (0.12) | 21 (0.12) | 32 (0.11) | 7 (0.09) | 67 (0.11) |
| BONE MARROW MYELOGRAM ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| BONE MARROW NECROSIS | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BONE MARROW TRANSPLANT | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| BONE NEOPLASM MALIGNANT | | | 2 (0.01) | 3 (0.04) | 5 (0.01) |
| BONE OPERATION | | | 4 (0.01) | | 4 (0.01) |
| BONE PAIN | 4 (0.07) | 12 (0.07) | 24 (0.08) | 6 (0.08) | 46 (0.08) |
| BONE SARCOMA | 1 (0.02) | | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| BONE SCAN ABNORMAL | | | | 1 (0.01) | 1 (0.00) |
| BONE SWELLING | | | 3 (0.01) | | 3 (0.00) |
| BONE TRIMMING | | | 6 (0.02) | 2 (0.03) | 8 (0.01) |
| BONE TUBERCULOSIS | | | 1 (0.00) | | 1 (0.00) |
| BORDERLINE GLAUCOMA | | | | 1 (0.01) | 1 (0.00) |
| BORDERLINE PERSONALITY DISORDER | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| BORRELIA INFECTION | | | 2 (0.01) | | 2 (0.00) |
| BOTULISM | 1 (0.02) | | | | 1 (0.00) |
| BOVINE TUBERCULOSIS | | | 9 (0.03) | 3 (0.04) | 12 (0.02) |
| BOWEL MOVEMENT IRREGULARITY | | | 1 (0.00) | | 1 (0.00) |
| BOWEL SOUNDS ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| BRADYARRHYTHMIA | 1 (0.02) | 2 (0.01) | 8 (0.03) | 6 (0.08) | 17 (0.03) |
| BRADYCARDIA | 12 (0.20) | 29 (0.17) | 109 (0.36) | 60 (0.77) | 210 (0.34) |
| BRADYCARDIA FOETAL | 2 (0.03) | | | | 2 (0.00) |
| BRADYCARDIA NEONATAL | 4 (0.07) | | | | 4 (0.01) |
| BRADYKINESIA | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| BRADYPHRENIA | 1 (0.02) | 2 (0.01) | 3 (0.01) | | 6 (0.01) |
| BRADYPNOEA | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| BRAIN ABSCESS | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| BRAIN CANCER METASTATIC | | | | 1 (0.01) | 1 (0.00) |
| BRAIN COMPRESSION | 1 (0.02) | 2 (0.01) | 4 (0.01) | | 7 (0.01) |
| BRAIN CONTUSION | | 1 (0.01) | | | 1 (0.00) |
| BRAIN DAMAGE | 1 (0.02) | 7 (0.04) | 14 (0.05) | 2 (0.03) | 24 (0.04) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BRAIN DEATH | 1 (0.02) | 5 (0.03) | 3 (0.01) | 2 (0.03) | 11 (0.02) |
| BRAIN HERNIATION | | 3 (0.02) | 4 (0.01) | 3 (0.04) | 10 (0.02) |
| BRAIN HYPOXIA | | | 1 (0.00) | | 1 (0.00) |
| BRAIN MALFORMATION | | 1 (0.01) | | | 1 (0.00) |
| BRAIN MASS | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| BRAIN NATRIURETIC PEPTIDE DECREASED | | 1 (0.01) | | | 1 (0.00) |
| BRAIN NATRIURETIC PEPTIDE INCREASED | | | | 2 (0.03) | 2 (0.00) |
| BRAIN NEOPLASM | 3 (0.05) | 6 (0.04) | 7 (0.02) | 1 (0.01) | 17 (0.03) |
| BRAIN NEOPLASM MALIGNANT | | | 2 (0.01) | | 2 (0.00) |
| BRAIN OEDEMA | 16 (0.27) | 11 (0.06) | 21 (0.07) | 5 (0.06) | 53 (0.09) |
| BRAIN OPERATION | | 5 (0.03) | 1 (0.00) | | 6 (0.01) |
| BRAIN SCAN ABNORMAL | 3 (0.05) | | | | 3 (0.00) |
| BRAIN STEM GLIOMA | 1 (0.02) | | | | 1 (0.00) |
| BRAIN STEM HAEMORRHAGE | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| BRAIN STEM INFARCTION | | 1 (0.01) | 8 (0.03) | 1 (0.01) | 10 (0.02) |
| BRAIN STEM ISCHAEMIA | | | 3 (0.01) | | 3 (0.00) |
| BRAIN STEM SYNDROME | | | 3 (0.01) | | 3 (0.00) |
| BRAIN STEM THROMBOSIS | | | 4 (0.01) | | 4 (0.01) |
| BREAKTHROUGH PAIN | | 1 (0.01) | | | 1 (0.00) |
| BREAST CANCER | | 70 (0.41) | 563 (1.86) | 19 (0.25) | 652 (1.07) |
| BREAST CANCER FEMALE | | 38 (0.22) | 118 (0.39) | 9 (0.12) | 165 (0.27) |
| BREAST CANCER IN SITU | | 7 (0.04) | 31 (0.10) | 2 (0.03) | 40 (0.07) |
| BREAST CANCER MALE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| BREAST CANCER METASTATIC | | 1 (0.01) | 32 (0.11) | 1 (0.01) | 34 (0.06) |
| BREAST CANCER RECURRENT | | 3 (0.02) | 6 (0.02) | 1 (0.01) | 10 (0.02) |
| BREAST CANCER STAGE I | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BREAST CANCER STAGE II | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BREAST CANCER STAGE III | | | 2 (0.01) | | 2 (0.00) |
| BREAST CANCER STAGE IV | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BREAST CELLULITIS | | | 1 (0.00) | | 1 (0.00) |
| BREAST COSMETIC SURGERY | 1 (0.02) | 4 (0.02) | | | 5 (0.01) |
| BREAST CYST | | 6 (0.04) | 4 (0.01) | | 10 (0.02) |
| BREAST DISCHARGE | | 3 (0.02) | | | 3 (0.00) |
| BREAST DISCOMFORT | | 1 (0.01) | | | 1 (0.00) |
| BREAST DISORDER | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| BREAST ENGORGEMENT | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| BREAST FIBROMA | | | 1 (0.00) | | 1 (0.00) |
| BREAST HAEMATOMA | | | | 1 (0.01) | 1 (0.00) |
| BREAST HAEMORRHAGE | | | 1 (0.00) | | 1 (0.00) |
| BREAST MASS | 1 (0.02) | 11 (0.06) | 7 (0.02) | 1 (0.01) | 20 (0.03) |
| BREAST MICROCALCIFICATION | | 2 (0.01) | | | 2 (0.00) |
| BREAST NEOPLASM | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| BREAST OEDEMA | 1 (0.02) | | | | 1 (0.00) |
| BREAST PAIN | 1 (0.02) | 7 (0.04) | 14 (0.05) | | 22 (0.04) |
| BREAST PROSTHESIS REMOVAL | | 1 (0.01) | | | 1 (0.00) |
| BREAST SWELLING | | 3 (0.02) | 3 (0.01) | 2 (0.03) | 8 (0.01) |
| BREAST TENDERNESS | 1 (0.02) | 3 (0.02) | 2 (0.01) | 3 (0.04) | 9 (0.01) |
| BREATH HOLDING | | 1 (0.01) | | | 1 (0.00) |
| BREATH ODOUR | 1 (0.02) | 2 (0.01) | 4 (0.01) | | 7 (0.01) |
| BREATH SOUNDS ABNORMAL | | 1 (0.01) | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| BREECH PRESENTATION | 2 (0.03) | 3 (0.02) | | | 5 (0.01) |
| BRIEF PSYCHOTIC DISORDER WITH MARKED STRESSORS | 1 (0.02) | | | | 1 (0.00) |
| BRIEF PSYCHOTIC DISORDER, WITH POSTPARTUM ONSET | 2 (0.03) | | | | 2 (0.00) |
| BRONCHIAL CARCINOMA | | | 3 (0.01) | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BRONCHIAL DISORDER | | | 1 (0.00) | | 1 (0.00) |
| BRONCHIAL FISTULA | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| BRONCHIAL HYPERACTIVITY | 3 (0.05) | 1 (0.01) | 2 (0.01) | | 6 (0.01) |
| BRONCHIAL OBSTRUCTION | 2 (0.03) | 1 (0.01) | 4 (0.01) | | 7 (0.01) |
| BRONCHIECTASIS | | | 5 (0.02) | 4 (0.05) | 9 (0.01) |
| BRONCHIOLITIS | 7 (0.12) | | | | 7 (0.01) |
| BRONCHIOLOALVEOLAR CARCINOMA | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| BRONCHITIS | 4 (0.07) | 19 (0.11) | 47 (0.16) | 18 (0.23) | 88 (0.14) |
| BRONCHITIS ACUTE | 1 (0.02) | 1 (0.01) | 9 (0.03) | 2 (0.03) | 13 (0.02) |
| BRONCHITIS BACTERIAL | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| BRONCHITIS CHRONIC | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BRONCHOALVEOLAR LAVAGE ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| BRONCHOMALACIA | 1 (0.02) | | | | 1 (0.00) |
| BRONCHOPLEURAL FISTULA | | 1 (0.01) | | | 1 (0.00) |
| BRONCHOPNEUMONIA | 1 (0.02) | 4 (0.02) | 17 (0.06) | 4 (0.05) | 26 (0.04) |
| BRONCHOPNEUMOPATHY | | | | 1 (0.01) | 1 (0.00) |
| BRONCHOPULMONARY ASPERGILLOSIS | 1 (0.02) | 4 (0.02) | 4 (0.01) | 1 (0.01) | 10 (0.02) |
| BRONCHOSPASM | 6 (0.10) | 9 (0.05) | 25 (0.08) | 3 (0.04) | 43 (0.07) |
| BRONCHOSPASM PARADOXICAL | 1 (0.02) | | 1 (0.00) | 4 (0.05) | 6 (0.01) |
| BRONCHOSTENOSIS | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| BRUXISM | | 1 (0.01) | 7 (0.02) | 5 (0.06) | 13 (0.02) |
| BUDD-CHIARI SYNDROME | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| BULBAR PALSY | | | | 1 (0.01) | 1 (0.00) |
| BUNDLE BRANCH BLOCK | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| BUNDLE BRANCH BLOCK LEFT | 1 (0.02) | 5 (0.03) | 17 (0.06) | 3 (0.04) | 26 (0.04) |
| BUNDLE BRANCH BLOCK RIGHT | 2 (0.03) | 7 (0.04) | 4 (0.01) | | 13 (0.02) |
| BUNION | | | 4 (0.01) | | 4 (0.01) |
| BUNION OPERATION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BURN OESOPHAGEAL | | | 1 (0.00) | | 1 (0.00) |
| BURNING SENSATION | 9 (0.15) | 47 (0.28) | 49 (0.16) | 12 (0.15) | 117 (0.19) |
| BURNING SENSATION MUCOSAL | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| BURNS FIRST DEGREE | | | 3 (0.01) | | 3 (0.00) |
| BURNS SECOND DEGREE | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| BURNS THIRD DEGREE | 2 (0.03) | | | | 2 (0.00) |
| BURSITIS | | 4 (0.02) | 9 (0.03) | | 13 (0.02) |
| BURSITIS INFECTIVE | | | 1 (0.00) | | 1 (0.00) |
| BUTTOCK PAIN | | 1 (0.01) | | | 1 (0.00) |
| C-REACTIVE PROTEIN INCREASED | 5 (0.08) | 19 (0.11) | 12 (0.04) | 4 (0.05) | 40 (0.07) |
| CACHEXIA | | 2 (0.01) | 6 (0.02) | 1 (0.01) | 9 (0.01) |
| CAECITIS | 5 (0.08) | | 4 (0.01) | 1 (0.01) | 10 (0.02) |
| CAESAREAN SECTION | 24 (0.41) | 50 (0.29) | | | 74 (0.12) |
| CAFFEINE CONSUMPTION | | 2 (0.01) | | | 2 (0.00) |
| CALCINOSIS | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| CALCIPHYLAXIS | | 1 (0.01) | | | 1 (0.00) |
| CALCULUS BLADDER | | 1 (0.01) | | | 1 (0.00) |
| CALCULUS URETERIC | | 2 (0.01) | 2 (0.01) | 2 (0.03) | 6 (0.01) |
| CALCULUS URETHRAL | | 4 (0.02) | | | 4 (0.01) |
| CALCULUS URINARY | 2 (0.03) | | | | 2 (0.00) |
| CAMPYLOBACTER INFECTION | | | 1 (0.00) | | 1 (0.00) |
| CANCER PAIN | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| CANDIDA PNEUMONIA | | | 2 (0.01) | | 2 (0.00) |
| CANDIDIASIS | 1 (0.02) | 6 (0.04) | 18 (0.06) | 7 (0.09) | 32 (0.05) |
| CAPILLARY DISORDER | 3 (0.05) | 1 (0.01) | 2 (0.01) | | 6 (0.01) |
| CAPILLARY FRAGILITY | | | 1 (0.00) | | 1 (0.00) |
| CAPILLARY LEAK SYNDROME | 3 (0.05) | 1 (0.01) | 1 (0.00) | | 5 (0.01) |
| CARBOHYDRATE ANTIGEN 15-3 INCREASED | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CARBOHYDRATE ANTIGEN 19-9 INCREASED | | | 2 (0.01) | | 2 (0.00) |
| CARBON DIOXIDE INCREASED | | | 4 (0.01) | | 4 (0.01) |
| CARBON MONOXIDE POISONING | 1 (0.02) | 5 (0.03) | 1 (0.00) | | 7 (0.01) |
| CARBOXYHAEMOGLOBIN INCREASED | | | 1 (0.00) | | 1 (0.00) |
| CARCINOEMBRYONIC ANTIGEN INCREASED | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| CARCINOID SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| CARCINOID TUMOUR | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| CARCINOID TUMOUR OF THE STOMACH | | | 1 (0.00) | | 1 (0.00) |
| CARCINOID TUMOUR PULMONARY | | 2 (0.01) | | | 2 (0.00) |
| CARCINOMA IN SITU | | | | 1 (0.01) | 1 (0.00) |
| CARCINOMA IN SITU OF SKIN | | 1 (0.01) | | | 1 (0.00) |
| CARDIAC ABLATION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CARDIAC ANEURYSM | | | 6 (0.02) | | 6 (0.01) |
| CARDIAC ARREST | 19 (0.32) | 69 (0.40) | 167 (0.55) | 48 (0.62) | 303 (0.50) |
| CARDIAC DEATH | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| CARDIAC DISCOMFORT | | | 1 (0.00) | | 1 (0.00) |
| CARDIAC DISORDER | 12 (0.20) | 140 (0.82) | 381 (1.26) | 64 (0.83) | 597 (0.98) |
| CARDIAC ENZYMES INCREASED | | 4 (0.02) | 2 (0.01) | 6 (0.08) | 12 (0.02) |
| CARDIAC FAILURE | 7 (0.12) | 45 (0.26) | 131 (0.43) | 68 (0.88) | 251 (0.41) |
| CARDIAC FAILURE ACUTE | | 7 (0.04) | 7 (0.02) | 6 (0.08) | 20 (0.03) |
| CARDIAC FAILURE CHRONIC | | | 3 (0.01) | | 3 (0.00) |
| CARDIAC FAILURE CONGESTIVE | 3 (0.05) | 27 (0.16) | 152 (0.50) | 73 (0.94) | 255 (0.42) |
| CARDIAC FIBRILLATION | | 3 (0.02) | 2 (0.01) | 4 (0.05) | 9 (0.01) |
| CARDIAC FLUTTER | | 4 (0.02) | 6 (0.02) | | 10 (0.02) |
| CARDIAC FUNCTION DISTURBANCE POSTOPERATIVE | | 1 (0.01) | | | 1 (0.00) |
| CARDIAC INFECTION | | 1 (0.01) | | | 1 (0.00) |
| CARDIAC MURMUR | 4 (0.07) | 6 (0.04) | 11 (0.04) | | 21 (0.03) |
| CARDIAC OPERATION | 2 (0.03) | 2 (0.01) | 3 (0.01) | 1 (0.01) | 8 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CARDIAC PACEMAKER INSERTION | | | 4 (0.01) | 6 (0.08) | 10 (0.02) |
| CARDIAC PACEMAKER REPLACEMENT | | | | 1 (0.01) | 1 (0.00) |
| CARDIAC PROCEDURE COMPLICATION | 1 (0.02) | | 7 (0.02) | 1 (0.01) | 9 (0.01) |
| CARDIAC REHABILITATION THERAPY | | | 1 (0.00) | | 1 (0.00) |
| CARDIAC SEPTAL DEFECT | | | 1 (0.00) | | 1 (0.00) |
| CARDIAC STRESS TEST ABNORMAL | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |
| CARDIAC TAMPONADE | | 2 (0.01) | 7 (0.02) | 3 (0.04) | 12 (0.02) |
| CARDIAC VALVE DISEASE | | 9 (0.05) | 12 (0.04) | | 21 (0.03) |
| CARDIAC VALVE REPLACEMENT COMPLICATION | | | 1 (0.00) | | 1 (0.00) |
| CARDIO-RESPIRATORY ARREST | 20 (0.34) | 47 (0.28) | 68 (0.22) | 22 (0.28) | 157 (0.26) |
| CARDIOACTIVE DRUG LEVEL INCREASED | | | 1 (0.00) | | 1 (0.00) |
| CARDIOGENIC SHOCK | 2 (0.03) | 9 (0.05) | 15 (0.05) | 4 (0.05) | 30 (0.05) |
| CARDIOMEGALY | 1 (0.02) | 11 (0.06) | 28 (0.09) | 7 (0.09) | 47 (0.08) |
| CARDIOMYOPATHY | 1 (0.02) | 11 (0.06) | 13 (0.04) | 4 (0.05) | 29 (0.05) |
| CARDIOMYOPATHY ACUTE | | | 1 (0.00) | | 1 (0.00) |
| CARDIOPULMONARY FAILURE | | 1 (0.01) | 11 (0.04) | 3 (0.04) | 15 (0.02) |
| CARDIOTOXICITY | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| CARDIOVASCULAR DECONDITIONING | | 1 (0.01) | | | 1 (0.00) |
| CARDIOVASCULAR DISORDER | 2 (0.03) | 59 (0.35) | 163 (0.54) | 30 (0.39) | 254 (0.42) |
| CARDIOVASCULAR INSUFFICIENCY | | | 1 (0.00) | | 1 (0.00) |
| CARDIOVERSION | | | 1 (0.00) | | 1 (0.00) |
| CARDITIS | 2 (0.03) | | | | 2 (0.00) |
| CAREGIVER | | 1 (0.01) | | | 1 (0.00) |
| CAROTID ARTERY ANEURYSM | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CAROTID ARTERY ATHEROMA | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| CAROTID ARTERY DISEASE | | | 10 (0.03) | 2 (0.03) | 12 (0.02) |
| CAROTID ARTERY DISSECTION | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| CAROTID ARTERY OCCLUSION | | | 26 (0.09) | 5 (0.06) | 31 (0.05) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CAROTID ARTERY STENOSIS | 2 (0.03) | 3 (0.02) | 22 (0.07) | 11 (0.14) | 38 (0.06) |
| CAROTID BRUIT | | | 1 (0.00) | | 1 (0.00) |
| CARPAL TUNNEL DECOMPRESSION | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| CARPAL TUNNEL SYNDROME | 1 (0.02) | 10 (0.06) | 22 (0.07) | 5 (0.06) | 38 (0.06) |
| CARPUS CURVUS | | | 1 (0.00) | | 1 (0.00) |
| CARTILAGE INJURY | | | 2 (0.01) | | 2 (0.00) |
| CASTLEMAN'S DISEASE | | | 3 (0.01) | | 3 (0.00) |
| CAT SCRATCH DISEASE | | 1 (0.01) | | | 1 (0.00) |
| CATAPLEXY | | | 1 (0.00) | | 1 (0.00) |
| CATARACT | 3 (0.05) | 10 (0.06) | 41 (0.14) | 19 (0.25) | 73 (0.12) |
| CATARACT CONGENITAL | 1 (0.02) | | | | 1 (0.00) |
| CATARACT CORTICAL | | | | 1 (0.01) | 1 (0.00) |
| CATARACT NUCLEAR | | | 2 (0.01) | | 2 (0.00) |
| CATARACT OPERATION | | 1 (0.01) | 6 (0.02) | 6 (0.08) | 13 (0.02) |
| CATARACT OPERATION COMPLICATION | | | 4 (0.01) | 4 (0.05) | 8 (0.01) |
| CATARACT SUBCAPSULAR | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| CATATONIA | 3 (0.05) | 4 (0.02) | 3 (0.01) | 1 (0.01) | 11 (0.02) |
| CATHETER PLACEMENT | | | 1 (0.00) | | 1 (0.00) |
| CATHETER RELATED COMPLICATION | 1 (0.02) | 10 (0.06) | 27 (0.09) | 6 (0.08) | 44 (0.07) |
| CATHETER RELATED INFECTION | 4 (0.07) | 10 (0.06) | 14 (0.05) | | 28 (0.05) |
| CATHETER SEPSIS | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CATHETER SITE CELLULITIS | 1 (0.02) | | | | 1 (0.00) |
| CATHETER SITE DISCHARGE | | 2 (0.01) | | | 2 (0.00) |
| CATHETER SITE ERYTHEMA | | 2 (0.01) | | | 2 (0.00) |
| CATHETER SITE HAEMATOMA | | | 3 (0.01) | | 3 (0.00) |
| CATHETER SITE INFECTION | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| CATHETER SITE RELATED REACTION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CATHETERISATION CARDIAC | | 2 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CAUDA EQUINA SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| CAUDAL REGRESSION SYNDROME | | 2 (0.01) | | | 2 (0.00) |
| CAUSTIC INJURY | 2 (0.03) | 3 (0.02) | | | 5 (0.01) |
| CAVERNOUS SINUS THROMBOSIS | | 4 (0.02) | | | 4 (0.01) |
| CD4 LYMPHOCYTES ABNORMAL | 1 (0.02) | | | | 1 (0.00) |
| CD4 LYMPHOCYTES DECREASED | 1 (0.02) | 3 (0.02) | 2 (0.01) | | 6 (0.01) |
| CD4/CD8 RATIO INCREASED | | | 1 (0.00) | | 1 (0.00) |
| CELL MARKER INCREASED | | | 2 (0.01) | | 2 (0.00) |
| CELLULITIS | 3 (0.05) | 20 (0.12) | 43 (0.14) | 6 (0.08) | 72 (0.12) |
| CELLULITIS GANGRENOUS | 1 (0.02) | | | | 1 (0.00) |
| CELLULITIS OF MALE EXTERNAL GENITAL ORGAN | | | | 1 (0.01) | 1 (0.00) |
| CENTRAL LINE INFECTION | 3 (0.05) | 6 (0.04) | 3 (0.01) | | 12 (0.02) |
| CENTRAL NERVOUS SYSTEM ABSCESS | | 1 (0.01) | | | 1 (0.00) |
| CENTRAL NERVOUS SYSTEM LESION | 2 (0.03) | | | | 2 (0.00) |
| CENTRAL NERVOUS SYSTEM LYMPHOMA | 1 (0.02) | | | | 1 (0.00) |
| CENTRAL NERVOUS SYSTEM STIMULATION | | 2 (0.01) | | | 2 (0.00) |
| CENTRAL OBESITY | | | 2 (0.01) | | 2 (0.00) |
| CENTRAL PAIN SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| CENTRAL PONTINE MYELINOLYSIS | | 1 (0.01) | | | 1 (0.00) |
| CENTRAL VENOUS PRESSURE INCREASED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CEREBELLAR ARTERY THROMBOSIS | | 1 (0.01) | | | 1 (0.00) |
| CEREBELLAR ATAXIA | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| CEREBELLAR ATROPHY | 2 (0.03) | | 4 (0.01) | | 6 (0.01) |
| CEREBELLAR HAEMORRHAGE | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| CEREBELLAR INFARCTION | | 3 (0.02) | 9 (0.03) | 1 (0.01) | 13 (0.02) |
| CEREBELLAR SYNDROME | | 4 (0.02) | 5 (0.02) | 1 (0.01) | 10 (0.02) |
| CEREBELLAR TUMOUR | 2 (0.03) | | | | 2 (0.00) |
| CEREBRAL ARTERIOSCLEROSIS | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CEREBRAL ARTERITIS | 1 (0.02) | | | | 1 (0.00) |
| CEREBRAL ARTERY EMBOLISM | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| CEREBRAL ARTERY OCCLUSION | | | 6 (0.02) | 1 (0.01) | 7 (0.01) |
| CEREBRAL ARTERY STENOSIS | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| CEREBRAL ARTERY THROMBOSIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CEREBRAL ASPERGILLOSIS | | 2 (0.01) | | | 2 (0.00) |
| CEREBRAL ATROPHY | 1 (0.02) | 2 (0.01) | 13 (0.04) | 7 (0.09) | 23 (0.04) |
| CEREBRAL CIRCULATORY FAILURE | | | 1 (0.00) | | 1 (0.00) |
| CEREBRAL DISORDER | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| CEREBRAL HAEMATOMA | | 4 (0.02) | 4 (0.01) | 5 (0.06) | 13 (0.02) |
| CEREBRAL HAEMORRHAGE | 8 (0.14) | 20 (0.12) | 69 (0.23) | 23 (0.30) | 120 (0.20) |
| CEREBRAL INFARCTION | 6 (0.10) | 19 (0.11) | 78 (0.26) | 22 (0.28) | 125 (0.20) |
| CEREBRAL ISCHAEMIA | 1 (0.02) | 3 (0.02) | 13 (0.04) | 4 (0.05) | 21 (0.03) |
| CEREBRAL THROMBOSIS | 1 (0.02) | 3 (0.02) | 5 (0.02) | | 9 (0.01) |
| CEREBRAL TOXOPLASMOSIS | | | 1 (0.00) | | 1 (0.00) |
| CEREBRAL VENOUS THROMBOSIS | | | 2 (0.01) | | 2 (0.00) |
| CEREBRAL VENTRICLE DILATATION | 1 (0.02) | 1 (0.01) | 4 (0.01) | | 6 (0.01) |
| CEREBROVASCULAR ACCIDENT | 12 (0.20) | 252 (1.48) | 789 (2.61) | 208 (2.68) | 1261 (2.07) |
| CEREBROVASCULAR DISORDER | | 5 (0.03) | 16 (0.05) | 5 (0.06) | 26 (0.04) |
| CEREBROVASCULAR INSUFFICIENCY | | | 1 (0.00) | | 1 (0.00) |
| CEREBROVASCULAR SPASM | | 2 (0.01) | | | 2 (0.00) |
| CERUMEN IMPACTION | | | 2 (0.01) | | 2 (0.00) |
| CERVICAL DYSPLASIA | 2 (0.03) | 3 (0.02) | | | 5 (0.01) |
| CERVICAL GLAND TUBERCULOSIS | | | 3 (0.01) | | 3 (0.00) |
| CERVICAL INCOMPETENCE | | 3 (0.02) | | | 3 (0.00) |
| CERVICAL MYELOPATHY | 1 (0.02) | | | | 1 (0.00) |
| CERVICAL POLYP | | 3 (0.02) | 4 (0.01) | | 7 (0.01) |
| CERVICAL ROOT PAIN | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| CERVICAL SPINAL STENOSIS | | | 3 (0.01) | | 3 (0.00) |
| CERVICAL VERTEBRAL FRACTURE | | | 3 (0.01) | | 3 (0.00) |
| CERVICOBRACHIAL SYNDROME | | | 4 (0.01) | | 4 (0.01) |
| CERVICOGENIC HEADACHE | | 1 (0.01) | | | 1 (0.00) |
| CERVIX CARCINOMA | 1 (0.02) | 4 (0.02) | 4 (0.01) | | 9 (0.01) |
| CERVIX DISORDER | 1 (0.02) | | | | 1 (0.00) |
| CHANGE OF BOWEL HABIT | | 2 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| CHAPPED LIPS | 4 (0.07) | 4 (0.02) | 5 (0.02) | 1 (0.01) | 14 (0.02) |
| CHEILITIS | 3 (0.05) | 5 (0.03) | 9 (0.03) | 2 (0.03) | 19 (0.03) |
| CHEMICAL BURNS OF EYE | | 2 (0.01) | | | 2 (0.00) |
| CHEMICAL INJURY | | 1 (0.01) | | | 1 (0.00) |
| CHEMICAL POISONING | 1 (0.02) | | | | 1 (0.00) |
| CHEMOTHERAPEUTIC DRUG LEVEL INCREASED | | | 1 (0.00) | | 1 (0.00) |
| CHEST DISCOMFORT | 5 (0.08) | 47 (0.28) | 67 (0.22) | 7 (0.09) | 126 (0.21) |
| CHEST INJURY | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| CHEST PAIN | 31 (0.52) | 188 (1.10) | 277 (0.92) | 46 (0.59) | 542 (0.89) |
| CHEST TUBE INSERTION | | | | 1 (0.01) | 1 (0.00) |
| CHEST WALL MASS | 1 (0.02) | | | | 1 (0.00) |
| CHEST X-RAY ABNORMAL | | 2 (0.01) | 7 (0.02) | 7 (0.09) | 16 (0.03) |
| CHEST X-RAY NORMAL | | | 1 (0.00) | | 1 (0.00) |
| CHEYNE-STOKES RESPIRATION | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| CHILD NEGLECT | | 1 (0.01) | | | 1 (0.00) |
| CHILLBLAINS | | | 1 (0.00) | | 1 (0.00) |
| CHILLS | 8 (0.14) | 55 (0.32) | 88 (0.29) | 14 (0.18) | 165 (0.27) |
| CHLOROMA | | 2 (0.01) | | | 2 (0.00) |
| CHOKING | 3 (0.05) | 10 (0.06) | 11 (0.04) | 4 (0.05) | 28 (0.05) |
| CHOKING SENSATION | 1 (0.02) | 3 (0.02) | 1 (0.00) | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| CHOLANGIOLITIS | | 1 (0.01) | | | 1 (0.00) |
| CHOLANGITIS | 1 (0.02) | 6 (0.04) | 7 (0.02) | 1 (0.01) | 15 (0.02) |
| CHOLANGITIS SCLEROSING | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| CHOLECYSTECTOMY | 1 (0.02) | 8 (0.05) | 12 (0.04) | 2 (0.03) | 23 (0.04) |
| CHOLECYSTITIS | 3 (0.05) | 4 (0.02) | 12 (0.04) | 2 (0.03) | 21 (0.03) |
| CHOLECYSTITIS ACUTE | 1 (0.02) | 4 (0.02) | 5 (0.02) | | 10 (0.02) |
| CHOLECYSTITIS CHRONIC | | 4 (0.02) | | | 4 (0.01) |
| CHOLECYSTITIS INFECTIVE | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| CHOLECYSTOSTOMY | | | 1 (0.00) | | 1 (0.00) |
| CHOLELITHIASIS | 4 (0.07) | 20 (0.12) | 25 (0.08) | 10 (0.13) | 59 (0.10) |
| CHOLESTASIS | 3 (0.05) | 19 (0.11) | 27 (0.09) | 8 (0.10) | 57 (0.09) |
| CHOLESTEROL GRANULOMA | | 1 (0.01) | | | 1 (0.00) |
| CHOLINERGIC SYNDROME | | 3 (0.02) | | | 3 (0.00) |
| CHOLURIA | 1 (0.02) | | | | 1 (0.00) |
| CHONDROCALCINOSIS | | | | 1 (0.01) | 1 (0.00) |
| CHONDROMA | 1 (0.02) | | | | 1 (0.00) |
| CHONDROMALACIA | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| CHONDROMATOSIS | 1 (0.02) | | | | 1 (0.00) |
| CHONDROPATHY | | | 5 (0.02) | | 5 (0.01) |
| CHONDROSARCOMA | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| CHOREA | 4 (0.07) | 1 (0.01) | 2 (0.01) | | 7 (0.01) |
| CHOREOATHETOSIS | 1 (0.02) | | | | 1 (0.00) |
| CHORIOAMNIONITIS | | 1 (0.01) | | | 1 (0.00) |
| CHORIORETINITIS | | 1 (0.01) | | | 1 (0.00) |
| CHORIORETINOPATHY | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CHOROIDAL DETACHMENT | | | 1 (0.00) | | 1 (0.00) |
| CHOROIDAL DYSTROPHY | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| CHOROIDAL HAEMORRHAGE | | | 4 (0.01) | | 4 (0.01) |
| CHOROIDAL NEOVASCULARISATION | | | 1 (0.00) | | 1 (0.00) |
| CHOROIDITIS | 1 (0.02) | | | | 1 (0.00) |
| CHROMATOPSIA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CHROMATURIA | 9 (0.15) | 11 (0.06) | 16 (0.05) | 4 (0.05) | 40 (0.07) |
| CHROMOSOMAL DELETION | 1 (0.02) | | | | 1 (0.00) |
| CHROMOSOME ABNORMALITY | 1 (0.02) | | | | 1 (0.00) |
| CHRONIC FATIGUE SYNDROME | 1 (0.02) | | | | 1 (0.00) |
| CHRONIC HEPATITIS | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| CHRONIC INFLAMMATORY DEMYELINATING POLYRADICULONEU | | | 4 (0.01) | | 4 (0.01) |
| CHRONIC LYMPHOCYTIC LEUKAEMIA | | 3 (0.02) | 10 (0.03) | 4 (0.05) | 17 (0.03) |
| CHRONIC LYMPHOCYTIC LEUKAEMIA TRANSFORMATION | | | 2 (0.01) | | 2 (0.00) |
| CHRONIC MYELOID LEUKAEMIA | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| CHRONIC OBSTRUCTIVE PULMONARY DISEASE | | 3 (0.02) | 43 (0.14) | 12 (0.15) | 58 (0.10) |
| CHRONIC RESPIRATORY FAILURE | | | 1 (0.00) | | 1 (0.00) |
| CHRONIC SINUSITIS | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CIRCULATORY COLLAPSE | 5 (0.08) | 11 (0.06) | 15 (0.05) | 6 (0.08) | 37 (0.06) |
| CIRCUMORAL OEDEMA | | | 1 (0.00) | | 1 (0.00) |
| CIRCUMSTANCE OR INFORMATION CAPABLE OF LEADING TO | 1 (0.02) | 5 (0.03) | 4 (0.01) | 2 (0.03) | 12 (0.02) |
| CIRRHOSIS ALCOHOLIC | | 4 (0.02) | | | 4 (0.01) |
| CLAUSTROPHOBIA | | | 1 (0.00) | | 1 (0.00) |
| CLAVICLE FRACTURE | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| CLEAR CELL CARCINOMA OF THE KIDNEY | | | 2 (0.01) | | 2 (0.00) |
| CLEFT LIP | 2 (0.03) | | | | 2 (0.00) |
| CLEFT LIP AND PALATE | 1 (0.02) | | | | 1 (0.00) |
| CLEFT PALATE | 3 (0.05) | | | | 3 (0.00) |
| CLONIC CONVULSION | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| CLONUS | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| CLOSTRIDIAL INFECTION | 1 (0.02) | 5 (0.03) | 6 (0.02) | 7 (0.09) | 19 (0.03) |
| CLOSTRIDIUM COLITIS | 5 (0.08) | 4 (0.02) | 23 (0.08) | 19 (0.25) | 51 (0.08) |
| CLOSTRIDIUM DIFFICILE COLITIS | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| CLOSTRIDIUM DIFFICILE TOXIN TEST POSITIVE | | | 1 (0.00) | | 1 (0.00) |
| CLUMSINESS | 1 (0.02) | 4 (0.02) | 4 (0.01) | 1 (0.01) | 10 (0.02) |
| CLUSTER HEADACHE | | 1 (0.01) | | | 1 (0.00) |
| CNS VENTRICULITIS | 1 (0.02) | | | | 1 (0.00) |
| COAGULATION FACTOR DECREASED | | | 1 (0.00) | | 1 (0.00) |
| COAGULATION FACTOR IX LEVEL DECREASED | | 1 (0.01) | | | 1 (0.00) |
| COAGULATION FACTOR V LEVEL DECREASED | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| COAGULATION FACTOR VIII LEVEL DECREASED | 4 (0.07) | | | | 4 (0.01) |
| COAGULATION FACTOR VIII LEVEL INCREASED | | 1 (0.01) | | | 1 (0.00) |
| COAGULATION TEST ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| COAGULATION TIME ABNORMAL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| COAGULATION TIME PROLONGED | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| COAGULATION TIME SHORTENED | | | 1 (0.00) | | 1 (0.00) |
| COAGULOPATHY | | 7 (0.04) | 16 (0.05) | 8 (0.10) | 31 (0.05) |
| COELIAC DISEASE | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| COGNITIVE DETERIORATION | | | 5 (0.02) | 2 (0.03) | 7 (0.01) |
| COGNITIVE DISORDER | 3 (0.05) | 1 (0.01) | 12 (0.04) | 4 (0.05) | 20 (0.03) |
| COGWHEEL RIGIDITY | 1 (0.02) | 4 (0.02) | | 1 (0.01) | 6 (0.01) |
| COITAL BLEEDING | | 1 (0.01) | | | 1 (0.00) |
| COLD SWEAT | | 7 (0.04) | 6 (0.02) | 2 (0.03) | 15 (0.02) |
| COLECTOMY | | | 7 (0.02) | | 7 (0.01) |
| COLITIS | 15 (0.25) | 11 (0.06) | 16 (0.05) | 5 (0.06) | 47 (0.08) |
| COLITIS COLLAGENOUS | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| COLITIS ISCHAEMIC | | 14 (0.08) | 17 (0.06) | | 31 (0.05) |
| COLITIS MICROSCOPIC | | | 1 (0.00) | | 1 (0.00) |
| COLITIS ULCERATIVE | 3 (0.05) | 5 (0.03) | 3 (0.01) | 3 (0.04) | 14 (0.02) |
| COLLAGEN DISORDER | | | 1 (0.00) | | 1 (0.00) |
| COLLAPSE OF LUNG | 1 (0.02) | 2 (0.01) | 6 (0.02) | 3 (0.04) | 12 (0.02) |
| COLON ADENOMA | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| COLON CANCER | 1 (0.02) | 2 (0.01) | 20 (0.07) | 7 (0.09) | 30 (0.05) |
| COLON CANCER METASTATIC | | 2 (0.01) | 5 (0.02) | 2 (0.03) | 9 (0.01) |
| COLON CANCER RECURRENT | | | 1 (0.00) | | 1 (0.00) |
| COLON NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| COLON OPERATION | | | 4 (0.01) | | 4 (0.01) |
| COLONIC POLYP | | | 6 (0.02) | 2 (0.03) | 8 (0.01) |
| COLONIC PSEUDO-OBSTRUCTION | | | 1 (0.00) | | 1 (0.00) |
| COLONOSCOPY | | | 1 (0.00) | | 1 (0.00) |
| COLORECTAL CANCER | | | 2 (0.01) | | 2 (0.00) |
| COLOSTOMY | 1 (0.02) | | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| COLOUR BLINDNESS | 2 (0.03) | 2 (0.01) | 1 (0.00) | 1 (0.01) | 6 (0.01) |
| COLOUR VISION TESTS ABNORMAL | 1 (0.02) | | | | 1 (0.00) |
| COLPOCELE | | | 2 (0.01) | | 2 (0.00) |
| COMA | 21 (0.36) | 32 (0.19) | 46 (0.15) | 18 (0.23) | 117 (0.19) |
| COMA HEPATIC | 1 (0.02) | 2 (0.01) | 5 (0.02) | 1 (0.01) | 9 (0.01) |
| COMMUNICATION DISORDER | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| COMPARTMENT SYNDROME | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| COMPLEMENT FACTOR C3 INCREASED | | | 1 (0.00) | | 1 (0.00) |
| COMPLEMENT FACTOR C4 DECREASED | | 1 (0.01) | | | 1 (0.00) |
| COMPLETED SUICIDE | 59 (1.00) | 116 (0.68) | 47 (0.16) | 9 (0.12) | 231 (0.38) |
| COMPLEX PARTIAL SEIZURES | 7 (0.12) | 8 (0.05) | 1 (0.00) | | 16 (0.03) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| COMPLEX REGIONAL PAIN SYNDROME | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| COMPLICATION OF DEVICE INSERTION | 7 (0.12) | 11 (0.06) | 2 (0.01) | | 20 (0.03) |
| COMPLICATION OF DEVICE REMOVAL | 2 (0.03) | 9 (0.05) | | | 11 (0.02) |
| COMPLICATION OF PREGNANCY | | 2 (0.01) | | | 2 (0.00) |
| COMPLICATIONS OF MATERNAL EXPOSURE TO THERAPEUTIC | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| COMPLICATIONS OF TRANSPLANT SURGERY | 3 (0.05) | 4 (0.02) | 4 (0.01) | 2 (0.03) | 13 (0.02) |
| COMPLICATIONS OF TRANSPLANTED HEART | | | 2 (0.01) | | 2 (0.00) |
| COMPLICATIONS OF TRANSPLANTED KIDNEY | 1 (0.02) | 7 (0.04) | 13 (0.04) | | 21 (0.03) |
| COMPLICATIONS OF TRANSPLANTED LIVER | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| COMPLICATIONS OF TRANSPLANTED LUNG | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| COMPRESSION FRACTURE | | | 7 (0.02) | 3 (0.04) | 10 (0.02) |
| COMPULSIONS | | 1 (0.01) | | | 1 (0.00) |
| COMPUTERISED TOMOGRAM ABNORMAL | | | 5 (0.02) | 2 (0.03) | 7 (0.01) |
| COMPUTERISED TOMOGRAM NORMAL | | 2 (0.01) | | | 2 (0.00) |
| COMPUTERISED TOMOGRAM THORAX | | | | 1 (0.01) | 1 (0.00) |
| COMPUTERISED TOMOGRAM THORAX ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| CONCOMITANT DISEASE AGGRAVATED | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| CONCOMITANT DISEASE PROGRESSION | 3 (0.05) | 2 (0.01) | 4 (0.01) | 2 (0.03) | 11 (0.02) |
| CONCUSSION | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| CONDITION AGGRAVATED | 55 (0.93) | 112 (0.66) | 202 (0.67) | 70 (0.90) | 439 (0.72) |
| CONDUCTION DISORDER | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| CONDUCTIVE DEAFNESS | | 1 (0.01) | | | 1 (0.00) |
| CONDYLOMA ACUMINATUM | | 1 (0.01) | | | 1 (0.00) |
| CONFABULATION | | | | 1 (0.01) | 1 (0.00) |
| CONFUSIONAL STATE | 15 (0.25) | 60 (0.35) | 109 (0.36) | 75 (0.97) | 259 (0.42) |
| CONGENITAL ANOMALY | 4 (0.07) | 1 (0.01) | | | 5 (0.01) |
| CONGENITAL CEREBROVASCULAR ANOMALY | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CONGENITAL CYSTIC KIDNEY DISEASE | 1 (0.02) | 3 (0.02) | 1 (0.00) | | 5 (0.01) |
| CONGENITAL HAND MALFORMATION | 1 (0.02) | | | | 1 (0.00) |
| CONGENITAL HEART VALVE DISORDER | | 1 (0.01) | | | 1 (0.00) |
| CONGENITAL JAW MALFORMATION | 1 (0.02) | | | | 1 (0.00) |
| CONGENITAL MEGACOLON | | 1 (0.01) | | | 1 (0.00) |
| CONGESTIVE CARDIOMYOPATHY | | 5 (0.03) | 7 (0.02) | | 12 (0.02) |
| CONJUNCTIVAL HAEMORRHAGE | | 4 (0.02) | 2 (0.01) | | 6 (0.01) |
| CONJUNCTIVAL HYPERAEMIA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| CONJUNCTIVAL OEDEMA | 1 (0.02) | 1 (0.01) | 5 (0.02) | 1 (0.01) | 8 (0.01) |
| CONJUNCTIVAL ULCER | | | 4 (0.01) | | 4 (0.01) |
| CONJUNCTIVITIS | 1 (0.02) | 5 (0.03) | 16 (0.05) | 6 (0.08) | 28 (0.05) |
| CONJUNCTIVITIS ALLERGIC | | | 2 (0.01) | | 2 (0.00) |
| CONJUNCTIVITIS INFECTIVE | | | 1 (0.00) | | 1 (0.00) |
| CONNECTIVE TISSUE DISORDER | | 1 (0.01) | | | 1 (0.00) |
| CONNECTIVE TISSUE INFLAMMATION | | | 1 (0.00) | | 1 (0.00) |
| CONSCIOUSNESS FLUCTUATING | | | | 2 (0.03) | 2 (0.00) |
| CONSTIPATION | 8 (0.14) | 30 (0.18) | 108 (0.36) | 47 (0.61) | 193 (0.32) |
| CONTRAINDICATION TO MEDICAL TREATMENT | 1 (0.02) | | | | 1 (0.00) |
| CONTRALATERAL BREAST CANCER | | | | 1 (0.01) | 1 (0.00) |
| CONTRAST MEDIA REACTION | 1 (0.02) | 5 (0.03) | 2 (0.01) | | 8 (0.01) |
| CONTUSION | 7 (0.12) | 32 (0.19) | 38 (0.13) | 18 (0.23) | 95 (0.16) |
| CONVERSION DISORDER | 3 (0.05) | 6 (0.04) | 1 (0.00) | | 10 (0.02) |
| CONVULSION | 140 (2.37) | 189 (1.11) | 117 (0.39) | 31 (0.40) | 477 (0.78) |
| CONVULSION NEONATAL | 2 (0.03) | | | | 2 (0.00) |
| COOMBS NEGATIVE HAEMOLYTIC ANAEMIA | | | 2 (0.01) | | 2 (0.00) |
| COORDINATION ABNORMAL | 4 (0.07) | 16 (0.09) | 27 (0.09) | 11 (0.14) | 58 (0.10) |
| COPROPORPHYRINOGEN INCREASED | | 2 (0.01) | | | 2 (0.00) |
| CORNEAL ABRASION | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CORNEAL DECOMPENSATION | 1 (0.02) | | | | 1 (0.00) |
| CORNEAL DEFECT | | | 1 (0.00) | | 1 (0.00) |
| CORNEAL DEPOSITS | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| CORNEAL DISORDER | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| CORNEAL EPITHELIUM DEFECT | 1 (0.02) | 5 (0.03) | 2 (0.01) | | 8 (0.01) |
| CORNEAL EPITHELIUM DISORDER | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| CORNEAL EXFOLIATION | | | 3 (0.01) | | 3 (0.00) |
| CORNEAL GRAFT REJECTION | | | 1 (0.00) | | 1 (0.00) |
| CORNEAL HYPERTROPHY | 1 (0.02) | | | | 1 (0.00) |
| CORNEAL INFILTRATES | | 2 (0.01) | | | 2 (0.00) |
| CORNEAL LESION | | | 1 (0.00) | | 1 (0.00) |
| CORNEAL OEDEMA | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| CORNEAL OPACITY | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CORNEAL REFLEX DECREASED | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| CORNEAL TRANSPLANT | | | 4 (0.01) | | 4 (0.01) |
| CORONARY ANGIOPLASTY | | | 1 (0.00) | | 1 (0.00) |
| CORONARY ARTERIAL STENT INSERTION | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| CORONARY ARTERY ANEURYSM | | 1 (0.01) | | | 1 (0.00) |
| CORONARY ARTERY DISEASE | 1 (0.02) | 40 (0.23) | 123 (0.41) | 15 (0.19) | 179 (0.29) |
| CORONARY ARTERY DISSECTION | | | 1 (0.00) | | 1 (0.00) |
| CORONARY ARTERY INSUFFICIENCY | | | 1 (0.00) | | 1 (0.00) |
| CORONARY ARTERY OCCLUSION | | 15 (0.09) | 57 (0.19) | 9 (0.12) | 81 (0.13) |
| CORONARY ARTERY PERFORATION | | | 1 (0.00) | | 1 (0.00) |
| CORONARY ARTERY RESTENOSIS | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| CORONARY ARTERY STENOSIS | | 8 (0.05) | 25 (0.08) | 5 (0.06) | 38 (0.06) |
| CORONARY ARTERY SURGERY | | 2 (0.01) | 4 (0.01) | 1 (0.01) | 7 (0.01) |
| CORONARY ARTERY THROMBOSIS | | 1 (0.01) | 11 (0.04) | 3 (0.04) | 15 (0.02) |
| CORONARY OSTIAL STENOSIS | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CORRECTIVE LENS USER | | | 1 (0.00) | | 1 (0.00) |
| CORTISOL FREE URINE DECREASED | | | 1 (0.00) | | 1 (0.00) |
| COSTOCHONDRITIS | | 1 (0.01) | | | 1 (0.00) |
| COUGH | 13 (0.22) | 32 (0.19) | 78 (0.26) | 23 (0.30) | 146 (0.24) |
| CRANIAL NERVE PARALYSIS | | | 1 (0.00) | | 1 (0.00) |
| CRANIOPHARYNGIOMA | 3 (0.05) | 7 (0.04) | 2 (0.01) | | 12 (0.02) |
| CRANIOTOMY | | | 2 (0.01) | | 2 (0.00) |
| CREATINE PHOSPHOKINASE DECREASED | | | 1 (0.00) | | 1 (0.00) |
| CREATININE RENAL CLEARANCE DECREASED | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| CREATININE URINE INCREASED | | | 1 (0.00) | | 1 (0.00) |
| CREPITATIONS | 1 (0.02) | | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| CROHN'S DISEASE | 5 (0.08) | 6 (0.04) | 7 (0.02) | 1 (0.01) | 19 (0.03) |
| CROSS SENSITIVITY REACTION | | | | 1 (0.01) | 1 (0.00) |
| CROUP INFECTIOUS | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| CRUSH INJURY | | 1 (0.01) | | | 1 (0.00) |
| CRUSH SYNDROME | | 2 (0.01) | | | 2 (0.00) |
| CRYING | 13 (0.22) | 20 (0.12) | 18 (0.06) | 4 (0.05) | 55 (0.09) |
| CRYPTOCOCCOSIS | 1 (0.02) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| CRYPTOGENIC CIRRHOSIS | | | 2 (0.01) | | 2 (0.00) |
| CRYPTOGENIC ORGANIZING PNEUMONIA | 1 (0.02) | 2 (0.01) | 10 (0.03) | 3 (0.04) | 16 (0.03) |
| CRYSTAL URINE | | 1 (0.01) | | | 1 (0.00) |
| CSF LYMPHOCYTE COUNT ABNORMAL | 2 (0.03) | | | | 2 (0.00) |
| CSF PRESSURE INCREASED | 4 (0.07) | | | | 4 (0.01) |
| CSF PROTEIN INCREASED | | | | 1 (0.01) | 1 (0.00) |
| CSF TEST ABNORMAL | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| CUBITAL TUNNEL SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| CULTURE POSITIVE | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |
| CULTURE THROAT POSITIVE | 3 (0.05) | | | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CULTURE URINE POSITIVE | | 1 (0.01) | | | 1 (0.00) |
| CULTURE WOUND POSITIVE | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| CUSHING'S SYNDROME | 4 (0.07) | 3 (0.02) | 2 (0.01) | | 9 (0.01) |
| CUSHINGOID | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| CUTANEOUS LUPUS ERYTHEMATOSUS | 1 (0.02) | 3 (0.02) | 6 (0.02) | 1 (0.01) | 11 (0.02) |
| CUTANEOUS SARCOIDOSIS | | 1 (0.01) | | | 1 (0.00) |
| CUTANEOUS TUBERCULOSIS | | | 2 (0.01) | | 2 (0.00) |
| CUTANEOUS VASCULITIS | | 2 (0.01) | 7 (0.02) | 2 (0.03) | 11 (0.02) |
| CYANOSIS | 17 (0.29) | 13 (0.08) | 6 (0.02) | 5 (0.06) | 41 (0.07) |
| CYANOSIS NEONATAL | 2 (0.03) | | | | 2 (0.00) |
| CYCLOPLEGIC REFRACTION | 1 (0.02) | | | | 1 (0.00) |
| CYCLOTHYMIC DISORDER | | 1 (0.01) | | | 1 (0.00) |
| CYST | 1 (0.02) | 3 (0.02) | 3 (0.01) | 3 (0.04) | 10 (0.02) |
| CYST REMOVAL | 1 (0.02) | | | | 1 (0.00) |
| CYSTIC FIBROSIS | 1 (0.02) | | | | 1 (0.00) |
| CYSTITIS | 2 (0.03) | 4 (0.02) | 5 (0.02) | 3 (0.04) | 14 (0.02) |
| CYSTITIS ESCHERICHIA | | | 1 (0.00) | | 1 (0.00) |
| CYSTITIS HAEMORRHAGIC | 2 (0.03) | 2 (0.01) | 3 (0.01) | 3 (0.04) | 10 (0.02) |
| CYSTITIS INTERSTITIAL | | 1 (0.01) | | | 1 (0.00) |
| CYSTITIS NONINFECTIVE | | | 4 (0.01) | | 4 (0.01) |
| CYSTOCELE | | | 3 (0.01) | | 3 (0.00) |
| CYSTOCELE REPAIR | | 1 (0.01) | | | 1 (0.00) |
| CYSTOSCOPY | | | 1 (0.00) | | 1 (0.00) |
| CYTOKINE RELEASE SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| CYTOLYTIC HEPATITIS | 2 (0.03) | 11 (0.06) | 16 (0.05) | 6 (0.08) | 35 (0.06) |
| CYTOMEGALOVIRUS ANTIBODY POSITIVE | | | 1 (0.00) | | 1 (0.00) |
| CYTOMEGALOVIRUS ANTIGEN POSITIVE | 1 (0.02) | | | | 1 (0.00) |
| CYTOMEGALOVIRUS CHORIORETINITIS | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CYTOMEGALOVIRUS COLITIS | | | 1 (0.00) | | 1 (0.00) |
| CYTOMEGALOVIRUS ENTERITIS | | | 2 (0.01) | | 2 (0.00) |
| CYTOMEGALOVIRUS ENTEROCOLITIS | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| CYTOMEGALOVIRUS GASTROENTERITIS | | 1 (0.01) | | | 1 (0.00) |
| CYTOMEGALOVIRUS HEPATITIS | | 1 (0.01) | | | 1 (0.00) |
| CYTOMEGALOVIRUS INFECTION | 7 (0.12) | 8 (0.05) | 11 (0.04) | | 26 (0.04) |
| CYTOMEGALOVIRUS TEST POSITIVE | | 1 (0.01) | | | 1 (0.00) |
| CYTOMEGALOVIRUS VIRAEMIA | 3 (0.05) | 4 (0.02) | | | 7 (0.01) |
| DACRYOSTENOSIS ACQUIRED | | | 1 (0.00) | | 1 (0.00) |
| DAYDREAMING | | 1 (0.01) | | | 1 (0.00) |
| DEAFNESS | 7 (0.12) | 16 (0.09) | 30 (0.10) | 8 (0.10) | 61 (0.10) |
| DEAFNESS BILATERAL | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| DEAFNESS NEUROSENSORY | 1 (0.02) | 5 (0.03) | 2 (0.01) | 1 (0.01) | 9 (0.01) |
| DEAFNESS UNILATERAL | 1 (0.02) | 4 (0.02) | 8 (0.03) | 2 (0.03) | 15 (0.02) |
| DEATH | 29 (0.49) | 94 (0.55) | 229 (0.76) | 135 (1.74) | 487 (0.80) |
| DEATH NEONATAL | 2 (0.03) | | | | 2 (0.00) |
| DEATH OF RELATIVE | | | 1 (0.00) | | 1 (0.00) |
| DEATH OF SIBLING | | | | 1 (0.01) | 1 (0.00) |
| DECREASED ACTIVITY | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| DECREASED APPETITE | 3 (0.05) | 28 (0.16) | 131 (0.43) | 22 (0.28) | 184 (0.30) |
| DECREASED IMMUNE RESPONSIVENESS | | | 1 (0.00) | | 1 (0.00) |
| DECUBITUS ULCER | | 7 (0.04) | 9 (0.03) | 1 (0.01) | 17 (0.03) |
| DEEP VEIN THROMBOSIS | 19 (0.32) | 70 (0.41) | 78 (0.26) | 16 (0.21) | 183 (0.30) |
| DEFAECATION URGENCY | | | 1 (0.00) | | 1 (0.00) |
| DEHYDRATION | 12 (0.20) | 54 (0.32) | 131 (0.43) | 40 (0.52) | 237 (0.39) |
| DELAYED RECOVERY FROM ANAESTHESIA | 1 (0.02) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| DELAYED SLEEP PHASE | 1 (0.02) | | | | 1 (0.00) |
| DELIRIUM | 13 (0.22) | 6 (0.04) | 29 (0.10) | 14 (0.18) | 62 (0.10) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DELIRIUM FEBRILE | 1 (0.02) | | | | 1 (0.00) |
| DELUSION | 4 (0.07) | 13 (0.08) | 7 (0.02) | 2 (0.03) | 26 (0.04) |
| DELUSION OF GRANDEUR | | 1 (0.01) | | | 1 (0.00) |
| DELUSIONAL DISORDER, PERSECUTORY TYPE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DELUSIONAL DISORDER, UNSPECIFIED TYPE | | | 2 (0.01) | | 2 (0.00) |
| DEMENTIA | 1 (0.02) | 1 (0.01) | 15 (0.05) | 11 (0.14) | 28 (0.05) |
| DEMENTIA ALZHEIMER'S TYPE | | | 2 (0.01) | 7 (0.09) | 9 (0.01) |
| DEMYELINATING POLYNEUROPATHY | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DEMYELINATION | 5 (0.08) | 1 (0.01) | 1 (0.00) | | 7 (0.01) |
| DENERVATION ATROPHY | 2 (0.03) | | | | 2 (0.00) |
| DENGUE FEVER | 1 (0.02) | | | | 1 (0.00) |
| DENTAL CARE | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| DENTAL CARIES | 1 (0.02) | 3 (0.02) | 3 (0.01) | 1 (0.01) | 8 (0.01) |
| DENTAL DISCOMFORT | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| DENTAL IMPLANTATION | | | 2 (0.01) | | 2 (0.00) |
| DENTAL NECROSIS | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| DENTAL OPERATION | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| DENTAL PROSTHESIS PLACEMENT | | | 2 (0.01) | | 2 (0.00) |
| DENTAL TREATMENT | | | 4 (0.01) | 3 (0.04) | 7 (0.01) |
| DEPENDENCE | 4 (0.07) | 63 (0.37) | 9 (0.03) | | 76 (0.12) |
| DEPERSONALISATION | 1 (0.02) | 4 (0.02) | | | 5 (0.01) |
| DEPRESSED LEVEL OF CONSCIOUSNESS | 22 (0.37) | 28 (0.16) | 46 (0.15) | 19 (0.25) | 115 (0.19) |
| DEPRESSED MOOD | 2 (0.03) | 17 (0.10) | 7 (0.02) | 1 (0.01) | 27 (0.04) |
| DEPRESSION | 36 (0.61) | 116 (0.68) | 86 (0.28) | 7 (0.09) | 245 (0.40) |
| DEPRESSION SUICIDAL | 1 (0.02) | | | | 1 (0.00) |
| DEPRESSIVE SYMPTOM | | 3 (0.02) | | | 3 (0.00) |
| DEREALISATION | | 1 (0.01) | | | 1 (0.00) |
| DERMATITIS | 1 (0.02) | 10 (0.06) | 2 (0.01) | 2 (0.03) | 15 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DERMATITIS ACNEIFORM | 4 (0.07) | 7 (0.04) | 4 (0.01) | 2 (0.03) | 17 (0.03) |
| DERMATITIS ALLERGIC | 2 (0.03) | 3 (0.02) | 5 (0.02) | 1 (0.01) | 11 (0.02) |
| DERMATITIS ATOPIC | | | 1 (0.00) | | 1 (0.00) |
| DERMATITIS BULLOUS | 3 (0.05) | 8 (0.05) | 11 (0.04) | | 22 (0.04) |
| DERMATITIS CONTACT | | 3 (0.02) | 8 (0.03) | 4 (0.05) | 15 (0.02) |
| DERMATITIS EXFOLIATIVE | 2 (0.03) | 8 (0.05) | 18 (0.06) | 11 (0.14) | 39 (0.06) |
| DERMATITIS EXFOLIATIVE GENERALISED | | | | 1 (0.01) | 1 (0.00) |
| DERMATITIS PSORIASIFORM | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| DERMATOMYOSITIS | | 1 (0.01) | 6 (0.02) | 1 (0.01) | 8 (0.01) |
| DERMATOSIS | | 1 (0.01) | | | 1 (0.00) |
| DERMOID CYST | | 1 (0.01) | | | 1 (0.00) |
| DERMOID CYST OF OVARY | | 2 (0.01) | | | 2 (0.00) |
| DETACHMENT OF RETINAL PIGMENT EPITHELIUM | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| DETOXIFICATION | | | 2 (0.01) | | 2 (0.00) |
| DEVELOPMENTAL DELAY | 10 (0.17) | | | | 10 (0.02) |
| DEVICE FAILURE | 5 (0.08) | 8 (0.05) | 13 (0.04) | 2 (0.03) | 28 (0.05) |
| DEVICE INEFFECTIVE | | | 1 (0.00) | | 1 (0.00) |
| DEVICE INTERACTION | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| DEVICE MALFUNCTION | 4 (0.07) | | | | 4 (0.01) |
| DEVICE MIGRATION | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| DEVICE OCCLUSION | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| DEVICE RELATED INFECTION | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| DIABETES INSIPIDUS | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| DIABETES MELLITUS | 9 (0.15) | 46 (0.27) | 51 (0.17) | 9 (0.12) | 115 (0.19) |
| DIABETES MELLITUS INADEQUATE CONTROL | 5 (0.08) | 7 (0.04) | 22 (0.07) | 5 (0.06) | 39 (0.06) |
| DIABETES MELLITUS INSULIN-DEPENDENT | 9 (0.15) | 9 (0.05) | 1 (0.00) | 1 (0.01) | 20 (0.03) |
| DIABETES MELLITUS NON-INSULIN-DEPENDENT | 1 (0.02) | 16 (0.09) | 7 (0.02) | 2 (0.03) | 26 (0.04) |
| DIABETES WITH HYPEROSMOLARITY | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------|------------------------------|--------------------------------|--------------------------------|--------------------------|--------------------|
| DIABETIC BULLOSIS | | | 1 (0.00) | | 1 (0.00) |
| DIABETIC COMA | | 1 (0.01) | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| DIABETIC COMPLICATION | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| DIABETIC EYE DISEASE | | | | 1 (0.01) | 1 (0.00) |
| DIABETIC FOOT | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| DIABETIC HYPERGLYCAEMIC COMA | | | 3 (0.01) | | 3 (0.00) |
| DIABETIC KETOACIDOSIS | 3 (0.05) | 8 (0.05) | 2 (0.01) | | 13 (0.02) |
| DIABETIC NEPHROPATHY | | | 4 (0.01) | | 4 (0.01) |
| DIABETIC NEUROPATHY | | | | 1 (0.01) | 1 (0.00) |
| DIABETIC RETINOPATHY | | | 5 (0.02) | 1 (0.01) | 6 (0.01) |
| DIABETIC VASCULAR DISORDER | | 1 (0.01) | | | 1 (0.00) |
| DIAGNOSTIC PROCEDURE | | | 1 (0.00) | | 1 (0.00) |
| DIALYSIS | 3 (0.05) | 8 (0.05) | 29 (0.10) | 4 (0.05) | 44 (0.07) |
| DIAPHRAGM MUSCLE WEAKNESS | | | 1 (0.00) | | 1 (0.00) |
| DIAPHRAGMATIC DISORDER | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| DIAPHRAGMATIC HERNIA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DIAPHRAGMATIC PARALYSIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DIARRHOEA | 36 (0.61) | 111 (0.65) | 209 (0.69) | 63 (0.81) | 419 (0.69) |
| DIARRHOEA HAEMORRHAGIC | 3 (0.05) | 3 (0.02) | 4 (0.01) | 3 (0.04) | 13 (0.02) |
| DIARRHOEA INFECTIOUS | | | 2 (0.01) | | 2 (0.00) |
| DIASTOLIC DYSFUNCTION | | | 1 (0.00) | | 1 (0.00) |
| DIET REFUSAL | | | | 1 (0.01) | 1 (0.00) |
| DIFFICULTY IN WALKING | 8 (0.14) | 11 (0.06) | 41 (0.14) | 17 (0.22) | 77 (0.13) |
| DIFFUSE ALVEOLAR DAMAGE | | | 1 (0.00) | | 1 (0.00) |
| DIFFUSE LARGE B-CELL LYMPHOMA | | 2 (0.01) | 4 (0.01) | | 6 (0.01) |
| DILATATION VENTRICULAR | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| DIPLEGIA | 2 (0.03) | | 3 (0.01) | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|--------------------------------|--------------------------------|--------------------------|--------------------|
| DIPLOPIA | 2 (0.03) | 15 (0.09) | 19 (0.06) | 1 (0.01) | 37 (0.06) |
| DISABILITY | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| DISCOMFORT | | 3 (0.02) | 10 (0.03) | 1 (0.01) | 14 (0.02) |
| DISEASE PROGRESSION | 2 (0.03) | 15 (0.09) | 67 (0.22) | 12 (0.15) | 96 (0.16) |
| DISEASE RECURRENCE | 5 (0.08) | 18 (0.11) | 18 (0.06) | 6 (0.08) | 47 (0.08) |
| DISINHIBITION | | 2 (0.01) | | | 2 (0.00) |
| DISLOCATION OF JOINT PROSTHESIS | | 3 (0.02) | | | 3 (0.00) |
| DISORIENTATION | 4 (0.07) | 8 (0.05) | 20 (0.07) | 8 (0.10) | 40 (0.07) |
| DISSEMINATED INTRAVASCULAR COAGULATION | 7 (0.12) | 7 (0.04) | 26 (0.09) | 6 (0.08) | 46 (0.08) |
| DISSEMINATED TUBERCULOSIS | 1 (0.02) | 6 (0.04) | 5 (0.02) | 3 (0.04) | 15 (0.02) |
| DISSOCIATION | | 1 (0.01) | | | 1 (0.00) |
| DISTRACTIBILITY | 1 (0.02) | | | | 1 (0.00) |
| DISTURBANCE IN ATTENTION | 10 (0.17) | 11 (0.06) | 14 (0.05) | 3 (0.04) | 38 (0.06) |
| DISTURBANCE IN SEXUAL AROUSAL | 2 (0.03) | | | | 2 (0.00) |
| DIVERTICULAR PERFORATION | | 6 (0.04) | 3 (0.01) | 6 (0.08) | 15 (0.02) |
| DIVERTICULITIS | | 3 (0.02) | 23 (0.08) | 1 (0.01) | 27 (0.04) |
| DIVERTICULITIS INTESTINAL HAEMORRHAGIC | | | 3 (0.01) | | 3 (0.00) |
| DIVERTICULUM | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| DIVERTICULUM DUODENAL | | | 1 (0.00) | | 1 (0.00) |
| DIVERTICULUM INTESTINAL | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| DIZZINESS | 44 (0.74) | 147 (0.86) | 251 (0.83) | 82 (1.06) | 524 (0.86) |
| DIZZINESS EXERTIONAL | 1 (0.02) | | | | 1 (0.00) |
| DIZZINESS POSTURAL | 2 (0.03) | 1 (0.01) | 1 (0.00) | | 4 (0.01) |
| DOCUMENTED HYPERSENSITIVITY TO ADMINISTERED DRUG | | | 2 (0.01) | | 2 (0.00) |
| DOLICHOCOLON ACQUIRED | | 3 (0.02) | | | 3 (0.00) |
| DROOLING | 3 (0.05) | 1 (0.01) | 2 (0.01) | | 6 (0.01) |
| DROP ATTACKS | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|--------------------------------|--------------------------------|--------------------------|--------------------|
| DROWNING | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DRUG ABUSER | 21 (0.36) | 35 (0.21) | 40 (0.13) | 1 (0.01) | 97 (0.16) |
| DRUG ADMINISTRATION ERROR | 8 (0.14) | 10 (0.06) | 21 (0.07) | 10 (0.13) | 49 (0.08) |
| DRUG CLEARANCE DECREASED | | | 2 (0.01) | | 2 (0.00) |
| DRUG DEPENDENCE | 2 (0.03) | 15 (0.09) | 13 (0.04) | 2 (0.03) | 32 (0.05) |
| DRUG DETOXIFICATION | | 1 (0.01) | | | 1 (0.00) |
| DRUG DISPENSING ERROR | 10 (0.17) | 12 (0.07) | 19 (0.06) | 2 (0.03) | 43 (0.07) |
| DRUG DOSE OMISSION | 8 (0.14) | 4 (0.02) | 5 (0.02) | 4 (0.05) | 21 (0.03) |
| DRUG EFFECT DECREASED | 9 (0.15) | 28 (0.16) | 39 (0.13) | 5 (0.06) | 81 (0.13) |
| DRUG EFFECT INCREASED | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| DRUG EFFECT PROLONGED | 1 (0.02) | 4 (0.02) | 1 (0.00) | | 6 (0.01) |
| DRUG ERUPTION | 6 (0.10) | 7 (0.04) | 31 (0.10) | 9 (0.12) | 53 (0.09) |
| DRUG EXPOSURE BEFORE PREGNANCY | 6 (0.10) | 9 (0.05) | | | 15 (0.02) |
| DRUG EXPOSURE DURING PREGNANCY | 126 (2.13) | 160 (0.94) | | | 286 (0.47) |
| DRUG EXPOSURE VIA BREAST MILK | 7 (0.12) | | | | 7 (0.01) |
| DRUG HYPERSENSITIVITY | 18 (0.30) | 24 (0.14) | 27 (0.09) | 6 (0.08) | 75 (0.12) |
| DRUG INEFFECTIVE | 127 (2.15) | 545 (3.19) | 654 (2.16) | 239 (3.08) | 1565 (2.57) |
| DRUG INEFFECTIVE FOR UNAPPROVED INDICATION | 2 (0.03) | 10 (0.06) | 4 (0.01) | | 16 (0.03) |
| DRUG INTERACTION | 35 (0.59) | 77 (0.45) | 120 (0.40) | 51 (0.66) | 283 (0.46) |
| DRUG INTERACTION INHIBITION | | | 1 (0.00) | | 1 (0.00) |
| DRUG INTERACTION POTENTIATION | | | | 2 (0.03) | 2 (0.00) |
| DRUG INTOLERANCE | | 5 (0.03) | 5 (0.02) | 2 (0.03) | 12 (0.02) |
| DRUG LEVEL CHANGED | | 1 (0.01) | | | 1 (0.00) |
| DRUG LEVEL DECREASED | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| DRUG LEVEL INCREASED | 7 (0.12) | 4 (0.02) | 5 (0.02) | 5 (0.06) | 21 (0.03) |
| DRUG PRESCRIBING ERROR | 3 (0.05) | 3 (0.02) | 5 (0.02) | 1 (0.01) | 12 (0.02) |
| DRUG RASH WITH EOSINOPHILIA AND SYSTEMIC SYMPTOMS | 1 (0.02) | 1 (0.01) | 2 (0.01) | 5 (0.06) | 9 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DRUG RESISTANCE | | 2 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| DRUG SCREEN FALSE POSITIVE | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| DRUG SCREEN POSITIVE | 7 (0.12) | 5 (0.03) | 1 (0.00) | | 13 (0.02) |
| DRUG SPECIFIC ANTIBODY PRESENT | | | 1 (0.00) | | 1 (0.00) |
| DRUG THERAPY CHANGED | | 1 (0.01) | | | 1 (0.00) |
| DRUG TOLERANCE | | | 2 (0.01) | | 2 (0.00) |
| DRUG TOXICITY | 18 (0.30) | 30 (0.18) | 27 (0.09) | 7 (0.09) | 82 (0.13) |
| DRUG WITHDRAWAL CONVULSIONS | | 2 (0.01) | | | 2 (0.00) |
| DRUG WITHDRAWAL HEADACHE | | | 2 (0.01) | | 2 (0.00) |
| DRUG WITHDRAWAL SYNDROME | 6 (0.10) | 34 (0.20) | 20 (0.07) | 3 (0.04) | 63 (0.10) |
| DRUG WITHDRAWAL SYNDROME NEONATAL | 4 (0.07) | | | | 4 (0.01) |
| DRY EYE | 1 (0.02) | 3 (0.02) | 9 (0.03) | 3 (0.04) | 16 (0.03) |
| DRY MOUTH | 5 (0.08) | 23 (0.13) | 32 (0.11) | 18 (0.23) | 78 (0.13) |
| DRY SKIN | 4 (0.07) | 5 (0.03) | 16 (0.05) | 2 (0.03) | 27 (0.04) |
| DRY SOCKET | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| DRY THROAT | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| DUODENAL OBSTRUCTION | 1 (0.02) | | | | 1 (0.00) |
| DUODENAL OPERATION | | | 1 (0.00) | | 1 (0.00) |
| DUODENAL PERFORATION | | | 1 (0.00) | 4 (0.05) | 5 (0.01) |
| DUODENAL ULCER | | 3 (0.02) | 5 (0.02) | 6 (0.08) | 14 (0.02) |
| DUODENAL ULCER HAEMORRHAGE | | 1 (0.01) | 5 (0.02) | 2 (0.03) | 8 (0.01) |
| DUODENAL ULCER PERFORATION | 1 (0.02) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| DUODENITIS | | | 8 (0.03) | 3 (0.04) | 11 (0.02) |
| DURAL TEAR | | | 1 (0.00) | | 1 (0.00) |
| DYSAESTHESIA | 3 (0.05) | | 2 (0.01) | 1 (0.01) | 6 (0.01) |
| DYSAESTHESIA PHARYNX | | 1 (0.01) | | | 1 (0.00) |
| DYSARTHRIA | 2 (0.03) | 12 (0.07) | 8 (0.03) | 6 (0.08) | 28 (0.05) |
| DYSFUNCTIONAL UTERINE BLEEDING | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| DYSGEUSIA | 8 (0.14) | 145 (0.85) | 181 (0.60) | 20 (0.26) | 354 (0.58) |
| DYSGRAPHIA | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| DYSKINESIA | 10 (0.17) | 9 (0.05) | 8 (0.03) | 5 (0.06) | 32 (0.05) |
| DYSLALIA | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| DYSLEXIA | 1 (0.02) | | | | 1 (0.00) |
| DYSLIPIDAEMIA | 2 (0.03) | 4 (0.02) | 1 (0.00) | | 7 (0.01) |
| DYSMENORRHOEA | | 2 (0.01) | | | 2 (0.00) |
| DYSPAREUNIA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DYSPEPSIA | 1 (0.02) | 25 (0.15) | 40 (0.13) | 10 (0.13) | 76 (0.12) |
| DYSPHAGIA | 7 (0.12) | 19 (0.11) | 27 (0.09) | 17 (0.22) | 70 (0.11) |
| DYSPHASIA | 1 (0.02) | | 4 (0.01) | | 5 (0.01) |
| DYSPHEMIA | | | 1 (0.00) | | 1 (0.00) |
| DYSPHONIA | | 4 (0.02) | 9 (0.03) | 7 (0.09) | 20 (0.03) |
| DYSPHORIA | | 1 (0.01) | | | 1 (0.00) |
| DYSPLASIA | | | | 1 (0.01) | 1 (0.00) |
| DYSPNOEA | 32 (0.54) | 114 (0.67) | 164 (0.54) | 71 (0.92) | 381 (0.62) |
| DYSPNOEA AT REST | | | 1 (0.00) | | 1 (0.00) |
| DYSPNOEA EXACERBATED | 1 (0.02) | | 3 (0.01) | 2 (0.03) | 6 (0.01) |
| DYSPNOEA EXERTIONAL | | 2 (0.01) | 8 (0.03) | 3 (0.04) | 13 (0.02) |
| DYSSTASIA | | 4 (0.02) | 6 (0.02) | 2 (0.03) | 12 (0.02) |
| DYSTONIA | 8 (0.14) | 6 (0.04) | 4 (0.01) | 1 (0.01) | 19 (0.03) |
| DYSURIA | 5 (0.08) | 5 (0.03) | 18 (0.06) | 10 (0.13) | 38 (0.06) |
| EAR CANAL ERYTHEMA | | 1 (0.01) | | | 1 (0.00) |
| EAR DISCOMFORT | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| EAR DISORDER | | 1 (0.01) | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| EAR HAEMORRHAGE | | 1 (0.01) | | | 1 (0.00) |
| EAR INFECTION | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| EAR NEOPLASM | | 1 (0.01) | | | 1 (0.00) |
| EAR PAIN | 1 (0.02) | 4 (0.02) | 2 (0.01) | | 7 (0.01) |
| EARLY SATIETY | | | 3 (0.01) | | 3 (0.00) |
| EATING DISORDER | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| EATING DISORDER SYMPTOM | | | 1 (0.00) | | 1 (0.00) |
| ECCHYMOSIS | | 8 (0.05) | 5 (0.02) | 1 (0.01) | 14 (0.02) |
| ECHOCARDIOGRAM ABNORMAL | 1 (0.02) | 4 (0.02) | | | 5 (0.01) |
| ECONOMIC PROBLEM | | | 1 (0.00) | | 1 (0.00) |
| ECTOPIC PREGNANCY | 5 (0.08) | 10 (0.06) | | | 15 (0.02) |
| ECTROPION OF CERVIX | | | 1 (0.00) | | 1 (0.00) |
| ECZEMA | 1 (0.02) | 5 (0.03) | 7 (0.02) | 6 (0.08) | 19 (0.03) |
| ECZEMA NUMMULAR | | | | 4 (0.05) | 4 (0.01) |
| EDUCATIONAL PROBLEM | 1 (0.02) | | | | 1 (0.00) |
| EFFUSION | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| EJACULATION DELAYED | | | | 1 (0.01) | 1 (0.00) |
| EJACULATION DISORDER | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| EJACULATION FAILURE | 1 (0.02) | 2 (0.01) | 4 (0.01) | 1 (0.01) | 8 (0.01) |
| EJECTION FRACTION DECREASED | | 3 (0.02) | 10 (0.03) | 1 (0.01) | 14 (0.02) |
| ELECTRIC SHOCK | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ELECTROCARDIOGRAM ABNORMAL | 4 (0.07) | 1 (0.01) | 2 (0.01) | 1 (0.01) | 8 (0.01) |
| ELECTROCARDIOGRAM AMBULATORY ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| ELECTROCARDIOGRAM CHANGE | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| ELECTROCARDIOGRAM Q WAVES | | | 1 (0.00) | | 1 (0.00) |
| ELECTROCARDIOGRAM QRS COMPLEX PROLONGED | | | | 1 (0.01) | 1 (0.00) |
| ELECTROCARDIOGRAM QT CORRECTED INTERVAL PROLONGED | 4 (0.07) | 2 (0.01) | 4 (0.01) | 1 (0.01) | 11 (0.02) |
| ELECTROCARDIOGRAM QT PROLONGED | | 6 (0.04) | 11 (0.04) | 5 (0.06) | 22 (0.04) |
| ELECTROCARDIOGRAM REPOLARISATION ABNORMALITY | | | 3 (0.01) | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ELECTROCARDIOGRAM ST SEGMENT ABNORMAL | | | 2 (0.01) | | 2 (0.00) |
| ELECTROCARDIOGRAM ST SEGMENT DEPRESSION | | | 2 (0.01) | | 2 (0.00) |
| ELECTROCARDIOGRAM ST SEGMENT ELEVATION | 2 (0.03) | 3 (0.02) | | | 5 (0.01) |
| ELECTROCARDIOGRAM ST-T SEGMENT ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| ELECTROCARDIOGRAM T WAVE AMPLITUDE DECREASED | | | | 1 (0.01) | 1 (0.00) |
| ELECTROCARDIOGRAM T WAVE INVERSION | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| ELECTROCONVULSIVE THERAPY | | | 1 (0.00) | | 1 (0.00) |
| ELECTROENCEPHALOGRAM ABNORMAL | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| ELECTROLYTE IMBALANCE | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| ELECTROMECHANICAL DISSOCIATION | | | 4 (0.01) | | 4 (0.01) |
| EMBOLIC STROKE | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| EMBOLISM | | 1 (0.01) | 5 (0.02) | 1 (0.01) | 7 (0.01) |
| EMBOLISM VENOUS | | 1 (0.01) | | 3 (0.04) | 4 (0.01) |
| EMOTIONAL DISORDER | 2 (0.03) | 4 (0.02) | 8 (0.03) | | 14 (0.02) |
| EMOTIONAL DISTRESS | | 11 (0.06) | 14 (0.05) | 2 (0.03) | 27 (0.04) |
| EMPHYSEMA | | 1 (0.01) | 8 (0.03) | | 9 (0.01) |
| EMPYEMA | | | 7 (0.02) | | 7 (0.01) |
| ENAMEL ANOMALY | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| ENANTHEMA | | | 2 (0.01) | | 2 (0.00) |
| ENCEPHALITIS | 3 (0.05) | 4 (0.02) | 2 (0.01) | | 9 (0.01) |
| ENCEPHALITIS HERPES | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| ENCEPHALITIS VIRAL | | | 1 (0.00) | | 1 (0.00) |
| ENCEPHALOMALACIA | | 1 (0.01) | | | 1 (0.00) |
| ENCEPHALOPATHY | 8 (0.14) | 8 (0.05) | 16 (0.05) | 7 (0.09) | 39 (0.06) |
| ENDOCARDITIS | | | 4 (0.01) | | 4 (0.01) |
| ENDOCARDITIS BACTERIAL | 1 (0.02) | | | | 1 (0.00) |
| ENDOCARDITIS ENTEROCOCCAL | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ENDOCARDITIS STAPHYLOCOCCAL | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| ENDOCRINE DISORDER | | 1 (0.01) | | | 1 (0.00) |
| ENDODONTIC PROCEDURE | | | | 1 (0.01) | 1 (0.00) |
| ENDOMETRIAL ATROPHY | | | | 1 (0.01) | 1 (0.00) |
| ENDOMETRIAL CANCER | | 2 (0.01) | 7 (0.02) | 1 (0.01) | 10 (0.02) |
| ENDOMETRIAL CANCER STAGE I | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ENDOMETRIAL DISORDER | | 3 (0.02) | | | 3 (0.00) |
| ENDOMETRIAL HYPERPLASIA | 1 (0.02) | 1 (0.01) | | 2 (0.03) | 4 (0.01) |
| ENDOMETRIAL METAPLASIA | | | 1 (0.00) | | 1 (0.00) |
| ENDOMETRIOSIS | | 8 (0.05) | | | 8 (0.01) |
| ENDOMETRITIS | | 1 (0.01) | | | 1 (0.00) |
| ENDOPHTHALMITIS | | | 8 (0.03) | 3 (0.04) | 11 (0.02) |
| ENERGY INCREASED | | 3 (0.02) | 4 (0.01) | | 7 (0.01) |
| ENTERITIS | | | 7 (0.02) | 1 (0.01) | 8 (0.01) |
| ENTEROBACTER INFECTION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ENTEROBACTER SEPSIS | 1 (0.02) | | | | 1 (0.00) |
| ENTEROCOCCAL INFECTION | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| ENTEROCOCCAL SEPSIS | | | | 1 (0.01) | 1 (0.00) |
| ENTEROCOLITIS | 1 (0.02) | | 7 (0.02) | | 8 (0.01) |
| ENTEROCOLITIS HAEMORRHAGIC | 4 (0.07) | 4 (0.02) | 2 (0.01) | | 10 (0.02) |
| ENTEROCOLITIS INFECTIOUS | 1 (0.02) | | | | 1 (0.00) |
| ENTEROVESICAL FISTULA | | | 2 (0.01) | | 2 (0.00) |
| ENURESIS | | 4 (0.02) | 2 (0.01) | | 6 (0.01) |
| EOSINOPHIL COUNT INCREASED | 2 (0.03) | 2 (0.01) | 6 (0.02) | 4 (0.05) | 14 (0.02) |
| EOSINOPHIL PERCENTAGE INCREASED | | 1 (0.01) | | | 1 (0.00) |
| EOSINOPHILIA | 4 (0.07) | 10 (0.06) | 14 (0.05) | 5 (0.06) | 33 (0.05) |
| EOSINOPHILIC MYOCARDITIS | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| EOSINOPHILIC PNEUMONIA | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| EOSINOPHILS URINE PRESENT | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| EPIDERMAL NECROSIS | | 1 (0.01) | | | 1 (0.00) |
| EPIDERMOLYSIS BULLOSA | 1 (0.02) | | | | 1 (0.00) |
| EPIDIDYMAL DISORDER | | 2 (0.01) | | | 2 (0.00) |
| EPIDIDYMITIS | | 2 (0.01) | 5 (0.02) | 6 (0.08) | 13 (0.02) |
| EPIDIDYMITIS TUBERCULOUS | | | 2 (0.01) | | 2 (0.00) |
| EPIGLOTTITIS | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| EPILEPSY | 12 (0.20) | 17 (0.10) | 9 (0.03) | 5 (0.06) | 43 (0.07) |
| EPIPHYSIOLYSIS | 3 (0.05) | | | | 3 (0.00) |
| EPISCLERITIS | | | 2 (0.01) | | 2 (0.00) |
| EPISTAXIS | 13 (0.22) | 10 (0.06) | 34 (0.11) | 16 (0.21) | 73 (0.12) |
| EPSTEIN-BARR VIRUS ANTIBODY POSITIVE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| EPSTEIN-BARR VIRUS INFECTION | 1 (0.02) | | 5 (0.02) | | 6 (0.01) |
| EPULIS | | | 2 (0.01) | | 2 (0.00) |
| ERECTILE DYSFUNCTION | | 24 (0.14) | 66 (0.22) | 19 (0.25) | 109 (0.18) |
| ERECTION INCREASED | | 9 (0.05) | 3 (0.01) | | 12 (0.02) |
| EROSIVE DUODENITIS | | | 2 (0.01) | | 2 (0.00) |
| EROSIVE OESOPHAGITIS | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| ERUCTATION | 1 (0.02) | 1 (0.01) | 13 (0.04) | 3 (0.04) | 18 (0.03) |
| ERYSIPELAS | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| ERYTHEMA | 19 (0.32) | 46 (0.27) | 75 (0.25) | 21 (0.27) | 161 (0.26) |
| ERYTHEMA ANNULARE | | | 1 (0.00) | | 1 (0.00) |
| ERYTHEMA INFECTIOSUM | | | 2 (0.01) | | 2 (0.00) |
| ERYTHEMA MULTIFORME | 13 (0.22) | 23 (0.13) | 10 (0.03) | 3 (0.04) | 49 (0.08) |
| ERYTHEMA NODOSUM | 2 (0.03) | 2 (0.01) | 4 (0.01) | | 8 (0.01) |
| ERYTHEMA OF EYELID | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| ERYTHRODERMIC PSORIASIS | | 1 (0.01) | | | 1 (0.00) |
| ESCHERICHIA BACTERAEMIA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ESCHERICHIA INFECTION | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| ESCHERICHIA SEPSIS | | | 1 (0.00) | | 1 (0.00) |
| ESCHERICHIA URINARY TRACT INFECTION | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| ESSENTIAL HYPERTENSION | | 1 (0.01) | | | 1 (0.00) |
| ESSENTIAL TREMOR | | | 1 (0.00) | | 1 (0.00) |
| EUPHORIC MOOD | 1 (0.02) | 2 (0.01) | 4 (0.01) | 1 (0.01) | 8 (0.01) |
| EVACUATION OF RETAINED PRODUCTS OF CONCEPTION | | 1 (0.01) | | | 1 (0.00) |
| EVAN'S SYNDROME | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| EX-SMOKER | | 1 (0.01) | | | 1 (0.00) |
| EXCESSIVE GRANULATION TISSUE | | | 2 (0.01) | | 2 (0.00) |
| EXCESSIVE OCULAR CONVERGENCE | | 1 (0.01) | | | 1 (0.00) |
| EXCITABILITY | 3 (0.05) | 3 (0.02) | | | 6 (0.01) |
| EXCORIATION | | 6 (0.04) | | | 6 (0.01) |
| EXERCISE LACK OF | | | | 1 (0.01) | 1 (0.00) |
| EXERCISE TOLERANCE DECREASED | | | 1 (0.00) | | 1 (0.00) |
| EXFOLIATIVE RASH | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| EXOPHTHALMOS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| EXOSTOSIS | | | 10 (0.03) | | 10 (0.02) |
| EXTRADURAL ABSCESS | | 1 (0.01) | | | 1 (0.00) |
| EXTRADURAL HAEMATOMA | | 2 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| EXTRANODAL MARGINAL ZONE B-CELL LYMPHOMA (MALT TYP | | | | 1 (0.01) | 1 (0.00) |
| EXTRAPYRAMIDAL DISORDER | 2 (0.03) | 3 (0.02) | 2 (0.01) | 2 (0.03) | 9 (0.01) |
| EXTRASYSTOLES | 2 (0.03) | 2 (0.01) | 2 (0.01) | 1 (0.01) | 7 (0.01) |
| EXTRAVASATION | 1 (0.02) | 3 (0.02) | 6 (0.02) | 1 (0.01) | 11 (0.02) |
| EXTREMITY NECROSIS | | 4 (0.02) | 1 (0.00) | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| EYE DISCHARGE | | | 3 (0.01) | | 3 (0.00) |
| EYE DISORDER | 1 (0.02) | 5 (0.03) | 10 (0.03) | 3 (0.04) | 19 (0.03) |
| EYE HAEMORRHAGE | | 1 (0.01) | 9 (0.03) | 2 (0.03) | 12 (0.02) |
| EYE INFECTION | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| EYE INFECTION BACTERIAL | | | 2 (0.01) | | 2 (0.00) |
| EYE INFLAMMATION | | 1 (0.01) | 2 (0.01) | 3 (0.04) | 6 (0.01) |
| EYE INJURY | | 1 (0.01) | | | 1 (0.00) |
| EYE IRRITATION | | 5 (0.03) | 7 (0.02) | 4 (0.05) | 16 (0.03) |
| EYE MOVEMENT DISORDER | 3 (0.05) | 1 (0.01) | | 1 (0.01) | 5 (0.01) |
| EYE OEDEMA | | 3 (0.02) | 1 (0.00) | 1 (0.01) | 5 (0.01) |
| EYE PAIN | 2 (0.03) | 12 (0.07) | 13 (0.04) | 3 (0.04) | 30 (0.05) |
| EYE PRURITUS | | 1 (0.01) | 5 (0.02) | 1 (0.01) | 7 (0.01) |
| EYE SWELLING | 8 (0.14) | 11 (0.06) | 4 (0.01) | | 23 (0.04) |
| EYEBALL AVULSION | | | 1 (0.00) | | 1 (0.00) |
| EYELID FUNCTION DISORDER | | | 1 (0.00) | | 1 (0.00) |
| EYELID OEDEMA | 3 (0.05) | 1 (0.01) | 5 (0.02) | | 9 (0.01) |
| EYELID PTOSIS | 1 (0.02) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| FACE INJURY | | | | 1 (0.01) | 1 (0.00) |
| FACE OEDEMA | 3 (0.05) | 13 (0.08) | 6 (0.02) | 3 (0.04) | 25 (0.04) |
| FACIAL BONES FRACTURE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| FACIAL PAIN | 2 (0.03) | 2 (0.01) | 2 (0.01) | | 6 (0.01) |
| FACIAL PALSY | 1 (0.02) | 7 (0.04) | 9 (0.03) | 1 (0.01) | 18 (0.03) |
| FACIAL PARESIS | | 1 (0.01) | | | 1 (0.00) |
| FACTOR II MUTATION | 2 (0.03) | | | | 2 (0.00) |
| FACTOR IX INHIBITION | 1 (0.02) | | | | 1 (0.00) |
| FACTOR VIII INHIBITION | 6 (0.10) | | 1 (0.00) | | 7 (0.01) |
| FAECAL INCONTINENCE | 3 (0.05) | | 4 (0.01) | 2 (0.03) | 9 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FAECAL VOMITING | | 1 (0.01) | | | 1 (0.00) |
| FAECALOMA | | | 2 (0.01) | | 2 (0.00) |
| FAECES DISCOLOURED | 1 (0.02) | | 6 (0.02) | 4 (0.05) | 11 (0.02) |
| FAECES HARD | 1 (0.02) | | | 2 (0.03) | 3 (0.00) |
| FAECES PALE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| FAILURE OF IMPLANT | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| FAILURE TO THRIVE | | | 1 (0.00) | | 1 (0.00) |
| FALL | 8 (0.14) | 32 (0.19) | 125 (0.41) | 73 (0.94) | 238 (0.39) |
| FALLOPIAN TUBE CANCER STAGE III | | 1 (0.01) | | | 1 (0.00) |
| FALSE POSITIVE LABORATORY RESULT | 1 (0.02) | | | | 1 (0.00) |
| FALSE POSITIVE TUBERCULOSIS TEST | | 1 (0.01) | | | 1 (0.00) |
| FAMILIAL POLYCYTHAEMIA | 1 (0.02) | | | | 1 (0.00) |
| FAMILY STRESS | | 2 (0.01) | | | 2 (0.00) |
| FANCONI SYNDROME | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| FANCONI SYNDROME ACQUIRED | | | 1 (0.00) | | 1 (0.00) |
| FAT ATROPHY | | | 1 (0.00) | | 1 (0.00) |
| FAT EMBOLISM | | 1 (0.01) | | | 1 (0.00) |
| FAT REDISTRIBUTION | | 2 (0.01) | | | 2 (0.00) |
| FAT TISSUE INCREASED | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| FATIGUE | 9 (0.15) | 44 (0.26) | 69 (0.23) | 14 (0.18) | 136 (0.22) |
| FEAR | 2 (0.03) | 1 (0.01) | 2 (0.01) | | 5 (0.01) |
| FEAR OF FALLING | | | | 1 (0.01) | 1 (0.00) |
| FEBRILE BONE MARROW APLASIA | | | 6 (0.02) | | 6 (0.01) |
| FEBRILE CONVULSION | 3 (0.05) | | | | 3 (0.00) |
| FEBRILE INFECTION | | | 1 (0.00) | | 1 (0.00) |
| FEBRILE NEUTROPENIA | 1 (0.02) | 14 (0.08) | 43 (0.14) | 14 (0.18) | 72 (0.12) |
| FEEDING DISORDER OF INFANCY OR EARLY CHILDHOOD | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FEELING ABNORMAL | 4 (0.07) | 20 (0.12) | 35 (0.12) | 9 (0.12) | 68 (0.11) |
| FEELING COLD | | 1 (0.01) | 8 (0.03) | | 9 (0.01) |
| FEELING DRUNK | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| FEELING HOT | 3 (0.05) | 8 (0.05) | 7 (0.02) | 2 (0.03) | 20 (0.03) |
| FEELING HOT AND COLD | | 3 (0.02) | | | 3 (0.00) |
| FEELING JITTERY | 1 (0.02) | 3 (0.02) | 12 (0.04) | 2 (0.03) | 18 (0.03) |
| FEELING OF RELAXATION | | 1 (0.01) | | | 1 (0.00) |
| FEELINGS OF WORTHLESSNESS | 1 (0.02) | | | | 1 (0.00) |
| FEMALE GENITAL TRACT FISTULA | | | 1 (0.00) | | 1 (0.00) |
| FEMALE ORGASMIC DISORDER | | 1 (0.01) | | | 1 (0.00) |
| FEMORAL ARTERIAL STENOSIS | | | 1 (0.00) | | 1 (0.00) |
| FEMORAL ARTERY DISSECTION | | | 1 (0.00) | | 1 (0.00) |
| FEMORAL ARTERY OCCLUSION | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| FEMORAL NECK FRACTURE | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| FEMUR FRACTURE | 1 (0.02) | | 7 (0.02) | 1 (0.01) | 9 (0.01) |
| FEVER NEONATAL | 1 (0.02) | | | | 1 (0.00) |
| FIBROCYSTIC BREAST DISEASE | | | 1 (0.00) | | 1 (0.00) |
| FIBROMA | | | 2 (0.01) | | 2 (0.00) |
| FIBROMYALGIA | | 5 (0.03) | 5 (0.02) | | 10 (0.02) |
| FIBROSIS | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| FIBULA FRACTURE | | | 1 (0.00) | | 1 (0.00) |
| FISTULA | | | 5 (0.02) | | 5 (0.01) |
| FLANK PAIN | 1 (0.02) | 1 (0.01) | 4 (0.01) | | 6 (0.01) |
| FLASHBACK | | 1 (0.01) | | | 1 (0.00) |
| FLAT AFFECT | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| FLAT ANTERIOR CHAMBER OF EYE | | | | 1 (0.01) | 1 (0.00) |
| FLATULENCE | | 5 (0.03) | 14 (0.05) | 3 (0.04) | 22 (0.04) |
| FLIGHT OF IDEAS | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FLUID INTAKE REDUCED | | 1 (0.01) | | | 1 (0.00) |
| FLUID OVERLOAD | | | 1 (0.00) | 4 (0.05) | 5 (0.01) |
| FLUID RETENTION | | 6 (0.04) | 9 (0.03) | 1 (0.01) | 16 (0.03) |
| FLUSHING | 1 (0.02) | 11 (0.06) | 16 (0.05) | 1 (0.01) | 29 (0.05) |
| FOAMING AT MOUTH | | | 1 (0.00) | | 1 (0.00) |
| FOCAL GLOMERULOSCLEROSIS | 1 (0.02) | 4 (0.02) | | | 5 (0.01) |
| FOCAL NODULAR HYPERPLASIA | | 6 (0.04) | | | 6 (0.01) |
| FOETAL MOVEMENTS DECREASED | 1 (0.02) | | | | 1 (0.00) |
| FOLATE DEFICIENCY | | | 1 (0.00) | | 1 (0.00) |
| FOLLICULITIS | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| FOOD ALLERGY | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| FOOD AVERSION | | | 1 (0.00) | | 1 (0.00) |
| FOOD CRAVING | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| FOOD POISONING | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| FOOT AMPUTATION | | | 1 (0.00) | | 1 (0.00) |
| FOOT FRACTURE | | 6 (0.04) | 1 (0.00) | 1 (0.01) | 8 (0.01) |
| FOOT OPERATION | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| FORCED EXPIRATORY VOLUME DECREASED | | 1 (0.01) | | | 1 (0.00) |
| FOREIGN BODY TRAUMA | | | 7 (0.02) | | 7 (0.01) |
| FOREIGN TRAVEL | | 1 (0.01) | | | 1 (0.00) |
| FORMICATION | 1 (0.02) | 3 (0.02) | 3 (0.01) | | 7 (0.01) |
| FRACTURE | | 1 (0.01) | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| FRACTURE TREATMENT | | | 1 (0.00) | | 1 (0.00) |
| FRACTURED COCCYX | | | | 2 (0.03) | 2 (0.00) |
| FREQUENT BOWEL MOVEMENTS | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| FULL BLOOD COUNT DECREASED | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| FULL BLOOD COUNT INCREASED | 2 (0.03) | | | | 2 (0.00) |
| FUNGAL INFECTION | 1 (0.02) | 1 (0.01) | 6 (0.02) | | 8 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FUNGAL SEPSIS | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| FURUNCLE | | | 3 (0.01) | 2 (0.03) | 5 (0.01) |
| GAIT DISTURBANCE | 2 (0.03) | 2 (0.01) | 7 (0.02) | 2 (0.03) | 13 (0.02) |
| GALACTORRHOEA | 1 (0.02) | 4 (0.02) | 1 (0.00) | | 6 (0.01) |
| GALLBLADDER DISORDER | 1 (0.02) | 6 (0.04) | 14 (0.05) | 1 (0.01) | 22 (0.04) |
| GALLBLADDER NON-FUNCTIONING | | | 1 (0.00) | | 1 (0.00) |
| GALLBLADDER OPERATION | 1 (0.02) | | 5 (0.02) | | 6 (0.01) |
| GALLBLADDER PAIN | | | 1 (0.00) | | 1 (0.00) |
| GALLBLADDER POLYP | | 1 (0.01) | | | 1 (0.00) |
| GAMBLING | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| GAMMA-GLUTAMYLTRANSFERASE ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| GAMMA-GLUTAMYLTRANSFERASE INCREASED | | 5 (0.03) | 8 (0.03) | 5 (0.06) | 18 (0.03) |
| GAMMOPATHY | | | | 1 (0.01) | 1 (0.00) |
| GANGLIONEUROMA | | 2 (0.01) | | | 2 (0.00) |
| GANGRENE | | | 5 (0.02) | | 5 (0.01) |
| GAS GANGRENE | | | 1 (0.00) | | 1 (0.00) |
| GASTRECTOMY | | | 1 (0.00) | | 1 (0.00) |
| GASTRIC BYPASS | | 1 (0.01) | | | 1 (0.00) |
| GASTRIC CANCER | | | 12 (0.04) | 1 (0.01) | 13 (0.02) |
| GASTRIC CANCER STAGE IV | | | 1 (0.00) | | 1 (0.00) |
| GASTRIC DISORDER | | 5 (0.03) | 6 (0.02) | | 11 (0.02) |
| GASTRIC HAEMORRHAGE | 2 (0.03) | 2 (0.01) | 4 (0.01) | 4 (0.05) | 12 (0.02) |
| GASTRIC HYPOMOTILITY | | | 1 (0.00) | | 1 (0.00) |
| GASTRIC MUCOSAL HYPERTROPHY | | | 1 (0.00) | | 1 (0.00) |
| GASTRIC MUCOSAL LESION | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| GASTRIC NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| GASTRIC PERFORATION | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GASTRIC POLYPS | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| GASTRIC ULCER | 1 (0.02) | 8 (0.05) | 16 (0.05) | 3 (0.04) | 28 (0.05) |
| GASTRIC ULCER HAEMORRHAGE | | 3 (0.02) | 7 (0.02) | 3 (0.04) | 13 (0.02) |
| GASTRIC ULCER PERFORATION | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| GASTRIC VARICES | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| GASTRIC VARICES HAEMORRHAGE | | | 4 (0.01) | | 4 (0.01) |
| GASTRITIS | 1 (0.02) | 8 (0.05) | 14 (0.05) | | 23 (0.04) |
| GASTRITIS EROSIVE | | 3 (0.02) | 3 (0.01) | 2 (0.03) | 8 (0.01) |
| GASTRITIS HAEMORRHAGIC | | 3 (0.02) | | 2 (0.03) | 5 (0.01) |
| GASTROENTERITIS | | 6 (0.04) | 2 (0.01) | | 8 (0.01) |
| GASTROENTERITIS ESCHERICHIA COLI | | 1 (0.01) | | | 1 (0.00) |
| GASTROENTERITIS RADIATION | | | | 1 (0.01) | 1 (0.00) |
| GASTROENTERITIS ROTAVIRUS | 1 (0.02) | | | | 1 (0.00) |
| GASTROENTERITIS VIRAL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| GASTROINTESTINAL ANGIODYSPLASIA HAEMORRHAGIC | | | 1 (0.00) | | 1 (0.00) |
| GASTROINTESTINAL CARCINOMA | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| GASTROINTESTINAL DISORDER | 3 (0.05) | 9 (0.05) | 10 (0.03) | 7 (0.09) | 29 (0.05) |
| GASTROINTESTINAL EROSION | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| GASTROINTESTINAL FISTULA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| GASTROINTESTINAL HAEMORRHAGE | 1 (0.02) | 10 (0.06) | 40 (0.13) | 31 (0.40) | 82 (0.13) |
| GASTROINTESTINAL HYPOMOTILITY | | 1 (0.01) | | | 1 (0.00) |
| GASTROINTESTINAL INFECTION | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| GASTROINTESTINAL INFLAMMATION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| GASTROINTESTINAL MOTILITY DISORDER | | | 1 (0.00) | | 1 (0.00) |
| GASTROINTESTINAL NECROSIS | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| GASTROINTESTINAL OBSTRUCTION | | | 2 (0.01) | | 2 (0.00) |
| GASTROINTESTINAL OEDEMA | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GASTROINTESTINAL PAIN | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| GASTROINTESTINAL PERFORATION | | 3 (0.02) | 12 (0.04) | | 15 (0.02) |
| GASTROINTESTINAL TRACT ADENOMA | | | 1 (0.00) | | 1 (0.00) |
| GASTROINTESTINAL ULCER | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| GASTROINTESTINAL ULCER HAEMORRHAGE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| GASTROOESOPHAGEAL REFLUX DISEASE | 1 (0.02) | 3 (0.02) | 23 (0.08) | 3 (0.04) | 30 (0.05) |
| GAZE PALSY | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| GENE MUTATION | 1 (0.02) | | | | 1 (0.00) |
| GENERAL PHYSICAL CONDITION ABNORMAL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| GENERAL PHYSICAL HEALTH DETERIORATION | 5 (0.08) | 6 (0.04) | 23 (0.08) | 7 (0.09) | 41 (0.07) |
| GENERAL SYMPTOM | 1 (0.02) | | | | 1 (0.00) |
| GENERALISED ERYTHEMA | 1 (0.02) | 3 (0.02) | 6 (0.02) | | 10 (0.02) |
| GENERALISED OEDEMA | | 3 (0.02) | 4 (0.01) | 2 (0.03) | 9 (0.01) |
| GENITAL BURNING SENSATION | 3 (0.05) | 6 (0.04) | | | 9 (0.01) |
| GENITAL CYST | | | 1 (0.00) | | 1 (0.00) |
| GENITAL DISORDER FEMALE | | | | 1 (0.01) | 1 (0.00) |
| GENITAL HAEMORRHAGE | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| GENITAL NEOPLASM MALIGNANT FEMALE | | | 1 (0.00) | | 1 (0.00) |
| GENITAL PAIN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| GENITAL PAIN FEMALE | 1 (0.02) | | | | 1 (0.00) |
| GENITAL PRURITUS FEMALE | 24 (0.41) | 81 (0.47) | 10 (0.03) | 1 (0.01) | 116 (0.19) |
| GENITAL RASH | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| GERM CELL CANCER | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| GERSTMANN'S SYNDROME | | | 2 (0.01) | | 2 (0.00) |
| GESTATIONAL DIABETES | | 2 (0.01) | | | 2 (0.00) |
| GINGIVAL BLEEDING | | 3 (0.02) | 9 (0.03) | 2 (0.03) | 14 (0.02) |
| GINGIVAL DISCOLOURATION | | 1 (0.01) | | | 1 (0.00) |
| GINGIVAL DISORDER | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GINGIVAL EROSION | | | 2 (0.01) | | 2 (0.00) |
| GINGIVAL HYPERPLASIA | | | 3 (0.01) | | 3 (0.00) |
| GINGIVAL HYPERTROPHY | | | 1 (0.00) | | 1 (0.00) |
| GINGIVAL INFECTION | | | 2 (0.01) | | 2 (0.00) |
| GINGIVAL PAIN | 1 (0.02) | 2 (0.01) | 7 (0.02) | | 10 (0.02) |
| GINGIVAL PRURITUS | | 1 (0.01) | | | 1 (0.00) |
| GINGIVAL RECESSION | | 3 (0.02) | | | 3 (0.00) |
| GINGIVAL SWELLING | 3 (0.05) | | 1 (0.00) | | 4 (0.01) |
| GINGIVAL ULCERATION | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| GINGIVITIS | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| GLASGOW COMA SCALE ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| GLAUCOMA | 2 (0.03) | 9 (0.05) | 4 (0.01) | 1 (0.01) | 16 (0.03) |
| GLIOBLASTOMA MULTIFORME | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| GLIOMA | 1 (0.02) | | | | 1 (0.00) |
| GLOBAL AMNESIA | | 1 (0.01) | 9 (0.03) | 1 (0.01) | 11 (0.02) |
| GLOMERULAR FILTRATION RATE DECREASED | | | 1 (0.00) | | 1 (0.00) |
| GLOMERULAR FILTRATION RATE INCREASED | | | 1 (0.00) | | 1 (0.00) |
| GLOMERULONEPHRITIS | | | 4 (0.01) | | 4 (0.01) |
| GLOMERULONEPHRITIS MEMBRANOUS | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| GLOMERULONEPHRITIS MINIMAL LESION | | | 1 (0.00) | | 1 (0.00) |
| GLOMERULONEPHRITIS PROLIFERATIVE | 2 (0.03) | | | | 2 (0.00) |
| GLOMERULOSCLEROSIS | | | 1 (0.00) | | 1 (0.00) |
| GLOSSITIS | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| GLOSSODYNIA | | 3 (0.02) | 12 (0.04) | 1 (0.01) | 16 (0.03) |
| GLOSSOPHARYNGEAL NERVE PARALYSIS | | 1 (0.01) | | | 1 (0.00) |
| GLOSSOPTOSIS | | | 1 (0.00) | | 1 (0.00) |
| GLUCOSE TOLERANCE IMPAIRED | | 3 (0.02) | | | 3 (0.00) |
| GLYCOSURIA | 4 (0.07) | 2 (0.01) | | | 6 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GLYCOSYLATED HAEMOGLOBIN INCREASED | | | 5 (0.02) | 3 (0.04) | 8 (0.01) |
| GOITRE | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |
| GOUT | | 1 (0.01) | 5 (0.02) | 2 (0.03) | 8 (0.01) |
| GOUTY ARTHRITIS | | | | 1 (0.01) | 1 (0.00) |
| GRAFT COMPLICATION | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| GRAFT DELAMINATION | | 1 (0.01) | | | 1 (0.00) |
| GRAFT DYSFUNCTION | | | 1 (0.00) | | 1 (0.00) |
| GRAFT INFECTION | | 1 (0.01) | | | 1 (0.00) |
| GRAFT VERSUS HOST DISEASE | 3 (0.05) | 3 (0.02) | 3 (0.01) | | 9 (0.01) |
| GRAND MAL CONVULSION | 13 (0.22) | 22 (0.13) | 19 (0.06) | 5 (0.06) | 59 (0.10) |
| GRANULOCYTE COUNT DECREASED | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| GRANULOCYTES ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| GRANULOCYTES MATURATION ARREST | | | | 1 (0.01) | 1 (0.00) |
| GRANULOCYTOPENIA | 8 (0.14) | 23 (0.13) | 16 (0.05) | | 47 (0.08) |
| GRANULOCYTOSIS | | 1 (0.01) | | | 1 (0.00) |
| GRANULOMA | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| GRANULOMATOUS LIVER DISEASE | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| GRAVITATIONAL OEDEMA | | 2 (0.01) | | | 2 (0.00) |
| GROIN PAIN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| GROWTH HORMONE DEFICIENCY | 1 (0.02) | | | | 1 (0.00) |
| GROWTH RETARDATION | 1 (0.02) | | | | 1 (0.00) |
| GUILLAIN-BARRE SYNDROME | 2 (0.03) | 2 (0.01) | 2 (0.01) | | 6 (0.01) |
| GUN SHOT WOUND | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| GUTTATE PSORIASIS | | 2 (0.01) | | | 2 (0.00) |
| GYNAECOLOGICAL EXAMINATION ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| GYNAECOMASTIA | 2 (0.03) | 1 (0.01) | 3 (0.01) | 6 (0.08) | 12 (0.02) |
| HAEMANGIOMA | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| HAEMANGIOMA OF LIVER | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HAEMARTHROSIS | | 1 (0.01) | | | 1 (0.00) |
| HAEMATEMESIS | 3 (0.05) | 6 (0.04) | 8 (0.03) | 6 (0.08) | 23 (0.04) |
| HAEMATOCHEZIA | 2 (0.03) | 5 (0.03) | 5 (0.02) | 5 (0.06) | 17 (0.03) |
| HAEMATOCRIT DECREASED | 2 (0.03) | 4 (0.02) | 13 (0.04) | 4 (0.05) | 23 (0.04) |
| HAEMATOCRIT INCREASED | | | 1 (0.00) | | 1 (0.00) |
| HAEMATOLOGY TEST ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| HAEMATOMA | | 5 (0.03) | 15 (0.05) | 8 (0.10) | 28 (0.05) |
| HAEMATOMA INFECTION | | 1 (0.01) | | | 1 (0.00) |
| HAEMATOSPERMIA | | | 2 (0.01) | | 2 (0.00) |
| HAEMATURIA | 6 (0.10) | 6 (0.04) | 17 (0.06) | 13 (0.17) | 42 (0.07) |
| HAEMATURIA TRAUMATIC | | | | 1 (0.01) | 1 (0.00) |
| HAEMOCHROMATOSIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| HAEMODIALYSIS | 2 (0.03) | 7 (0.04) | 17 (0.06) | | 26 (0.04) |
| HAEMODIALYSIS-INDUCED SYMPTOM | | | 1 (0.00) | | 1 (0.00) |
| HAEMODYNAMIC INSTABILITY | | | 1 (0.00) | | 1 (0.00) |
| HAEMOGLOBIN | | 1 (0.01) | | | 1 (0.00) |
| HAEMOGLOBIN DECREASED | 3 (0.05) | 10 (0.06) | 24 (0.08) | 9 (0.12) | 46 (0.08) |
| HAEMOGLOBIN INCREASED | | 1 (0.01) | | | 1 (0.00) |
| HAEMOLYSIS | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| HAEMOLYTIC ANAEMIA | 1 (0.02) | 3 (0.02) | 11 (0.04) | 6 (0.08) | 21 (0.03) |
| HAEMOLYTIC URAEMIC SYNDROME | 1 (0.02) | 3 (0.02) | 3 (0.01) | | 7 (0.01) |
| HAEMOPTYSIS | 3 (0.05) | 8 (0.05) | 16 (0.05) | 1 (0.01) | 28 (0.05) |
| HAEMORRHAGE | 2 (0.03) | 14 (0.08) | 25 (0.08) | 12 (0.15) | 53 (0.09) |
| HAEMORRHAGE CORONARY ARTERY | | | 2 (0.01) | | 2 (0.00) |
| HAEMORRHAGE INTRACRANIAL | | 2 (0.01) | 6 (0.02) | 3 (0.04) | 11 (0.02) |
| HAEMORRHAGE SUBCUTANEOUS | 1 (0.02) | | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| HAEMORRHAGE URINARY TRACT | | | 1 (0.00) | | 1 (0.00) |
| HAEMORRHAGIC INFARCTION | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HAEMORRHAGIC OVARIAN CYST | | 1 (0.01) | | | 1 (0.00) |
| HAEMORRHAGIC STROKE | 2 (0.03) | 2 (0.01) | 4 (0.01) | 1 (0.01) | 9 (0.01) |
| HAEMORRHOID OPERATION | | 1 (0.01) | | | 1 (0.00) |
| HAEMORRHOIDS | | | 1 (0.00) | | 1 (0.00) |
| HAEMOTHORAX | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| HAIR COLOUR CHANGES | 1 (0.02) | | | | 1 (0.00) |
| HAIR DISORDER | | | | 1 (0.01) | 1 (0.00) |
| HAIR GROWTH ABNORMAL | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| HAIR TEXTURE ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| HALLUCINATION | 19 (0.32) | 19 (0.11) | 21 (0.07) | 14 (0.18) | 73 (0.12) |
| HALLUCINATION, AUDITORY | 4 (0.07) | 13 (0.08) | 5 (0.02) | 1 (0.01) | 23 (0.04) |
| HALLUCINATION, VISUAL | 5 (0.08) | 6 (0.04) | 9 (0.03) | 4 (0.05) | 24 (0.04) |
| HALLUCINATIONS, MIXED | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| HALO VISION | | | | 1 (0.01) | 1 (0.00) |
| HAND FRACTURE | | | 3 (0.01) | | 3 (0.00) |
| HANGOVER | | 1 (0.01) | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| HEAD BANGING | 2 (0.03) | | | | 2 (0.00) |
| HEAD DISCOMFORT | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| HEAD INJURY | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| HEAD TITUBATION | | | 1 (0.00) | | 1 (0.00) |
| HEADACHE | 22 (0.37) | 86 (0.50) | 113 (0.37) | 15 (0.19) | 236 (0.39) |
| HEARING IMPAIRED | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| HEART INJURY | | 5 (0.03) | 1 (0.00) | 1 (0.01) | 7 (0.01) |
| HEART RATE ABNORMAL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| HEART RATE DECREASED | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| HEART RATE INCREASED | 3 (0.05) | 16 (0.09) | 21 (0.07) | 4 (0.05) | 44 (0.07) |
| HEART RATE IRREGULAR | 3 (0.05) | 3 (0.02) | 10 (0.03) | 5 (0.06) | 21 (0.03) |
| HEART TRANSPLANT REJECTION | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HEART VALVE OPERATION | | | | 1 (0.01) | 1 (0.00) |
| HEAT RASH | 1 (0.02) | | | | 1 (0.00) |
| HELICOBACTER GASTRITIS | | | 2 (0.01) | | 2 (0.00) |
| HELICOBACTER INFECTION | | | | 1 (0.01) | 1 (0.00) |
| HEMIANOPIA | | | 1 (0.00) | | 1 (0.00) |
| HEMIPARESIS | 1 (0.02) | 1 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| HEMIPLEGIA | | 2 (0.01) | 10 (0.03) | | 12 (0.02) |
| HENOCH-SCHONLEIN PURPURA | 3 (0.05) | 1 (0.01) | 6 (0.02) | | 10 (0.02) |
| HEPARIN-INDUCED THROMBOCYTOPENIA | | 6 (0.04) | 7 (0.02) | 2 (0.03) | 15 (0.02) |
| HEPATIC ADENOMA | | 2 (0.01) | | | 2 (0.00) |
| HEPATIC CANCER METASTATIC | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| HEPATIC CIRRHOSIS | 1 (0.02) | 7 (0.04) | 11 (0.04) | 2 (0.03) | 21 (0.03) |
| HEPATIC CONGESTION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| HEPATIC CYST | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| HEPATIC ENCEPHALOPATHY | | 4 (0.02) | 6 (0.02) | 2 (0.03) | 12 (0.02) |
| HEPATIC ENZYME ABNORMAL | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| HEPATIC ENZYME INCREASED | 8 (0.14) | 37 (0.22) | 29 (0.10) | 5 (0.06) | 79 (0.13) |
| HEPATIC FAILURE | 12 (0.20) | 17 (0.10) | 30 (0.10) | 6 (0.08) | 65 (0.11) |
| HEPATIC FIBROSIS | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| HEPATIC FUNCTION ABNORMAL | 2 (0.03) | 9 (0.05) | 24 (0.08) | 13 (0.17) | 48 (0.08) |
| HEPATIC ISCHAEMIA | | | 1 (0.00) | | 1 (0.00) |
| HEPATIC LESION | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| HEPATIC NECROSIS | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| HEPATIC NEOPLASM | | 2 (0.01) | 5 (0.02) | 1 (0.01) | 8 (0.01) |
| HEPATIC NEOPLASM MALIGNANT | | 1 (0.01) | 11 (0.04) | 1 (0.01) | 13 (0.02) |
| HEPATIC STEATOSIS | 2 (0.03) | 12 (0.07) | 6 (0.02) | | 20 (0.03) |
| HEPATIC TRAUMA | | | 1 (0.00) | | 1 (0.00) |
| HEPATIC VEIN OCCLUSION | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------|------------------------------|--------------------------------|--------------------------------|--------------------------|--------------------|
| HEPATITIS | 10 (0.17) | 10 (0.06) | 30 (0.10) | 7 (0.09) | 57 (0.09) |
| HEPATITIS A | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| HEPATITIS ACUTE | | 4 (0.02) | 5 (0.02) | 3 (0.04) | 12 (0.02) |
| HEPATITIS B | 2 (0.03) | 3 (0.02) | 4 (0.01) | 1 (0.01) | 10 (0.02) |
| HEPATITIS C | 1 (0.02) | 9 (0.05) | 3 (0.01) | 1 (0.01) | 14 (0.02) |
| HEPATITIS C ANTIBODY POSITIVE | | 2 (0.01) | | | 2 (0.00) |
| HEPATITIS C POSITIVE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| HEPATITIS C VIRUS | | | 1 (0.00) | | 1 (0.00) |
| HEPATITIS CHOLESTATIC | 3 (0.05) | 4 (0.02) | 13 (0.04) | 3 (0.04) | 23 (0.04) |
| HEPATITIS CHRONIC ACTIVE | | | 1 (0.00) | | 1 (0.00) |
| HEPATITIS E | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| HEPATITIS FULMINANT | 1 (0.02) | 3 (0.02) | 5 (0.02) | 2 (0.03) | 11 (0.02) |
| HEPATITIS TOXIC | | 5 (0.03) | 3 (0.01) | 1 (0.01) | 9 (0.01) |
| HEPATITIS VIRAL | | | 2 (0.01) | | 2 (0.00) |
| HEPATOCELLULAR DAMAGE | | 5 (0.03) | 3 (0.01) | | 8 (0.01) |
| HEPATOMEGALY | 3 (0.05) | 2 (0.01) | 5 (0.02) | | 10 (0.02) |
| HEPATORENAL FAILURE | 2 (0.03) | | | | 2 (0.00) |
| HEPATORENAL SYNDROME | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| HEPATOSPLENOMEGALY | | 1 (0.01) | | | 1 (0.00) |
| HEPATOTOXICITY | 2 (0.03) | 2 (0.01) | 3 (0.01) | 3 (0.04) | 10 (0.02) |
| HERNIA | | 4 (0.02) | 5 (0.02) | 1 (0.01) | 10 (0.02) |
| HERNIA REPAIR | | | 1 (0.00) | | 1 (0.00) |
| HERPES OPHTHALMIC | | | 1 (0.00) | | 1 (0.00) |
| HERPES SIMPLEX | | 4 (0.02) | 3 (0.01) | 1 (0.01) | 8 (0.01) |
| HERPES SIMPLEX OPHTHALMIC | | 3 (0.02) | | | 3 (0.00) |
| HERPES VIRUS INFECTION | | 3 (0.02) | | | 3 (0.00) |
| HERPES ZOSTER | 3 (0.05) | 5 (0.03) | 6 (0.02) | 3 (0.04) | 17 (0.03) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|--------------------------------|--------------------------------|--------------------------|--------------------|
| HERPES ZOSTER OPHTHALMIC | | 1 (0.01) | | | 1 (0.00) |
| HIATUS HERNIA | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| HICCUPS | 1 (0.02) | 5 (0.03) | 11 (0.04) | 2 (0.03) | 19 (0.03) |
| HIGH DENSITY LIPOPROTEIN DECREASED | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| HIP ARTHROPLASTY | 1 (0.02) | 2 (0.01) | 9 (0.03) | 1 (0.01) | 13 (0.02) |
| HIP DEFORMITY | 1 (0.02) | | | | 1 (0.00) |
| HIP DISARTICULATION | | | 1 (0.00) | | 1 (0.00) |
| HIP DYSPLASIA | | 3 (0.02) | | | 3 (0.00) |
| HIP FRACTURE | | 1 (0.01) | 31 (0.10) | 35 (0.45) | 67 (0.11) |
| HIP SURGERY | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| HIRSUTISM | | 1 (0.01) | | | 1 (0.00) |
| HISTAMINE LEVEL INCREASED | | | 1 (0.00) | | 1 (0.00) |
| HISTIOCYTOSIS HAEMATOPHAGIC | 2 (0.03) | | | | 2 (0.00) |
| HISTOPLASMOSIS | | | 1 (0.00) | | 1 (0.00) |
| HISTOPLASMOSIS DISSEMINATED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| HIV TEST FALSE POSITIVE | 2 (0.03) | | | | 2 (0.00) |
| HIV TEST POSITIVE | | 1 (0.01) | | | 1 (0.00) |
| HODGKIN'S DISEASE | 3 (0.05) | 5 (0.03) | 1 (0.00) | | 9 (0.01) |
| HODGKIN'S DISEASE MIXED CELLULARITY STAGE UNSPECIF | | 1 (0.01) | | | 1 (0.00) |
| HOMICIDAL IDEATION | 3 (0.05) | 1 (0.01) | 1 (0.00) | | 5 (0.01) |
| HOMICIDE | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| HORNER'S SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| HOSPITALISATION | | 5 (0.03) | 7 (0.02) | 1 (0.01) | 13 (0.02) |
| HOT FLUSH | 2 (0.03) | 4 (0.02) | 8 (0.03) | 1 (0.01) | 15 (0.02) |
| HUNGER | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| HYDROCELE | | | 2 (0.01) | | 2 (0.00) |
| HYDROCEPHALUS | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HYDROMETRA | | 1 (0.01) | | | 1 (0.00) |
| HYDRONEPHROSIS | | 6 (0.04) | 2 (0.01) | | 8 (0.01) |
| HYDROPNEUMOTHORAX | | | 2 (0.01) | | 2 (0.00) |
| HYDROTHORAX | | 1 (0.01) | | | 1 (0.00) |
| HYPERACUSIS | | | 1 (0.00) | | 1 (0.00) |
| HYPERAEMIA | 1 (0.02) | | | | 1 (0.00) |
| HYPERAESTHESIA | | 1 (0.01) | | | 1 (0.00) |
| HYPERALDOSTERONISM | | | 1 (0.00) | | 1 (0.00) |
| HYPERAMMONAEMIA | 1 (0.02) | | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| HYPERBARIC OXYGEN THERAPY | | | 3 (0.01) | | 3 (0.00) |
| HYPERBILIRUBINAEMIA | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| HYPERCALCAEMIA | 2 (0.03) | 2 (0.01) | 6 (0.02) | | 10 (0.02) |
| HYPERCAPNIA | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| HYPERCHOLESTEROLAEMIA | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| HYPERCOAGULATION | | | | 1 (0.01) | 1 (0.00) |
| HYPERCREATININAEMIA | | | 1 (0.00) | | 1 (0.00) |
| HYPEREOSINOPHILIC SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| HYPERGLYCAEMIA | 7 (0.12) | 9 (0.05) | 18 (0.06) | 8 (0.10) | 42 (0.07) |
| HYPERHIDROSIS | 2 (0.03) | 13 (0.08) | 15 (0.05) | 1 (0.01) | 31 (0.05) |
| HYPERINSULINAEMIA | | | | 1 (0.01) | 1 (0.00) |
| HYPERKALAEMIA | 1 (0.02) | 3 (0.02) | 28 (0.09) | 6 (0.08) | 38 (0.06) |
| HYPERKERATOSIS | | | 2 (0.01) | | 2 (0.00) |
| HYPERKINESIA | | | | 1 (0.01) | 1 (0.00) |
| HYPERLACTACIDAEMIA | | 3 (0.02) | | | 3 (0.00) |
| HYPERLIPIDAEMIA | | 2 (0.01) | 4 (0.01) | | 6 (0.01) |
| HYPERNATRAEMIA | | | 1 (0.00) | | 1 (0.00) |
| HYPEROXALURIA | | | 1 (0.00) | | 1 (0.00) |
| HYPERPARATHYROIDISM | | 3 (0.02) | | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HYPERPHAGIA | | 1 (0.01) | | | 1 (0.00) |
| HYPERPHOSPHATAEMIA | | 1 (0.01) | | | 1 (0.00) |
| HYPERPLASIA | 2 (0.03) | | | | 2 (0.00) |
| HYPERPYREXIA | | | 1 (0.00) | | 1 (0.00) |
| HYPERREFLEXIA | | 2 (0.01) | | | 2 (0.00) |
| HYPERSENSITIVITY | 18 (0.30) | 36 (0.21) | 45 (0.15) | 4 (0.05) | 103 (0.17) |
| HYPERSOMNIA | 1 (0.02) | 3 (0.02) | 1 (0.00) | 3 (0.04) | 8 (0.01) |
| HYPERTENSION | 11 (0.19) | 32 (0.19) | 44 (0.15) | 10 (0.13) | 97 (0.16) |
| HYPERTENSIVE CARDIOMYOPATHY | | 1 (0.01) | | | 1 (0.00) |
| HYPERTENSIVE CRISIS | | 3 (0.02) | 5 (0.02) | 5 (0.06) | 13 (0.02) |
| HYPERTENSIVE EMERGENCY | | | 1 (0.00) | | 1 (0.00) |
| HYPERTENSIVE HEART DISEASE | | 1 (0.01) | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| HYPERTHERMIA | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| HYPERTHERMIA MALIGNANT | 2 (0.03) | 1 (0.01) | 1 (0.00) | | 4 (0.01) |
| HYPERTHYROIDISM | 1 (0.02) | 3 (0.02) | 4 (0.01) | 1 (0.01) | 9 (0.01) |
| HYPERTONIA | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| HYPERTONIC BLADDER | | | 3 (0.01) | | 3 (0.00) |
| HYPERTRICHOSIS | | | | 1 (0.01) | 1 (0.00) |
| HYPERTRIGLYCERIDAEMIA | 1 (0.02) | 7 (0.04) | 1 (0.00) | | 9 (0.01) |
| HYPERTROPHIC CARDIOMYOPATHY | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| HYPERTROPHY BREAST | 1 (0.02) | | | | 1 (0.00) |
| HYPERURICAEMIA | | | 1 (0.00) | | 1 (0.00) |
| HYPERVENTILATION | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| HYPERVIGILANCE | | | 1 (0.00) | | 1 (0.00) |
| НҮРНАЕМА | | | | 1 (0.01) | 1 (0.00) |
| HYPOACUSIS | 1 (0.02) | | 4 (0.01) | 2 (0.03) | 7 (0.01) |
| HYPOAESTHESIA | 2 (0.03) | 32 (0.19) | 24 (0.08) | 2 (0.03) | 60 (0.10) |
| HYPOAESTHESIA ORAL | 2 (0.03) | 4 (0.02) | 3 (0.01) | | 9 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HYPOALBUMINAEMIA | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| HYPOCALCAEMIA | | 1 (0.01) | 6 (0.02) | 5 (0.06) | 12 (0.02) |
| HYPOCHLORAEMIA | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| HYPOGAMMAGLOBULINAEMIA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| HYPOGEUSIA | | | 1 (0.00) | | 1 (0.00) |
| HYPOGLYCAEMIA | 2 (0.03) | 18 (0.11) | 39 (0.13) | 31 (0.40) | 90 (0.15) |
| HYPOGLYCAEMIA UNAWARENESS | 1 (0.02) | | | | 1 (0.00) |
| HYPOGLYCAEMIC COMA | 2 (0.03) | 5 (0.03) | 17 (0.06) | 13 (0.17) | 37 (0.06) |
| HYPOGLYCAEMIC SEIZURE | 1 (0.02) | 1 (0.01) | | 1 (0.01) | 3 (0.00) |
| HYPOHIDROSIS | 1 (0.02) | | | | 1 (0.00) |
| HYPOKALAEMIA | | 1 (0.01) | 7 (0.02) | 5 (0.06) | 13 (0.02) |
| HYPOKINESIA | | | | 1 (0.01) | 1 (0.00) |
| HYPOMANIA | | 4 (0.02) | 1 (0.00) | | 5 (0.01) |
| HYPOMENORRHOEA | | 1 (0.01) | | | 1 (0.00) |
| HYPONATRAEMIA | 1 (0.02) | 9 (0.05) | 26 (0.09) | 17 (0.22) | 53 (0.09) |
| HYPOPERFUSION | | | 1 (0.00) | | 1 (0.00) |
| HYPOPROTEINAEMIA | | | 1 (0.00) | | 1 (0.00) |
| HYPOTENSION | 3 (0.05) | 14 (0.08) | 46 (0.15) | 17 (0.22) | 80 (0.13) |
| HYPOTHERMIA | 12 (0.20) | 4 (0.02) | 4 (0.01) | 1 (0.01) | 21 (0.03) |
| HYPOTHYROIDISM | 1 (0.02) | 3 (0.02) | 4 (0.01) | 5 (0.06) | 13 (0.02) |
| HYPOTONIA | | | 1 (0.00) | | 1 (0.00) |
| HYPOTRICHOSIS | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| HYPOVENTILATION | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| HYPOVOLAEMIA | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| HYPOVOLAEMIC SHOCK | | | 4 (0.01) | | 4 (0.01) |
| HYPOXIA | 1 (0.02) | 4 (0.02) | 10 (0.03) | 1 (0.01) | 16 (0.03) |
| HYPOXIC ENCEPHALOPATHY | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HYSTERECTOMY | | 12 (0.07) | 9 (0.03) | | 21 (0.03) |
| IATROGENIC INJURY | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ICHTHYOSIS | | | 1 (0.00) | | 1 (0.00) |
| IDIOPATHIC PULMONARY FIBROSIS | | | 1 (0.00) | | 1 (0.00) |
| IDIOPATHIC THROMBOCYTOPENIC PURPURA | 2 (0.03) | 4 (0.02) | 9 (0.03) | 3 (0.04) | 18 (0.03) |
| IIIRD NERVE DISORDER | 1 (0.02) | | | | 1 (0.00) |
| ILEAL PERFORATION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ILEAL STENOSIS | | | 1 (0.00) | | 1 (0.00) |
| ILEUS | 1 (0.02) | 4 (0.02) | 16 (0.05) | | 21 (0.03) |
| ILEUS PARALYTIC | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| ILL-DEFINED DISORDER | 1 (0.02) | 3 (0.02) | 3 (0.01) | | 7 (0.01) |
| IMMOBILE | | | | 1 (0.01) | 1 (0.00) |
| IMMUNE RECONSTITUTION SYNDROME | | 10 (0.06) | 4 (0.01) | | 14 (0.02) |
| IMMUNE SYSTEM DISORDER | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| IMMUNODEFICIENCY | | 1 (0.01) | | | 1 (0.00) |
| IMMUNOSUPPRESSANT DRUG LEVEL DECREASED | | | 1 (0.00) | | 1 (0.00) |
| IMMUNOSUPPRESSION | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| IMPAIRED DRIVING ABILITY | | 1 (0.01) | | | 1 (0.00) |
| IMPAIRED HEALING | 3 (0.05) | 5 (0.03) | 12 (0.04) | 2 (0.03) | 22 (0.04) |
| IMPAIRED WORK ABILITY | | 2 (0.01) | | | 2 (0.00) |
| IMPETIGO | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| IMPLANT SITE ERYTHEMA | | 1 (0.01) | | | 1 (0.00) |
| IMPLANT SITE REACTION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| IMPLANTABLE DEFIBRILLATOR INSERTION | | | 1 (0.00) | | 1 (0.00) |
| IMPULSIVE BEHAVIOUR | | 1 (0.01) | | | 1 (0.00) |
| INADEQUATE ANALGESIA | | 6 (0.04) | 3 (0.01) | | 9 (0.01) |
| INADEQUATE DIET | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| INAPPROPRIATE ANTIDIURETIC HORMONE SECRETION | | 2 (0.01) | 5 (0.02) | 3 (0.04) | 10 (0.02) |
| INAPPROPRIATE SCHEDULE OF DRUG ADMINISTRATION | | 1 (0.01) | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| INCISION SITE COMPLICATION | | | 2 (0.01) | | 2 (0.00) |
| INCISION SITE HAEMORRHAGE | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| INCOHERENT | 1 (0.02) | | | | 1 (0.00) |
| INCONTINENCE | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| INCORRECT DOSE ADMINISTERED | 8 (0.14) | 5 (0.03) | 12 (0.04) | 2 (0.03) | 27 (0.04) |
| INCORRECT DRUG ADMINISTRATION RATE | | | 1 (0.00) | | 1 (0.00) |
| INCORRECT ROUTE OF DRUG ADMINISTRATION | 3 (0.05) | 2 (0.01) | 3 (0.01) | 1 (0.01) | 9 (0.01) |
| INCREASED APPETITE | 1 (0.02) | | 11 (0.04) | 1 (0.01) | 13 (0.02) |
| INCREASED BRONCHIAL SECRETION | | | | 1 (0.01) | 1 (0.00) |
| INCREASED TENDENCY TO BRUISE | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| INDURATION | | | 2 (0.01) | | 2 (0.00) |
| INFANTILE APNOEIC ATTACK | 1 (0.02) | | | | 1 (0.00) |
| INFARCTION | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| INFECTED BUNION | | | 1 (0.00) | | 1 (0.00) |
| INFECTED CYST | 1 (0.02) | | | | 1 (0.00) |
| INFECTION | 6 (0.10) | 7 (0.04) | 31 (0.10) | | 44 (0.07) |
| INFECTION IN AN IMMUNOCOMPROMISED HOST | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| INFECTIOUS MONONUCLEOSIS | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| INFECTIVE SPONDYLITIS | | | 1 (0.00) | | 1 (0.00) |
| INFECTIVE TENOSYNOVITIS | | | 1 (0.00) | | 1 (0.00) |
| INFERTILITY | | 1 (0.01) | | | 1 (0.00) |
| INFERTILITY FEMALE | | 1 (0.01) | | | 1 (0.00) |
| INFERTILITY MALE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| INFLAMMATION | 1 (0.02) | 5 (0.03) | 10 (0.03) | | 16 (0.03) |
| INFLAMMATION OF WOUND | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| INFLAMMATORY BOWEL DISEASE | 1 (0.02) | | | | 1 (0.00) |
| INFLUENZA | 4 (0.07) | 10 (0.06) | 3 (0.01) | 1 (0.01) | 18 (0.03) |
| INFLUENZA LIKE ILLNESS | 4 (0.07) | 16 (0.09) | 13 (0.04) | 1 (0.01) | 34 (0.06) |
| INFLUENZA SEROLOGY POSITIVE | | | 1 (0.00) | | 1 (0.00) |
| INFUSION RELATED REACTION | 2 (0.03) | 15 (0.09) | 17 (0.06) | 5 (0.06) | 39 (0.06) |
| INFUSION SITE ABSCESS | | 1 (0.01) | | | 1 (0.00) |
| INFUSION SITE ERYTHEMA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| INFUSION SITE EXTRAVASATION | | | 1 (0.00) | | 1 (0.00) |
| INFUSION SITE PAIN | 1 (0.02) | | | | 1 (0.00) |
| INFUSION SITE REACTION | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| INGROWING NAIL | | | 2 (0.01) | | 2 (0.00) |
| INGUINAL HERNIA | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| INGUINAL HERNIA REPAIR | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| INGUINAL MASS | | 1 (0.01) | | | 1 (0.00) |
| INITIAL INSOMNIA | 1 (0.02) | 2 (0.01) | 8 (0.03) | 2 (0.03) | 13 (0.02) |
| INJECTED LIMB MOBILITY DECREASED | | 1 (0.01) | | | 1 (0.00) |
| INJECTION | | | | 1 (0.01) | 1 (0.00) |
| INJECTION SITE ABSCESS | | 2 (0.01) | 9 (0.03) | | 11 (0.02) |
| INJECTION SITE ANAESTHESIA | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| INJECTION SITE ATROPHY | | 2 (0.01) | | | 2 (0.00) |
| INJECTION SITE BRUISING | 1 (0.02) | 30 (0.18) | 61 (0.20) | 4 (0.05) | 96 (0.16) |
| INJECTION SITE CELLULITIS | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| INJECTION SITE DESQUAMATION | | | 1 (0.00) | | 1 (0.00) |
| INJECTION SITE DISCOLOURATION | | 2 (0.01) | | | 2 (0.00) |
| INJECTION SITE DISCOMFORT | | | 1 (0.00) | | 1 (0.00) |
| INJECTION SITE ERYTHEMA | 1 (0.02) | 11 (0.06) | 18 (0.06) | 2 (0.03) | 32 (0.05) |
| INJECTION SITE EXTRAVASATION | | | 3 (0.01) | | 3 (0.00) |
| INJECTION SITE HAEMATOMA | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| INJECTION SITE HAEMORRHAGE | 2 (0.03) | 13 (0.08) | 35 (0.12) | 4 (0.05) | 54 (0.09) |
| INJECTION SITE INDURATION | | 1 (0.01) | | | 1 (0.00) |
| INJECTION SITE INFECTION | | | 2 (0.01) | | 2 (0.00) |
| INJECTION SITE IRRITATION | | 1 (0.01) | 9 (0.03) | | 10 (0.02) |
| INJECTION SITE MASS | 1 (0.02) | | | | 1 (0.00) |
| INJECTION SITE NECROSIS | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| INJECTION SITE NODULE | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| INJECTION SITE PAIN | | 10 (0.06) | 20 (0.07) | 1 (0.01) | 31 (0.05) |
| INJECTION SITE PHLEBITIS | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| INJECTION SITE PRURITUS | | 4 (0.02) | 3 (0.01) | | 7 (0.01) |
| INJECTION SITE RASH | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| INJECTION SITE REACTION | | 4 (0.02) | 2 (0.01) | 1 (0.01) | 7 (0.01) |
| INJECTION SITE SWELLING | | 1 (0.01) | | | 1 (0.00) |
| INJECTION SITE ULCER | | | 1 (0.00) | | 1 (0.00) |
| INJECTION SITE URTICARIA | | 6 (0.04) | 7 (0.02) | 1 (0.01) | 14 (0.02) |
| INJECTION SITE WARMTH | | | 1 (0.00) | | 1 (0.00) |
| INJURY | | 8 (0.05) | 14 (0.05) | 4 (0.05) | 26 (0.04) |
| INJURY ASPHYXIATION | 4 (0.07) | | | 1 (0.01) | 5 (0.01) |
| INNER EAR DISORDER | | 1 (0.01) | | | 1 (0.00) |
| INSOMNIA | 14 (0.24) | 28 (0.16) | 52 (0.17) | 9 (0.12) | 103 (0.17) |
| INSULIN-REQUIRING TYPE II DIABETES MELLITUS | | | | 1 (0.01) | 1 (0.00) |
| INTENTIONAL DRUG MISUSE | 8 (0.14) | 17 (0.10) | 4 (0.01) | | 29 (0.05) |
| INTENTIONAL OVERDOSE | 14 (0.24) | 13 (0.08) | 6 (0.02) | 1 (0.01) | 34 (0.06) |
| INTENTIONAL SELF-INJURY | 4 (0.07) | 2 (0.01) | 1 (0.00) | | 7 (0.01) |
| INTERCEPTED MEDICATION ERROR | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| INTERMITTENT CLAUDICATION | 1 (0.02) | | | | 1 (0.00) |
| INTERNATIONAL NORMALISED RATIO ABNORMAL | | | 2 (0.01) | | 2 (0.00) |
| INTERNATIONAL NORMALISED RATIO DECREASED | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| INTERNATIONAL NORMALISED RATIO INCREASED | 5 (0.08) | 7 (0.04) | 34 (0.11) | 17 (0.22) | 63 (0.10) |
| INTERSTITIAL LUNG DISEASE | 3 (0.05) | 13 (0.08) | 58 (0.19) | 26 (0.34) | 100 (0.16) |
| INTERTRIGO | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| INTERVERTEBRAL DISC DEGENERATION | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| INTERVERTEBRAL DISC DISORDER | | 3 (0.02) | 3 (0.01) | 1 (0.01) | 7 (0.01) |
| INTERVERTEBRAL DISC INJURY | | | 1 (0.00) | | 1 (0.00) |
| INTERVERTEBRAL DISC PROTRUSION | 1 (0.02) | 9 (0.05) | 15 (0.05) | 2 (0.03) | 27 (0.04) |
| INTESTINAL FUNCTIONAL DISORDER | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| INTESTINAL HAEMORRHAGE | | 2 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| INTESTINAL INFARCTION | | | | 1 (0.01) | 1 (0.00) |
| INTESTINAL ISCHAEMIA | 2 (0.03) | | | 2 (0.03) | 4 (0.01) |
| INTESTINAL OBSTRUCTION | | 9 (0.05) | 16 (0.05) | 1 (0.01) | 26 (0.04) |
| INTESTINAL OPERATION | | | 1 (0.00) | | 1 (0.00) |
| INTESTINAL PERFORATION | 2 (0.03) | 4 (0.02) | 3 (0.01) | | 9 (0.01) |
| INTRA-ABDOMINAL HAEMORRHAGE | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| INTRA-UTERINE CONTRACEPTIVE DEVICE EXPELLED | | 1 (0.01) | | | 1 (0.00) |
| INTRA-UTERINE DEATH | | 1 (0.01) | | | 1 (0.00) |
| INTRACARDIAC THROMBUS | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| INTRACRANIAL ANEURYSM | | 3 (0.02) | 4 (0.01) | | 7 (0.01) |
| INTRACRANIAL HYPOTENSION | | | 1 (0.00) | | 1 (0.00) |
| INTRACRANIAL INJURY | | | 1 (0.00) | | 1 (0.00) |
| INTRACRANIAL PRESSURE INCREASED | 3 (0.05) | 1 (0.01) | 1 (0.00) | | 5 (0.01) |
| INTRACRANIAL TUMOUR HAEMORRHAGE | | | 1 (0.00) | | 1 (0.00) |
| INTRACRANIAL VENOUS SINUS THROMBOSIS | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| INTRAOCULAR PRESSURE DECREASED | | | | 4 (0.05) | 4 (0.01) |
| INTRAOCULAR PRESSURE INCREASED | 2 (0.03) | | 15 (0.05) | 6 (0.08) | 23 (0.04) |
| INTRAOCULAR PRESSURE TEST ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| INTRASPINAL ABSCESS | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| INTRAVENTRICULAR HAEMORRHAGE | | 2 (0.01) | | | 2 (0.00) |
| INTUSSUSCEPTION | 1 (0.02) | | | | 1 (0.00) |
| IRIDOCYCLITIS | | | 1 (0.00) | | 1 (0.00) |
| IRIS DISORDER | | | | 2 (0.03) | 2 (0.00) |
| IRITIS | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| IRON DEFICIENCY ANAEMIA | | 1 (0.01) | 3 (0.01) | 1 (0.01) | 5 (0.01) |
| IRRITABILITY | 2 (0.03) | 6 (0.04) | 8 (0.03) | | 16 (0.03) |
| IRRITABLE BOWEL SYNDROME | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ISCHAEMIA | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ISCHAEMIC CEREBRAL INFARCTION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ISCHAEMIC STROKE | | 12 (0.07) | 26 (0.09) | 6 (0.08) | 44 (0.07) |
| IUCD COMPLICATION | 4 (0.07) | 8 (0.05) | | | 12 (0.02) |
| IUD MIGRATION | 7 (0.12) | 16 (0.09) | | | 23 (0.04) |
| JARISCH-HERXHEIMER REACTION | 1 (0.02) | | | | 1 (0.00) |
| JAUNDICE | 3 (0.05) | 2 (0.01) | 18 (0.06) | 1 (0.01) | 24 (0.04) |
| JAUNDICE CHOLESTATIC | | 3 (0.02) | 5 (0.02) | 4 (0.05) | 12 (0.02) |
| JAW DISORDER | | 3 (0.02) | 3 (0.01) | 1 (0.01) | 7 (0.01) |
| JAW FRACTURE | | | 2 (0.01) | | 2 (0.00) |
| JAW OPERATION | | | 2 (0.01) | | 2 (0.00) |
| JOINT ANKYLOSIS | | 1 (0.01) | | | 1 (0.00) |
| JOINT ARTHROPLASTY | | | 4 (0.01) | | 4 (0.01) |
| JOINT DISLOCATION | 1 (0.02) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| JOINT EFFUSION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| JOINT INJURY | | 1 (0.01) | 16 (0.05) | | 17 (0.03) |
| JOINT STIFFNESS | | 1 (0.01) | | | 1 (0.00) |
| JOINT SWELLING | 3 (0.05) | 7 (0.04) | 7 (0.02) | 2 (0.03) | 19 (0.03) |
| JOINT TUBERCULOSIS | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------------|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| KAPOSI'S SARCOMA | | 1 (0.01) | | | 1 (0.00) |
| KAWASAKI'S DISEASE | 3 (0.05) | | | | 3 (0.00) |
| KELOID SCAR | | 1 (0.01) | | | 1 (0.00) |
| KERATITIS | | 7 (0.04) | 3 (0.01) | | 10 (0.02) |
| KERATOPATHY | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| KETOACIDOSIS | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| KIDNEY ENLARGEMENT | 2 (0.03) | | | | 2 (0.00) |
| KIDNEY FIBROSIS | | | 2 (0.01) | | 2 (0.00) |
| KIDNEY INFECTION | 1 (0.02) | 3 (0.02) | 3 (0.01) | | 7 (0.01) |
| KIDNEY RUPTURE | | | 1 (0.00) | | 1 (0.00) |
| KIDNEY SMALL | | | | 1 (0.01) | 1 (0.00) |
| KIDNEY TRANSPLANT REJECTION | 6 (0.10) | 12 (0.07) | 2 (0.01) | | 20 (0.03) |
| KLEBSIELLA INFECTION | | | | 1 (0.01) | 1 (0.00) |
| KLEBSIELLA SEPSIS | | | 2 (0.01) | | 2 (0.00) |
| KLEPTOMANIA | | 3 (0.02) | | | 3 (0.00) |
| KNEE ARTHROPLASTY | | 2 (0.01) | 19 (0.06) | 4 (0.05) | 25 (0.04) |
| KNEE OPERATION | | 1 (0.01) | | | 1 (0.00) |
| LABORATORY TEST | | | 1 (0.00) | | 1 (0.00) |
| LABORATORY TEST ABNORMAL | 1 (0.02) | 2 (0.01) | 4 (0.01) | 1 (0.01) | 8 (0.01) |
| LABORATORY TEST INTERFERENCE | 1 (0.02) | | | | 1 (0.00) |
| LABYRINTHITIS | | 3 (0.02) | | | 3 (0.00) |
| LACRIMAL DISORDER | | | 1 (0.00) | | 1 (0.00) |
| LACRIMATION DECREASED | 1 (0.02) | | | | 1 (0.00) |
| LACRIMATION INCREASED | | 4 (0.02) | 7 (0.02) | 3 (0.04) | 14 (0.02) |
| LACTATION DISORDER | | 1 (0.01) | | | 1 (0.00) |
| LACTIC ACIDOSIS | 3 (0.05) | 9 (0.05) | 4 (0.01) | 1 (0.01) | 17 (0.03) |
| LACUNAR INFARCTION | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| LARGE CELL CARCINOMA OF THE RESPIRATORY TRACT STAG | | | 1 (0.00) | | 1 (0.00) |
| LARGE INTESTINAL HAEMORRHAGE | | | 1 (0.00) | | 1 (0.00) |
| LARGE INTESTINAL OBSTRUCTION | | 1 (0.01) | | | 1 (0.00) |
| LARGE INTESTINE CARCINOMA | | | 1 (0.00) | | 1 (0.00) |
| LARGE INTESTINE PERFORATION | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| LARYNGEAL CANCER | | | 3 (0.01) | | 3 (0.00) |
| LARYNGEAL OEDEMA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LARYNGITIS | | | 2 (0.01) | 3 (0.04) | 5 (0.01) |
| LARYNGOCELE | | 1 (0.01) | | | 1 (0.00) |
| LARYNGOSPASM | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| LEARNING DISABILITY | 2 (0.03) | | | | 2 (0.00) |
| LEFT VENTRICULAR FAILURE | | | | 1 (0.01) | 1 (0.00) |
| LEG AMPUTATION | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| LEGIONELLA INFECTION | | | 1 (0.00) | | 1 (0.00) |
| LEIOMYOMA | | 1 (0.01) | | | 1 (0.00) |
| LEIOMYOSARCOMA | | 2 (0.01) | | | 2 (0.00) |
| LEIOMYOSARCOMA METASTATIC | | 1 (0.01) | | | 1 (0.00) |
| LENS DISORDER | | 2 (0.01) | | | 2 (0.00) |
| LENTIGO MALIGNA STAGE UNSPECIFIED | | | 2 (0.01) | | 2 (0.00) |
| LEPROSY | | 1 (0.01) | | | 1 (0.00) |
| LETHARGY | 3 (0.05) | 3 (0.02) | 8 (0.03) | 3 (0.04) | 17 (0.03) |
| LEUKAEMIA | 1 (0.02) | 3 (0.02) | 7 (0.02) | | 11 (0.02) |
| LEUKOCYTOCLASTIC VASCULITIS | 1 (0.02) | 4 (0.02) | 9 (0.03) | 2 (0.03) | 16 (0.03) |
| LEUKOCYTOSIS | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| LEUKOENCEPHALOMYELITIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LEUKOENCEPHALOPATHY | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| LEUKOPENIA | 6 (0.10) | 10 (0.06) | 39 (0.13) | 3 (0.04) | 58 (0.10) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LEUKOPLAKIA ORAL | | 1 (0.01) | | | 1 (0.00) |
| LIBIDO DECREASED | | | 4 (0.01) | | 4 (0.01) |
| LIBIDO INCREASED | | | 1 (0.00) | | 1 (0.00) |
| LICHEN PLANUS | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| LICHENOID KERATOSIS | | | 3 (0.01) | | 3 (0.00) |
| LIGAMENT INJURY | 1 (0.02) | 1 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| LIMB CRUSHING INJURY | | | 2 (0.01) | | 2 (0.00) |
| LIMB DISCOMFORT | | | 1 (0.00) | | 1 (0.00) |
| LIMB INJURY | | 1 (0.01) | 5 (0.02) | 1 (0.01) | 7 (0.01) |
| LIMB OPERATION | | 1 (0.01) | | | 1 (0.00) |
| LINEAR IGA DISEASE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| LIP AND/OR ORAL CAVITY CANCER | | 1 (0.01) | | | 1 (0.00) |
| LIP BLISTER | 1 (0.02) | 1 (0.01) | 2 (0.01) | 3 (0.04) | 7 (0.01) |
| LIP HAEMORRHAGE | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| LIP LESION EXCISION | | | | 1 (0.01) | 1 (0.00) |
| LIPASE INCREASED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LIPIDS INCREASED | | 1 (0.01) | | | 1 (0.00) |
| LIPOATROPHY | | 2 (0.01) | | | 2 (0.00) |
| LIPOHYPERTROPHY | | 1 (0.01) | | | 1 (0.00) |
| LIPOMA | | | 1 (0.00) | | 1 (0.00) |
| LIPOMATOSIS | | | 1 (0.00) | | 1 (0.00) |
| LIPOSARCOMA | | 1 (0.01) | | | 1 (0.00) |
| LISTERIA SEPSIS | | | 2 (0.01) | | 2 (0.00) |
| LISTERIOSIS | | | 2 (0.01) | | 2 (0.00) |
| LISTLESS | 1 (0.02) | | | | 1 (0.00) |
| LIVEDO RETICULARIS | | | | 1 (0.01) | 1 (0.00) |
| LIVER DISORDER | 3 (0.05) | 9 (0.05) | 25 (0.08) | 5 (0.06) | 42 (0.07) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LIVER FUNCTION TEST ABNORMAL | 2 (0.03) | 16 (0.09) | 11 (0.04) | 3 (0.04) | 32 (0.05) |
| LIVER SCAN ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| LIVER TRANSPLANT | | 2 (0.01) | | | 2 (0.00) |
| LOBAR PNEUMONIA | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| LOCAL SWELLING | 3 (0.05) | 1 (0.01) | 3 (0.01) | 1 (0.01) | 8 (0.01) |
| LOCALISED INFECTION | | | 4 (0.01) | | 4 (0.01) |
| LOCALISED OEDEMA | 3 (0.05) | 2 (0.01) | | 1 (0.01) | 6 (0.01) |
| LOGORRHOEA | | | 1 (0.00) | | 1 (0.00) |
| LONG QT SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| LOSS OF CONSCIOUSNESS | 15 (0.25) | 27 (0.16) | 81 (0.27) | 11 (0.14) | 134 (0.22) |
| LOSS OF LIBIDO | | | 1 (0.00) | | 1 (0.00) |
| LOWER EXTREMITY MASS | | | 1 (0.00) | | 1 (0.00) |
| LOWER GASTROINTESTINAL HAEMORRHAGE | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| LOWER LIMB FRACTURE | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| LOWER RESPIRATORY TRACT INFECTION | 1 (0.02) | 2 (0.01) | 5 (0.02) | 3 (0.04) | 11 (0.02) |
| LUMBAR SPINAL STENOSIS | | | 1 (0.00) | | 1 (0.00) |
| LUMBAR VERTEBRAL FRACTURE | | | | 1 (0.01) | 1 (0.00) |
| LUNG ABSCESS | | 1 (0.01) | | | 1 (0.00) |
| LUNG ADENOCARCINOMA | | | 1 (0.00) | | 1 (0.00) |
| LUNG ADENOCARCINOMA METASTATIC | | | 1 (0.00) | | 1 (0.00) |
| LUNG ADENOCARCINOMA STAGE IV | | | 1 (0.00) | | 1 (0.00) |
| LUNG CANCER METASTATIC | | 1 (0.01) | 4 (0.01) | 4 (0.05) | 9 (0.01) |
| LUNG CARCINOMA CELL TYPE UNSPECIFIED STAGE III | | | 1 (0.00) | | 1 (0.00) |
| LUNG CARCINOMA CELL TYPE UNSPECIFIED STAGE IV | | | 1 (0.00) | | 1 (0.00) |
| LUNG DISORDER | | 3 (0.02) | 16 (0.05) | 7 (0.09) | 26 (0.04) |
| LUNG INFECTION | 1 (0.02) | | 5 (0.02) | 1 (0.01) | 7 (0.01) |
| LUNG INFECTION PSEUDOMONAL | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LUNG INFILTRATION | | | 8 (0.03) | 1 (0.01) | 9 (0.01) |
| LUNG NEOPLASM | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| LUNG NEOPLASM MALIGNANT | | 5 (0.03) | 29 (0.10) | 9 (0.12) | 43 (0.07) |
| LUNG SQUAMOUS CELL CARCINOMA STAGE UNSPECIFIED | | | 5 (0.02) | | 5 (0.01) |
| LUPUS-LIKE SYNDROME | 3 (0.05) | | 5 (0.02) | 1 (0.01) | 9 (0.01) |
| LYMPH NODE PAIN | | | 1 (0.00) | | 1 (0.00) |
| LYMPHADENECTOMY | | | 1 (0.00) | | 1 (0.00) |
| LYMPHADENOPATHY | 8 (0.14) | 12 (0.07) | 9 (0.03) | 1 (0.01) | 30 (0.05) |
| LYMPHADENOPATHY MEDIASTINAL | | | 1 (0.00) | | 1 (0.00) |
| LYMPHOCELE | | 1 (0.01) | | | 1 (0.00) |
| LYMPHOCYTE COUNT DECREASED | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| LYMPHOCYTE COUNT INCREASED | | | | 1 (0.01) | 1 (0.00) |
| LYMPHOCYTE STIMULATION TEST POSITIVE | 1 (0.02) | 2 (0.01) | 2 (0.01) | 1 (0.01) | 6 (0.01) |
| LYMPHOCYTIC LEUKAEMIA | | | 1 (0.00) | | 1 (0.00) |
| LYMPHOCYTOSIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| LYMPHOEDEMA | | | 2 (0.01) | | 2 (0.00) |
| LYMPHOMA | 4 (0.07) | 5 (0.03) | 11 (0.04) | 3 (0.04) | 23 (0.04) |
| LYMPHOMATOID PAPULOSIS | | 2 (0.01) | | | 2 (0.00) |
| LYMPHOPENIA | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| LYMPHOPROLIFERATIVE DISORDER | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| MACROGLOSSIA | 1 (0.02) | | | | 1 (0.00) |
| MACULAR DEGENERATION | | 2 (0.01) | 9 (0.03) | 3 (0.04) | 14 (0.02) |
| MACULAR HOLE | | 1 (0.01) | | | 1 (0.00) |
| MACULAR OEDEMA | | 1 (0.01) | 16 (0.05) | 2 (0.03) | 19 (0.03) |
| MACULOPATHY | 1 (0.02) | | 6 (0.02) | | 7 (0.01) |
| MAJOR DEPRESSION | | 1 (0.01) | | | 1 (0.00) |
| MALABSORPTION | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MALAISE | 7 (0.12) | 22 (0.13) | 25 (0.08) | 7 (0.09) | 61 (0.10) |
| MALARIA | | | 1 (0.00) | | 1 (0.00) |
| MALE ORGASMIC DISORDER | | | 1 (0.00) | | 1 (0.00) |
| MALIGNANT FIBROUS HISTIOCYTOMA | | | | 1 (0.01) | 1 (0.00) |
| MALIGNANT HYPERTENSION | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| MALIGNANT MELANOMA | | 4 (0.02) | 13 (0.04) | | 17 (0.03) |
| MALIGNANT NEOPLASM OF CHOROID | | | 1 (0.00) | | 1 (0.00) |
| MALIGNANT NEOPLASM PROGRESSION | | 11 (0.06) | 46 (0.15) | 12 (0.15) | 69 (0.11) |
| MALLORY-WEISS SYNDROME | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| MALNUTRITION | | 1 (0.01) | | | 1 (0.00) |
| MAMMOGRAM ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| MANIA | 4 (0.07) | 3 (0.02) | 5 (0.02) | | 12 (0.02) |
| MANTLE CELL LYMPHOMA | | | 1 (0.00) | | 1 (0.00) |
| MASS | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| MASTECTOMY | | 2 (0.01) | | | 2 (0.00) |
| MASTICATION DISORDER | | 1 (0.01) | | | 1 (0.00) |
| MASTITIS | | 2 (0.01) | | | 2 (0.00) |
| MASTOIDITIS | | | 2 (0.01) | | 2 (0.00) |
| MECHANICAL COMPLICATION OF IMPLANT | | | 1 (0.00) | | 1 (0.00) |
| MEDIASTINAL FIBROSIS | | 1 (0.01) | | | 1 (0.00) |
| MEDICAL DEVICE COMPLICATION | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| MEDICAL DEVICE IMPLANTATION | | | 1 (0.00) | | 1 (0.00) |
| MEDICATION ERROR | 14 (0.24) | 12 (0.07) | 14 (0.05) | 6 (0.08) | 46 (0.08) |
| MEDICATION RESIDUE | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| MEDICATION TAMPERING | | | 1 (0.00) | | 1 (0.00) |
| MEDULLOBLASTOMA | 5 (0.08) | | | | 5 (0.01) |
| MELAENA | | | 4 (0.01) | 1 (0.01) | 5 (0.01) |
| MELANOCYTIC NAEVUS | 2 (0.03) | 1 (0.01) | | 1 (0.01) | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MELANOSIS COLI | | | 1 (0.00) | | 1 (0.00) |
| MEMORY IMPAIRMENT | | 4 (0.02) | 8 (0.03) | 1 (0.01) | 13 (0.02) |
| MENIERE'S DISEASE | | | | 1 (0.01) | 1 (0.00) |
| MENINGIOMA | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| MENINGIOMA BENIGN | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| MENINGITIS | 2 (0.03) | | 2 (0.01) | | 4 (0.01) |
| MENINGITIS ASEPTIC | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| MENINGITIS CRYPTOCOCCAL | | | 2 (0.01) | | 2 (0.00) |
| MENINGITIS LISTERIA | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| MENINGITIS MENINGOCOCCAL | 2 (0.03) | | | | 2 (0.00) |
| MENINGITIS TUBERCULOUS | | 1 (0.01) | | | 1 (0.00) |
| MENINGITIS VIRAL | | 1 (0.01) | | | 1 (0.00) |
| MENINGORRHAGIA | | | 1 (0.00) | | 1 (0.00) |
| MENISCUS LESION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MENORRHAGIA | 2 (0.03) | 17 (0.10) | 1 (0.00) | | 20 (0.03) |
| MENSTRUAL DISORDER | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| MENSTRUATION IRREGULAR | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| MENTAL DISORDER | 3 (0.05) | 3 (0.02) | 5 (0.02) | 1 (0.01) | 12 (0.02) |
| MENTAL IMPAIRMENT | | 3 (0.02) | | | 3 (0.00) |
| MENTAL STATUS CHANGES | 1 (0.02) | 2 (0.01) | 10 (0.03) | 3 (0.04) | 16 (0.03) |
| MESENTERIC ARTERY THROMBOSIS | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| MESENTERIC FIBROSIS | | | | 1 (0.01) | 1 (0.00) |
| MESOTHELIOMA | | | | 1 (0.01) | 1 (0.00) |
| METABOLIC ACIDOSIS | 1 (0.02) | | 2 (0.01) | 3 (0.04) | 6 (0.01) |
| METABOLIC DISORDER | | | 1 (0.00) | | 1 (0.00) |
| METASTASES TO ADRENALS | | | 1 (0.00) | | 1 (0.00) |
| METASTASES TO BONE | | | 1 (0.00) | | 1 (0.00) |
| METASTASES TO CENTRAL NERVOUS SYSTEM | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| METASTASES TO CHEST WALL | | | 1 (0.00) | | 1 (0.00) |
| METASTASES TO LIVER | | | 8 (0.03) | 1 (0.01) | 9 (0.01) |
| METASTASES TO LUNG | 1 (0.02) | | | | 1 (0.00) |
| METASTASES TO LYMPH NODES | | | | 1 (0.01) | 1 (0.00) |
| METASTASES TO PERITONEUM | | | 1 (0.00) | | 1 (0.00) |
| METASTASIS | | | 1 (0.00) | | 1 (0.00) |
| METASTATIC BRONCHIAL CARCINOMA | | | 2 (0.01) | | 2 (0.00) |
| METASTATIC MALIGNANT MELANOMA | | | 1 (0.00) | | 1 (0.00) |
| METASTATIC NEOPLASM | 2 (0.03) | | | | 2 (0.00) |
| METASTATIC RENAL CELL CARCINOMA | | | 1 (0.00) | | 1 (0.00) |
| METHAEMOGLOBINAEMIA | | 3 (0.02) | 11 (0.04) | | 14 (0.02) |
| METRORRHAGIA | 3 (0.05) | 6 (0.04) | 4 (0.01) | | 13 (0.02) |
| MICROANGIOPATHY | | | 1 (0.00) | | 1 (0.00) |
| MICROCYTIC ANAEMIA | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| MICTURITION URGENCY | 1 (0.02) | | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| MIDDLE INSOMNIA | 1 (0.02) | 1 (0.01) | 4 (0.01) | 4 (0.05) | 10 (0.02) |
| MIGRAINE | 2 (0.03) | 17 (0.10) | 8 (0.03) | | 27 (0.04) |
| MILIA | | | 1 (0.00) | | 1 (0.00) |
| MILK-ALKALI SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| MITOCHONDRIAL MYOPATHY | | | 1 (0.00) | | 1 (0.00) |
| MITRAL VALVE INCOMPETENCE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MOBILITY DECREASED | | 5 (0.03) | 2 (0.01) | 1 (0.01) | 8 (0.01) |
| MONOCLONAL IMMUNOGLOBULIN PRESENT | | | 1 (0.00) | | 1 (0.00) |
| MONONEURITIS | | 1 (0.01) | | | 1 (0.00) |
| MONOPARESIS | | | | 1 (0.01) | 1 (0.00) |
| MONOPLEGIA | | 2 (0.01) | 2 (0.01) | 2 (0.03) | 6 (0.01) |
| MOOD ALTERED | 2 (0.03) | 2 (0.01) | | | 4 (0.01) |
| MOOD SWINGS | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MORBID THOUGHTS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MORPHOEA | 1 (0.02) | | | | 1 (0.00) |
| MOTOR DYSFUNCTION | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| MOUTH HAEMORRHAGE | | 2 (0.01) | | | 2 (0.00) |
| MOUTH ULCERATION | 4 (0.07) | 15 (0.09) | 7 (0.02) | | 26 (0.04) |
| MOVEMENT DISORDER | 1 (0.02) | | 4 (0.01) | 1 (0.01) | 6 (0.01) |
| MUCOSAL INFLAMMATION | 3 (0.05) | 5 (0.03) | 11 (0.04) | 2 (0.03) | 21 (0.03) |
| MUCOUS MEMBRANE DISORDER | | 1 (0.01) | | | 1 (0.00) |
| MULTI-ORGAN FAILURE | 1 (0.02) | 3 (0.02) | 12 (0.04) | 6 (0.08) | 22 (0.04) |
| MULTIPLE CHEMICAL SENSITIVITY | | | 1 (0.00) | | 1 (0.00) |
| MULTIPLE DRUG OVERDOSE | 1 (0.02) | 5 (0.03) | 1 (0.00) | | 7 (0.01) |
| MULTIPLE DRUG OVERDOSE ACCIDENTAL | 1 (0.02) | | | | 1 (0.00) |
| MULTIPLE DRUG OVERDOSE INTENTIONAL | 2 (0.03) | 5 (0.03) | 1 (0.00) | | 8 (0.01) |
| MULTIPLE FRACTURES | | 1 (0.01) | | | 1 (0.00) |
| MULTIPLE MYELOMA | | 1 (0.01) | 6 (0.02) | 2 (0.03) | 9 (0.01) |
| MULTIPLE SCLEROSIS | 2 (0.03) | 8 (0.05) | 1 (0.00) | | 11 (0.02) |
| MULTIPLE SCLEROSIS RELAPSE | 1 (0.02) | 7 (0.04) | 2 (0.01) | | 10 (0.02) |
| MUSCLE ATROPHY | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| MUSCLE CONTRACTIONS INVOLUNTARY | 1 (0.02) | | | | 1 (0.00) |
| MUSCLE DISORDER | | | 3 (0.01) | | 3 (0.00) |
| MUSCLE FATIGUE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| MUSCLE HAEMORRHAGE | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| MUSCLE HYPERTROPHY | 1 (0.02) | | | | 1 (0.00) |
| MUSCLE INJURY | | | 2 (0.01) | | 2 (0.00) |
| MUSCLE NECROSIS | | | 3 (0.01) | | 3 (0.00) |
| MUSCLE RIGIDITY | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| MUSCLE RUPTURE | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| MUSCLE SPASMS | 6 (0.10) | 21 (0.12) | 25 (0.08) | 6 (0.08) | 58 (0.10) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MUSCLE STRAIN | | | 1 (0.00) | | 1 (0.00) |
| MUSCLE TIGHTNESS | | 1 (0.01) | | 3 (0.04) | 4 (0.01) |
| MUSCLE TWITCHING | 2 (0.03) | 4 (0.02) | | | 6 (0.01) |
| MUSCULAR WEAKNESS | 1 (0.02) | 2 (0.01) | 16 (0.05) | 5 (0.06) | 24 (0.04) |
| MUSCULOSKELETAL CHEST PAIN | | 1 (0.01) | 2 (0.01) | 4 (0.05) | 7 (0.01) |
| MUSCULOSKELETAL DISCOMFORT | | | 2 (0.01) | | 2 (0.00) |
| MUSCULOSKELETAL PAIN | | | 1 (0.00) | | 1 (0.00) |
| MUSCULOSKELETAL STIFFNESS | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| MUTISM | | | | 2 (0.03) | 2 (0.00) |
| MYALGIA | 6 (0.10) | 17 (0.10) | 38 (0.13) | 8 (0.10) | 69 (0.11) |
| MYASTHENIA GRAVIS | 1 (0.02) | 1 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| MYASTHENIA GRAVIS CRISIS | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| MYASTHENIC SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| MYCOBACTERIAL INFECTION | | | 1 (0.00) | | 1 (0.00) |
| MYCOBACTERIUM AVIUM COMPLEX INFECTION | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| MYCOSIS FUNGOIDES | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| MYDRIASIS | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| MYELITIS TRANSVERSE | | 2 (0.01) | | | 2 (0.00) |
| MYELOCYTE PRESENT | | | 1 (0.00) | | 1 (0.00) |
| MYELODYSPLASTIC SYNDROME | 1 (0.02) | 6 (0.04) | 9 (0.03) | 3 (0.04) | 19 (0.03) |
| MYELOFIBROSIS | | | 2 (0.01) | | 2 (0.00) |
| MYELOID LEUKAEMIA | 1 (0.02) | | | | 1 (0.00) |
| MYELOPROLIFERATIVE DISORDER | | | | 1 (0.01) | 1 (0.00) |
| MYOCARDIAL INFARCTION | 8 (0.14) | 162 (0.95) | 404 (1.34) | 66 (0.85) | 640 (1.05) |
| MYOCARDIAL ISCHAEMIA | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| MYOCARDIAL OEDEMA | | | | 1 (0.01) | 1 (0.00) |
| MYOCARDIAL RUPTURE | | | 1 (0.00) | | 1 (0.00) |
| MYOCARDITIS | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MYOCLONIC EPILEPSY | | | 1 (0.00) | | 1 (0.00) |
| MYOCLONUS | 2 (0.03) | 1 (0.01) | 8 (0.03) | 3 (0.04) | 14 (0.02) |
| MYOPATHY | | 1 (0.01) | 4 (0.01) | 1 (0.01) | 6 (0.01) |
| MYOPATHY STEROID | | | 1 (0.00) | | 1 (0.00) |
| MYOPERICARDITIS | 1 (0.02) | | | | 1 (0.00) |
| MYOPIA | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| MYOSITIS | | 2 (0.01) | 4 (0.01) | 2 (0.03) | 8 (0.01) |
| NAIL BED INFLAMMATION | | | 1 (0.00) | | 1 (0.00) |
| NAIL DISCOLOURATION | | | | 1 (0.01) | 1 (0.00) |
| NAIL DISORDER | | | 2 (0.01) | | 2 (0.00) |
| NAIL GROWTH ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| NASAL CAVITY CANCER | | | 1 (0.00) | | 1 (0.00) |
| NASAL CONGESTION | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| NASAL MUCOSAL DISORDER | 1 (0.02) | | | | 1 (0.00) |
| NASAL NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| NASAL POLYPS | 1 (0.02) | | | | 1 (0.00) |
| NASAL SEPTUM PERFORATION | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| NASAL TURBINATE HYPERTROPHY | | | 1 (0.00) | | 1 (0.00) |
| NASOPHARYNGITIS | 2 (0.03) | 2 (0.01) | 7 (0.02) | 3 (0.04) | 14 (0.02) |
| NAUSEA | 16 (0.27) | 70 (0.41) | 78 (0.26) | 22 (0.28) | 186 (0.31) |
| NECK MASS | | | 1 (0.00) | | 1 (0.00) |
| NECK PAIN | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| NECROSIS | 1 (0.02) | 5 (0.03) | | | 6 (0.01) |
| NECROSIS ISCHAEMIC | | 1 (0.01) | | | 1 (0.00) |
| NECROTISING COLITIS | | | | 1 (0.01) | 1 (0.00) |
| NECROTISING ENTEROCOLITIS NEONATAL | 1 (0.02) | | | | 1 (0.00) |
| NECROTISING FASCIITIS | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |
| NEONATAL ASPHYXIA | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NEONATAL DISORDER | 1 (0.02) | | | | 1 (0.00) |
| NEONATAL TACHYPNOEA | 1 (0.02) | | | | 1 (0.00) |
| NEOPLASM | | 4 (0.02) | 1 (0.00) | | 5 (0.01) |
| NEOPLASM MALIGNANT | 5 (0.08) | 3 (0.02) | 9 (0.03) | 2 (0.03) | 19 (0.03) |
| NEOPLASM OF APPENDIX | | 1 (0.01) | | | 1 (0.00) |
| NEOPLASM PROGRESSION | 1 (0.02) | 1 (0.01) | 5 (0.02) | 1 (0.01) | 8 (0.01) |
| NEOPLASM PROSTATE | | | 2 (0.01) | | 2 (0.00) |
| NEOPLASM RECURRENCE | 2 (0.03) | 2 (0.01) | 1 (0.00) | | 5 (0.01) |
| NEOPLASM SKIN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| NEPHRECTOMY | | 1 (0.01) | | | 1 (0.00) |
| NEPHRITIS INTERSTITIAL | 2 (0.03) | 3 (0.02) | 7 (0.02) | | 12 (0.02) |
| NEPHROCALCINOSIS | | | 1 (0.00) | | 1 (0.00) |
| NEPHROGENIC ANAEMIA | | | 1 (0.00) | | 1 (0.00) |
| NEPHROGENIC DIABETES INSIPIDUS | | 1 (0.01) | | | 1 (0.00) |
| NEPHROLITHIASIS | 3 (0.05) | 12 (0.07) | 13 (0.04) | 3 (0.04) | 31 (0.05) |
| NEPHROPATHY | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| NEPHROPATHY TOXIC | | | 2 (0.01) | | 2 (0.00) |
| NEPHROTIC SYNDROME | 3 (0.05) | 6 (0.04) | 4 (0.01) | | 13 (0.02) |
| NERVE COMPRESSION | | | 1 (0.00) | | 1 (0.00) |
| NERVE INJURY | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| NERVE ROOT LESION | | 1 (0.01) | | | 1 (0.00) |
| NERVOUS SYSTEM DISORDER | 1 (0.02) | 1 (0.01) | 4 (0.01) | | 6 (0.01) |
| NERVOUSNESS | 1 (0.02) | 3 (0.02) | 3 (0.01) | | 7 (0.01) |
| NEURALGIA | | 2 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| NEUROECTODERMAL NEOPLASM | 1 (0.02) | | | | 1 (0.00) |
| NEUROENDOCRINE CARCINOMA OF THE SKIN | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| NEUROFIBROMA | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NEUROGENIC BLADDER | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| NEUROLEPTIC MALIGNANT SYNDROME | 4 (0.07) | 4 (0.02) | 10 (0.03) | 3 (0.04) | 21 (0.03) |
| NEUROLOGICAL EXAMINATION | | | 1 (0.00) | | 1 (0.00) |
| NEUROLOGICAL SYMPTOM | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| NEUROMUSCULAR BLOCK PROLONGED | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| NEUROMYOPATHY | | | 1 (0.00) | | 1 (0.00) |
| NEUROPATHY | | 3 (0.02) | 12 (0.04) | 2 (0.03) | 17 (0.03) |
| NEUROPATHY PERIPHERAL | | 2 (0.01) | 11 (0.04) | 4 (0.05) | 17 (0.03) |
| NEUTROPENIA | 19 (0.32) | 36 (0.21) | 66 (0.22) | 8 (0.10) | 129 (0.21) |
| NEUTROPENIC SEPSIS | | 1 (0.01) | 12 (0.04) | | 13 (0.02) |
| NEUTROPHIL COUNT DECREASED | 4 (0.07) | 8 (0.05) | 14 (0.05) | 1 (0.01) | 27 (0.04) |
| NEUTROPHIL COUNT INCREASED | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| NEUTROPHILIA | | 1 (0.01) | | | 1 (0.00) |
| NICOTINE DEPENDENCE | | 4 (0.02) | 4 (0.01) | | 8 (0.01) |
| NIGHT BLINDNESS | | 1 (0.01) | | | 1 (0.00) |
| NIGHT SWEATS | | 6 (0.04) | 1 (0.00) | | 7 (0.01) |
| NIGHTMARE | 1 (0.02) | 5 (0.03) | 4 (0.01) | 1 (0.01) | 11 (0.02) |
| NO ADVERSE DRUG EFFECT | 1 (0.02) | 8 (0.05) | 9 (0.03) | 6 (0.08) | 24 (0.04) |
| NO ADVERSE EFFECT | 7 (0.12) | 13 (0.08) | 9 (0.03) | 3 (0.04) | 32 (0.05) |
| NO REACTION ON PREVIOUS EXPOSURE TO DRUG | | 1 (0.01) | | | 1 (0.00) |
| NO THERAPEUTIC RESPONSE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| NOCTURIA | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| NODAL ARRHYTHMIA | | | | 2 (0.03) | 2 (0.00) |
| NODULE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| NON-CARDIAC CHEST PAIN | | | 2 (0.01) | | 2 (0.00) |
| NON-CARDIOGENIC PULMONARY OEDEMA | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| NON-HODGKIN'S LYMPHOMA | 1 (0.02) | 2 (0.01) | 2 (0.01) | | 5 (0.01) |

| | Group1 (0-25) | Group2 (26-50) | Group3 (51-75) | Group4 (75+) | Total |
|---|------------------|-----------------------|----------------|--------------|----------------------|
| NON-HODGKIN'S LYMPHOMA STAGE III | (N=4591) | (N=14283) 1 (0.01) | (N=25653) | (N=6415) | (N=50942) |
| NON-HODGKIN'S LYMPHOMA STAGE IV | | 1 (0.01) | 2 (0.01) | | 1 (0.00) 2 (0.00) |
| | | | , | | ` , |
| NON-SMALL CELL LUNG CANCER METACTATIO | | 4 (0.04) | 1 (0.00) | | 1 (0.00) |
| NON-SMALL CELL LUNG CANCER METASTATIC | | 1 (0.01) | 0 (0 04) | 4 (0.04) | 1 (0.00) |
| NONSPECIFIC REACTION | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| NOREPINEPHRINE INCREASED | | | 2 (0.01) | | 2 (0.00) |
| NORMAL NEWBORN | | 1 (0.01) | | | 1 (0.00) |
| NORMOCHROMIC NORMOCYTIC ANAEMIA | | | 1 (0.00) | | 1 (0.00) |
| NUCLEAR MAGNETIC RESONANCE IMAGING ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| NYSTAGMUS | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| OBESITY | 1 (0.02) | | | | 1 (0.00) |
| OBSESSIVE THOUGHTS | | | 1 (0.00) | | 1 (0.00) |
| OBSESSIVE-COMPULSIVE DISORDER | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| OBSTRUCTION | | 1 (0.01) | | | 1 (0.00) |
| OBSTRUCTION GASTRIC | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| OBSTRUCTIVE AIRWAYS DISORDER | | | | 1 (0.01) | 1 (0.00) |
| OCULAR DISCOMFORT | | | | 1 (0.01) | 1 (0.00) |
| OCULAR HYPERTENSION | | | 1 (0.00) | | 1 (0.00) |
| OCULAR TOXICITY | | 1 (0.01) | | | 1 (0.00) |
| OCULAR VASCULAR DISORDER | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| OCULOMUCOCUTANEOUS SYNDROME | 3 (0.05) | 1 (0.01) | 1 (0.00) | | 5 (0.01) |
| OEDEMA | 1 (0.02) | 3 (0.02) | 18 (0.06) | 12 (0.15) | 34 (0.06) |
| OEDEMA GENITAL | 3 (0.05) | 3 (0.02) | 3 (0.01) | | 9 (0.01) |
| OEDEMA MOUTH | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| OEDEMA PERIPHERAL | 6 (0.10) | 30 (0.18) | 26 (0.09) | 20 (0.26) | 82 (0.13) |
| OESOPHAGEAL ADENOCARCINOMA | , , | , | 2 (0.01) | , , | 2 (0.00) |
| OESOPHAGEAL CANDIDIASIS | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| OESOPHAGEAL CARCINOMA | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |
| OESOPHAGEAL DILATATION | | | | 1 (0.01) | 1 (0.00) |
| OESOPHAGEAL HAEMORRHAGE | | | | 2 (0.03) | 2 (0.00) |
| OESOPHAGEAL INJURY | | | 1 (0.00) | | 1 (0.00) |
| OESOPHAGEAL RUPTURE | | | 1 (0.00) | | 1 (0.00) |
| OESOPHAGEAL SPASM | | | 1 (0.00) | | 1 (0.00) |
| OESOPHAGEAL SQUAMOUS CELL CARCINOMA | | | 1 (0.00) | | 1 (0.00) |
| OESOPHAGEAL STENOSIS | | | 2 (0.01) | | 2 (0.00) |
| OESOPHAGEAL ULCER | | | | 1 (0.01) | 1 (0.00) |
| OESOPHAGEAL VARICES HAEMORRHAGE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| OESOPHAGITIS | | | 1 (0.00) | | 1 (0.00) |
| OESOPHAGITIS HAEMORRHAGIC | | | | 1 (0.01) | 1 (0.00) |
| OFF LABEL USE | 4 (0.07) | 1 (0.01) | | 1 (0.01) | 6 (0.01) |
| OLIGOMENORRHOEA | | 2 (0.01) | | | 2 (0.00) |
| ONYCHOCLASIS | | | | 1 (0.01) | 1 (0.00) |
| ONYCHOMADESIS | | | 1 (0.00) | | 1 (0.00) |
| OOPHORECTOMY | | | 1 (0.00) | | 1 (0.00) |
| OPEN WOUND | | | 3 (0.01) | | 3 (0.00) |
| OPPORTUNISTIC INFECTION | | | 1 (0.00) | | 1 (0.00) |
| OPTIC ATROPHY | 1 (0.02) | 1 (0.01) | | 1 (0.01) | 3 (0.00) |
| OPTIC ISCHAEMIC NEUROPATHY | | | 7 (0.02) | 1 (0.01) | 8 (0.01) |
| OPTIC NERVE DISORDER | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| OPTIC NERVE SHEATH HAEMORRHAGE | | | | 2 (0.03) | 2 (0.00) |
| OPTIC NEURITIS | 2 (0.03) | 4 (0.02) | 4 (0.01) | | 10 (0.02) |
| OPTIC NEURITIS RETROBULBAR | | 2 (0.01) | | | 2 (0.00) |
| OPTIC NEUROPATHY | | | 1 (0.00) | | 1 (0.00) |
| ORAL CANDIDIASIS | | | 1 (0.00) | | 1 (0.00) |
| ORAL DISCOMFORT | 1 (0.02) | 3 (0.02) | 1 (0.00) | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ORAL INTAKE REDUCED | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| ORAL MUCOSA EROSION | | | 1 (0.00) | | 1 (0.00) |
| ORAL MUCOSAL BLISTERING | 1 (0.02) | 3 (0.02) | 3 (0.01) | | 7 (0.01) |
| ORAL MUCOSAL DISCOLOURATION | | 2 (0.01) | | | 2 (0.00) |
| ORAL MUCOSAL ERUPTION | 1 (0.02) | | | | 1 (0.00) |
| ORAL MUCOSAL EXFOLIATION | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| ORAL NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| ORAL PAIN | | 1 (0.01) | 4 (0.01) | 1 (0.01) | 6 (0.01) |
| ORAL PRURITUS | | | 1 (0.00) | | 1 (0.00) |
| ORAL SURGERY | | | | 1 (0.01) | 1 (0.00) |
| ORBITAL OEDEMA | | | 1 (0.00) | | 1 (0.00) |
| ORCHITIS | | | 2 (0.01) | | 2 (0.00) |
| ORGAN FAILURE | | | 1 (0.00) | | 1 (0.00) |
| ORGASM ABNORMAL | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| OROPHARYNGEAL SWELLING | | | 2 (0.01) | | 2 (0.00) |
| ORTHOPEDIC PROCEDURE | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| ORTHOSTATIC HYPOTENSION | 1 (0.02) | 2 (0.01) | 4 (0.01) | 3 (0.04) | 10 (0.02) |
| OSTEITIS DEFORMANS | | | | 1 (0.01) | 1 (0.00) |
| OSTEOARTHRITIS | | 1 (0.01) | 4 (0.01) | 1 (0.01) | 6 (0.01) |
| OSTEOLYSIS | | | 3 (0.01) | | 3 (0.00) |
| OSTEOMALACIA | | | 1 (0.00) | | 1 (0.00) |
| OSTEOMYELITIS | 1 (0.02) | 1 (0.01) | 10 (0.03) | 3 (0.04) | 15 (0.02) |
| OSTEOMYELITIS CHRONIC | | | | 1 (0.01) | 1 (0.00) |
| OSTEONECROSIS | 2 (0.03) | 13 (0.08) | 89 (0.29) | 8 (0.10) | 112 (0.18) |
| OSTEOPENIA | | | 1 (0.00) | | 1 (0.00) |
| OSTEOPOROSIS | 1 (0.02) | 3 (0.02) | 1 (0.00) | 1 (0.01) | 6 (0.01) |
| OSTEOPOROTIC FRACTURE | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| OSTEOTOMY | | 1 (0.01) | | | 1 (0.00) |
| OVARIAN CANCER | 2 (0.03) | 5 (0.03) | 15 (0.05) | | 22 (0.04) |
| OVARIAN CANCER METASTATIC | | | 2 (0.01) | | 2 (0.00) |
| OVARIAN CYST | 4 (0.07) | 5 (0.03) | | | 9 (0.01) |
| OVARIAN CYST TORSION | | 1 (0.01) | | | 1 (0.00) |
| OVARIAN DISORDER | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| OVARIAN DYSGERMINOMA STAGE UNSPECIFIED | | 1 (0.01) | | | 1 (0.00) |
| OVARIAN FIBROMA | | 1 (0.01) | | | 1 (0.00) |
| OVARIAN GRANULOSA-THECA CELL TUMOUR | | | 1 (0.00) | | 1 (0.00) |
| OVARIAN NEOPLASM | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| OVARIAN TORSION | | 1 (0.01) | | | 1 (0.00) |
| OVERDOSE | 16 (0.27) | 28 (0.16) | 14 (0.05) | 1 (0.01) | 59 (0.10) |
| OXYGEN SATURATION DECREASED | | 2 (0.01) | 4 (0.01) | | 6 (0.01) |
| PACEMAKER COMPLICATION | | | | 1 (0.01) | 1 (0.00) |
| PAIN | 4 (0.07) | 14 (0.08) | 10 (0.03) | 4 (0.05) | 32 (0.05) |
| PAIN IN EXTREMITY | 3 (0.05) | 7 (0.04) | 19 (0.06) | 2 (0.03) | 31 (0.05) |
| PAIN IN JAW | | 8 (0.05) | | | 8 (0.01) |
| PAIN OF SKIN | | | 1 (0.00) | | 1 (0.00) |
| PAINFUL ERECTION | | 2 (0.01) | | | 2 (0.00) |
| PALLOR | | | 1 (0.00) | | 1 (0.00) |
| PALMAR ERYTHEMA | | | 1 (0.00) | | 1 (0.00) |
| PALMAR-PLANTAR ERYTHRODYSAESTHESIA SYNDROME | | 9 (0.05) | 8 (0.03) | 2 (0.03) | 19 (0.03) |
| PALPITATIONS | 1 (0.02) | 10 (0.06) | 19 (0.06) | | 30 (0.05) |
| PANCREATIC CARCINOMA | | | 7 (0.02) | 2 (0.03) | 9 (0.01) |
| PANCREATIC CYST | | | 1 (0.00) | | 1 (0.00) |
| PANCREATIC PSEUDOCYST | 1 (0.02) | | | | 1 (0.00) |
| PANCREATITIS | 7 (0.12) | 21 (0.12) | 23 (0.08) | | 51 (0.08) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PANCREATITIS ACUTE | 9 (0.15) | 6 (0.04) | 16 (0.05) | 2 (0.03) | 33 (0.05) |
| PANCREATITIS CHRONIC | | | 1 (0.00) | | 1 (0.00) |
| PANCREATITIS HAEMORRHAGIC | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| PANCREATITIS NECROTISING | | 1 (0.01) | | | 1 (0.00) |
| PANCYTOPENIA | 1 (0.02) | 3 (0.02) | 23 (0.08) | 11 (0.14) | 38 (0.06) |
| PANIC ATTACK | | 5 (0.03) | 4 (0.01) | | 9 (0.01) |
| PANIC DISORDER | 1 (0.02) | | | | 1 (0.00) |
| PAPILLARY THYROID CANCER | 3 (0.05) | 4 (0.02) | | | 7 (0.01) |
| PAPILLITIS | | | 1 (0.00) | | 1 (0.00) |
| PAPILLOEDEMA | | 4 (0.02) | 3 (0.01) | 3 (0.04) | 10 (0.02) |
| PARADOXICAL DRUG REACTION | 1 (0.02) | 2 (0.01) | 5 (0.02) | 6 (0.08) | 14 (0.02) |
| PARAESTHESIA | 1 (0.02) | 15 (0.09) | 13 (0.04) | 2 (0.03) | 31 (0.05) |
| PARAESTHESIA ORAL | 2 (0.03) | 2 (0.01) | 1 (0.00) | 1 (0.01) | 6 (0.01) |
| PARALYSIS | 1 (0.02) | | | 4 (0.05) | 5 (0.01) |
| PARANOIA | | 4 (0.02) | 4 (0.01) | | 8 (0.01) |
| PARAPARESIS | | | 1 (0.00) | | 1 (0.00) |
| PARAPLEGIA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| PARATHYROID GLAND ENLARGEMENT | | | 1 (0.00) | | 1 (0.00) |
| PARATHYROID TUMOUR MALIGNANT | | | 1 (0.00) | | 1 (0.00) |
| PARESIS | | 2 (0.01) | | | 2 (0.00) |
| PARESIS CRANIAL NERVE | | | 1 (0.00) | | 1 (0.00) |
| PARKINSON'S DISEASE | | 1 (0.01) | 2 (0.01) | 4 (0.05) | 7 (0.01) |
| PARKINSONISM | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| PARONYCHIA | | | 1 (0.00) | | 1 (0.00) |
| PAROSMIA | 1 (0.02) | 3 (0.02) | 3 (0.01) | | 7 (0.01) |
| PAROTITIS | | | 1 (0.00) | | 1 (0.00) |
| PAROXYSMAL NOCTURNAL HAEMOGLOBINURIA | 1 (0.02) | | | | 1 (0.00) |
| PARTIAL SEIZURES | 2 (0.03) | | 3 (0.01) | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PATELLA FRACTURE | | 1 (0.01) | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| PATENT DUCTUS ARTERIOSUS | 2 (0.03) | | | | 2 (0.00) |
| PATHOGEN RESISTANCE | 1 (0.02) | | | | 1 (0.00) |
| PATHOLOGICAL FRACTURE | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| PATHOLOGICAL GAMBLING | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| PELVIC FRACTURE | | | 2 (0.01) | 6 (0.08) | 8 (0.01) |
| PELVIC INFLAMMATORY DISEASE | | 4 (0.02) | | | 4 (0.01) |
| PELVIC MASS | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| PELVIC VENOUS THROMBOSIS | | 5 (0.03) | | | 5 (0.01) |
| PEMPHIGOID | | | 4 (0.01) | 6 (0.08) | 10 (0.02) |
| PEMPHIGUS | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| PENILE PAIN | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| PEPTIC ULCER PERFORATION | | | 1 (0.00) | | 1 (0.00) |
| PERFORATED ULCER | | | | 1 (0.01) | 1 (0.00) |
| PERFORMANCE STATUS DECREASED | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| PERIANAL ABSCESS | | | 1 (0.00) | | 1 (0.00) |
| PERIARTHRITIS | | | 1 (0.00) | | 1 (0.00) |
| PERICARDIAL EFFUSION | 2 (0.03) | 6 (0.04) | 4 (0.01) | | 12 (0.02) |
| PERICARDITIS | | | 3 (0.01) | | 3 (0.00) |
| PERICARDITIS TUBERCULOUS | | | 1 (0.00) | | 1 (0.00) |
| PERIODONTITIS | | 1 (0.01) | | | 1 (0.00) |
| PERIORBITAL OEDEMA | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| PERIPHERAL ARTERIAL OCCLUSIVE DISEASE | | | | 1 (0.01) | 1 (0.00) |
| PERIPHERAL COLDNESS | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| PERIPHERAL EMBOLISM | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| PERIPHERAL ISCHAEMIA | 1 (0.02) | 1 (0.01) | 4 (0.01) | | 6 (0.01) |
| PERIPHERAL MOTOR NEUROPATHY | | | 3 (0.01) | | 3 (0.00) |
| PERIPHERAL SENSORY NEUROPATHY | | 1 (0.01) | 2 (0.01) | 1 (0.01) | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PERIPHERAL T-CELL LYMPHOMA UNSPECIFIED | | | 1 (0.00) | | 1 (0.00) |
| PERIPHERAL VASCULAR DISORDER | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| PERIRECTAL ABSCESS | | | 1 (0.00) | | 1 (0.00) |
| PERITONEAL HAEMORRHAGE | | | 1 (0.00) | | 1 (0.00) |
| PERITONEAL TUBERCULOSIS | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| PERITONITIS | | | 1 (0.00) | | 1 (0.00) |
| PERITONITIS BACTERIAL | | | 3 (0.01) | | 3 (0.00) |
| PERNICIOUS ANAEMIA | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| PERONEAL NERVE PALSY | | 1 (0.01) | | | 1 (0.00) |
| PERSECUTORY DELUSION | | | 1 (0.00) | | 1 (0.00) |
| PERSONALITY CHANGE | | | 3 (0.01) | | 3 (0.00) |
| PERSONALITY DISORDER | | | 1 (0.00) | | 1 (0.00) |
| PETECHIAE | 2 (0.03) | 4 (0.02) | 1 (0.00) | 2 (0.03) | 9 (0.01) |
| PETIT MAL EPILEPSY | 2 (0.03) | 4 (0.02) | 1 (0.00) | | 7 (0.01) |
| PEYRONIE'S DISEASE | | | 1 (0.00) | | 1 (0.00) |
| PH URINE INCREASED | | | 1 (0.00) | | 1 (0.00) |
| PHARMACEUTICAL PRODUCT COMPLAINT | 6 (0.10) | 11 (0.06) | 19 (0.06) | 9 (0.12) | 45 (0.07) |
| PHARYNGEAL HAEMORRHAGE | | | 1 (0.00) | | 1 (0.00) |
| PHARYNGEAL OEDEMA | 1 (0.02) | 6 (0.04) | 5 (0.02) | 2 (0.03) | 14 (0.02) |
| PHARYNGEAL ULCERATION | 1 (0.02) | | | | 1 (0.00) |
| PHARYNGITIS | 2 (0.03) | | | | 2 (0.00) |
| PHARYNGOLARYNGEAL PAIN | 2 (0.03) | 6 (0.04) | 5 (0.02) | | 13 (0.02) |
| PHARYNX DISCOMFORT | | 1 (0.01) | | | 1 (0.00) |
| PHIMOSIS | | | | 3 (0.04) | 3 (0.00) |
| PHLEBITIS | | 6 (0.04) | 4 (0.01) | 3 (0.04) | 13 (0.02) |
| PHLEBITIS SUPERFICIAL | | | 1 (0.00) | | 1 (0.00) |
| PHOTODERMATOSIS | | | 1 (0.00) | | 1 (0.00) |
| PHOTOPSIA | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PHOTOSENSITIVITY REACTION | 2 (0.03) | 4 (0.02) | 2 (0.01) | 1 (0.01) | 9 (0.01) |
| PHYSICAL ASSAULT | 2 (0.03) | | | | 2 (0.00) |
| PIGMENTATION DISORDER | 2 (0.03) | 2 (0.01) | 1 (0.00) | | 5 (0.01) |
| PITUITARY CYST | | 3 (0.02) | | | 3 (0.00) |
| PITUITARY TUMOUR | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PITUITARY TUMOUR BENIGN | 4 (0.07) | 1 (0.01) | | | 5 (0.01) |
| PITUITARY TUMOUR RECURRENT | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PITYRIASIS ROSEA | | | 3 (0.01) | 2 (0.03) | 5 (0.01) |
| PITYRIASIS RUBRA PILARIS | | 1 (0.01) | | | 1 (0.00) |
| PLACENTAL DISORDER | 1 (0.02) | | | | 1 (0.00) |
| PLASMIN INHIBITOR INCREASED | 2 (0.03) | | | | 2 (0.00) |
| PLATELET COUNT ABNORMAL | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| PLATELET COUNT DECREASED | 1 (0.02) | 8 (0.05) | 28 (0.09) | 7 (0.09) | 44 (0.07) |
| PLATELET COUNT INCREASED | 1 (0.02) | 2 (0.01) | 4 (0.01) | | 7 (0.01) |
| PLEURAL EFFUSION | | 4 (0.02) | 10 (0.03) | 3 (0.04) | 17 (0.03) |
| PLEURAL FIBROSIS | | | | 1 (0.01) | 1 (0.00) |
| PLEURISY | 1 (0.02) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| PLEUROTHOTONUS | | | 2 (0.01) | | 2 (0.00) |
| PNEUMATOSIS INTESTINALIS | | | | 2 (0.03) | 2 (0.00) |
| PNEUMOCOCCAL SEPSIS | 1 (0.02) | | | | 1 (0.00) |
| PNEUMOCYSTIS JIROVECI INFECTION | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| PNEUMOCYSTIS JIROVECI PNEUMONIA | | 1 (0.01) | 6 (0.02) | 1 (0.01) | 8 (0.01) |
| PNEUMONIA | 5 (0.08) | 33 (0.19) | 89 (0.29) | 21 (0.27) | 148 (0.24) |
| PNEUMONIA ASPIRATION | 1 (0.02) | 1 (0.01) | 4 (0.01) | 2 (0.03) | 8 (0.01) |
| PNEUMONIA BACTERIAL | | | 3 (0.01) | | 3 (0.00) |
| PNEUMONIA CYTOMEGALOVIRAL | | 1 (0.01) | | | 1 (0.00) |
| PNEUMONIA KLEBSIELLA | | 1 (0.01) | | | 1 (0.00) |
| PNEUMONIA LEGIONELLA | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PNEUMONIA MORAXELLA | | | 1 (0.00) | | 1 (0.00) |
| PNEUMONIA MYCOPLASMAL | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| PNEUMONIA PRIMARY ATYPICAL | | | | 1 (0.01) | 1 (0.00) |
| PNEUMONIA STAPHYLOCOCCAL | | | 1 (0.00) | | 1 (0.00) |
| PNEUMONIA STREPTOCOCCAL | | | 1 (0.00) | | 1 (0.00) |
| PNEUMONIA VIRAL | | | 1 (0.00) | | 1 (0.00) |
| PNEUMONITIS | 1 (0.02) | 2 (0.01) | 19 (0.06) | 3 (0.04) | 25 (0.04) |
| PNEUMONITIS CRYPTOCOCCAL | | | 1 (0.00) | | 1 (0.00) |
| PNEUMOTHORAX | | 2 (0.01) | 2 (0.01) | 2 (0.03) | 6 (0.01) |
| POLLAKIURIA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| POLYARTHRITIS | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| POLYCYTHAEMIA | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| POLYCYTHAEMIA VERA | | | 1 (0.00) | | 1 (0.00) |
| POLYDACTYLY | | 1 (0.01) | | | 1 (0.00) |
| POLYMENORRHOEA | | 1 (0.01) | | | 1 (0.00) |
| POLYMYALGIA | | | 1 (0.00) | | 1 (0.00) |
| POLYMYALGIA RHEUMATICA | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| POLYMYOSITIS | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| POLYNEUROPATHY | | 1 (0.01) | 6 (0.02) | 1 (0.01) | 8 (0.01) |
| POLYSUBSTANCE ABUSE | | 1 (0.01) | | | 1 (0.00) |
| POLYURIA | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| POOR PERIPHERAL CIRCULATION | | 1 (0.01) | | | 1 (0.00) |
| POOR QUALITY DRUG ADMINISTERED | | | 2 (0.01) | | 2 (0.00) |
| POOR VENOUS ACCESS | | | 1 (0.00) | | 1 (0.00) |
| PORPHYRIA NON-ACUTE | | | 2 (0.01) | | 2 (0.00) |
| PORTAL HYPERTENSION | | 1 (0.01) | | | 1 (0.00) |
| PORTAL VEIN THROMBOSIS | | 4 (0.02) | 2 (0.01) | | 6 (0.01) |
| POST GASTRIC SURGERY SYNDROME | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| POST PROCEDURAL COMPLICATION | | 4 (0.02) | 8 (0.03) | 2 (0.03) | 14 (0.02) |
| POST PROCEDURAL DIARRHOEA | | | 1 (0.00) | | 1 (0.00) |
| POST PROCEDURAL HAEMORRHAGE | 1 (0.02) | 2 (0.01) | 3 (0.01) | | 6 (0.01) |
| POST PROCEDURAL NAUSEA | | | 1 (0.00) | | 1 (0.00) |
| POST THROMBOTIC SYNDROME | | | 2 (0.01) | | 2 (0.00) |
| POST-TRAUMATIC STRESS DISORDER | | 1 (0.01) | | | 1 (0.00) |
| POSTMENOPAUSAL HAEMORRHAGE | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| POSTOPERATIVE FEVER | | | 1 (0.00) | | 1 (0.00) |
| POSTOPERATIVE INFECTION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| POSTOPERATIVE RENAL FAILURE | 1 (0.02) | | | | 1 (0.00) |
| POSTOPERATIVE WOUND COMPLICATION | | | 1 (0.00) | | 1 (0.00) |
| POSTOPERATIVE WOUND INFECTION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PRE-EXISTING DISEASE | | 18 (0.11) | 36 (0.12) | 21 (0.27) | 75 (0.12) |
| PRECOCIOUS PUBERTY | 3 (0.05) | | | | 3 (0.00) |
| PRECURSOR B-LYMPHOBLASTIC LYMPHOMA | 1 (0.02) | | | | 1 (0.00) |
| PREGNANCY | 6 (0.10) | 8 (0.05) | | | 14 (0.02) |
| PREGNANCY OF PARTNER | | 1 (0.01) | | | 1 (0.00) |
| PREGNANCY ON ORAL CONTRACEPTIVE | | 1 (0.01) | | | 1 (0.00) |
| PREGNANCY TEST POSITIVE | 1 (0.02) | | | | 1 (0.00) |
| PREGNANCY WITH CONTRACEPTIVE DEVICE | | 1 (0.01) | | | 1 (0.00) |
| PREGNANCY WITH INJECTABLE CONTRACEPTIVE | 1 (0.02) | | | | 1 (0.00) |
| PREMATURE BABY | 1 (0.02) | | | | 1 (0.00) |
| PREMATURE LABOUR | | 2 (0.01) | | | 2 (0.00) |
| PRESCRIBED OVERDOSE | | | 3 (0.01) | 4 (0.05) | 7 (0.01) |
| PRIAPISM | 2 (0.03) | 6 (0.04) | | | 8 (0.01) |
| PROCEDURAL COMPLICATION | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| PROCEDURAL PAIN | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| PROCTITIS ULCERATIVE | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PRODUCTIVE COUGH | | 1 (0.01) | | | 1 (0.00) |
| PROGRESSIVE MULTIFOCAL LEUKOENCEPHALOPATHY | | 1 (0.01) | | | 1 (0.00) |
| PROGRESSIVE MULTIPLE SCLEROSIS | | | 1 (0.00) | | 1 (0.00) |
| PROPOFOL INFUSION SYNDROME | 1 (0.02) | | | | 1 (0.00) |
| PROSTATE CANCER | | 1 (0.01) | 14 (0.05) | 8 (0.10) | 23 (0.04) |
| PROSTATE CANCER METASTATIC | | | 3 (0.01) | | 3 (0.00) |
| PROSTATE CANCER STAGE IV | | | 1 (0.00) | | 1 (0.00) |
| PROSTATE EXAMINATION ABNORMAL | | | | 1 (0.01) | 1 (0.00) |
| PROSTATECTOMY | | | 1 (0.00) | | 1 (0.00) |
| PROSTATIC ADENOMA | | | 2 (0.01) | | 2 (0.00) |
| PROSTATIC DISORDER | | 1 (0.01) | | | 1 (0.00) |
| PROSTATIC OPERATION | | | 2 (0.01) | | 2 (0.00) |
| PROSTATIC SPECIFIC ANTIGEN INCREASED | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| PROSTHESIS IMPLANTATION | | | | 1 (0.01) | 1 (0.00) |
| PROTEIN S DECREASED | 1 (0.02) | | | | 1 (0.00) |
| PROTEIN URINE PRESENT | | 1 (0.01) | | | 1 (0.00) |
| PROTEINURIA | 1 (0.02) | 3 (0.02) | 4 (0.01) | | 8 (0.01) |
| PROTHROMBIN TIME PROLONGED | | 1 (0.01) | | | 1 (0.00) |
| PRURIGO | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| PRURITUS | 18 (0.30) | 56 (0.33) | 40 (0.13) | 8 (0.10) | 122 (0.20) |
| PRURITUS GENERALISED | 1 (0.02) | 4 (0.02) | 7 (0.02) | | 12 (0.02) |
| PSEUDO LYMPHOMA | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| PSEUDOBULBAR PALSY | 1 (0.02) | | | | 1 (0.00) |
| PSEUDOMONAS INFECTION | 2 (0.03) | | 1 (0.00) | | 3 (0.00) |
| PSORIASIS | | 7 (0.04) | 9 (0.03) | | 16 (0.03) |
| PSYCHIATRIC EVALUATION | | 9 (0.05) | 5 (0.02) | | 14 (0.02) |
| PSYCHIATRIC SYMPTOM | 5 (0.08) | 22 (0.13) | 9 (0.03) | 1 (0.01) | 37 (0.06) |
| PSYCHOMOTOR HYPERACTIVITY | 1 (0.02) | 1 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PSYCHOMOTOR SEIZURES | | | | 1 (0.01) | 1 (0.00) |
| PSYCHOTIC DISORDER | 4 (0.07) | 33 (0.19) | 13 (0.04) | 1 (0.01) | 51 (0.08) |
| PUBIC RAMI FRACTURE | | | 2 (0.01) | | 2 (0.00) |
| PULMONARY ALVEOLAR HAEMORRHAGE | 1 (0.02) | | 4 (0.01) | | 5 (0.01) |
| PULMONARY ARTERIAL PRESSURE INCREASED | | 1 (0.01) | | | 1 (0.00) |
| PULMONARY ARTERY STENOSIS | 1 (0.02) | | | | 1 (0.00) |
| PULMONARY ARTERY THROMBOSIS | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| PULMONARY EMBOLISM | 16 (0.27) | 38 (0.22) | 48 (0.16) | 12 (0.15) | 114 (0.19) |
| PULMONARY EOSINOPHILIA | 1 (0.02) | 3 (0.02) | 2 (0.01) | | 6 (0.01) |
| PULMONARY FIBROSIS | | | 10 (0.03) | 4 (0.05) | 14 (0.02) |
| PULMONARY FUNCTION TEST DECREASED | 1 (0.02) | | | | 1 (0.00) |
| PULMONARY HAEMORRHAGE | 8 (0.14) | | 2 (0.01) | | 10 (0.02) |
| PULMONARY HYPERTENSION | 2 (0.03) | 2 (0.01) | 3 (0.01) | | 7 (0.01) |
| PULMONARY INFARCTION | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| PULMONARY OEDEMA | | 1 (0.01) | 5 (0.02) | 3 (0.04) | 9 (0.01) |
| PULMONARY PNEUMATOCELE | | 2 (0.01) | | | 2 (0.00) |
| PULMONARY THROMBOSIS | | 4 (0.02) | 1 (0.00) | 1 (0.01) | 6 (0.01) |
| PULMONARY TOXICITY | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| PULMONARY TUBERCULOSIS | 1 (0.02) | 4 (0.02) | 18 (0.06) | 1 (0.01) | 24 (0.04) |
| PULSE ABSENT | | | | 2 (0.03) | 2 (0.00) |
| PUNCTATE KERATITIS | | 1 (0.01) | | | 1 (0.00) |
| PUNCTURE SITE HAEMORRHAGE | | | | 1 (0.01) | 1 (0.00) |
| PUNCTURE SITE REACTION | | 1 (0.01) | | | 1 (0.00) |
| PUPILS UNEQUAL | | 1 (0.01) | | | 1 (0.00) |
| PURPURA | 1 (0.02) | 3 (0.02) | 3 (0.01) | 3 (0.04) | 10 (0.02) |
| PURPURA NON-THROMBOCYTOPENIC | | | | 1 (0.01) | 1 (0.00) |
| PUSTULAR PSORIASIS | | 2 (0.01) | 4 (0.01) | | 6 (0.01) |
| PUTAMEN HAEMORRHAGE | | 2 (0.01) | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PYELONEPHRITIS | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| PYELONEPHRITIS ACUTE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PYREXIA | 10 (0.17) | 22 (0.13) | 32 (0.11) | 7 (0.09) | 71 (0.12) |
| PYURIA | | | 1 (0.00) | | 1 (0.00) |
| RADIAL NERVE PALSY | | 1 (0.01) | | | 1 (0.00) |
| RADIATION MYELOPATHY | | | 3 (0.01) | | 3 (0.00) |
| RADIATION PNEUMONITIS | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| RADICAL PROSTATECTOMY | | | 1 (0.00) | | 1 (0.00) |
| RADIUS FRACTURE | | | | 1 (0.01) | 1 (0.00) |
| RASH | 65 (1.10) | 133 (0.78) | 108 (0.36) | 27 (0.35) | 333 (0.55) |
| RASH ERYTHEMATOUS | 2 (0.03) | 6 (0.04) | 5 (0.02) | 4 (0.05) | 17 (0.03) |
| RASH GENERALISED | 7 (0.12) | 23 (0.13) | 21 (0.07) | 4 (0.05) | 55 (0.09) |
| RASH MACULAR | 1 (0.02) | 2 (0.01) | 5 (0.02) | 1 (0.01) | 9 (0.01) |
| RASH MACULO-PAPULAR | 1 (0.02) | 8 (0.05) | 3 (0.01) | 3 (0.04) | 15 (0.02) |
| RASH MORBILLIFORM | | | 1 (0.00) | | 1 (0.00) |
| RASH PAPULAR | 2 (0.03) | 6 (0.04) | 2 (0.01) | 1 (0.01) | 11 (0.02) |
| RASH PRURITIC | 5 (0.08) | 6 (0.04) | 7 (0.02) | 4 (0.05) | 22 (0.04) |
| RASH PUSTULAR | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| RASH VESICULAR | | 1 (0.01) | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| RAYNAUD'S PHENOMENON | 1 (0.02) | | 2 (0.01) | 1 (0.01) | 4 (0.01) |
| REBOUND EFFECT | | | 1 (0.00) | | 1 (0.00) |
| RECALL PHENOMENON | | | 1 (0.00) | | 1 (0.00) |
| RECTAL CANCER | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| RECTAL DISCHARGE | | 1 (0.01) | | | 1 (0.00) |
| RECTAL HAEMORRHAGE | 2 (0.03) | 3 (0.02) | 6 (0.02) | 8 (0.10) | 19 (0.03) |
| RECTAL NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| RECTOCELE | | 1 (0.01) | | | 1 (0.00) |
| RECURRENT CANCER | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| RED BLOOD CELL COUNT ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| RED BLOOD CELL COUNT DECREASED | | | 3 (0.01) | | 3 (0.00) |
| RED BLOOD CELL MORPHOLOGY ABNORMAL | 1 (0.02) | | | | 1 (0.00) |
| REFRACTORY ANAEMIA | 1 (0.02) | | | | 1 (0.00) |
| REGRESSIVE BEHAVIOUR | | | 1 (0.00) | | 1 (0.00) |
| REHABILITATION THERAPY | | 1 (0.01) | | | 1 (0.00) |
| REITER'S SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| RENAL ABSCESS | | 2 (0.01) | | | 2 (0.00) |
| RENAL ADENOMA | | | 1 (0.00) | | 1 (0.00) |
| RENAL ARTERY THROMBOSIS | | 1 (0.01) | | | 1 (0.00) |
| RENAL ATROPHY | | | | 1 (0.01) | 1 (0.00) |
| RENAL CELL CARCINOMA STAGE UNSPECIFIED | 1 (0.02) | 2 (0.01) | 7 (0.02) | | 10 (0.02) |
| RENAL COLIC | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| RENAL CYST | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| RENAL DISORDER | 1 (0.02) | 1 (0.01) | 5 (0.02) | 1 (0.01) | 8 (0.01) |
| RENAL FAILURE | 2 (0.03) | 7 (0.04) | 28 (0.09) | 19 (0.25) | 56 (0.09) |
| RENAL FAILURE ACUTE | 8 (0.14) | 7 (0.04) | 38 (0.13) | 15 (0.19) | 68 (0.11) |
| RENAL FAILURE CHRONIC | | 2 (0.01) | 4 (0.01) | 2 (0.03) | 8 (0.01) |
| RENAL IMPAIRMENT | | | 7 (0.02) | 4 (0.05) | 11 (0.02) |
| RENAL INFARCT | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| RENAL INJURY | | 1 (0.01) | | | 1 (0.00) |
| RENAL MASS | | | 1 (0.00) | | 1 (0.00) |
| RENAL NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| RENAL PAIN | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| RENAL SURGERY | | 1 (0.01) | | | 1 (0.00) |
| RENAL TRANSPLANT | | 1 (0.01) | | | 1 (0.00) |
| RENAL TUBULAR DISORDER | | 1 (0.01) | | | 1 (0.00) |
| RENAL TUBULAR NECROSIS | 1 (0.02) | 1 (0.01) | 6 (0.02) | | 8 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| RENAL VEIN THROMBOSIS | | | 1 (0.00) | | 1 (0.00) |
| RESPIRATION ABNORMAL | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| RESPIRATORY ARREST | 5 (0.08) | 2 (0.01) | 4 (0.01) | 1 (0.01) | 12 (0.02) |
| RESPIRATORY DEPRESSION | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| RESPIRATORY DISORDER | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| RESPIRATORY DISTRESS | 3 (0.05) | 2 (0.01) | 6 (0.02) | 2 (0.03) | 13 (0.02) |
| RESPIRATORY FAILURE | | 2 (0.01) | 16 (0.05) | 5 (0.06) | 23 (0.04) |
| RESPIRATORY PARALYSIS | | | 1 (0.00) | | 1 (0.00) |
| RESPIRATORY SYNCYTIAL VIRUS INFECTION | 3 (0.05) | | | | 3 (0.00) |
| RESPIRATORY TRACT CONGESTION | | | 1 (0.00) | | 1 (0.00) |
| RESPIRATORY TRACT HAEMORRHAGE | | 1 (0.01) | | | 1 (0.00) |
| RESPIRATORY TRACT INFECTION | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| RESPIRATORY TRACT INFECTION VIRAL | | | 1 (0.00) | | 1 (0.00) |
| RESPIRATORY TRACT IRRITATION | | 1 (0.01) | | | 1 (0.00) |
| RESPITE CARE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| RESTLESS LEGS SYNDROME | | 3 (0.02) | 5 (0.02) | 2 (0.03) | 10 (0.02) |
| RESTLESSNESS | | 2 (0.01) | | | 2 (0.00) |
| RESUSCITATION | 1 (0.02) | | | | 1 (0.00) |
| RETCHING | | 1 (0.01) | | | 1 (0.00) |
| RETINAL ANEURYSM | | | 1 (0.00) | | 1 (0.00) |
| RETINAL ARTERY OCCLUSION | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| RETINAL ARTERY THROMBOSIS | | | 1 (0.00) | | 1 (0.00) |
| RETINAL DEGENERATION | | | 1 (0.00) | | 1 (0.00) |
| RETINAL DETACHMENT | 1 (0.02) | 4 (0.02) | 4 (0.01) | 1 (0.01) | 10 (0.02) |
| RETINAL DISORDER | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| RETINAL EXUDATES | | | 2 (0.01) | | 2 (0.00) |
| RETINAL HAEMORRHAGE | 1 (0.02) | 1 (0.01) | 12 (0.04) | 5 (0.06) | 19 (0.03) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| RETINAL INFARCTION | | | 1 (0.00) | | 1 (0.00) |
| RETINAL ISCHAEMIA | | 3 (0.02) | | | 3 (0.00) |
| RETINAL OEDEMA | | 1 (0.01) | | | 1 (0.00) |
| RETINAL PIGMENT EPITHELIOPATHY | | 3 (0.02) | | | 3 (0.00) |
| RETINAL PIGMENTATION | | | 1 (0.00) | | 1 (0.00) |
| RETINAL TEAR | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| RETINAL VASCULAR THROMBOSIS | | 3 (0.02) | | | 3 (0.00) |
| RETINAL VEIN OCCLUSION | | 1 (0.01) | 7 (0.02) | | 8 (0.01) |
| RETINAL VEIN THROMBOSIS | | 2 (0.01) | 4 (0.01) | | 6 (0.01) |
| RETINITIS | | | 2 (0.01) | | 2 (0.00) |
| RETINOIC ACID SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| RETINOPATHY | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| RETROGRADE EJACULATION | | | 1 (0.00) | | 1 (0.00) |
| RETROPERITONEAL FIBROSIS | | | 1 (0.00) | | 1 (0.00) |
| RETROPERITONEAL HAEMORRHAGE | | | | 1 (0.01) | 1 (0.00) |
| REVERSIBLE POSTERIOR LEUKOENCEPHALOPATHY SYNDROME | 1 (0.02) | | | | 1 (0.00) |
| RHABDOMYOLYSIS | 3 (0.05) | 18 (0.11) | 23 (0.08) | 22 (0.28) | 66 (0.11) |
| RHEUMATOID ARTHRITIS | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| RHEUMATOID NODULE REMOVAL | | | 1 (0.00) | | 1 (0.00) |
| RHINITIS ALLERGIC | | 1 (0.01) | | | 1 (0.00) |
| RIB FRACTURE | | | 1 (0.00) | | 1 (0.00) |
| RIGHT VENTRICULAR FAILURE | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| ROAD TRAFFIC ACCIDENT | | 7 (0.04) | 10 (0.03) | | 17 (0.03) |
| ROSEOLA | | | 1 (0.00) | | 1 (0.00) |
| ROTATOR CUFF SYNDROME | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| RUPTURED CEREBRAL ANEURYSM | | | 1 (0.00) | | 1 (0.00) |
| RUPTURED ECTOPIC PREGNANCY | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SALIVARY GLAND ADENOMA | | 1 (0.01) | | | 1 (0.00) |
| SALPINGITIS | | 1 (0.01) | | | 1 (0.00) |
| SARCOIDOSIS | | | 3 (0.01) | | 3 (0.00) |
| SARCOMA | | | 2 (0.01) | | 2 (0.00) |
| SARCOMA UTERUS | | | 2 (0.01) | | 2 (0.00) |
| SCAR | | 2 (0.01) | | | 2 (0.00) |
| SCHIZOPHRENIA | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| SCIATICA | | | | 1 (0.01) | 1 (0.00) |
| SCLERAL HAEMORRHAGE | 1 (0.02) | | | | 1 (0.00) |
| SCLERODERMA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| SCOTOMA | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| SCREAMING | | | 1 (0.00) | | 1 (0.00) |
| SCROTAL SWELLING | | 1 (0.01) | | | 1 (0.00) |
| SEBACEOUS HYPERPLASIA | | 2 (0.01) | | | 2 (0.00) |
| SEBACEOUS NAEVUS | | | 1 (0.00) | | 1 (0.00) |
| SECONDARY HYPERTENSION | | | 1 (0.00) | | 1 (0.00) |
| SEDATION | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| SELF-INJURIOUS IDEATION | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |
| SELF-MEDICATION | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| SEMEN DISCOLOURATION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SEMEN VOLUME DECREASED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SENSATION OF FOREIGN BODY | | 1 (0.01) | | | 1 (0.00) |
| SENSATION OF PRESSURE | | 2 (0.01) | | | 2 (0.00) |
| SENSITIVITY OF TEETH | | | 2 (0.01) | | 2 (0.00) |
| SENSORY LOSS | | | 1 (0.00) | | 1 (0.00) |
| SEPSIS | 3 (0.05) | 4 (0.02) | 10 (0.03) | 1 (0.01) | 18 (0.03) |
| SEPTIC SHOCK | 1 (0.02) | 4 (0.02) | 9 (0.03) | | 14 (0.02) |
| SEPTOPLASTY | | | | 1 (0.01) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SEROMA | | 2 (0.01) | | | 2 (0.00) |
| SEROTONIN SYNDROME | 1 (0.02) | 2 (0.01) | 3 (0.01) | | 6 (0.01) |
| SERUM SICKNESS | 2 (0.03) | 3 (0.02) | 1 (0.00) | | 6 (0.01) |
| SEXUAL DYSFUNCTION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SHOCK | | 4 (0.02) | 7 (0.02) | 1 (0.01) | 12 (0.02) |
| SHOCK HAEMORRHAGIC | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SHOULDER ARTHROPLASTY | | | | 1 (0.01) | 1 (0.00) |
| SHOULDER OPERATION | | | 1 (0.00) | | 1 (0.00) |
| SHOULDER PAIN | | | 3 (0.01) | 2 (0.03) | 5 (0.01) |
| SHUNT THROMBOSIS | | 1 (0.01) | | | 1 (0.00) |
| SIALOADENITIS | | | 3 (0.01) | | 3 (0.00) |
| SICK SINUS SYNDROME | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| SICKLE CELL ANAEMIA WITH CRISIS | | | 1 (0.00) | | 1 (0.00) |
| SILENT MYOCARDIAL INFARCTION | | | 2 (0.01) | | 2 (0.00) |
| SIMPLE PARTIAL SEIZURES | | | 1 (0.00) | | 1 (0.00) |
| SINUS ARRHYTHMIA | 1 (0.02) | | | | 1 (0.00) |
| SINUS BRADYCARDIA | | | | 2 (0.03) | 2 (0.00) |
| SINUS TACHYCARDIA | | | 2 (0.01) | | 2 (0.00) |
| SINUSITIS | | | 1 (0.00) | | 1 (0.00) |
| SKIN BURNING SENSATION | 1 (0.02) | | | | 1 (0.00) |
| SKIN CANCER | | 1 (0.01) | 6 (0.02) | 4 (0.05) | 11 (0.02) |
| SKIN DISCOLOURATION | | 6 (0.04) | 1 (0.00) | 1 (0.01) | 8 (0.01) |
| SKIN DISORDER | | | 2 (0.01) | 3 (0.04) | 5 (0.01) |
| SKIN EXFOLIATION | 1 (0.02) | 2 (0.01) | 2 (0.01) | 3 (0.04) | 8 (0.01) |
| SKIN HAEMORRHAGE | | | | 1 (0.01) | 1 (0.00) |
| SKIN LACERATION | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| SKIN LESION | 2 (0.03) | | | | 2 (0.00) |
| SKIN NECROSIS | 3 (0.05) | | 3 (0.01) | | 6 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SKIN ODOUR ABNORMAL | 2 (0.03) | | 5 (0.02) | | 7 (0.01) |
| SKIN PAPILLOMA | 3 (0.05) | | | | 3 (0.00) |
| SKIN REACTION | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| SKIN STRIAE | 1 (0.02) | | | | 1 (0.00) |
| SKIN ULCER | | 2 (0.01) | | 1 (0.01) | 3 (0.00) |
| SLE ARTHRITIS | | 1 (0.01) | | | 1 (0.00) |
| SLEEP APNOEA SYNDROME | 1 (0.02) | 3 (0.02) | 5 (0.02) | | 9 (0.01) |
| SLEEP ATTACKS | | | | 1 (0.01) | 1 (0.00) |
| SLEEP DISORDER | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.00) |
| SLEEP TERROR | | | 1 (0.00) | | 1 (0.00) |
| SLEEP WALKING | | 2 (0.01) | | | 2 (0.00) |
| SMALL CELL LUNG CANCER STAGE UNSPECIFIED | | | 4 (0.01) | 2 (0.03) | 6 (0.01) |
| SMALL INTESTINAL HAEMORRHAGE | | | 1 (0.00) | | 1 (0.00) |
| SMALL INTESTINAL OBSTRUCTION | | 2 (0.01) | 7 (0.02) | | 9 (0.01) |
| SMALL INTESTINAL PERFORATION | | | 2 (0.01) | | 2 (0.00) |
| SMALL INTESTINE CARCINOMA METASTATIC | | | 1 (0.00) | | 1 (0.00) |
| SMEAR CERVIX ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| SMOKER | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| SNEEZING | | 1 (0.01) | | | 1 (0.00) |
| SOCIAL PROBLEM | | 3 (0.02) | | | 3 (0.00) |
| SODIUM RETENTION | | | 1 (0.00) | | 1 (0.00) |
| SOMNOLENCE | 5 (0.08) | 11 (0.06) | 16 (0.05) | 11 (0.14) | 43 (0.07) |
| SPEECH DISORDER | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| SPERM COUNT DECREASED | | 1 (0.01) | | | 1 (0.00) |
| SPERMATOGENESIS ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| SPERMATOZOA ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| SPINAL COLUMN STENOSIS | | 1 (0.01) | 4 (0.01) | 1 (0.01) | 6 (0.01) |
| SPINAL COMPRESSION FRACTURE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SPINAL CORD DISORDER | 1 (0.02) | | | | 1 (0.00) |
| SPINAL CORD ISCHAEMIA | 1 (0.02) | | | | 1 (0.00) |
| SPINAL CORD OPERATION | | 1 (0.01) | | | 1 (0.00) |
| SPINAL DISORDER | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| SPINAL FRACTURE | | | 4 (0.01) | 6 (0.08) | 10 (0.02) |
| SPINAL FUSION SURGERY | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| SPINAL HAEMATOMA | | | 1 (0.00) | | 1 (0.00) |
| SPINAL OPERATION | | | 3 (0.01) | | 3 (0.00) |
| SPLENIC INFARCTION | | | 1 (0.00) | | 1 (0.00) |
| SPLENIC RUPTURE | | 1 (0.01) | | | 1 (0.00) |
| SPLENOMEGALY | | 1 (0.01) | | | 1 (0.00) |
| SPONTANEOUS PENILE ERECTION | | | 2 (0.01) | | 2 (0.00) |
| SPUTUM DISCOLOURED | | | | 1 (0.01) | 1 (0.00) |
| SQUAMOUS CELL CARCINOMA | | | 4 (0.01) | | 4 (0.01) |
| SQUAMOUS CELL CARCINOMA OF SKIN | | | 5 (0.02) | | 5 (0.01) |
| STAPHYLOCOCCAL INFECTION | | 2 (0.01) | | | 2 (0.00) |
| STAPHYLOCOCCAL SEPSIS | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| STARING | 1 (0.02) | | | | 1 (0.00) |
| STATUS EPILEPTICUS | 1 (0.02) | 2 (0.01) | 1 (0.00) | 2 (0.03) | 6 (0.01) |
| STENT OCCLUSION | | 1 (0.01) | 6 (0.02) | 1 (0.01) | 8 (0.01) |
| STENT PLACEMENT | | | 2 (0.01) | | 2 (0.00) |
| STEREOTYPIC MOVEMENT DISORDER | | | | 2 (0.03) | 2 (0.00) |
| STEVENS-JOHNSON SYNDROME | 14 (0.24) | 19 (0.11) | 24 (0.08) | 11 (0.14) | 68 (0.11) |
| STOMACH DISCOMFORT | 3 (0.05) | 1 (0.01) | 9 (0.03) | 4 (0.05) | 17 (0.03) |
| STOMATITIS | | 1 (0.01) | 4 (0.01) | | 5 (0.01) |
| STOMATITIS NECROTISING | | | 1 (0.00) | | 1 (0.00) |
| STREPTOCOCCAL SEPSIS | | | | 1 (0.01) | 1 (0.00) |
| STRESS | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| STRESS AT WORK | | | 1 (0.00) | | 1 (0.00) |
| STRESS FRACTURE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| STRIDOR | | | 1 (0.00) | | 1 (0.00) |
| SUBARACHNOID HAEMORRHAGE | | 4 (0.02) | 3 (0.01) | 6 (0.08) | 13 (0.02) |
| SUBCLAVIAN VEIN THROMBOSIS | 1 (0.02) | | | | 1 (0.00) |
| SUBCUTANEOUS ABSCESS | 1 (0.02) | | | | 1 (0.00) |
| SUBDURAL HAEMATOMA | 3 (0.05) | 2 (0.01) | | | 5 (0.01) |
| SUBILEUS | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| SUDDEN CARDIAC DEATH | | 5 (0.03) | 4 (0.01) | | 9 (0.01) |
| SUDDEN DEATH | 5 (0.08) | 6 (0.04) | 26 (0.09) | 8 (0.10) | 45 (0.07) |
| SUDDEN HEARING LOSS | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| SUDDEN INFANT DEATH SYNDROME | 1 (0.02) | | | | 1 (0.00) |
| SUDDEN ONSET OF SLEEP | | | 3 (0.01) | | 3 (0.00) |
| SUDDEN UNEXPLAINED DEATH IN EPILEPSY | | | | 3 (0.04) | 3 (0.00) |
| SUICIDAL IDEATION | 7 (0.12) | 21 (0.12) | 11 (0.04) | | 39 (0.06) |
| SUICIDE ATTEMPT | 8 (0.14) | 6 (0.04) | 4 (0.01) | 1 (0.01) | 19 (0.03) |
| SULPHAEMOGLOBINAEMIA | | | 1 (0.00) | | 1 (0.00) |
| SUPERIOR SAGITTAL SINUS THROMBOSIS | 3 (0.05) | 1 (0.01) | | | 4 (0.01) |
| SUPRAVENTRICULAR EXTRASYSTOLES | | | 1 (0.00) | 2 (0.03) | 3 (0.00) |
| SUPRAVENTRICULAR TACHYCARDIA | 6 (0.10) | | 1 (0.00) | 1 (0.01) | 8 (0.01) |
| SURGERY | 1 (0.02) | 12 (0.07) | 5 (0.02) | | 18 (0.03) |
| SWELLING | | | 1 (0.00) | | 1 (0.00) |
| SWELLING FACE | 4 (0.07) | 6 (0.04) | 8 (0.03) | 1 (0.01) | 19 (0.03) |
| SWOLLEN TONGUE | 1 (0.02) | 1 (0.01) | 8 (0.03) | 2 (0.03) | 12 (0.02) |
| SYNCOPE | 6 (0.10) | 8 (0.05) | 12 (0.04) | 9 (0.12) | 35 (0.06) |
| SYNCOPE VASOVAGAL | | | 2 (0.01) | | 2 (0.00) |
| SYNOVECTOMY | | 1 (0.01) | | | 1 (0.00) |
| SYNOVIAL CYST | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SYPHILIS TEST POSITIVE | | | 1 (0.00) | | 1 (0.00) |
| SYSTEMIC LUPUS ERYTHEMATOSUS | | 2 (0.01) | 2 (0.01) | 2 (0.03) | 6 (0.01) |
| SYSTEMIC LUPUS ERYTHEMATOSUS RASH | | | 1 (0.00) | | 1 (0.00) |
| T-CELL LYMPHOMA | 1 (0.02) | 1 (0.01) | 3 (0.01) | 1 (0.01) | 6 (0.01) |
| T-CELL LYMPHOMA STAGE IV | | | 2 (0.01) | | 2 (0.00) |
| TACHYARRHYTHMIA | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| TACHYCARDIA | 3 (0.05) | 3 (0.02) | 3 (0.01) | | 9 (0.01) |
| TARDIVE DYSKINESIA | 1 (0.02) | | 1 (0.00) | 1 (0.01) | 3 (0.00) |
| TEETH BRITTLE | | 1 (0.01) | | | 1 (0.00) |
| TEMPERATURE REGULATION DISORDER | 1 (0.02) | | | | 1 (0.00) |
| TENDON DISORDER | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| TENDON INJURY | | | 1 (0.00) | | 1 (0.00) |
| TENDON RUPTURE | | 2 (0.01) | 7 (0.02) | 1 (0.01) | 10 (0.02) |
| TENDONITIS | 1 (0.02) | | 4 (0.01) | | 5 (0.01) |
| TENOSYNOVITIS STENOSANS | | | 1 (0.00) | | 1 (0.00) |
| TENSION HEADACHE | | | | 1 (0.01) | 1 (0.00) |
| TERMINAL STATE | | | 1 (0.00) | | 1 (0.00) |
| TESTICULAR PAIN | | | 2 (0.01) | | 2 (0.00) |
| TESTIS CANCER | | 1 (0.01) | | | 1 (0.00) |
| THERAPEUTIC AGENT TOXICITY | | | | 1 (0.01) | 1 (0.00) |
| THERAPEUTIC PROCEDURE | | | 1 (0.00) | 1 (0.01) | 2 (0.00) |
| THERAPEUTIC PRODUCT INEFFECTIVE | | | 1 (0.00) | | 1 (0.00) |
| THERAPEUTIC RESPONSE DECREASED | | 6 (0.04) | 6 (0.02) | 2 (0.03) | 14 (0.02) |
| THERAPEUTIC RESPONSE DELAYED | | | 1 (0.00) | | 1 (0.00) |
| THERAPEUTIC RESPONSE UNEXPECTED | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| THERAPY NON-RESPONDER | 1 (0.02) | 3 (0.02) | 3 (0.01) | 1 (0.01) | 8 (0.01) |
| THERMAL BURN | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| THINKING ABNORMAL | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| THIRST | | 2 (0.01) | 2 (0.01) | 1 (0.01) | 5 (0.01) |
| THIRST DECREASED | | | 1 (0.00) | | 1 (0.00) |
| THORACIC VERTEBRAL FRACTURE | | | | 1 (0.01) | 1 (0.00) |
| THROAT CANCER | | 1 (0.01) | | | 1 (0.00) |
| THROAT IRRITATION | 2 (0.03) | 5 (0.03) | 1 (0.00) | | 8 (0.01) |
| THROAT TIGHTNESS | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| THROMBOCYTHAEMIA | 1 (0.02) | | 7 (0.02) | | 8 (0.01) |
| THROMBOCYTOPENIA | 8 (0.14) | 20 (0.12) | 22 (0.07) | 8 (0.10) | 58 (0.10) |
| THROMBOCYTOPENIA NEONATAL | | | | 1 (0.01) | 1 (0.00) |
| THROMBOCYTOPENIC PURPURA | | | 3 (0.01) | 2 (0.03) | 5 (0.01) |
| THROMBOEMBOLIC STROKE | | | 1 (0.00) | | 1 (0.00) |
| THROMBOPHLEBITIS | | | 2 (0.01) | | 2 (0.00) |
| THROMBOPHLEBITIS SUPERFICIAL | | 1 (0.01) | | | 1 (0.00) |
| THROMBOSIS | 6 (0.10) | 15 (0.09) | 18 (0.06) | 4 (0.05) | 43 (0.07) |
| THROMBOSIS IN DEVICE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| THROMBOTIC STROKE | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| THROMBOTIC THROMBOCYTOPENIC PURPURA | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| THYROID DISORDER | 1 (0.02) | | | | 1 (0.00) |
| THYROID GLAND CANCER | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| THYROID NEOPLASM | | 1 (0.01) | | | 1 (0.00) |
| THYROID OPERATION | | | 1 (0.00) | | 1 (0.00) |
| TIBIA FRACTURE | | | | 2 (0.03) | 2 (0.00) |
| TIC | 2 (0.03) | 3 (0.02) | | | 5 (0.01) |
| TINNITUS | 2 (0.03) | 10 (0.06) | 3 (0.01) | 2 (0.03) | 17 (0.03) |
| TOE DEFORMITY | | | 1 (0.00) | | 1 (0.00) |
| TONGUE BLACK HAIRY | 1 (0.02) | | | 1 (0.01) | 2 (0.00) |
| TONGUE CANCER METASTATIC | | 1 (0.01) | | | 1 (0.00) |
| TONGUE DISCOLOURATION | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TONGUE NEOPLASM MALIGNANT STAGE UNSPECIFIED | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| TONGUE OEDEMA | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| TONGUE SPASM | 1 (0.02) | | | | 1 (0.00) |
| TONIC CLONIC MOVEMENTS | | 1 (0.01) | | | 1 (0.00) |
| TOOTH ABSCESS | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| TOOTH DISCOLOURATION | 2 (0.03) | 1 (0.01) | | | 3 (0.00) |
| TOOTH DISORDER | | | 6 (0.02) | 1 (0.01) | 7 (0.01) |
| TOOTH EROSION | | | 1 (0.00) | | 1 (0.00) |
| TOOTH FRACTURE | | 1 (0.01) | 2 (0.01) | | 3 (0.00) |
| TOOTH INJURY | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| TOOTHACHE | | | 1 (0.00) | | 1 (0.00) |
| TORSADE DE POINTES | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| TOXIC EPIDERMAL NECROLYSIS | 3 (0.05) | 2 (0.01) | 17 (0.06) | 4 (0.05) | 26 (0.04) |
| TOXIC SKIN ERUPTION | 1 (0.02) | 2 (0.01) | 3 (0.01) | 1 (0.01) | 7 (0.01) |
| TRANSAMINASES INCREASED | 1 (0.02) | 3 (0.02) | 2 (0.01) | 2 (0.03) | 8 (0.01) |
| TRANSFUSION-RELATED ACUTE LUNG INJURY | | | 1 (0.00) | | 1 (0.00) |
| TRANSIENT ISCHAEMIC ATTACK | | 6 (0.04) | 19 (0.06) | 10 (0.13) | 35 (0.06) |
| TRANSPLANT FAILURE | | 1 (0.01) | | | 1 (0.00) |
| TRANSPLANT REJECTION | | 2 (0.01) | 1 (0.00) | | 3 (0.00) |
| TRANSVERSE SINUS THROMBOSIS | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| TRAUMATIC HAEMATOMA | | | | 1 (0.01) | 1 (0.00) |
| TRAUMATIC HAEMORRHAGE | | | 1 (0.00) | | 1 (0.00) |
| TRAUMATIC INTRACRANIAL HAEMORRHAGE | | | | 1 (0.01) | 1 (0.00) |
| TREATMENT NONCOMPLIANCE | 7 (0.12) | 69 (0.40) | 16 (0.05) | | 92 (0.15) |
| TREATMENT RELATED SECONDARY MALIGNANCY | | | 1 (0.00) | | 1 (0.00) |
| TREMOR | 2 (0.03) | 5 (0.03) | 10 (0.03) | 4 (0.05) | 21 (0.03) |
| TRIGEMINAL NEURALGIA | | | 3 (0.01) | | 3 (0.00) |
| TRIGEMINAL PALSY | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TRIPLE VESSEL BYPASS GRAFT | | | 1 (0.00) | | 1 (0.00) |
| TUBAL LIGATION | | 1 (0.01) | | | 1 (0.00) |
| TUBERCULOSIS | 1 (0.02) | 14 (0.08) | 7 (0.02) | 1 (0.01) | 23 (0.04) |
| TUBERCULOSIS GASTROINTESTINAL | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| TUBO-OVARIAN ABSCESS | 1 (0.02) | | | | 1 (0.00) |
| TUMOUR LYSIS SYNDROME | | | 6 (0.02) | | 6 (0.01) |
| TYPE I HYPERSENSITIVITY | | | 2 (0.01) | | 2 (0.00) |
| TYPE IV HYPERSENSITIVITY REACTION | | 1 (0.01) | | | 1 (0.00) |
| ULCER | | | 3 (0.01) | | 3 (0.00) |
| ULCER HAEMORRHAGE | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| ULCERATIVE KERATITIS | | | 3 (0.01) | | 3 (0.00) |
| UMBILICAL HERNIA | | | 1 (0.00) | | 1 (0.00) |
| UNEVALUABLE EVENT | 2 (0.03) | 40 (0.23) | 49 (0.16) | 21 (0.27) | 112 (0.18) |
| UNINTENDED PREGNANCY | | 1 (0.01) | | | 1 (0.00) |
| UNRESPONSIVE TO VERBAL STIMULI | 1 (0.02) | | | | 1 (0.00) |
| UPPER GASTROINTESTINAL HAEMORRHAGE | | 4 (0.02) | | 3 (0.04) | 7 (0.01) |
| UPPER LIMB FRACTURE | | | 3 (0.01) | 3 (0.04) | 6 (0.01) |
| UPPER RESPIRATORY TRACT INFECTION | 2 (0.03) | | 2 (0.01) | | 4 (0.01) |
| URETERIC STENOSIS | | 1 (0.01) | | | 1 (0.00) |
| URETHRAL CANCER | | 1 (0.01) | | | 1 (0.00) |
| URETHRAL DISCHARGE | | | 1 (0.00) | | 1 (0.00) |
| URETHRAL FISTULA | | | 1 (0.00) | | 1 (0.00) |
| URETHRAL ULCER | | | 2 (0.01) | 1 (0.01) | 3 (0.00) |
| URINARY INCONTINENCE | 2 (0.03) | 2 (0.01) | 3 (0.01) | 1 (0.01) | 8 (0.01) |
| URINARY RETENTION | | 2 (0.01) | 6 (0.02) | 3 (0.04) | 11 (0.02) |
| URINARY TRACT INFECTION | 1 (0.02) | 1 (0.01) | 6 (0.02) | 3 (0.04) | 11 (0.02) |
| URINE COLOUR ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| URINE FLOW DECREASED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| URINE ODOUR ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| UROSEPSIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| URTICARIA | 6 (0.10) | 25 (0.15) | 31 (0.10) | 4 (0.05) | 66 (0.11) |
| URTICARIA GENERALISED | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| UTERINE CANCER | | 1 (0.01) | | 1 (0.01) | 2 (0.00) |
| UTERINE LEIOMYOMA | | 1 (0.01) | | 2 (0.03) | 3 (0.00) |
| UTERINE LEIOMYOSARCOMA | | | 2 (0.01) | | 2 (0.00) |
| UTERINE PERFORATION | 10 (0.17) | 27 (0.16) | | | 37 (0.06) |
| UTERINE POLYP | | | 1 (0.00) | | 1 (0.00) |
| UTERINE PROLAPSE | | | 2 (0.01) | | 2 (0.00) |
| UVEITIS | | 1 (0.01) | 4 (0.01) | 1 (0.01) | 6 (0.01) |
| VACCINATION COMPLICATION | | 1 (0.01) | | | 1 (0.00) |
| VAGINAL BURNING SENSATION | 45 (0.76) | 124 (0.73) | 6 (0.02) | 4 (0.05) | 179 (0.29) |
| VAGINAL DISCHARGE | 9 (0.15) | 16 (0.09) | 3 (0.01) | | 28 (0.05) |
| VAGINAL DISORDER | | 1 (0.01) | | | 1 (0.00) |
| VAGINAL HAEMORRHAGE | 8 (0.14) | 8 (0.05) | 3 (0.01) | | 19 (0.03) |
| VAGINAL INFECTION | 1 (0.02) | | | | 1 (0.00) |
| VAGINAL INFLAMMATION | | 3 (0.02) | | | 3 (0.00) |
| VAGINAL MUCOSAL BLISTERING | 3 (0.05) | | | | 3 (0.00) |
| VAGINAL OEDEMA | | 9 (0.05) | | | 9 (0.01) |
| VAGINAL OPERATION | | 1 (0.01) | | | 1 (0.00) |
| VAGINAL PAIN | 6 (0.10) | 18 (0.11) | 2 (0.01) | 3 (0.04) | 29 (0.05) |
| VAGINAL PROLAPSE | | | 1 (0.00) | | 1 (0.00) |
| VAGINAL SWELLING | 69 (1.17) | 54 (0.32) | 9 (0.03) | | 132 (0.22) |
| VAGINITIS BACTERIAL | | 3 (0.02) | | | 3 (0.00) |
| VARICOSE ULCERATION | | | | 1 (0.01) | 1 (0.00) |
| VARICOSE VEIN | | 1 (0.01) | | | 1 (0.00) |
| VASCULAR BYPASS GRAFT | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| VASCULAR PSEUDOANEURYSM | | 1 (0.01) | | | 1 (0.00) |
| VASCULAR PURPURA | 2 (0.03) | | | | 2 (0.00) |
| VASCULAR STENT INSERTION | | | 1 (0.00) | | 1 (0.00) |
| VASCULITIS | | 2 (0.01) | 1 (0.00) | 1 (0.01) | 4 (0.01) |
| VEIN DISORDER | | 1 (0.01) | | | 1 (0.00) |
| VENA CAVA THROMBOSIS | | | 2 (0.01) | | 2 (0.00) |
| VENOOCCLUSIVE DISEASE | 1 (0.02) | | 2 (0.01) | | 3 (0.00) |
| VENOOCCLUSIVE LIVER DISEASE | | | | 1 (0.01) | 1 (0.00) |
| VENOUS THROMBOSIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| VENOUS THROMBOSIS LIMB | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| VENTRICULAR ARRHYTHMIA | | | 1 (0.00) | | 1 (0.00) |
| VENTRICULAR ASYSTOLE | | | | 1 (0.01) | 1 (0.00) |
| VENTRICULAR EXTRASYSTOLES | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| VENTRICULAR FAILURE | | | 1 (0.00) | | 1 (0.00) |
| VENTRICULAR FIBRILLATION | | 1 (0.01) | 5 (0.02) | 3 (0.04) | 9 (0.01) |
| VENTRICULAR SEPTAL DEFECT | 1 (0.02) | | | | 1 (0.00) |
| VENTRICULAR TACHYCARDIA | 1 (0.02) | 1 (0.01) | 5 (0.02) | | 7 (0.01) |
| VERTIGO | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| VERTIGO POSITIONAL | | | 1 (0.00) | | 1 (0.00) |
| VESSEL PUNCTURE SITE HAEMORRHAGE | | | 1 (0.00) | | 1 (0.00) |
| VICTIM OF ABUSE | | 1 (0.01) | | | 1 (0.00) |
| VIRAL INFECTION | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| VIRAL LOAD INCREASED | | 1 (0.01) | | | 1 (0.00) |
| VISCERAL LEISHMANIASIS | | | 1 (0.00) | | 1 (0.00) |
| VISION BLURRED | 3 (0.05) | 14 (0.08) | 14 (0.05) | 7 (0.09) | 38 (0.06) |
| VISUAL ACUITY REDUCED | 3 (0.05) | | 10 (0.03) | 2 (0.03) | 15 (0.02) |
| VISUAL ACUITY TESTS ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| VISUAL DISTURBANCE | | 5 (0.03) | 5 (0.02) | 2 (0.03) | 12 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| VISUAL FIELD DEFECT | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| VITREOUS DETACHMENT | | | 4 (0.01) | | 4 (0.01) |
| VITREOUS FLOATERS | | | 1 (0.00) | | 1 (0.00) |
| VITREOUS HAEMORRHAGE | | | 3 (0.01) | 3 (0.04) | 6 (0.01) |
| VOCAL CORD PARALYSIS | | 1 (0.01) | | | 1 (0.00) |
| VOCAL CORD PARESIS | | 1 (0.01) | | | 1 (0.00) |
| VOGT-KOYANAGI-HARADA SYNDROME | | 4 (0.02) | | | 4 (0.01) |
| VOMITING | 4 (0.07) | 5 (0.03) | 8 (0.03) | 1 (0.01) | 18 (0.03) |
| VULVAL OEDEMA | 51 (0.86) | 33 (0.19) | 3 (0.01) | | 87 (0.14) |
| VULVAL ULCERATION | 1 (0.02) | | | | 1 (0.00) |
| VULVOVAGINAL DISCOMFORT | 3 (0.05) | 3 (0.02) | | | 6 (0.01) |
| WATER INTOXICATION | | 2 (0.01) | | | 2 (0.00) |
| WEIGHT DECREASED | 2 (0.03) | 17 (0.10) | 41 (0.14) | 3 (0.04) | 63 (0.10) |
| WEIGHT INCREASED | 3 (0.05) | 10 (0.06) | 12 (0.04) | 2 (0.03) | 27 (0.04) |
| WERNICKE'S ENCEPHALOPATHY | | | 1 (0.00) | | 1 (0.00) |
| WHEEZING | | | | 1 (0.01) | 1 (0.00) |
| WHITE BLOOD CELL COUNT DECREASED | 7 (0.12) | 3 (0.02) | 5 (0.02) | 3 (0.04) | 18 (0.03) |
| WHITE BLOOD CELL COUNT INCREASED | | 2 (0.01) | 1 (0.00) | 2 (0.03) | 5 (0.01) |
| WOUND DEHISCENCE | | 1 (0.01) | | | 1 (0.00) |
| WOUND INFECTION | | | 3 (0.01) | 1 (0.01) | 4 (0.01) |
| WOUND INFECTION STAPHYLOCOCCAL | | | 1 (0.00) | | 1 (0.00) |
| WOUND NECROSIS | | | | 1 (0.01) | 1 (0.00) |
| WRIST FRACTURE | | | 1 (0.00) | | 1 (0.00) |
| WRONG DRUG ADMINISTERED | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| WRONG TECHNIQUE IN DRUG USAGE PROCESS | | | | 2 (0.03) | 2 (0.00) |
| XANTHOPSIA | | | 1 (0.00) | | 1 (0.00) |
| YAWNING | 1 (0.02) | 2 (0.01) | | | 3 (0.00) |

Project: AERS 2006Q1
Page 734 of 827
14SEP2015

Outcome Summary Table Derived Age Group

| | | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------|--|---------------------------|--------------------------------|-----------------------------|--------------------------|--------------------|
| Outcome Code | Congenital Anomaly | 82 (1.65) | 32 (0.23) | 9 (0.03) | | 123 (0.24) |
| | Death | 542 (10.89) | 1445 (10.41) | 3677 (14.14) | 1496 (21.94) | 7160 (13.86) |
| | Disability | 475 (9.54) | 1570 (11.31) | 2741 (10.54) | 358 (5.25) | 5144 (9.95) |
| | Hospitalization - Initial or Prolonged | 1812 (36.39) | 5931 (42.73) | 12620 (48.54) | 3239 (47.49) | 23602 (45.67) |
| | Life-Threatening | 163 (3.27) | 347 (2.50) | 480 (1.85) | 177 (2.60) | 1167 (2.26) |
| | Other | 1826 (36.67) | 4390 (31.63) | 6278 (24.15) | 1513 (22.18) | 14007 (27.10) |
| | Required Intervention to Prevent Permanent Impairment/Damage | 79 (1.59) | 164 (1.18) | 194 (0.75) | 37 (0.54) | 474 (0.92) |

Project: AERS 2006Q1
Page 735 of 827
14SEP2015

Report Source Summary Table Derived Age Group

| | | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------|------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| Report Source | Foreign | 912 (35.23) | 1640 (22.36) | 3162 (23.70) | 970 (26.44) | 6684 (24.82) |
| | Study | 16 (0.62) | 122 (1.66) | 202 (1.51) | 33 (0.90) | 373 (1.38) |
| | Literature | 38 (1.47) | 26 (0.35) | 30 (0.22) | 10 (0.27) | 104 (0.39) |
| | Consumer | 504 (19.47) | 3014 (41.09) | 6185 (46.37) | 1575 (42.93) | 11278 (41.87) |
| | Health Professional | 694 (26.81) | 1715 (23.38) | 2534 (19.00) | 727 (19.81) | 5670 (21.05) |
| | User Facility | | 2 (0.03) | 1 (0.01) | | 3 (0.01) |
| | Company Representative | 312 (12.05) | 748 (10.20) | 1114 (8.35) | 332 (9.05) | 2506 (9.30) |
| | Distributor | 25 (0.97) | 19 (0.26) | 47 (0.35) | 9 (0.25) | 100 (0.37) |
| | Other | 88 (3.40) | 50 (0.68) | 64 (0.48) | 13 (0.35) | 215 (0.80) |

Project: AERS 2006Q1
Page 736 of 827
14SEP2015

Therapy Summary Table Derived Age Group

| | | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------|----------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| Derived Duration (Years) | N | 4992 | 15536 | 27993 | 7117 | 55638 |
| | MEAN | 0.25 | 0.64 | 0.90 | 0.63 | 0.74 |
| | MEDIAN | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | GEOMETRIC MEAN | 0.25 | 0.64 | 0.90 | 0.63 | 0.74 |
| | MIN | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | MAX | 42.00 | 104.0 | 103.0 | 101.0 | 104.0 |
| | STD | 1.17 | 2.30 | 3.01 | 2.61 | 2.66 |
| | RANGE | 0-42 | 0-104 | 0-103 | 0-101 | 0-104 |

| | | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------|---------------------------------|---------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| Preferred Terms | ABDOMEN SCAN | | | 9 (0.03) | 1 (0.02) | 10 (0.02) |
| | ABDOMINAL ABSCESS | | 1 (0.01) | 6 (0.02) | (3-3-) | 7 (0.01) |
| | ABDOMINAL DISCOMFORT | | 1 (0.01) | 9 (0.03) | 3 (0.05) | 13 (0.02) |
| | ABDOMINAL DISTENSION | | 1 (0.01) | 1 (0.00) | , | 2 (0.00) |
| | ABDOMINAL HERNIA | | 2 (0.01) | , | | 2 (0.00) |
| | ABDOMINAL INFECTION | | 3 (0.02) | 3 (0.01) | 3 (0.05) | 9 (0.02) |
| | ABDOMINAL OPERATION | | , | 1 (0.00) | , | 1 (0.00) |
| | ABDOMINAL PAIN | 1 (0.02) | 20 (0.14) | 26 (0.10) | 1 (0.02) | 48 (0.09) |
| | ABDOMINAL PAIN UPPER | 2 (0.04) | 11 (0.08) | 18 (0.07) | 3 (0.05) | 34 (0.06) |
| | ABDOMINAL SEPSIS | | , , | 2 (0.01) | , , | 2 (0.00) |
| | ABNORMAL BEHAVIOUR | 2 (0.04) | 10 (0.07) | 4 (0.02) | 10 (0.15) | 26 (0.05) |
| | ABORTION | 4 (0.08) | 1 (0.01) | | | 5 (0.01) |
| | ABORTION INDUCED | 20 (0.41) | 21 (0.14) | | | 41 (0.08) |
| | ABORTION SPONTANEOUS | | 1 (0.01) | | | 1 (0.00) |
| | ABSCESS | 3 (0.06) | | 4 (0.02) | | 7 (0.01) |
| | ABSCESS INTESTINAL | 1 (0.02) | | 1 (0.00) | 1 (0.02) | 3 (0.01) |
| | ABSCESS LIMB | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| | ABSCESS NECK | 1 (0.02) | | | | 1 (0.00) |
| | ACARODERMATITIS | | | 4 (0.02) | 9 (0.14) | 13 (0.02) |
| | ACCIDENT | | | 1 (0.00) | | 1 (0.00) |
| | ACCIDENT AT WORK | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| | ACCIDENTAL DRUG INTAKE BY CHILD | 3 (0.06) | | | | 3 (0.01) |
| | ACCIDENTAL EXPOSURE | 19 (0.39) | 3 (0.02) | 1 (0.00) | 1 (0.02) | 24 (0.05) |
| | ACCIDENTAL OVERDOSE | 5 (0.10) | 2 (0.01) | | | 7 (0.01) |
| | ACIDOSIS | 1 (0.02) | | 1 (0.00) | 1 (0.02) | 3 (0.01) |
| | ACINETOBACTER BACTERAEMIA | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|--------------------------------|--------------------------------|--------------------------|--------------------|
| ACINETOBACTER INFECTION | | | 4 (0.02) | 2 (0.03) | 6 (0.01) |
| ACNE | 345 (7.14) | 81 (0.55) | 8 (0.03) | | 434 (0.82) |
| ACNE CONGLOBATA | 2 (0.04) | | | | 2 (0.00) |
| ACNE CYSTIC | 18 (0.37) | 8 (0.05) | 1 (0.00) | | 27 (0.05) |
| ACQUIRED HAEMOPHILIA | | | 5 (0.02) | 3 (0.05) | 8 (0.02) |
| ACQUIRED HAEMOPHILIA WITH ANTI FVIII, XI, OR | | | 1 (0.00) | 2 (0.03) | 3 (0.01) |
| ACQUIRED IMMUNODEFICIENCY SYNDROME | 8 (0.17) | 20 (0.14) | 18 (0.07) | | 46 (0.09) |
| ACROMEGALY | 1 (0.02) | 13 (0.09) | 10 (0.04) | | 24 (0.05) |
| ACTINIC KERATOSIS | | | 5 (0.02) | 1 (0.02) | 6 (0.01) |
| ACUTE CORONARY SYNDROME | | 4 (0.03) | 39 (0.15) | 10 (0.15) | 53 (0.10) |
| ACUTE ENDOCARDITIS | | | | 1 (0.02) | 1 (0.00) |
| ACUTE LEUKAEMIA | 2 (0.04) | 1 (0.01) | | | 3 (0.01) |
| ACUTE LYMPHOCYTIC LEUKAEMIA | 54 (1.12) | 18 (0.12) | 3 (0.01) | 1 (0.02) | 76 (0.14) |
| ACUTE LYMPHOCYTIC LEUKAEMIA RECURRENT | 3 (0.06) | | | | 3 (0.01) |
| ACUTE MYELOID LEUKAEMIA | 8 (0.17) | 69 (0.47) | 195 (0.73) | 54 (0.82) | 326 (0.62) |
| ACUTE MYELOID LEUKAEMIA RECURRENT | 1 (0.02) | 7 (0.05) | 14 (0.05) | 1 (0.02) | 23 (0.04) |
| ACUTE MYELOMONOCYTIC LEUKAEMIA | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| ACUTE MYOCARDIAL INFARCTION | | 27 (0.18) | 146 (0.55) | 43 (0.65) | 216 (0.41) |
| ACUTE PROMYELOCYTIC LEUKAEMIA | 4 (0.08) | 13 (0.09) | 18 (0.07) | | 35 (0.07) |
| ACUTE PSYCHOSIS | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.01) |
| ACUTE RESPIRATORY DISTRESS SYNDROME | 5 (0.10) | | | | 5 (0.01) |
| ACUTE RESPIRATORY FAILURE | | | | 1 (0.02) | 1 (0.00) |
| ACUTE SINUSITIS | 5 (0.10) | 5 (0.03) | 1 (0.00) | | 11 (0.02) |
| ACUTE TONSILLITIS | | 10 (0.07) | 2 (0.01) | | 12 (0.02) |
| ADENOCARCINOMA | | | 12 (0.05) | 2 (0.03) | 14 (0.03) |
| ADENOCARCINOMA PANCREAS | | | 13 (0.05) | | 13 (0.02) |
| ADENOIDAL HYPERTROPHY | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ADENOMYOSIS | | 2 (0.01) | | | 2 (0.00) |
| ADHERENT LEUKOMA | | | | 1 (0.02) | 1 (0.00) |
| ADHESION | | 1 (0.01) | | | 1 (0.00) |
| ADJUSTMENT DISORDER | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| ADNEXA UTERI PAIN | | 1 (0.01) | | | 1 (0.00) |
| ADRENAL CARCINOMA | 2 (0.04) | | 1 (0.00) | | 3 (0.01) |
| ADRENAL CORTICAL INSUFFICIENCY | | 1 (0.01) | | | 1 (0.00) |
| ADRENAL GLAND CANCER METASTATIC | | 1 (0.01) | | | 1 (0.00) |
| ADRENAL INSUFFICIENCY | | | 3 (0.01) | | 3 (0.01) |
| ADRENOCORTICAL INSUFFICIENCY CHRONIC | | | 2 (0.01) | | 2 (0.00) |
| ADRENOGENITAL SYNDROME | 2 (0.04) | 3 (0.02) | | | 5 (0.01) |
| ADULT T-CELL LYMPHOMA/LEUKAEMIA | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| ADULT T-CELL LYMPHOMA/LEUKAEMIA REFRACTORY | | 2 (0.01) | | | 2 (0.00) |
| ADVERSE DRUG REACTION | 1 (0.02) | 1 (0.01) | 4 (0.02) | | 6 (0.01) |
| ADVERSE EVENT | | | 1 (0.00) | | 1 (0.00) |
| AFFECT LABILITY | 2 (0.04) | | | | 2 (0.00) |
| AFFECTIVE DISORDER | 20 (0.41) | 25 (0.17) | 14 (0.05) | 2 (0.03) | 61 (0.12) |
| AGGRESSION | 10 (0.21) | 6 (0.04) | 5 (0.02) | | 21 (0.04) |
| AGITATION | 11 (0.23) | 12 (0.08) | 19 (0.07) | 10 (0.15) | 52 (0.10) |
| AGORAPHOBIA | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| AGRANULOCYTOSIS | | 1 (0.01) | 2 (0.01) | 1 (0.02) | 4 (0.01) |
| AIDS RELATED COMPLICATION | | 1 (0.01) | | | 1 (0.00) |
| AKATHISIA | 2 (0.04) | 1 (0.01) | 1 (0.00) | | 4 (0.01) |
| ALCOHOL DETOXIFICATION | | 1 (0.01) | | | 1 (0.00) |
| ALCOHOL POISONING | | 1 (0.01) | | | 1 (0.00) |
| ALCOHOL USE | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| ALCOHOL WITHDRAWAL SYNDROME | | 5 (0.03) | 6 (0.02) | | 11 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ALCOHOLIC LIVER DISEASE | | | 3 (0.01) | | 3 (0.01) |
| ALCOHOLISM | 2 (0.04) | 20 (0.14) | 10 (0.04) | 1 (0.02) | 33 (0.06) |
| ALLERGENIC DESENSITISATION PROCEDURE | | 1 (0.01) | | | 1 (0.00) |
| ALLERGIC SINUSITIS | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| ALLERGY TEST | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| ALLOGENIC BONE MARROW TRANSPLANTATION THERAPY | 3 (0.06) | 1 (0.01) | 2 (0.01) | | 6 (0.01) |
| ALLOIMMUNISATION | 1 (0.02) | | | | 1 (0.00) |
| ALOPECIA | 8 (0.17) | 19 (0.13) | 12 (0.05) | 4 (0.06) | 43 (0.08) |
| ALPHA-1 ANTI-TRYPSIN DEFICIENCY | | 2 (0.01) | | | 2 (0.00) |
| ALVEOLITIS | | 4 (0.03) | | | 4 (0.01) |
| AMAUROSIS FUGAX | | | 1 (0.00) | | 1 (0.00) |
| AMENORRHOEA | | 2 (0.01) | | | 2 (0.00) |
| AMNESIA | | 2 (0.01) | 9 (0.03) | 20 (0.30) | 31 (0.06) |
| AMPUTATION | | | 1 (0.00) | | 1 (0.00) |
| AMYLOIDOSIS | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| AMYOTROPHIC LATERAL SCLEROSIS | | | 7 (0.03) | 1 (0.02) | 8 (0.02) |
| ANAEMIA | 3 (0.06) | 14 (0.10) | 48 (0.18) | 13 (0.20) | 78 (0.15) |
| ANAEMIA HAEMOLYTIC AUTOIMMUNE | 3 (0.06) | 1 (0.01) | 3 (0.01) | | 7 (0.01) |
| ANAEMIA OF MALIGNANT DISEASE | 1 (0.02) | 6 (0.04) | 4 (0.02) | | 11 (0.02) |
| ANAEMIA POSTOPERATIVE | | | | 1 (0.02) | 1 (0.00) |
| ANAEMIA PROPHYLAXIS | | 1 (0.01) | | | 1 (0.00) |
| ANAEMIA VITAMIN B12 DEFICIENCY | | | 4 (0.02) | | 4 (0.01) |
| ANAESTHESIA | 15 (0.31) | 31 (0.21) | 36 (0.14) | 3 (0.05) | 85 (0.16) |
| ANAESTHESIA REVERSAL | | | 1 (0.00) | | 1 (0.00) |
| ANAESTHETIC PREMEDICATION | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| ANAL CANCER | | 2 (0.01) | | | 2 (0.00) |
| ANAL CANCER METASTATIC | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ANAL FISSURE | | 3 (0.02) | | | 3 (0.01) |
| ANAL FISTULA | 1 (0.02) | | | | 1 (0.00) |
| ANALGESIC EFFECT | 6 (0.12) | 39 (0.27) | 76 (0.29) | 13 (0.20) | 134 (0.25) |
| ANALGESIC INTERVENTION SUPPORTIVE THERAPY | | | 3 (0.01) | | 3 (0.01) |
| ANALGESIC THERAPY | | 2 (0.01) | 4 (0.02) | | 6 (0.01) |
| ANAPHYLACTIC REACTION | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| ANAPLASTIC ASTROCYTOMA | | | 4 (0.02) | | 4 (0.01) |
| ANDROGEN DEFICIENCY | | | 1 (0.00) | | 1 (0.00) |
| ANEURYSM | | | 1 (0.00) | | 1 (0.00) |
| ANGELMAN'S SYNDROME | 1 (0.02) | | | | 1 (0.00) |
| ANGER | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| ANGINA PECTORIS | | 13 (0.09) | 84 (0.32) | 46 (0.70) | 143 (0.27) |
| ANGINA UNSTABLE | | | 11 (0.04) | 11 (0.17) | 22 (0.04) |
| ANGIODYSPLASIA | | | 2 (0.01) | | 2 (0.00) |
| ANGIOGRAM | | 2 (0.01) | 6 (0.02) | 3 (0.05) | 11 (0.02) |
| ANGIOGRAM CEREBRAL | | | 3 (0.01) | | 3 (0.01) |
| ANGIOGRAM RETINA | 1 (0.02) | | | | 1 (0.00) |
| ANGIOIMMUNOBLASTIC T-CELL LYMPHOMA | | | 3 (0.01) | | 3 (0.01) |
| ANGIONEUROTIC OEDEMA | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| ANGIOPATHY | | | 9 (0.03) | 1 (0.02) | 10 (0.02) |
| ANGIOPLASTY | | 1 (0.01) | 10 (0.04) | 5 (0.08) | 16 (0.03) |
| ANGIOSARCOMA | | 1 (0.01) | | | 1 (0.00) |
| ANKLE OPERATION | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| ANKYLOSING SPONDYLITIS | 2 (0.04) | 41 (0.28) | 39 (0.15) | 4 (0.06) | 86 (0.16) |
| ANORECTAL INFECTION | | 1 (0.01) | | | 1 (0.00) |
| ANOREXIA | 1 (0.02) | 3 (0.02) | 4 (0.02) | 3 (0.05) | 11 (0.02) |
| ANORGASMIA | | | | 2 (0.03) | 2 (0.00) |
| ANOVULATORY CYCLE | | 2 (0.01) | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ANTACID THERAPY | | 4 (0.03) | 4 (0.02) | | 8 (0.02) |
| ANTI-INFECTIVE THERAPY | | | 1 (0.00) | | 1 (0.00) |
| ANTIALLERGIC THERAPY | | | 4 (0.02) | | 4 (0.01) |
| ANTIANDROGEN THERAPY | | | 1 (0.00) | | 1 (0.00) |
| ANTIBIOTIC LEVEL THERAPEUTIC | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| ANTIBIOTIC PROPHYLAXIS | 5 (0.10) | 17 (0.12) | 26 (0.10) | 2 (0.03) | 50 (0.09) |
| ANTICOAGULANT THERAPY | 2 (0.04) | 13 (0.09) | 66 (0.25) | 18 (0.27) | 99 (0.19) |
| ANTICOAGULATION DRUG LEVEL | | | 1 (0.00) | 2 (0.03) | 3 (0.01) |
| ANTIDEPRESSANT THERAPY | | 7 (0.05) | 9 (0.03) | | 16 (0.03) |
| ANTIEMETIC SUPPORTIVE CARE | | 4 (0.03) | 7 (0.03) | 7 (0.11) | 18 (0.03) |
| ANTIFUNGAL PROPHYLAXIS | | 7 (0.05) | 5 (0.02) | | 12 (0.02) |
| ANTIINFLAMMATORY THERAPY | | 7 (0.05) | 4 (0.02) | | 11 (0.02) |
| ANTINEUTROPHIL CYTOPLASMIC ANTIBODY POSITIVE | | | | 1 (0.02) | 1 (0.00) |
| ANTIPHOSPHOLIPID ANTIBODIES POSITIVE | | | 2 (0.01) | | 2 (0.00) |
| ANTIPHOSPHOLIPID SYNDROME | | 5 (0.03) | | | 5 (0.01) |
| ANTIPLATELET THERAPY | | | 13 (0.05) | 6 (0.09) | 19 (0.04) |
| ANTIPSYCHOTIC DRUG LEVEL INCREASED | | | 1 (0.00) | | 1 (0.00) |
| ANTIPYRESIS | 6 (0.12) | | | | 6 (0.01) |
| ANTITUSSIVE THERAPY | | | 2 (0.01) | | 2 (0.00) |
| ANTIVIRAL PROPHYLAXIS | 65 (1.34) | 10 (0.07) | 2 (0.01) | | 77 (0.15) |
| ANXIETY | 40 (0.83) | 241 (1.65) | 228 (0.86) | 51 (0.78) | 560 (1.06) |
| ANXIETY DISORDER | 3 (0.06) | 14 (0.10) | 29 (0.11) | 3 (0.05) | 49 (0.09) |
| AORTIC ANEURYSM | | | 2 (0.01) | | 2 (0.00) |
| AORTIC ANEURYSM REPAIR | | | 2 (0.01) | | 2 (0.00) |
| AORTIC DISSECTION | | | 6 (0.02) | | 6 (0.01) |
| AORTIC THROMBOSIS | | | 1 (0.00) | | 1 (0.00) |
| AORTIC VALVE INCOMPETENCE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| AORTIC VALVE REPLACEMENT | | 1 (0.01) | 5 (0.02) | 2 (0.03) | 8 (0.02) |
| AORTIC VALVE STENOSIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| APHTHOUS STOMATITIS | 1 (0.02) | | | | 1 (0.00) |
| APLASIA PURE RED CELL | 1 (0.02) | | | 1 (0.02) | 2 (0.00) |
| APLASTIC ANAEMIA | 2 (0.04) | 3 (0.02) | 2 (0.01) | 2 (0.03) | 9 (0.02) |
| APPENDICITIS | 1 (0.02) | | | | 1 (0.00) |
| APPETITE DISORDER | | | | 1 (0.02) | 1 (0.00) |
| APPLICATION SITE ANAESTHESIA | 1 (0.02) | | | | 1 (0.00) |
| ARACHNOIDITIS | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| ARRHYTHMIA | 2 (0.04) | 2 (0.01) | 35 (0.13) | 25 (0.38) | 64 (0.12) |
| ARRHYTHMIA PROPHYLAXIS | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| ARRHYTHMIA SUPRAVENTRICULAR | | | | 2 (0.03) | 2 (0.00) |
| ARTERIAL BYPASS OPERATION | | | 1 (0.00) | | 1 (0.00) |
| ARTERIAL DISORDER | | | 4 (0.02) | 3 (0.05) | 7 (0.01) |
| ARTERIAL OCCLUSIVE DISEASE | | | 3 (0.01) | 1 (0.02) | 4 (0.01) |
| ARTERIAL STENOSIS | | | 5 (0.02) | | 5 (0.01) |
| ARTERIAL STENT INSERTION | | | 1 (0.00) | | 1 (0.00) |
| ARTERIAL THROMBOSIS | | | 1 (0.00) | | 1 (0.00) |
| ARTERIAL THROMBOSIS LIMB | | | 1 (0.00) | | 1 (0.00) |
| ARTERIOGRAM | | 1 (0.01) | | | 1 (0.00) |
| ARTERIOGRAM CAROTID | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| ARTERIOGRAM CORONARY | | 2 (0.01) | 7 (0.03) | 1 (0.02) | 10 (0.02) |
| ARTERIOSCLEROSIS | | 3 (0.02) | 9 (0.03) | 3 (0.05) | 15 (0.03) |
| ARTERIOSCLEROSIS CORONARY ARTERY | | | | 1 (0.02) | 1 (0.00) |
| ARTERIOSCLEROSIS OBLITERANS | | | 7 (0.03) | 9 (0.14) | 16 (0.03) |
| ARTERIOVENOUS GRAFT SITE INFECTION | | 1 (0.01) | | | 1 (0.00) |
| ARTERITIS | | | 5 (0.02) | 1 (0.02) | 6 (0.01) |
| ARTHRALGIA | 8 (0.17) | 347 (2.38) | 1156 (4.34) | 191 (2.90) | 1702 (3.23) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ARTHRITIS | 9 (0.19) | 679 (4.65) | 3063 (11.50) | 570 (8.66) | 4321 (8.21) |
| ARTHRITIS BACTERIAL | | 4 (0.03) | 8 (0.03) | | 12 (0.02) |
| ARTHRITIS INFECTIVE | | 2 (0.01) | 3 (0.01) | 1 (0.02) | 6 (0.01) |
| ARTHRITIS REACTIVE | | | | 1 (0.02) | 1 (0.00) |
| ARTHRODESIS | | 2 (0.01) | | | 2 (0.00) |
| ARTHROGRAM | | | 1 (0.00) | | 1 (0.00) |
| ARTHROPATHY | | 9 (0.06) | 33 (0.12) | 10 (0.15) | 52 (0.10) |
| ARTHROPOD BITE | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| ARTHROPOD STING | | 2 (0.01) | 4 (0.02) | 1 (0.02) | 7 (0.01) |
| ARTIFICIAL MENOPAUSE | | 1 (0.01) | | | 1 (0.00) |
| ASBESTOSIS | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| ASCITES | | 4 (0.03) | 10 (0.04) | | 14 (0.03) |
| ASCITES INFECTION | 1 (0.02) | | | | 1 (0.00) |
| ASPERGER'S DISORDER | 2 (0.04) | | | | 2 (0.00) |
| ASPERGILLOMA | | | | 3 (0.05) | 3 (0.01) |
| ASPERGILLOSIS | 2 (0.04) | 3 (0.02) | 16 (0.06) | 4 (0.06) | 25 (0.05) |
| ASSISTED FERTILISATION | 3 (0.06) | 1 (0.01) | | | 4 (0.01) |
| ASTHENIA | 2 (0.04) | 4 (0.03) | 7 (0.03) | 2 (0.03) | 15 (0.03) |
| ASTHMA | 145 (3.00) | 159 (1.09) | 209 (0.78) | 53 (0.81) | 566 (1.08) |
| ASTROCYTOMA | 1 (0.02) | 2 (0.01) | 5 (0.02) | | 8 (0.02) |
| ATELECTASIS | | | 1 (0.00) | | 1 (0.00) |
| ATRIAL FIBRILLATION | 1 (0.02) | 25 (0.17) | 183 (0.69) | 133 (2.02) | 342 (0.65) |
| ATRIAL FLUTTER | | 2 (0.01) | 25 (0.09) | 17 (0.26) | 44 (0.08) |
| ATRIAL SEPTAL DEFECT | | | 2 (0.01) | | 2 (0.00) |
| ATRIAL SEPTAL DEFECT REPAIR | 1 (0.02) | | | | 1 (0.00) |
| ATRIAL TACHYCARDIA | | 1 (0.01) | 1 (0.00) | 1 (0.02) | 3 (0.01) |
| ATRIAL THROMBOSIS | 1 (0.02) | | | | 1 (0.00) |
| ATRIOVENTRICULAR BLOCK | | | | 1 (0.02) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ATROPHIC VULVOVAGINITIS | | | 1 (0.00) | | 1 (0.00) |
| ATTENTION DEFICIT/HYPERACTIVITY DISORDER | 230 (4.76) | 36 (0.25) | 26 (0.10) | | 292 (0.55) |
| ATYPICAL MYCOBACTERIAL INFECTION | | | 3 (0.01) | 1 (0.02) | 4 (0.01) |
| ATYPICAL MYCOBACTERIAL LYMPHADENITIS | | | 2 (0.01) | | 2 (0.00) |
| AUTISM | 6 (0.12) | | | | 6 (0.01) |
| AUTOIMMUNE DISORDER | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| AUTOIMMUNE HEPATITIS | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| AUTOIMMUNE THYROIDITIS | | 2 (0.01) | 6 (0.02) | | 8 (0.02) |
| AUTOMATISM | | 1 (0.01) | | | 1 (0.00) |
| AUTONOMIC NERVOUS SYSTEM IMBALANCE | | 1 (0.01) | 3 (0.01) | 2 (0.03) | 6 (0.01) |
| AUTONOMIC NEUROPATHY | | 2 (0.01) | | | 2 (0.00) |
| B PRECURSOR TYPE ACUTE LEUKAEMIA | | 2 (0.01) | | | 2 (0.00) |
| B-CELL LYMPHOMA | 1 (0.02) | 7 (0.05) | 23 (0.09) | 4 (0.06) | 35 (0.07) |
| B-CELL SMALL LYMPHOCYTIC LYMPHOMA | | | 1 (0.00) | | 1 (0.00) |
| BACILLUS INFECTION | | | 1 (0.00) | | 1 (0.00) |
| BACK DISORDER | | 17 (0.12) | 40 (0.15) | 2 (0.03) | 59 (0.11) |
| BACK INJURY | 1 (0.02) | 41 (0.28) | 34 (0.13) | | 76 (0.14) |
| BACK PAIN | 6 (0.12) | 486 (3.33) | 872 (3.27) | 117 (1.78) | 1481 (2.81) |
| BACTERAEMIA | | 3 (0.02) | 8 (0.03) | 1 (0.02) | 12 (0.02) |
| BACTERIA BLOOD IDENTIFIED | | | | 1 (0.02) | 1 (0.00) |
| BACTERIAL CULTURE POSITIVE | 1 (0.02) | | | | 1 (0.00) |
| BACTERIAL INFECTION | 3 (0.06) | 14 (0.10) | 28 (0.11) | 6 (0.09) | 51 (0.10) |
| BARIUM ENEMA | | | 1 (0.00) | | 1 (0.00) |
| BARRETT'S OESOPHAGUS | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| BARTHOLINITIS | | | 1 (0.00) | | 1 (0.00) |
| BARTTER'S SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| BASAL CELL CARCINOMA | | 2 (0.01) | 3 (0.01) | 1 (0.02) | 6 (0.01) |
| BASEDOW'S DISEASE | | 10 (0.07) | 2 (0.01) | | 12 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BENIGN NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| BENIGN NEOPLASM OF PROSTATE | | | 3 (0.01) | | 3 (0.01) |
| BENIGN PROSTATIC HYPERPLASIA | | | 131 (0.49) | 71 (1.08) | 202 (0.38) |
| BEREAVEMENT REACTION | | | | 1 (0.02) | 1 (0.00) |
| BETA HAEMOLYTIC STREPTOCOCCAL INFECTION | | 1 (0.01) | | | 1 (0.00) |
| BILE DUCT CANCER | | 1 (0.01) | 5 (0.02) | 2 (0.03) | 8 (0.02) |
| BILE DUCT OBSTRUCTION | | 3 (0.02) | | | 3 (0.01) |
| BILIARY CANCER METASTATIC | | | 1 (0.00) | | 1 (0.00) |
| BILIARY CIRRHOSIS | | | 1 (0.00) | | 1 (0.00) |
| BILIARY CIRRHOSIS PRIMARY | | | 5 (0.02) | 1 (0.02) | 6 (0.01) |
| BILIARY NEOPLASM | | | 2 (0.01) | | 2 (0.00) |
| BILOMA | | | 1 (0.00) | | 1 (0.00) |
| BIOPSY | | | 2 (0.01) | | 2 (0.00) |
| BIPOLAR DISORDER | 164 (3.39) | 504 (3.45) | 233 (0.87) | 20 (0.30) | 921 (1.75) |
| BIPOLAR I DISORDER | 14 (0.29) | 34 (0.23) | 18 (0.07) | 4 (0.06) | 70 (0.13) |
| BIPOLAR II DISORDER | 6 (0.12) | 9 (0.06) | 2 (0.01) | | 17 (0.03) |
| BLADDER ADENOCARCINOMA STAGE UNSPECIFIED | | | 1 (0.00) | | 1 (0.00) |
| BLADDER CANCER | | 1 (0.01) | 72 (0.27) | 24 (0.36) | 97 (0.18) |
| BLADDER CANCER RECURRENT | | | 6 (0.02) | | 6 (0.01) |
| BLADDER DISORDER | | 2 (0.01) | 7 (0.03) | 7 (0.11) | 16 (0.03) |
| BLADDER DISTENSION | | | | 1 (0.02) | 1 (0.00) |
| BLADDER IRRIGATION | | | 1 (0.00) | | 1 (0.00) |
| BLADDER NEOPLASM | | 1 (0.01) | 1 (0.00) | 1 (0.02) | 3 (0.01) |
| BLADDER SPASM | 1 (0.02) | 3 (0.02) | 3 (0.01) | 1 (0.02) | 8 (0.02) |
| BLAST CRISIS IN MYELOGENOUS LEUKAEMIA | | | 3 (0.01) | | 3 (0.01) |
| BLASTOMYCOSIS | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| BLEPHARITIS | | | 1 (0.00) | | 1 (0.00) |
| BLIGHTED OVUM | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BLISTER | 1 (0.02) | | 2 (0.01) | 1 (0.02) | 4 (0.01) |
| BLOOD BETA-D-GLUCAN INCREASED | | | 5 (0.02) | 2 (0.03) | 7 (0.01) |
| BLOOD CALCIUM | 1 (0.02) | | | | 1 (0.00) |
| BLOOD CALCIUM DECREASED | | | 2 (0.01) | | 2 (0.00) |
| BLOOD CHOLESTEROL | | 26 (0.18) | 87 (0.33) | 15 (0.23) | 128 (0.24) |
| BLOOD CHOLESTEROL ABNORMAL | | 3 (0.02) | 8 (0.03) | 3 (0.05) | 14 (0.03) |
| BLOOD CHOLESTEROL DECREASED | | | 1 (0.00) | | 1 (0.00) |
| BLOOD CHOLESTEROL INCREASED | | 96 (0.66) | 454 (1.70) | 120 (1.82) | 670 (1.27) |
| BLOOD CORTISOL DECREASED | | 1 (0.01) | | | 1 (0.00) |
| BLOOD DISORDER | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BLOOD GLUCOSE | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |
| BLOOD GLUCOSE ABNORMAL | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| BLOOD GLUCOSE DECREASED | | | 1 (0.00) | | 1 (0.00) |
| BLOOD GLUCOSE INCREASED | 1 (0.02) | 2 (0.01) | 3 (0.01) | 3 (0.05) | 9 (0.02) |
| BLOOD GROWTH HORMONE | 3 (0.06) | | | | 3 (0.01) |
| BLOOD GROWTH HORMONE DECREASED | | 1 (0.01) | | | 1 (0.00) |
| BLOOD GROWTH HORMONE INCREASED | | 1 (0.01) | | | 1 (0.00) |
| BLOOD HOMOCYSTEINE INCREASED | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| BLOOD HUMAN CHORIONIC GONADOTROPIN INCREASED | | 1 (0.01) | | | 1 (0.00) |
| BLOOD IMMUNOGLOBULIN G DECREASED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BLOOD IRON | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BLOOD IRON DECREASED | | 2 (0.01) | | | 2 (0.00) |
| BLOOD IRON INCREASED | 7 (0.14) | 2 (0.01) | 7 (0.03) | 10 (0.15) | 26 (0.05) |
| BLOOD MAGNESIUM DECREASED | | | 6 (0.02) | | 6 (0.01) |
| BLOOD OESTROGEN | | | 2 (0.01) | | 2 (0.00) |
| BLOOD PHOSPHORUS INCREASED | | 1 (0.01) | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| BLOOD POTASSIUM | | | 3 (0.01) | | 3 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BLOOD POTASSIUM ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| BLOOD POTASSIUM DECREASED | | 4 (0.03) | 7 (0.03) | 7 (0.11) | 18 (0.03) |
| BLOOD PRESSURE | | 14 (0.10) | 83 (0.31) | 18 (0.27) | 115 (0.22) |
| BLOOD PRESSURE ABNORMAL | | 2 (0.01) | 15 (0.06) | 3 (0.05) | 20 (0.04) |
| BLOOD PRESSURE DIASTOLIC INCREASED | | 2 (0.01) | | | 2 (0.00) |
| BLOOD PRESSURE FLUCTUATION | | 1 (0.01) | | 3 (0.05) | 4 (0.01) |
| BLOOD PRESSURE INCREASED | | 10 (0.07) | 16 (0.06) | 11 (0.17) | 37 (0.07) |
| BLOOD PRESSURE MANAGEMENT | | 1 (0.01) | | 4 (0.06) | 5 (0.01) |
| BLOOD PRODUCT TRANSFUSION | | | 1 (0.00) | | 1 (0.00) |
| BLOOD PROLACTIN DECREASED | | 1 (0.01) | | | 1 (0.00) |
| BLOOD PROLACTIN INCREASED | | 2 (0.01) | | | 2 (0.00) |
| BLOOD TESTOSTERONE | | 1 (0.01) | | | 1 (0.00) |
| BLOOD TESTOSTERONE DECREASED | | 6 (0.04) | 12 (0.05) | 1 (0.02) | 19 (0.04) |
| BLOOD TRIGLYCERIDES | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |
| BLOOD TRIGLYCERIDES ABNORMAL | | | | 1 (0.02) | 1 (0.00) |
| BLOOD TRIGLYCERIDES INCREASED | | 9 (0.06) | 16 (0.06) | 1 (0.02) | 26 (0.05) |
| BLOOD URIC ACID INCREASED | | | 1 (0.00) | | 1 (0.00) |
| BODY DYSMORPHIC DISORDER | | | 1 (0.00) | | 1 (0.00) |
| BODY HEIGHT BELOW NORMAL | 20 (0.41) | | | | 20 (0.04) |
| BODY TEMPERATURE | | | 1 (0.00) | | 1 (0.00) |
| BODY TEMPERATURE INCREASED | 1 (0.02) | | | | 1 (0.00) |
| BONE DENSITY DECREASED | 2 (0.04) | 1 (0.01) | 8 (0.03) | 3 (0.05) | 14 (0.03) |
| BONE DISORDER | | 5 (0.03) | 11 (0.04) | 7 (0.11) | 23 (0.04) |
| BONE MARROW CONDITIONING REGIMEN | | 6 (0.04) | 6 (0.02) | | 12 (0.02) |
| BONE MARROW FAILURE | 1 (0.02) | | | | 1 (0.00) |
| BONE MARROW TRANSPLANT | 31 (0.64) | 30 (0.21) | 24 (0.09) | | 85 (0.16) |
| BONE MARROW TUMOUR CELL INFILTRATION | | | | 1 (0.02) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BONE NEOPLASM | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| BONE NEOPLASM MALIGNANT | 1 (0.02) | | 4 (0.02) | 2 (0.03) | 7 (0.01) |
| BONE OPERATION | | 1 (0.01) | | | 1 (0.00) |
| BONE PAIN | | 7 (0.05) | 20 (0.08) | 6 (0.09) | 33 (0.06) |
| BONE SARCOMA | 4 (0.08) | 1 (0.01) | 2 (0.01) | 1 (0.02) | 8 (0.02) |
| BORDERLINE MENTAL IMPAIRMENT | 1 (0.02) | | | | 1 (0.00) |
| BORDERLINE PERSONALITY DISORDER | 2 (0.04) | 4 (0.03) | | | 6 (0.01) |
| BORRELIA INFECTION | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| BOTULISM | | | 1 (0.00) | | 1 (0.00) |
| BOVINE TUBERCULOSIS | 2 (0.04) | | | | 2 (0.00) |
| BOWEL MOVEMENT IRREGULARITY | | 1 (0.01) | | | 1 (0.00) |
| BOWEN'S DISEASE | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| BRACHIAL PLEXOPATHY | | | 1 (0.00) | | 1 (0.00) |
| BRACHIAL PLEXUS INJURY | | | 1 (0.00) | | 1 (0.00) |
| BRACHYTHERAPY | | | 2 (0.01) | | 2 (0.00) |
| BRADYCARDIA | | | | 1 (0.02) | 1 (0.00) |
| BRAIN ABSCESS | 1 (0.02) | | 5 (0.02) | | 6 (0.01) |
| BRAIN CONTUSION | | | 2 (0.01) | | 2 (0.00) |
| BRAIN DAMAGE | | 1 (0.01) | | | 1 (0.00) |
| BRAIN NEOPLASM | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| BRAIN NEOPLASM MALIGNANT | 1 (0.02) | | 2 (0.01) | | 3 (0.01) |
| BRAIN OEDEMA | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |
| BRAIN STEM GLIOMA | 1 (0.02) | | | | 1 (0.00) |
| BREAKTHROUGH PAIN | | 1 (0.01) | 4 (0.02) | | 5 (0.01) |
| BREAST CANCER | 1 (0.02) | 114 (0.78) | 370 (1.39) | 43 (0.65) | 528 (1.00) |
| BREAST CANCER FEMALE | | 7 (0.05) | 22 (0.08) | 6 (0.09) | 35 (0.07) |
| BREAST CANCER IN SITU | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BREAST CANCER MALE | | | | 2 (0.03) | 2 (0.00) |
| BREAST CANCER METASTATIC | | 48 (0.33) | 118 (0.44) | 20 (0.30) | 186 (0.35) |
| BREAST CANCER RECURRENT | | | 10 (0.04) | | 10 (0.02) |
| BREAST CANCER STAGE I | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BREAST CANCER STAGE IV | | 2 (0.01) | 6 (0.02) | | 8 (0.02) |
| BREAST COSMETIC SURGERY | | 1 (0.01) | | | 1 (0.00) |
| BREAST FIBROSIS | | 2 (0.01) | | | 2 (0.00) |
| BREAST NEOPLASM | | | | 1 (0.02) | 1 (0.00) |
| BRIEF PSYCHOTIC DISORDER WITH MARKED STRESSOR | 2 (0.04) | | | | 2 (0.00) |
| BRONCHIAL CARCINOMA | | | 5 (0.02) | 1 (0.02) | 6 (0.01) |
| BRONCHIAL DISORDER | | 1 (0.01) | 2 (0.01) | 1 (0.02) | 4 (0.01) |
| BRONCHIAL HYPERACTIVITY | 1 (0.02) | | | | 1 (0.00) |
| BRONCHIECTASIS | | 2 (0.01) | 13 (0.05) | | 15 (0.03) |
| BRONCHIOLITIS | 1 (0.02) | | | | 1 (0.00) |
| BRONCHIOLOALVEOLAR CARCINOMA | | | 1 (0.00) | | 1 (0.00) |
| BRONCHITIS | 16 (0.33) | 38 (0.26) | 63 (0.24) | 33 (0.50) | 150 (0.28) |
| BRONCHITIS ACUTE | 2 (0.04) | 10 (0.07) | 12 (0.05) | 15 (0.23) | 39 (0.07) |
| BRONCHITIS BACTERIAL | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| BRONCHITIS CHRONIC | | 3 (0.02) | 4 (0.02) | 4 (0.06) | 11 (0.02) |
| BRONCHITIS VIRAL | 1 (0.02) | | | | 1 (0.00) |
| BRONCHOPNEUMONIA | | 2 (0.01) | 6 (0.02) | 6 (0.09) | 14 (0.03) |
| BRONCHOPNEUMOPATHY | | | 3 (0.01) | 1 (0.02) | 4 (0.01) |
| BRONCHOPULMONARY ASPERGILLOSIS | 1 (0.02) | 2 (0.01) | 21 (0.08) | 7 (0.11) | 31 (0.06) |
| BRONCHOPULMONARY ASPERGILLOSIS ALLERGIC | 1 (0.02) | | | | 1 (0.00) |
| BRONCHOSCOPY | | 1 (0.01) | 4 (0.02) | | 5 (0.01) |
| BRONCHOSPASM | | 3 (0.02) | 5 (0.02) | 1 (0.02) | 9 (0.02) |
| BUBONIC PLAGUE | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| BULIMIA NERVOSA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| BURKITT'S LYMPHOMA | | 1 (0.01) | 4 (0.02) | | 5 (0.01) |
| BURNING SENSATION | 1 (0.02) | | | 2 (0.03) | 3 (0.01) |
| BURSA DISORDER | | | 1 (0.00) | | 1 (0.00) |
| BURSITIS | | 12 (0.08) | 35 (0.13) | 3 (0.05) | 50 (0.09) |
| C-REACTIVE PROTEIN INCREASED | 3 (0.06) | | | | 3 (0.01) |
| CACHEXIA | | 1 (0.01) | | | 1 (0.00) |
| CAECITIS | | | 1 (0.00) | | 1 (0.00) |
| CAESAREAN SECTION | 3 (0.06) | 6 (0.04) | | | 9 (0.02) |
| CALCIUM METABOLISM DISORDER | | | | 4 (0.06) | 4 (0.01) |
| CANCER PAIN | 1 (0.02) | 8 (0.05) | 53 (0.20) | 7 (0.11) | 69 (0.13) |
| CANDIDA SEPSIS | | 2 (0.01) | | | 2 (0.00) |
| CANDIDIASIS | 6 (0.12) | 12 (0.08) | 14 (0.05) | 3 (0.05) | 35 (0.07) |
| CARCINOID SYNDROME | | 1 (0.01) | 9 (0.03) | | 10 (0.02) |
| CARCINOID TUMOUR | | 1 (0.01) | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| CARCINOMA IN SITU OF BLADDER | | 3 (0.02) | 3 (0.01) | 8 (0.12) | 14 (0.03) |
| CARCINOMA IN SITU OF SKIN | | | 1 (0.00) | | 1 (0.00) |
| CARDIAC ANEURYSM | | | | 1 (0.02) | 1 (0.00) |
| CARDIAC ARREST | 1 (0.02) | | | | 1 (0.00) |
| CARDIAC DISORDER | 1 (0.02) | 21 (0.14) | 134 (0.50) | 34 (0.52) | 190 (0.36) |
| CARDIAC FAILURE | 1 (0.02) | 5 (0.03) | 26 (0.10) | 43 (0.65) | 75 (0.14) |
| CARDIAC FAILURE ACUTE | | | | 2 (0.03) | 2 (0.00) |
| CARDIAC FAILURE CHRONIC | | | 2 (0.01) | 7 (0.11) | 9 (0.02) |
| CARDIAC FAILURE CONGESTIVE | | 7 (0.05) | 49 (0.18) | 46 (0.70) | 102 (0.19) |
| CARDIAC FIBRILLATION | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| CARDIAC FLUTTER | | | 1 (0.00) | 2 (0.03) | 3 (0.01) |
| CARDIAC GRANULOMA | 1 (0.02) | | | | 1 (0.00) |
| CARDIAC IMAGING PROCEDURE ABNORMAL | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CARDIAC MURMUR | | | 1 (0.00) | | 1 (0.00) |
| CARDIAC OPERATION | | 2 (0.01) | 4 (0.02) | | 6 (0.01) |
| CARDIAC PACEMAKER INSERTION | | | | 2 (0.03) | 2 (0.00) |
| CARDIAC PHARMACOLOGIC STRESS TEST | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CARDIAC STRESS TEST | | 6 (0.04) | 1 (0.00) | 4 (0.06) | 11 (0.02) |
| CARDIAC VALVE DISEASE | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |
| CARDIAC VALVE PROSTHESIS USER | | | | 1 (0.02) | 1 (0.00) |
| CARDIOGENIC SHOCK | | 1 (0.01) | | | 1 (0.00) |
| CARDIOMYOPATHY | 2 (0.04) | 7 (0.05) | 5 (0.02) | | 14 (0.03) |
| CARDIOSPASM | | | | 1 (0.02) | 1 (0.00) |
| CARDIOVASCULAR DISORDER | | 2 (0.01) | 28 (0.11) | 6 (0.09) | 36 (0.07) |
| CARDIOVASCULAR EVALUATION | | | 1 (0.00) | | 1 (0.00) |
| CARDIOVASCULAR EVENT PROPHYLAXIS | | 3 (0.02) | 6 (0.02) | 3 (0.05) | 12 (0.02) |
| CARDIOVERSION | | | 1 (0.00) | | 1 (0.00) |
| CAROTID ARTERY ATHEROMA | | 1 (0.01) | | | 1 (0.00) |
| CAROTID ARTERY DISEASE | | | 1 (0.00) | | 1 (0.00) |
| CAROTID ARTERY INSUFFICIENCY | | | 1 (0.00) | | 1 (0.00) |
| CAROTID ARTERY OCCLUSION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CAROTID ARTERY STENOSIS | | | 2 (0.01) | | 2 (0.00) |
| CAROTID BRUIT | | | 1 (0.00) | | 1 (0.00) |
| CARPAL TUNNEL SYNDROME | | 13 (0.09) | 35 (0.13) | | 48 (0.09) |
| CARTILAGE INJURY | | | 1 (0.00) | | 1 (0.00) |
| CASTLEMAN'S DISEASE | | 1 (0.01) | | | 1 (0.00) |
| CATAPLEXY | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| CATARACT | | | | 1 (0.02) | 1 (0.00) |
| CATARACT OPERATION | | | | 2 (0.03) | 2 (0.00) |
| CATATONIA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| CATHETER PLACEMENT | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CATHETER RELATED COMPLICATION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CATHETER RELATED INFECTION | | | 1 (0.00) | | 1 (0.00) |
| CATHETERISATION CARDIAC | | 1 (0.01) | 5 (0.02) | 4 (0.06) | 10 (0.02) |
| CAUDA EQUINA SYNDROME | | | 4 (0.02) | | 4 (0.01) |
| CELLULITIS | 8 (0.17) | 8 (0.05) | 30 (0.11) | 6 (0.09) | 52 (0.10) |
| CELLULITIS ENTEROCOCCAL | | | 1 (0.00) | | 1 (0.00) |
| CELLULITIS STAPHYLOCOCCAL | | 1 (0.01) | | | 1 (0.00) |
| CELLULITIS STREPTOCOCCAL | | 1 (0.01) | | | 1 (0.00) |
| CENTRAL NERVOUS SYSTEM INFECTION | 2 (0.04) | | | | 2 (0.00) |
| CENTRAL NERVOUS SYSTEM INFLAMMATION | 1 (0.02) | | | | 1 (0.00) |
| CENTRAL NERVOUS SYSTEM LYMPHOMA | | | 3 (0.01) | | 3 (0.01) |
| CENTRAL NERVOUS SYSTEM NEOPLASM | 2 (0.04) | | | | 2 (0.00) |
| CENTRAL NERVOUS SYSTEM STIMULATION | | | 1 (0.00) | | 1 (0.00) |
| CEREBELLAR INFARCTION | | | | 3 (0.05) | 3 (0.01) |
| CEREBRAL ARTERY EMBOLISM | | | 3 (0.01) | 3 (0.05) | 6 (0.01) |
| CEREBRAL ARTERY THROMBOSIS | | | | 1 (0.02) | 1 (0.00) |
| CEREBRAL CIRCULATORY FAILURE | | | 2 (0.01) | | 2 (0.00) |
| CEREBRAL DISORDER | 2 (0.04) | 1 (0.01) | 1 (0.00) | | 4 (0.01) |
| CEREBRAL HAEMATOMA | 1 (0.02) | | | | 1 (0.00) |
| CEREBRAL HAEMORRHAGE | | | 13 (0.05) | 4 (0.06) | 17 (0.03) |
| CEREBRAL INFARCTION | | | 29 (0.11) | 26 (0.40) | 55 (0.10) |
| CEREBRAL ISCHAEMIA | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| CEREBRAL THROMBOSIS | | | 2 (0.01) | | 2 (0.00) |
| CEREBRAL TOXOPLASMOSIS | | 1 (0.01) | | | 1 (0.00) |
| CEREBROVASCULAR ACCIDENT | | 8 (0.05) | 22 (0.08) | 13 (0.20) | 43 (0.08) |
| CEREBROVASCULAR ACCIDENT PROPHYLAXIS | | 7 (0.05) | 17 (0.06) | 11 (0.17) | 35 (0.07) |
| CEREBROVASCULAR DISORDER | | | 5 (0.02) | 3 (0.05) | 8 (0.02) |
| CEREBROVASCULAR INSUFFICIENCY | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CERUMEN IMPACTION | | | | 2 (0.03) | 2 (0.00) |
| CERVICAL DYSPLASIA | | 1 (0.01) | | | 1 (0.00) |
| CERVICAL MYELOPATHY | | 1 (0.01) | | | 1 (0.00) |
| CERVICAL ROOT PAIN | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| CERVICAL SPINAL STENOSIS | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| CERVICOBRACHIAL SYNDROME | | 9 (0.06) | 6 (0.02) | 2 (0.03) | 17 (0.03) |
| CERVIX CARCINOMA | | 3 (0.02) | 12 (0.05) | | 15 (0.03) |
| CERVIX CARCINOMA RECURRENT | | 2 (0.01) | | | 2 (0.00) |
| CHALAZION | 1 (0.02) | | | | 1 (0.00) |
| CHANGE OF BOWEL HABIT | | 1 (0.01) | | | 1 (0.00) |
| CHAPPED LIPS | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| CHEILITIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CHELATION THERAPY | 1 (0.02) | | 1 (0.00) | 1 (0.02) | 3 (0.01) |
| CHEMICAL POISONING | 1 (0.02) | | | | 1 (0.00) |
| CHEMOTHERAPY | 5 (0.10) | 16 (0.11) | 47 (0.18) | 9 (0.14) | 77 (0.15) |
| CHEMOTHERAPY MULTIPLE AGENTS SYSTEMIC | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| CHEST DISCOMFORT | 4 (0.08) | | 5 (0.02) | | 9 (0.02) |
| CHEST INJURY | | | | 1 (0.02) | 1 (0.00) |
| CHEST PAIN | 1 (0.02) | 17 (0.12) | 56 (0.21) | 15 (0.23) | 89 (0.17) |
| CHEST X-RAY ABNORMAL | | | 2 (0.01) | | 2 (0.00) |
| CHILLS | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| CHLAMYDIAL INFECTION | 2 (0.04) | 3 (0.02) | | | 5 (0.01) |
| CHLOASMA | | 1 (0.01) | | | 1 (0.00) |
| CHLOROMA | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| CHOLANGIOGRAM | | | 1 (0.00) | | 1 (0.00) |
| CHOLANGITIS | | | 3 (0.01) | 1 (0.02) | 4 (0.01) |
| CHOLANGITIS SCLEROSING | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CHOLECYSTECTOMY | | 1 (0.01) | | | 1 (0.00) |
| CHOLECYSTITIS | | 1 (0.01) | 1 (0.00) | 4 (0.06) | 6 (0.01) |
| CHOLELITHIASIS | | 1 (0.01) | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| CHONDROMALACIA | | 1 (0.01) | | | 1 (0.00) |
| CHORIORETINOPATHY | | | 1 (0.00) | | 1 (0.00) |
| CHOROIDAL NEOVASCULARISATION | | | 1 (0.00) | 2 (0.03) | 3 (0.01) |
| CHOROIDITIS | 2 (0.04) | 1 (0.01) | | | 3 (0.01) |
| CHRONIC FATIGUE SYNDROME | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| CHRONIC GRANULOMATOUS DISEASE | 3 (0.06) | | | | 3 (0.01) |
| CHRONIC HEPATITIS | | 5 (0.03) | 4 (0.02) | 2 (0.03) | 11 (0.02) |
| CHRONIC INFLAMMATORY DEMYELINATING POLYRADICU | | 2 (0.01) | 3 (0.01) | 1 (0.02) | 6 (0.01) |
| CHRONIC LYMPHOCYTIC LEUKAEMIA | | 5 (0.03) | 49 (0.18) | 10 (0.15) | 64 (0.12) |
| CHRONIC LYMPHOCYTIC LEUKAEMIA RECURRENT | | | 1 (0.00) | | 1 (0.00) |
| CHRONIC LYMPHOCYTIC LEUKAEMIA REFRACTORY | | | 3 (0.01) | | 3 (0.01) |
| CHRONIC MYELOID LEUKAEMIA | 10 (0.21) | 25 (0.17) | 59 (0.22) | 21 (0.32) | 115 (0.22) |
| CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 1 (0.02) | 10 (0.07) | 206 (0.77) | 86 (1.31) | 303 (0.58) |
| CHRONIC RESPIRATORY FAILURE | | | 1 (0.00) | | 1 (0.00) |
| CHRONIC SINUSITIS | | 4 (0.03) | 9 (0.03) | | 13 (0.02) |
| CHYLOTHORAX | 2 (0.04) | | | | 2 (0.00) |
| CIRCADIAN RHYTHM SLEEP DISORDER | | | 1 (0.00) | | 1 (0.00) |
| CLEAR CELL CARCINOMA OF THE KIDNEY | | | 1 (0.00) | | 1 (0.00) |
| CLOSTRIDIAL INFECTION | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| CLOSTRIDIUM COLITIS | 1 (0.02) | 2 (0.01) | 1 (0.00) | 4 (0.06) | 8 (0.02) |
| CLUSTER HEADACHE | | 8 (0.05) | | | 8 (0.02) |
| COAGULOPATHY | 1 (0.02) | 2 (0.01) | 8 (0.03) | 6 (0.09) | 17 (0.03) |
| COCCIDIOIDOMYCOSIS | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| COELIAC DISEASE | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| COGNITIVE DETERIORATION | | | 1 (0.00) | | 1 (0.00) |
| COGNITIVE DISORDER | | 1 (0.01) | 4 (0.02) | 2 (0.03) | 7 (0.01) |
| COLD SWEAT | | 2 (0.01) | | | 2 (0.00) |
| COLECTOMY | | | 1 (0.00) | | 1 (0.00) |
| COLITIS | 1 (0.02) | 5 (0.03) | 6 (0.02) | | 12 (0.02) |
| COLITIS ULCERATIVE | 12 (0.25) | 26 (0.18) | 12 (0.05) | 1 (0.02) | 51 (0.10) |
| COLLAGEN DISORDER | | | 1 (0.00) | | 1 (0.00) |
| COLON CANCER | 2 (0.04) | 13 (0.09) | 123 (0.46) | 9 (0.14) | 147 (0.28) |
| COLON CANCER METASTATIC | | 10 (0.07) | 37 (0.14) | 11 (0.17) | 58 (0.11) |
| COLON CANCER STAGE II | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| COLON CANCER STAGE III | | | 3 (0.01) | | 3 (0.01) |
| COLON CANCER STAGE IV | | | 3 (0.01) | | 3 (0.01) |
| COLON NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| COLONIC ATONY | | | 1 (0.00) | | 1 (0.00) |
| COLONOSCOPY | | 6 (0.04) | 11 (0.04) | 2 (0.03) | 19 (0.04) |
| COLONY STIMULATING FACTOR THERAPY | | 2 (0.01) | | | 2 (0.00) |
| COLORECTAL CANCER | | 20 (0.14) | 62 (0.23) | 17 (0.26) | 99 (0.19) |
| COLORECTAL CANCER METASTATIC | | 30 (0.21) | 133 (0.50) | 17 (0.26) | 180 (0.34) |
| COLORECTAL CANCER RECURRENT | | | 1 (0.00) | | 1 (0.00) |
| COLORECTAL CANCER STAGE III | | | 1 (0.00) | | 1 (0.00) |
| COLORECTAL CANCER STAGE IV | | | 1 (0.00) | | 1 (0.00) |
| COLOSTOMY | | 1 (0.01) | | | 1 (0.00) |
| COMA | | 1 (0.01) | | | 1 (0.00) |
| COMA HEPATIC | | | 3 (0.01) | | 3 (0.01) |
| COMBINED IMMUNODEFICIENCY | 2 (0.04) | | 1 (0.00) | | 3 (0.01) |
| COMPLETED SUICIDE | | 2 (0.01) | | | 2 (0.00) |
| COMPLEX PARTIAL SEIZURES | 6 (0.12) | 4 (0.03) | 7 (0.03) | | 17 (0.03) |
| COMPLEX REGIONAL PAIN SYNDROME | 2 (0.04) | 9 (0.06) | 2 (0.01) | | 13 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| COMPLICATIONS OF TRANSPLANT SURGERY | | 2 (0.01) | | | 2 (0.00) |
| COMPRESSION FRACTURE | | | | 2 (0.03) | 2 (0.00) |
| COMPULSIONS | | 2 (0.01) | | | 2 (0.00) |
| COMPUTERISED TOMOGRAM | 3 (0.06) | 13 (0.09) | 29 (0.11) | 8 (0.12) | 53 (0.10) |
| COMPUTERISED TOMOGRAM ABDOMEN | 2 (0.04) | 5 (0.03) | 6 (0.02) | 1 (0.02) | 14 (0.03) |
| COMPUTERISED TOMOGRAM THORAX | | 2 (0.01) | 4 (0.02) | 2 (0.03) | 8 (0.02) |
| CONDITION AGGRAVATED | 1 (0.02) | 3 (0.02) | 4 (0.02) | 1 (0.02) | 9 (0.02) |
| CONDUCT DISORDER | 1 (0.02) | 2 (0.01) | | | 3 (0.01) |
| CONDUCTION DISORDER | | | | 1 (0.02) | 1 (0.00) |
| CONFUSIONAL STATE | | | 2 (0.01) | 4 (0.06) | 6 (0.01) |
| CONGENITAL APLASTIC ANAEMIA | 1 (0.02) | | | | 1 (0.00) |
| CONGENITAL AURAL FISTULA | | 1 (0.01) | | | 1 (0.00) |
| CONGENITAL CYSTIC KIDNEY DISEASE | 1 (0.02) | | | | 1 (0.00) |
| CONGENITAL DYSKERATOSIS | 1 (0.02) | | | | 1 (0.00) |
| CONGENITAL HYPOTHYROIDISM | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| CONGESTIVE CARDIOMYOPATHY | | 2 (0.01) | | | 2 (0.00) |
| CONJUNCTIVITIS | | 4 (0.03) | 2 (0.01) | 1 (0.02) | 7 (0.01) |
| CONJUNCTIVITIS ALLERGIC | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| CONNECTIVE TISSUE DISORDER | | 2 (0.01) | 4 (0.02) | | 6 (0.01) |
| CONSTIPATION | 6 (0.12) | 22 (0.15) | 93 (0.35) | 54 (0.82) | 175 (0.33) |
| CONSTIPATION PROPHYLAXIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| CONTRACEPTION | 197 (4.07) | 351 (2.40) | 6 (0.02) | | 554 (1.05) |
| CONTUSION | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| CONVULSION | 70 (1.45) | 68 (0.47) | 87 (0.33) | 17 (0.26) | 242 (0.46) |
| CONVULSION IN CHILDHOOD | | 1 (0.01) | | | 1 (0.00) |
| CONVULSION PROPHYLAXIS | 2 (0.04) | 5 (0.03) | 6 (0.02) | 3 (0.05) | 16 (0.03) |
| CORD BLOOD TRANSPLANT THERAPY | 10 (0.21) | 3 (0.02) | | | 13 (0.02) |
| CORNEAL DEGENERATION | | | | 1 (0.02) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CORNEAL DISORDER | | | | 1 (0.02) | 1 (0.00) |
| CORNEAL DYSTROPHY | | | 2 (0.01) | | 2 (0.00) |
| CORNEAL OEDEMA | | | | 1 (0.02) | 1 (0.00) |
| CORNEAL SCAR | | | | 1 (0.02) | 1 (0.00) |
| CORONARY ANGIOPLASTY | | 2 (0.01) | 7 (0.03) | 4 (0.06) | 13 (0.02) |
| CORONARY ARTERIAL STENT INSERTION | | 1 (0.01) | 20 (0.08) | 12 (0.18) | 33 (0.06) |
| CORONARY ARTERY DISEASE | | 6 (0.04) | 52 (0.20) | 28 (0.43) | 86 (0.16) |
| CORONARY ARTERY INSUFFICIENCY | | | 1 (0.00) | 2 (0.03) | 3 (0.01) |
| CORONARY ARTERY OCCLUSION | | | 6 (0.02) | 3 (0.05) | 9 (0.02) |
| CORONARY ARTERY RESTENOSIS | | | 2 (0.01) | | 2 (0.00) |
| CORONARY ARTERY STENOSIS | | | | 2 (0.03) | 2 (0.00) |
| CORONARY ARTERY SURGERY | | 2 (0.01) | 17 (0.06) | 3 (0.05) | 22 (0.04) |
| CORONARY ARTERY THROMBOSIS | | | 1 (0.00) | | 1 (0.00) |
| CORRECTIVE LENS USER | | | 1 (0.00) | | 1 (0.00) |
| COSTOCHONDRITIS | | 7 (0.05) | 7 (0.03) | | 14 (0.03) |
| COUGH | 18 (0.37) | 14 (0.10) | 51 (0.19) | 11 (0.17) | 94 (0.18) |
| CRANIAL NEUROPATHY | | 1 (0.01) | | | 1 (0.00) |
| CRANIOPHARYNGIOMA | 1 (0.02) | | 2 (0.01) | | 3 (0.01) |
| CRANIOTOMY | | | 2 (0.01) | | 2 (0.00) |
| CREUTZFELDT-JAKOB DISEASE | | 1 (0.01) | | | 1 (0.00) |
| CROHN'S DISEASE | 39 (0.81) | 90 (0.62) | 59 (0.22) | 2 (0.03) | 190 (0.36) |
| CRYING | | | 1 (0.00) | | 1 (0.00) |
| CRYPTOCOCCOSIS | | 1 (0.01) | | | 1 (0.00) |
| CULTURE URINE POSITIVE | | | | 1 (0.02) | 1 (0.00) |
| CUTANEOUS LUPUS ERYTHEMATOSUS | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| CUTANEOUS VASCULITIS | | 1 (0.01) | | | 1 (0.00) |
| CYCLOTHYMIC DISORDER | | 1 (0.01) | | | 1 (0.00) |
| CYST | | | 2 (0.01) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| CYSTIC FIBROSIS | 3 (0.06) | 1 (0.01) | 1 (0.00) | | 5 (0.01) |
| CYSTIC FIBROSIS PANCREATIC | 1 (0.02) | | | | 1 (0.00) |
| CYSTINOSIS | 3 (0.06) | | | | 3 (0.01) |
| CYSTINURIA | 2 (0.04) | | | | 2 (0.00) |
| CYSTITIS | | 3 (0.02) | 16 (0.06) | 5 (0.08) | 24 (0.05) |
| CYSTITIS HAEMORRHAGIC | 1 (0.02) | | | | 1 (0.00) |
| CYSTITIS INTERSTITIAL | | 4 (0.03) | 1 (0.00) | 1 (0.02) | 6 (0.01) |
| CYTOMEGALOVIRUS CHORIORETINITIS | 2 (0.04) | 1 (0.01) | | | 3 (0.01) |
| CYTOMEGALOVIRUS COLITIS | | 1 (0.01) | | | 1 (0.00) |
| CYTOMEGALOVIRUS GASTROINTESTINAL INFECTION | | 1 (0.01) | | | 1 (0.00) |
| CYTOMEGALOVIRUS INFECTION | 1 (0.02) | 6 (0.04) | 3 (0.01) | | 10 (0.02) |
| CYTOMEGALOVIRUS VIRAEMIA | | | 1 (0.00) | | 1 (0.00) |
| DANDRUFF | | | | 2 (0.03) | 2 (0.00) |
| DEAFNESS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DEATH OF PARENT | | | 1 (0.00) | | 1 (0.00) |
| DECREASED APPETITE | | 1 (0.01) | 3 (0.01) | 5 (0.08) | 9 (0.02) |
| DECUBITUS ULCER | | 1 (0.01) | | | 1 (0.00) |
| DEEP VEIN THROMBOSIS | 1 (0.02) | 10 (0.07) | 46 (0.17) | 20 (0.30) | 77 (0.15) |
| DEHYDRATION | 2 (0.04) | | 6 (0.02) | | 8 (0.02) |
| DELIRIUM | | 2 (0.01) | 12 (0.05) | 4 (0.06) | 18 (0.03) |
| DELUSION | 1 (0.02) | 2 (0.01) | 21 (0.08) | 1 (0.02) | 25 (0.05) |
| DELUSIONAL DISORDER, PERSECUTORY TYPE | | 3 (0.02) | | | 3 (0.01) |
| DELUSIONAL DISORDER, UNSPECIFIED TYPE | | 1 (0.01) | 5 (0.02) | 2 (0.03) | 8 (0.02) |
| DEMENTIA | | 1 (0.01) | 26 (0.10) | 81 (1.23) | 108 (0.21) |
| DEMENTIA ALZHEIMER'S TYPE | | 1 (0.01) | 48 (0.18) | 159 (2.42) | 208 (0.40) |
| DEMYELINATING POLYNEUROPATHY | | 5 (0.03) | 2 (0.01) | 3 (0.05) | 10 (0.02) |
| DENTAL CARE | 1 (0.02) | 3 (0.02) | 2 (0.01) | | 6 (0.01) |
| DENTAL CLEANING | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DENTAL DISCOMFORT | | | 2 (0.01) | | 2 (0.00) |
| DENTAL DISORDER PROPHYLAXIS | | 4 (0.03) | 5 (0.02) | | 9 (0.02) |
| DENTAL IMPLANTATION | | | 1 (0.00) | | 1 (0.00) |
| DENTAL OPERATION | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| DENTAL PROSTHESIS PLACEMENT | | 1 (0.01) | | | 1 (0.00) |
| DENTAL TREATMENT | | 5 (0.03) | 3 (0.01) | | 8 (0.02) |
| DEPENDENCE | 1 (0.02) | 2 (0.01) | | | 3 (0.01) |
| DEPENDENT PERSONALITY DISORDER | | 1 (0.01) | | | 1 (0.00) |
| DEPRESSED LEVEL OF CONSCIOUSNESS | | 1 (0.01) | | | 1 (0.00) |
| DEPRESSED MOOD | 1 (0.02) | | 2 (0.01) | | 3 (0.01) |
| DEPRESSION | 218 (4.51) | 927 (6.35) | 782 (2.94) | 215 (3.27) | 2142 (4.07) |
| DEPRESSIVE DELUSION | | | 1 (0.00) | 3 (0.05) | 4 (0.01) |
| DEPRESSIVE SYMPTOM | 3 (0.06) | 1 (0.01) | 2 (0.01) | 1 (0.02) | 7 (0.01) |
| DERMAL CYST | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DERMATITIS | 3 (0.06) | 1 (0.01) | 9 (0.03) | | 13 (0.02) |
| DERMATITIS ACNEIFORM | | | 1 (0.00) | | 1 (0.00) |
| DERMATITIS ALLERGIC | | | 4 (0.02) | | 4 (0.01) |
| DERMATITIS ATOPIC | 21 (0.43) | 5 (0.03) | 5 (0.02) | | 31 (0.06) |
| DERMATITIS CONTACT | | 1 (0.01) | | | 1 (0.00) |
| DERMATITIS EXFOLIATIVE | | | | 1 (0.02) | 1 (0.00) |
| DERMATITIS PSORIASIFORM | | | 1 (0.00) | | 1 (0.00) |
| DERMATOFIBROSARCOMA | | 1 (0.01) | | | 1 (0.00) |
| DERMATOMYOSITIS | | 2 (0.01) | 5 (0.02) | 3 (0.05) | 10 (0.02) |
| DESMOID TUMOUR | | 1 (0.01) | | | 1 (0.00) |
| DETOXIFICATION | | 3 (0.02) | | | 3 (0.01) |
| DEVELOPMENTAL GLAUCOMA | | 1 (0.01) | | | 1 (0.00) |
| DEVICE RELATED INFECTION | | 1 (0.01) | 8 (0.03) | 5 (0.08) | 14 (0.03) |
| DIABETES INSIPIDUS | | 4 (0.03) | 2 (0.01) | | 6 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DIABETES MELLITUS | 20 (0.41) | 163 (1.12) | 678 (2.55) | 173 (2.63) | 1034 (1.96) |
| DIABETES MELLITUS INADEQUATE CONTROL | | | 3 (0.01) | 1 (0.02) | 4 (0.01) |
| DIABETES MELLITUS INSULIN-DEPENDENT | 33 (0.68) | 54 (0.37) | 66 (0.25) | 4 (0.06) | 157 (0.30) |
| DIABETES MELLITUS MALNUTRITION-RELATED | | | 2 (0.01) | | 2 (0.00) |
| DIABETES MELLITUS MANAGEMENT | | | | 1 (0.02) | 1 (0.00) |
| DIABETES MELLITUS NON-INSULIN-DEPENDENT | 9 (0.19) | 373 (2.55) | 1570 (5.89) | 169 (2.57) | 2121 (4.03) |
| DIABETIC FOOT | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| DIABETIC FOOT INFECTION | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| DIABETIC GANGRENE | | | 2 (0.01) | | 2 (0.00) |
| DIABETIC GASTROPARESIS | | 1 (0.01) | | | 1 (0.00) |
| DIABETIC KETOACIDOSIS | | 1 (0.01) | | | 1 (0.00) |
| DIABETIC MICROANGIOPATHY | | | 1 (0.00) | | 1 (0.00) |
| DIABETIC NEPHROPATHY | | 2 (0.01) | 12 (0.05) | | 14 (0.03) |
| DIABETIC NEUROPATHY | 1 (0.02) | 12 (0.08) | 49 (0.18) | 13 (0.20) | 75 (0.14) |
| DIABETIC RETINAL OEDEMA | | | 1 (0.00) | | 1 (0.00) |
| DIABETIC RETINOPATHY | | 1 (0.01) | 8 (0.03) | | 9 (0.02) |
| DIABETIC ULCER | | | 1 (0.00) | | 1 (0.00) |
| DIAGNOSTIC PROCEDURE | | 5 (0.03) | 7 (0.03) | | 12 (0.02) |
| DIALYSIS | 2 (0.04) | 1 (0.01) | 2 (0.01) | 5 (0.08) | 10 (0.02) |
| DIAPHRAGM MUSCLE WEAKNESS | | | | 1 (0.02) | 1 (0.00) |
| DIARRHOEA | 1 (0.02) | 5 (0.03) | 43 (0.16) | 7 (0.11) | 56 (0.11) |
| DIARRHOEA INFECTIOUS | | | 1 (0.00) | | 1 (0.00) |
| DIFFICULTY IN WALKING | | | 1 (0.00) | | 1 (0.00) |
| DIFFUSE LARGE B-CELL LYMPHOMA | | 7 (0.05) | 20 (0.08) | 5 (0.08) | 32 (0.06) |
| DISCOMFORT | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| DISEASE PROGRESSION | | | 1 (0.00) | | 1 (0.00) |
| DISEASE RECURRENCE | 2 (0.04) | 1 (0.01) | 3 (0.01) | 2 (0.03) | 8 (0.02) |
| DISORIENTATION | | | | 1 (0.02) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| DISSEMINATED INTRAVASCULAR COAGULATION | 2 (0.04) | 3 (0.02) | 7 (0.03) | 2 (0.03) | 14 (0.03) |
| DISSEMINATED TUBERCULOSIS | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| DISSOCIATIVE DISORDER | 2 (0.04) | | | | 2 (0.00) |
| DISTURBANCE IN ATTENTION | 2 (0.04) | 1 (0.01) | | | 3 (0.01) |
| DIURETIC EFFECT | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |
| DIURETIC THERAPY | | 4 (0.03) | 9 (0.03) | 1 (0.02) | 14 (0.03) |
| DIVERTICULAR PERFORATION | | | 2 (0.01) | | 2 (0.00) |
| DIVERTICULITIS | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| DIVERTICULUM | | | 1 (0.00) | | 1 (0.00) |
| DIVERTICULUM INTESTINAL | | | 1 (0.00) | | 1 (0.00) |
| DIZZINESS | | 8 (0.05) | 7 (0.03) | 4 (0.06) | 19 (0.04) |
| DRESSLER'S SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| DRUG ABUSER | 7 (0.14) | 6 (0.04) | | | 13 (0.02) |
| DRUG ADMINISTRATION ERROR | | | | 1 (0.02) | 1 (0.00) |
| DRUG DEPENDENCE | 15 (0.31) | 27 (0.18) | 3 (0.01) | | 45 (0.09) |
| DRUG DETOXIFICATION | | | 1 (0.00) | | 1 (0.00) |
| DRUG DISPENSING ERROR | 1 (0.02) | 1 (0.01) | | 1 (0.02) | 3 (0.01) |
| DRUG ERUPTION | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| DRUG EXPOSURE DURING PREGNANCY | 18 (0.37) | 1 (0.01) | | | 19 (0.04) |
| DRUG EXPOSURE VIA BREAST MILK | 1 (0.02) | | | | 1 (0.00) |
| DRUG HYPERSENSITIVITY | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| DRUG LEVEL | | | 2 (0.01) | | 2 (0.00) |
| DRUG LEVEL CHANGED | | 1 (0.01) | | | 1 (0.00) |
| DRUG RESISTANCE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DRUG THERAPY | 1 (0.02) | 2 (0.01) | 6 (0.02) | | 9 (0.02) |
| DRUG TOXICITY | 2 (0.04) | 2 (0.01) | 1 (0.00) | | 5 (0.01) |
| DRUG USE FOR UNKNOWN INDICATION | 378 (7.82) | 669 (4.58) | 688 (2.58) | 250 (3.80) | 1985 (3.77) |
| DRUG WITHDRAWAL CONVULSIONS | | 3 (0.02) | | | 3 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|------------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| DRUG WITHDRAWAL MAINTENANCE THERAPY | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| DRUG WITHDRAWAL SYNDROME | | 8 (0.05) | 1 (0.00) | | 9 (0.02) |
| DRY EYE | | 2 (0.01) | 5 (0.02) | 3 (0.05) | 10 (0.02) |
| DRY MOUTH | | 4 (0.03) | 3 (0.01) | | 7 (0.01) |
| DRY SKIN | | 3 (0.02) | 8 (0.03) | 1 (0.02) | 12 (0.02) |
| DUODENAL ULCER | 1 (0.02) | 4 (0.03) | 10 (0.04) | 5 (0.08) | 20 (0.04) |
| DUODENAL ULCER HAEMORRHAGE | | | | 1 (0.02) | 1 (0.00) |
| DUODENITIS | | 2 (0.01) | 4 (0.02) | | 6 (0.01) |
| DYSAESTHESIA | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| DYSFUNCTIONAL UTERINE BLEEDING | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| DYSGLOBULINAEMIA | | | 1 (0.00) | | 1 (0.00) |
| DYSKINESIA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| DYSLIPIDAEMIA | 1 (0.02) | 11 (0.08) | 63 (0.24) | 24 (0.36) | 99 (0.19) |
| DYSMENORRHOEA | 16 (0.33) | 17 (0.12) | | | 33 (0.06) |
| DYSPAREUNIA | | | 1 (0.00) | | 1 (0.00) |
| DYSPEPSIA | 7 (0.14) | 25 (0.17) | 61 (0.23) | 15 (0.23) | 108 (0.21) |
| DYSPHAGIA | | 3 (0.02) | 4 (0.02) | 2 (0.03) | 9 (0.02) |
| DYSPHASIA | | | 1 (0.00) | | 1 (0.00) |
| DYSPHONIA | | | 2 (0.01) | | 2 (0.00) |
| DYSPNOEA | 4 (0.08) | 7 (0.05) | 28 (0.11) | 5 (0.08) | 44 (0.08) |
| DYSPNOEA EXERTIONAL | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| DYSSOMNIA | | | 2 (0.01) | | 2 (0.00) |
| DYSTHYMIC DISORDER | 1 (0.02) | 7 (0.05) | 11 (0.04) | 17 (0.26) | 36 (0.07) |
| DYSTONIA | 1 (0.02) | 2 (0.01) | 3 (0.01) | | 6 (0.01) |
| DYSURIA | | 2 (0.01) | 10 (0.04) | 3 (0.05) | 15 (0.03) |
| EAR DISORDER | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| EAR INFECTION | 12 (0.25) | 10 (0.07) | 9 (0.03) | | 31 (0.06) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------------|---------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| EAR PAIN | 2 (0.04) | 4 (0.03) | 1 (0.00) | 1 (0.02) | 8 (0.02) |
| EATING DISORDER | 3 (0.06) | | | | 3 (0.01) |
| ECHINOCOCCIASIS | | 3 (0.02) | | | 3 (0.01) |
| ECHOCARDIOGRAM | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| ECZEMA | 25 (0.52) | 9 (0.06) | 7 (0.03) | 4 (0.06) | 45 (0.09) |
| ECZEMA NUMMULAR | | | 2 (0.01) | | 2 (0.00) |
| EHLERS-DANLOS SYNDROME | 1 (0.02) | | | | 1 (0.00) |
| EJACULATION DISORDER | | | 1 (0.00) | | 1 (0.00) |
| EJECTION FRACTION DECREASED | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| ELECTROCARDIOGRAM ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| ELECTROCONVULSIVE THERAPY | 1 (0.02) | | | | 1 (0.00) |
| ELECTROENCEPHALOGRAM ABNORMAL | 1 (0.02) | | | | 1 (0.00) |
| ELECTROLYTE IMBALANCE | | | | 3 (0.05) | 3 (0.01) |
| ELECTROLYTE SUBSTITUTION THERAPY | | 7 (0.05) | 11 (0.04) | 2 (0.03) | 20 (0.04) |
| EMBOLIC CEREBRAL INFARCTION | | | 1 (0.00) | | 1 (0.00) |
| EMBOLISM | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |
| EMOTIONAL DISORDER | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| EMOTIONAL DISTRESS | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| EMPHYSEMA | | 4 (0.03) | 25 (0.09) | 12 (0.18) | 41 (0.08) |
| EMPYEMA | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| ENCEPHALITIS | | | 1 (0.00) | | 1 (0.00) |
| ENCEPHALITIS HERPES | 2 (0.04) | | 2 (0.01) | | 4 (0.01) |
| ENCEPHALITIS PERIAXIALIS DIFFUSA | | | | 1 (0.02) | 1 (0.00) |
| ENCEPHALOPATHY | | | 1 (0.00) | | 1 (0.00) |
| ENDARTERECTOMY | | | 1 (0.00) | | 1 (0.00) |
| ENDOCARDIAL DISEASE | | | 1 (0.00) | | 1 (0.00) |
| ENDOCARDITIS | | 5 (0.03) | 6 (0.02) | 3 (0.05) | 14 (0.03) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|--------------------------------|--------------------------------|-----------------------------|--------------------|
| ENDOCARDITIS BACTERIAL | | | 2 (0.01) | | 2 (0.00) |
| ENDOCARDITIS ENTEROCOCCAL | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| ENDOCARDITIS STAPHYLOCOCCAL | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| ENDODONTIC PROCEDURE | | 4 (0.03) | 2 (0.01) | | 6 (0.01) |
| ENDOMETRIAL CANCER | | | 10 (0.04) | 1 (0.02) | 11 (0.02) |
| ENDOMETRIAL DYSPLASIA | | | 1 (0.00) | | 1 (0.00) |
| ENDOMETRIOSIS | 9 (0.19) | 28 (0.19) | | | 37 (0.07) |
| ENDOMETRITIS | 1 (0.02) | | | | 1 (0.00) |
| ENDOPHTHALMITIS | | | 4 (0.02) | | 4 (0.01) |
| ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPH | | | 1 (0.00) | | 1 (0.00) |
| ENDOSCOPY | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| ENDOSCOPY UPPER GASTROINTESTINAL TRACT | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| ENDOTHELIAL DYSFUNCTION | | | 1 (0.00) | | 1 (0.00) |
| ENTERITIS | 1 (0.02) | | | | 1 (0.00) |
| ENTERITIS INFECTIOUS | | 1 (0.01) | | | 1 (0.00) |
| ENTEROBACTER BACTERAEMIA | | | | 1 (0.02) | 1 (0.00) |
| ENTEROBACTER SEPSIS | 1 (0.02) | | | | 1 (0.00) |
| ENTEROCOCCAL BACTERAEMIA | | 3 (0.02) | 3 (0.01) | 2 (0.03) | 8 (0.02) |
| ENTEROCOCCAL INFECTION | 1 (0.02) | 2 (0.01) | 6 (0.02) | | 9 (0.02) |
| ENTEROCOCCAL SEPSIS | | | | 1 (0.02) | 1 (0.00) |
| ENTEROCOLITIS | 1 (0.02) | 4 (0.03) | 1 (0.00) | | 6 (0.01) |
| ENURESIS | 6 (0.12) | | 1 (0.00) | | 7 (0.01) |
| ENZYME ABNORMALITY | 4 (0.08) | | | | 4 (0.01) |
| EOSINOPHILIA | | | 1 (0.00) | | 1 (0.00) |
| EOSINOPHILIC CYSTITIS | | 1 (0.01) | | | 1 (0.00) |
| EOSINOPHILIC LEUKAEMIA | | 1 (0.01) | | | 1 (0.00) |
| EOSINOPHILIC PNEUMONIA | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| EPHELIDES | | 1 (0.01) | | | 1 (0.00) |
| EPICONDYLITIS | | 6 (0.04) | 13 (0.05) | 1 (0.02) | 20 (0.04) |
| EPIDIDYMITIS | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| EPIDURAL ANAESTHESIA | 2 (0.04) | 10 (0.07) | 4 (0.02) | 7 (0.11) | 23 (0.04) |
| EPIGASTRIC DISCOMFORT | | | 1 (0.00) | | 1 (0.00) |
| EPILEPSY | 178 (3.68) | 171 (1.17) | 108 (0.41) | 37 (0.56) | 494 (0.94) |
| EPISCLERITIS | 1 (0.02) | | | | 1 (0.00) |
| EPISTAXIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| EPSTEIN-BARR VIRUS INFECTION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| ERECTILE DYSFUNCTION | 1 (0.02) | 100 (0.68) | 325 (1.22) | 46 (0.70) | 472 (0.90) |
| ERYSIPELAS | | | 5 (0.02) | 5 (0.08) | 10 (0.02) |
| ERYSIPELOID | | | | 1 (0.02) | 1 (0.00) |
| ERYTHEMA | 1 (0.02) | | 4 (0.02) | | 5 (0.01) |
| ERYTHEMA INFECTIOSUM | 1 (0.02) | | | | 1 (0.00) |
| ERYTHEMA NODOSUM | | 1 (0.01) | | | 1 (0.00) |
| ERYTHEMA OF EYELID | | 2 (0.01) | | | 2 (0.00) |
| ERYTHRODERMIC PSORIASIS | 1 (0.02) | 1 (0.01) | 2 (0.01) | 1 (0.02) | 5 (0.01) |
| ERYTHROPENIA | | | 1 (0.00) | | 1 (0.00) |
| ESCHERICHIA INFECTION | | 2 (0.01) | | 1 (0.02) | 3 (0.01) |
| ESCHERICHIA SEPSIS | 1 (0.02) | | 2 (0.01) | 1 (0.02) | 4 (0.01) |
| ESCHERICHIA URINARY TRACT INFECTION | | | 1 (0.00) | | 1 (0.00) |
| ESSENTIAL HYPERTENSION | 3 (0.06) | 6 (0.04) | 65 (0.24) | 59 (0.90) | 133 (0.25) |
| ESSENTIAL THROMBOCYTHAEMIA | | 1 (0.01) | 3 (0.01) | 1 (0.02) | 5 (0.01) |
| ESSENTIAL TREMOR | 3 (0.06) | | 1 (0.00) | | 4 (0.01) |
| EUPHORIC MOOD | 3 (0.06) | 1 (0.01) | | | 4 (0.01) |
| EWING'S SARCOMA | | 1 (0.01) | | | 1 (0.00) |
| EWING'S SARCOMA METASTATIC | 1 (0.02) | | | | 1 (0.00) |
| EX-SMOKER | 1 (0.02) | 9 (0.06) | 10 (0.04) | | 20 (0.04) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| EXCITABILITY | 1 (0.02) | | | 2 (0.03) | 3 (0.01) |
| EXERCISE TEST | | | 2 (0.01) | | 2 (0.00) |
| EXOSTOSIS | | 8 (0.05) | 13 (0.05) | | 21 (0.04) |
| EXPOSURE TO COMMUNICABLE DISEASE | | | 5 (0.02) | | 5 (0.01) |
| EXTRADURAL ABSCESS | | | 1 (0.00) | | 1 (0.00) |
| EXTRANODAL MARGINAL ZONE B-CELL LYMPHOMA (MAL | | 1 (0.01) | | | 1 (0.00) |
| EXTRAPYRAMIDAL DISORDER | 3 (0.06) | 3 (0.02) | 2 (0.01) | | 8 (0.02) |
| EYE DEGENERATIVE DISORDER | | 1 (0.01) | | | 1 (0.00) |
| EYE DISORDER | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |
| EYE INFECTION | | 3 (0.02) | 3 (0.01) | 2 (0.03) | 8 (0.02) |
| EYE INFECTION TOXOPLASMAL | | | 1 (0.00) | | 1 (0.00) |
| EYE INFLAMMATION | | | | 1 (0.02) | 1 (0.00) |
| EYE IRRIGATION | | | 2 (0.01) | | 2 (0.00) |
| EYE IRRITATION | | | 3 (0.01) | | 3 (0.01) |
| EYE LASER SURGERY | | 3 (0.02) | | | 3 (0.01) |
| EYE OPERATION | | | 1 (0.00) | | 1 (0.00) |
| EYE PAIN | | | | 2 (0.03) | 2 (0.00) |
| EYE PRURITUS | | | 2 (0.01) | | 2 (0.00) |
| EYE SWELLING | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| EYELID OEDEMA | | 2 (0.01) | | | 2 (0.00) |
| EYELID OPERATION | | 2 (0.01) | | | 2 (0.00) |
| EYELIDS PRURITUS | | 1 (0.01) | | | 1 (0.00) |
| FABRY'S DISEASE | 10 (0.21) | 26 (0.18) | 26 (0.10) | | 62 (0.12) |
| FACET JOINT SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| FACIAL NEURALGIA | | 4 (0.03) | 2 (0.01) | 3 (0.05) | 9 (0.02) |
| FACIAL PAIN | | 3 (0.02) | 4 (0.02) | | 7 (0.01) |
| FACIAL PALSY | | | 4 (0.02) | | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FACIAL SPASM | | | 1 (0.00) | | 1 (0.00) |
| FACTOR IX DEFICIENCY | 3 (0.06) | 3 (0.02) | 1 (0.00) | | 7 (0.01) |
| FACTOR V LEIDEN MUTATION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| FACTOR VII DEFICIENCY | 3 (0.06) | 1 (0.01) | | | 4 (0.01) |
| FACTOR VIII DEFICIENCY | 22 (0.46) | 2 (0.01) | 8 (0.03) | | 32 (0.06) |
| FAECES DISCOLOURED | | | 1 (0.00) | | 1 (0.00) |
| FAECES HARD | | | | 1 (0.02) | 1 (0.00) |
| FALL | | 2 (0.01) | | 1 (0.02) | 3 (0.01) |
| FALLOPIAN TUBE CANCER | | | 1 (0.00) | | 1 (0.00) |
| FALLOT'S TETRALOGY | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| FALSE POSITIVE LABORATORY RESULT | | 1 (0.01) | | | 1 (0.00) |
| FAMILIAL RISK FACTOR | | | 1 (0.00) | | 1 (0.00) |
| FAMILIAL TREMOR | | | | 1 (0.02) | 1 (0.00) |
| FASCIITIS | | | 1 (0.00) | | 1 (0.00) |
| FAT EMBOLISM | | | 1 (0.00) | | 1 (0.00) |
| FATIGUE | 2 (0.04) | 10 (0.07) | 6 (0.02) | 2 (0.03) | 20 (0.04) |
| FEBRILE BONE MARROW APLASIA | | 2 (0.01) | | | 2 (0.00) |
| FEBRILE NEUTROPENIA | | 5 (0.03) | 3 (0.01) | 5 (0.08) | 13 (0.02) |
| FEELING ABNORMAL | 2 (0.04) | | 1 (0.00) | | 3 (0.01) |
| FEELING OF RELAXATION | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| FELTY'S SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| FEMALE PATTERN BALDNESS | 1 (0.02) | | | | 1 (0.00) |
| FEMUR FRACTURE | | | | 1 (0.02) | 1 (0.00) |
| FIBROMUSCULAR DYSPLASIA | | 1 (0.01) | | | 1 (0.00) |
| FIBROMYALGIA | 1 (0.02) | 83 (0.57) | 125 (0.47) | 3 (0.05) | 212 (0.40) |
| FIBROSIS | | | 2 (0.01) | | 2 (0.00) |
| FIBROUS DYSPLASIA OF BONE | 1 (0.02) | | 2 (0.01) | | 3 (0.01) |
| FIBULA FRACTURE | | 2 (0.01) | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| FILARIASIS LYMPHATIC | 2 (0.04) | | | | 2 (0.00) |
| FISTULA | | | | 2 (0.03) | 2 (0.00) |
| FLANK PAIN | | 1 (0.01) | | | 1 (0.00) |
| FLATULENCE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| FLUID OVERLOAD | | | 6 (0.02) | 1 (0.02) | 7 (0.01) |
| FLUID REPLACEMENT | 3 (0.06) | | 6 (0.02) | 1 (0.02) | 10 (0.02) |
| FLUID RETENTION | 1 (0.02) | 6 (0.04) | 33 (0.12) | 5 (0.08) | 45 (0.09) |
| FOETAL GROWTH RETARDATION | 3 (0.06) | | | | 3 (0.01) |
| FOLATE DEFICIENCY | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| FOLLICLE CENTRE LYMPHOMA, FOLLICULAR GRADE I, | | | | 1 (0.02) | 1 (0.00) |
| FOLLICULITIS | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| FOOD ALLERGY | 2 (0.04) | 1 (0.01) | | | 3 (0.01) |
| FOOD AVERSION | 1 (0.02) | | | | 1 (0.00) |
| FOOT DEFORMITY | | | | 1 (0.02) | 1 (0.00) |
| FOOT FRACTURE | | | 1 (0.00) | | 1 (0.00) |
| FOOT OPERATION | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| FOREIGN TRAVEL | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| FRACTURE | | 1 (0.01) | 6 (0.02) | 2 (0.03) | 9 (0.02) |
| FRACTURE MALUNION | | 2 (0.01) | | | 2 (0.00) |
| FREQUENT BOWEL MOVEMENTS | | | 1 (0.00) | | 1 (0.00) |
| FUNDOSCOPY | 2 (0.04) | | | | 2 (0.00) |
| FUNGAEMIA | 2 (0.04) | | | 2 (0.03) | 4 (0.01) |
| FUNGAL INFECTION | 9 (0.19) | 18 (0.12) | 30 (0.11) | 8 (0.12) | 65 (0.12) |
| FUNGAL OESOPHAGITIS | | | | 1 (0.02) | 1 (0.00) |
| FUNGAL PERITONITIS | | | 1 (0.00) | | 1 (0.00) |
| FUNGAL SKIN INFECTION | | 3 (0.02) | 1 (0.00) | 2 (0.03) | 6 (0.01) |
| FURUNCLE | 1 (0.02) | | 2 (0.01) | | 3 (0.01) |
| FUSARIUM INFECTION | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GAIT DISTURBANCE | | | 1 (0.00) | | 1 (0.00) |
| GALLBLADDER CANCER | | 3 (0.02) | 3 (0.01) | 3 (0.05) | 9 (0.02) |
| GALLBLADDER CANCER STAGE IV | | | | 1 (0.02) | 1 (0.00) |
| GALLBLADDER DISORDER | | | 1 (0.00) | | 1 (0.00) |
| GALLBLADDER PAIN | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| GAMMOPATHY | | | 2 (0.01) | | 2 (0.00) |
| GANGRENE | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| GASTRIC BYPASS | | 1 (0.01) | | | 1 (0.00) |
| GASTRIC CANCER | | 27 (0.18) | 63 (0.24) | 14 (0.21) | 104 (0.20) |
| GASTRIC CANCER RECURRENT | | | | 1 (0.02) | 1 (0.00) |
| GASTRIC CANCER STAGE IV | | 2 (0.01) | 4 (0.02) | 1 (0.02) | 7 (0.01) |
| GASTRIC DISORDER | | 6 (0.04) | 32 (0.12) | 10 (0.15) | 48 (0.09) |
| GASTRIC HAEMORRHAGE | 1 (0.02) | | | 1 (0.02) | 2 (0.00) |
| GASTRIC PERFORATION | | | 1 (0.00) | | 1 (0.00) |
| GASTRIC PH DECREASED | | 1 (0.01) | | | 1 (0.00) |
| GASTRIC ULCER | 1 (0.02) | 12 (0.08) | 67 (0.25) | 27 (0.41) | 107 (0.20) |
| GASTRIC ULCER HAEMORRHAGE | | | 1 (0.00) | 4 (0.06) | 5 (0.01) |
| GASTRIC ULCER HELICOBACTER | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| GASTRINOMA | | | 1 (0.00) | | 1 (0.00) |
| GASTRITIS | 1 (0.02) | 17 (0.12) | 85 (0.32) | 48 (0.73) | 151 (0.29) |
| GASTRITIS EROSIVE | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |
| GASTRODUODENAL ULCER | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| GASTRODUODENITIS | | 1 (0.01) | | | 1 (0.00) |
| GASTROENTERITIS | 2 (0.04) | 3 (0.02) | 5 (0.02) | 1 (0.02) | 11 (0.02) |
| GASTROINTESTINAL CANDIDIASIS | | | | 2 (0.03) | 2 (0.00) |
| GASTROINTESTINAL CARCINOMA | | | 1 (0.00) | | 1 (0.00) |
| GASTROINTESTINAL DISORDER | 2 (0.04) | 7 (0.05) | 23 (0.09) | 6 (0.09) | 38 (0.07) |
| GASTROINTESTINAL DISORDER THERAPY | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GASTROINTESTINAL HAEMORRHAGE | 1 (0.02) | 3 (0.02) | 1 (0.00) | 2 (0.03) | 7 (0.01) |
| GASTROINTESTINAL INFECTION | | 2 (0.01) | | | 2 (0.00) |
| GASTROINTESTINAL INFLAMMATION | 1 (0.02) | | | | 1 (0.00) |
| GASTROINTESTINAL MALFORMATION | | | 1 (0.00) | | 1 (0.00) |
| GASTROINTESTINAL MOTILITY DISORDER | | | 1 (0.00) | | 1 (0.00) |
| GASTROINTESTINAL MUCOSAL NECROSIS | | | 1 (0.00) | | 1 (0.00) |
| GASTROINTESTINAL PAIN | | 2 (0.01) | | | 2 (0.00) |
| GASTROINTESTINAL STROMAL TUMOUR | | 19 (0.13) | 39 (0.15) | 10 (0.15) | 68 (0.13) |
| GASTROINTESTINAL ULCER | | 3 (0.02) | | | 3 (0.01) |
| GASTROINTESTINAL ULCER HAEMORRHAGE | | | | 1 (0.02) | 1 (0.00) |
| GASTROOESOPHAGEAL CANCER | | 6 (0.04) | 2 (0.01) | 1 (0.02) | 9 (0.02) |
| GASTROOESOPHAGEAL REFLUX DISEASE | 8 (0.17) | 57 (0.39) | 189 (0.71) | 25 (0.38) | 279 (0.53) |
| GASTROOESOPHAGITIS | | | 1 (0.00) | | 1 (0.00) |
| GAUCHER'S DISEASE | 16 (0.33) | 9 (0.06) | 20 (0.08) | 8 (0.12) | 53 (0.10) |
| GENERAL ANAESTHESIA | 9 (0.19) | 13 (0.09) | 17 (0.06) | 3 (0.05) | 42 (0.08) |
| GENERAL NUTRITION DISORDER | 1 (0.02) | | | | 1 (0.00) |
| GENERAL PHYSICAL HEALTH DETERIORATION | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| GENERAL SYMPTOM | | 1 (0.01) | | | 1 (0.00) |
| GENERALISED ANXIETY DISORDER | 9 (0.19) | 13 (0.09) | 5 (0.02) | 2 (0.03) | 29 (0.06) |
| GENERALISED OEDEMA | | | | 1 (0.02) | 1 (0.00) |
| GENITAL PRURITUS FEMALE | 3 (0.06) | 12 (0.08) | 3 (0.01) | | 18 (0.03) |
| GERM CELL CANCER | 4 (0.08) | 2 (0.01) | | | 6 (0.01) |
| GESTATIONAL DIABETES | 1 (0.02) | 2 (0.01) | | | 3 (0.01) |
| GINGIVAL INFECTION | | 1 (0.01) | | | 1 (0.00) |
| GINGIVAL PAIN | | | | 1 (0.02) | 1 (0.00) |
| GINGIVITIS | | 1 (0.01) | 3 (0.01) | 1 (0.02) | 5 (0.01) |
| GLAUCOMA | | 11 (0.08) | 82 (0.31) | 35 (0.53) | 128 (0.24) |
| GLIOBLASTOMA | 2 (0.04) | 9 (0.06) | 18 (0.07) | | 29 (0.06) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| GLIOBLASTOMA MULTIFORME | | 3 (0.02) | 21 (0.08) | | 24 (0.05) |
| GLIOMA | 2 (0.04) | | 8 (0.03) | | 10 (0.02) |
| GLOMERULONEPHRITIS | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| GLOMERULONEPHRITIS CHRONIC | | 3 (0.02) | 5 (0.02) | | 8 (0.02) |
| GLOMERULONEPHRITIS MEMBRANOUS | | | 1 (0.00) | | 1 (0.00) |
| GLOMERULONEPHRITIS RAPIDLY PROGRESSIVE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| GLOMERULOSCLEROSIS | | 1 (0.01) | | | 1 (0.00) |
| GLUCOSE TOLERANCE IMPAIRED | | 1 (0.01) | 11 (0.04) | 4 (0.06) | 16 (0.03) |
| GOUT | | 27 (0.18) | 94 (0.35) | 13 (0.20) | 134 (0.25) |
| GOUTY ARTHRITIS | | | 7 (0.03) | 2 (0.03) | 9 (0.02) |
| GOUTY TOPHUS | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| GRAFT INFECTION | | | 3 (0.01) | 1 (0.02) | 4 (0.01) |
| GRAFT VERSUS HOST DISEASE | 5 (0.10) | 6 (0.04) | 5 (0.02) | | 16 (0.03) |
| GRAM STAIN POSITIVE | | | 1 (0.00) | | 1 (0.00) |
| GRAND MAL CONVULSION | 5 (0.10) | 12 (0.08) | 5 (0.02) | | 22 (0.04) |
| GRANULOCYTE COUNT DECREASED | | | 1 (0.00) | | 1 (0.00) |
| GROIN PAIN | | 3 (0.02) | | 1 (0.02) | 4 (0.01) |
| GROWING PAINS | 1 (0.02) | | | | 1 (0.00) |
| GROWTH HORMONE DEFICIENCY | 60 (1.24) | 16 (0.11) | 20 (0.08) | 1 (0.02) | 97 (0.18) |
| GROWTH RETARDATION | 6 (0.12) | | | | 6 (0.01) |
| GUILLAIN-BARRE SYNDROME | | 4 (0.03) | 9 (0.03) | | 13 (0.02) |
| GYNAECOLOGICAL CHLAMYDIA INFECTION | 3 (0.06) | | | | 3 (0.01) |
| GYNAECOLOGICAL EXAMINATION | | 1 (0.01) | | | 1 (0.00) |
| HAEMANGIOBLASTOMA | | | 1 (0.00) | | 1 (0.00) |
| HAEMANGIOMA OF LIVER | | 1 (0.01) | | | 1 (0.00) |
| HAEMANGIOMA OF RETINA | 1 (0.02) | | | | 1 (0.00) |
| HAEMARTHROSIS | | 2 (0.01) | | | 2 (0.00) |
| HAEMATEMESIS | | | | 1 (0.02) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HAEMATOCRIT DECREASED | | | | 1 (0.02) | 1 (0.00) |
| HAEMATOMA | | | 2 (0.01) | | 2 (0.00) |
| HAEMATOPOIETIC NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| HAEMATURIA | | | | 1 (0.02) | 1 (0.00) |
| HAEMOCHROMATOSIS | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| HAEMODIALYSIS | | | 2 (0.01) | | 2 (0.00) |
| HAEMODILUTION | | | 1 (0.00) | | 1 (0.00) |
| HAEMOGLOBIN DECREASED | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| HAEMOPHILIA | 5 (0.10) | 1 (0.01) | | | 6 (0.01) |
| HAEMOPHILIA A WITH ANTI FACTOR VIII | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| HAEMOPHILIC ARTHROPATHY | | | 1 (0.00) | | 1 (0.00) |
| HAEMOPTYSIS | | 1 (0.01) | | | 1 (0.00) |
| HAEMORRHAGE | 6 (0.12) | 6 (0.04) | 3 (0.01) | 1 (0.02) | 16 (0.03) |
| HAEMORRHAGE CONTROL | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| HAEMORRHAGE INTRACRANIAL | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| HAEMORRHOIDS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| HAEMOSIDEROSIS | 5 (0.10) | 3 (0.02) | | 1 (0.02) | 9 (0.02) |
| HAIRY CELL LEUKAEMIA | | 1 (0.01) | | | 1 (0.00) |
| HALLUCINATION | | 4 (0.03) | 5 (0.02) | 4 (0.06) | 13 (0.02) |
| HALLUCINATION, AUDITORY | 1 (0.02) | 2 (0.01) | 4 (0.02) | | 7 (0.01) |
| HALLUCINATION, VISUAL | 1 (0.02) | | | | 1 (0.00) |
| HEAD INJURY | 1 (0.02) | 1 (0.01) | 8 (0.03) | | 10 (0.02) |
| HEADACHE | 24 (0.50) | 105 (0.72) | 104 (0.39) | 8 (0.12) | 241 (0.46) |
| HEART AND LUNG TRANSPLANT | | 5 (0.03) | | | 5 (0.01) |
| HEART DISEASE CONGENITAL | 5 (0.10) | 2 (0.01) | | | 7 (0.01) |
| HEART INJURY | | | 1 (0.00) | | 1 (0.00) |
| HEART RATE | 1 (0.02) | | 2 (0.01) | | 3 (0.01) |
| HEART RATE ABNORMAL | | | | 1 (0.02) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HEART RATE DECREASED | | | 5 (0.02) | 1 (0.02) | 6 (0.01) |
| HEART RATE INCREASED | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| HEART RATE IRREGULAR | | 2 (0.01) | 4 (0.02) | 4 (0.06) | 10 (0.02) |
| HEART TRANSPLANT | 2 (0.04) | 3 (0.02) | 12 (0.05) | | 17 (0.03) |
| HEART VALVE REPLACEMENT | | | 3 (0.01) | 4 (0.06) | 7 (0.01) |
| HELICOBACTER GASTRITIS | | 1 (0.01) | 2 (0.01) | 1 (0.02) | 4 (0.01) |
| HELICOBACTER INFECTION | 2 (0.04) | 15 (0.10) | 18 (0.07) | 7 (0.11) | 42 (0.08) |
| HELICOBACTER PYLORI IDENTIFICATION TEST POSIT | | | 2 (0.01) | | 2 (0.00) |
| HEMIPLEGIA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| HEPARIN NEUTRALISATION THERAPY | | | 1 (0.00) | | 1 (0.00) |
| HEPARIN-INDUCED THROMBOCYTOPENIA | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| HEPATIC CANCER METASTATIC | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| HEPATIC CIRRHOSIS | | 7 (0.05) | 8 (0.03) | | 15 (0.03) |
| HEPATIC ENCEPHALOPATHY | | | | 1 (0.02) | 1 (0.00) |
| HEPATIC FUNCTION ABNORMAL | | | 11 (0.04) | 3 (0.05) | 14 (0.03) |
| HEPATIC NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| HEPATIC NEOPLASM MALIGNANT | 1 (0.02) | 1 (0.01) | 15 (0.06) | 3 (0.05) | 20 (0.04) |
| HEPATIC PAIN | | | 1 (0.00) | | 1 (0.00) |
| HEPATIC STEATOSIS | | | | 1 (0.02) | 1 (0.00) |
| HEPATITIS | 2 (0.04) | 2 (0.01) | 10 (0.04) | | 14 (0.03) |
| HEPATITIS B | 3 (0.06) | 20 (0.14) | 32 (0.12) | 1 (0.02) | 56 (0.11) |
| HEPATITIS B SURFACE ANTIGEN POSITIVE | 1 (0.02) | | | | 1 (0.00) |
| HEPATITIS B VIRUS | | 1 (0.01) | | | 1 (0.00) |
| HEPATITIS C | 14 (0.29) | 232 (1.59) | 246 (0.92) | 2 (0.03) | 494 (0.94) |
| HEPATITIS C VIRUS | | 4 (0.03) | 4 (0.02) | | 8 (0.02) |
| HEPATITIS CHOLESTATIC | | | | 2 (0.03) | 2 (0.00) |
| HEPATITIS INFECTIOUS | | 1 (0.01) | | | 1 (0.00) |
| HEPATO-LENTICULAR DEGENERATION | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HEPATOBLASTOMA | 1 (0.02) | | | | 1 (0.00) |
| HEPATOMEGALY | | | | 1 (0.02) | 1 (0.00) |
| HEPATORENAL SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| HEREDITARY ANGIOEDEMA | | 1 (0.01) | | | 1 (0.00) |
| HERNIA | | 1 (0.01) | | | 1 (0.00) |
| HERNIA PAIN | | 2 (0.01) | | | 2 (0.00) |
| HERNIA REPAIR | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| HERPES GESTATIONIS | | 1 (0.01) | | | 1 (0.00) |
| HERPES OPHTHALMIC | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| HERPES SIMPLEX | 3 (0.06) | 7 (0.05) | 18 (0.07) | 4 (0.06) | 32 (0.06) |
| HERPES VIRUS INFECTION | 2 (0.04) | 3 (0.02) | | | 5 (0.01) |
| HERPES ZOSTER | 4 (0.08) | 18 (0.12) | 69 (0.26) | 35 (0.53) | 126 (0.24) |
| HERPES ZOSTER INFECTION NEUROLOGICAL | | | 1 (0.00) | | 1 (0.00) |
| HERPES ZOSTER OPHTHALMIC | | | 1 (0.00) | | 1 (0.00) |
| HERPETIC STOMATITIS | | | 2 (0.01) | | 2 (0.00) |
| HIATUS HERNIA | | 1 (0.01) | 11 (0.04) | 2 (0.03) | 14 (0.03) |
| HICCUPS | | 5 (0.03) | 1 (0.00) | 2 (0.03) | 8 (0.02) |
| HIDRADENITIS | | 2 (0.01) | | | 2 (0.00) |
| HIGH DENSITY LIPOPROTEIN | | | 1 (0.00) | | 1 (0.00) |
| HIGH DENSITY LIPOPROTEIN DECREASED | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| HIGH DENSITY LIPOPROTEIN INCREASED | | | 1 (0.00) | 2 (0.03) | 3 (0.01) |
| HIP ARTHROPLASTY | | | 8 (0.03) | 1 (0.02) | 9 (0.02) |
| HIP DYSPLASIA | | 1 (0.01) | | | 1 (0.00) |
| HIP FRACTURE | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| HIP SURGERY | | 2 (0.01) | | | 2 (0.00) |
| HIRSUTISM | | | | 1 (0.02) | 1 (0.00) |
| HISTIOCYTOSIS HAEMATOPHAGIC | | | 1 (0.00) | | 1 (0.00) |
| HISTOPLASMOSIS | 2 (0.04) | | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HIV INFECTION | 63 (1.30) | 446 (3.05) | 110 (0.41) | 2 (0.03) | 621 (1.18) |
| HIV INFECTION CDC CATEGORY A2 | | 1 (0.01) | | | 1 (0.00) |
| HIV INFECTION CDC CATEGORY B2 | | 2 (0.01) | | | 2 (0.00) |
| HIV TEST POSITIVE | 2 (0.04) | 9 (0.06) | 1 (0.00) | | 12 (0.02) |
| HODGKIN'S DISEASE | 4 (0.08) | 7 (0.05) | 10 (0.04) | | 21 (0.04) |
| HODGKIN'S DISEASE STAGE III | | | 2 (0.01) | | 2 (0.00) |
| HORMONE LEVEL ABNORMAL | | 9 (0.06) | 11 (0.04) | | 20 (0.04) |
| HORMONE REPLACEMENT THERAPY | | 70 (0.48) | 436 (1.64) | 17 (0.26) | 523 (0.99) |
| HORMONE THERAPY | | | 1 (0.00) | | 1 (0.00) |
| HOT FLUSH | | 4 (0.03) | 59 (0.22) | 1 (0.02) | 64 (0.12) |
| HUMAN HERPESVIRUS 6 INFECTION | 2 (0.04) | | | | 2 (0.00) |
| HUMERUS FRACTURE | | | 1 (0.00) | | 1 (0.00) |
| HUNGER | | | 2 (0.01) | | 2 (0.00) |
| HUNTINGTON'S CHOREA | | | 1 (0.00) | | 1 (0.00) |
| HYDRONEPHROSIS | | 1 (0.01) | | | 1 (0.00) |
| HYPERCALCAEMIA | | | 3 (0.01) | | 3 (0.01) |
| HYPERCALCAEMIA OF MALIGNANCY | | | 5 (0.02) | 1 (0.02) | 6 (0.01) |
| HYPERCHLORHYDRIA | 1 (0.02) | 2 (0.01) | 5 (0.02) | 1 (0.02) | 9 (0.02) |
| HYPERCHOLESTEROLAEMIA | 2 (0.04) | 48 (0.33) | 233 (0.87) | 83 (1.26) | 366 (0.70) |
| HYPERCOAGULATION | 1 (0.02) | | | | 1 (0.00) |
| HYPEREMESIS GRAVIDARUM | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| HYPEREOSINOPHILIC SYNDROME | 1 (0.02) | | | | 1 (0.00) |
| HYPERGLYCAEMIA | 1 (0.02) | | 15 (0.06) | | 16 (0.03) |
| HYPERHIDROSIS | 4 (0.08) | 2 (0.01) | 2 (0.01) | | 8 (0.02) |
| HYPERHOMOCYSTEINAEMIA | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| HYPERINSULINISM | 2 (0.04) | | | | 2 (0.00) |
| HYPERKALAEMIA | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |
| HYPERKERATOSIS | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HYPERLIPIDAEMIA | 1 (0.02) | 40 (0.27) | 250 (0.94) | 46 (0.70) | 337 (0.64) |
| HYPERPARATHYROIDISM | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| HYPERPARATHYROIDISM SECONDARY | 1 (0.02) | 4 (0.03) | 10 (0.04) | 2 (0.03) | 17 (0.03) |
| HYPERPHOSPHATAEMIA | 3 (0.06) | 13 (0.09) | 33 (0.12) | 8 (0.12) | 57 (0.11) |
| HYPERPLASIA | | | 1 (0.00) | | 1 (0.00) |
| HYPERPROLACTINAEMIA | 3 (0.06) | 4 (0.03) | | | 7 (0.01) |
| HYPERPYREXIA | | 1 (0.01) | | | 1 (0.00) |
| HYPERSENSITIVITY | 13 (0.27) | 37 (0.25) | 100 (0.38) | 12 (0.18) | 162 (0.31) |
| HYPERSOMNIA | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| HYPERTENSION | 21 (0.43) | 310 (2.12) | 1393 (5.23) | 550 (8.36) | 2274 (4.32) |
| HYPERTENSIVE CARDIOMYOPATHY | | | | 8 (0.12) | 8 (0.02) |
| HYPERTENSIVE HEART DISEASE | | | 6 (0.02) | 12 (0.18) | 18 (0.03) |
| HYPERTHERMIA | 4 (0.08) | | 3 (0.01) | | 7 (0.01) |
| HYPERTHYROIDISM | 2 (0.04) | 6 (0.04) | 5 (0.02) | 1 (0.02) | 14 (0.03) |
| HYPERTONIA | | 1 (0.01) | 2 (0.01) | 1 (0.02) | 4 (0.01) |
| HYPERTONIC BLADDER | 1 (0.02) | 20 (0.14) | 74 (0.28) | 60 (0.91) | 155 (0.29) |
| HYPERTRICHOSIS | | 1 (0.01) | | | 1 (0.00) |
| HYPERTRIGLYCERIDAEMIA | | 6 (0.04) | 21 (0.08) | | 27 (0.05) |
| HYPERTROPHIC CARDIOMYOPATHY | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| HYPERTROPHIC SCAR | 1 (0.02) | | | | 1 (0.00) |
| HYPERURICAEMIA | | 6 (0.04) | 31 (0.12) | 20 (0.30) | 57 (0.11) |
| HYPERVENTILATION | 3 (0.06) | | | | 3 (0.01) |
| HYPOAESTHESIA | | 4 (0.03) | 10 (0.04) | 4 (0.06) | 18 (0.03) |
| HYPOALBUMINAEMIA | | | | 2 (0.03) | 2 (0.00) |
| HYPOCALCAEMIA | | | 3 (0.01) | | 3 (0.01) |
| HYPOGAMMAGLOBULINAEMIA | 3 (0.06) | 1 (0.01) | 3 (0.01) | | 7 (0.01) |
| HYPOGLYCAEMIA | | 1 (0.01) | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| HYPOGONADISM | | 1 (0.01) | 3 (0.01) | 1 (0.02) | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| HYPOGONADISM MALE | | | 2 (0.01) | | 2 (0.00) |
| HYPOKALAEMIA | | 4 (0.03) | 18 (0.07) | 6 (0.09) | 28 (0.05) |
| HYPOMAGNESAEMIA | | | 3 (0.01) | | 3 (0.01) |
| HYPOMANIA | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| HYPONATRAEMIA | | | | 2 (0.03) | 2 (0.00) |
| HYPOPARATHYROIDISM | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| HYPOPHARYNGEAL CANCER | | 2 (0.01) | | | 2 (0.00) |
| HYPOPHARYNGEAL CANCER RECURRENT | | | 1 (0.00) | | 1 (0.00) |
| HYPOPHARYNGEAL CANCER STAGE IV | | 1 (0.01) | | | 1 (0.00) |
| HYPOPHOSPHATAEMIA | | 1 (0.01) | | | 1 (0.00) |
| HYPOPITUITARISM | 26 (0.54) | 13 (0.09) | 23 (0.09) | 5 (0.08) | 67 (0.13) |
| HYPOPNOEA | | | 1 (0.00) | | 1 (0.00) |
| HYPOPROTEINAEMIA | | | 2 (0.01) | | 2 (0.00) |
| HYPOTENSION | 1 (0.02) | 4 (0.03) | 6 (0.02) | 2 (0.03) | 13 (0.02) |
| HYPOTHALAMO-PITUITARY DISORDERS | | 2 (0.01) | | 1 (0.02) | 3 (0.01) |
| HYPOTHERMIA | | | | 1 (0.02) | 1 (0.00) |
| HYPOTHYROIDISM | 7 (0.14) | 35 (0.24) | 124 (0.47) | 43 (0.65) | 209 (0.40) |
| HYPOTONIA | 1 (0.02) | 7 (0.05) | 14 (0.05) | | 22 (0.04) |
| HYPOTONIC URINARY BLADDER | | | | 1 (0.02) | 1 (0.00) |
| HYPOTRICHOSIS | | | 5 (0.02) | | 5 (0.01) |
| HYPOVITAMINOSIS | | 5 (0.03) | 2 (0.01) | | 7 (0.01) |
| HYSTERECTOMY | | | 3 (0.01) | 2 (0.03) | 5 (0.01) |
| HYSTEROSALPINGOGRAM | | 1 (0.01) | | | 1 (0.00) |
| IDIOPATHIC PNEUMONIA SYNDROME | 1 (0.02) | | | | 1 (0.00) |
| IDIOPATHIC PULMONARY FIBROSIS | | | 43 (0.16) | 11 (0.17) | 54 (0.10) |
| IDIOPATHIC THROMBOCYTOPENIC PURPURA | 8 (0.17) | 5 (0.03) | 7 (0.03) | 9 (0.14) | 29 (0.06) |
| IDIOPATHIC URTICARIA | | 1 (0.01) | | | 1 (0.00) |
| ILEUS | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ILEUS PARALYTIC | 1 (0.02) | | | | 1 (0.00) |
| ILIAC ARTERY THROMBOSIS | | | 1 (0.00) | | 1 (0.00) |
| ILL-DEFINED DISORDER | 79 (1.63) | 242 (1.66) | 518 (1.94) | 216 (3.28) | 1055 (2.00) |
| IMMUNE ENHANCEMENT THERAPY | | 1 (0.01) | | | 1 (0.00) |
| IMMUNE SYSTEM DISORDER | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| IMMUNISATION | 3 (0.06) | 5 (0.03) | 1 (0.00) | | 9 (0.02) |
| IMMUNODEFICIENCY | 1 (0.02) | 3 (0.02) | 1 (0.00) | | 5 (0.01) |
| IMMUNODEFICIENCY COMMON VARIABLE | 2 (0.04) | 2 (0.01) | 5 (0.02) | 3 (0.05) | 12 (0.02) |
| IMMUNODEFICIENCY CONGENITAL | 2 (0.04) | | | | 2 (0.00) |
| IMMUNOSUPPRESSANT DRUG THERAPY | 8 (0.17) | 4 (0.03) | 6 (0.02) | | 18 (0.03) |
| IMMUNOSUPPRESSION | 3 (0.06) | 8 (0.05) | 10 (0.04) | | 21 (0.04) |
| IMPAIRED GASTRIC EMPTYING | | 2 (0.01) | 5 (0.02) | 1 (0.02) | 8 (0.02) |
| IMPAIRED HEALING | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| IMPETIGO | 2 (0.04) | | 3 (0.01) | 1 (0.02) | 6 (0.01) |
| IMPINGEMENT SYNDROME | | 2 (0.01) | | 2 (0.03) | 4 (0.01) |
| IMPLANTABLE DEFIBRILLATOR INSERTION | | | 1 (0.00) | 2 (0.03) | 3 (0.01) |
| IMPULSE-CONTROL DISORDER | 3 (0.06) | | | | 3 (0.01) |
| IMPULSIVE BEHAVIOUR | 1 (0.02) | | | | 1 (0.00) |
| IN VITRO FERTILISATION | | 21 (0.14) | | | 21 (0.04) |
| INCISION SITE COMPLICATION | | | 1 (0.00) | | 1 (0.00) |
| INCONTINENCE | | 1 (0.01) | 20 (0.08) | 8 (0.12) | 29 (0.06) |
| INCORRECT DOSE ADMINISTERED | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| INCREASED APPETITE | | | 2 (0.01) | | 2 (0.00) |
| INCREASED BRONCHIAL SECRETION | | | 1 (0.00) | | 1 (0.00) |
| INCREASED UPPER AIRWAY SECRETION | | 1 (0.01) | | | 1 (0.00) |
| INDUCED ABORTION HAEMORRHAGE | | 1 (0.01) | | | 1 (0.00) |
| INDUCED LABOUR | 2 (0.04) | | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| INDUCTION AND MAINTENANCE OF ANAESTHESIA | 1 (0.02) | 2 (0.01) | 7 (0.03) | | 10 (0.02) |
| INDUCTION OF ANAESTHESIA | 5 (0.10) | 8 (0.05) | 10 (0.04) | 2 (0.03) | 25 (0.05) |
| INDWELLING CATHETER MANAGEMENT | | | | 1 (0.02) | 1 (0.00) |
| INFANTILE SPASMS | 1 (0.02) | | | | 1 (0.00) |
| INFARCTION | | 2 (0.01) | | | 2 (0.00) |
| INFECTION | 11 (0.23) | 26 (0.18) | 75 (0.28) | 23 (0.35) | 135 (0.26) |
| INFECTION PARASITIC | 2 (0.04) | 1 (0.01) | | | 3 (0.01) |
| INFECTION PROPHYLAXIS | 7 (0.14) | 12 (0.08) | 37 (0.14) | 4 (0.06) | 60 (0.11) |
| INFECTION PROTOZOAL | | | 1 (0.00) | | 1 (0.00) |
| INFECTIOUS MONONUCLEOSIS | 1 (0.02) | | | | 1 (0.00) |
| INFECTIVE SPONDYLITIS | | 2 (0.01) | | | 2 (0.00) |
| INFERTILITY | | 8 (0.05) | | | 8 (0.02) |
| INFERTILITY FEMALE | | 3 (0.02) | | | 3 (0.01) |
| INFESTATION | | | 1 (0.00) | | 1 (0.00) |
| INFILTRATION ANAESTHESIA | | 6 (0.04) | 10 (0.04) | | 16 (0.03) |
| INFLAMMATION | | 66 (0.45) | 83 (0.31) | 15 (0.23) | 164 (0.31) |
| INFLAMMATORY BOWEL DISEASE | 4 (0.08) | | 1 (0.00) | 1 (0.02) | 6 (0.01) |
| INFLAMMATORY CARCINOMA OF THE BREAST | | | 3 (0.01) | | 3 (0.01) |
| INFLUENZA | 68 (1.41) | 39 (0.27) | 37 (0.14) | 15 (0.23) | 159 (0.30) |
| INFLUENZA IMMUNISATION | | 2 (0.01) | 3 (0.01) | 2 (0.03) | 7 (0.01) |
| INFLUENZA LIKE ILLNESS | 1 (0.02) | 1 (0.01) | 5 (0.02) | | 7 (0.01) |
| INITIAL INSOMNIA | | 24 (0.16) | 34 (0.13) | 21 (0.32) | 79 (0.15) |
| INJURY | 1 (0.02) | 4 (0.03) | 3 (0.01) | | 8 (0.02) |
| INSOMNIA | 50 (1.03) | 334 (2.29) | 506 (1.90) | 155 (2.36) | 1045 (1.98) |
| INSOMNIA RELATED TO ANOTHER MENTAL CONDITION | | | | 1 (0.02) | 1 (0.00) |
| INSULIN RESISTANCE | 1 (0.02) | 7 (0.05) | 3 (0.01) | | 11 (0.02) |
| INSULIN RESISTANT DIABETES | | | | 1 (0.02) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| INSULIN-REQUIRING TYPE II DIABETES MELLITUS | | 12 (0.08) | 71 (0.27) | 7 (0.11) | 90 (0.17) |
| INSULINOMA | | | 2 (0.01) | | 2 (0.00) |
| INTENTIONAL DRUG MISUSE | 11 (0.23) | 6 (0.04) | 1 (0.00) | | 18 (0.03) |
| INTENTIONAL OVERDOSE | 8 (0.17) | 10 (0.07) | 1 (0.00) | | 19 (0.04) |
| INTERCOSTAL NEURALGIA | | | | 2 (0.03) | 2 (0.00) |
| INTERMITTENT CLAUDICATION | | 2 (0.01) | 2 (0.01) | 1 (0.02) | 5 (0.01) |
| INTERMITTENT EXPLOSIVE DISORDER | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| INTERNATIONAL NORMALISED RATIO INCREASED | | | 1 (0.00) | | 1 (0.00) |
| INTERSTITIAL LUNG DISEASE | | 1 (0.01) | 16 (0.06) | 2 (0.03) | 19 (0.04) |
| INTERTRIGO CANDIDA | | | 1 (0.00) | | 1 (0.00) |
| INTERVERTEBRAL DISC DEGENERATION | | 20 (0.14) | 33 (0.12) | | 53 (0.10) |
| INTERVERTEBRAL DISC DISORDER | | 4 (0.03) | 4 (0.02) | | 8 (0.02) |
| INTERVERTEBRAL DISC DISPLACEMENT | | 1 (0.01) | | | 1 (0.00) |
| INTERVERTEBRAL DISC OPERATION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| INTERVERTEBRAL DISC PROTRUSION | | 29 (0.20) | 31 (0.12) | | 60 (0.11) |
| INTERVERTEBRAL DISCITIS | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |
| INTESTINAL FUNCTIONAL DISORDER | | | 1 (0.00) | | 1 (0.00) |
| INTRA-THORACIC AORTIC ANEURYSM REPAIR | | | 1 (0.00) | | 1 (0.00) |
| INTRA-UTERINE CONTRACEPTIVE DEVICE | | 1 (0.01) | | | 1 (0.00) |
| INTRACARDIAC THROMBUS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| INTRACRANIAL ANEURYSM | | | 1 (0.00) | | 1 (0.00) |
| INTRACRANIAL INJURY | | | 5 (0.02) | | 5 (0.01) |
| INTRACRANIAL PRESSURE INCREASED | 2 (0.04) | 2 (0.01) | 2 (0.01) | 1 (0.02) | 7 (0.01) |
| INTRAOCULAR PRESSURE DECREASED | | | 1 (0.00) | | 1 (0.00) |
| INTRAOCULAR PRESSURE INCREASED | | 1 (0.01) | 3 (0.01) | 1 (0.02) | 5 (0.01) |
| INTRAOCULAR PRESSURE TEST | | | 3 (0.01) | | 3 (0.01) |
| INTRAVENOUS CATHETER MANAGEMENT | | | 3 (0.01) | | 3 (0.01) |
| INTRAVENTRICULAR HAEMORRHAGE NEONATAL | 5 (0.10) | | | | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| INTUBATION | | 2 (0.01) | 2 (0.01) | 1 (0.02) | 5 (0.01) |
| INTUBATION COMPLICATION | | 1 (0.01) | | | 1 (0.00) |
| INULIN RENAL CLEARANCE | 2 (0.04) | | | | 2 (0.00) |
| IRITIS | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| IRON DEFICIENCY | | 3 (0.02) | 4 (0.02) | | 7 (0.01) |
| IRON DEFICIENCY ANAEMIA | 1 (0.02) | 9 (0.06) | 11 (0.04) | 4 (0.06) | 25 (0.05) |
| IRON METABOLISM DISORDER | 2 (0.04) | | | | 2 (0.00) |
| IRRITABILITY | 1 (0.02) | 1 (0.01) | 1 (0.00) | 3 (0.05) | 6 (0.01) |
| IRRITABLE BOWEL SYNDROME | 5 (0.10) | 36 (0.25) | 23 (0.09) | 4 (0.06) | 68 (0.13) |
| ISCHAEMIA | | 1 (0.01) | 3 (0.01) | 2 (0.03) | 6 (0.01) |
| ISCHAEMIC CARDIOMYOPATHY | | | 4 (0.02) | 8 (0.12) | 12 (0.02) |
| ISCHAEMIC HEART DISEASE PROPHYLAXIS | | 1 (0.01) | 11 (0.04) | | 12 (0.02) |
| ISCHAEMIC STROKE | | 2 (0.01) | 1 (0.00) | 4 (0.06) | 7 (0.01) |
| IUCD COMPLICATION | 1 (0.02) | | | | 1 (0.00) |
| JAW DISORDER | | 1 (0.01) | | | 1 (0.00) |
| JAW FRACTURE | 3 (0.06) | | | | 3 (0.01) |
| JESSNER'S LYMPHOCYTIC INFILTRATION | | 2 (0.01) | | | 2 (0.00) |
| JOINT ABSCESS | | 1 (0.01) | | | 1 (0.00) |
| JOINT DISLOCATION | | | 5 (0.02) | | 5 (0.01) |
| JOINT INJURY | 1 (0.02) | 30 (0.21) | 29 (0.11) | | 60 (0.11) |
| JOINT INSTABILITY | 1 (0.02) | | | | 1 (0.00) |
| JOINT PROSTHESIS USER | | | 1 (0.00) | | 1 (0.00) |
| JOINT SPRAIN | 2 (0.04) | 9 (0.06) | 6 (0.02) | | 17 (0.03) |
| JOINT STIFFNESS | | 4 (0.03) | 8 (0.03) | 1 (0.02) | 13 (0.02) |
| JOINT SURGERY | | 1 (0.01) | | | 1 (0.00) |
| JOINT SWELLING | | 18 (0.12) | 12 (0.05) | 1 (0.02) | 31 (0.06) |
| JUVENILE ARTHRITIS | 25 (0.52) | 6 (0.04) | 2 (0.01) | | 33 (0.06) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| KAPOSI'S SARCOMA | | 2 (0.01) | 2 (0.01) | 1 (0.02) | 5 (0.01) |
| KAWASAKI'S DISEASE | 10 (0.21) | | | | 10 (0.02) |
| KERATITIS | 4 (0.08) | 5 (0.03) | 1 (0.00) | | 10 (0.02) |
| KERATITIS FUNGAL | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| KERATOCONUS | | 1 (0.01) | | | 1 (0.00) |
| KERATOPATHY | | | | 1 (0.02) | 1 (0.00) |
| KETOACIDOSIS | | 1 (0.01) | | | 1 (0.00) |
| KIDNEY INFECTION | | 1 (0.01) | 4 (0.02) | | 5 (0.01) |
| KIDNEY TRANSPLANT REJECTION | | 5 (0.03) | 1 (0.00) | | 6 (0.01) |
| KLEBSIELLA BACTERAEMIA | 1 (0.02) | | | | 1 (0.00) |
| KLEBSIELLA INFECTION | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| KNEE ARTHROPLASTY | | 2 (0.01) | 15 (0.06) | 2 (0.03) | 19 (0.04) |
| KNEE OPERATION | | 4 (0.03) | 18 (0.07) | | 22 (0.04) |
| LABORATORY TEST ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| LABOUR INDUCTION | 5 (0.10) | 5 (0.03) | | | 10 (0.02) |
| LABYRINTHITIS | | 1 (0.01) | | | 1 (0.00) |
| LACERATION | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| LACRIMATION INCREASED | 1 (0.02) | | | | 1 (0.00) |
| LACTATION DISORDER | 1 (0.02) | | | | 1 (0.00) |
| LACUNAR INFARCTION | | | 6 (0.02) | 3 (0.05) | 9 (0.02) |
| LARGE CELL CARCINOMA OF THE RESPIRATORY TRACT | | | | 1 (0.02) | 1 (0.00) |
| LARGE CELL LUNG CANCER STAGE IV | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| LARYNGEAL CANCER | | 1 (0.01) | 4 (0.02) | | 5 (0.01) |
| LARYNGEAL CANCER RECURRENT | | | 1 (0.00) | | 1 (0.00) |
| LARYNGECTOMY | | | 1 (0.00) | | 1 (0.00) |
| LARYNGITIS ALLERGIC | 1 (0.02) | | | | 1 (0.00) |
| LARYNGITIS VIRAL | 1 (0.02) | | | | 1 (0.00) |

Page 784 of 827 14SEP2015

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LARYNGOMALACIA | 2 (0.04) | | | | 2 (0.00) |
| LARYNGOPHARYNGITIS | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| LATENT TETANY | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| LAXATIVE SUPPORTIVE CARE | | 2 (0.01) | | | 2 (0.00) |
| LDL/HDL RATIO | | | 1 (0.00) | | 1 (0.00) |
| LEARNING DISABILITY | | | 2 (0.01) | | 2 (0.00) |
| LEARNING DISORDER | | 1 (0.01) | | | 1 (0.00) |
| LEFT VENTRICULAR FAILURE | | 1 (0.01) | | 2 (0.03) | 3 (0.01) |
| LEGIONELLA INFECTION | | | 1 (0.00) | | 1 (0.00) |
| LEIOMYOSARCOMA | | | 1 (0.00) | | 1 (0.00) |
| LEIOMYOSARCOMA METASTATIC | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| LENNOX-GASTAUT SYNDROME | 1 (0.02) | | | | 1 (0.00) |
| LEPROMATOUS LEPROSY | | 1 (0.01) | | | 1 (0.00) |
| LEPROSY | 1 (0.02) | | | | 1 (0.00) |
| LETHARGY | 1 (0.02) | 1 (0.01) | 3 (0.01) | | 5 (0.01) |
| LEUKAEMIA | 3 (0.06) | | 8 (0.03) | | 11 (0.02) |
| LEUKAEMIA PLASMACYTIC | | | 4 (0.02) | | 4 (0.01) |
| LEUKAEMIA RECURRENT | 2 (0.04) | | 1 (0.00) | | 3 (0.01) |
| LIBIDO DECREASED | | 1 (0.01) | | | 1 (0.00) |
| LIBIDO DISORDER | | | 1 (0.00) | | 1 (0.00) |
| LICE INFESTATION | 4 (0.08) | 1 (0.01) | 1 (0.00) | | 6 (0.01) |
| LICHEN PLANUS | | 4 (0.03) | | | 4 (0.01) |
| LICHENIFICATION | | | 1 (0.00) | | 1 (0.00) |
| LIFE SUPPORT | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| LIGAMENT INJURY | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| LIGAMENT OPERATION | | 3 (0.02) | | | 3 (0.01) |
| LIGAMENT SPRAIN | | 2 (0.01) | | | 2 (0.00) |
| LIGHT CHAIN DISEASE | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LIMB DISCOMFORT | | | 6 (0.02) | 1 (0.02) | 7 (0.01) |
| LIMB INJURY | | 25 (0.17) | 5 (0.02) | 1 (0.02) | 31 (0.06) |
| LIMB OPERATION | | | 4 (0.02) | | 4 (0.01) |
| LIMB TRAUMATIC AMPUTATION | | | 1 (0.00) | | 1 (0.00) |
| LIP AND/OR ORAL CAVITY CANCER | | | 3 (0.01) | | 3 (0.01) |
| LIP AND/OR ORAL CAVITY CANCER RECURRENT | | 1 (0.01) | | | 1 (0.00) |
| LIPID METABOLISM DISORDER | | 4 (0.03) | 7 (0.03) | 3 (0.05) | 14 (0.03) |
| LIPIDS | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| LIPIDS INCREASED | | 3 (0.02) | 6 (0.02) | 1 (0.02) | 10 (0.02) |
| LIPOSARCOMA METASTATIC | | | 1 (0.00) | | 1 (0.00) |
| LISTERIOSIS | 1 (0.02) | | | | 1 (0.00) |
| LIVER ABSCESS | 1 (0.02) | | | | 1 (0.00) |
| LIVER DISORDER | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.01) |
| LIVER SCAN | | | 1 (0.00) | | 1 (0.00) |
| LIVER TRANSPLANT | 8 (0.17) | 15 (0.10) | 45 (0.17) | | 68 (0.13) |
| LIVER TRANSPLANT REJECTION | | | 1 (0.00) | | 1 (0.00) |
| LOBAR PNEUMONIA | 1 (0.02) | | 1 (0.00) | 1 (0.02) | 3 (0.01) |
| LOCAL ANAESTHESIA | 6 (0.12) | 17 (0.12) | 19 (0.07) | 1 (0.02) | 43 (0.08) |
| LOCAL SWELLING | | 1 (0.01) | | | 1 (0.00) |
| LOCALISED INFECTION | | | 5 (0.02) | | 5 (0.01) |
| LONG QT SYNDROME CONGENITAL | 1 (0.02) | | | | 1 (0.00) |
| LOSS OF CONSCIOUSNESS | | | | 1 (0.02) | 1 (0.00) |
| LOSS OF LIBIDO | | | | 1 (0.02) | 1 (0.00) |
| LOW DENSITY LIPOPROTEIN | | | 1 (0.00) | | 1 (0.00) |
| LOW DENSITY LIPOPROTEIN INCREASED | | 3 (0.02) | 8 (0.03) | | 11 (0.02) |
| LOWER LIMB FRACTURE | | 1 (0.01) | 2 (0.01) | 2 (0.03) | 5 (0.01) |
| LOWER RESPIRATORY TRACT INFECTION | 5 (0.10) | 2 (0.01) | 27 (0.10) | 13 (0.20) | 47 (0.09) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LUMBAR HERNIA | | | 4 (0.02) | | 4 (0.01) |
| LUMBAR RADICULOPATHY | | 7 (0.05) | 3 (0.01) | 1 (0.02) | 11 (0.02) |
| LUMBAR SPINAL STENOSIS | | | 4 (0.02) | 2 (0.03) | 6 (0.01) |
| LUMBAR SPINE FLATTENING | | | 1 (0.00) | | 1 (0.00) |
| LUMBAR VERTEBRAL FRACTURE | | 2 (0.01) | | | 2 (0.00) |
| LUNG ABSCESS | | | 1 (0.00) | | 1 (0.00) |
| LUNG ADENOCARCINOMA | | 8 (0.05) | 29 (0.11) | 11 (0.17) | 48 (0.09) |
| LUNG ADENOCARCINOMA METASTATIC | | | 1 (0.00) | | 1 (0.00) |
| LUNG ADENOCARCINOMA STAGE III | | | 1 (0.00) | | 1 (0.00) |
| LUNG ADENOCARCINOMA STAGE IV | | | 5 (0.02) | | 5 (0.01) |
| LUNG CANCER METASTATIC | | | 14 (0.05) | 2 (0.03) | 16 (0.03) |
| LUNG CARCINOMA CELL TYPE UNSPECIFIED RECURREN | | 2 (0.01) | | | 2 (0.00) |
| LUNG CARCINOMA CELL TYPE UNSPECIFIED STAGE II | | | 3 (0.01) | | 3 (0.01) |
| LUNG CARCINOMA CELL TYPE UNSPECIFIED STAGE IV | | | 3 (0.01) | | 3 (0.01) |
| LUNG DISORDER | 17 (0.35) | 2 (0.01) | 11 (0.04) | 6 (0.09) | 36 (0.07) |
| LUNG INFECTION | 7 (0.14) | 1 (0.01) | 7 (0.03) | 4 (0.06) | 19 (0.04) |
| LUNG INFECTION PSEUDOMONAL | 1 (0.02) | 1 (0.01) | 4 (0.02) | | 6 (0.01) |
| LUNG INJURY | 1 (0.02) | | | | 1 (0.00) |
| LUNG NEOPLASM | | | 2 (0.01) | | 2 (0.00) |
| LUNG NEOPLASM MALIGNANT | | 20 (0.14) | 122 (0.46) | 33 (0.50) | 175 (0.33) |
| LUNG SQUAMOUS CELL CARCINOMA STAGE UNSPECIFIE | | | 1 (0.00) | 2 (0.03) | 3 (0.01) |
| LUNG TRANSPLANT | 4 (0.08) | 7 (0.05) | 12 (0.05) | | 23 (0.04) |
| LUPUS NEPHRITIS | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| LUTEAL PHASE DEFICIENCY | | 2 (0.01) | | | 2 (0.00) |
| LYME DISEASE | | 11 (0.08) | 4 (0.02) | | 15 (0.03) |
| LYMPH NODE PAIN | | | 1 (0.00) | | 1 (0.00) |
| LYMPH NODE TUBERCULOSIS | | 3 (0.02) | | | 3 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| LYMPHADENITIS | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| LYMPHADENOPATHY | 1 (0.02) | 1 (0.01) | 2 (0.01) | | 4 (0.01) |
| LYMPHOCYTE COUNT ABNORMAL | | | | 1 (0.02) | 1 (0.00) |
| LYMPHOCYTIC LEUKAEMIA | 2 (0.04) | | | 2 (0.03) | 4 (0.01) |
| LYMPHOMA | 2 (0.04) | 13 (0.09) | 29 (0.11) | 8 (0.12) | 52 (0.10) |
| LYMPHOPENIA | | | 1 (0.00) | | 1 (0.00) |
| LYMPHOPROLIFERATIVE DISORDER | | | 1 (0.00) | | 1 (0.00) |
| MACULAR DEGENERATION | 1 (0.02) | | 20 (0.08) | 37 (0.56) | 58 (0.11) |
| MACULAR OEDEMA | | | 6 (0.02) | | 6 (0.01) |
| MACULOPATHY | | | 1 (0.00) | | 1 (0.00) |
| MAINTENANCE OF ANAESTHESIA | 4 (0.08) | 7 (0.05) | 4 (0.02) | 2 (0.03) | 17 (0.03) |
| MAJOR DEPRESSION | 7 (0.14) | 64 (0.44) | 46 (0.17) | 3 (0.05) | 120 (0.23) |
| MALABSORPTION | | | 6 (0.02) | | 6 (0.01) |
| MALAISE | 3 (0.06) | 1 (0.01) | | | 4 (0.01) |
| MALARIA | 3 (0.06) | 2 (0.01) | 2 (0.01) | | 7 (0.01) |
| MALARIA PROPHYLAXIS | 11 (0.23) | 26 (0.18) | 16 (0.06) | 1 (0.02) | 54 (0.10) |
| MALE PATTERN BALDNESS | | 7 (0.05) | 2 (0.01) | 1 (0.02) | 10 (0.02) |
| MALIGNANT ATROPHIC PAPULOSIS | | 1 (0.01) | | | 1 (0.00) |
| MALIGNANT FIBROUS HISTIOCYTOMA | | | 1 (0.00) | | 1 (0.00) |
| MALIGNANT HISTIOCYTOSIS | 1 (0.02) | | | | 1 (0.00) |
| MALIGNANT HYPERTENSION | | | | 1 (0.02) | 1 (0.00) |
| MALIGNANT LYMPHOID NEOPLASM | | | | 2 (0.03) | 2 (0.00) |
| MALIGNANT LYMPHOMA UNCLASSIFIABLE HIGH GRADE | 1 (0.02) | | | | 1 (0.00) |
| MALIGNANT MELANOMA | 1 (0.02) | 7 (0.05) | 18 (0.07) | | 26 (0.05) |
| MALIGNANT MELANOMA STAGE III | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MALIGNANT MELANOMA STAGE IV | | | 1 (0.00) | 4 (0.06) | 5 (0.01) |
| MALIGNANT NEOPLASM OF RENAL PELVIS | | | 5 (0.02) | | 5 (0.01) |
| MALIGNANT NEOPLASM PROGRESSION | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MALIGNANT NIPPLE NEOPLASM FEMALE | | | 1 (0.00) | | 1 (0.00) |
| MALIGNANT PALATE NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| MALIGNANT TUMOUR EXCISION | | 1 (0.01) | | | 1 (0.00) |
| MALNUTRITION | | | 3 (0.01) | 2 (0.03) | 5 (0.01) |
| MAMMOGRAM ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| MANIA | 6 (0.12) | 10 (0.07) | 9 (0.03) | 3 (0.05) | 28 (0.05) |
| MANTLE CELL LYMPHOMA | | | 19 (0.07) | 3 (0.05) | 22 (0.04) |
| MARITAL PROBLEM | | 1 (0.01) | | | 1 (0.00) |
| MASTECTOMY | | 1 (0.01) | | | 1 (0.00) |
| MASTITIS | | 3 (0.02) | | | 3 (0.01) |
| MASTOIDITIS | | | | 1 (0.02) | 1 (0.00) |
| MEDIASTINAL MASS | 1 (0.02) | | | | 1 (0.00) |
| MEDIASTINITIS | | | 1 (0.00) | | 1 (0.00) |
| MEDICAL DEVICE IMPLANTATION | | | 3 (0.01) | | 3 (0.01) |
| MEDICAL DIET | | 1 (0.01) | 10 (0.04) | 6 (0.09) | 17 (0.03) |
| MEDICAL OBSERVATION | | 1 (0.01) | | | 1 (0.00) |
| MEDICATION ERROR | | 2 (0.01) | | | 2 (0.00) |
| MEDULLOBLASTOMA | 1 (0.02) | | | | 1 (0.00) |
| MEMORY IMPAIRMENT | | 1 (0.01) | 5 (0.02) | 9 (0.14) | 15 (0.03) |
| MENIERE'S DISEASE | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| MENINGEAL DISORDER | 1 (0.02) | | | | 1 (0.00) |
| MENINGIOMA MALIGNANT | | | 1 (0.00) | | 1 (0.00) |
| MENINGITIS | 9 (0.19) | 3 (0.02) | 4 (0.02) | 1 (0.02) | 17 (0.03) |
| MENINGITIS BACTERIAL | 2 (0.04) | | 1 (0.00) | | 3 (0.01) |
| MENINGITIS CRYPTOCOCCAL | | 2 (0.01) | | | 2 (0.00) |
| MENINGITIS ENTEROVIRAL | 1 (0.02) | | | | 1 (0.00) |
| MENINGITIS LISTERIA | | 1 (0.01) | | | 1 (0.00) |
| MENINGITIS PNEUMOCOCCAL | | 2 (0.01) | | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MENINGITIS STREPTOCOCCAL | | | | 1 (0.02) | 1 (0.00) |
| MENINGOCOCCAL SEPSIS | 1 (0.02) | | | | 1 (0.00) |
| MENINGOENCEPHALITIS HERPETIC | | 1 (0.01) | | | 1 (0.00) |
| MENISCUS LESION | | 3 (0.02) | 8 (0.03) | | 11 (0.02) |
| MENISCUS OPERATION | | | 2 (0.01) | | 2 (0.00) |
| MENOMETRORRHAGIA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MENOPAUSAL SYMPTOMS | | 17 (0.12) | 165 (0.62) | 1 (0.02) | 183 (0.35) |
| MENOPAUSAL SYMPTOMS PROPHYLAXIS | | | 1 (0.00) | | 1 (0.00) |
| MENOPAUSE | 1 (0.02) | 13 (0.09) | 66 (0.25) | 2 (0.03) | 82 (0.16) |
| MENORRHAGIA | 5 (0.10) | 24 (0.16) | 3 (0.01) | | 32 (0.06) |
| MENSTRUAL DISCOMFORT | 1 (0.02) | 2 (0.01) | | | 3 (0.01) |
| MENSTRUAL DISORDER | 1 (0.02) | 9 (0.06) | 3 (0.01) | | 13 (0.02) |
| MENSTRUATION IRREGULAR | 8 (0.17) | 11 (0.08) | 6 (0.02) | 1 (0.02) | 26 (0.05) |
| MENTAL DISORDER | 2 (0.04) | 14 (0.10) | 13 (0.05) | 1 (0.02) | 30 (0.06) |
| MENTAL IMPAIRMENT | | 1 (0.01) | | | 1 (0.00) |
| MENTAL RETARDATION SEVERITY UNSPECIFIED | | 4 (0.03) | 1 (0.00) | | 5 (0.01) |
| MENTAL STATUS CHANGES | | 1 (0.01) | | 3 (0.05) | 4 (0.01) |
| MESOTHELIOMA | | | 10 (0.04) | 2 (0.03) | 12 (0.02) |
| MESOTHELIOMA MALIGNANT | | | 2 (0.01) | | 2 (0.00) |
| METABOLIC ACIDOSIS | 1 (0.02) | | | | 1 (0.00) |
| METABOLIC DISORDER | | 2 (0.01) | 8 (0.03) | 1 (0.02) | 11 (0.02) |
| METABOLIC SYNDROME | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| METAL POISONING | | | 1 (0.00) | | 1 (0.00) |
| METASTASES TO ADRENALS | | | 2 (0.01) | | 2 (0.00) |
| METASTASES TO BONE | | 22 (0.15) | 167 (0.63) | 30 (0.46) | 219 (0.42) |
| METASTASES TO CENTRAL NERVOUS SYSTEM | | 3 (0.02) | 11 (0.04) | 2 (0.03) | 16 (0.03) |
| METASTASES TO KIDNEY | | | 2 (0.01) | | 2 (0.00) |
| METASTASES TO LIVER | | 3 (0.02) | 14 (0.05) | | 17 (0.03) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| METASTASES TO LUNG | | 1 (0.01) | 7 (0.03) | 1 (0.02) | 9 (0.02) |
| METASTASES TO LYMPH NODES | | | 1 (0.00) | | 1 (0.00) |
| METASTASES TO MENINGES | | | 1 (0.00) | | 1 (0.00) |
| METASTASES TO PERITONEUM | | | 1 (0.00) | | 1 (0.00) |
| METASTASES TO PLEURA | | | 2 (0.01) | | 2 (0.00) |
| METASTASES TO SMALL INTESTINE | | | 1 (0.00) | | 1 (0.00) |
| METASTASIS | | 2 (0.01) | 11 (0.04) | | 13 (0.02) |
| METASTATIC BRONCHIAL CARCINOMA | | | 1 (0.00) | | 1 (0.00) |
| METASTATIC CARCINOMA OF THE BLADDER | | 3 (0.02) | | | 3 (0.01) |
| METASTATIC GASTRIC CANCER | | 4 (0.03) | 5 (0.02) | | 9 (0.02) |
| METASTATIC MALIGNANT MELANOMA | | 9 (0.06) | 39 (0.15) | 3 (0.05) | 51 (0.10) |
| METASTATIC NEOPLASM | | 1 (0.01) | 7 (0.03) | 1 (0.02) | 9 (0.02) |
| METASTATIC PAIN | | | 1 (0.00) | | 1 (0.00) |
| METASTATIC RENAL CELL CARCINOMA | | 18 (0.12) | 130 (0.49) | 20 (0.30) | 168 (0.32) |
| METRORRHAGIA | 1 (0.02) | 2 (0.01) | 5 (0.02) | | 8 (0.02) |
| MICROSPORIDIA INFECTION | | 1 (0.01) | | | 1 (0.00) |
| MICTURITION DISORDER | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |
| MICTURITION URGENCY | | 1 (0.01) | 6 (0.02) | 7 (0.11) | 14 (0.03) |
| MIDDLE INSOMNIA | | 8 (0.05) | 21 (0.08) | 9 (0.14) | 38 (0.07) |
| MIGRAINE | 28 (0.58) | 205 (1.40) | 116 (0.44) | 3 (0.05) | 352 (0.67) |
| MIGRAINE PROPHYLAXIS | 2 (0.04) | 6 (0.04) | 11 (0.04) | | 19 (0.04) |
| MIGRAINE WITH AURA | | 4 (0.03) | 1 (0.00) | | 5 (0.01) |
| MIGRAINE WITHOUT AURA | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| MILLER FISHER SYNDROME | | | 4 (0.02) | | 4 (0.01) |
| MINERAL SUPPLEMENTATION | | 2 (0.01) | 22 (0.08) | 9 (0.14) | 33 (0.06) |
| MIOSIS | | | 1 (0.00) | 2 (0.03) | 3 (0.01) |
| MITOCHONDRIAL CYTOPATHY | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MITOCHONDRIAL ENCEPHALOMYOPATHY | 3 (0.06) | | | | 3 (0.01) |
| MITRAL VALVE DISEASE | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| MITRAL VALVE INCOMPETENCE | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| MITRAL VALVE PROLAPSE | | 3 (0.02) | 4 (0.02) | 1 (0.02) | 8 (0.02) |
| MITRAL VALVE REPAIR | 3 (0.06) | | 3 (0.01) | | 6 (0.01) |
| MITRAL VALVE REPLACEMENT | | 1 (0.01) | 8 (0.03) | 5 (0.08) | 14 (0.03) |
| MIXED CONNECTIVE TISSUE DISEASE | | 2 (0.01) | | | 2 (0.00) |
| MIXED HYPERLIPIDAEMIA | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| MOANING | | | 1 (0.00) | | 1 (0.00) |
| MONARTHRITIS | | 42 (0.29) | 108 (0.41) | 17 (0.26) | 167 (0.32) |
| MOOD ALTERED | 3 (0.06) | 1 (0.01) | 3 (0.01) | | 7 (0.01) |
| MOOD DISORDER DUE TO A GENERAL MEDICAL CONDIT | | | 3 (0.01) | | 3 (0.01) |
| MOOD SWINGS | 3 (0.06) | 5 (0.03) | 5 (0.02) | | 13 (0.02) |
| MORGANELLA INFECTION | | | 2 (0.01) | | 2 (0.00) |
| MORPHOEA | | | 2 (0.01) | | 2 (0.00) |
| MOTION SICKNESS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MOTOR DYSFUNCTION | | 1 (0.01) | | | 1 (0.00) |
| MOTOR NEURONE DISEASE | | | | 1 (0.02) | 1 (0.00) |
| MOUNTAIN SICKNESS ACUTE | | 1 (0.01) | | | 1 (0.00) |
| MOUTH PLAQUE | | | 1 (0.00) | | 1 (0.00) |
| MOUTH ULCERATION | | | 4 (0.02) | | 4 (0.01) |
| MOVEMENT DISORDER | | 1 (0.01) | | | 1 (0.00) |
| MUCOPOLYSACCHARIDOSIS I | 6 (0.12) | | | | 6 (0.01) |
| MUCOPOLYSACCHARIDOSIS IH | 2 (0.04) | | | | 2 (0.00) |
| MUCORMYCOSIS | 1 (0.02) | | 2 (0.01) | | 3 (0.01) |
| MUCOSAL INFLAMMATION | | 3 (0.02) | 7 (0.03) | | 10 (0.02) |
| MUCOUS MEMBRANE DISORDER | | 3 (0.02) | | | 3 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MULTI-ORGAN FAILURE | | | 1 (0.00) | | 1 (0.00) |
| MULTIPLE ALLERGIES | 5 (0.10) | 12 (0.08) | 8 (0.03) | 1 (0.02) | 26 (0.05) |
| MULTIPLE FRACTURES | | 1 (0.01) | | | 1 (0.00) |
| MULTIPLE MYELOMA | | 68 (0.47) | 386 (1.45) | 107 (1.63) | 561 (1.07) |
| MULTIPLE PREGNANCY | | 1 (0.01) | | | 1 (0.00) |
| MULTIPLE SCLEROSIS | 42 (0.87) | 906 (6.21) | 960 (3.60) | 16 (0.24) | 1924 (3.65) |
| MULTIPLE SCLEROSIS RELAPSE | | 1 (0.01) | | | 1 (0.00) |
| MULTIPLE-DRUG RESISTANCE | | | 2 (0.01) | | 2 (0.00) |
| MUSCLE DISORDER | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| MUSCLE INJURY | | 6 (0.04) | 4 (0.02) | | 10 (0.02) |
| MUSCLE MASS | | 1 (0.01) | | | 1 (0.00) |
| MUSCLE RELAXANT THERAPY | | 12 (0.08) | 20 (0.08) | 2 (0.03) | 34 (0.06) |
| MUSCLE SPASMS | 4 (0.08) | 43 (0.29) | 67 (0.25) | 5 (0.08) | 119 (0.23) |
| MUSCLE SPASTICITY | 3 (0.06) | 5 (0.03) | 9 (0.03) | | 17 (0.03) |
| MUSCLE STRAIN | 1 (0.02) | 5 (0.03) | 5 (0.02) | 1 (0.02) | 12 (0.02) |
| MUSCLE TIGHTNESS | | 1 (0.01) | | | 1 (0.00) |
| MUSCLE TWITCHING | | 1 (0.01) | | | 1 (0.00) |
| MUSCULOSKELETAL CHEST PAIN | 1 (0.02) | 4 (0.03) | 8 (0.03) | 1 (0.02) | 14 (0.03) |
| MUSCULOSKELETAL DISCOMFORT | | 4 (0.03) | 8 (0.03) | | 12 (0.02) |
| MUSCULOSKELETAL DISORDER | | 6 (0.04) | 3 (0.01) | | 9 (0.02) |
| MUSCULOSKELETAL PAIN | | 7 (0.05) | 36 (0.14) | 4 (0.06) | 47 (0.09) |
| MUSCULOSKELETAL STIFFNESS | 1 (0.02) | 3 (0.02) | 12 (0.05) | | 16 (0.03) |
| MYALGIA | 2 (0.04) | 60 (0.41) | 104 (0.39) | 9 (0.14) | 175 (0.33) |
| MYASTHENIA GRAVIS | | 7 (0.05) | 14 (0.05) | 2 (0.03) | 23 (0.04) |
| MYASTHENIC SYNDROME | | 3 (0.02) | | | 3 (0.01) |
| MYCOBACTERIAL INFECTION | 1 (0.02) | | 3 (0.01) | 1 (0.02) | 5 (0.01) |
| MYCOBACTERIUM ABSCESSUS INFECTION | 1 (0.02) | | | | 1 (0.00) |
| MYCOBACTERIUM AVIUM COMPLEX INFECTION | 6 (0.12) | 4 (0.03) | 2 (0.01) | | 12 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| MYCOSIS FUNGOIDES | | 5 (0.03) | 5 (0.02) | 1 (0.02) | 11 (0.02) |
| MYCOTIC CORNEAL ULCER | | | 1 (0.00) | | 1 (0.00) |
| MYDRIASIS | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| MYELITIS | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| MYELITIS TRANSVERSE | | 1 (0.01) | | | 1 (0.00) |
| MYELODYSPLASTIC SYNDROME | | 1 (0.01) | 67 (0.25) | 64 (0.97) | 132 (0.25) |
| MYELOFIBROSIS | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| MYELOID LEUKAEMIA | | | 1 (0.00) | | 1 (0.00) |
| MYELOMA RECURRENCE | | | 1 (0.00) | | 1 (0.00) |
| MYELOPATHY | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| MYELOPROLIFERATIVE DISORDER | | | 2 (0.01) | | 2 (0.00) |
| MYOCARDIAL INFARCTION | | 15 (0.10) | 78 (0.29) | 33 (0.50) | 126 (0.24) |
| MYOCARDIAL ISCHAEMIA | 1 (0.02) | 1 (0.01) | 36 (0.14) | 19 (0.29) | 57 (0.11) |
| MYOCARDITIS | 1 (0.02) | | | | 1 (0.00) |
| MYOCLONIC EPILEPSY | 3 (0.06) | | | | 3 (0.01) |
| MYOCLONUS | 2 (0.04) | | 5 (0.02) | | 7 (0.01) |
| MYOFASCIAL PAIN SYNDROME | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| MYOFASCITIS | | | 1 (0.00) | | 1 (0.00) |
| MYOPATHY | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| MYOPIA | | 1 (0.01) | | | 1 (0.00) |
| MYOSCLEROSIS | | 1 (0.01) | | | 1 (0.00) |
| MYOSITIS | | 6 (0.04) | 5 (0.02) | | 11 (0.02) |
| MYRINGITIS | | | 3 (0.01) | | 3 (0.01) |
| MYRINGOTOMY | 1 (0.02) | | | | 1 (0.00) |
| NAIL INFECTION | | | | 1 (0.02) | 1 (0.00) |
| NAIL TINEA | 3 (0.06) | 25 (0.17) | 38 (0.14) | 11 (0.17) | 77 (0.15) |
| NARCOLEPSY | 1 (0.02) | 7 (0.05) | 5 (0.02) | | 13 (0.02) |
| NASAL CONGESTION | 3 (0.06) | 13 (0.09) | 12 (0.05) | | 28 (0.05) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NASAL DECONGESTION THERAPY | | | 2 (0.01) | | 2 (0.00) |
| NASAL DISCOMFORT | 1 (0.02) | | | | 1 (0.00) |
| NASAL DISORDER | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| NASAL POLYPS | | 2 (0.01) | | | 2 (0.00) |
| NASAL SEPTUM DEVIATION | | | 1 (0.00) | | 1 (0.00) |
| NASOPHARYNGEAL CANCER | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| NASOPHARYNGITIS | 33 (0.68) | 42 (0.29) | 51 (0.19) | 14 (0.21) | 140 (0.27) |
| NATURAL KILLER-CELL LYMPHOBLASTIC LYMPHOMA | | | 2 (0.01) | | 2 (0.00) |
| NAUSEA | 13 (0.27) | 34 (0.23) | 94 (0.35) | 11 (0.17) | 152 (0.29) |
| NECK INJURY | | 6 (0.04) | 7 (0.03) | 1 (0.02) | 14 (0.03) |
| NECK MASS | 2 (0.04) | | | | 2 (0.00) |
| NECK PAIN | 1 (0.02) | 81 (0.55) | 94 (0.35) | 9 (0.14) | 185 (0.35) |
| NECROSIS | | 1 (0.01) | | | 1 (0.00) |
| NECROTISING FASCIITIS | 2 (0.04) | | | | 2 (0.00) |
| NEONATAL ASPIRATION | 1 (0.02) | | | | 1 (0.00) |
| NEONATAL RESPIRATORY DISTRESS SYNDROME | 1 (0.02) | | | | 1 (0.00) |
| NEOPLASM | 3 (0.06) | 1 (0.01) | 7 (0.03) | 2 (0.03) | 13 (0.02) |
| NEOPLASM MALIGNANT | | 14 (0.10) | 54 (0.20) | 10 (0.15) | 78 (0.15) |
| NEOPLASM PROPHYLAXIS | | | 12 (0.05) | | 12 (0.02) |
| NEOPLASM PROSTATE | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| NEOPLASM RECURRENCE | 1 (0.02) | | | | 1 (0.00) |
| NEPHROBLASTOMA | 3 (0.06) | | | | 3 (0.01) |
| NEPHROGENIC ANAEMIA | 1 (0.02) | 1 (0.01) | 3 (0.01) | 3 (0.05) | 8 (0.02) |
| NEPHROLITHIASIS | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| NEPHROSTOMY TUBE PLACEMENT | | | 1 (0.00) | | 1 (0.00) |
| NEPHROTIC SYNDROME | 6 (0.12) | 11 (0.08) | 9 (0.03) | 1 (0.02) | 27 (0.05) |
| NERVE BLOCK | | 1 (0.01) | 5 (0.02) | 2 (0.03) | 8 (0.02) |
| NERVE COMPRESSION | | 4 (0.03) | 4 (0.02) | 3 (0.05) | 11 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NERVE INJURY | | 12 (0.08) | 10 (0.04) | 6 (0.09) | 28 (0.05) |
| NERVE ROOT COMPRESSION | | | 1 (0.00) | | 1 (0.00) |
| NERVOUS SYSTEM DISORDER | 1 (0.02) | 1 (0.01) | 4 (0.02) | | 6 (0.01) |
| NERVOUSNESS | | 7 (0.05) | 5 (0.02) | 2 (0.03) | 14 (0.03) |
| NEURALGIA | 2 (0.04) | 63 (0.43) | 102 (0.38) | 33 (0.50) | 200 (0.38) |
| NEURITIS | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| NEUROBLASTOMA | 6 (0.12) | | | | 6 (0.01) |
| NEUROBORRELIOSIS | 1 (0.02) | | | | 1 (0.00) |
| NEUROENDOCRINE CARCINOMA | | | | 1 (0.02) | 1 (0.00) |
| NEUROENDOCRINE TUMOUR | | 2 (0.01) | 4 (0.02) | | 6 (0.01) |
| NEUROFIBROMATOSIS | | 1 (0.01) | | | 1 (0.00) |
| NEUROGENIC BLADDER | 1 (0.02) | | 3 (0.01) | 3 (0.05) | 7 (0.01) |
| NEUROLEPTIC MALIGNANT SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| NEUROMA | | | 2 (0.01) | | 2 (0.00) |
| NEUROMUSCULAR BLOCKADE | | 3 (0.02) | | | 3 (0.01) |
| NEUROMUSCULAR BLOCKADE REVERSAL | 1 (0.02) | | | | 1 (0.00) |
| NEUROMUSCULAR BLOCKING THERAPY | 1 (0.02) | | | | 1 (0.00) |
| NEUROMYELITIS OPTICA | | | 2 (0.01) | | 2 (0.00) |
| NEUROMYOPATHY | | 2 (0.01) | | | 2 (0.00) |
| NEUROPATHY | | 19 (0.13) | 68 (0.26) | 15 (0.23) | 102 (0.19) |
| NEUROPATHY PERIPHERAL | | 13 (0.09) | 53 (0.20) | 31 (0.47) | 97 (0.18) |
| NEUROSIS | 1 (0.02) | 1 (0.01) | 2 (0.01) | 3 (0.05) | 7 (0.01) |
| NEUTROPENIA | | | 8 (0.03) | 2 (0.03) | 10 (0.02) |
| NICOTINE DEPENDENCE | | 1 (0.01) | | | 1 (0.00) |
| NIGHT SWEATS | | | 3 (0.01) | | 3 (0.01) |
| NIGHTMARE | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| NOCARDIOSIS | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.01) |
| NOCTURIA | | | 3 (0.01) | 4 (0.06) | 7 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| NON-CARDIAC CHEST PAIN | | | 1 (0.00) | | 1 (0.00) |
| NON-HODGKIN'S LYMPHOMA | 4 (0.08) | 23 (0.16) | 91 (0.34) | 24 (0.36) | 142 (0.27) |
| NON-HODGKIN'S LYMPHOMA RECURRENT | | | 1 (0.00) | | 1 (0.00) |
| NON-HODGKIN'S LYMPHOMA STAGE II | | | 2 (0.01) | | 2 (0.00) |
| NON-HODGKIN'S LYMPHOMA STAGE IV | | | 1 (0.00) | | 1 (0.00) |
| NON-SMALL CELL LUNG CANCER | | 53 (0.36) | 448 (1.68) | 91 (1.38) | 592 (1.12) |
| NON-SMALL CELL LUNG CANCER METASTATIC | | 4 (0.03) | 9 (0.03) | 4 (0.06) | 17 (0.03) |
| NON-SMALL CELL LUNG CANCER RECURRENT | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |
| NON-SMALL CELL LUNG CANCER STAGE II | | | 1 (0.00) | | 1 (0.00) |
| NON-SMALL CELL LUNG CANCER STAGE IIIB | | 1 (0.01) | 10 (0.04) | | 11 (0.02) |
| NON-SMALL CELL LUNG CANCER STAGE IV | | | 11 (0.04) | 2 (0.03) | 13 (0.02) |
| NOSOCOMIAL INFECTION | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| NUCLEAR MAGNETIC RESONANCE IMAGING | 3 (0.06) | 12 (0.08) | 10 (0.04) | 4 (0.06) | 29 (0.06) |
| NUCLEAR MAGNETIC RESONANCE IMAGING BRAIN | 7 (0.14) | 10 (0.07) | 8 (0.03) | 2 (0.03) | 27 (0.05) |
| NUTRITIONAL SUPPORT | 1 (0.02) | 1 (0.01) | 2 (0.01) | 5 (0.08) | 9 (0.02) |
| OBESITY | 2 (0.04) | 26 (0.18) | 20 (0.08) | | 48 (0.09) |
| OBSESSIVE THOUGHTS | 1 (0.02) | | | | 1 (0.00) |
| OBSESSIVE-COMPULSIVE DISORDER | 17 (0.35) | 37 (0.25) | 12 (0.05) | | 66 (0.13) |
| OBSESSIVE-COMPULSIVE PERSONALITY DISORDER | 3 (0.06) | | | | 3 (0.01) |
| OBSTRUCTIVE AIRWAYS DISORDER | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| OCULAR HYPERAEMIA | | | | 1 (0.02) | 1 (0.00) |
| OCULAR HYPERTENSION | | | 4 (0.02) | | 4 (0.01) |
| OEDEMA | 1 (0.02) | 5 (0.03) | 31 (0.12) | 16 (0.24) | 53 (0.10) |
| OEDEMA PERIPHERAL | | 14 (0.10) | 28 (0.11) | 10 (0.15) | 52 (0.10) |
| OESOPHAGEAL ADENOCARCINOMA | | | 1 (0.00) | | 1 (0.00) |
| OESOPHAGEAL ADENOCARCINOMA METASTATIC | | | 1 (0.00) | | 1 (0.00) |
| OESOPHAGEAL CANCER METASTATIC | | | 4 (0.02) | | 4 (0.01) |
| OESOPHAGEAL CANDIDIASIS | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| OESOPHAGEAL CARCINOMA | | 5 (0.03) | 10 (0.04) | 4 (0.06) | 19 (0.04) |
| OESOPHAGEAL DISORDER | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| OESOPHAGEAL INJURY | | | 1 (0.00) | | 1 (0.00) |
| OESOPHAGEAL SPASM | | 1 (0.01) | | | 1 (0.00) |
| OESOPHAGEAL SQUAMOUS CELL CARCINOMA | | 4 (0.03) | 1 (0.00) | | 5 (0.01) |
| OESOPHAGEAL STENOSIS | | | 1 (0.00) | | 1 (0.00) |
| OESOPHAGEAL ULCER | | | 2 (0.01) | | 2 (0.00) |
| OESOPHAGITIS | | 4 (0.03) | 20 (0.08) | 3 (0.05) | 27 (0.05) |
| OESOPHAGOGASTRODUODENOSCOPY | | 1 (0.01) | | | 1 (0.00) |
| OESTROGEN RECEPTOR ASSAY POSITIVE | | | 1 (0.00) | | 1 (0.00) |
| OESTROGEN REPLACEMENT THERAPY | | 8 (0.05) | 22 (0.08) | 1 (0.02) | 31 (0.06) |
| OFF LABEL USE | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| OLIGODENDROGLIOMA | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.01) |
| OLIGOMENORRHOEA | 1 (0.02) | | | | 1 (0.00) |
| OLIGURIA | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| ONYCHOMYCOSIS | 1 (0.02) | 10 (0.07) | 8 (0.03) | 2 (0.03) | 21 (0.04) |
| OOPHORECTOMY | | 2 (0.01) | | | 2 (0.00) |
| OPEN ANGLE GLAUCOMA | | | | 2 (0.03) | 2 (0.00) |
| OPEN FRACTURE | | | 3 (0.01) | | 3 (0.01) |
| OPEN WOUND | | 1 (0.01) | | | 1 (0.00) |
| OPERATIVE HAEMORRHAGE | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| OPHTHALMIC FLUID DRAINAGE | | | 1 (0.00) | | 1 (0.00) |
| OPHTHALMOLOGICAL EXAMINATION | | 1 (0.01) | | | 1 (0.00) |
| OPPORTUNISTIC INFECTION | | 1 (0.01) | | | 1 (0.00) |
| OPPOSITIONAL DEFIANT DISORDER | 1 (0.02) | | | | 1 (0.00) |
| OPTIC ISCHAEMIC NEUROPATHY | | | 1 (0.00) | | 1 (0.00) |
| ORAL CANDIDIASIS | 2 (0.04) | 5 (0.03) | 6 (0.02) | 1 (0.02) | 14 (0.03) |
| ORAL CONTRACEPTION | 28 (0.58) | 23 (0.16) | | | 51 (0.10) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| ORAL DISCOMFORT | | 1 (0.01) | | | 1 (0.00) |
| ORAL FUNGAL INFECTION | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| ORAL INFECTION | | | | 1 (0.02) | 1 (0.00) |
| ORAL INTAKE REDUCED | | | | 2 (0.03) | 2 (0.00) |
| ORAL LICHEN PLANUS | | | 1 (0.00) | | 1 (0.00) |
| ORAL PAIN | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| ORAL SURGERY | | | 1 (0.00) | | 1 (0.00) |
| ORBITAL INFECTION | | 1 (0.01) | | | 1 (0.00) |
| ORGAN TRANSPLANT | | | 2 (0.01) | | 2 (0.00) |
| OROPHARYNGEAL CANCER RECURRENT | | | 1 (0.00) | | 1 (0.00) |
| OROPHARYNGEAL CANCER STAGE UNSPECIFIED | | | 6 (0.02) | | 6 (0.01) |
| ORTHOSTATIC HYPOTENSION | 2 (0.04) | | 5 (0.02) | 1 (0.02) | 8 (0.02) |
| ORTHOSTATIC INTOLERANCE | | | 1 (0.00) | | 1 (0.00) |
| OSTEITIS | | 2 (0.01) | 5 (0.02) | | 7 (0.01) |
| OSTEITIS DEFORMANS | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| OSTEOARTHRITIS | | 176 (1.21) | 875 (3.29) | 203 (3.09) | 1254 (2.38) |
| OSTEOARTHROPATHY | | | 1 (0.00) | | 1 (0.00) |
| OSTEOCHONDROSIS | | | 3 (0.01) | | 3 (0.01) |
| OSTEOLYSIS | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| OSTEOMYELITIS | 8 (0.17) | 13 (0.09) | 12 (0.05) | 5 (0.08) | 38 (0.07) |
| OSTEONECROSIS | | | 3 (0.01) | | 3 (0.01) |
| OSTEOPENIA | | 10 (0.07) | 36 (0.14) | 5 (0.08) | 51 (0.10) |
| OSTEOPOROSIS | 5 (0.10) | 70 (0.48) | 621 (2.33) | 510 (7.75) | 1206 (2.29) |
| OSTEOPOROSIS POSTMENOPAUSAL | | | 36 (0.14) | 17 (0.26) | 53 (0.10) |
| OSTEOPOROSIS PROPHYLAXIS | | 4 (0.03) | 20 (0.08) | 3 (0.05) | 27 (0.05) |
| OSTEOPOROTIC FRACTURE | | | 4 (0.02) | | 4 (0.01) |
| OTITIS EXTERNA | | | 1 (0.00) | | 1 (0.00) |
| OTITIS MEDIA | 9 (0.19) | 3 (0.02) | 6 (0.02) | | 18 (0.03) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| OTITIS MEDIA ACUTE | 1 (0.02) | 2 (0.01) | | | 3 (0.01) |
| OTITIS MEDIA CHRONIC | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| OTORRHOEA | 1 (0.02) | | | | 1 (0.00) |
| OVARIAN CANCER | | 28 (0.19) | 108 (0.41) | 7 (0.11) | 143 (0.27) |
| OVARIAN CANCER METASTATIC | | 1 (0.01) | 2 (0.01) | 1 (0.02) | 4 (0.01) |
| OVARIAN CYST | | 5 (0.03) | | | 5 (0.01) |
| OVARIAN DISORDER | | 2 (0.01) | | | 2 (0.00) |
| OVARIAN EPITHELIAL CANCER | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| OVARIAN EPITHELIAL CANCER RECURRENT | | | 4 (0.02) | 3 (0.05) | 7 (0.01) |
| OVARIAN FAILURE | | 2 (0.01) | | | 2 (0.00) |
| OVARIAN GERM CELL CANCER | | 3 (0.02) | | | 3 (0.01) |
| OVARIAN HYPERSTIMULATION SYNDROME | | 2 (0.01) | | | 2 (0.00) |
| OVERDOSE | 13 (0.27) | 5 (0.03) | | | 18 (0.03) |
| OVERGROWTH BACTERIAL | | 1 (0.01) | | | 1 (0.00) |
| OVERWEIGHT | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| OVULATION INDUCTION | 3 (0.06) | 12 (0.08) | | | 15 (0.03) |
| OVULATION PAIN | | 1 (0.01) | | | 1 (0.00) |
| OXYGEN SATURATION DECREASED | | 2 (0.01) | | | 2 (0.00) |
| OXYGEN SUPPLEMENTATION | | 1 (0.01) | | | 1 (0.00) |
| PACEMAKER COMPLICATION | | | 1 (0.00) | | 1 (0.00) |
| PAIN | 39 (0.81) | 533 (3.65) | 1114 (4.18) | 221 (3.36) | 1907 (3.62) |
| PAIN IN EXTREMITY | 5 (0.10) | 114 (0.78) | 242 (0.91) | 42 (0.64) | 403 (0.77) |
| PAIN IN JAW | | 4 (0.03) | 2 (0.01) | | 6 (0.01) |
| PAIN MANAGEMENT | 4 (0.08) | 62 (0.42) | 109 (0.41) | 16 (0.24) | 191 (0.36) |
| PAIN PROPHYLAXIS | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| PALLIATIVE CARE | | | 6 (0.02) | | 6 (0.01) |
| PALPITATIONS | | 1 (0.01) | 6 (0.02) | | 7 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PANCREATIC CARCINOMA | 1 (0.02) | 10 (0.07) | 81 (0.30) | 17 (0.26) | 109 (0.21) |
| PANCREATIC CARCINOMA METASTATIC | | 5 (0.03) | 17 (0.06) | 1 (0.02) | 23 (0.04) |
| PANCREATIC CARCINOMA RECURRENT | | | 1 (0.00) | | 1 (0.00) |
| PANCREATIC CARCINOMA STAGE IV | | | 11 (0.04) | 1 (0.02) | 12 (0.02) |
| PANCREATIC DISORDER | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| PANCREATIC ENZYMES | | | 1 (0.00) | | 1 (0.00) |
| PANCREATIC INSUFFICIENCY | | 5 (0.03) | | | 5 (0.01) |
| PANCREATIC NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| PANCREATIC PSEUDOCYST | | | | 1 (0.02) | 1 (0.00) |
| PANCREATITIS | 1 (0.02) | 1 (0.01) | 9 (0.03) | | 11 (0.02) |
| PANCREATITIS ACUTE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PANCREATITIS CHRONIC | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PANCYTOPENIA | | | 5 (0.02) | | 5 (0.01) |
| PANIC ATTACK | 3 (0.06) | 21 (0.14) | 16 (0.06) | | 40 (0.08) |
| PANIC DISORDER | 10 (0.21) | 52 (0.36) | 27 (0.10) | 5 (0.08) | 94 (0.18) |
| PANIC DISORDER WITH AGORAPHOBIA | | 1 (0.01) | | | 1 (0.00) |
| PANIC REACTION | | 6 (0.04) | 6 (0.02) | | 12 (0.02) |
| PANNICULITIS | | | 1 (0.00) | | 1 (0.00) |
| PAPILLARY THYROID CANCER | | | 1 (0.00) | | 1 (0.00) |
| PAPILLOMA | | | 1 (0.00) | | 1 (0.00) |
| PARAESTHESIA | 1 (0.02) | 1 (0.01) | 6 (0.02) | 2 (0.03) | 10 (0.02) |
| PARAGANGLION NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| PARAINFLUENZAE VIRUS INFECTION | | 1 (0.01) | | | 1 (0.00) |
| PARALYSIS | | | 1 (0.00) | | 1 (0.00) |
| PARANEOPLASTIC SYNDROME | | | 4 (0.02) | | 4 (0.01) |
| PARANOIA | 1 (0.02) | 8 (0.05) | 6 (0.02) | 2 (0.03) | 17 (0.03) |
| PARAPLEGIA | | 2 (0.01) | | | 2 (0.00) |
| PARAPROTEINAEMIA | | | | 1 (0.02) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PARENTERAL NUTRITION | | | 1 (0.00) | | 1 (0.00) |
| PARESIS | 2 (0.04) | | | | 2 (0.00) |
| PARKINSON'S DISEASE | | 18 (0.12) | 191 (0.72) | 67 (1.02) | 276 (0.52) |
| PARKINSONISM | 1 (0.02) | 4 (0.03) | 4 (0.02) | 13 (0.20) | 22 (0.04) |
| PARONYCHIA | | | 3 (0.01) | | 3 (0.01) |
| PAROPHTHALMIA | | | 1 (0.00) | | 1 (0.00) |
| PAROTITIS | | | 1 (0.00) | | 1 (0.00) |
| PAROXYSMAL ARRHYTHMIA | | | | 1 (0.02) | 1 (0.00) |
| PARTIAL SEIZURES | 13 (0.27) | 7 (0.05) | 5 (0.02) | | 25 (0.05) |
| PARTIAL SEIZURES WITH SECONDARY GENERALISATIO | | 2 (0.01) | | | 2 (0.00) |
| PATELLA FRACTURE | | | 1 (0.00) | | 1 (0.00) |
| PATELLOFEMORAL PAIN SYNDROME | | | | 2 (0.03) | 2 (0.00) |
| PATENT DUCTUS ARTERIOSUS | 1 (0.02) | | | | 1 (0.00) |
| PATHOGEN RESISTANCE | | | 3 (0.01) | | 3 (0.01) |
| PELVIC ABSCESS | | 1 (0.01) | | | 1 (0.00) |
| PELVIC FRACTURE | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| PELVIC HAEMORRHAGE | | | 2 (0.01) | | 2 (0.00) |
| PELVIC INFECTION | | 3 (0.02) | | | 3 (0.01) |
| PELVIC INFLAMMATORY DISEASE | | 1 (0.01) | | | 1 (0.00) |
| PELVIC PAIN | 2 (0.04) | 5 (0.03) | 2 (0.01) | 1 (0.02) | 10 (0.02) |
| PEMPHIGOID | | | 2 (0.01) | 4 (0.06) | 6 (0.01) |
| PEMPHIGUS | | 6 (0.04) | 3 (0.01) | | 9 (0.02) |
| PEPTIC ULCER | | 1 (0.01) | 10 (0.04) | 6 (0.09) | 17 (0.03) |
| PERCUTANEOUS CORONARY INTERVENTION | | 1 (0.01) | 4 (0.02) | 4 (0.06) | 9 (0.02) |
| PERIARTHRITIS | | 5 (0.03) | 11 (0.04) | 1 (0.02) | 17 (0.03) |
| PERICARDITIS | 1 (0.02) | 2 (0.01) | 1 (0.00) | | 4 (0.01) |
| PERICARDITIS TUBERCULOUS | | 1 (0.01) | | | 1 (0.00) |
| PERICHONDRITIS | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) | | |
|---------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|--|--|
| PERIODIC LIMB MOVEMENT DISORDER | | | 3 (0.01) | | 3 (0.01) | | |
| PERIODONTAL DISEASE | | 1 (0.01) | | 1 (0.02) | 2 (0.00) | | |
| PERIODONTITIS | | 3 (0.02) | | 1 (0.02) | 4 (0.01) | | |
| PERIOPERATIVE ANALGESIA | 2 (0.04) | | | | 2 (0.00) | | |
| PERIORBITAL CELLULITIS | 1 (0.02) | | | | 1 (0.00) | | |
| PERIPHERAL ARTERIAL OCCLUSIVE DISEASE | | | 3 (0.01) | 4 (0.06) | 7 (0.01) | | |
| PERIPHERAL BLOOD STEM CELL APHERESIS | | | 1 (0.00) | | 1 (0.00) | | |
| PERIPHERAL CIRCULATORY FAILURE | | 1 (0.01) | | | 1 (0.00) | | |
| PERIPHERAL EMBOLISM | | 3 (0.02) | | | 3 (0.01) | | |
| PERIPHERAL ISCHAEMIA | | 1 (0.01) | 3 (0.01) | | 4 (0.01) | | |
| PERIPHERAL NERVE INJURY | | | | 1 (0.02) | 1 (0.00) | | |
| PERIPHERAL SENSORY NEUROPATHY | | | 1 (0.00) | | 1 (0.00) | | |
| PERIPHERAL VASCULAR DISORDER | | | 8 (0.03) | 5 (0.08) | 13 (0.02) | | |
| PERITONEAL CARCINOMA | | | 4 (0.02) | | 4 (0.01) | | |
| PERITONEAL DIALYSIS | | | 4 (0.02) | 1 (0.02) | 5 (0.01) | | |
| PERITONEAL HAEMORRHAGE | 2 (0.04) | | | | 2 (0.00) | | |
| PERITONEAL MESOTHELIOMA MALIGNANT | | | 5 (0.02) | | 5 (0.01) | | |
| PERITONITIS | 2 (0.04) | 1 (0.01) | 1 (0.00) | 2 (0.03) | 6 (0.01) | | |
| PERNICIOUS ANAEMIA | | | 1 (0.00) | 3 (0.05) | 4 (0.01) | | |
| PERONEAL NERVE PALSY | | | 1 (0.00) | | 1 (0.00) | | |
| PERSECUTORY DELUSION | | 2 (0.01) | 1 (0.00) | | 3 (0.01) | | |
| PERSONALITY DISORDER | 2 (0.04) | 8 (0.05) | 1 (0.00) | | 11 (0.02) | | |
| PERTUSSIS | | | 1 (0.00) | | 1 (0.00) | | |
| PETECHIAE | | | 2 (0.01) | | 2 (0.00) | | |
| PETIT MAL EPILEPSY | 3 (0.06) | 8 (0.05) | | | 11 (0.02) | | |
| PHAEOCHROMOCYTOMA | | | 1 (0.00) | | 1 (0.00) | | |
| PHANTOM PAIN | | | 2 (0.01) | | 2 (0.00) | | |
| PHARYNGEAL POLYP | | | 1 (0.00) | | 1 (0.00) | | |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PHARYNGITIS | 7 (0.14) | 16 (0.11) | 5 (0.02) | 4 (0.06) | 32 (0.06) |
| PHARYNGITIS STREPTOCOCCAL | 4 (0.08) | 3 (0.02) | 1 (0.00) | | 8 (0.02) |
| PHARYNGOLARYNGEAL PAIN | 9 (0.19) | 14 (0.10) | 3 (0.01) | 1 (0.02) | 27 (0.05) |
| PHLEBITIS | | 1 (0.01) | 4 (0.02) | 4 (0.06) | 9 (0.02) |
| PHOTOSENSITIVITY ALLERGIC REACTION | | 2 (0.01) | | | 2 (0.00) |
| PHOTOSENSITIVITY REACTION | | | 2 (0.01) | | 2 (0.00) |
| PHYSICAL EXAMINATION | | 1 (0.01) | | | 1 (0.00) |
| PHYSIOTHERAPY | | 1 (0.01) | | | 1 (0.00) |
| PITUITARY CYST | | 1 (0.01) | | | 1 (0.00) |
| PITUITARY TUMOUR | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| PITUITARY TUMOUR BENIGN | | 4 (0.03) | 1 (0.00) | | 5 (0.01) |
| PITUITARY-DEPENDENT CUSHING'S SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| PITYRIASIS ALBA | 1 (0.02) | | | | 1 (0.00) |
| PITYRIASIS RUBRA PILARIS | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| PLANTAR FASCIITIS | | 10 (0.07) | 10 (0.04) | | 20 (0.04) |
| PLASMACYTOMA | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| PLASMACYTOSIS | | | 1 (0.00) | | 1 (0.00) |
| PLASMAPHERESIS | | 1 (0.01) | | | 1 (0.00) |
| PLASMODIUM FALCIPARUM INFECTION | 4 (0.08) | | | | 4 (0.01) |
| PLASTIC SURGERY | | | 1 (0.00) | | 1 (0.00) |
| PLATELET AGGREGATION | | | 1 (0.00) | | 1 (0.00) |
| PLATELET AGGREGATION INHIBITION | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| PLATELET COUNT DECREASED | | 1 (0.01) | | | 1 (0.00) |
| PLATELET COUNT INCREASED | | | 2 (0.01) | | 2 (0.00) |
| PLATELET DISORDER | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PLEURAL EFFUSION | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| PLEURAL INFECTION | | | 1 (0.00) | | 1 (0.00) |
| PLEURAL MESOTHELIOMA | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PLEURAL MESOTHELIOMA MALIGNANT | | | 6 (0.02) | 1 (0.02) | 7 (0.01) |
| PLEURAL MESOTHELIOMA MALIGNANT ADVANCED | | | 1 (0.00) | | 1 (0.00) |
| PLEURISY | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| PNEUMOCYSTIS JIROVECI INFECTION | 1 (0.02) | 1 (0.01) | 2 (0.01) | 1 (0.02) | 5 (0.01) |
| PNEUMOCYSTIS JIROVECI PNEUMONIA | 5 (0.10) | 3 (0.02) | 2 (0.01) | | 10 (0.02) |
| PNEUMONIA | 21 (0.43) | 42 (0.29) | 86 (0.32) | 81 (1.23) | 230 (0.44) |
| PNEUMONIA ASPERGILLUS | 1 (0.02) | | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| PNEUMONIA ASPIRATION | | | 5 (0.02) | 1 (0.02) | 6 (0.01) |
| PNEUMONIA BACTERIAL | | | 6 (0.02) | | 6 (0.01) |
| PNEUMONIA CHLAMYDIAL | | | | 1 (0.02) | 1 (0.00) |
| PNEUMONIA CYTOMEGALOVIRAL | 1 (0.02) | | | | 1 (0.00) |
| PNEUMONIA FUNGAL | | 2 (0.01) | | 1 (0.02) | 3 (0.01) |
| PNEUMONIA HAEMOPHILUS | | | 2 (0.01) | | 2 (0.00) |
| PNEUMONIA LEGIONELLA | | 1 (0.01) | | | 1 (0.00) |
| PNEUMONIA MYCOPLASMAL | | 2 (0.01) | | 1 (0.02) | 3 (0.01) |
| PNEUMONIA PNEUMOCOCCAL | | 1 (0.01) | | | 1 (0.00) |
| PNEUMONIA PRIMARY ATYPICAL | 2 (0.04) | | | | 2 (0.00) |
| PNEUMONIA STAPHYLOCOCCAL | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| PNEUMONIA STREPTOCOCCAL | | 1 (0.01) | | 2 (0.03) | 3 (0.01) |
| PNEUMONITIS | | | 1 (0.00) | 3 (0.05) | 4 (0.01) |
| PNEUMONITIS CRYPTOCOCCAL | | | 1 (0.00) | | 1 (0.00) |
| POISONING | 2 (0.04) | | | | 2 (0.00) |
| POISONING DELIBERATE | 2 (0.04) | | | | 2 (0.00) |
| POLLAKIURIA | | 2 (0.01) | 22 (0.08) | 21 (0.32) | 45 (0.09) |
| POLYARTERITIS NODOSA | | 3 (0.02) | | | 3 (0.01) |
| POLYARTHRITIS | 2 (0.04) | 13 (0.09) | 29 (0.11) | 4 (0.06) | 48 (0.09) |
| POLYCYSTIC OVARIES | 1 (0.02) | 5 (0.03) | | | 6 (0.01) |
| POLYCYTHAEMIA VERA | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| POLYDIPSIA | | 1 (0.01) | | | 1 (0.00) |
| POLYMORPHIC LIGHT ERUPTION | | | | 1 (0.02) | 1 (0.00) |
| POLYMYALGIA | | | 3 (0.01) | | 3 (0.01) |
| POLYMYALGIA RHEUMATICA | | | 12 (0.05) | 5 (0.08) | 17 (0.03) |
| POLYMYOSITIS | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| POLYNEUROPATHY | | 2 (0.01) | 8 (0.03) | 9 (0.14) | 19 (0.04) |
| POLYSUBSTANCE ABUSE | | 1 (0.01) | | | 1 (0.00) |
| POLYURIA | | 1 (0.01) | 11 (0.04) | 6 (0.09) | 18 (0.03) |
| POOR PERIPHERAL CIRCULATION | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |
| PORIOMANIA | | | | 1 (0.02) | 1 (0.00) |
| PORTAL HYPERTENSION | | | 1 (0.00) | | 1 (0.00) |
| PORTAL VEIN THROMBOSIS | | | 1 (0.00) | | 1 (0.00) |
| POST ABORTION HAEMORRHAGE | | 1 (0.01) | | | 1 (0.00) |
| POST CHOLECYSTECTOMY SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| POST COITAL CONTRACEPTION | | 3 (0.02) | | | 3 (0.01) |
| POST GASTRIC SURGERY SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| POST HERPETIC NEURALGIA | | 5 (0.03) | 24 (0.09) | 24 (0.36) | 53 (0.10) |
| POST POLIO SYNDROME | | | 4 (0.02) | | 4 (0.01) |
| POST PROCEDURAL CELLULITIS | | 2 (0.01) | | | 2 (0.00) |
| POST PROCEDURAL COMPLICATION | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |
| POST PROCEDURAL HAEMORRHAGE | 3 (0.06) | 2 (0.01) | 3 (0.01) | 2 (0.03) | 10 (0.02) |
| POST PROCEDURAL HEADACHE | | | 1 (0.00) | | 1 (0.00) |
| POST PROCEDURAL HYPOTHYROIDISM | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| POST PROCEDURAL NAUSEA | 1 (0.02) | 2 (0.01) | 3 (0.01) | 1 (0.02) | 7 (0.01) |
| POST PROCEDURAL URINE LEAK | | | 1 (0.00) | | 1 (0.00) |
| POST PROCEDURAL VOMITING | | 2 (0.01) | | 1 (0.02) | 3 (0.01) |
| POST-TRAUMATIC EPILEPSY | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| POST-TRAUMATIC HEADACHE | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| POST-TRAUMATIC PAIN | | 3 (0.02) | | | 3 (0.01) |
| POST-TRAUMATIC STRESS DISORDER | 3 (0.06) | 20 (0.14) | 9 (0.03) | 2 (0.03) | 34 (0.06) |
| POSTMENOPAUSE | | | 7 (0.03) | | 7 (0.01) |
| POSTNASAL DRIP | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| POSTOPERATIVE ANALGESIA | 3 (0.06) | 7 (0.05) | 8 (0.03) | 1 (0.02) | 19 (0.04) |
| POSTOPERATIVE CARE | | 3 (0.02) | 9 (0.03) | 1 (0.02) | 13 (0.02) |
| POSTOPERATIVE INFECTION | | 1 (0.01) | 3 (0.01) | 1 (0.02) | 5 (0.01) |
| POSTOPERATIVE WOUND INFECTION | | 1 (0.01) | 3 (0.01) | 1 (0.02) | 5 (0.01) |
| POSTPARTUM DEPRESSION | 1 (0.02) | 11 (0.08) | | | 12 (0.02) |
| POSTPARTUM HAEMORRHAGE | 3 (0.06) | | | | 3 (0.01) |
| POSTPARTUM HYPOPITUITARISM | | 1 (0.01) | | | 1 (0.00) |
| POSTPERICARDIOTOMY SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| PRADER-WILLI SYNDROME | 5 (0.10) | | | | 5 (0.01) |
| PRE-ECLAMPSIA | 2 (0.04) | 5 (0.03) | | | 7 (0.01) |
| PRE-EXISTING DISEASE | 2 (0.04) | 2 (0.01) | 2 (0.01) | | 6 (0.01) |
| PRECANCEROUS CELLS PRESENT | | | 1 (0.00) | | 1 (0.00) |
| PRECOCIOUS PUBERTY | 6 (0.12) | | | | 6 (0.01) |
| PREGNANCY | 4 (0.08) | 3 (0.02) | 1 (0.00) | | 8 (0.02) |
| PREGNANCY INDUCED HYPERTENSION | 1 (0.02) | | | | 1 (0.00) |
| PREMATURE LABOUR | 4 (0.08) | 1 (0.01) | | | 5 (0.01) |
| PREMEDICATION | 6 (0.12) | 46 (0.32) | 117 (0.44) | 15 (0.23) | 184 (0.35) |
| PREMENSTRUAL SYNDROME | 1 (0.02) | 5 (0.03) | | | 6 (0.01) |
| PREOPERATIVE CARE | 3 (0.06) | 6 (0.04) | 15 (0.06) | | 24 (0.05) |
| PRIMARY AMYLOIDOSIS | | | 1 (0.00) | | 1 (0.00) |
| PRIMARY IMMUNODEFICIENCY SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| PRIMARY PROGRESSIVE MULTIPLE SCLEROSIS | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| PRINZMETAL ANGINA | | 1 (0.01) | | | 1 (0.00) |
| PROCEDURAL HYPERTENSION | | 2 (0.01) | | 1 (0.02) | 3 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PROCEDURAL PAIN | 4 (0.08) | 16 (0.11) | 38 (0.14) | 2 (0.03) | 60 (0.11) |
| PROCTALGIA | | | | 3 (0.05) | 3 (0.01) |
| PROCTITIS | | | 1 (0.00) | | 1 (0.00) |
| PROCTITIS ULCERATIVE | | | 1 (0.00) | | 1 (0.00) |
| PRODUCTIVE COUGH | 1 (0.02) | 2 (0.01) | 7 (0.03) | | 10 (0.02) |
| PROFOUND MENTAL RETARDATION | | 1 (0.01) | | | 1 (0.00) |
| PROGRESSIVE MULTIPLE SCLEROSIS | | 1 (0.01) | 4 (0.02) | | 5 (0.01) |
| PROGRESSIVE SUPRANUCLEAR PALSY | | | 1 (0.00) | | 1 (0.00) |
| PROLACTIN-PRODUCING PITUITARY TUMOUR | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PROLACTINOMA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PROMOTION OF PERIPHERAL CIRCULATION | | | 1 (0.00) | | 1 (0.00) |
| PROMOTION OF WOUND HEALING | | | 1 (0.00) | | 1 (0.00) |
| PROPHYLACTIC CHEMOTHERAPY | | | 4 (0.02) | 2 (0.03) | 6 (0.01) |
| PROPHYLAXIS | 67 (1.39) | 121 (0.83) | 316 (1.19) | 78 (1.19) | 582 (1.11) |
| PROPHYLAXIS AGAINST GASTROINTESTINAL ULCER | | 5 (0.03) | 44 (0.17) | 15 (0.23) | 64 (0.12) |
| PROPHYLAXIS AGAINST HIV INFECTION | 1 (0.02) | 2 (0.01) | | | 3 (0.01) |
| PROPHYLAXIS AGAINST TRANSPLANT REJECTION | 34 (0.70) | 101 (0.69) | 129 (0.48) | | 264 (0.50) |
| PROPHYLAXIS OF NAUSEA AND VOMITING | 3 (0.06) | 11 (0.08) | 33 (0.12) | 2 (0.03) | 49 (0.09) |
| PROSTATE CANCER | | | 111 (0.42) | 76 (1.16) | 187 (0.36) |
| PROSTATE CANCER METASTATIC | | | 19 (0.07) | 12 (0.18) | 31 (0.06) |
| PROSTATE CANCER STAGE 0 | | | 2 (0.01) | | 2 (0.00) |
| PROSTATE CANCER STAGE I | | | | 2 (0.03) | 2 (0.00) |
| PROSTATE CANCER STAGE II | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| PROSTATE CANCER STAGE III | | | | 1 (0.02) | 1 (0.00) |
| PROSTATE CANCER STAGE IV | | | 1 (0.00) | | 1 (0.00) |
| PROSTATE EXAMINATION | | 1 (0.01) | | | 1 (0.00) |
| PROSTATE EXAMINATION ABNORMAL | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PROSTATE INFECTION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PROSTATECTOMY | | | | 1 (0.02) | 1 (0.00) |
| PROSTATIC ADENOMA | | | 1 (0.00) | 2 (0.03) | 3 (0.01) |
| PROSTATIC DISORDER | | 2 (0.01) | 14 (0.05) | 1 (0.02) | 17 (0.03) |
| PROSTATIC OPERATION | | | 1 (0.00) | | 1 (0.00) |
| PROSTATIC SPECIFIC ANTIGEN INCREASED | | | 3 (0.01) | | 3 (0.01) |
| PROSTATISM | | 1 (0.01) | 5 (0.02) | 5 (0.08) | 11 (0.02) |
| PROSTATITIS | 1 (0.02) | 5 (0.03) | 12 (0.05) | 3 (0.05) | 21 (0.04) |
| PROTEIN C DEFICIENCY | 1 (0.02) | | | | 1 (0.00) |
| PROTEIN S DEFICIENCY | | | 1 (0.00) | | 1 (0.00) |
| PROTEIN URINE PRESENT | | | 1 (0.00) | | 1 (0.00) |
| PROTEINURIA | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PROTHROMBIN TIME PROLONGED | | | 1 (0.00) | | 1 (0.00) |
| PRURITUS | 7 (0.14) | 11 (0.08) | 19 (0.07) | 26 (0.40) | 63 (0.12) |
| PRURITUS ANI | | 1 (0.01) | | | 1 (0.00) |
| PRURITUS GENERALISED | | | 2 (0.01) | 2 (0.03) | 4 (0.01) |
| PSEUDALLESCHERIA INFECTION | 1 (0.02) | | | | 1 (0.00) |
| PSEUDODEMENTIA | | | | 2 (0.03) | 2 (0.00) |
| PSEUDOMONAL SEPSIS | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| PSEUDOMONAS INFECTION | 9 (0.19) | 2 (0.01) | 5 (0.02) | 11 (0.17) | 27 (0.05) |
| PSORIASIS | 4 (0.08) | 60 (0.41) | 93 (0.35) | 12 (0.18) | 169 (0.32) |
| PSORIATIC ARTHROPATHY | 3 (0.06) | 22 (0.15) | 21 (0.08) | | 46 (0.09) |
| PSYCHIATRIC SYMPTOM | 2 (0.04) | 1 (0.01) | 3 (0.01) | 3 (0.05) | 9 (0.02) |
| PSYCHOMOTOR HYPERACTIVITY | 8 (0.17) | 1 (0.01) | 3 (0.01) | | 12 (0.02) |
| PSYCHOMOTOR RETARDATION | | | 3 (0.01) | | 3 (0.01) |
| PSYCHOMOTOR SEIZURES | | | 1 (0.00) | | 1 (0.00) |
| PSYCHOTIC DISORDER | 27 (0.56) | 84 (0.58) | 64 (0.24) | 17 (0.26) | 192 (0.36) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|------------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| PSYCHOTIC DISORDER DUE TO A GENERAL MEDICAL C | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| PULMONARY ARTERIAL PRESSURE | | | 1 (0.00) | | 1 (0.00) |
| PULMONARY ARTERIAL PRESSURE INCREASED | 2 (0.04) | | | | 2 (0.00) |
| PULMONARY CONGESTION | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| PULMONARY EMBOLISM | | 7 (0.05) | 25 (0.09) | 9 (0.14) | 41 (0.08) |
| PULMONARY FIBROSIS | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| PULMONARY HAEMORRHAGE | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| PULMONARY HYPERTENSION | 49 (1.01) | 70 (0.48) | 124 (0.47) | 20 (0.30) | 263 (0.50) |
| PULMONARY MASS | | | 1 (0.00) | | 1 (0.00) |
| PULMONARY MYCOSIS | | | | 2 (0.03) | 2 (0.00) |
| PULMONARY OEDEMA | | | 1 (0.00) | | 1 (0.00) |
| PULMONARY TUBERCULOSIS | 1 (0.02) | 5 (0.03) | 4 (0.02) | 5 (0.08) | 15 (0.03) |
| PUSTULAR PSORIASIS | | 2 (0.01) | 3 (0.01) | 1 (0.02) | 6 (0.01) |
| PYELONEPHRITIS | 2 (0.04) | 5 (0.03) | 7 (0.03) | 5 (0.08) | 19 (0.04) |
| PYELONEPHRITIS ACUTE | | | 2 (0.01) | | 2 (0.00) |
| PYLORIC STENOSIS | | 1 (0.01) | | | 1 (0.00) |
| PYODERMA | | 1 (0.01) | | | 1 (0.00) |
| PYODERMA GANGRENOSUM | | | 7 (0.03) | | 7 (0.01) |
| PYREXIA | 34 (0.70) | 31 (0.21) | 37 (0.14) | 14 (0.21) | 116 (0.22) |
| PYURIA | | 1 (0.01) | | | 1 (0.00) |
| QUADRIPLEGIA | | | | 1 (0.02) | 1 (0.00) |
| QUADRUPLE VESSEL BYPASS GRAFT | | | 1 (0.00) | | 1 (0.00) |
| RABIES | 1 (0.02) | | | | 1 (0.00) |
| RADIATION EXPOSURE | | | 1 (0.00) | | 1 (0.00) |
| RADIATION INJURY | | | 1 (0.00) | | 1 (0.00) |
| RADIATION OESOPHAGITIS | | | 1 (0.00) | | 1 (0.00) |
| RADICULAR PAIN | | 3 (0.02) | 1 (0.00) | 1 (0.02) | 5 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| RADICULAR SYNDROME | | 2 (0.01) | 4 (0.02) | | 6 (0.01) |
| RADICULITIS | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| RADICULITIS LUMBOSACRAL | | 2 (0.01) | | | 2 (0.00) |
| RADICULOPATHY | | 4 (0.03) | 1 (0.00) | | 5 (0.01) |
| RADIOISOTOPE SCAN | | | 1 (0.00) | | 1 (0.00) |
| RADIOTHERAPY | 3 (0.06) | 6 (0.04) | 22 (0.08) | 2 (0.03) | 33 (0.06) |
| RADIOTHERAPY TO BONE | | | 1 (0.00) | | 1 (0.00) |
| RADIUS FRACTURE | | | 1 (0.00) | | 1 (0.00) |
| RALES | | | | 1 (0.02) | 1 (0.00) |
| RASH | 8 (0.17) | 20 (0.14) | 20 (0.08) | 11 (0.17) | 59 (0.11) |
| RASH ERYTHEMATOUS | | 1 (0.01) | | | 1 (0.00) |
| RASH MACULAR | | 1 (0.01) | | | 1 (0.00) |
| RASH PAPULAR | | | 1 (0.00) | | 1 (0.00) |
| RASH PRURITIC | | 2 (0.01) | 6 (0.02) | | 8 (0.02) |
| RASH VESICULAR | 1 (0.02) | | | | 1 (0.00) |
| RAYNAUD'S PHENOMENON | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| REACTIVE PSYCHOSIS | | 1 (0.01) | | | 1 (0.00) |
| REBOUND EFFECT | 1 (0.02) | | | | 1 (0.00) |
| RECTAL CANCER | 2 (0.04) | 7 (0.05) | 35 (0.13) | 2 (0.03) | 46 (0.09) |
| RECTAL CANCER METASTATIC | | 1 (0.01) | 7 (0.03) | | 8 (0.02) |
| RECTAL CANCER STAGE III | | | 3 (0.01) | | 3 (0.01) |
| RECTAL CANCER STAGE IV | | | | 1 (0.02) | 1 (0.00) |
| RECTAL ULCER | | | 2 (0.01) | | 2 (0.00) |
| RECURRENT CANCER | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| RED BLOOD CELL ABNORMALITY | | | 1 (0.00) | | 1 (0.00) |
| RED BLOOD CELL COUNT | | | 1 (0.00) | | 1 (0.00) |
| RED BLOOD CELL COUNT DECREASED | 1 (0.02) | | | | 1 (0.00) |
| REDUCTION OF INCREASED INTRACRANIAL PRESSURE | 1 (0.02) | | 3 (0.01) | | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| REFLUX GASTRITIS | | | 2 (0.01) | | 2 (0.00) |
| REFLUX OESOPHAGITIS | | 5 (0.03) | 34 (0.13) | 28 (0.43) | 67 (0.13) |
| REFRACTORY ANAEMIA | 1 (0.02) | | | 1 (0.02) | 2 (0.00) |
| REFUSAL OF TREATMENT BY PATIENT | | | 1 (0.00) | | 1 (0.00) |
| REGURGITATION OF FOOD | | 1 (0.01) | | | 1 (0.00) |
| RELAPSING-REMITTING MULTIPLE SCLEROSIS | 5 (0.10) | 72 (0.49) | 43 (0.16) | | 120 (0.23) |
| RENAL AMYLOIDOSIS | | | 1 (0.00) | | 1 (0.00) |
| RENAL AND PANCREAS TRANSPLANT | | 1 (0.01) | | | 1 (0.00) |
| RENAL ARTERY STENOSIS | | | | 2 (0.03) | 2 (0.00) |
| RENAL CANCER METASTATIC | | 2 (0.01) | 5 (0.02) | 2 (0.03) | 9 (0.02) |
| RENAL CELL CARCINOMA STAGE IV | | | 1 (0.00) | | 1 (0.00) |
| RENAL CELL CARCINOMA STAGE UNSPECIFIED | | 21 (0.14) | 125 (0.47) | 20 (0.30) | 166 (0.32) |
| RENAL COLIC | | 4 (0.03) | | | 4 (0.01) |
| RENAL DISORDER | 1 (0.02) | 4 (0.03) | 7 (0.03) | 1 (0.02) | 13 (0.02) |
| RENAL DYSPLASIA | 2 (0.04) | | | | 2 (0.00) |
| RENAL FAILURE | 3 (0.06) | 2 (0.01) | 12 (0.05) | 5 (0.08) | 22 (0.04) |
| RENAL FAILURE CHRONIC | 8 (0.17) | 9 (0.06) | 25 (0.09) | 9 (0.14) | 51 (0.10) |
| RENAL GLYCOSURIA | | | | 2 (0.03) | 2 (0.00) |
| RENAL HYPERTENSION | 2 (0.04) | | | | 2 (0.00) |
| RENAL IMPAIRMENT | | 4 (0.03) | | | 4 (0.01) |
| RENAL NEOPLASM | | | 1 (0.00) | | 1 (0.00) |
| RENAL PAIN | | 2 (0.01) | | | 2 (0.00) |
| RENAL TRANSPLANT | 18 (0.37) | 47 (0.32) | 62 (0.23) | 1 (0.02) | 128 (0.24) |
| RENAL TUBULAR DISORDER | | 1 (0.01) | | | 1 (0.00) |
| REPETITIVE STRAIN INJURY | | 1 (0.01) | | | 1 (0.00) |
| RESIDUAL URINE VOLUME | | | | 1 (0.02) | 1 (0.00) |
| RESPIRATORY ARREST | | | 1 (0.00) | | 1 (0.00) |
| RESPIRATORY DISORDER | 4 (0.08) | 3 (0.02) | 11 (0.04) | 2 (0.03) | 20 (0.04) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| RESPIRATORY DISTRESS | | | 1 (0.00) | | 1 (0.00) |
| RESPIRATORY FAILURE | | | 2 (0.01) | 3 (0.05) | 5 (0.01) |
| RESPIRATORY MONILIASIS | | 2 (0.01) | | 1 (0.02) | 3 (0.01) |
| RESPIRATORY SYNCYTIAL VIRUS INFECTION | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| RESPIRATORY THERAPY | | 1 (0.01) | | | 1 (0.00) |
| RESPIRATORY TRACT CONGESTION | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| RESPIRATORY TRACT INFECTION | 4 (0.08) | 10 (0.07) | 14 (0.05) | 7 (0.11) | 35 (0.07) |
| RESPIRATORY TRACT INFECTION BACTERIAL | 9 (0.19) | 48 (0.33) | 27 (0.10) | 5 (0.08) | 89 (0.17) |
| RESPIRATORY TRACT INFECTION FUNGAL | | | 1 (0.00) | | 1 (0.00) |
| RESTLESS LEGS SYNDROME | 2 (0.04) | 101 (0.69) | 166 (0.62) | 43 (0.65) | 312 (0.59) |
| RESTLESSNESS | | 1 (0.01) | 3 (0.01) | 6 (0.09) | 10 (0.02) |
| RETCHING | | | 1 (0.00) | | 1 (0.00) |
| RETINAL ARTERY THROMBOSIS | | | 1 (0.00) | | 1 (0.00) |
| RETINAL DETACHMENT | | | 1 (0.00) | | 1 (0.00) |
| RETINAL DISORDER | | | 2 (0.01) | | 2 (0.00) |
| RETINAL HAEMORRHAGE | | | | 2 (0.03) | 2 (0.00) |
| RETINAL VEIN OCCLUSION | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| RETINOPATHY | | | 1 (0.00) | | 1 (0.00) |
| RETROPERITONEAL ABSCESS | | | 1 (0.00) | | 1 (0.00) |
| RETROVIRAL INFECTION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| REVERSAL OF SEDATION | | | 1 (0.00) | | 1 (0.00) |
| REVERSIBLE AIRWAYS OBSTRUCTION | 1 (0.02) | | | | 1 (0.00) |
| RHABDOMYOLYSIS | 1 (0.02) | | | | 1 (0.00) |
| RHABDOMYOSARCOMA | 8 (0.17) | | | | 8 (0.02) |
| RHESUS INCOMPATIBILITY | 3 (0.06) | | | | 3 (0.01) |
| RHEUMATOID ARTHRITIS | 12 (0.25) | 229 (1.57) | 728 (2.73) | 99 (1.50) | 1068 (2.03) |
| RHEUMATOID FACTOR NEGATIVE | 1 (0.02) | | | | 1 (0.00) |
| RHINITIS | 6 (0.12) | 8 (0.05) | 8 (0.03) | | 22 (0.04) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| RHINITIS ALLERGIC | 9 (0.19) | 17 (0.12) | 17 (0.06) | 2 (0.03) | 45 (0.09) |
| RHINITIS PERENNIAL | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| RHINITIS SEASONAL | | 1 (0.01) | | | 1 (0.00) |
| RHINORRHOEA | 4 (0.08) | 3 (0.02) | 3 (0.01) | 2 (0.03) | 12 (0.02) |
| RHINOTRACHEITIS | 1 (0.02) | | | | 1 (0.00) |
| RIB FRACTURE | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| ROAD TRAFFIC ACCIDENT | | | 6 (0.02) | | 6 (0.01) |
| ROSACEA | | 6 (0.04) | 4 (0.02) | 4 (0.06) | 14 (0.03) |
| ROTATOR CUFF REPAIR | | 3 (0.02) | 2 (0.01) | | 5 (0.01) |
| ROTATOR CUFF SYNDROME | | 13 (0.09) | 18 (0.07) | | 31 (0.06) |
| ROUTINE HEALTH MAINTENANCE | | | 10 (0.04) | 1 (0.02) | 11 (0.02) |
| SACROILIITIS | | 3 (0.02) | | | 3 (0.01) |
| SALIVARY GLAND CANCER | | | 2 (0.01) | | 2 (0.00) |
| SALIVARY HYPERSECRETION | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| SARCOIDOSIS | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| SARCOMA | 1 (0.02) | 7 (0.05) | 4 (0.02) | 1 (0.02) | 13 (0.02) |
| SARCOMATOSIS | | | 1 (0.00) | | 1 (0.00) |
| SCAN | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| SCAN MYOCARDIAL PERFUSION | | | 4 (0.02) | 2 (0.03) | 6 (0.01) |
| SCAN WITH CONTRAST | | 4 (0.03) | | | 4 (0.01) |
| SCAR | 1 (0.02) | 3 (0.02) | | | 4 (0.01) |
| SCHISTOSOMIASIS | | 1 (0.01) | | | 1 (0.00) |
| SCHIZOAFFECTIVE DISORDER | 16 (0.33) | 143 (0.98) | 75 (0.28) | 1 (0.02) | 235 (0.45) |
| SCHIZOID PERSONALITY DISORDER | | 1 (0.01) | | | 1 (0.00) |
| SCHIZOPHRENIA | 73 (1.51) | 390 (2.67) | 262 (0.98) | 29 (0.44) | 754 (1.43) |
| SCHIZOPHRENIA, CATATONIC TYPE | 1 (0.02) | | | 2 (0.03) | 3 (0.01) |
| SCHIZOPHRENIA, DISORGANISED TYPE | 1 (0.02) | 4 (0.03) | 1 (0.00) | | 6 (0.01) |
| SCHIZOPHRENIA, PARANOID TYPE | 17 (0.35) | 87 (0.60) | 43 (0.16) | | 147 (0.28) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SCHIZOPHRENIA, RESIDUAL TYPE | | | 2 (0.01) | | 2 (0.00) |
| SCHIZOPHRENIA, UNDIFFERENTIATED TYPE | 1 (0.02) | 7 (0.05) | 1 (0.00) | | 9 (0.02) |
| SCHIZOPHRENIFORM DISORDER | 3 (0.06) | | 1 (0.00) | | 4 (0.01) |
| SCHIZOTYPAL PERSONALITY DISORDER | | 4 (0.03) | | | 4 (0.01) |
| SCIATICA | | 14 (0.10) | 31 (0.12) | 11 (0.17) | 56 (0.11) |
| SCINTIGRAPHY | | 1 (0.01) | | | 1 (0.00) |
| SCLERITIS | | | | 2 (0.03) | 2 (0.00) |
| SCLERODERMA | | 4 (0.03) | 3 (0.01) | | 7 (0.01) |
| SCLEROSING ENCAPSULATING PERITONITIS | | | 1 (0.00) | | 1 (0.00) |
| SCOLIOSIS | | 3 (0.02) | 1 (0.00) | 1 (0.02) | 5 (0.01) |
| SCRATCH | | 1 (0.01) | | | 1 (0.00) |
| SEASONAL AFFECTIVE DISORDER | | | | 1 (0.02) | 1 (0.00) |
| SEASONAL ALLERGY | 10 (0.21) | 16 (0.11) | 14 (0.05) | 2 (0.03) | 42 (0.08) |
| SEBORRHOEIC DERMATITIS | | | 3 (0.01) | | 3 (0.01) |
| SECONDARY HYPERTENSION | | 3 (0.02) | 2 (0.01) | 2 (0.03) | 7 (0.01) |
| SECONDARY IMMUNODEFICIENCY | 2 (0.04) | | | 1 (0.02) | 3 (0.01) |
| SECONDARY PROGRESSIVE MULTIPLE SCLEROSIS | | 7 (0.05) | 17 (0.06) | 1 (0.02) | 25 (0.05) |
| SEDATION | 19 (0.39) | 14 (0.10) | 29 (0.11) | 9 (0.14) | 71 (0.13) |
| SEDATIVE THERAPY | 2 (0.04) | 5 (0.03) | 5 (0.02) | 4 (0.06) | 16 (0.03) |
| SELECTIVE IGA IMMUNODEFICIENCY | | | 2 (0.01) | | 2 (0.00) |
| SELECTIVE IGG SUBCLASS DEFICIENCY | | | 4 (0.02) | | 4 (0.01) |
| SELF ESTEEM DECREASED | 1 (0.02) | | | | 1 (0.00) |
| SELF MUTILATION | 1 (0.02) | | | | 1 (0.00) |
| SELF-MEDICATION | | | 3 (0.01) | | 3 (0.01) |
| SENILE DEMENTIA | | | 1 (0.00) | 3 (0.05) | 4 (0.01) |
| SENILE PSYCHOSIS | | | 1 (0.00) | | 1 (0.00) |
| SENSITIVITY OF TEETH | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| SENSORY DISTURBANCE | 2 (0.04) | 4 (0.03) | | | 6 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SEPSIS | 12 (0.25) | 19 (0.13) | 48 (0.18) | 13 (0.20) | 92 (0.17) |
| SEPSIS SYNDROME | | 2 (0.01) | | | 2 (0.00) |
| SEPTIC ARTHRITIS STAPHYLOCOCCAL | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| SEPTIC SHOCK | 2 (0.04) | 1 (0.01) | 1 (0.00) | 1 (0.02) | 5 (0.01) |
| SERONEGATIVE ARTHRITIS | | | 1 (0.00) | | 1 (0.00) |
| SERRATIA INFECTION | | 1 (0.01) | | | 1 (0.00) |
| SERUM FERRITIN INCREASED | | | 1 (0.00) | | 1 (0.00) |
| SERUM SEROTONIN DECREASED | | | 1 (0.00) | | 1 (0.00) |
| SERUM SICKNESS | | 1 (0.01) | | | 1 (0.00) |
| SEXUAL DYSFUNCTION | | 4 (0.03) | 5 (0.02) | 1 (0.02) | 10 (0.02) |
| SHOCK | | | | 1 (0.02) | 1 (0.00) |
| SHOCK HAEMORRHAGIC | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SHOULDER OPERATION | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SHOULDER PAIN | 2 (0.04) | 85 (0.58) | 125 (0.47) | 7 (0.11) | 219 (0.42) |
| SHUNT MALFUNCTION | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| SICK SINUS SYNDROME | | | 1 (0.00) | | 1 (0.00) |
| SICKLE CELL ANAEMIA | 7 (0.14) | 1 (0.01) | 1 (0.00) | | 9 (0.02) |
| SICKLE CELL ANAEMIA WITH CRISIS | | 1 (0.01) | | | 1 (0.00) |
| SIMPLE PARTIAL SEIZURES | 3 (0.06) | 4 (0.03) | 1 (0.00) | | 8 (0.02) |
| SINOBRONCHITIS | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| SINUS ARRHYTHMIA | | | 2 (0.01) | | 2 (0.00) |
| SINUS CONGESTION | 1 (0.02) | 3 (0.02) | 8 (0.03) | 1 (0.02) | 13 (0.02) |
| SINUS DISORDER | 1 (0.02) | 5 (0.03) | 11 (0.04) | 3 (0.05) | 20 (0.04) |
| SINUS HEADACHE | 1 (0.02) | 7 (0.05) | 1 (0.00) | | 9 (0.02) |
| SINUS OPERATION | | 1 (0.01) | | | 1 (0.00) |
| SINUS TACHYCARDIA | 1 (0.02) | | 1 (0.00) | 3 (0.05) | 5 (0.01) |
| SINUSITIS | 29 (0.60) | 85 (0.58) | 51 (0.19) | 5 (0.08) | 170 (0.32) |
| SINUSITIS ASPERGILLUS | | | 1 (0.00) | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SJOGREN'S SYNDROME | | 6 (0.04) | 8 (0.03) | | 14 (0.03) |
| SKELETAL INJURY | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| SKIN BURNING SENSATION | | | | 1 (0.02) | 1 (0.00) |
| SKIN CANCER | | | | 2 (0.03) | 2 (0.00) |
| SKIN CANDIDA | | 2 (0.01) | | | 2 (0.00) |
| SKIN CHAPPED | 1 (0.02) | | | | 1 (0.00) |
| SKIN COSMETIC PROCEDURE | | 2 (0.01) | | | 2 (0.00) |
| SKIN DISCOLOURATION | | | | 1 (0.02) | 1 (0.00) |
| SKIN DISORDER | 1 (0.02) | 1 (0.01) | 10 (0.04) | | 12 (0.02) |
| SKIN EXFOLIATION | | | 2 (0.01) | | 2 (0.00) |
| SKIN GRAFT | | | 1 (0.00) | | 1 (0.00) |
| SKIN INFECTION | 2 (0.04) | 5 (0.03) | 3 (0.01) | 3 (0.05) | 13 (0.02) |
| SKIN IRRITATION | 1 (0.02) | | 5 (0.02) | | 6 (0.01) |
| SKIN LESION | | 1 (0.01) | 4 (0.02) | | 5 (0.01) |
| SKIN LESION EXCISION | | | 2 (0.01) | | 2 (0.00) |
| SKIN PAPILLOMA | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| SKIN TEST | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SKIN ULCER | | 3 (0.02) | 4 (0.02) | 4 (0.06) | 11 (0.02) |
| SKIN WRINKLING | | 8 (0.05) | 4 (0.02) | | 12 (0.02) |
| SLEEP APNOEA SYNDROME | | 2 (0.01) | 15 (0.06) | 2 (0.03) | 19 (0.04) |
| SLEEP DISORDER | 12 (0.25) | 56 (0.38) | 71 (0.27) | 25 (0.38) | 164 (0.31) |
| SLEEP DISORDER DUE TO GENERAL MEDICAL CONDITI | | | 1 (0.00) | | 1 (0.00) |
| SLEEP DISORDER THERAPY | | 3 (0.02) | 11 (0.04) | 1 (0.02) | 15 (0.03) |
| SLEEP PARALYSIS | | 1 (0.01) | | | 1 (0.00) |
| SLUGGISHNESS | | 1 (0.01) | | | 1 (0.00) |
| SMALL CELL CARCINOMA | | 1 (0.01) | | | 1 (0.00) |
| SMALL CELL LUNG CANCER METASTATIC | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SMALL CELL LUNG CANCER STAGE UNSPECIFIED | | 3 (0.02) | 29 (0.11) | 6 (0.09) | 38 (0.07) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SMALL FOR DATES BABY | 1 (0.02) | | | | 1 (0.00) |
| SMALL INTESTINE CARCINOMA METASTATIC | | | 2 (0.01) | | 2 (0.00) |
| SMEAR CERVIX | | 1 (0.01) | | | 1 (0.00) |
| SMOKER | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| SMOKING CESSATION THERAPY | 4 (0.08) | 53 (0.36) | 36 (0.14) | 1 (0.02) | 94 (0.18) |
| SNEEZING | 4 (0.08) | 1 (0.01) | | | 5 (0.01) |
| SNORING | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SOCIAL PHOBIA | 4 (0.08) | 6 (0.04) | | | 10 (0.02) |
| SOFT TISSUE DISORDER | | | 1 (0.00) | | 1 (0.00) |
| SOFT TISSUE INFECTION | 2 (0.04) | 1 (0.01) | | | 3 (0.01) |
| SOMATOFORM DISORDER | | 2 (0.01) | | | 2 (0.00) |
| SOMNOLENCE | 2 (0.04) | 10 (0.07) | 15 (0.06) | | 27 (0.05) |
| SPINA BIFIDA | | 1 (0.01) | | | 1 (0.00) |
| SPINAL ANAESTHESIA | 2 (0.04) | 4 (0.03) | 2 (0.01) | | 8 (0.02) |
| SPINAL COLUMN STENOSIS | | 9 (0.06) | 17 (0.06) | 7 (0.11) | 33 (0.06) |
| SPINAL COMPRESSION FRACTURE | | 1 (0.01) | | 3 (0.05) | 4 (0.01) |
| SPINAL CORD DISORDER | | | 2 (0.01) | | 2 (0.00) |
| SPINAL CORD INFECTION | | 1 (0.01) | | | 1 (0.00) |
| SPINAL CORD INJURY | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SPINAL DISORDER | | 3 (0.02) | 5 (0.02) | 1 (0.02) | 9 (0.02) |
| SPINAL FRACTURE | | | 9 (0.03) | | 9 (0.02) |
| SPINAL FUSION SURGERY | | 3 (0.02) | 3 (0.01) | | 6 (0.01) |
| SPINAL LAMINECTOMY | | 1 (0.01) | | | 1 (0.00) |
| SPINAL MUSCULAR ATROPHY | 4 (0.08) | | | | 4 (0.01) |
| SPINAL MYELOGRAM | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SPINAL OPERATION | | | 2 (0.01) | | 2 (0.00) |
| SPINAL OSTEOARTHRITIS | | 6 (0.04) | 32 (0.12) | 3 (0.05) | 41 (0.08) |
| SPINE MALFORMATION | | | | 1 (0.02) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SPLENECTOMY | 1 (0.02) | | | | 1 (0.00) |
| SPONDYLITIS | | 26 (0.18) | 50 (0.19) | 5 (0.08) | 81 (0.15) |
| SPONDYLOARTHROPATHY | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| SPONDYLOLISTHESIS | | | 4 (0.02) | 3 (0.05) | 7 (0.01) |
| SPORTS INJURY | | | 6 (0.02) | | 6 (0.01) |
| SPUTUM PURULENT | | | 2 (0.01) | | 2 (0.00) |
| SPUTUM RETENTION | | 1 (0.01) | | 4 (0.06) | 5 (0.01) |
| SQUAMOUS CELL CARCINOMA | | 15 (0.10) | 51 (0.19) | 2 (0.03) | 68 (0.13) |
| SQUAMOUS CELL CARCINOMA OF SKIN | | | | 1 (0.02) | 1 (0.00) |
| SQUAMOUS CELL CARCINOMA OF THE CERVIX | | 1 (0.01) | | | 1 (0.00) |
| STAPHYLOCOCCAL ABSCESS | | | 1 (0.00) | | 1 (0.00) |
| STAPHYLOCOCCAL BACTERAEMIA | | 3 (0.02) | 10 (0.04) | 3 (0.05) | 16 (0.03) |
| STAPHYLOCOCCAL INFECTION | 7 (0.14) | 11 (0.08) | 28 (0.11) | 13 (0.20) | 59 (0.11) |
| STAPHYLOCOCCAL OSTEOMYELITIS | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.01) |
| STAPHYLOCOCCAL SEPSIS | | 3 (0.02) | | 4 (0.06) | 7 (0.01) |
| STASIS DERMATITIS | | | 1 (0.00) | | 1 (0.00) |
| STATUS ASTHMATICUS | 5 (0.10) | 1 (0.01) | 2 (0.01) | | 8 (0.02) |
| STATUS EPILEPTICUS | | 3 (0.02) | 5 (0.02) | | 8 (0.02) |
| STEM CELL TRANSPLANT | 10 (0.21) | 15 (0.10) | 15 (0.06) | | 40 (0.08) |
| STENT OCCLUSION | | | 2 (0.01) | | 2 (0.00) |
| STENT PLACEMENT | | 9 (0.06) | 54 (0.20) | 19 (0.29) | 82 (0.16) |
| STERILISATION | | | 1 (0.00) | | 1 (0.00) |
| STEROID THERAPY | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| STEVENS-JOHNSON SYNDROME | 1 (0.02) | | | | 1 (0.00) |
| STIFF-MAN SYNDROME | | | | 1 (0.02) | 1 (0.00) |
| STOMACH DISCOMFORT | 2 (0.04) | 3 (0.02) | 9 (0.03) | 1 (0.02) | 15 (0.03) |
| STOMATITIS | | 2 (0.01) | 13 (0.05) | 1 (0.02) | 16 (0.03) |
| STRABISMUS | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| STREPTOCOCCAL INFECTION | | 2 (0.01) | 4 (0.02) | 1 (0.02) | 7 (0.01) |
| STRESS | | 17 (0.12) | 11 (0.04) | 1 (0.02) | 29 (0.06) |
| STRESS FRACTURE | | 2 (0.01) | | | 2 (0.00) |
| STRESS INCONTINENCE | | 7 (0.05) | 16 (0.06) | 2 (0.03) | 25 (0.05) |
| STRESS ULCER | | | 2 (0.01) | | 2 (0.00) |
| STRIDOR | 3 (0.06) | | | | 3 (0.01) |
| STRONGYLOIDIASIS | | | | 2 (0.03) | 2 (0.00) |
| SUBACUTE ENDOCARDITIS | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| SUBARACHNOID HAEMORRHAGE | | | 1 (0.00) | | 1 (0.00) |
| SUBCLAVIAN ARTERY THROMBOSIS | | | | 1 (0.02) | 1 (0.00) |
| SUBCUTANEOUS ABSCESS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SUBDURAL HAEMATOMA | | 1 (0.01) | 5 (0.02) | | 6 (0.01) |
| SUDDEN HEARING LOSS | | | 2 (0.01) | | 2 (0.00) |
| SUICIDAL IDEATION | | 4 (0.03) | | | 4 (0.01) |
| SUICIDE ATTEMPT | 22 (0.46) | 17 (0.12) | 4 (0.02) | | 43 (0.08) |
| SUPERINFECTION | | 1 (0.01) | | 2 (0.03) | 3 (0.01) |
| SUPERINFECTION LUNG | 1 (0.02) | 3 (0.02) | 2 (0.01) | 3 (0.05) | 9 (0.02) |
| SUPRAVENTRICULAR EXTRASYSTOLES | | | 1 (0.00) | | 1 (0.00) |
| SUPRAVENTRICULAR TACHYCARDIA | 2 (0.04) | 2 (0.01) | 11 (0.04) | 5 (0.08) | 20 (0.04) |
| SURGERY | | 8 (0.05) | 28 (0.11) | 8 (0.12) | 44 (0.08) |
| SUSPICIOUSNESS | | 2 (0.01) | | | 2 (0.00) |
| SWELLING | 1 (0.02) | 11 (0.08) | 28 (0.11) | 2 (0.03) | 42 (0.08) |
| SWELLING FACE | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.01) |
| SYNCOPE | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SYNOVIAL CYST | | 1 (0.01) | | | 1 (0.00) |
| SYNOVITIS | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| SYPHILIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| SYPHILITIC ENDOCARDITIS OF HEART VALVE | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| SYRINGOMYELIA | | | 1 (0.00) | | 1 (0.00) |
| SYSTEMIC ANTIBACTERIAL THERAPY | | 1 (0.01) | 1 (0.00) | 2 (0.03) | 4 (0.01) |
| SYSTEMIC ANTIVIRAL TREATMENT | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| SYSTEMIC CANDIDA | | 1 (0.01) | 4 (0.02) | 1 (0.02) | 6 (0.01) |
| SYSTEMIC LUPUS ERYTHEMATOSUS | 18 (0.37) | 23 (0.16) | 11 (0.04) | 1 (0.02) | 53 (0.10) |
| SYSTEMIC LUPUS ERYTHEMATOSUS RASH | | | 1 (0.00) | | 1 (0.00) |
| SYSTEMIC MYCOSIS | 1 (0.02) | | | 1 (0.02) | 2 (0.00) |
| T-CELL LYMPHOMA | 1 (0.02) | 5 (0.03) | 3 (0.01) | 1 (0.02) | 10 (0.02) |
| T-CELL LYMPHOMA REFRACTORY | | 1 (0.01) | | | 1 (0.00) |
| T-CELL PROLYMPHOCYTIC LEUKAEMIA | | | 1 (0.00) | | 1 (0.00) |
| TACHYARRHYTHMIA | | | 4 (0.02) | 2 (0.03) | 6 (0.01) |
| TACHYCARDIA | 3 (0.06) | 5 (0.03) | 13 (0.05) | 4 (0.06) | 25 (0.05) |
| TARSAL TUNNEL SYNDROME | | 1 (0.01) | | | 1 (0.00) |
| TAY-SACHS DISEASE | 1 (0.02) | | | | 1 (0.00) |
| TEETHING | 3 (0.06) | | | | 3 (0.01) |
| TELANGIECTASIA | | | 2 (0.01) | | 2 (0.00) |
| TEMPORAL ARTERITIS | | | 2 (0.01) | 4 (0.06) | 6 (0.01) |
| TEMPORAL LOBE EPILEPSY | 4 (0.08) | 1 (0.01) | 5 (0.02) | 2 (0.03) | 12 (0.02) |
| TEMPOROMANDIBULAR JOINT SYNDROME | | 6 (0.04) | 7 (0.03) | | 13 (0.02) |
| TENDON DISORDER | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| TENDON INJURY | | | 2 (0.01) | | 2 (0.00) |
| TENDON REPAIR | | | 1 (0.00) | | 1 (0.00) |
| TENDON RUPTURE | | | 1 (0.00) | | 1 (0.00) |
| TENDONITIS | 1 (0.02) | 22 (0.15) | 29 (0.11) | 2 (0.03) | 54 (0.10) |
| TENOSYNOVITIS | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| TENSION | | 3 (0.02) | 2 (0.01) | 3 (0.05) | 8 (0.02) |
| TENSION HEADACHE | | 4 (0.03) | 1 (0.00) | | 5 (0.01) |
| TESTICULAR CANCER METASTATIC | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TESTICULAR GERM CELL CANCER | | 2 (0.01) | | | 2 (0.00) |
| TESTICULAR MASS | | 2 (0.01) | | | 2 (0.00) |
| TESTIS CANCER | 2 (0.04) | 11 (0.08) | 3 (0.01) | | 16 (0.03) |
| THALASSAEMIA | 2 (0.04) | | | | 2 (0.00) |
| THERAPEUTIC EMBOLISATION | | 1 (0.01) | | | 1 (0.00) |
| THERAPEUTIC PROCEDURE | | | 5 (0.02) | 1 (0.02) | 6 (0.01) |
| THERAPY NON-RESPONDER | | 1 (0.01) | | | 1 (0.00) |
| THERMAL BURN | | | 1 (0.00) | | 1 (0.00) |
| THINKING ABNORMAL | | 1 (0.01) | | | 1 (0.00) |
| THIRST | | 1 (0.01) | | 2 (0.03) | 3 (0.01) |
| THORACIC VERTEBRAL FRACTURE | | | | 1 (0.02) | 1 (0.00) |
| THREATENED LABOUR | 1 (0.02) | | | | 1 (0.00) |
| THROAT CANCER | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| THROAT IRRITATION | | | 1 (0.00) | | 1 (0.00) |
| THROMBOCYTHAEMIA | | 2 (0.01) | 1 (0.00) | 1 (0.02) | 4 (0.01) |
| THROMBOCYTOPENIA | 2 (0.04) | 1 (0.01) | 4 (0.02) | 1 (0.02) | 8 (0.02) |
| THROMBOCYTOPENIC PURPURA | 1 (0.02) | 1 (0.01) | 1 (0.00) | 2 (0.03) | 5 (0.01) |
| THROMBOEMBOLECTOMY | | | | 1 (0.02) | 1 (0.00) |
| THROMBOEMBOLIC STROKE | | | 1 (0.00) | | 1 (0.00) |
| THROMBOPHLEBITIS | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| THROMBOSIS | | 6 (0.04) | 22 (0.08) | 14 (0.21) | 42 (0.08) |
| THROMBOSIS IN DEVICE | | | 3 (0.01) | | 3 (0.01) |
| THROMBOSIS PROPHYLAXIS | 3 (0.06) | 14 (0.10) | 62 (0.23) | 23 (0.35) | 102 (0.19) |
| THROMBOTIC STROKE | | | | 1 (0.02) | 1 (0.00) |
| THROMBOTIC THROMBOCYTOPENIC PURPURA | | | | 3 (0.05) | 3 (0.01) |
| THYMOMA | | 1 (0.01) | 2 (0.01) | | 3 (0.01) |
| THYMUS DISORDER | | | 3 (0.01) | | 3 (0.01) |
| THYROID CANCER METASTATIC | | | 4 (0.02) | | 4 (0.01) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| THYROID DISORDER | | 14 (0.10) | 40 (0.15) | 7 (0.11) | 61 (0.12) |
| THYROID FUNCTION TEST ABNORMAL | | | 2 (0.01) | | 2 (0.00) |
| THYROID GLAND CANCER | | 1 (0.01) | 4 (0.02) | | 5 (0.01) |
| THYROIDECTOMY | | 2 (0.01) | 6 (0.02) | 2 (0.03) | 10 (0.02) |
| THYROIDITIS | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| THYROXINE DECREASED | | | 2 (0.01) | | 2 (0.00) |
| TIBIA FRACTURE | | 2 (0.01) | | | 2 (0.00) |
| TIC | 1 (0.02) | | | | 1 (0.00) |
| TINEA BLANCA | | | 1 (0.00) | | 1 (0.00) |
| TINEA CAPITIS | | | 1 (0.00) | | 1 (0.00) |
| TINEA CRURIS | | 1 (0.01) | | | 1 (0.00) |
| TINEA INFECTION | 1 (0.02) | 2 (0.01) | | | 3 (0.01) |
| TINEA PEDIS | 2 (0.04) | | 4 (0.02) | 2 (0.03) | 8 (0.02) |
| TINNITUS | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| TOBACCO USER | | | 1 (0.00) | | 1 (0.00) |
| TOCOLYSIS | | 1 (0.01) | | | 1 (0.00) |
| TOE AMPUTATION | | | 1 (0.00) | | 1 (0.00) |
| TOE DEFORMITY | | 2 (0.01) | 1 (0.00) | | 3 (0.01) |
| TONGUE NEOPLASM MALIGNANT STAGE UNSPECIFIED | | 4 (0.03) | 11 (0.04) | 2 (0.03) | 17 (0.03) |
| TONIC CONVULSION | 1 (0.02) | | | | 1 (0.00) |
| TONSIL CANCER | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| TONSILLITIS | 9 (0.19) | 6 (0.04) | 3 (0.01) | 2 (0.03) | 20 (0.04) |
| TOOTH ABSCESS | 2 (0.04) | 5 (0.03) | 3 (0.01) | | 10 (0.02) |
| TOOTH DISORDER | 1 (0.02) | 4 (0.03) | 2 (0.01) | | 7 (0.01) |
| TOOTH EXTRACTION | 2 (0.04) | 2 (0.01) | 2 (0.01) | | 6 (0.01) |
| TOOTH FRACTURE | | 1 (0.01) | | | 1 (0.00) |
| TOOTH INFECTION | | 10 (0.07) | 4 (0.02) | | 14 (0.03) |
| TOOTH REPAIR | | | | 1 (0.02) | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|-----------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TOOTHACHE | 6 (0.12) | 5 (0.03) | 9 (0.03) | | 20 (0.04) |
| TORSADE DE POINTES | | 1 (0.01) | | | 1 (0.00) |
| TORTICOLLIS | | 2 (0.01) | 5 (0.02) | 1 (0.02) | 8 (0.02) |
| TOURETTE'S DISORDER | 2 (0.04) | 2 (0.01) | | | 4 (0.01) |
| TOXIC EPIDERMAL NECROLYSIS | | | | 4 (0.06) | 4 (0.01) |
| TOXIC NODULAR GOITRE | | | 1 (0.00) | | 1 (0.00) |
| TOXOPLASMOSIS | 1 (0.02) | | | | 1 (0.00) |
| TRABECULECTOMY | | | 1 (0.00) | | 1 (0.00) |
| TRACHEAL CANCER | | | 1 (0.00) | | 1 (0.00) |
| TRACHEITIS | 2 (0.04) | 6 (0.04) | | | 8 (0.02) |
| TRACHEOBRONCHITIS | | | 1 (0.00) | | 1 (0.00) |
| TRANSDERMAL CONTRACEPTION | | 1 (0.01) | | | 1 (0.00) |
| TRANSIENT ISCHAEMIC ATTACK | | 2 (0.01) | 19 (0.07) | 21 (0.32) | 42 (0.08) |
| TRANSITIONAL CELL CARCINOMA | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |
| TRANSPLANT | 2 (0.04) | 7 (0.05) | 2 (0.01) | | 11 (0.02) |
| TRANSPLANT REJECTION | | 3 (0.02) | 1 (0.00) | | 4 (0.01) |
| TRAUMATIC ARTHRITIS | | | 1 (0.00) | | 1 (0.00) |
| TRAUMATIC BRAIN INJURY | 1 (0.02) | | | | 1 (0.00) |
| TRAUMATIC HAEMORRHAGE | 1 (0.02) | 5 (0.03) | | 1 (0.02) | 7 (0.01) |
| TREMOR | 1 (0.02) | 3 (0.02) | 11 (0.04) | 3 (0.05) | 18 (0.03) |
| TRICHIASIS | | | | 1 (0.02) | 1 (0.00) |
| TRICHOMONIASIS | | 1 (0.01) | | | 1 (0.00) |
| TRICHOPHYTON INFECTION | | | | 1 (0.02) | 1 (0.00) |
| TRICHOTILLOMANIA | | 1 (0.01) | | | 1 (0.00) |
| TRIGEMINAL NERVE DISORDER | | | 1 (0.00) | | 1 (0.00) |
| TRIGEMINAL NEURALGIA | | 9 (0.06) | 11 (0.04) | 4 (0.06) | 24 (0.05) |
| TRIPLE VESSEL BYPASS GRAFT | | | 2 (0.01) | | 2 (0.00) |
| TRISOMY 21 | | 1 (0.01) | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--------------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| TROPONIN INCREASED | 1 (0.02) | 1 (0.01) | | | 2 (0.00) |
| TUBAL LIGATION | | 1 (0.01) | | | 1 (0.00) |
| TUBERCULIN TEST | 4 (0.08) | 9 (0.06) | 4 (0.02) | 1 (0.02) | 18 (0.03) |
| TUBERCULIN TEST POSITIVE | | 3 (0.02) | 4 (0.02) | | 7 (0.01) |
| TUBERCULOSIS | 7 (0.14) | 15 (0.10) | 15 (0.06) | 1 (0.02) | 38 (0.07) |
| TUBERCULOUS PLEURISY | | | 2 (0.01) | 3 (0.05) | 5 (0.01) |
| TURNER'S SYNDROME | 11 (0.23) | | | | 11 (0.02) |
| TYPE IIA HYPERLIPIDAEMIA | 3 (0.06) | 1 (0.01) | 5 (0.02) | 3 (0.05) | 12 (0.02) |
| TYPE IIB HYPERLIPIDAEMIA | | | 1 (0.00) | | 1 (0.00) |
| ULCER | 4 (0.08) | 2 (0.01) | 20 (0.08) | 6 (0.09) | 32 (0.06) |
| ULCER HAEMORRHAGE | | | 2 (0.01) | 1 (0.02) | 3 (0.01) |
| ULTRASOUND SCAN | | 3 (0.02) | | | 3 (0.01) |
| UNEVALUABLE EVENT | 2 (0.04) | 1 (0.01) | 2 (0.01) | | 5 (0.01) |
| UPPER GASTROINTESTINAL HAEMORRHAGE | | | 5 (0.02) | | 5 (0.01) |
| UPPER LIMB FRACTURE | 1 (0.02) | 4 (0.03) | 3 (0.01) | | 8 (0.02) |
| UPPER RESPIRATORY TRACT CONGESTION | | | 1 (0.00) | | 1 (0.00) |
| UPPER RESPIRATORY TRACT INFECTION | 12 (0.25) | 21 (0.14) | 26 (0.10) | 11 (0.17) | 70 (0.13) |
| UPPER RESPIRATORY TRACT INFLAMMATION | 3 (0.06) | 4 (0.03) | 5 (0.02) | 1 (0.02) | 13 (0.02) |
| URAEMIC NEUROPATHY | | | 2 (0.01) | | 2 (0.00) |
| URETERIC CANCER METASTATIC | | | 9 (0.03) | 1 (0.02) | 10 (0.02) |
| URETEROSCOPY | | | | 1 (0.02) | 1 (0.00) |
| URETHRAL CANCER METASTATIC | | | 2 (0.01) | | 2 (0.00) |
| URETHRITIS | | | 1 (0.00) | | 1 (0.00) |
| URGE INCONTINENCE | | 5 (0.03) | 5 (0.02) | 5 (0.08) | 15 (0.03) |
| URINARY INCONTINENCE | | 1 (0.01) | 14 (0.05) | 29 (0.44) | 44 (0.08) |
| URINARY RETENTION | | | 4 (0.02) | 5 (0.08) | 9 (0.02) |
| URINARY TRACT CARCINOMA IN SITU | | 2 (0.01) | | | 2 (0.00) |
| URINARY TRACT DISORDER | 1 (0.02) | 4 (0.03) | 2 (0.01) | 2 (0.03) | 9 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|--|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| URINARY TRACT INFECTION | 6 (0.12) | 36 (0.25) | 60 (0.23) | 48 (0.73) | 150 (0.28) |
| URINARY TRACT INFECTION ENTEROCOCCAL | 1 (0.02) | 1 (0.01) | 1 (0.00) | | 3 (0.01) |
| URINARY TRACT INFECTION STAPHYLOCOCCAL | | | 1 (0.00) | | 1 (0.00) |
| URINARY TRACT OBSTRUCTION | | | 1 (0.00) | | 1 (0.00) |
| URINE ABNORMALITY | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |
| URINE ANALYSIS ABNORMAL | | | 1 (0.00) | | 1 (0.00) |
| URINE FLOW DECREASED | | | | 2 (0.03) | 2 (0.00) |
| URINE OUTPUT DECREASED | | | | 1 (0.02) | 1 (0.00) |
| UROGENITAL DISORDER | | | 2 (0.01) | | 2 (0.00) |
| UROGRAM | 2 (0.04) | | | | 2 (0.00) |
| UROSEPSIS | | | 4 (0.02) | 1 (0.02) | 5 (0.01) |
| URTICARIA | 1 (0.02) | 9 (0.06) | 3 (0.01) | | 13 (0.02) |
| URTICARIA CHOLINERGIC | | 2 (0.01) | | | 2 (0.00) |
| UTERINE CANCER | | 4 (0.03) | 14 (0.05) | 2 (0.03) | 20 (0.04) |
| UTERINE CONTRACTIONS ABNORMAL | 2 (0.04) | | | | 2 (0.00) |
| UTERINE DISORDER | | 1 (0.01) | | | 1 (0.00) |
| UTERINE HAEMORRHAGE | 2 (0.04) | 3 (0.02) | | | 5 (0.01) |
| UTERINE LEIOMYOMA | | 11 (0.08) | 1 (0.00) | | 12 (0.02) |
| UTERINE LEIOMYOSARCOMA | | | 1 (0.00) | | 1 (0.00) |
| UVEITIS | 2 (0.04) | 2 (0.01) | 2 (0.01) | 2 (0.03) | 8 (0.02) |
| VAGINAL BURNING SENSATION | 3 (0.06) | 6 (0.04) | | | 9 (0.02) |
| VAGINAL CANDIDIASIS | | 1 (0.01) | | | 1 (0.00) |
| VAGINAL DISCHARGE | | 6 (0.04) | | | 6 (0.01) |
| VAGINAL INFECTION | | | 1 (0.00) | | 1 (0.00) |
| VAGINAL PAIN | | 1 (0.01) | | | 1 (0.00) |
| VAGINITIS BACTERIAL | 4 (0.08) | | | 2 (0.03) | 6 (0.01) |
| VALVULOPLASTY CARDIAC | | | 1 (0.00) | | 1 (0.00) |
| VARICELLA | 7 (0.14) | | 4 (0.02) | | 11 (0.02) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| VARICOSE VEIN | | | 1 (0.00) | 5 (0.08) | 6 (0.01) |
| VARICOSE VEIN OPERATION | | | 1 (0.00) | | 1 (0.00) |
| VASCULAR ANOMALY | | 1 (0.01) | | | 1 (0.00) |
| VASCULAR BYPASS GRAFT | | | 3 (0.01) | | 3 (0.01) |
| VASCULAR DEMENTIA | | | 9 (0.03) | 5 (0.08) | 14 (0.03) |
| VASCULITIC RASH | | 1 (0.01) | | | 1 (0.00) |
| VASCULITIS | | 2 (0.01) | 2 (0.01) | 3 (0.05) | 7 (0.01) |
| VASCULITIS CEREBRAL | | | 2 (0.01) | | 2 (0.00) |
| VASOCONSTRICTION | | | 1 (0.00) | | 1 (0.00) |
| VASODILATATION | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| VASOSPASM | | | 2 (0.01) | | 2 (0.00) |
| VEIN DISORDER | | | 2 (0.01) | | 2 (0.00) |
| VENOUS INSUFFICIENCY | | | 4 (0.02) | | 4 (0.01) |
| VENOUS THROMBOSIS | | | 6 (0.02) | 1 (0.02) | 7 (0.01) |
| VENTRICULAR ARRHYTHMIA | | | 2 (0.01) | 3 (0.05) | 5 (0.01) |
| VENTRICULAR DYSFUNCTION | 1 (0.02) | 1 (0.01) | 3 (0.01) | 2 (0.03) | 7 (0.01) |
| VENTRICULAR EXTRASYSTOLES | | | 3 (0.01) | | 3 (0.01) |
| VENTRICULAR FAILURE | | | 1 (0.00) | | 1 (0.00) |
| VENTRICULAR FIBRILLATION | 3 (0.06) | | 5 (0.02) | | 8 (0.02) |
| VENTRICULAR SEPTAL DEFECT REPAIR | 1 (0.02) | | | | 1 (0.00) |
| VENTRICULAR TACHYCARDIA | 1 (0.02) | 1 (0.01) | 18 (0.07) | 6 (0.09) | 26 (0.05) |
| VENTRICULOGRAM | | | 1 (0.00) | | 1 (0.00) |
| VERTEBRAL INJURY | | 2 (0.01) | 2 (0.01) | | 4 (0.01) |
| VERTEBROBASILAR INSUFFICIENCY | | | | 2 (0.03) | 2 (0.00) |
| VERTIGO | 1 (0.02) | 6 (0.04) | 7 (0.03) | 3 (0.05) | 17 (0.03) |
| VESTIBULAR DISORDER | | 1 (0.01) | | | 1 (0.00) |
| VIRAL INFECTION | 3 (0.06) | 2 (0.01) | 8 (0.03) | | 13 (0.02) |
| VIRAL UPPER RESPIRATORY TRACT INFECTION | 1 (0.02) | | | | 1 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|---|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| VISION BLURRED | | | 1 (0.00) | | 1 (0.00) |
| VISUAL ACUITY REDUCED | | | | 1 (0.02) | 1 (0.00) |
| VISUAL DISTURBANCE | 1 (0.02) | | | | 1 (0.00) |
| VITAMIN B COMPLEX DEFICIENCY | | 1 (0.01) | | | 1 (0.00) |
| VITAMIN B1 DEFICIENCY | | 1 (0.01) | | | 1 (0.00) |
| VITAMIN B12 DEFICIENCY | | | 2 (0.01) | | 2 (0.00) |
| VITAMIN D DEFICIENCY | | 3 (0.02) | 1 (0.00) | 1 (0.02) | 5 (0.01) |
| VITAMIN SUPPLEMENTATION | 1 (0.02) | 2 (0.01) | 18 (0.07) | 3 (0.05) | 24 (0.05) |
| VITILIGO | | | 3 (0.01) | | 3 (0.01) |
| VOCAL CORD DISORDER | | | 1 (0.00) | | 1 (0.00) |
| VOMITING | 8 (0.17) | 15 (0.10) | 32 (0.12) | 6 (0.09) | 61 (0.12) |
| VON WILLEBRAND'S DISEASE | 2 (0.04) | 3 (0.02) | | | 5 (0.01) |
| VULVAL CANCER | | 1 (0.01) | 3 (0.01) | | 4 (0.01) |
| VULVAL DISORDER | 1 (0.02) | | | | 1 (0.00) |
| VULVOVAGINAL DRYNESS | 1 (0.02) | 1 (0.01) | 5 (0.02) | | 7 (0.01) |
| VULVOVAGINAL MYCOTIC INFECTION | 298 (6.16) | 503 (3.45) | 50 (0.19) | 15 (0.23) | 866 (1.64) |
| WAGNER'S DISEASE | | | 1 (0.00) | | 1 (0.00) |
| WALDENSTROM'S MACROGLOBULINAEMIA | | 1 (0.01) | 9 (0.03) | 1 (0.02) | 11 (0.02) |
| WALDENSTROM'S MACROGLOBULINAEMIA REFRACTORY | | | 1 (0.00) | | 1 (0.00) |
| WEGENER'S GRANULOMATOSIS | | 3 (0.02) | | | 3 (0.01) |
| WEIGHT | | | 2 (0.01) | | 2 (0.00) |
| WEIGHT CONTROL | | 5 (0.03) | 10 (0.04) | | 15 (0.03) |
| WEIGHT DECREASED | 1 (0.02) | 11 (0.08) | 11 (0.04) | | 23 (0.04) |
| WEIGHT GAIN POOR | | | | 1 (0.02) | 1 (0.00) |
| WEIGHT INCREASED | | | 1 (0.00) | | 1 (0.00) |
| WEIGHT LOSS DIET | | | 1 (0.00) | | 1 (0.00) |
| WHEEZING | 6 (0.12) | | 7 (0.03) | 2 (0.03) | 15 (0.03) |
| WHIPLASH INJURY | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |

| | Group1 (0-25) (N=4591) | Group2 (26-50) (N=14283) | Group3 (51-75) (N=25653) | Group4 (75+) (N=6415) | Total (N=50942) |
|----------------------------------|---------------------------|-----------------------------|-----------------------------|--------------------------|--------------------|
| WHITE BLOOD CELL COUNT DECREASED | | 1 (0.01) | | 1 (0.02) | 2 (0.00) |
| WHITE BLOOD CELL COUNT INCREASED | | | 1 (0.00) | 1 (0.02) | 2 (0.00) |
| WILLIAMS SYNDROME | 1 (0.02) | | | | 1 (0.00) |
| WOLFF-PARKINSON-WHITE SYNDROME | 1 (0.02) | | 1 (0.00) | | 2 (0.00) |
| WOUND | | | 4 (0.02) | | 4 (0.01) |
| WOUND COMPLICATION | | | | 1 (0.02) | 1 (0.00) |
| WOUND INFECTION | 2 (0.04) | 3 (0.02) | 6 (0.02) | 1 (0.02) | 12 (0.02) |
| WOUND INFECTION STAPHYLOCOCCAL | | 2 (0.01) | 3 (0.01) | | 5 (0.01) |
| WOUND TREATMENT | 2 (0.04) | | 2 (0.01) | | 4 (0.01) |
| WRIST FRACTURE | | 2 (0.01) | | | 2 (0.00) |
| WRIST SURGERY | 1 (0.02) | | | | 1 (0.00) |
| WRONG DRUG ADMINISTERED | | | 1 (0.00) | | 1 (0.00) |
| ZYGOMYCOSIS | | 1 (0.01) | 1 (0.00) | | 2 (0.00) |

4. Graphs and Visual Summaries

| This section presents key graphical summaries derived from the FAERS (FDA Adverse Event Reporting System) database to enhance understanding of |
|---|
| adverse event trends and patient characteristics. Visual displays help identify safety signals, monitor reporting patterns, and support data-driven |
| decision-making. |