



32. ✓ The diagram illustrates a Medusa (A) and a Polyp (B).



A



B


In which of the following organisms this body form is dominant, respectively?

- (1) *Adamsia*, *Hydra*
- (2) *Gorgonia*, *Adamsia*
- (3) *Aurelia*, *Adamsia*
- (4) *Obelia*, *Hydra*

45. ✓ The members of phylum 'x' are exclusively marine, radially symmetrical, diploblastic with tissue level of organisation. The phylum 'x' is

- | | |
|----------------|----------------------|
| (1) Porifera | (2) Coelenterata |
| (3) Ctenophora | (4) Both (2) and (3) |

59. ✓ Recognise the figure and choose the correct option related to it.



- (1) Often females are longer than males.
- (2) Hooks and suckers are present in the parasitic forms.
- (3) Neural system consists of paired ganglia.
- (4) An excretory tube removes body wastes from the body cavity through the excretory pore.

60.

Wuchereria, *Pheretima* and *Planaria* are the member of

- (1) Aschelminthes, Platyhelminthes and Annelids respectively
- (2) Platyhelminthes, Aschelminthes, and Annelids respectively
- (3) Aschelminthes, Annelids, and Platyhelminthes respectively
- (4) Platyhelminthes, Annelids and Aschelminthes respectively

61. Given below are name of some animals:

Apis, Laccifer, Locusta, Prawn, Mosquito, Butterfly, Bombyx, Leech, Earthworm, Ascaris

How many of them are insects?

- | | | | |
|-----|-------|-----|-----|
| (1) | Five | (2) | Six |
| (3) | Eight | (4) | Ten |

68. ✓ The given animal has



- (1) Three pairs of jointed appendages which arise from unsegmented body
- (2) Gills for respiration and chitinous exoskeleton
- (3) Closed circulatory system
- (4) Simple eyes and tissue level of organization

73. Which of the following is incorrect match w.r.t scientific name and common name of organism?

	Scientific name	Common name
(1)	<i>Dentalium</i>	Tusk shell
(2)	<i>Aplysia</i>	Sea lemon
(3)	<i>Pinctada</i>	Pearl oyster
(4)	<i>Octopus</i>	Devil fish

84. Which of the following is incorrect match w.r.t scientific name and common name of organisms?

	Scientific name	Common name
(1)	<i>Echinus</i>	Sea urchin
(2)	<i>Antedon</i>	Star fish
(3)	<i>Cucumaria</i>	Sea cucumber
(4)	<i>Ophiura</i>	Brittle star

7. Which one of the following groups of three animals each is correctly matched with their one characteristic morphological features ?

(2013)

	Animals	Morphological feature
(1)	Centipede, Prawn, Sea urchin	Jointed appendages
(2)	Cockroach, Locust, <i>Taenia</i>	Metameric segmentation
(3)	Scorpion, Spider, Cockroach	Ventral solid nerve cord
(4)	Liverfluke, Sea anemone, Sea cucumber.	Bilateral symmetry

15

Which is correctly matched ?

(2013)

	Animal	Characteristic	Taxon
(1)	Sea Anemone	Triploblastic	Cnidaria
(2)	Silver Fish	Pectoral and pelvic fins	Chordata
(3)	Duckbilled Platypus	Oviparous	Mammalia
(4)	Millepede	Ventral nerve cord	Arachnida

35.

The body of Rohu fish is covered by

(2014)

- (1) Cycloid scales but the tail is homocercal
- (2) Placoid scales but the tail is heterocercal
- (3) Cycloid scales but the tail is heterocercal
- (4) Placoid scales but the tail is homocercal

(2014)

48.

Identify the scientific name of the animal commonly called blue whale.

(2015)

(1) *Pteropus*

(2) *Macropus*

(3) *Delphinus*

(4) *Balaenoptera*

A jawless fish, which lays eggs in fresh water and whose ammocoetes larvae after metamorphosis return to the ocean is

(2015)

- | | |
|-----------------------|-----------------------|
| (1) <i>Myxine</i> | (2) <i>Neomyxine</i> |
| (3) <i>Petromyzon</i> | (4) <i>Eptatretus</i> |

76.

Match the following and select the correct option:

(2020 Phase-1)

Column I	Column II
(a) 6-15 pairs of gill slits	(i) <i>Trygon</i>
(b) Heterocercal caudal fin	(ii) Cyclostomes
(c) Air bladder	(iii) Chondrichthyes
(d) Poison sting	(iv) Osteichthyes

(a)

(b)

(c)

(d)

(1)

(ii)

(iii)

(iv)

(i)

(2)

(iii)

(iv)

(i)

(ii)

(3)

(iv)

(ii)

(iii)

(i)

(4)

(i)

(iv)

(iii)

(ii)

87. Given below are two statements: one is labelled as

Assertion (A) and the other is labelled as Reason (R).

(2022)

Assertion (A): All vertebrates are chordates, but all chordates are not vertebrates.

Reason (R): Notochord is replaced by vertebral column in the adult vertebrates.

In the light of the above statements, choose the correct answer from the options given below:

(1) (A) is correct, but (R) is not correct.

(2) (A) is not correct, but (R) is correct.

(3) Both (A) and (R) are correct, and (R) is the correct explanation of (A).

(4) Both (A) and (R) are correct, but (R) is not the correct explanation of (A).

96.

Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

(2025)

Assertion (A): All vertebrates are chordates, but all chordates are not vertebrates.

Reason (R): The members of subphylum vertebrata possess notochord during the embryonic period, the notochord is replaced by a cartilaginous or bony vertebral column in adults.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true, and R is the correct explanation of A
- (2) Both A and R are true, but R is not the correct explanation of A

(3) A is true but R is false


(4) A is false but R is true

79. Which of the following options does correctly represent the characteristic features of phylum Annelida?


(2020 Phase-2)

- (1) Diploblastic, mostly marine and radially symmetrical.
- (2) Triploblastic, unsegmented body and bilaterally symmetrical.
- (3) Triploblastic, segmented body and bilaterally symmetrical.
- (4) Triploblastic, flattened body and acoelomate condition.

43. Identify the dioecious organism from following examples:



(I)



(II)



(III)



(IV)

(1) (I), (II)


(2) (I), (III)

(3) (II), (IV)

(4) (III), (IV)

53.

Animal 'A' differs from animal 'B' in having



A



B

- (1) Triploblastic body
- (2) Solid mesoderm
- (3) Bilateral symmetry
- (4) Internal fertilization with indirect development

21. Meandrina is

(1) Mushroom coral

(3) Sea pen

(2) Brain coral

(4) Sea feather

30.

Select the option in which the given group of animals belong to a single taxonomic category.

- (1) Cuttlefish, Jellyfish, Silverfish, Dogfish, Starfish
- (2) Monkey, Chimpanzee, Man
- (3) Bat, Pigeon, Butterfly
- (4) Silkworm, Tapeworm, Earthworm

31.

Read the following statements and choose the correct option

- i. In *Hirudinaria*, Nephridia help in osmoregulation and excretion.
- ii. Earthworms and leeches are monoecious.
- iii. In *Anopheles*, *Culex* and *Aedes* fertilisation is usually internal.
- iv. File-like rasping organ for feeding is present in Sea cucumber.

v. Earthworm is bilaterally symmetrical.

- (1) Statements i, ii, iii and v are incorrect
- (2) Statements i, ii, iv and v are incorrect
- (3) Only statement iv is incorrect
- (4) Statements i, iv and v are correct

78. Which of the following statements in column II is not matching with the item given in column I?

Column I	Column II
(1) Amphibia	Body is divisible into head and trunk. Skull is dicondylic. The skin is moist without exoskeletal elements, like scales.
(2) Chondrichthyes	The skin is tough, containing placoid scales. They have internal fertilization and many of them are viviparous.
(3) Mammalia	External ear or pinnae present. Different types of teeth are present in jaw.
(4) Urochordata	Notochord extends from head to the tail region and is persistent throughout their life.

87. Which of the following is not a matching pair of the kind of excretory organ and an animal and its phylum/sub-phylum?

	Animal	Excretory organ	Phylum
(1)	<i>Planaria</i>	Protonephridia or flame cells	Platyhelminthes
(2)	<i>Amphioxus</i>	Protonephridia or flame cells	Cephalochordata
(3)	Prawn	Green glands	Arthropoda
(4)	<i>Periplaneta</i>	Nephridia	Annelida

Consider the following feature.

- i. Tissue level of body organisation.
- ii. Radially symmetrical.
- iii. Acoelomates and bears eight external rows of ciliated comb plates.

Select the correct option which possess all the above characteristics.

- (1) Coelenterata and Ctenophora
- (2) Porifera and Ctenophora
- (3) Only Ctenophora
- (4) Porifera and Coelenterata