

Indian Institute of Engineering, Science and Technology, Shibpur
B.Tech. (AE/CE/ME/MET/MIN) 1st Semester Final Examination, 2019
Introduction to Computing (CS - 1101)

Time: 3 hours

Full Marks: 50

*(Answer Question No. 1 and any four from the rest.
 If not specifically mentioned assume C programming Language)*

1. (Answer any four)

- (a) What are the universal logic gates? Show them with truth tables and also draw their circuit symbols.
- (b) Reduce the following logic expression. Then draw the truth table of the simplified expression and finally draw the corresponding logic circuit diagram.

$$f(x, y, z) = xy(y + z)(x + z)$$

- (c) Consider two 4-bit integers; 0101 and 1101. Now find out their values in decimal if the encoding is considered i) Sign-Magnitude; ii) 1's complement and iii) 2's complement. Write your result in the tabular form shown below:

| Bit-string | Sign-Magnitude | 1's Complement | 2's complement |
|------------|----------------|----------------|----------------|
| 0101 | | | |
| 1101 | | | |

- (d) Subtract $N(= 0011_2)$ from $M(= 0101)$ using 2's complement method, where M and N are unsigned numbers.
 - (e) Assuming ASCII code write the values (in decimal) of the characters, namely, 'A', 'a', CR, LF and SPACE. [4 × 4½]
2. Write a program to generate the Fibonacci sequence (0, 1, 1, 2, 3, 5, 8, ...) up to n^{th} term where n is an input given by the user.
 The Fibonacci numbers are generated by initializing $F_0 = 0$, $F_1 = 1$ and using the following formula: $F_n = F_{n-1} + F_{n-2}$ [8]
 3. Write a function that accepts two unsigned integers x and y to compute x^y . Also, show the use of this function in `main()`. Do not use the standard library function `pow()`. [4 + 4 = 8]
 4. Write a program to create an array of structures that consists `Roll_No`, `Name` and `Total_Marks` as members of an structure. Also, print the `Roll_No` and `Name` of the candidate who is having highest `Total_Marks`. [3 + 5 = 8]
 5. Write a program that takes two matrices of size $m \times n$ of integers and perform multiplication of these two matrices. Print the content of the output matrix in the main program. [8]
 6. Write a function that can take an array of 10 integers as argument and sort the input array. Print the contents of the sorted array in the main program. [8]
 7. (a) What is `FILE` keyword? Describe different file opening modes used with the library function named `fopen()`.
 (b) What are the differences between `structure` and `union`? [(2 + 4) + 2 = 8]