Table of Contents:

1. For Windows Users

Here, is the step-by-step instructions on how to install the miniconda on Windows 10.

1) **Open miniconda downloads on the browser. Click on the following link: <u>Miniconda downloads</u>**

2) **Once the page is open scroll to the "Latest Miniconda Installer Links" and click on Miniconda3 Windows 64-bit**



3) **Once downloaded the installer will open.**



4) **Click on the Next**



5) **Click on the "I Agree"**



6) Select “Just Me(recommended)” and click on Next.



7) It will select the default path for the destination folder. You can change the path of the folder if needed. Once the path is selected Click on Next.
8) Another dialog box opens click on Finish. Which will complete the Installation process.
9) You can now see the Miniconda prompt shell in the applications. You can open the prompt shell and check for the conda properties. Type the command “conda”



10) **Once the command is given press enter and you can see some properties and positional arguments as well.**



11) **Miniconda is installed Successfully.**

2. For Macbook Users

Here, is the step-by-step instructions on how to install it on Mac.

1) **Open miniconda downloads on the browser. Click on the following link: Miniconda downloads**
2) **Once the page is open scroll to the "macOS Installers" and click on Miniconda3 macOs Intel x86 64-bit pkg**
3) **Once downloaded open the installer.**



4) **Click on the Continue button until the Licence section.**



5) In the Licence section another dialog box will appear click on “Agree” and then click on Continue.
6) Then in the Destination Select, select Install for me only and then click on continue.



7) In the Installation Type click on Install.



8) Then in the Installation another dialog box will open and click on ok.



9) **After this it will start installing click on continue once done.**



10) **To check whether the miniconda3 is installed successfully in the search bar open the terminal and type the command "conda". A series of properties and Arguments will appear indicating that the installation is successful.**



3. How to create a virtual environment?

Step 1: Check if conda is installed in your path.

- Open up the anaconda command prompt or terminal window.
- Type conda -V and press enter.
- If the conda is successfully installed in your system you should see a similar output.

```
conda -V
```

Step 2: Set up the virtual environment

- Type conda search “^python$” to see the list of available python versions.

- To check the present version of python type “python -V”
- Now replace the envname with the name you want to give to your virtual environment and replace x.x with the python version you want to use.

```
conda create -n envname python=x.x anaconda
```

```
(base) thathasainischitha@Thathas-MacBook-Pro ~ % python -V
Python 3.9.15
(base) thathasainischitha@Thathas-MacBook-Pro ~ % conda create -n venv python=3.9 anaconda
Collecting package metadata (current_repodata.json): done
Solving environment: done

## Package Plan ##

  environment location: /Users/thathasainischitha/miniconda3/envs/venv

  added / updated specs:
    - anaconda
    - python=3.9


The following NEW packages will be INSTALLED:

  _anaconda_depends  pkgs/main/osx-64::_anaconda_depends-2022.05-py39_0
  aiohttp            pkgs/main/osx-64::aiohttp-3.8.3-py39h6c40b1e_0
  aiosignal          pkgs/main/noarch::aiosignal-1.2.0-pyhd3eb1b0_0
  alabaster          pkgs/main/noarch::alabaster-0.7.12-pyhd3eb1b0_0
  anaconda           pkgs/main/osx-64::anaconda-custom-py39_1
  anaconda-client    pkgs/main/osx-64::anaconda-client-1.11.0-py39hecd8cb5_0
  anaconda-project   pkgs/main/osx-64::anaconda-project-0.11.1-py39hecd8cb5_0
  anyio              pkgs/main/osx-64::anyio-3.5.0-py39hecd8cb5_0
  appdirs            pkgs/main/noarch::appdirs-1.4.4-pyhd3eb1b0_0
  applaunchservices  pkgs/main/osx-64::applaunchservices-0.3.0-py39hecd8cb5_0
  appnope            pkgs/main/osx-64::appnope-0.1.2-py39hecd8cb5_1001
  appscript          pkgs/main/osx-64::appscript-1.1.2-py39h9ed2024_0
  argon2-cffi        pkgs/main/noarch::argon2-cffi-21.3.0-pyhd3eb1b0_0
  argon2-cffi-bindi~ pkgs/main/osx-64::argon2-cffi-bindings-21.2.0-py39hca72f7f_0
  arrow              pkgs/main/osx-64::arrow-1.2.3-py39hecd8cb5_0
  astroid            pkgs/main/osx-64::astroid-2.11.7-py39hecd8cb5_0
  astropy            pkgs/main/osx-64::astropy-5.1-py39h67323c0_0
  asttokens          pkgs/main/noarch::asttokens-2.0.5-pyhd3eb1b0_0
  async-timeout      pkgs/main/osx-64::async-timeout-4.0.2-py39hecd8cb5_0
```

Step 3: Activating the virtual environment

- To see the list of all the available environments use command conda info -e
- To activate the virtual environment, enter the given command and replace your given environment name with envname

```
conda activate envname
```

```
(base) thathasainischitha@Thathas-MacBook-Pro ~ % conda activate venv
(venv) thathasainischitha@Thathas-MacBook-Pro ~ %
```

Step 4: Installation of required packages to the virtual environment

- Type the following command to install the additional packages to the environment and replace envname with the name of your environment.

```
conda install -n yourenvname package
```

```
(venv) thathasainischitha@Thathas-MacBook-Pro ~ % conda install -n venv streamlit
Collecting package metadata (current_repodata.json): done
Solving environment: done

## Package Plan ##

  environment location: /Users/thathasainischitha/miniconda3/envs/venv

  added / updated specs:
    - streamlit


The following packages will be downloaded:
```

Step 5: Deactivating the virtual environment

- To come out of the particular environment type the following command. The settings of the environment will remain as it is.

  ```
  conda deactivate
  ```

  ```
  (venv) thathasainischitha@Thathas-MacBook-Pro ~ % conda deactivate
  (base) thathasainischitha@Thathas-MacBook-Pro ~ %
  ```

Step 6: Deletion of virtual environment

- If you no longer require a virtual environment. Delete it using the following command and replace your environment name with envname

  ```
  conda remove -n envname -all
  ```

4. How to set up visual studio code on windows?

1) **Search for visual studio code in the browser and open this link: https://code.visualstudio.com/**
2) **This page will appear click on the green download button to install the vsc.**



3) **Once you click on download for windows .exe file gets downloaded and open once the downloading is finished. A dialog box will appear click on RUN.**



4) **Next, click on Agree and another dialog box will appear which shows the path of the installation folder. You can change the path if needed.Click on Next.**



5) **Click on Next**



6) **Another dialog box will open you can select the options that are required and click on Next.**



7) **Click on Finish and complete the installation.**
8) **Now, you can open and start using the visual studio code.**



9) **The last icon on your left hand side indicates extensions. You can download the required extensions.**

5. How to set up visual studio code on macOS?

1) **Search for visual studio code in the browser and open this link: https://code.visualstudio.com/**
2) **This page will appear click on the green download button to install the vsc.**



3) **Once you click on Download Mac Universal .zip file gets downloaded and open the file once the downloading is finished.**
4) **The file gets downloaded in Downloads folder copy the file and paste the file in the Applications folder.**
5) **Open Visual studio code from the applications folder and now you can start using the application.**



6) **You can download the required extensions and start coding.**