

Administrating Remote System TASK – 7

- 1. Use ssh to connect from your Linux system to a remote server (you can use a free-tier cloud VM or a local VM). After connecting, create a directory named 'music_downloads' in your home folder on the remote server.**

Ans :

- # Connect to the remote server
- ssh username@server_ip

- # Create the directory in your home folder
- mkdir ~/music_downloads

- # Verify the directory was created
- ls -l ~

- # (Optional) Check the directory directly
- ls ~/music_downloads

- # (Optional) Exit the SSH session
- exit

- 2. Transfer a file named 'playlist.txt' from your local machine to the remote server's 'music_downloads' directory using the scp command.

Hint: Check the syntax for scp to specify both source and destination paths.**

Ans :

- # Transfer playlist.txt from your local machine to the remote server

```
scp playlist.txt username@server_ip:~/music_downloads/
```

- # Verify the file on the remote server

```
ssh username@server_ip
```

```
ls ~/music_downloads
```

- 3. Set up passwordless SSH login from your local Linux system to the remote server by generating an SSH key pair and copying the public key to the remote server.**
Constraint: Do not use a passphrase for the key during this setup.

Ans :

- # Generate an SSH key pair without a passphrase

```
ssh-keygen -t rsa -b 4096 -N "" -f ~/.ssh/id_rsa
```

- # Copy the public key to the remote server

```
ssh-copy-id username@server_ip
```

- # Test passwordless SSH login

```
ssh username@server_ip
```

- 4. Simulate a Zomato-style admin task: Write a bash script on your local machine that uses ssh to remotely restart the 'nginx' service on the remote server and then checks its status. Save your script as 'remote_nginx_check.sh'.**

Ans :

- #!/bin/bash

```
REMOTE_USER="username"
```

```
REMOTE_HOST="server_ip"
```

```
ssh ${REMOTE_USER}@${REMOTE_HOST} << EOF
```

- `sudo systemctl restart nginx`
- `sudo systemctl status nginx --no-pager`
- EOF

- # Save the script
`nano remote_nginx_check.sh`
- # Make it executable
`chmod +x remote_nginx_check.sh`
- # Run the script
`./remote_nginx_check.sh`

5. Find and fix the error in this ssh command: ssh

**user@192.168.1.100:/home/user/music_downloads

Hint: Review the correct syntax for connecting to a remote server with ssh.**

Ans : Incorrect command

- `ssh user@192.168.1.100:/home/user/music_downloads`

Correct command

- `ssh user@192.168.1.100`
- `ssh user@192.168.1.100 "cd /home/user/music_downloads && bash"`
- `ssh user@192.168.1.100`
- `cd /home/user/music_downloads`