

Hosting a Static Website Theory Task – 2

1. Install Apache or Nginx on your Linux server and verify the installation by accessing the default web page via your browser.

Ans :

➤ Apache Installation

- sudo yum install httpd -y
- sudo systemctl start httpd
- sudo systemctl enable httpd
- sudo systemctl status httpd

➤ Nginx Installation

- sudo yum install nginx -y
- sudo systemctl start nginx
- sudo systemctl enable nginx
- sudo systemctl status nginx

➤ Verify Installation

➤ Find your server IP:

- ip addr show

➤ Open a browser and navigate to:

- http://<server-ip-address>

Nginx default page shows: "Welcome to nginx!"

2. Create a folder named myflipkart in your web server's root directory and place an index.html file inside it that displays 'Welcome to MyFlipkart Deals!'.

Ans :

➤ Linux

```
mkdir -p /path/to/webserver/root/myflipkart
```

```
cat > /path/to/webserver/root/myflipkart/index.html <<'EOF'
<!DOCTYPE html>
<html>
<head>
  <title>MyFlipkart Deals</title>
</head>
<body>
  <h1>Welcome to MyFlipkart Deals!</h1>
</body>
</html>
EOF
```

- Create index.html inside myflipkart with:

```
<!DOCTYPE html>
<html>
<head>
  <title>MyFlipkart Deals</title>
</head>
<body>
  <h1>Welcome to MyFlipkart Deals!</h1>
</body>
</html>
```

- After starting your web server, visit:
<http://localhost/myflipkart/>

3. Update your web server configuration so that visiting <http://localhost/myflipkart> shows your custom index.html page instead of the default server page.
Hint: For Apache,

use the Alias directive; for Nginx, use a new location block.

Ans :

➤ Apache Configuration

```
Alias /myflipkart "/path/to/webserver/root/myflipkart"
```

```
<Directory "/path/to/webserver/root/myflipkart">
```

```
Options Indexes FollowSymLinks
```

```
AllowOverride None
```

```
Require all granted
```

```
DirectoryIndex index.html
```

```
</Directory>
```

➤ After saving the changes, restart Apache:

```
# Linux
```

```
sudo systemctl restart apache2
```

```
# XAMPP
```

```
# Restart Apache from the XAMPP Control Panel
```

➤ Nginx Configuration

```
location /myflipkart {
```

```
    alias /path/to/webserver/root/myflipkart;
```

```
    index index.html;
```

```
}
```

➤ Verify

<http://localhost/myflipkart>

4. Add a favicon to your static site by placing a favicon.ico file in the correct location and updating your HTML to reference it.

Use any small image and rename it to favicon.ico for this exercise.

Ans :

- Create or obtain a small image
favicon.ico
- Place the favicon in your site directory
myflipkart/
 - |— index.html
 - |— favicon.ico
- Update index.html

```
<!DOCTYPE html>
<html>
<head>
  <title>MyFlipkart Deals</title>
  <link rel="icon" type="image/x-icon" href="favicon.ico">
</head>
<body>
  <h1>Welcome to MyFlipkart Deals!</h1>
</body>
</html>
```
- Test the favicon
<http://localhost/myflipkart/>