

KITABWALAH

Admin Portal — Complete Feature Specification

All 22 Sections + Database Tables + Fields Used

admin.kitabwalah.com | Single Admin Level | Full Access

Modelled as near-identical copy of WooCommerce + WCFM WordPress admin

Generated: 18 July 2026

Admin Portal Overview — 22 Sections

Section	What Admin Can Do	Priority
1. Dashboard	Real-time stats, revenue graph, recent orders, top products	High
2. Orders	View all orders, update status, process refunds, download invoices	High
3. Products	Approve/reject vendor listings, edit products, manage featured	High
4. Vendors	Verify KYC, set commission, suspend/activate, view earnings	High
5. Users	View all users, ban/unban, manage wallet, order history	High
6. Delivery	Manage delivery persons, assign same-day orders, track shipments	High
7. Pincodes & Cities	Set delivery zones, COD rules per pincode, same-day eligibility	High
8. Returns	Review return requests, approve/reject, initiate refunds	High
9. Withdrawals	Approve vendor withdrawal requests, mark as paid, add UTR number	High
10. Coupons	Create/edit/deactivate coupons, assign to specific users	Medium
11. Banners	Add/edit/remove homepage banners, set validity dates	Medium
12. Homepage Pins	Pin specific products/categories/banners to display slots	Medium
13. Reviews	Approve/reject product reviews, manage ratings	Medium
14. Support Tickets	View and resolve customer + vendor support tickets	Medium
15. Issue Reports	View and resolve user-reported platform issues	Medium
16. Competitive Exams	Create exam sections (UPSC/SSC/NEET), link products/categories	Medium
17. App Settings	Platform config: delivery charges, commission, GST, coupon rules	High
18. Static Pages	Edit About Us, Terms, Privacy Policy, Refund Policy	Low
19. Notifications	Send push notifications to all users or specific segments	Medium
20. Audit Logs	Full history of all admin actions with before/after data	Low
21. Email Logs	View all outgoing emails sent by the platform	Low
22. Migration Logs	View data migration run history and row counts per table	Low

1. Dashboard

Real-time platform overview — first screen after login

Widgets on the dashboard:

Widget	Data Shown	Source
Total Revenue	Sum of all delivered order totals (today / week / month)	orders.total WHERE status=delivered
Total Orders	Count by status: pending / processing / delivered / cancelled	orders GROUP BY status
Total Users	All registered users + new registrations today	users COUNT + DATE filter
Total Vendors	Active vendors + pending KYC verification count	vendor_profiles WHERE is_active
Revenue Graph (30d)	Daily revenue bar chart for last 30 days	orders GROUP BY DATE(created_at)
Recent Orders (10)	Order number, customer, amount, status	orders ORDER BY created_at DESC LIMIT 10
Pending Actions	Products pending review, KYC pending, withdrawals pending	Multiple tables WHERE status=pending
Top 5 Products	Best selling by sold_count	products ORDER BY sold_count DESC LIMIT 5
Low Stock Alert	Products with stock_quantity below 5	products WHERE stock_quantity < 5

2. Order Management

Full order lifecycle — view, update, refund, invoice download

- View all orders with filters: status, date range, payment method, delivery type, vendor, city
- Search by order number, customer name, phone, email
- View full order detail: items, addresses, payment breakdown, GST breakdown, timeline
- Update order status manually (pending → confirmed → processing → shipped → delivered)
- Process full or partial refund — choose original payment method or wallet credit
- Download GST invoice PDF per order (auto-generated), separate per vendor
- View Razorpay/Cashfree transaction IDs and payment gateway details
- Cancel order with reason — triggers automatic refund flow
- View COD orders separately — mark collected amount
- Export orders to CSV with date range filter

Tables Used:

Table	Key Fields	Purpose
orders	id, order_number, user_id, status, payment_status, payment_method, subtotal, shipping_amount, cod_charge, discount_amount, gst_amount, total, is_cod, delivery_type, pincode, invoice_number, razorpay_payment_id, delivered_at, refund_amount, created_at	Main order
order_items	id, order_id, product_id, vendor_id, product_name, unit_price, quantity, total_price, gst_rate, gst_amount, status	Line items
order_addresses	order_id, address_type, first_name, last_name, address_1, city, state, pincode, phone	Addresses
vendor_order_items	order_id, vendor_id, commission_rate, commission_amount, vendor_earning, invoice_number, status, settlement_status	Per-vendor
shipments	order_id, delivery_person_id, delivery_type, status, tracking_id, delivery_attempts, actual_delivered_at	Delivery
wallet_transactions	user_id, type, source, amount, balance_after, order_id	Wallet refunds
payment_webhooks	gateway, event, payload, processed, order_id	Payment logs

3. Product Management

Approve/reject listings, edit products, manage catalogue

- View all products with filters: status (pending/active/rejected), vendor, category, price range
- Approve pending product listing — sets status=active, records approved_by_id + approved_at
- Reject listing with reason — rejection_reason stored, vendor notified
- Edit any product: title, description, price, GST rate, HSN code, stock, images
- Set/remove featured status with expiry date (featured_until)
- View and edit city-wise prices: Muzaffarpur / Patna / Boring Road / Others
- Manage categories — create, edit, nest into subcategories (unlimited depth)
- Bulk actions: approve multiple, deactivate multiple
- Export product catalogue to CSV

Tables Used:

Table	Key Fields	Purpose
products	id, wp_id, vendor_id, title, slug, regular_price, sale_price, gst_rate, hsn_code, sku, isbn, author, book_format, condition, stock_quantity, status, approved_by_id, approved_at, rejection_reason, featured_until	Core product
product_images	product_id, image_versions (JSON: thumbnail/medium/large/original), is_primary, display_order	Photos
categories	id, name, slug, parent_id, image_url, display_order, is_active	Category tree
product_attributes	product_id, attribute_name, attribute_value	book-author, format
product_city_prices	product_id, city_id, price	City-wise pricing
product_reviews	product_id, user_id, rating, title, content, status, is_verified_purchase	Reviews

4. Vendor Management

KYC verification, commission control, earnings, suspension

- View all vendors: store name, total products, orders, pending balance, verification status
- Verify vendor KYC — fill simple admin form, set is_verified=true (all data in kyc_form_data JSON)
- Set per-vendor commission rate (override the platform default of 10%)
- View earnings breakdown: total_earnings, total_withdrawn, pending_balance
- View 30-day revenue graph + top 5 products per vendor
- Suspend vendor (is_active=false) — all their products go inactive automatically
- Reactivate suspended vendor
- View vendor's full order and withdrawal history
- Edit bank details for settlement corrections
- Enable/disable vacation mode for vendor

Tables Used:

Table	Key Fields	Purpose
vendor_profiles	id, user_id, store_name, store_slug, gstin, commission_rate, total_earnings, total_withdrawn, pending_balance, average_rating, total_reviews, is_verified, kyc_form_data, vacation_mode, is_active	Vendor data
users	id, display_name, phone, email, role, is_active, is_banned	Vendor account
vendor_order_items	vendor_id, commission_rate, commission_amount, vendor_earning, settlement_status	Earnings
withdrawal_requests	vendor_id, amount, status, requested_at, processed_at, admin_note, payment_reference	Withdrawals
store_followers	vendor_id, user_id, created_at	Follower count

5. User Management

View, ban/unban, wallet management, order history

- View all users with filters: role, registration date, city, is_banned, is_migrated
- Search by name, phone, email
- View user profile: orders, wallet balance, referrals, saved addresses
- Ban user with reason (is_banned=true, ban_reason stored)
- Unban user
- Add wallet credit or debit to any user (admin_credit / admin_debit transaction type)
- View full wallet transaction history per user
- View user's complete order history
- View migrated users (is_migrated=true) — check if they completed first login
- Manage reseller program: assign reseller role, view referrals and commissions

Tables Used:

Table	Key Fields	Purpose
users	id, wp_id, phone, email, display_name, role, wallet_balance, is_active, is_banned, ban_reason, is_migrated, migration_login_done, last_login_at, created_at	User accounts
wallet_transactions	user_id, type, source, amount, balance_after, order_id, description, created_at	Wallet history
resellers	user_id, referral_code, total_referrals, total_earnings, is_active	Reseller data

Table	Key Fields	Purpose
reseller_referrals	reseller_id, referred_user_id, first_order_id, commission_amount, credited_at	Referrals
user_saved_addresses	user_id, label, address_1, city, state, pincode, is_default	Addresses
device_tokens	user_id, token, platform, is_active	Push tokens

6. Delivery Management

Same-day team, Shadowfax orders, live tracking, assignments

- Add/edit/remove delivery persons (same-day delivery team only)
- View availability status + current GPS location of all delivery persons
- Assign pending same-day orders to available delivery persons
- View all active shipments: same-day (GPS map) and normal (Shadowfax milestones)
- Force-update shipment status for edge cases
- View delivery attempt history per shipment (max 3 normal, max 1 same-day)
- View failed deliveries with reason — reassign or cancel
- Manage delivery person salary (salary_per_month field)

Tables Used:

Table	Key Fields	Purpose
delivery_persons	id, user_id, name, phone, vehicle_type, vehicle_number, last_location_lat, last_location_lng, is_available, is_active, salary_per_month	Delivery team
shipments	order_id, delivery_person_id, delivery_type, status, tracking_id, shadowfax_order_id, delivery_otp, estimated_delivery_date, actual_delivered_at, delivery_photo_url, delivery_attempts, failed_reason	All shipments
pincodes	pincode, city_id, delivery_zone, is_same_day_eligible, is_delivery_available	Zone check

7. Pincodes & Cities

COD rules per pincode, delivery zones, same-day eligibility

- Add new city (name + slug)
- Add/edit pincodes — map each to a city + delivery zone (Local/Bihar/South/Rest India)
- Set COD type per pincode: full_cod | partial_cod (+ partial amount) | prepaid_only
- Enable/disable same-day delivery eligibility per pincode (17 local Muzaffarpur pincodes)
- Enable/disable delivery availability for pincode (remote/unserviceable areas)
- Bulk import pincodes from CSV

Tables Used:

Table	Key Fields	Purpose
cities	id, name, slug, is_active	City master
pincodes	id, pincode, city_id, delivery_zone, cod_type, partial_cod_amount, is_same_day_eligible, is_delivery_available	Pincode config

8. Return Requests

Review, approve/reject, refunds, Shadowfax reverse pickup

- View all return requests with filters: status, date, vendor, reason
- View request detail: order, item, reason, proof photos uploaded by customer
- Approve return — triggers Shadowfax reverse pickup (normal) or own team (same-day)
- Reject return request with admin note (sent to customer)
- Set refund amount (full or partial)
- Choose refund method: original payment method or wallet credit
- Track return pickup and delivery status
- Mark return completed after item received by vendor
- Return policy: 7 days from delivery, wrong product only, partial returns per item allowed

Tables Used:

Table	Key Fields	Purpose
return_requests	id, order_id, order_item_id, user_id, reason, reason_description, proof_images, status, refund_amount, refund_method, admin_note, reviewed_by_id, reviewed_at	Return data
order_items	id, product_name, unit_price, quantity, status	Item returned
wallet_transactions	user_id, type=credit, source=order_refund, amount	Wallet refund

9. Withdrawal Requests

Manual vendor payout approval — NOT automated

- View all pending withdrawal requests from vendors
- Check vendor's current pending_balance before approving
- Approve request — status becomes processing
- Mark as completed — enter UTR number or payment reference
- Reject with admin note
- On completion: updates vendor_profiles.total_withdrawn + pending_balance automatically
- View withdrawal history per vendor
- Filter by status: pending / approved / processing / completed / rejected

Tables Used:

Table	Key Fields	Purpose
withdrawal_requests	id, wp_id, vendor_id, amount, status, requested_at, processed_at, admin_note, payment_reference	Request data
vendor_profiles	pending_balance, total_withdrawn, bank_account_number, bank_ifsc, upi_id	Balance + bank

10. Coupon Management

Create/edit coupons, assign to users, track usage

- View all coupons: code, type, value, used_count, validity period
- Create new coupon: percentage or fixed_amount type
- Set min_order_amount (null = no minimum) and max_discount_amount cap
- Set birthday coupon flag — auto-applies in user's birthday month
- Set first-order-only flag (for WELCOME30 style coupons)
- Set usage_limit (null = unlimited)
- Assign coupon to a specific user via user_coupons table
- Deactivate/activate coupon
- View usage history: user, order, discount applied
- Active at launch: KITABWALAH (10%), NEW10 (10% min Rs.199), BIRTHDAY10 (10% max Rs.50), WELCOME30 (Rs.30 first order)

Tables Used:

Table	Key Fields	Purpose
coupons	id, wp_id, code, type, value, min_order_amount, max_discount_amount, is_birthday_coupon, is_first_order_only, usage_limit, used_count, valid_from, valid_until, is_active	Coupon config
coupon_usages	coupon_id, user_id, order_id, discount_applied, used_at	Usage tracking
user_coupons	user_id, coupon_id, assigned_at, expires_at	User-specific

11. Banner Management

Homepage banners — add, schedule, link to products/categories

- Add new banner: upload image (to S3), set title and subtitle
- Set tap action: open product | open category | open URL | no action
- Set display_order (drag to reorder on app)
- Set validity dates (valid_from, valid_until) — auto shows/hides by date
- Activate or deactivate any banner

Tables Used:

Table	Key Fields	Purpose
banners	id, title, subtitle, image_url, action_type, action_value, display_order, valid_from, valid_until, is_active	Banner config

12. Homepage Pin Management

Override auto-computed homepage — pin items to specific slots

Homepage uses Option C: auto-computed ranking + admin pin override. Admin can force specific products, categories, or banners into any display slot. Pinned items override the algorithm for that slot only. Unpinned slots remain auto-computed.

Tables Used:

Table	Key Fields	Purpose
homepage_pins	id, type (product/category/banner), reference_id, position, is_active, updated_at	Pin overrides

13. Review Management

Approve/reject product reviews, vendor notified on new review

- View all reviews pending approval (default status = pending)
- Approve review — status=approved, vendor average_rating recalculated
- Reject review with reason
- Filter reviews by product, vendor, rating, status
- View verified purchase badge (is_verified_purchase = true for order-linked reviews)

Tables Used:

Table	Key Fields	Purpose
product_reviews	id, wp_id, product_id, user_id, vendor_id, order_id, rating, title, content, images, is_verified_purchase, status	Review data
vendor_profiles	average_rating, total_reviews	Updated on approve

14. Support Tickets & Issue Reports

Customer and vendor support — view, respond, resolve

- View all open support tickets (from customers and vendors)
- Filter by status: open / in_progress / resolved / closed
- View ticket detail: user, vendor (if vendor-related), order (if applicable), message
- Update status and add resolution note
- View user-reported platform issue reports separately (issue_reports table)
- Filter issues by category: delivery / payment / product / account / other

Tables Used:

Table	Key Fields	Purpose
support_tickets	id, wp_id, user_id, vendor_id, order_id, subject, message, status, resolution_note, created_at	Support tickets
issue_reports	id, user_id, order_id, category, description, status, resolution_note	Issue reports

16. Competitive Exams

UPSC, SSC, NEET, JEE, BPSC sections — link books to exams

- Create new exam section: UPSC, SSC CGL, NEET, JEE, BPSC, Bihar SI, RRB, etc.
- Add individual products or entire categories to an exam section
- Set display_order within each exam section
- Upload exam banner image (goes to S3)
- Enable/disable any exam section from showing on app

Tables Used:

Table	Key Fields	Purpose
competitive_exams	id, name, slug, description, image_url, display_order, is_active	Exam sections
exam_collections	exam_id, product_id, category_id, display_order, added_at	Books per exam

17. App Settings

Platform-wide configuration — delivery, GST, commission, limits

All settings stored as key-value pairs in app_settings table. Admin can update without code deploy.

Setting Key	Description	Default
delivery_charge_local	Delivery charge for Local zone (17 Muzaffarpur pincodes)	Rs.39
delivery_charge_bihar	Delivery charge for Rest Bihar zone	Rs.49
delivery_charge_south	Delivery charge for South India zone	Rs.59

Setting Key	Description	Default
delivery_charge_rest	Delivery charge for Rest India zone	Rs.59
free_delivery_local	Order amount above which local delivery is free	Rs.500
free_delivery_bihar	Order amount above which Bihar delivery is free	Rs.599
cod_charge	Flat COD charge per order (regardless of order value)	Rs.7
default_commission_rate	Platform commission % applied to new vendors by default	10%
gst_stationery	GST rate applied to stationery/pen products	18%
gst_shipping	GST rate applied to shipping charges	18%
reseller_commission	Wallet credit to referrer on referee's first order after delivery	Rs.25
return_window_days	Number of days customer has to raise a return request	7
store_city	Platform HQ city (used on GST invoices)	Muzaffarpur
store_gstin	Platform GSTIN number (on invoices)	...
razorpay_key_id	Razorpay live API key (payment gateway)	rzp_live_...

Table Used: app_settings (id, key UNIQUE, value, description, created_at, updated_at)

18. Static Pages

About Us, Terms & Conditions, Privacy Policy, Refund Policy

Admin edits page content directly without any code deployment needed. Rich text editor. Pages: about-us | terms | privacy | refund-policy

Table Used: static_pages (id, title, slug UNIQUE, content, meta_title, meta_description, is_active, updated_at)

19. Push Notifications

Send push notifications to users via Firebase FCM

- Send broadcast notification to all users
- Send to all vendors only
- Send to users in a specific city
- Send to a specific user by phone/email
- View notification delivery log per user
- View unread notification count per user

Tables Used: notifications (user_id, type, title, body, data JSON, is_read, created_at), device_tokens (user_id, token, platform, is_active)

20. Audit, Email & Migration Logs

Full platform activity history — read-only for admin

Admin Action Logs — Every action admin takes is automatically logged with before/after data. Cannot be deleted. Actions logged:

action_type	When It Fires
user_ban / user_unban	Admin bans or unbans a user account
product_approve / product_reject	Admin approves or rejects a vendor product listing
vendor_verify / vendor_suspend	Admin completes KYC or suspends a vendor store
order_refund	Admin processes a refund on an order
withdrawal_approve / reject	Admin approves or rejects a vendor withdrawal request
coupon_create / deactivate	Admin creates or deactivates a coupon code
banner_update	Admin adds or modifies a homepage banner
pincode_update	Admin changes COD or delivery settings for a pincode
settings_update	Admin changes any platform-wide app setting

Table: admin_action_logs (admin_id, action_type, target_table, target_id, description, old_data JSON, new_data JSON, created_at)

Email Logs — All outgoing platform emails (97 rows migrated from WordPress wp_wpml_mails). Admin views sent emails, recipient, subject, status.

Table: email_logs (to_email, subject, message, status, sent_at, created_at)

Migration Logs — Data migration script run history. How many records migrated/failed/skipped per table. Used to verify data integrity after any migration run.

Table: migration_run_logs (source_db, source_table, destination_table, records_migrated, records_failed, records_skipped, status, error_log, started_at, completed_at)