

```
nlr2007@NLR:~$ gcc hello1.c -o hello1
nlr2007@NLR:~$ ./hello1
Hello
```

2.

```
nlr2007@NLR:~$ gcc read_user_name.c -o run
nlr2007@NLR:~$ ./run
Enter your nameLokesh
Welcome, Dearn Lokesh
nlr2007@NLR:~$ |
```

4.

```
nlr2007@NLR:~$ gcc frok.c -o f
nlr2007@NLR:~$ ./f
Hello
Hello
nlr2007@NLR:~$ |
```

3.

```
nlr2007@NLR:~$ gcc display_proccess_id.c -o dp
nlr2007@NLR:~$ ./dp
Process ID = 541
nlr2007@NLR:~$ |
```

5.

```
nlr2007@NLR:~$ gcc parent_child.c -o pc
nlr2007@NLR:~$ ./pc
Iam Parent Process
Iam Child Process
nlr2007@NLR:~$ |
```

6.

```
nlr2007@NLR:~$ nano display_pc.c
nlr2007@NLR:~$ gcc display_pc.c -o dpc
nlr2007@NLR:~$ ./dpc
Parent PID = 641
Child PID = 642
Parent PID = 642
nlr2007@NLR:~$ |
```

7.

```
| pid_t
1 nlr2007@NLR:~$ nano fork_wait.c
nlr2007@NLR:~$ nano fork_wait.c -o fw
Invalid operating directory: fw
1 nlr2007@NLR:~$ gcc fork_wait.c -o fw
nlr2007@NLR:~$ ./fw
Child Running
Parent Running After Child
nlr2007@NLR:~$ |
```

8.

```
1 nlr2007@NLR:~$ nano exec.c
nlr2007@NLR:~$ gcc exec.c -o -e

nlr2007@NLR:~$
nlr2007@NLR:~$ ./e
-bash: ./e: No such file or directory
127 nlr2007@NLR:~$ gcc exec.c -o e
nlr2007@NLR:~$ ./e
Before exec()
-e                dpc                frok.c            pc
a.out             e                fw                read_user_name.c
display_pc.c      exec.c           hello1            run
display_proccess_id.c f                hello1.c          test
dp               fork_wait.c      parent_child.c
nlr2007@NLR:~$ |
```

9.

```
Ubuntu × Ubuntu × Ubuntu × + v
wsl: Failed to translate 'L:\Flutter\flutter\bin'
nlr2007@NLR:~$ gcc fork_exec_wait.c -o few
nlr2007@NLR:~$ ./few
Fri Jul 31 12:12:24 UTC 2026
Child Completed
nlr2007@NLR:~$ █
```