D117-D118 | Scores are not effects

PRIVATE FICTIONAL cases. No actual borrower/user records, fitted model, assignment, payment processing, screening, rejection, rollout or causal benefit evidence.

D117 | Locked scores	Two-bin matured holdout: 9000 at .01 has 90 defaults;1000 at .20 has 200. Expected/observed 290, Brier .02491. At threshold .10 TP 200 / FP 800 / FN 90 / TN 8910. Costs 10/100 give 17000 versus always-negative 29000. These are classification costs, not savings from a proven intervention.
Calibration and odds	Both bins match their empirical rates, not proven population calibration. Retrospective constant .029 has Brier .028159 but uses final prevalence; not a deployable baseline. Separate logit doubles odds 1/99 to 2/99, probability 2/101, not doubled risk or causal effect.
Shifted outcomes	Same frozen scores/counts later yield 180/300 defaults, total 480 against expected 290, O/E 1.655172. Calibration no longer matches these bins. Inspect label quality, selection and drift; no silent recalibration on final labels. Existing separate OLS native extension remains intact.
D118 | Assignment denominator	1000 assigned each. A 800 exposed/280 activated; B 900/320. ITT 28%/32%, +4 pp versus exposed 35%/35.555556%, +.555556 pp. Exposure is postassignment, not an automatically identified treatment-on-treated effect.
Safety and stopping	Failures 20/45 per 1000 rise 2.5 pp against stipulated 1 pp hold threshold. Positive activation does not override hold. Fixed-horizon activation CI includes zero. 20 independent null tests give 64.151408% at least one false positive; not 20 correlated cumulative looks.
Limits	Static prose is Case-v1; revise after edits. Actual learner attempts/errors/reviewer words/delayed transfer blank. Authored LibreOffice execution only, no cross-viewer, new empirical reading/full AV/learner/account/legal validation or overall 10/10. No real data, contacts, experiment, analytics/product/price change, disclosure or spend.

D117 inputs | Locked two-bin holdout

Counts integer, complete matured binary labels; scores locked before labels. Separate development/calibration/final chronological and borrower-separated evaluation are stipulated, not measured.

Low-bin loans	9000.00
Low-bin locked probability	0.01
Low-bin original defaults	90.00
High-bin loans	1000.00
High-bin locked probability	0.20
High-bin original defaults	200.00
Later low-bin defaults	180.00
Later high-bin defaults	300.00
Flag threshold: score >= threshold	0.10
False-positive classification cost INR	10.00
False-negative classification cost INR	100.00

Structural inputs valid? (1=yes)	1.000000

Yellow cells are fictional assumptions, not observed data or permission. A structural pass does not establish current source definitions, demand, contractual terms, economic feasibility, liquidity or real authority.

D117 bins | Calibration is conditional

Each row derives from locked inputs, not trained coefficients. Exact bin-rate equality is a finite-sample observation in invented data, not proof of population/subgroup calibration.

Measure	Low score	High score
Bin loans	9000.000000	1000.000000
Locked predicted probability	1.0000%	20.0000%
Original matured defaults	90.000000	200.000000
Original nondefaults	8910.000000	800.000000
Expected defaults	90.000000	200.000000
Observed default fraction	1.0000%	20.0000%
Binary Brier numerator	89.100000	160.000000
Flag this whole bin? (1 = yes)	0.000000	1.000000
True positives	0.000000	200.000000
False positives	0.000000	800.000000
False negatives	90.000000	0.000000
True negatives	8910.000000	0.000000

Binary Brier is average (p-y)^2, not twice that value. Disjoint data and complete labels are case assumptions. The retrospective constant uses final-label prevalence and is not an out-of-sample deployable baseline.

D117 summary | Threshold consequences

Stipulated FP/FN costs; true decisions zero. No actual rejection, intervention benefit, credit/fairness/legal claim. Cost threshold conditional on genuine calibration and specified actions.

Measure	Value
Total loans	10000.000000
Observed default count	290.000000
Expected default count	290.000000
Observed prevalence	2.9000%
Binary Brier score	0.024910
Retrospective constant Brier	0.028159
PPV: defaults / flagged	20.0000%
Sensitivity: flagged / defaults	68.9655%
Classification accuracy	91.1000%
Always-negative accuracy	97.1000%
Frozen threshold classification cost INR	17000.000000
Always-negative cost INR	29000.000000
Modeled cost difference INR	12000.000000
Calibrated cost indifference probability	9.0909%

Strictly prefer flag when p>costFP/(costFP+costFN); equality ties. Workbook uses the independently editable score threshold with >= convention, not an automatic change to a real policy. Lower Brier alone does not prove better calibration.

D117 shift | Freeze before comparison

Later labels change, original probabilities/threshold do not. Separate logistic equation is NOT the two-bin fitted model and has no learned or causal coefficient.

Measure	Value
Later low-bin observed default fraction	2.0000%
Later high-bin observed default fraction	30.0000%
Later observed total defaults	480.000000
Frozen expected total defaults	290.000000
Observed / expected	1.655172
Later binary Brier with ORIGINAL scores	0.039730
Frozen threshold later classification cost	25000.000000
Separate illustrative baseline odds	0.010101
Odds after illustrative ln(2) coefficient	0.020202
Probability from doubled odds	1.9802%

Later rates 2%/30% differ from locked 1%/20%. O/E flags mismatch, not a diagnosed cause. Calibration refit needs distinct fitting data and another untouched evaluation. A coefficient doubles conditional odds, not probability or causal effect.

D118 inputs | Every assigned user counted

One independent user assigned once, 7-day complete outcomes; no crossover/interference. All activations stipulated among exposed. Exposure is postassignment. No actual randomization or user collection.

Arm A assigned users	1000.00
Arm A exposed users	800.00
Arm A activated users	280.00
Arm B assigned users	1000.00
Arm B exposed users	900.00
Arm B activated users	320.00
Arm A severe failures	20.00
Arm B severe failures	45.00
Observed failure-increase hold threshold	0.01

Structural inputs valid? (1=yes)	1.000000

Yellow cells are fictional assumptions, not observed data or permission. A structural pass does not establish current source definitions, demand, contractual terms, economic feasibility, liquidity or real authority.

D118 analysis | ITT versus exposure

Fixed terminal unpooled Wald interval, not sequentially valid. Count screen cannot certify assignment, outcomes, independence or stopping. Guardrail flag is an operational rule, not a safety confidence test.

Measure	Value
Arm A assigned-user activation	28.0000%
Arm B assigned-user activation	32.0000%
ITT difference B minus A	4.0000%
Relative ITT lift	14.2857%
Arm A exposure-conditioned activation	35.0000%
Arm B exposure-conditioned activation	35.5556%
Exposure-conditioned difference	0.5556%
10 success/failure count screen	1.000000
Unpooled ITT standard error	0.020474
Nominal fixed-horizon 95% lower	-0.0130%
Nominal fixed-horizon 95% upper	8.0130%
Arm A assigned-user failure fraction	2.0000%
Arm B assigned-user failure fraction	4.5000%
Observed failure difference	2.5000%
Stipulated observed hold rule (1 = HOLD)	1.000000

Baseline CI [-.012977,8.012977] percentage points includes zero; not equivalence or proof no effect. Failures rise 2.5 pp, greater than 1 pp, so HOLD. Equality does not exceed the observed threshold; it still does not establish safety. Missing outcomes require prespecified strategy/sensitivity, not merely an ITT label.

D118 illustration | A defined family, not peeking

Independent null tests only for the at-least-one illustration. Bonferroni union-bound control requires valid individual tests and a defined family but not independence.

Defined number of valid tests, integer	20.00
Each-test type I error probability	0.05
Familywise target alpha	0.05

Structural inputs valid? (1=yes)	1.000000

Yellow cells are fictional assumptions, not observed data or permission. A structural pass does not establish current source definitions, demand, contractual terms, economic feasibility, liquidity or real authority.

D118 stopping | Design precedes outcomes

20 independent null tests at .05 yield 64.151408%, NOT the error rate of 20 correlated cumulative looks. Neither Bonferroni nor Bayesian naming licenses arbitrary unplanned continuous efficacy stopping.

Measure	Value
At least one false positive IF INDEPENDENT	64.1514%
Bonferroni alpha per valid test	0.002500
Union-bound upper bound at original alpha	100.0000%

Safety/data-integrity review differs from opportunistic efficacy peeking. Follow a prespecified valid sequential design, alpha spending or suitable always-valid method if monitoring is needed. None is implemented here. There is no automatic rollout recommendation.

Audit | Independent cases, not approvals

Arithmetic gate only. Broken references or invalid inputs hold the affected summary, while other independent cases remain usable. No real labels, randomization, causal validity, reviewer or learner verification.

Score/count/cost identities valid? (1 = yes)	1.000000
Guarded original classification cost	17000.000000
Assignment analysis valid? (1 = yes)	1.000000
Guarded observed hold flag	1.000000
Multiplicity arithmetic valid? (1 = yes)	1.000000
Guarded independent-test false-positive chance	0.641514

Static prose is baseline only. Revised assumptions need revised prose before distribution. Actual borrowers/users, source evidence, identity, privacy, rights, costs and permissions remain absent. Do not execute any real screening or experiment from these cells.

Evidence | Prediction, assignment, stopping

Existing selected course readings remain linked at https://top1os.dev/. All numbers here derive from original fictional D117/D118 cases, not new empirical research or real financial/payment rules.

Data lineage	Score inputs -> Bins -> Holdout/Shift and odds -> Audit. Assignment inputs -> Assignment -> Audit. Multiplicity inputs -> Multiplicity -> Audit. Logistic odds equation is separately illustrative; no coefficients are fitted here.
Strongest calibration objection	Apparent bin equality can be sample noise and miss subgroup errors. Brier mixes calibration/resolution/outcome uncertainty. Frozen later labels reveal a mismatch, not its cause or permission to deploy. No true counterfactual policy benefit from this classifier.
Strongest experiment objection	Exposure selection can undo randomization comparability. Missing outcomes, noncompliance, clustering, interference, inconsistent windows and optional stopping need separate evidence/design. A count screen and complete-looking table cannot verify those facts.
Guardrail and multiplicity	Observed threshold crossing means HOLD under the toy rule. Passing does not prove noninferiority/safety. Independent 20-test arithmetic is distinct from cumulative looks. Bonferroni needs valid individual tests and a specified family.
Fictional day 0/day 30 gate	Model/data/credit/privacy and experiment/statistics/safety roles need original evidence, lawful use and explicit authority. No real owner accepted these roles. No actual labels, assignment, data export, borrower contact, payment or product change.
Closed-notes transfer	Change bin probabilities/defaults/threshold/costs, retain frozen comparisons; distinguish conditional odds and probabilities. Change assigned/exposed/activated/failure counts and hold limit; keep ITT denominator and stopping design explicit. Record actual errors and delayed response only if performed.

Actual work | No invented learner record

No performed learner attempts, confidence, errors, reviewer objection, correction effect or delayed transfer. Leave blank until an authorized actual session occurs.

Actual date / case	Attempt / confidence	Input / source	Observed error / reason	Correction / effect	Objection / reply	Delayed context / result

Actual work remains blank. Record only what occurred: dates, reasoning, error/source/correction, strongest objection and a new delayed transfer. No invented learner results, sponsor acceptance, actual budget release or signed rights.

Failure log | Authored execution only

Observed native tests are added only after execution. Not actual learner mistakes, independent human audit, Excel/Sheets parity, real authority or overall 10/10.

Controlled test	Observed authored outcome
Baseline score bins / costs / later shift	PASS: independent bins, Brier, costs, odds and later frozen comparison.
Threshold no/all flags / cost changes	PASS: no/all flags, equality and changed FP/FN costs.
Zero/default boundaries / changed probabilities	PASS: no/all defaults, zero/changed scores, later outcomes/bin size.
Assignment / exposure / counts / guardrail	PASS: assignment/activation/exposure/guardrail shifts and equality.
Low-count approximate CI holds	PASS: low counts and zero exposure hold affected approximate results.
Multiplicity independence / family size	PASS: independent 1/20/100 tests, alpha 0/1 and family alpha.
Invalid inputs / independent-case isolation	PASS: 19 invalid input cases block affected output, independent cases preserved.
Broken refs / restored baseline	PASS: 5 broken result refs held affected Audit; baseline restored, actual work blank.

Only the original synthetic course exercise at https://top1os.dev/ supplies the case figures. No new empirical reading, real participants, company records, Indian legal clearance, actual commitments or source completeness claimed.