Assignment –7

Summarizing Data with Aggregate Functions.

Name :Shiavam Dolase   PRN:240840320100

1) Write a query that counts all orders for October 3.

mysql> select Odate,Count(Odate) from Orders where Odate='1990-10-03';

```
mysql> select Odate,Count(Odate) from Orders where Odate='1990-10-03';
+------------+--------------+
| Odate      | Count(Odate) |
+------------+--------------+
| 1990-10-03 |            5 |
+------------+--------------+
1 row in set (0.00 sec)
```

2) Write a query that counts the number of different non-NULL city values in the

Customers table.

mysql> select count(distinct city) from customers where city is not null;

```
mysql> select count(distinct city) from customers where city is not null;
+----------------------+
| count(distinct city) |
+----------------------+
|                    4 |
+----------------------+
1 row in set (0.02 sec)
```

mysql> select city,count(city) from customers group by(city);

```
mysql> select city,count(city) from customers group by(city);
+----------+-------------+
| city     | count(city) |
+----------+-------------+
| London   |           2 |
| Rome     |           2 |
| San Jose |           2 |
| Berlin   |           1 |
+----------+-------------+
4 rows in set (0.00 sec)
```

3) Write a query that selects each customer's smallest order.

mysql> select cnum,min(amt) from orders group by(cnum);

```
mysql> select cnum,min(amt) from orders group by(cnum);
+------+----------+
| cnum | min(amt) |
+------+----------+
| 2008 |    18.69 |
| 2001 |   767.19 |
| 2007 |  1900.10 |
| 2003 |  5160.45 |
| 2002 |  1713.23 |
| 2004 |    75.75 |
| 2006 |  4723.00 |
+------+----------+
7 rows in set (0.00 sec)
```

4) Write a query that selects the first customer, in alphabetical order, whose name begins with G.

mysql> select min(cname) from customers where cname like 'G%';

```
mysql> select min(cname) from customers where cname like 'G%';
+------------+
| min(cname) |
+------------+
| Giovanni   |
+------------+
1 row in set (0.01 sec)

mysql> select cname from customers where cname like 'G%';
+----------+
| cname    |
+----------+
| Giovanni |
| Grass    |
+----------+
```

5) Write a query that selects the highest rating in each city.

1)mysql> select city,max(rating) from customers group by(city);

Or 2)mysql> select city,rating from customers group by(city);

```
mysql> select city,rating from customers group by(city);
+----------+--------+
| city     | rating |
+----------+--------+
| London   |    100 |
| Rome     |    200 |
| San Jose |    200 |
| Berlin   |    300 |
+----------+--------+
4 rows in set (0.00 sec)

mysql> select city,rating from customers;
+----------+--------+
| city     | rating |
+----------+--------+
| London   |    100 |
| Rome     |    200 |
| San Jose |    200 |
| Berlin   |    300 |
| London   |    100 |
| San Jose |    300 |
| Rome     |    100 |
+----------+--------+
7 rows in set (0.00 sec)
```

6) Write a query that counts the number of salespeople registering orders for each day. (If a salesperson has more than one order on a given day, he or she should be counted only once.).

mysql> select Odate,count(Distinct snum) from orders group by(Odate);

```
mysql> select Odate,count(Distinct snum) from orders group by(Odate);
+------------+----------------------+
| Odate      | count(Distinct snum) |
+------------+----------------------+
| 1990-10-03 |                    4 |
| 1990-10-04 |                    2 |
| 1990-10-05 |                    1 |
| 1990-10-06 |                    2 |
+------------+----------------------+
4 rows in set (0.11 sec)
```