TAJO-57

hyunsik

2013-05-08

# Contents

## Chapter 1

## Root issue TAJO-57

## 1.1 Summary

Recognize Parser and Catalog Standard SQL data types

### 1.2 Description

The current Tajo provides some of data types which resemble java primitive or class type names as follows:

- \* string
- \* short
- \* bigdecimal
- \* byte

The this issue is to enable Tajo to recognize Standard SQL data types. For this, I'll change existing data types to correspoding SQL types, and I'll improve parser and catalog to recognize Standard SQL data types.

### 1.3 Attachments

1. TAJO-57\_2.patch

### 1.4 Comments

1. **hyunsik:** I've attached the patch. In addition to this issue, I've eliminated some unused classes in the catalog module.

Even though we don't have all datum types for SQL standard data types, I've added all parser rules for all SQL standard data types. See the below wiki page. This wiki page contains the data types that Tajo will have.

http://wiki.apache.org/tajo/TajoDataTypes

This is the first draft. Please feel free to make any suggestions.

- 2. hyunsik: The previous patch was wrong. This is the correct patch.
- 3. **jihoonson:** +1This is a necessary work to support the standard SQL data types.

I can't still test due to a problem of my machine. If this patch passes all the tests, please commit.

4. hyunsik: Thank you for your review.

All unit tests are passed. I've committed it and resolved it as fixed. This change will break the backward compatibility of the catalog against the previous revision of Tajo. We haven't made any release so far. I think now is the right time for this work.

- 5. **hyunsik:** In addition, I've updated the schema of TPC-H tables. http://wiki.apache.org/tajo/TpchBenchmark
- 6. **jihoonson:** Thanks!
- 7. **hudson:** Integrated in Tajo-trunk-postcommit #2 (See [https://builds.apache.org/job/Tajo-trunk-postcommit/2/])

TAJO-57: Recognize Parser and Catalog Standard SQL data types. (hyunsik) (Revision c1c6f83eafdea80d931094285f8da1186f062cf5)

TAJO-57: Recognize Parser and Catalog Standard SQL data types. (adding missed files) (Revision 0652815f5e8d1f0e0b571539c5f20de545c2e03d)

#### Result = SUCCESS

hyunsik: https://git-wip-us.apache.org/repos/asf?p=incubator-tajo.git&a=commit&h=c1c6f83eafdea80d93109428. Files:\*tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/writer/CharWriter.java

- \* tajo-catalog/tajo-catalog-common/src/main/java/tajo/catalog/statistics/TupleUtil.java
- \* tajo-core/tajo-core-backend/src/main/proto/CatalogProtos.proto
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/parser/TestQueryAnalyzer.java
- $*\ tajo-core/tajo-core-backend/src/test/java/tajo/LocalTajoTestingUtility.java$
- \* tajo-common/src/test/java/tajo/datum/TestDoubleDatum.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/eval/FieldEval.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/physical/TestBSTIndexExec.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/AvgLong.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/storage/TestHCFile.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/UpdatableSeekableBlock.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/planner/physical/IndexedStoreExec.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/CompressedBlockWriter.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/Date.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/master/TestExecutionBlockCursor.java
- \* tajo-common/src/main/java/tajo/datum/Datum.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/client/TestTajoClient.java
- \* tajo-common/src/main/java/tajo/datum/CharDatum.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/FrameTuple.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/writer/BytesWriter.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/compress/LZ.java
- \* tajo-core/tajo-core-backend/src/main/antlr3/tajo/engine/parser/NQL.g
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/TestLogicalOptimizer.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/worker/SlowFunc.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/Reader.java
- \* tajo-catalog/tajo-catalog-client/src/main/java/tajo/catalog/AttributeType.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/master/Repartitioner.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/eval/CaseWhenEval.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/eval/FuncEval.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/writer/DoubleWriter.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/eval/AggFuncCallEval.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/StringReader.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/query/exception/InvalidCastException.java

- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/Seekable.java
- $*\ tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/physical/TestHashPartitioner.java$
- \* tajo-catalog/tajo-catalog-server/src/test/java/tajo/catalog/statistics/TestColumnStat.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/planner/RangePartitionAlgorithm.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/compress/Snappy.java
- \* tajo-common/src/main/java/tajo/datum/DatumType.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/TestPlannerUtil.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/Tuple.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/writer/IntWriter.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/SumLong.java
- \* tajo-catalog/tajo-catalog-common/src/main/java/tajo/catalog/Schema.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/query/exception/InvalidEvalException.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/MinDouble.java
- \* tajo-common/src/test/java/tajo/datum/TestByteDatum.java
- $*\ tajo-core/tajo-core-storage/src/test/java/tajo/storage/TestFrameTuple.java$
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/utils/TupleUtil.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/physical/TestBNLJoinExec.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/AvgDouble.java
- \* tajo-common/src/main/java/tajo/datum/StringDatum2.java
- \* tajo-catalog/tajo-catalog-common/src/test/java/tajo/catalog/TestIndexDesc.java
- \* tajo-common/src/main/java/tajo/datum/DoubleDatum.java
- \* tajo-catalog/tajo-catalog-server/src/main/java/tajo/catalog/store/DBStore.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/Fragment.java
- \* tajo-common/src/test/java/tajo/datum/TestDatum.java
- \* tajo-catalog/tajo-catalog-client/src/main/java/tajo/catalog/CatalogService.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/HCFile.java
- \* tajo-common/src/test/java/tajo/datum/TestIPv4Datum.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/planner/LogicalPlanner.java
- \* tajo-common/src/main/java/tajo/datum/ArrayDatum.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/ColumnScanner.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/parser/QueryBlock.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/BytesReader.java
- \* tajo-common/src/main/java/tajo/datum/NumericDatum.java
- $^*$  tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/writer/ArrayWriter.java
- \* tajo-catalog/tajo-catalog-server/src/main/java/tajo/catalog/AlreadyRegisteredURIException.java
- $*\ tajo-core/tajo-core-backend/src/test/java/tajo/engine/function/TestAggFunction.java$
- $*\ tajo-core/tajo-core-backend/src/main/java/tajo/engine/eval/PartialBinaryExpr.java$
- \* tajo-common/src/test/java/tajo/datum/TestStringDatum.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/CompressedBlockReader.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/ColumnAppender.java
- \* tajo-catalog/tajo-catalog-server/src/main/java/tajo/catalog/CatalogServer.java
- \* tajo-common/src/main/java/tajo/datum/NullDatum.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/HCTupleAppender.java
- \*~tajo-core/tajo-core-storage/src/main/java/tajo/storage/StorageUtil.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/String2Reader.iava
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/util/TestTupleUtil.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/LongReader.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/UpdatableBlock.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/BlockReader.java
- \* tajo-core/tajo-core-storage/src/test/java/tajo/storage/hcfile/IndexTest.java
- $*\ tajo-core/tajo-core-storage/src/test/java/tajo/storage/index/TestSingleCSVFileBSTIndex.java$
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/compress/Codec.java
- \* tajo-catalog/tajo-catalog-client/src/main/java/tajo/catalog/AlreadyRegisteredURIException.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/RandomInt.java

- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/AvgFloat.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/RawFile.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/IPv4Reader.java
- $*\ tajo-core/tajo-core-backend/src/main/java/tajo/engine/query/ResultSetMetaDataImpl.java$
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/physical/TestSortExec.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/json/GsonCreator.java
- \* tajo-common/src/main/java/tajo/datum/BoolDatum.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/eval/ConstEval.java
- \* tajo-catalog/tajo-catalog-common/src/main/java/tajo/catalog/TCatUtil.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/parser/QueryAnalyzer.java
- \* tajo-catalog/tajo-catalog-client/src/main/java/tajo/catalog/CatalogServiceProtocol.java
- \* tajo-common/src/test/java/tajo/datum/TestIntDatum.java
- \* tajo-core/tajo-core-storage/src/test/java/tajo/storage/TestMergeScanner.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/MinFloat.java
- $*\ tajo-core/tajo-core-backend/src/test/java/tajo/storage/TestRowFile.java$
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/eval/EvalTreeUtil.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/CharReader.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/MinString.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/VTuple.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/master/GlobalEngine.java
- $*\ tajo-core/tajo-core-backend/src/test/java/tajo/engine/eval/TestEvalTreeUtil.java$
- \* tajo-catalog/tajo-catalog-client/src/main/proto/CatalogProtos.proto
- \* tajo-core/tajo-core-backend/src/main/java/tajo/master/GlobalPlannerUtils.java
- \* tajo-common/src/main/java/tajo/datum/ShortDatum.java
- \* tajo-common/pom.xml
- \* tajo-catalog/tajo-catalog-common/src/test/java/tajo/catalog/TestCatalogUtil.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/physical/TestMergeJoinExec.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/master/Query.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/eval/EvalNode.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/physical/TestHashJoinExec.java
- \* tajo-common/src/main/java/tajo/storage/Tuple.java
- \* tajo-catalog/tajo-catalog-client/src/main/java/tajo/catalog/AbstractCatalogClient.java
- \* tajo-catalog/tajo-catalog-common/src/main/java/tajo/catalog/json/GsonCreator.java
- \* tajo-common/src/main/java/tajo/datum/StringDatum.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/IntReader.java
- \* tajo-catalog/tajo-catalog-common/src/main/proto/CatalogProtos.proto
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/planner/physical/ExternalSortExec.java
- \* tajo-common/src/main/java/tajo/datum/BytesDatum.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/ColumnStoreUtil.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/HCFileMetaImpl.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/storage/TestFragment.java
- \* tajo-catalog/tajo-catalog-common/src/main/java/tajo/catalog/function/AggFunction.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/BlockWriter.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/writer/ShortWriter.java
- $*\ tajo-core/tajo-core-backend/src/test/java/tajo/engine/plan/global/TestGlobalQueryPlanner.java$
- \* tajo-common/src/test/java/tajo/datum/TestBytesDatum.java
- \* tajo-common/src/test/java/tajo/datum/TestBoolDatum.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/planner/UniformRangePartition.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/BackendTestingUtil.java
- $\begin{tabular}{l}* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/Updatable.java\\ \end{tabular}$
- $*\ tajo-catalog/tajo-catalog-common/src/test/java/tajo/catalog/TestColumn.java$
- $*\ tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/MaxFloat.java$
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/eval/IsNullEval.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/function/TestGeneralFunction.java

- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/RowFile.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/parser/TestNQLParser.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/MinInt.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/CountValue.java
- \* tajo-common/src/test/java/tajo/datum/TestFloatDatum.java
- \*~tajo-core/tajo-core-backend/src/test/java/tajo/storage/TestHColumnReader.java
- \* tajo-common/src/main/java/tajo/datum/IntDatum.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/RowStoreUtil.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/MinLong.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/eval/TestEvalTree.java
- \* tajo-common/src/test/java/tajo/datum/TestShortDatum.java
- \* tajo-common/src/main/java/tajo/datum/LongDatum.java
- \* tajo-core/tajo-core-storage/src/test/java/tajo/storage/TestStorageManager.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/FloatReader.java
- \* tajo-common/src/main/java/tajo/datum/DatumFactory.java
- \* tajo-catalog/tajo-catalog-common/src/test/java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStat.java/tajo/catalog/statistics/TestColumnStatis-in/catalog/statis-in
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/writer/LongWriter.java
- \* tajo-catalog/tajo-catalog-common/src/test/java/tajo/catalog/TestTableDesc.java
- \* tajo-core/tajo-core-storage/src/test/java/tajo/storage/rcfile/TestRCFile.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/master/SubQuery.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/AvgInt.java
- $*\ tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/MaxDouble.java$
- $*\ tajo-core/tajo-core-backend/src/main/java/tajo/client/TajoClient.java$
- \* tajo-common/src/test/java/tajo/datum/TestLongDatum.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/master/GlobalPlanner.java
- \* tajo-catalog/tajo-catalog-server/src/test/java/tajo/catalog/TestCatalog.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/planner/physical/JoinTupleComparator.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/planner/physical/StoreTableExec.java
- $*\ tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/physical/TestExternalSortExec.java$
- \* tajo-common/src/main/java/tajo/datum/FloatDatum.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/IndexItem.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/HColumnReader.java
- \* tajo-catalog/tajo-catalog-common/src/main/java/tajo/catalog/Column.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/MaxInt.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/query/ResultSetImpl.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/TestLogicalPlanner.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/InCountry.java
- \* tajo-core/tajo-core-storage/src/test/java/tajo/storage/TestVTuple.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/ColumnFileAppender.java
- \* tajo-catalog/tajo-catalog-common/src/main/java/tajo/catalog/CatalogUtil.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/worker/TestRangeRetrieverHandler.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/SumFloat.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/rcfile/RCFileWrapper.java
- \* tajo-common/src/main/java/tajo/datum/exception/InvalidOperationException.java
- \* tajo-core/tajo-core-storage/src/test/java/tajo/storage/index/TestBSTIndex.java
- \* tajo-core/tajo-core-storage/src/main/proto/CatalogProtos.proto
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/CountRows.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/MaxLong.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/trevni/TrevniAppender.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/parser/ParseUtil.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/ColumnFileScanner.java/tajo/storage/hcfile/Co
- $*\ tajo-catalog/tajo-catalog-server/src/test/java/tajo/catalog/statistics/TestTableStat.java$
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/SumInt.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/physical/TestPhysicalPlanner.java

```
*\ tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/TupleAppender.java
```

- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/ShortReader.java
- \* tajo-common/src/main/java/tajo/datum/IPv4Datum.java
- \*~tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/Today.java
- \* tajo-catalog/tajo-catalog-common/src/test/java/tajo/catalog/TestFunctionDesc.java
- \* tajo-catalog/tajo-catalog-server/src/test/java/tajo/catalog/TestDBStore.java
- \* tajo-catalog/tajo-catalog-common/src/test/java/tajo/catalog/statistics/TestTableStat.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/benchmark/TPCH.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/physical/TestNLJoinExec.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/BlockMeta.java
- \* tajo-core/tajo-core-storage/src/test/java/tajo/storage/TestTupleComparator.java
- $*\ tajo-core/tajo-core-backend/src/test/java/tajo/TajoTestingCluster.java$
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/compress/NullSuppress.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/HBlockMetaImpl.java
- $*\ tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/CompressedBlock.java$
- \* tajo-catalog/tajo-catalog-common/src/test/java/tajo/catalog/TestTableInfo.java
- \* tajo-catalog/tajo-catalog-client/src/main/java/tajo/catalog/CatalogReader.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/eval/LikeEval.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/planner/PlannerUtil.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/BasicBlock.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/CSVFile.java
- \* tajo-common/src/main/java/tajo/datum/ByteDatum.java
- \* tajo-common/src/test/java/tajo/datum/TestCharDatum.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/ColumnReader.java
- \* tajo-common/src/test/java/tajo/datum/TestDatumFactory.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/Country.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/trevni/TrevniScanner.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/writer/TypeWriter.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/ColumnMeta.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/ArrayReader.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/compress/Dictionary.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/TupleComparator.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/compress/RunLength.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/planner/physical/PartitionedStoreExec.java
- \* tajo-core/tajo-core-storage/src/test/java/tajo/storage/TestStorages.java
- \* tajo-catalog/tajo-catalog-common/src/test/java/tajo/catalog/TestTableMeta.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/HColumnMetaWritable.java
- \* tajo-catalog/tajo-catalog-common/src/test/java/tajo/catalog/TestSchema.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/global/TestGlobalQueryOptimizer.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/query/TestNullValues.java
- \* tajo-catalog/tajo-catalog-common/src/main/java/tajo/catalog/FunctionDesc.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/TypeReader.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/compress/BitVector.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/DoubleReader.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/function/builtin/SumDouble.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/parser/EvalTreeBin.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/Block.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/reader/ByteReader.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/writer/FloatWriter.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/eval/BinaryEval.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/master/TajoMaster.java
- $*\ tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/Index.java$
- $*\ tajo-core/tajo-core-backend/src/main/java/tajo/engine/utils/SchemaUtil.java$
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/TableStatistics.java

- $*\ tajo-core/tajo-core-backend/src/test/java/tajo/engine/query/TestResultSetImpl.java$
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/writer/Writer.java
- \* tajo-core/tajo-core-backend/src/main/java/tajo/engine/eval/NotEval.java
- \* tajo-core/tajo-core-storage/src/main/java/tajo/storage/hcfile/writer/ByteWriter.java
- \* tajo-core/tajo-core-backend/src/test/java/tajo/engine/planner/TestUniformRangePartition.java

- \* tajo-common/src/main/java/tajo/datum/Int4Datum.java
- \* tajo-core/tajo-core-storage/src/main/proto/DataTypes.proto
- \* tajo-common/src/test/java/tajo/datum/TestInt4Datum.java
- \* tajo-common/src/main/java/tajo/datum/TextDatum.java
- \* tajo-common/src/test/java/tajo/datum/TestInt2Datum.java
- \* tajo-catalog/tajo-catalog-client/src/main/proto/DataTypes.proto
- \* tajo-common/src/main/java/tajo/datum/Int8Datum.java
- \* tajo-core/tajo-core-backend/src/main/proto/DataTypes.proto
- \* tajo-common/src/test/java/tajo/datum/TestInt8Datum.java
- \* tajo-common/src/test/java/tajo/datum/TestFloat8Datum.java
- \* tajo-common/src/main/java/tajo/datum/Int2Datum.java
- $*\ tajo-catalog/tajo-catalog-common/src/main/proto/DataTypes.proto$
- \* tajo-common/src/main/java/tajo/datum/Inet4Datum.java
- \* tajo-common/src/main/java/tajo/datum/BitDatum.java
- \* tajo-common/src/main/java/tajo/datum/Float8Datum.java
- \* tajo-common/src/test/java/tajo/datum/TestTextDatum.java
- \* tajo-common/src/main/java/tajo/gson/DataTypeAdapter.java
- \* tajo-common/src/main/java/tajo/datum/BlobDatum.java
- \* tajo-common/src/main/java/tajo/datum/Float4Datum.java
- \* tajo-common/src/main/java/tajo/datum/BooleanDatum.java
- \* tajo-common/src/test/java/tajo/datum/TestBitDatum.java
- \* tajo-common/src/main/proto/DataTypes.proto