

Batch number – DS2306

# MCQ ANSWERS

Q1. def func(a,b):

```
    return b if a==0 else func(b%a,a)
```

```
print(func(30,75))
```

Ans= 15

Q2. numbers=(4,7,19,2,89,45,72,22)

```
sorted_numbers=sorted(numbers)
```

```
even=lambda a:a%2==0
```

```
even_numbers=filter(even,sorted_numbers)
```

```
print(type(even_numbers))
```

Ans= filter

Q3. As what datatype are the \*args stored, when passed into

Ans= Tuple

Q4. set1 = {14, 3, 55} set2 = {82, 49, 62} set3={99,22,17} print(len(set1 + set2 + set3))

Ans= Error

Q5. What keyword is used in Python to raise exceptions?

Ans= raise

Q6. Which of the following modules need to be imported to handle date time computations in Python?

Ans = datetime

Q7. What will be the output of the following code snippet? print(4\*\*3 + (7 + 5)\*\*(1 + 1))

Ans= 208

Q8. Which of the following functions converts date to corresponding time in Python? a) strptime b) strftime c) both a) and b) d) None

Ans= both a) and b)

Q9. The python tuple is \_\_\_\_\_ in nature.

Ans= immutable

Q10. The \_\_\_\_ is a built-in function that returns a range object that consists series of integer numbers, which we can iterate using a for loop.

Ans= range()

Q11. Amongst which of the following is a function which does not have any name? A. Del function B. Show function C. Lambda function D. None of the mentioned above.

Ans= Lambda function

Q12. The module Pickle is used to \_\_\_\_.

Ans= Serializing and de-serializing python object structure.

Q13. Amongst which of the following is / are the method of convert Python objects for writing data in a binary file? A. set() method B. dump() method C. load() method D. None of the mentioned above

Ans= dump() method

Q14. Amongst which of the following is / are the method used to unpickling data from a binary file?

A. load() B. set() method C. dump() method D. None of the mentioned above

Ans= load()

Q15. A text file contains only textual information consisting of \_\_\_\_\_. A. Alphabets B. Numbers C. Special symbols D. All of the mentioned above.

Ans= All of the mentioned above

Q16. Which Python code could replace the ellipsis (...) below to get the following output? (Select all that apply.) captains = { "Enterprise": "Picard", "Voyager": "Janeway", "Defiant": "Sisko", } Enterprise Picard, Voyager Janeway Defiant Sisko

Ans= for ship, captain in captains.items(): print(ship, captain)

Q17. Which of the following lines of code will create an empty dictionary named captains? a) captains = {} b) type(captains) c) captains.dict() d) captains = {}

Ans= captain = {}

Q18. Now you have your empty dictionary named captains. It's time to add some data! Specifically, you want to add the key-value pairs "Enterprise": "Picard", "Voyager": "Janeway", and "Defiant": "Sisko". Which of the following code snippets will successfully add these key-value pairs to the existing captains dictionary? a) captains["Enterprise"] = "Picard" captains["Voyager"] = "Janeway" captains["Defiant"] = "Sisko" b) captains["Enterprise"] = "Picard" captains["Voyager"] = "Janeway" captains["Defiant"] = "Sisko" c) captains = { "Enterprise": "Picard", "Voyager": "Janeway", "Defiant": "Sisko", } d) None of the above

Ans= captains = { "Enterprise": "Picard", "Voyager": "Janeway", "Defiant": "Sisko", }

Q19. You're really building out the Federation Starfleet now! Here's what you have: captains = { "Enterprise": "Picard", "Voyager": "Janeway", "Defiant": "Sisko", "Discovery": "unknown", } Now, say you want to display the ship and captain names contained in the dictionary, but you also want to provide some additional context. How could you do it? a) for item in captains.items(): print(f"The [ship] is captained by [captain].") b) for ship, captain in captains.items(): print(f"The {ship} is captained by {captain}.") c) for captain, ship in captains.items(): print(f"The {ship} is captained by {captain}.") d) All are correct

Ans= for ship, captain in captains.items(): print(f"The {ship} is captained by {captain}.")

Q20. You've created a dictionary, added data, checked for the existence of keys, and iterated over it with a for loop. Now you're ready to delete a key from this dictionary: captains = { "Enterprise": "Picard", "Voyager": "Janeway", "Defiant": "Sisko", "Discovery": "unknown", } What statement will remove the entry for the key "Discovery"? a) del captains b) captains.remove() c) del captains["Discovery"] d) captains["Discovery"].pop()

Ans= del captains["Discovery"]