

Experiment 6 :

• Original Inserted Values:

1. hotel_post

	post_id	title	price	location
▶	1	Ocean Palace	5500	Goa
	2	City Comfort	2800	Mumbai
	3	Mountain Retreat	4200	Manali
	4	Sunrise Resort	3500	Jaipur
	5	Royal Heritage	7500	Udaipur
	6	Metro Stay	2000	Delhi
	7	Lakeside Hotel	4800	Udaipur
	8	Palm Residency	3200	Goa
	9	Urban Suites	6000	Bangalore
	10	Hill View Lodge	2600	Shimla
*	NULL	NULL	NULL	NULL

2. company

	company_id	contact	name
▶	1	9876543210	Taj Hospitality
	2	9876543211	OYO Rooms
	3	9876543212	Marriott Group
	4	9876543213	Hilton Hotels
*	NULL	NULL	NULL

3. users

	user_id	role	first_name	last_name
▶	1	guest	Unmesh	More
	2	guest	Aryan	Patil
	3	guest	Ashish	Waghmare
	4	admin	Shivam	Pimple
	5	guest	Radha	Ursekar
*	NULL	NULL	NULL	NULL

4. contacts

	user_id	contact
▶	1	9001111111
	2	9002222222
	3	9003333333
	4	9004444444
	5	9005555555
*	NULL	NULL

5. manages

	company_id	post_id
▶	1	1
	2	2
	3	3
	4	4
	1	5
	2	6
	3	7
	4	8
	1	9
	2	10
*	NULL	NULL

6. review

	review_id	post_id	user_id	rating
▶	1	1	1	5
	2	2	2	4
	3	3	3	5
	4	4	1	3
	5	5	2	4
*	NULL	NULL	NULL	NULL

7. writes

	user_id	review_id
▶	1	1
	2	2
	3	3
	1	4
	2	5
*	NULL	NULL

• View with JOIN:

Show hotel details with company managing it.

```

1 • CREATE VIEW hotel_management_view AS
2   SELECT h.title, h.location, h.price, c.name AS managing_company
3   FROM hotel_post h
4   JOIN manages m ON h.post_id = m.post_id
5   JOIN company c ON m.company_id = c.company_id;
6 • SELECT * FROM hotel_management_view;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	title	location	price	managing_company
▶	Ocean Palace	Goa	5500	Taj Hospitality
	Royal Heritage	Udaipur	7500	Taj Hospitality
	Urban Suites	Bangalore	6000	Taj Hospitality
	City Comfort	Mumbai	2800	OYO Rooms
	Metro Stay	Delhi	2000	OYO Rooms
	Hill View Lodge	Shimla	2600	OYO Rooms
	Mountain Retreat	Manali	4200	Marriott Group
	Lakeside Hotel	Udaipur	4800	Marriott Group
	Sunrise Resort	Jaipur	3500	Hilton Hotels
	Palm Residency	Goa	3200	Hilton Hotels

• View for Goa Hotels:

Show hotels located in Goa

```

1 • CREATE VIEW goa_hotels AS
2   SELECT title, price, location
3   FROM hotel_post
4   WHERE location = 'Goa';
5 • SELECT * FROM goa_hotels;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	title	price	location
▶	Ocean Palace	6500	Goa
	Palm Residency	3200	Goa

- **Update Through View:**

Update hotel price using view

```
1 • UPDATE goa_hotels
2   SET price = price + 500
3   WHERE title = 'Palm Residency';
4 • SELECT * FROM goa_hotels;
5
```

Result Grid




Filter Rows:

Export:



Wrap Cell Content:



	title	price	location
▶	Ocean Palace	6500	Goa
	Palm Residency	3700	Goa

- **Create or Replace View:**

Modify view with new condition

```
1 • CREATE OR REPLACE VIEW goa_hotels AS
2   SELECT title, price, location
3   FROM hotel_post
4   WHERE location = 'Goa' AND price > 3000;
5 • SELECT * FROM goa_hotels;
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	title	price	location
▶	Ocean Palace	6500	Goa
	Palm Residency	3700	Goa

- **Drop a View:**

Remove view from database

```
1 • DROP VIEW goa_hotels;
2 • SELECT * FROM goa_hotels;
```

✓	59	00:09:05	DROP VIEW goa_hotels
✗	60	00:09:07	SELECT * FROM goa_hotels LIMIT 0, 1000


• Create Log Table:

Create table to store trigger logs

```

1 • CREATE TABLE hotel_log (
2     log_id INT AUTO_INCREMENT PRIMARY KEY,
3     post_id INT,
4     message VARCHAR(100)
5 );
6 • SELECT * FROM hotel_log;

```



log_id	post_id	message
NULL	NULL	NULL

• Before Insert Trigger:

Ensure minimum hotel price value

```


1 DELIMITER //
2 • CREATE TRIGGER before_insert_hotel
3 BEFORE INSERT
4 ON hotel_post
5 FOR EACH ROW
6 BEGIN
7 IF NEW.price < 1500 THEN
8 SET NEW.price = 1500;
9 END IF;
10 END //
11 DELIMITER ;

```

```

1 • INSERT INTO hotel_post VALUES
2 (11, 'Sea Breeze Inn', 800, 'Goa');
3
4 • SELECT * FROM hotel_post;
5

```



post_id	title	price	location
1	Ocean Palace	6500	Goa
2	City Comfort	2800	Mumbai
3	Mountain Retreat	4200	Manali
4	Sunrise Resort	3500	Jaipur
5	Royal Heritage	7500	Udaipur
6	Metro Stay	2000	Delhi
7	Lakeside Hotel	4800	Udaipur
8	Palm Residency	3700	Goa
9	Urban Suites	6000	Bangalore
10	Hill View Lodge	2600	Shimla
11	Sea Breeze Inn	1500	Goa
NULL	NULL	NULL	NULL

- **After Insert Trigger:**

Log new hotel insertion event

```
1 DELIMITER //
2 • CREATE TRIGGER after_insert_hotel
3 AFTER INSERT
4 ON hotel_post
5 FOR EACH ROW
6 BEGIN
7 INSERT INTO hotel_log(post_id, message)
8 VALUES(NEW.post_id, 'New hotel record inserted');
9 END //
10 DELIMITER ;
```

```
1 • INSERT INTO hotel_post VALUES
2 (12, 'City Plaza Hotel', 3200, 'Pune');
3
4 • SELECT * FROM hotel_log;
5
```

Result Grid			
Filter Rows:			
Edit: Export/Import: Wrap Cell Content:			
	log_id	post_id	message
▶	1	12	New hotel record inserted
*	NULL	NULL	NULL

- **Before Update Trigger:**

Prevent reducing hotel room price

```
1 DELIMITER //
2 • CREATE TRIGGER before_update_hotel_price
3 BEFORE UPDATE
4 ON hotel_post
5 FOR EACH ROW
6 BEGIN
7 IF NEW.price < OLD.price THEN
8 SET NEW.price = OLD.price;
9 END IF;
10 END //
11 DELIMITER ;
12 • SELECT * FROM hotel_post WHERE post_id = 1;
13
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	post_id	title	price	location
▶	1	Ocean Palace	6500	Goa
*	NULL	NULL	NULL	NULL

```

1 • UPDATE hotel_post
2   SET price = 2000
3   WHERE post_id = 1;
4 • SELECT * FROM hotel_post WHERE post_id = 1;
5

```

post_id	title	price	location
1	Ocean Palace	6500	Goa
NULL	NULL	NULL	NULL

• After Update Trigger:

Log hotel price update action

```

1 • CREATE TABLE hotel_update_log (
2     log_id INT AUTO_INCREMENT PRIMARY KEY,
3     post_id INT,
4     old_price INT,
5     new_price INT,
6     message VARCHAR(100)
7 );
8 DELIMITER //
9 • CREATE TRIGGER after_update_hotel
10 AFTER UPDATE
11 ON hotel_post
12 FOR EACH ROW
13 BEGIN
14     INSERT INTO hotel_update_log(post_id, old_price, new_price, message)
15     VALUES(OLD.post_id, OLD.price, NEW.price, 'Hotel price updated');
16 END //
17 DELIMITER ;

```

```

1 • UPDATE hotel_post
2   SET price = 6000
3   WHERE post_id = 1;
4 • SELECT * FROM hotel_update_log;
5

```

log_id	post_id	old_price	new_price	message
1	1	6500	6500	Hotel price updated
NULL	NULL	NULL	NULL	NULL

- **Before Delete Trigger:**

Prevent deleting expensive premium hotels

```
1  DELIMITER //
```

```
2
```

```
3  • CREATE TRIGGER before_delete_hotel
```

```
4  BEFORE DELETE
```

```
5  ON hotel_post
```

```
6  FOR EACH ROW
```

```
7  BEGIN
```

```
8  IF OLD.price > 7000 THEN
```

```
9  SIGNAL SQLSTATE '45000'
```

```
10 SET MESSAGE_TEXT = 'Cannot delete premium hotel';
```

```
11 END IF;
```

```
12 END //
```

```
13
```

```
14 DELIMITER ;
```

```
DELETE FROM hotel_post
WHERE post_id = 5;
```

✖ 85 00:50:23 DELETE FROM hotel_post WHERE post_id = 5

Error Code: 1644. Cannot delete premium hotel

- **After Delete Trigger:**

Backup deleted hotel records

```
1  • CREATE TABLE hotel_backup (
```

```
2      post_id INT,
```

```
3      title VARCHAR(50),
```

```
4      price INT,
```

```
5      location VARCHAR(50)
```

```
6  );
```

```
7
```

```
8  DELIMITER //
```

```
9  • CREATE TRIGGER after_delete_hotel
```

```
10 AFTER DELETE
```

```
11 ON hotel_post
```

```
12 FOR EACH ROW
```

```
13 BEGIN
```

```
14 INSERT INTO hotel_backup
```

```
15 VALUES(OLD.post_id, OLD.title, OLD.price, OLD.location);
```

```
16 END //
```

```
17 DELIMITER ;
```

```

1 • SELECT * FROM hotel_post WHERE post_id = 10;
2 • DELETE FROM manages WHERE post_id = 10;
3 • DELETE FROM manages WHERE post_id = 10;
4 • SELECT * FROM hotel_backup;
5 • DELETE FROM hotel_post
6   WHERE post_id = 10;

```

Result Grid	Filter Rows:	Export:	Wrap Cell Content:
post_id	title	price	location
10	Hill View Lodge	2600	Shimla

• Dropping a Trigger:

Remove trigger from database

```

4 • DROP TRIGGER before_update_hotel_price;
5 • SHOW TRIGGERS;

```

Result Grid		Filter Rows:		Export:	Wrap Cell Content:		
	Trigger	Event	Table	Statement	Timing	Created	sql_mode
▶	before_insert_hotel	INSERT	hotel_post	BEGIN IF NEW.price < 1500 THEN SET NEW.pri...	BEFORE	2026-03-17 00:25:09.83	ONLY_FULL_GROUP_BY,STRICT_TRAI
	after_insert_hotel	INSERT	hotel_post	BEGIN INSERT INTO hotel_log(post_id, messag...	AFTER	2026-03-17 00:35:53.14	ONLY_FULL_GROUP_BY,STRICT_TRAI
	after_update_hotel	UPDATE	hotel_post	BEGIN INSERT INTO hotel_update_log(post_id, ...	AFTER	2026-03-17 00:44:26.72	ONLY_FULL_GROUP_BY,STRICT_TRAI
	before_delete_hotel	DELETE	hotel_post	BEGIN IF OLD.price > 7000 THEN SIGNAL SQLS...	BEFORE	2026-03-17 00:49:52.51	ONLY_FULL_GROUP_BY,STRICT_TRAI
	after_delete_hotel	DELETE	hotel_post	BEGIN INSERT INTO hotel_backup VALUES(OLD...	AFTER	2026-03-17 00:53:29.66	ONLY_FULL_GROUP_BY,STRICT_TRAI

✓ 101 01:02:40 DROP TRIGGER before_update_hotel_price