








Experiment 2 :

• Installation Procedure:








- **Git commands :**

1. **git --version :**


Displays the currently installed version of Git. Useful for ensuring you have the correct version installed.

A terminal window titled 'MINGW64:/c/Shivam_28' showing the command 'git --version' being executed. The output is 'git version 2.34.1.windows.1'.

```
MINGW64:/c/Shivam_28
MOAD@IT306A-21 MINGW64 /c/Shivam_28
$ git --version
git version 2.34.1.windows.1
MOAD@IT306A-21 MINGW64 /c/Shivam_28
$
```

2. **git init :**


Initializes a new Git repository in the current directory, setting up all the necessary files and structures.

A terminal window titled 'MINGW64:/c/Shivam_28' showing the command 'git init' being executed. The output is 'Initialized empty Git repository in C:/Shivam_28/.git/'.

```
MINGW64:/c/Shivam_28
MOAD@IT306A-21 MINGW64 /c/Shivam_28
$ git init
Initialized empty Git repository in C:/Shivam_28/.git/
MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$
```

3. **git status :**

Shows the current state of the working directory and staging area, indicating which changes have been staged, which haven't, and which files aren't being tracked by Git.

A terminal window titled 'MINGW64:/c/Shivam_28' showing the command 'git status' being executed. The output indicates the current branch is 'master', there are no commits yet, and no files are staged for commit.


```
MINGW64:/c/Shivam_28
MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)
MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$
```

4. git config :

Used to set configuration values for your Git installation, such as your username, email, and other settings. Can be used at the global or local repository level.




```
MINGW64:/c/Shivam_28

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git config
usage: git config [<options>]

Config file location
  --global          use global config file
  --system          use system config file
  --local           use repository config file
  --worktree        use per-worktree config file
  -f, --file <file> use given config file
  --blob <blob-id>  read config from given blob object

Action
  --get             get value: name [value-pattern]
  --get-all        get all values: key [value-pattern]
  --get-regexp      get values for regexp: name-regex [value-pattern]
  --get-urlmatch    get value specific for the URL: section[.var] URL
  --replace-all    replace all matching variables: name value [value-pattern]

  --add            add a new variable: name value
  --unset          remove a variable: name [value-pattern]
  --unset-all      remove all matches: name [value-pattern]
  --rename-section  rename section: old-name new-name
  --remove-section remove a section: name
  -l, --list        list all
  --fixed-value     use string equality when comparing values to 'value-pattern'
```



```
MINGW64:/c/Shivam_28

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git config --global user.name "ShivamPimple"

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git config --global user.email "shivampimple29@student.sfit.ac.in"

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git config --global --list
user.name=ShivamPimple
user.email=shivampimple29@student.sfit.ac.in

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$
```

5. git add :

Adds changes in the working directory to the staging area, preparing them to be included in the next commit. You can add specific files or use patterns.



```
MINGW64:/c/Shivam_28

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ touch index.html style.css app.js

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        app.js
        index.html
        style.css

nothing added to commit but untracked files present (use "git add" to track)

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$
```



```
MINGW64:/c/Shivam_28

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git add .

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git status
On branch master


No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   app.js
        new file:   index.html
        new file:   style.css

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$
```

6. git commit :

Records the changes in the staging area into the repository's history, creating a new commit. You typically include a message to describe the changes made.



```
MINGW64:/c/Shivam_28

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git commit -m "first commit"
[master (root-commit) 6893053] first commit
3 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 app.js
create mode 100644 index.html
create mode 100644 style.css

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git status
On branch master
nothing to commit, working tree clean

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ touch App.jsx home.ejs


MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git add .

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git commit -m "second commit"
[master 8ca1657] second commit
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 App.jsx
create mode 100644 home.ejs

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ !
```

7. git log :

Displays a log of commits made to the repository, showing the commit ID, author, date, and message. Useful for reviewing the project's history.



```
MINGW64:/c/Shivam_28

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ git log
commit 8ca165748d7b814cd911e2fcd8e83699c64cd4c5 (HEAD -> master)
Author: ShivamPimple <shivampimple29@student.sfit.ac.in>
Date: Mon Jan 19 11:17:38 2026 +0530

    second commit

commit 6893053b1d1bb395cdeb413ba52016e310541a29
Author: ShivamPimple <shivampimple29@student.sfit.ac.in>
Date: Mon Jan 19 11:16:37 2026 +0530

    first commit

MOAD@IT306A-21 MINGW64 /c/Shivam_28 (master)
$ !
```

• GitHub Account :

 shivampimple29



 Overview  Repositories 26  Projects  Packages  Stars 3



Shivam S. Pimple
shivampimple29 · he/him

 Set status

Full Stack Web Developer (MERN) | B.Tech IT @ SFIT | 9.52 CGPA | MongoDB, Express, React, Node.js | SQL, Python, C, C++, Java | JavaScript, EJS, JSX, Tailwind

Edit profile

 shivampimple29@gmail.com

 https://www.linkedin.com/in/shivam-pimple-894201316?utm_source=share&utm_campaign=share_via&utm_content=profile&utm_medium=android_app

 2 followers · 5 following

shivampimple29 / README.md



Hi, I'm Shivam S. Pimple

Full-Stack Web Developer (MERN) | Software Engineering Student

I build scalable, full-stack web applications using modern technologies with a strong focus on clean architecture, modular code, and real-world problem solving.



About Me

I am a B.Tech Information Technology student (2024–2028) and a MERN stack developer actively working on full-stack projects.

-  IT Engineering student
-  Full-Stack Web Developer (MERN)
-  Actively building and improving real-world projects
-  Focused on backend APIs, frontend architecture, and databases
-  Goal: To become a production-ready Software Developer

Tech Stack

Frontend

- React.js
- Redux Toolkit
- Component-Based Architecture
- Responsive UI Design
- State Management

Backend

- Node.js
- Express.js
- RESTful APIs
- EJS Rendering
- Server Architecture

Databases

- MongoDB
- MySQL (SQL)
- Schema Design
- Data Relationships
- CRUD Operations

Tools & Platforms

- Git
- GitHub
- Hoppscotch
- VS Code
- API Testing

Professional Training

Full-Stack Web Development (MERN) — Apna College (Sigma 8 Batch)

Hands-on training in MERN stack development, React frontend architecture, RESTful backend APIs, database design, and end-to-end full-stack workflows.

Let's Connect

-  LinkedIn: Shivam Pimple
-  Email: shivampimple29@gmail.com
-  GitHub: <https://github.com/shivampimple29>

★ *This profile showcases my journey as a Full-Stack Web Developer and my continuous learning through real-world projects.*