

Experiment 3 :

• GitHub repository creation:

Initial step to create a new repository on GitHub.

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1

General

Owner *

shivampimple12082006 /

Repository name *

Exp-3

Exp-3 is available.

Great repository names are short and memorable. How about [laughing-octo-succotash](#)?

Description

0 / 350 characters

2

Configuration

Choose visibility *

Choose who can see and commit to this repository

Public

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Create repository

shivampimple12082006 / Exp-3

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Exp-3 Public

Pin Watch 0 Fork 0 Star 0

Set up GitHub Copilot

Use GitHub's AI pair programmer to autocomplete suggestions as you code.

Get started with GitHub Copilot

Add collaborators to this repository

Search for people using their GitHub username or email address.

Invite collaborators

Quick setup — if you've done this kind of thing before

Set up in Desktop

 or

HTTPS

SSH

https://github.com/shivampimple12082006/Exp-3.git

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# Exp-3" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/shivampimple12082006/Exp-3.git
git push -u origin main
```

- **git remote add origin <url>:**

Adds a remote repository to your local repository.

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git remote add origin https://github.com/shivampimple12082006/shivampimple12082006/Exp-3.git
```

- **git remote set-url origin <url>:**

Set a remote repository to your local repository.

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git remote set-url origin https://shivampimple12082006@github.com/shivampimple12082006/Exp-3.git
```

- **git remote -v:**


Displays information about the remote repository.

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git remote -v
origin https://shivampimple12082006@github.com/shivampimple12082006/Exp-3.git (fetch)
origin https://shivampimple12082006@github.com/shivampimple12082006/Exp-3.git (push)
```

- **git push origin main:**

Pushes changes from the local main branch to the remote repository.

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 250 bytes | 250.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/shivampimple12082006/Exp-3.git
* [new branch]      main -> main
```



- **git fetch origin main:**

Fetches updates from the remote main branch.

```
Admin@DESKTOP-P0P8PIU MINGW64 /c/Shivam_28 (main)
$ git fetch origin main
From https://github.com/shivampimple12082006/Exp-3
* branch          main          -> FETCH_HEAD
```

- **git branch:**

Lists all local branches. * shows the current branch.

```
Admin@DESKTOP-P0P8PIU MINGW64 /c/Shivam_28 (main)
$ git branch
* main
```

- **git branch <branchname>:**

Creates a new branch named <branchname>.

```
Admin@DESKTOP-P0P8PIU MINGW64 /c/Shivam_28 (main)
$ git branch feature

Admin@DESKTOP-P0P8PIU MINGW64 /c/Shivam_28 (main)
$ git branch
feature
* main
```

- **git checkout <branchname>:**

Switches from the current branch to <branchname>.

```
Admin@DESKTOP-P0P8PIU MINGW64 /c/Shivam_28 (main)
$ git checkout feature
Switched to branch 'feature'

Admin@DESKTOP-P0P8PIU MINGW64 /c/Shivam_28 (feature)
$ git branch
* feature
main
```

- **basic git commands:**

```
Admin@DESKTOP-P0P8PIU MINGW64 /c/Shivam_28 (feature)
$ touch feature.js


Admin@DESKTOP-P0P8PIU MINGW64 /c/Shivam_28 (feature)
$ git add .

Admin@DESKTOP-P0P8PIU MINGW64 /c/Shivam_28 (feature)
$ git commit -m "added feature in feature branch"
[feature 0613b35] added feature in feature branch
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 feature.js
```

- **Pushing Changes to a Branch:**

Uploads the local feature branch to GitHub for the first time.

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (feature)
$ git push origin feature
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 257 bytes | 257.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'feature' on GitHub by visiting:
remote:   https://github.com/shivampimple12082006/Exp-3/pull/new/feature
remote:
To https://github.com/shivampimple12082006/Exp-3.git
 * [new branch]      feature -> feature
```



- **git branch -r:**

Shows remote branches available on GitHub (origin/main, origin/feature).

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (feature)
$ git branch -r
origin/feature
origin/main
```

- **git merge feature:**


Combines feature branch changes into main.

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (feature)
$ git checkout main
Switched to branch 'main'

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git pull origin main
From https://github.com/shivampimple12082006/Exp-3
 * branch      main      -> FETCH_HEAD
Already up to date.

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git merge feature
Updating 6b16d09..0613b35
Fast-forward
 feature.js | 0
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 feature.js
```

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/shivampimple12082006/Exp-3.git
6b16d09..0613b35  main -> main
```



- **git merge feature:**

Combines feature branch changes into main.

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git branch -d feature
Deleted branch feature (was 0613b35).

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git branch
* main
```

- **git fetch --prune:**

Combines feature branch changes into main.

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git fetch --prune
From https://github.com/shivampimple12082006/Exp-3
- [deleted]          (none)      -> origin/feature

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git branch -r
origin/HEAD -> origin/main
origin/main

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git branch
* main
```

Branches

New branch

Overview Yours Active Stale All

Q Search branches...

Default

Branch	Updated	Check status	Behind Ahead	Pull request
main	9 minutes ago		Default	

• Creating and Synchronizing a Remote Branch:

In this process, a remote readme branch containing a README.md file was fetched into the local repository, merged into the main branch, and the updated changes were pushed back to the remote repository.

Branches

New branch

Overview Yours Active Stale All

Q Search branches...

Default

Branch	Updated	Check status	Behind Ahead	Pull request
main	13 minutes ago		Default	

Your branches

Branch	Updated	Check status	Behind Ahead	Pull request
readme	now		0 0	

Active branches

Branch	Updated	Check status	Behind Ahead	Pull request
readme	now		0 0	

```

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git status
On branch main
nothing to commit, working tree clean

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git fetch origin
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 939 bytes | 44.00 KiB/s, done.
From https://github.com/shivampimple12082006/Exp-3
* [new branch]      readme -> origin/readme

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git branch -r
origin/HEAD -> origin/main
origin/main
origin/readme

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)

```

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git checkout readme
branch 'readme' set up to track 'origin/readme'.
Switched to a new branch 'readme'

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (readme)
$ ls
feature.js  index.html  readme.md  script.js  style.css
```

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (readme)
$ git checkout main
Switched to branch 'main'

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git pull origin main
From https://github.com/shivampimple12082006/Exp-3
* branch      main      -> FETCH_HEAD
Already up to date.

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git merge readme
Updating 0613b35..32415d5
Fast-forward
 readme.md | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 readme.md

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/shivampimple12082006/Exp-3.git
 0613b35..32415d5  main -> main
```

Exp-3 Public

Pin Watch 0 Fork 0 Star 0

main 2 Branches 0 Tags

Go to file Add file Code

shivampimple12082006 Create readme.md 32415d5 · 7 minutes ago 3 Commits

File	Commit Message	Time
feature.js	added feature in feature branch	29 minutes ago
index.html	first commit on main branch	43 minutes ago
readme.md	Create readme.md	7 minutes ago
script.js	first commit on main branch	43 minutes ago
style.css	first commit on main branch	43 minutes ago

README

#DevOps-Exp-3

About

No description, website, or topics provided.

Readme Activity 0 stars 0 watching 0 forks

Releases

No releases published [Create a new release](#)

Packages

No packages published

- **Fork a public repository:**

Create a new fork

A fork is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project.

Required fields are marked with an asterisk (*).

Owner *



shivampimple12082006

Repository name *

Simon_Says_Game

✓ Simon_Says_Game is available.

By default, forks are named the same as their upstream repository. You can customize the name to distinguish it further.

Description

0 / 350 characters

☒ Copy the `main` branch only

Contribute back to shivampimple29/Simon_Says_Game by adding your own branch. [Learn more.](#)

You are creating a fork in your personal account.

Create fork

shivampimple12082006 / Simon_Says_Game

<> Code Pull requests Actions Projects Wiki Security Insights Settings

Simon_Says_Game (Public)
forked from shivampimple29/Simon_Says_Game

Pin Watch 0 Fork 0 Star 0

main 1 Branch 0 Tags

Go to file Add file Code

This branch is up to date with shivampimple29/Simon_Says_Game:main


Contribute Sync fork

shivampimple29	fixed minor issues	3a000e8 · 3 weeks ago	4 Commits
README.md	required files pushed	3 weeks ago	
app.js	required files pushed	3 weeks ago	
favicon.ico	featured logo	3 weeks ago	
index.html	fixed minor issues	3 weeks ago	
logo.png	fixed minor issues	3 weeks ago	
style.css	fixed logo related issues	3 weeks ago	


README

About
shivampimple29.github.io/Simon_Says_G...
Readme
Activity
0 stars
0 watching
0 forks
Releases
No releases published
Create a new release
Packages
No packages published
Publish your first package
Languages


- **git clone <url>:**



```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git clone https://github.com/shivampimple29/Spotify-clone.git
Cloning into 'Spotify-clone'...
remote: Enumerating objects: 69, done.
remote: Counting objects: 100% (69/69), done.
remote: Compressing objects: 100% (67/67), done.
remote: Total 69 (delta 0), reused 69 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (69/69), 8.96 MiB | 6.15 MiB/s, done.
```



- **Delete repository on github:**



- **Any 2 other commands from git cheat sheet:**

1. git log:

Shows the commit history of the current branch, including commit hashes, authors, dates, and messages.

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git log
commit 32415d586e55ff474fab7d73379fa2923f5b26c (HEAD -> main, origin/readme, origin/main, origin/HEAD, readme)
Author: shivampimple12082006 <shivampimple29@student.sfit.ac.in>
Date: Sat Feb 7 12:19:21 2026 +0530

    Create readme.md

commit 0613b350545929fdd114f5535380cba9e637910c
Author: Shivam Pimple <shivampimple29@gmail.com>
Date: Sat Feb 7 11:57:25 2026 +0530

    added feature in feature branch

commit 6b16d09f843b79dd24383342226e08ee7faff5c2
Author: Shivam Pimple <shivampimple29@gmail.com>
Date: Sat Feb 7 11:43:10 2026 +0530

    first commit on main branch

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$
```

2. git status:

Displays the current state of the working directory and staging area, showing changes to be committed, changes not staged, and untracked files.

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git status
On branch main
nothing to commit, working tree clean

Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$
```

3. git rm filename:

Removes file from the working directory and stages its deletion for the next commit.

```
Admin@DESKTOP-POP8PIU MINGW64 /c/Shivam_28 (main)
$ git rm index.html
rm 'index.html'
```