




Experiment 7:

1. Pipeline Project with Hello World Pipeline Script :





The Jenkins overview page for Pipeline1_Shivam. The left sidebar contains links for Status, Changes, Build Now, Configure, Delete Pipeline, Stages, Rename, and Pipeline Syntax. The main area shows the pipeline name, a description, and a list of builds. The first build is successful and completed at 2:41 PM today.

Jenkins / Pipeline1_Shivam

Status

Changes

Build Now

Configure

Delete Pipeline

Stages

Rename

Pipeline Syntax

Builds >

Today


#1 2:41 PM

Pipeline1_Shivam

this is my first pipeline project with hello world script

Permalinks

Edit description



The console output for build #1 of Pipeline1_Shivam. The output shows the pipeline starting, running on Jenkins, and successfully completing with the message 'Hello World'.

Jenkins / Pipeline1_Shivam / #1

Status

Changes

Console Output

Edit Build Information

Delete build '#1'

Timings

Pipeline Overview

Restart from Stage

Replay

Pipeline Steps

Workspaces


Console

Download

Copy

View as plain text

```
started by user admin
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in C:\ProgramData\Jenkins\jenkins\workspace\Pipeline1_Shivam
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Hello)
[Pipeline] echo
Hello World
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```



The stages view for build #1 of Pipeline1_Shivam. It shows a graph of the pipeline stages: Start, Hello, and End. The 'Hello' stage is highlighted, showing its duration (0.1s) and start time (1m 30s ago). Below the graph, a list of stages shows 'Hello' and 'Hello World'.

Jenkins / Pipeline1_Shivam / #1 / Stages

#1

Started by admin

Started 1 min 33 sec ago

Queued 61 ms

Took 3.8 sec on built-in

Rerun

Graph

Start

Hello

End

0.1s

Started 1m 30s ago

Jenkins

Search

Hello 0.1s

Hello World


Hello World




The screenshot shows the Jenkins interface for a pipeline named 'Pipeline1_Shivam'. The left sidebar contains navigation links: Status, Changes, Console Output, Edit Build Information, Delete build '#1', Timings, Pipeline Overview, Restart from Stage, Replay, Pipeline Steps (selected), and Workspaces. The main area displays a table of pipeline steps:

Step	Arguments	Status
Start of Pipeline - (2.5 sec in block)		✓
node - (0.53 sec in block)		✓
node block - (0.31 sec in block)		✓
stage - (0.16 sec in block)	Hello	✓
stage block (Hello) - (0.1 sec in block)		✓
echo - (16 ms in self)	Hello World	✓

2. Pipeline Project with my own Pipeline Script:




The screenshot shows the 'New Item' screen in Jenkins. The 'Enter an item name' field contains 'Pipeline2_Shivam'. Under 'Select an item type', the 'Pipeline' option is selected. The description for 'Pipeline' is: 'Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.' Other options include 'Freestyle project', 'Multi-configuration project', 'Folder', and 'Multibranch Pipeline'. An 'OK' button is at the bottom.



The screenshot shows the 'Configure' screen for the 'Pipeline2_Shivam' pipeline. The 'Definition' dropdown is set to 'Pipeline script'. The 'Script' field contains the following Groovy code:


```
1 pipeline {
2   agent any
3
4   stages {
5     stage('Plan phase') {
6       steps {
7         echo 'This is Jenkins Pipeline made by Shivam Pimple'
8       }
9     }
10  }
11
12  stage('code phase') {
13    steps {
14      input('Do you want to continue?')
15    }
16  }
17 }
```

The 'Use Groovy Sandbox' checkbox is checked. 'Save' and 'Apply' buttons are at the bottom.




This screenshot shows the Jenkins console output for a pipeline named 'Pipeline2_Shivam'. The interface includes a left sidebar with navigation options like Status, Changes, Console Output, Edit Build Information, Timings, Paused for Input, Pipeline Overview, Thread Dump, Pause/resume, Replay, Pipeline Steps, and Workspaces. The main area displays the console log, which shows the pipeline starting by user 'admin', running on Jenkins in a specific workspace, and executing several stages: 'Plan phase', 'code phase', and 'integrate phase'. The 'integrate phase' includes an 'echo' step that outputs 'Integration test passed'. The console output ends with 'Finished: SUCCESS'. Buttons for 'Download', 'Copy', and 'View as plain text' are visible at the top right of the console area.

```
started by user admin
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in C:\ProgramData\Jenkins\.jenkins\workspace\Pipeline2_Shivam
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Plan phase)
[Pipeline] echo
This is Jenkins Pipeline made by Shivam Pimple
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (code phase)
[Pipeline] input
Do you want to continue?
Proceed or Abort
Approved by admin
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (integrate phase)
[Pipeline] echo
Integration test passed
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
```



This screenshot continues the Jenkins console output from the previous one. It shows the 'integrate phase' completing with 'Integration test passed'. The pipeline then enters a 'testing phase' which is a parallel block containing a 'unit test' branch. The 'unit test' branch includes a 'stage' with a 'unit test' step. The console output shows the 'unit test' step running and passing, followed by the completion of the 'testing phase' and the entire pipeline, ending with 'Finished: SUCCESS'.

```
[Pipeline] { (integrate phase)
[Pipeline] echo
Integration test passed
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (testing phase)
[Pipeline] parallel
[Pipeline] { (Branch: unit test)
[Pipeline] stage
[Pipeline] { (unit test)
[Pipeline] echo
[unit test] running unit test
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // parallel
[Pipeline] // stage
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```



This screenshot shows the Jenkins Pipeline Stages view for the same pipeline. The top section shows the pipeline status as '#1' with a green checkmark, indicating it is successful. It provides details about the build: 'Started by admin', 'Started 3 min 8 sec ago', 'Queued 3 ms', and 'Took 1 min 52 sec on built-in'. Below this is a 'Graph' showing the pipeline's execution flow: Start -> Plan phase -> code phase -> integrate phase -> testing phase -> End. Each stage is marked with a green checkmark. The 'testing phase' is expanded, showing a 'unit test' step. At the bottom, there is a search bar and a list of stages with their durations: Plan phase (87ms), code phase (1m 49s), integrate phase (0.26s), testing phase (1s), and unit test (0.61s). The 'unit test' stage is selected, showing its details: 'unit test' (0.61s), 'Started 1m 18s ago', and 'Jenkins'.

Graph

```
graph LR
    Start((Start)) --> PlanPhase[Plan phase]
    PlanPhase --> CodePhase[code phase]
    CodePhase --> IntegratePhase[integrate phase]
    IntegratePhase --> TestingPhase[testing phase]
    TestingPhase --> End((End))
    subgraph unit_test [unit test]
        direction TB
        running_unit_test[running unit test]
    end
    TestingPhase --- running_unit_test
```

unit test 0.61s


unit test 0.61s Started 1m 18s ago Jenkins



The screenshot shows the Jenkins interface for a pipeline named 'Pipeline2_Shivam'. The left sidebar contains navigation options: Status, Changes, Console Output, Edit Build Information, Delete build '#1', Timings, Pipeline Overview, Restart from Stage, Replay, Pipeline Steps (selected), and Workspaces. The main area displays a table of pipeline steps with columns for Step, Arguments, and Status.

Step	Arguments	Status
Start of Pipeline - (1 min 51 sec in block)		✓
node - (1 min 51 sec in block)		✓
node block - (1 min 51 sec in block)		✓
stage - (0.16 sec in block)	Plan phase	✓
stage block (Plan phase) - (87 ms in block)		✓
echo - (18 ms in self)	This is Jenkins Pipeline made by Shivam Pimple	✓
stage - (1 min 49 sec in block)	code phase	✓
stage block (code phase) - (1 min 49 sec in block)		✓
input - (1 min 48 sec in self)	Do you want to continue?	✓
stage - (0.47 sec in block)	integrate phase	✓
stage block (integrate phase) - (0.26 sec in block)		✓
echo - (39 ms in self)	Integration test passed	✓
stage - (1.1 sec in block)	testing phase	✓

3. Pipeline Project with Git:



The screenshot shows the 'New Item' dialog in Jenkins. The 'Enter an item name' field contains 'Pipeline3_Shivam'. Below, the 'Select an item type' section lists four options: Pipeline, Freestyle project, Multi-configuration project, and Folder. The 'Pipeline' option is selected and highlighted. At the bottom, there is an 'OK' button.

New Item



Enter an item name


Pipeline3_Shivam

Select an item type

- Pipeline**
Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.
- Freestyle project
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.
- Multi-configuration project
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.
- Folder
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

OK





This screenshot shows the Jenkins configuration page for a pipeline named 'Pipeline3_Shivam'. The left sidebar contains navigation links: General, Triggers, Pipeline (selected), and Advanced. The main configuration area includes fields for 'Branches to build' (set to */master), 'Repository browser' (set to Auto), 'Script Path' (set to hello-world/Jenkinsfile), and a checked 'Lightweight checkout' option. At the bottom are 'Save' and 'Apply' buttons.

Configure

General

Triggers

Pipeline

Advanced

Branches to build ?

Branch Specifier (blank for 'any') ?

*/master

+ Add Branch

Repository browser ?

(Auto)

Additional Behaviours


+ Add

Script Path ?

hello-world/Jenkinsfile

☒ Lightweight checkout ?

Save Apply



This screenshot shows the Jenkins status page for 'Pipeline3_Shivam'. The left sidebar has links: Status (selected), Changes, Build Now, Configure, Delete Pipeline, Stages, Rename, and Pipeline Syntax. The main area shows a green status icon, the pipeline name, and a description: 'This is my third pipeline project where I'm going to use git repository for pipeline building'. Below this are 'Permalinks' for the last build, stable build, successful build, and completed build, all from 23 seconds ago. A 'Builds' section shows a single build (#1) at 3:26 PM.

Jenkins / Pipeline3_Shivam

Status

Changes

Build Now

Configure

Delete Pipeline

Stages

Rename

Pipeline Syntax

Pipeline3_Shivam

This is my third pipeline project where I'm going to use git repository for pipeline building

Edit description

Permalinks

- Last build (#1), 23 sec ago
- Last stable build (#1), 23 sec ago
- Last successful build (#1), 23 sec ago
- Last completed build (#1), 23 sec ago

Builds

Filter

Today

#1 3:26 PM



This screenshot shows the Jenkins console output for build #1 of 'Pipeline3_Shivam'. The left sidebar includes links: Status, Changes, Console Output (selected), Edit Build Information, Delete build '#1', Timings, Git Build Data, Pipeline Overview, Restart from Stage, Replay, Pipeline Steps, and Workspaces. The console output shows the pipeline starting by user 'admin', cloning the repository from GitHub, and performing a checkout. The output ends with 'Checking out Revision d6d8a4bee476ba4c9584ec19c872ea2ab6128754 (refs/remotes/origin/master)'.

Jenkins / Pipeline3_Shivam / #1

Status

Changes

Console Output

Edit Build Information

Delete build '#1'

Timings

Git Build Data

Pipeline Overview

Restart from Stage

Replay

Pipeline Steps

Workspaces

Console

Download Copy View as plain text

```
Started by user admin
Obtained hello-world/Jenkinsfile from git https://github.com/shivampimple12082006/jenkins-pipeline-tutorial.git
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in C:\ProgramData\Jenkins\jenkins\workspace\Pipeline3_Shivam
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
Cloning the remote Git repository
Cloning repository https://github.com/shivampimple12082006/jenkins-pipeline-tutorial.git
> git.exe init C:\ProgramData\Jenkins\jenkins\workspace\Pipeline3_Shivam # timeout=10
Fetching upstream changes from https://github.com/shivampimple12082006/jenkins-pipeline-tutorial.git
> git.exe --version # timeout=10
> git --version # 'git version 2.52.0.windows.1'
> git.exe fetch --tags --force --progress -- https://github.com/shivampimple12082006/jenkins-pipeline-tutorial.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git.exe config remote.origin.url https://github.com/shivampimple12082006/jenkins-pipeline-tutorial.git # timeout=10
> git.exe config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git.exe rev-parse "refs/remotes/origin/master^{commit}" # timeout=10
Checking out Revision d6d8a4bee476ba4c9584ec19c872ea2ab6128754 (refs/remotes/origin/master)
```

