












Experiment 4 :

• Jenkins Installation:





Getting Started

Create First Admin User

Username

Password

Confirm password

Full name

E-mail address

Jenkins 2.550 Skip and continue as admin Save and Continue

Getting Started

Instance Configuration

Jenkins URL:

The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the BUILD_URL environment variable provided to build steps.

The proposed default value shown is **not saved yet** and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.

Jenkins 2.550 Not now Save and Finish




Getting Started


Jenkins is ready!

Your Jenkins setup is complete.

Start using Jenkins

• Building jobs in Jenkins:





Jenkins / project28 / Configure

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

☒ This project is parameterized ?

String Parameter ?

Name ?
name

Default Value ?
Shivam

Description ?


Plain text [Preview](#)

☐ Trim the string ?

Boolean Parameter ?

Name ?

[Save](#) [Apply](#)



Jenkins / project28 / Configure

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

Boolean Parameter ?

Name ?
Adult

☒ Set by Default ?

Specifies the default value of the field.


Description ?
to check if user is adult or not

Plain text [Preview](#)

Multi-line String Parameter

Name ?
headline

[Save](#) [Apply](#)



Jenkins / project28 / Configure

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

Multi-line String Parameter

Name ?
headline

Default Value ?
MERN web stack developer

Description ?


Plain text [Preview](#)

[+ Add Parameter](#)

☐ Throttle builds ?

☐ Execute concurrent builds if necessary ?

[Save](#) [Apply](#)



The screenshot shows the Jenkins configuration page for 'project28'. The left sidebar has 'Source Code Management' selected. The main area is divided into two sections: 'Source Code Management' and 'Triggers'. In 'Source Code Management', 'None' is selected. In 'Triggers', several checkboxes are present, with 'Trigger builds remotely (e.g., from scripts)' being checked. At the bottom, there are 'Save' and 'Apply' buttons.

Configure

- General
- Source Code Management**
- Triggers
- Environment
- Build Steps
- Post-build Actions

Source Code Management

Connect and manage your code repository to automatically pull the latest code for your builds.

☒ None

☐ Git ?

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

☐ Trigger builds remotely (e.g., from scripts) ?

☐ Build after other projects are built ?

☐ Build periodically ?

☐ GitHub hook trigger for GITScm polling ?

☐ Poll SCM ?

Environment


Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.

☐ Delete workspace before build starts

☐ Use secret text(s) or file(s) ?

☐ ...

Save **Apply**



The screenshot shows the Jenkins configuration page for 'project28'. The left sidebar has 'Environment' selected. The main area is divided into two sections: 'Environment' and 'Build Steps'. In 'Environment', several checkboxes are present, with 'Use secret text(s) or file(s)' being checked. In 'Build Steps', a dropdown menu is open, showing a list of build steps. At the bottom, there are 'Save' and 'Apply' buttons.

Configure

- General
- Source Code Management
- Triggers
- Environment**
- Build Steps
- Post-build Actions

☐ Use secret text(s) or file(s) ?

☐ Add timestamps to the Console Output

☐ Inspect build log for published build scans

☐ Terminate a build if it's stuck

☐ With Ant ?

Build Steps


Automate your build process with ordered tasks like code compilation, testing, and deployment.

+ Add build step

- Build / Publish Docker image
- Buildout Builder
- Custom Python Builder
- Execute Python script
- Execute Windows batch command
- Execute shell
- Invoke Ant
- Invoke Gradle script
- Invoke top-level Maven targets
- Python Builder
- Run with timeout
- Set build status to "pending" on GitHub commit

...ending notifications, archiving artifacts, or triggering other jobs.

REST API **Jenkins 2.533**



The screenshot shows the Jenkins configuration page for 'project28'. The left sidebar has 'Build Steps' selected. The main area is divided into two sections: 'Build Steps' and 'Post-build Actions'. In 'Build Steps', a build step named 'Execute Windows batch command' is added. The command field contains 'echo "Namaste Shivam"'. In 'Post-build Actions', there is a button to add a post-build action. At the bottom, there are 'Save' and 'Apply' buttons.

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps**
- Post-build Actions

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

Execute Windows batch command ?

Command

See the list of available environment variables

echo "Namaste Shivam"

Advanced ▾


+ Add build step

Post-build Actions


Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

+ Add post-build action


Save **Apply**



This screenshot shows the Jenkins configuration page for a project named 'project28'. The left sidebar contains navigation links: Status, Changes, Workspace, Build with Parameters, Configure, Delete Project, Rename, and Credentials. The main area is titled 'Project project28' and includes a note 'This build requires parameters:'. Below this, there are input fields for 'name' (containing 'Shivam') and 'headline' (containing 'MERN stack developer'). A checkbox labeled 'Adult' is checked, with a sub-note 'to check if user is adult or not'. At the bottom, there are 'Build' and 'Cancel' buttons. The bottom right corner indicates 'Jenkins 2.533'.



This screenshot shows the Jenkins build status page for 'project28' / '#1'. The left sidebar includes links for Status, Changes, Console Output, Edit Build Information, Delete build '#1', Parameters, and Timings. The main area displays a green checkmark icon and the text '#1 (Feb 9, 2026, 10:44:44 AM)'. It also shows 'Started by user admin' and 'This run spent:' with a list of metrics: '28 ms waiting', '0.13 sec build duration', and '0.15 sec total from scheduled to completion.'. There are buttons for 'Add description' and 'Keep this build forever'. The bottom right corner shows 'REST API' and 'Jenkins 2.533'.




This screenshot shows the Jenkins console output for the build. The left sidebar includes links for Status, Changes, Console Output, Edit Build Information, Delete build '#1', Parameters, and Timings. The main area is titled 'Console' and shows the build log. The log content is: 'Started by user admin', 'Running as SYSTEM', 'Building in workspace C:\ProgramData\Jenkins\jenkins\workspace\project28', '[project28] \$ cmd /c call C:\Windows\TEMP\jenkins18142292403830169361.bat', 'C:\ProgramData\Jenkins\jenkins\workspace\project28>echo "Namaste Shivam"', '"Namaste Shivam"', 'C:\ProgramData\Jenkins\jenkins\workspace\project28>exit 0', and 'Finished: SUCCESS'. There are buttons for 'Download', 'Copy', and 'View as plain text'. The bottom right corner indicates 'Jenkins 2.533'.


Hello.java

Code:


```
public class Hello {  
    public static void main(String[] args) {  
        System.out.println("Hello Jenkins!");  
    }  
}
```



The screenshot shows the Jenkins 'New Item' configuration page. At the top, the breadcrumb is 'Jenkins / All / New Item'. The main heading is 'New Item'. Below it, there is a text input field labeled 'Enter an item name' with the value 'Hello Jenkins'. Underneath, a section titled 'Select an item type' lists five options: 'Freestyle project' (Classic, general-purpose job type), 'Maven project' (Build a maven project), 'Pipeline' (Orchestrates long-running activities), 'Multi-configuration project' (Suitable for projects that need a large number of different configurations), and 'Folder' (Creates a container that stores nested items). An 'OK' button is at the bottom.



The screenshot shows the Jenkins configuration page for the 'Hello Jenkins' item. The breadcrumb is 'Jenkins / Hello Jenkins / Configure'. The left sidebar has a 'Configure' section with options: General, Source Code Management, Triggers, Environment, Build Steps, and Post-build Actions. The 'General' tab is selected. The main area is titled 'General' and shows a description field with the text 'basic hello world project'. Below this, there are several checkboxes for advanced options: 'Commit agent's Docker container', 'Define a Docker template', 'Discard old builds', 'GitHub project', 'This project is parameterised', 'Throttle builds', and 'Execute concurrent builds if necessary'. An 'Advanced' dropdown menu is at the bottom of the options. At the very bottom, there are 'Save' and 'Apply' buttons.



This screenshot shows the Jenkins build status for a job named 'Hello Jenkins'. The build is successful, indicated by a green checkmark and the status '#1 (16 Feb 2026, 10:40:25)'. The left sidebar contains links for Status, Changes, Console Output, Edit Build Information, Delete build '#1', and Timings. The main area shows that the build started by user 'admin' and took 97 ms to complete. It also lists the time spent: 2 ms waiting, 97 ms build duration, and 99 ms total from scheduled to completion. A 'No changes' message is displayed at the bottom. The bottom right corner shows 'REST API' and 'Jenkins 2.533'.

Jenkins / Hello Jenkins / #1

Status

Changes

Console Output

Edit Build Information

Delete build '#1'

Timings

#1 (16 Feb 2026, 10:40:25)


Started by user admin

This run spent:

- 2 ms waiting:
- 97 ms build duration:
- 99 ms total from scheduled to completion.

No changes.

REST API Jenkins 2.533



This screenshot shows the Jenkins configuration page for the 'Hello Jenkins' job. The left sidebar has links for General, Source Code Management, Triggers, Environment, Build Steps, and Post-build Actions. The 'Build Steps' section is active, showing a single step named 'Execute Windows batch command'. The command field contains 'cd C:\Shivam_28'. Below the command field, there are buttons for 'Add build step' and 'Post-build Actions'. At the bottom, there are 'Save' and 'Apply' buttons. The bottom right corner shows 'REST API' and 'Jenkins 2.533'.

Jenkins / Hello Jenkins / Configure

Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Execute Windows batch command

Command

See the list of available environment variables

cd C:\Shivam_28

Advanced

+ Add build step


Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

+ Add post-build action

Save Apply

REST API Jenkins 2.533



This screenshot shows the Jenkins console output for the 'Hello Jenkins' job. The left sidebar has links for Status, Changes, Console Output, Edit Build Information, Delete build '#1', and Timings. The 'Console Output' section is active, showing the build log. The log starts with 'Started by user admin' and 'Running as SYSTEM'. It then shows the build workspace path and the command executed: 'cd C:\Shivam_28'. The output shows the directory change and the successful completion of the build. The bottom right corner shows 'Jenkins 2.533'.

Jenkins / Hello Jenkins / #1

Status

Changes

Console Output

Edit Build Information

Delete build '#1'

Timings

Console

Started by user admin

Running as SYSTEM

Building in workspace C:\ProgramData\Jenkins\jenkins\workspace\Hello Jenkins

[Hello Jenkins] \$ cmd /c call C:\Windows\TEMP\jenkins143553254219604318.bat

C:\ProgramData\Jenkins\jenkins\workspace\Hello Jenkins>cd C:\Shivam_28

C:\Shivam_28>exit 0



Finished: SUCCESS


Jenkins 2.533

Name.java

Code:

```
class Name {  
    public static void main(String args[]) {  
  
        System.out.println("Your name is : " +args[0]);  
        System.out.println("Your surname is : " +args[1]);  
    }  
}
```





The image shows the Jenkins configuration page for a project named "Shivam Name Project". The left sidebar contains a "Configure" section with a list of tabs: General, Source Code Management, Triggers, Environment, Build Steps, and Post-build Actions. The "General" tab is selected. The main content area shows the "Name" field with the value "name", the "Default Value" field, and the "Description" field. Below these fields is a "String Parameter" section with a "Name" field containing "surname" and a "Default Value" field. At the bottom, there are "Save" and "Apply" buttons.

Jenkins / Shivam Name Project / Configure

Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Name ?

name

Default Value ?

Description ?

Plain text Preview

☐ Trim the string ?


String Parameter ?

Name ?

surname

Default Value ?

Save Apply



The image shows the Jenkins configuration page for a project named "Shivam Name Project". The left sidebar contains a "Configure" section with a list of tabs: General, Source Code Management, Triggers, Environment, Build Steps, and Post-build Actions. The "Build Steps" tab is selected. The main content area shows the "Execute Windows batch command" section with a "Command" field containing the following code:

```
cd C:\Shivam_28
javac Name.java
java Name %name% %surname%
```

Below the command field is an "Advanced" dropdown menu. At the bottom, there are "Save" and "Apply" buttons.

Jenkins / Shivam Name Project / Configure

Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Execute Windows batch command ?

Command

See the list of available environment variables

```
cd C:\Shivam_28
javac Name.java
java Name %name% %surname%
```

Advanced

+ Add build step


Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

+ Add post-build action

Save Apply

REST API Jenkins 2.533



The image shows the Jenkins project overview page for a project named "Shivam Name Project". The left sidebar contains a list of actions: Status, Changes, Workspace, Build with Parameters, Configure, Delete Project, Rename, and Credentials. The "Configure" action is selected. The main content area shows the "Project Shivam Name Project" title, followed by the text "This build requires parameters:". Below this text are two input fields: "name" and "surname". At the bottom, there are "Build" and "Cancel" buttons. A "Builds" section at the bottom left shows "No builds".

Jenkins / Shivam Name Project

Project Shivam Name Project

This build requires parameters:

name


surname

Build Cancel


Builds >

No builds


Jenkins 2.533



This screenshot shows the Jenkins configuration page for a project named 'Shivam Name Project'. The left sidebar contains navigation links: Status, Changes, Workspace, Build with Parameters, Configure, Delete Project, Rename, and Credentials. The main area is titled 'Project Shivam Name Project' and indicates that the build requires parameters. Two input fields are present: 'name' with the value 'Shivam' and 'surname' with the value 'Pimple'. Below these fields are 'Build' and 'Cancel' buttons. A 'Builds' section on the left shows 'No builds'. The bottom right corner displays 'Jenkins 2.533'.



This screenshot shows the Jenkins build status page for build #1. The left sidebar includes links for Status, Changes, Console Output, Edit Build Information, Delete build '#1', Parameters, and Timings. The main area shows a green checkmark icon and the text '#1 (16 Feb 2026, 11:17:10)'. It indicates the build was started by user 'admin' and provides a breakdown of the run time: 2 ms waiting, 0.66 sec build duration, and 0.66 sec total from scheduled to completion. There are buttons for 'Add description' and 'Keep this build forever'. The bottom right corner shows 'REST API' and 'Jenkins 2.533'.



This screenshot shows the Jenkins console output for build #1. The left sidebar has links for Status, Changes, Console Output, Edit Build Information, Delete build '#1', Parameters, and Timings. The main area is titled 'Console' and contains the following text: 'Started by user admin', 'Running as SYSTEM', 'Building in workspace C:\ProgramData\Jenkins\jenkins\workspace\Shivam Name Project', '[Shivam Name Project] \$ cmd /c call C:\Windows\TEMP\jenkins14492055580208510459.bat', 'C:\ProgramData\Jenkins\jenkins\workspace\Shivam Name Project>cd C:\Shivam_28', 'C:\Shivam_28>javac Name.java', 'C:\Shivam_28>java Name Shivam Pimple', 'Your name is : Shivam', 'Your surname is : Pimple', 'C:\Shivam_28>exit 0', and 'Finished: SUCCESS'. Buttons for 'Download', 'Copy', and 'View as plain text' are visible. The bottom right corner shows 'Jenkins 2.533'.