| Commerci | Measurement unit text |
|----------|---------------------------|
| " | Inch |
| "2 | Square inch |
| "3 | Cubic inch |
| % | Percentage |
| %O | Per mille |
| 000 | Meter/Minute |
| 001 | |
| 002 | Length in Meters per Unit |
| 003 | |
| 004 | |
| 005 | |
| 006 | |
| 007 | |
| 008 | |
| ACR | Acre |
| AU | Activity unit |
| BAG | Bag |
| ВТ | Bottle |
| C3S | Cubic centimeter/second |
| CAN | Canister |
| CAR | Carton |
| CCM | Cubic centimeter |
| CD3 | Cubic decimeter |
| CL | Centiliter |
| CM | Centimeter |
| CM2 | Square centimeter |
| CMS | Centimeter/second |
| CRT | Crate |
| CV | Case |
| D | Days |
| DAY | Days |
| DEG | Degree |
| DM | Decimeter |
| DR | Drum |
| DZ | Dozen |
| EA | each |
| EML | Enzyme Units/Milliliter |
| EU | Enzyme Units |
| FOZ | Fluid Ounce US |

Wed Feb 19 13:09:59 2020 1/5

| Commerci | Measurement unit text |
|----------|------------------------------|
| FT | Foot |
| FT2 | Square foot |
| FT3 | Cubic foot |
| G | Gram |
| G/L | Gram Active Ingredient/Liter |
| GAI | Gram Active Ingredient |
| GAL | US gallon |
| GAU | Gram Gold |
| GJ | Gigajoule |
| GLI | Gram/liter |
| GM | Gram/Mole |
| GM2 | Gram/square meter |
| GM3 | Gram/Cubic meter |
| GOH | Gigaohm |
| GPH | Gallons per hour (US) |
| GPM | Gallons per mile (US) |
| GRO | Gross |
| Н | Hour |
| НА | Hectare |
| HL | Hectoliter |
| HR | Hours |
| JKG | Joule/Kilogram |
| JKK | Spec. Heat Capacity |
| JMO | Joule/Mole |
| KAI | Kilogram Active Ingredient |
| KD3 | Kilogram/cubic decimeter |
| KG | Kilogram |
| KGM | Kilogram/Mole |
| KGS | Kilogram/second |
| KGV | Kilogram/cubic meter |
| KIK | kg Active Ingredient/kg |
| KJK | Kilojoule/kilogram |
| KJM | Kilojoule/Mole |
| KM | Kilometer |
| KM2 | Square kilometer |
| KMH | Kilometer/hour |
| KML | Kilomol |
| KMN | Kelvin/Minute |
| KMS | Kelvin/Second |

Wed Feb 19 13:09:59 2020 2/5

| Commerci | Measurement unit text |
|----------|------------------------------|
| KPA | Kilopascal |
| KT | Kiloton |
| KVA | Kilovoltampere |
| L | Liter |
| LB | Pound |
| LHK | Liter per 100 km |
| LMI | Liter/Minute |
| LMS | Liter/Mole Second |
| LPH | Liter per hour |
| LUM | LUMSUM |
| М | Meter |
| M-2 | 1/Square Meter |
| M/H | Meter/Hour |
| M/L | Mole per Liter |
| M/M | Mole per Cubic Meter |
| M/S | Meter/second |
| M2 | Square meter |
| M2S | Square meter/second |
| M3 | Cubic meter |
| M3D | Cubic meter/day |
| МЗН | Cubic meter/Hour |
| M3S | Cubic meter/second |
| MEJ | Megajoule |
| MG | Milligram |
| MGL | Milligram/liter |
| MGO | Megohm |
| MGQ | Milligram/cubic meter |
| MHV | Megavolt |
| MI | Mile |
| MI2 | Square mile |
| MIN | Minute |
| MIS | Microsecond |
| ML | Milliliter |
| MLI | Milliliter Active Ingredient |
| MM | Millimeter |
| MM2 | Square millimeter |
| MM3 | Cubic millimeter |
| MN | Meganewton |
| MNM | Millinewton/meter |

Wed Feb 19 13:09:59 2020 3/5

| Commerci_ | Measurement unit text |
|-----------|--------------------------------|
| MON | Months |
| MPG | Miles per gallon (US) |
| MPL | Millimole per Liter |
| MPS | Millipascal seconds |
| MS2 | Meter/Square Second |
| MSC | Microsiemens per centimeter |
| MSE | Millisecond |
| MVA | Megavoltampere |
| MWH | Megawatt hour |
| NA | Nanoampere |
| NAM | Nanometer |
| NI | Kilonewton |
| NM | Newton/meter |
| NMM | Newton/Square millimeter |
| NOS | Numbers |
| NS | Nanosecond |
| OCM | Specific Electrical Resistance |
| OM | Specific Electrical Resistance |
| OZ | Ounce |
| P | Points |
| PAA | Pair |
| PAC | Pack |
| PAL | Pallet |
| PAS | Pascal second |
| PC | Piece |
| PF | Pikofarad |
| PMI | 1/minute |
| PMR | Permeation Rate SI |
| PPB | Parts per billion |
| PPM | Parts per million |
| PPT | Parts per trillion |
| PRC | Group proportion |
| PRM | Permeation Rate |
| PRS | Number of Persons |
| PS | Picosecond |
| PT | Pint, US liquid |
| PU | |
| QT | Quart, US liquid |
| R-U | Nanofarad |

Wed Feb 19 13:09:59 2020 4/5

| Commerci_ | Measurement unit text |
|-----------|-------------------------------|
| RF | Millifarad |
| RHO | Gram/Cubic Centimeter |
| RMT | RUNNING METER |
| ROL | Role |
| S/M | Siemens per meter |
| TO | Ton |
| TOM | Ton/Cubic meter |
| TON | US Ton |
| TS | Thousands |
| VAL | Value-Only Material |
| VAM | Voltampere |
| WK | Weeks |
| WKY | Evaporation Rate |
| WMK | Heat Conductivity |
| YD | Yards |
| YD2 | Square Yard |
| YD3 | Cubic yard |
| YR | Years |
| dBA | Decibels (A Weighting) |
| dBC | Decibels (C Weighting) |
| kgb | Kilogram/US Barrel |
| lhh | US Pound/Horsepower-Hour |
| lht | US Pound/100,000 Hph |
| lth | US Pounds/1000 Horsepower-Hrs |
| μΑ | Microampere |
| μF | Microfarad |
| μGL | Microgram/liter |
| μGQ | Microgram/cubic meter |
| μL | Microliter |
| μΜ | Micrometer |

Wed Feb 19 13:09:59 2020 5/5