

shivam

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Stock Trading Platform</title>
<link rel="stylesheet" href="style.css">
</head>
<body>

<header>
<h1> Stock Trading Platform</h1>
</header>

<main class="container">

<div class="stock-card">
<h2>TATA Motors</h2>
<p class="price">₹742.35</p>
<p class="change positive">▲ +1.24%</p>
<div class="buttons">
<button class="buy">Buy</button>
<button class="sell">Sell</button>
</div>
</div>

<div class="stock-card">
<h2>Reliance</h2>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

shivam@Shivams-MacBook-Air ~ % source /Users/shivam/.venv/bin/activate
(.venv) shivam@Shivams-MacBook-Air ~ %

A screenshot of a dark-themed code editor, likely VS Code, displaying an HTML file named index.html. The editor shows three tabs at the top: Welcome, style.css, and index.html. The index.html tab is active, showing the following code:

```
<html lang="en">
<body>
<main class="container">
<div class="stock-card">
<h2>Reliance</h2>
<p class="price">₹2610.50</p>
<p class="change negative">▼ -0.82%</p>
<div class="buttons">
<button class="buy">Buy</button>
<button class="sell">Sell</button>
</div>
</div>

<div class="stock-card">
<h2>Infosys</h2>
<p class="price">₹1589.20</p>
<p class="change positive">▲ +0.45%</p>
<div class="buttons">
<button class="buy">Buy</button>
<button class="sell">Sell</button>
</div>
</div>

<div class="stock-card">
<h2>HDFC Bank</h2>
<p class="price">₹1462.10</p>
<p class="change negative">▼ -1.12%</p>
</div>
```

The code editor interface includes a sidebar on the left with sections like LORER, EDITORS, VAM, TLINE, ELINE, and CODE PETS. At the bottom, there are tabs for PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL (which is selected), and PORTS. A terminal window at the bottom shows the command line:

```
shivam@Shivams-MacBook-Air ~ % source /Users/shivam/.venv/bin/activate
(.venv) shivam@Shivams-MacBook-Air ~ %
```

The screenshot shows the Visual Studio Code interface with a dark theme. The left sidebar includes sections for EXPLORER, OPEN EDITORS, SHIVAM, OUTLINE, and TIMELINE. The main area has tabs for Welcome, style.css, and index.html, with index.html currently active. The code in the editor is as follows:

```
<html lang="en">
<body>
  <main class="container">
    <div class="stock-card">
      <p class="price">₹1589.40</p>
      <p class="change positive">▲ +0.45%</p>
      <div class="buttons">
        <button class="buy">Buy</button>
        <button class="sell">Sell</button>
      </div>
    </div>
    <div class="stock-card">
      <h2>HDFC Bank</h2>
      <p class="price">₹1462.10</p>
      <p class="change negative">▼ -1.12%</p>
      <div class="buttons">
        <button class="buy">Buy</button>
        <button class="sell">Sell</button>
      </div>
    </div>
  </main>
</body>
</html>
```

Below the editor, the terminal window shows the command: shivam@Shivams-MacBook-Air ~ % source /Users/shivam/.venv/bin/activate

The screenshot shows a dark-themed instance of Visual Studio Code (VS Code) running on a Mac. The interface includes a sidebar with sections like EXPLORER, OPEN EDITORS, SHIVAM, OUTLINE, and TIMELINE. The main area displays the content of a file named 'style.css'.

```
# style.css > ...
1 body {
2     margin: 0;
3     font-family: Arial, sans-serif;
4     background-color: #f2f4f8;
5 }
6
7 header {
8     background-color: #1e293b;
9     color: white;
10    padding: 20px;
11    text-align: center;
12 }
13
14 .container {
15     display: grid;
16     grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));
17     gap: 20px;
18     padding: 30px;
19 }
20
21 .stock-card {
22     background-color: white;
23     padding: 20px;
24     border-radius: 12px;
25     box-shadow: 0 4px 10px rgba(0,0,0,0.1);
26     transition: transform 0.3s;
27 }
```

Below the editor, the terminal window shows the following output:

```
shivam@Shivams-MacBook-Air ~ % source /Users/shivam/.venv/bin/activate
(.venv) shivam@Shivams-MacBook-Air ~ %
```

EXPLORER

OPEN EDITORS

- Welcome
- # style.css
- index.html

SHIVAM

OUTLINE

TIMELINE

VS CODE PETS

...

style.css

```
21 .stock-card {  
22   transition: transform 0.3s;  
23 }  
24  
25 .stock-card:hover {  
26   transform: scale(1.05);  
27 }  
28  
29 .stock-card h2 {  
30   margin: 0;  
31   font-size: 18px;  
32 }  
33  
34 .price {  
35   font-size: 24px;  
36   font-weight: bold;  
37   margin: 10px 0;  
38 }  
39  
40 .change {  
41   font-weight: bold;  
42 }  
43  
44 .positive {  
45   color: green;  
46 }  
47  
48 .negative {  
49   color: red;  
50 }  
51
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

shivam@Shivams-MacBook-Air ~ % source /Users/shivam/.venv/bin/activate
(.venv) shivam@Shivams-MacBook-Air ~ %

```
# style.css > ...
44 .change {
45   background-color: #ccc;
46 }
47
48 .positive {
49   color: green;
50 }
51
52 .negative {
53   color: red;
54 }
55
56 .buttons {
57   display: flex;
58   gap: 10px;
59   margin-top: 15px;
60 }
61
62 button {
63   flex: 1;
64   padding: 8px;
65   border: none;
66   border-radius: 6px;
67   font-size: 14px;
68   cursor: pointer;
69 }
70
71 
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
shivam@Shivams-MacBook-Air ~ % source /Users/shivam/.venv/bin/activate
(.venv) shivam@Shivams-MacBook-Air ~ %
```

A screenshot of the Visual Studio Code (VS Code) interface. The main area shows a CSS file named "style.css" with the following code:

```
# style.css > ...
56 .buttons {
57   margin-top: 15px;
58 }
59
60
61
62 button {
63   flex: 1;
64   padding: 8px;
65   border: none;
66   border-radius: 6px;
67   font-size: 14px;
68   cursor: pointer;
69 }
70
71 .buy {
72   background-color: #22c55e;
73   color: white;
74 }
75
76 .sell {
77   background-color: #ef4444;
78   color: white;
79 }
80
81 button:hover {
82   opacity: 0.9;
83 }
84
```

The "OPEN EDITORS" sidebar on the left lists "style.css" and "index.html". The "TERMINAL" tab at the bottom shows the command line output:

```
shivam@Shivams-MacBook-Air ~ % source /Users/shivam/.venv/bin/activate
(shivam) shivam@Shivams-MacBook-Air ~ %
```

