| (1) | I | ĬΘ | Pog | 3 g i b | ۱e - | to c | depl | oy | a | URL | act | ioU | 0 <i>D</i> | a | |
|-----|--------------------------|------|-------|---------|----------|--------|-------------|------|-------|-------|------|-------|------------|-------|--------|
| | das | nboa | br. | obje | ect | to | oper | , a | we | 2 b | pag | e v | ithi | U | |
| | | | | | | | | an | | | , | | | | 18 |
| | web |) b | NOV | KEN | ω'n | H. | the | he | 19 | of ' | Mep | - Pag | je | obje | ct. |
| (D) | VO | bil | W | e- c | પ્રથ | 0 f | | Mana | rge | met | ada | ta' | func | tions | ality: |
| | a | 7 (. | 0 81 | e 1 | he | tab' | le (| a fi | eld | beli | ongs | to | | | |
| | Į | 9) | То | See | the | , fie | eld | nam | e i | n the | e 07 | igino | al d | ata | |
| | | | s o u | rce | | | | | | | | | | | |
| | | (۲ | To | view | all | hi | ddei | n fi | e/ds | | | | | | |
| 3 | Iv | nbou | -tan- | | | | | | | | | | | | |
| - | $\rightarrow $ $^{\vee}$ | her | , 40 | y U | SW C | c 6887 | , 7u 1/y | cor | une(| + - | 0 0 | , he | w d | ata | |
| | | | 7 | | | | 7 | ets | | | | | | | iat |
| | | | | ĺ | | | | to | | | | | | | |
| | | blei | 10 W | sly | 264 | ~6V~t | ્ | -10 | 1116 | 011 | J | i i | 414 | | , |
| | | | | | | | | μεω | | | | | | | |
| | → | If | #6 | . U€ | w | dat | વ હ | ourc | بو ا | does | n'+ | hav | e t | he s | same |
| | | fie | 12 | nam | <u>ی</u> | as ' | the | 0710 | jinal | wo | rkb | ook | , the | e fie | lde |
| | | pe | DM. |), | vali | id | and | Wa | rke | v lo | oith | αn | 6× C | lamo | ation |

| point. |
|--|
| -> you can quickly resolve this problem by |
| replacing the field's references. |
| For relative date filter, the default anchor is |
| Today's date |
| (3) Important |
| -> Joins are used to combine data or rows |
| from two or more tables based on a |
| common field between them. |
| -> This can cause data loss or duplication if |
| tables are at different levels of defail, and |
| joined data sources must be fixed before |
| analysis can begin. |
| -> while joins filter data, relationships always |
| preserve all measures. Now important values |
| like money can never go missing. And unlike |
| joins, relationships won't double your trouble |
| |

| | by duplicating data stored at different |
|----|--|
| | levels of detail. |
| 6 | Tableau support case can be opened using the |
| | support option on the tableau website. |
| 1 | Tableau viz animations doesn't work with: |
| | a) maps, polygons, and density marks in |
| | web browsers |
| | b) pie and text marks |
| | c) axes and headers |
| | d) forecasts, trends, and reference lines |
| | e) page history trails |
| 8 | options to export the data in tableau: |
| | |
| | a) CSV |
| | b) Ms Access Database |
| 9) | manually assigning geographic roles to a dimension |
| | from the data pane:- |

| | Right click geographic assign the |
|------|--|
| | the dimension role appropriate |
| | role |
| (10) | In blending, color of tick marks on |
| | primary data source -> Blue |
| | secondary data source -> orange |
| | 5 types of trend lines:- |
| | linear, logarithmic, exponential, |
| | polynomial, power model |
| | ways to trigger actions: |
| | a) hover |
| | b) select |
| | e) meny |
| (3) | Pareto chart always include bans sorted in |
| | descending order. |
| | |