


WEEK 2

Spring Core and Maven

Exercise 1: Configuring a Basic Spring Application AND

Exercise 2: Implementing Dependency Injection

OUTPUT:



The screenshot shows the IntelliJ IDEA IDE with the 'LibraryManagement' project. The Project view on the left shows the directory structure: src/main/java/com/library/repository, service, and MainApp. The MainApp.java file is open in the editor, showing the following code:

```
import org.springframework.context.support.ClassPathXmlApplicationContext;

public class MainApp {


    public static void main(String[] args) {

        ApplicationContext context =
            new ClassPathXmlApplicationContext("applicationContext.xml");

        BookService service = (BookService) context.getBean("bookService");

        service.displayService();
    }
}
```

The Run view at the bottom shows the output: "Process finished with exit code 0".



The screenshot shows the IntelliJ IDEA IDE with the 'LibraryManagement' project. The MainApp.java file is open in the editor, showing the following code:

```
public class MainApp {



    public static void main(String[] args) {

        BookService service = (BookService) context.getBean("bookService");

        service.displayService();
    }
}
```

The Run view at the bottom shows the output: "Book Service is working." and "Book Repository is working." followed by "Process finished with exit code 0".

Exercise 4: Creating and Configuring a Maven Project



Spring Data JPA - Quick Example

