

<!DOCTYPE html>

<html lang="en" class="scroll-smooth">

<head>

<meta charset="UTF-8" />

<meta name="viewport" content="width=device-width,initial-scale=1" />

<title>Shivangi — Modern Portfolio</title>

<meta name="description" content="Shivangi's modern portfolio built with Tailwind CSS only." />

<script src="https://cdn.tailwindcss.com"></script>

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;600;800&display=swap" rel="stylesheet">

<link rel="stylesheet" href="styles.css"> </head>

<body class="bg-gradient-to-br from-blue-50 via-white to-purple-50 text-gray-900 dark:bg-gradient-to-br dark:from-gray-950 dark:via-gray-900 dark:to-black dark:text-gray-100 transition-colors duration-500 min-h-screen">

<header class="sticky top-0 z-50 bg-white/70 dark:bg-gray-900/60 backdrop-blur supports-[backdrop-filter]:bg-white/60 border-b border-black/5 dark:border-white/10">

<nav class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

<div class="flex h-16 items-center justify-between">

Shivangi

<div class="hidden md:flex items-center space-x-8">

About

```
<a href="projects.html" class="hover:text-blue-600 dark: hover: text-blue-400">Projects</a>
```

```
<a href="index.html#skills" class="hover:text-blue-600 dark: hover: text-blue-400">Skills</a>
```

```
<a href="index.html#timeline" class="hover:text-blue-600 dark: hover: text-blue-400">Timeline</a>
```

```
<a href="contact.html" class="hover:text-blue-600 dark: hover: text-blue-400">Contact</a>
```

```
<button id="themeToggle" class="rounded-full p-2 hover: bg-black/5 dark: hover: bg-white/10" aria-label="Toggle theme">🌙</button>
```

```
</div>
```

```
<button id="menuBtn" class="md: hidden rounded-lg p-2 hover: bg-black/5 dark: hover: bg-white/10" aria-label="Open menu">
```

```
<svg xmlns="http://www.w3.org/2000/svg" class="h-6 w-6" fill="none" viewBox="0 0 24 24" stroke="currentColor">
```

```
<path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M4 6h16M4 12h16M4 18h16"/>
```

```
</svg>
```

```
</button>
```

```
</div>
```

```
</nav>
```

```
<div id="mobileMenu" class="md: hidden hidden border-t border-black/5 dark: border-white/10">
```

```
<div class="px-4 py-3 space-y-2 bg-white/80 dark: bg-gray-900/80 backdrop-blur">
```

```
<a href="index.html#about" class="block py-2">About</a>
```

```
<a href="projects.html" class="block py-2">Projects</a>
```

```
<a href="index.html#skills" class="block py-2">Skills</a>
```

[Timeline](index.html#timeline)

[Contact](contact.html)

Toggle Theme

🚀 Web Developer • Student • Creator

Building clean, responsive, modern web experiences.

I'm Shivangi, a 2nd-year student crafting delightful UIs with HTML, CSS, JavaScript, and Tailwind. Focused on performance, accessibility, and aesthetics.

[View Projects](projects.html)

```
<a href="contact.html" class="inline-flex items-center gap-2 rounded-xl px-5 py-3 font-semibold border border-black/10 dark:border-white/10 hover:bg-black/5 dark:hover:bg-white/10 transition">Contact Me</a>

</div>

</div>

<div class="flex justify-center">

  <div class="relative">

    

    <div class="absolute -bottom-3 -right-3 bg-white dark:bg-gray-900 rounded-xl px-3 py-2 shadow border border-black/10 dark:border-white/10">

      <span class="text-sm font-semibold">Available for work</span>

    </div>

  </div>

</div>

</div>

</div>

<div class="mt-16 text-center">

  <h3 class="text-xl font-bold mb-4">A quick intro to my work</h3>

</div>

<iframe

  width="560"

  height="315"

  src="https://www.youtube.com/embed/qbp4oAxmTCE"

  title="YouTube video player"

  frameborder="0"

  allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture"

  allowfullscreen>
```

</iframe>

<audio controls>

<source src="music.mp3" type="audio/mpeg">

Your browser does not support the audio element.

</audio>

</div>

</div>

</section>

<section id="about" class="py-12 md:py-16">

<div class="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">

<div class="grid md:grid-cols-3 gap-6">

<div class="md:col-span-2 bg-white/70 dark:bg-gray-900/50 backdrop-blur rounded-2xl p-6 border border-black/10 dark:border-white/10 shadow-sm">

<h2 class="text-2xl font-bold mb-3">About Me</h2>

<p class="text-gray-700 dark:text-gray-300">

I love building elegant, robust front-ends. My current stack is HTML5, CSS3, JavaScript (ES6+), and Tailwind CSS. I enjoy transforming ideas into polished, accessible interfaces.

</p>

<div class="mt-4 flex gap-3">

Download Resume

Hire Me

</div>

</div>

```
<ul class="bg-white/70 dark:bg-gray-900/50 backdrop-blur rounded-2xl p-6 border border-black/10 dark:border-white/10 shadow-sm space-y-3">
```

```
<li class="flex items-center gap-3"><span class="text-xl">✔</span> Clean, semantic HTML</li>
```

```
<li class="flex items-center gap-3"><span class="text-xl">⚡</span> Fast, responsive layouts</li>
```

```
<li class="flex items-center gap-3"><span class="text-xl">♿</span> Accessible by default</li>
```

```
<li class="flex items-center gap-3"><span class="text-xl">🧐</span> Thoughtful visuals</li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<section id="skills" class="py-12 md:py-16">
```

```
<div class="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">
```

```
<h2 class="text-2xl md:text-3xl font-extrabold mb-6">Skills</h2>
```

```
<div class="grid sm:grid-cols-2 gap-6">
```

```
<div class="rounded-2xl p-6 border border-black/10 dark:border-white/10 bg-white/70 dark:bg-gray-900/50 backdrop-blur">
```

```
<h3 class="font-semibold text-lg mb-3">Core</h3>
```

```
<ul class="grid grid-cols-2 gap-2 text-sm">
```

```
<li>HTML5</li>
```

```
<li>CSS3</li>
```

```
<li>JavaScript (ES6+)</li>
```

```
<li>Tailwind CSS</li>
```

```
</ul>
```

</div>

<div class="rounded-2xl p-6 border border-black/10 dark:border-white/10 bg-white/70 dark:bg-gray-900/50 backdrop-blur">

<h3 class="font-semibold text-lg mb-3">Tools</h3>

<ul class="grid grid-cols-2 gap-2 text-sm">

Git & GitHub

VS Code

Responsive Design

Accessibility

</div>

</div>

</div>

</section>

<section id="timeline" class="py-12 md:py-16">

<div class="max-w-5xl mx-auto px-4 sm:px-6 lg:px-8">

<h2 class="text-2xl md:text-3xl font-extrabold mb-6">Learning Timeline</h2>

<ol class="relative border-s border-black/10 dark:border-white/10 space-y-6">

<li class="ms-6">

<h4 class="font-semibold">2025 — Portfolio v1</h4>

<p class="text-sm text-gray-700 dark:text-gray-300">First responsive portfolio with Tailwind.</p>

<li class="ms-6">

```
<span class="absolute -start-3.5 mt-1 h-3 w-3 rounded-full bg-purple-600">
</span>

<h4 class="font-semibold">2025 — Component Library</h4>

<p class="text-sm text-gray-700 dark:text-gray-300">Reusable card/button/form
patterns.</p>

</li>

<li class="ms-6">

    <span class="absolute -start-3.5 mt-1 h-3 w-3 rounded-full bg-emerald-600">
</span>

    <h4 class="font-semibold">2026 — Freelance Gigs</h4>

    <p class="text-sm text-gray-700 dark:text-gray-300">Shipped landing pages for
clients.</p>

</li>

</ol>

</div>

</section>


<footer class="mt-16 border-t border-black/10 dark:border-white/10">

    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-8 flex flex-col sm:flex-row items-
center justify-between gap-3">

        <p class="text-sm">© 2025 Shivangi. All rights reserved.</p>

        <div class="flex items-center gap-4 text-sm">

            <a href="#" class="hover:text-blue-600 dark:hover:text-blue-400">GitHub</a>

            <a href="#" class="hover:text-blue-600 dark:hover:text-blue-400">LinkedIn</a>

            <a href="#" class="hover:text-blue-600 dark:hover:text-blue-400">Twitter</a>

        </div>

    </div>

</footer>
```



```

<script>

  const $ = (sel) => document.querySelector(sel);

  const menuBtn = $('#menuBtn');

  const mobileMenu = $('#mobileMenu');

  const themeToggle = $('#themeToggle');

  const themeToggleMobile = $('#themeToggleMobile');

  menuBtn?.addEventListener('click', () => {

    mobileMenu.classList.toggle('hidden');

  });

  function toggleTheme() {

    document.documentElement.classList.toggle('dark');

    localStorage.setItem('theme', document.documentElement.classList.contains('dark') ?
'dark' : 'light');

  }

  themeToggle?.addEventListener('click', toggleTheme);

  themeToggleMobile?.addEventListener('click', toggleTheme);

  (function () {

    const saved = localStorage.getItem('theme');

    if (saved === 'dark') document.documentElement.classList.add('dark');

  })();

</script>

</body>

</html>

2 <!DOCTYPE html>

<html lang="en" class="scroll-smooth">

```

<head>

<meta charset="UTF-8" />

<meta name="viewport" content="width=device-width,initial-scale=1" />

<title>Shivangi — Projects</title>

<meta name="description" content="A list of projects created by Shivangi." />

<script src="https://cdn.tailwindcss.com"></script>

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;600;800&display=swap" rel="stylesheet">

<link rel="stylesheet" href="styles.css">

</head>

<body class="bg-gradient-to-br from-blue-50 via-white to-purple-50 text-gray-900 dark:bg-gradient-to-br dark:from-gray-950 dark:via-gray-900 dark:to-black dark:text-gray-100 transition-colors duration-500 min-h-screen">

<header class="sticky top-0 z-50 bg-white/70 dark:bg-gray-900/60 backdrop-blur supports-[backdrop-filter]:bg-white/60 border-b border-black/5 dark:border-white/10">

<nav class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

<div class="flex h-16 items-center justify-between">

Shivangi

<div class="hidden md:flex items-center space-x-8">

About

Projects

```
<a href="index.html#skills" class="hover:text-blue-600 dark: hover: text-blue-400">Skills</a>
```

```
<a href="index.html#timeline" class="hover:text-blue-600 dark: hover: text-blue-400">Timeline</a>
```

```
<a href="contact.html" class="hover:text-blue-600 dark: hover: text-blue-400">Contact</a>
```

```
<button id="themeToggle" class="rounded-full p-2 hover: bg-black/5 dark: hover: bg-white/10" aria-label="Toggle theme">🌙</button>
```

```
</div>
```

```
<button id="menuBtn" class="md: hidden rounded-lg p-2 hover: bg-black/5 dark: hover: bg-white/10" aria-label="Open menu">
```

```
<svg xmlns="http://www.w3.org/2000/svg" class="h-6 w-6" fill="none" viewBox="0 0 24 24" stroke="currentColor">
```

```
<path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M4 6h16M4 12h16M4 18h16"/>
```

```
</svg>
```

```
</button>
```

```
</div>
```

```
</nav>
```

```
<div id="mobileMenu" class="md: hidden hidden border-t border-black/5 dark: border-white/10">
```

```
<div class="px-4 py-3 space-y-2 bg-white/80 dark: bg-gray-900/80 backdrop-blur">
```

```
<a href="index.html" class="block py-2">About</a>
```

```
<a href="projects.html" class="block py-2 font-bold">Projects</a>
```

```
<a href="index.html#skills" class="block py-2">Skills</a>
```

```
<a href="index.html#timeline" class="block py-2">Timeline</a>
```

```
<a href="contact.html" class="block py-2">Contact</a>
```

```
<button id="themeToggleMobile" class="mt-2 w-full rounded-md border border-black/10 dark: border-white/10 py-2">Toggle Theme</button>
```

</div>

</div>

</header>

<iframe width="560" height="315"

src="https://www.youtube.com/embed/c_2iyQTsujQ"

title="YouTube video player"

frameborder="0"

allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope;
picture-in-picture"

allowfullscreen>

</iframe>

<main class="py-12 md:py-16">

<div class="max-w-6xl mx-auto px-4 sm:px-6 lg:px-8">

<div class="flex items-end justify-between mb-6">

<h1 class="text-2xl md:text-3xl font-extrabold">All My Projects</h1>

</div>

<div class="grid sm:grid-cols-2 lg:grid-cols-3 gap-6 mb-12">

<article class="group rounded-2xl overflow-hidden border border-black/10
dark:border-white/10 bg-white/70 dark:bg-gray-900/50 backdrop-blur shadow-sm
hover:shadow-lg transition">

<div class="h-40 bg-gradient-to-br from-blue-200 to-purple-200 dark:from-blue-
900/40 dark:to-purple-900/40"></div>

<div class="p-5">

<h3 class="font-bold text-lg">Responsive Portfolio</h3>

<p class="mt-2 text-sm text-gray-700 dark:text-gray-300">A sleek, fully
responsive portfolio template using Tailwind only.</p>

<div class="mt-4 flex items-center gap-2 text-xs">

HTML

Tailwind

</div>

</div>

</article>

<article class="group rounded-2xl overflow-hidden border border-black/10 dark:border-white/10 bg-white/70 dark:bg-gray-900/50 backdrop-blur shadow-sm hover:shadow-lg transition">

<div class="h-40 bg-gradient-to-tr from-emerald-200 to-cyan-200 dark:from-emerald-900/40 dark:to-cyan-900/40"></div>

<div class="p-5">

<h3 class="font-bold text-lg">Landing Page UI</h3>

<p class="mt-2 text-sm text-gray-700 dark:text-gray-300">Conversion-focused hero, CTA, and feature sections.</p>

<div class="mt-4 flex items-center gap-2 text-xs">

A11y

Perf

</div>

</div>

</article>

<article class="group rounded-2xl overflow-hidden border border-black/10 dark:border-white/10 bg-white/70 dark:bg-gray-900/50 backdrop-blur shadow-sm hover:shadow-lg transition">

```
<div class="h-40 bg-gradient-to-tr from-rose-200 to-orange-200 dark:from-rose-900/40 dark:to-orange-900/40"></div>
```

```
<div class="p-5">
```

```
<h3 class="font-bold text-lg">UI Components</h3>
```

```
<p class="mt-2 text-sm text-gray-700 dark:text-gray-300">Reusable cards, badges, buttons, and forms in pure Tailwind.</p>
```

```
<div class="mt-4 flex items-center gap-2 text-xs">
```

```
<span class="px-2 py-1 rounded bg-rose-50 dark:bg-rose-900/30 text-rose-700 dark:text-rose-300">Design</span>
```

```
<span class="px-2 py-1 rounded bg-orange-50 dark:bg-orange-900/30 text-orange-700 dark:text-orange-300">System</span>
```

```
</div>
```

```
</div>
```

```
</article>
```

```
</div>
```

```
</header>
```

```
<iframe width="560" height="315"
```

```
src="https://www.youtube.com/embed/c_2iyQTsujQ"
```

```
title="YouTube video player"
```

```
frameborder="0"
```

```
allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture"
```

```
allowfullscreen>
```

```
</iframe>
```

```
<div class="mt-12">
```

```
<h2 class="text-2xl md:text-3xl font-extrabold mb-4">Project History</h2>
```

```
<div class="overflow-x-auto rounded-lg border border-black/10 dark:border-white/10 bg-white/70 dark:bg-gray-900/50 backdrop-blur shadow-sm">
```

```
<table class="w-full text-sm text-left rtl:text-right text-gray-500 dark:text-gray-400">

  <thead class="text-xs text-gray-700 uppercase bg-gray-50 dark:bg-gray-700 dark:text-gray-400">

    <tr>

      <th scope="col" class="px-6 py-3">Project Name</th>

      <th scope="col" class="px-6 py-3">Description</th>

      <th scope="col" class="px-6 py-3">Year</th>

    </tr>

  </thead>

  <tbody>

    <tr class="bg-white/80 dark:bg-gray-900/80 border-b dark:border-gray-700">

      <td class="px-6 py-4 font-medium text-gray-900 dark:text-white whitespace-nowrap">Portfolio V1</td>

      <td class="px-6 py-4">A fully responsive personal portfolio.</td>

      <td class="px-6 py-4">2024</td>

    </tr>

    <tr class="bg-white/80 dark:bg-gray-900/80 border-b dark:border-gray-700">

      <td class="px-6 py-4 font-medium text-gray-900 dark:text-white whitespace-nowrap">Landing Page UI</td>

      <td class="px-6 py-4">A modern, conversion-focused landing page template.</td>

      <td class="px-6 py-4">2024</td>

    </tr>

    <tr class="bg-white/80 dark:bg-gray-900/80">

      <td class="px-6 py-4 font-medium text-gray-900 dark:text-white whitespace-nowrap">UI Components</td>

      <td class="px-6 py-4">A set of reusable UI components for web development.</td>
```

`<td class="px-6 py-4">2025</td>`

`</tr>`

`</tbody>`

`</table>`

`</div>`

`</div>`

`</div>`

`</main>`

`<footer class="mt-16 border-t border-black/10 dark:border-white/10">`

`<div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-8 flex flex-col sm:flex-row items-center justify-between gap-3">`

`<p class="text-sm">© 2025 Shivangi. All rights reserved.</p>`

`<div class="flex items-center gap-4 text-sm">`

`GitHub`

`LinkedIn`

`Twitter`

`</div>`

`</div>`

`</footer>`

`<script>`

`const $ = (sel) => document.querySelector(sel);`

`const menuBtn = $('#menuBtn');`

`const mobileMenu = $('#mobileMenu');`

`const themeToggle = $('#themeToggle');`


```

const themeToggleMobile = $('#themeToggleMobile');

menuBtn?.addEventListener('click', () => {

    mobileMenu.classList.toggle('hidden');

});

function toggleTheme() {

    document.documentElement.classList.toggle('dark');

    localStorage.setItem('theme', document.documentElement.classList.contains('dark') ?
'dark' : 'light');

}

themeToggle?.addEventListener('click', toggleTheme);

themeToggleMobile?.addEventListener('click', toggleTheme);

(function () {

    const saved = localStorage.getItem('theme');

    if (saved === 'dark') document.documentElement.classList.add('dark');

})();

</script>

</body>

</html>

```

3

!

DOCTYPE html>

<html lang="en" class="scroll-smooth">

<head>

<meta charset="UTF-8" />

```
<meta name="viewport" content="width=device-width,initial-scale=1" />
```

```
<title>Shivangi — Contact</title>
```

```
<meta name="description" content="Contact Shivangi for collaborations and work." />
```

```
<script src="https://cdn.tailwindcss.com"></script>
```

```
<link rel="preconnect" href="https://fonts.googleapis.com">
```

```
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```

```
<link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;600;800&display=swap" rel="stylesheet">
```

```
<link rel="stylesheet" href="styles.css">
```

```
</head>
```

```
<body class="bg-gradient-to-br from-blue-50 via-white to-purple-50 text-gray-900 dark:bg-gradient-to-br dark:from-gray-950 dark:via-gray-900 dark:to-black dark:text-gray-100 transition-colors duration-500 min-h-screen">
```

```
<header class="sticky top-0 z-50 bg-white/70 dark:bg-gray-900/60 backdrop-blur supports-[backdrop-filter]:bg-white/60 border-b border-black/5 dark:border-white/10">
```

```
<nav class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
```

```
<div class="flex h-16 items-center justify-between">
```

```
<a href="index.html" class="text-xl sm:text-2xl font-extrabold tracking-tight bg-clip-text text-transparent bg-gradient-to-r from-blue-600 to-purple-600">Shivangi</a>
```

```
<div class="hidden md:flex items-center space-x-8">
```

```
<a href="index.html" class="hover:text-blue-600 dark:hover:text-blue-400">About</a>
```

```
<a href="projects.html" class="hover:text-blue-600 dark:hover:text-blue-400">Projects</a>
```

```
<a href="index.html#skills" class="hover:text-blue-600 dark:hover:text-blue-400">Skills</a>
```

```
<a href="index.html#timeline" class="hover:text-blue-600 dark:hover:text-blue-400">Timeline</a>
```

```
<a href="contact.html" class="font-bold text-blue-600 dark:text-blue-400">Contact</a>
```

```
<button id="themeToggle" class="rounded-full p-2 hover:bg-black/5 dark:hover:bg-white/10" aria-label="Toggle theme">🌙</button>
```

```
</div>
```

```
<button id="menuBtn" class="md:hidden rounded-lg p-2 hover:bg-black/5 dark:hover:bg-white/10"
aria-label="Open menu">

  <svg xmlns="http://www.w3.org/2000/svg" class="h-6 w-6" fill="none" viewBox="0 0 24 24"
stroke="currentColor">

    <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M4 6h16M4
12h16M4 18h16"/>

  </svg>

</button>

</div>

</nav>

<div id="mobileMenu" class="md:hidden hidden border-t border-black/5 dark:border-white/10">

  <div class="px-4 py-3 space-y-2 bg-white/80 dark:bg-gray-900/80 backdrop-blur">

    <a href="index.html" class="block py-2">About</a>

    <a href="projects.html" class="block py-2">Projects</a>

    <a href="index.html#skills" class="block py-2">Skills</a>

    <a href="index.html#timeline" class="block py-2">Timeline</a>

    <a href="contact.html" class="block py-2 font-bold">Contact</a>

    <button id="themeToggleMobile" class="mt-2 w-full rounded-md border border-black/10
dark:border-white/10 py-2">Toggle Theme</button>

  </div>

</div>

</header>

|

<main class="py-12 md:py-16">

  <div class="max-w-3xl mx-auto px-4 sm:px-6 lg:px-8">

    <div class="rounded-2xl p-6 md:p-8 border border-black/10 dark:border-white/10 bg-white/80
dark:bg-gray-900/60 backdrop-blur shadow-sm">

      <h1 class="text-2xl md:text-3xl font-extrabold">Let's work together</h1>

      <p class="mt-2 text-gray-700 dark:text-gray-300">Have a project or idea? Drop a message.</p>
```

```
<form class="mt-6 grid gap-4">
```

```
<div class="grid sm:grid-cols-2 gap-4">
```

```
<label class="block">
```

```
<span class="text-sm">Name</span>
```

```
<input type="text" required class="mt-1 w-full rounded-lg border border-black/10  
dark:border-white/10 bg-white dark:bg-gray-900 px-3 py-2 outline-none focus:ring-2 focus:ring-blue-500"  
placeholder="Your name">
```

```
</label>
```

```
<label class="block">
```

```
<span class="text-sm">Email</span>
```

```
<input type="email" required class="mt-1 w-full rounded-lg border border-black/10  
dark:border-white/10 bg-white dark:bg-gray-900 px-3 py-2 outline-none focus:ring-2 focus:ring-blue-500"  
placeholder="you@email.com">
```

```
</label>
```

```
</div>
```

```
<label class="block">
```

```
<span class="text-sm">Message</span>
```

```
<textarea rows="4" required class="mt-1 w-full rounded-lg border border-black/10 dark:border-  
white/10 bg-white dark:bg-gray-900 px-3 py-2 outline-none focus:ring-2 focus:ring-blue-500"  
placeholder="Tell me about your project..."></textarea>
```

```
</label>
```

```
<button type="submit" class="inline-flex items-center justify-center gap-2 rounded-xl px-5 py-3  
font-semibold text-white bg-gradient-to-r from-blue-600 to-purple-600 shadow hover:shadow-lg  
transition">
```

```
Send Message
```

```
</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</main>
```

```
<footer class="mt-16 border-t border-black/10 dark:border-white/10">
```

```
  <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-8 flex flex-col sm:flex-row items-center justify-between gap-3">
```

```
    <p class="text-sm">© 2025 Shivangi. All rights reserved.</p>
```

```
    <div class="flex items-center gap-4 text-sm">
```

```
      <a href="#" class="hover:text-blue-600 dark:hover:text-blue-400">GitHub</a>
```

```
      <a href="#" class="hover:text-blue-600 dark:hover:text-blue-400">LinkedIn</a>
```

```
      <a href="#" class="hover:text-blue-600 dark:hover:text-blue-400">Twitter</a>
```

```
    </div>
```

```
  </div>
```

```
</footer>
```

```
<script>
```

```
  const $ = (sel) => document.querySelector(sel);
```

```
  const menuBtn = $('#menuBtn');
```

```
  const mobileMenu = $('#mobileMenu');
```

```
  const themeToggle = $('#themeToggle');
```

```
  const themeToggleMobile = $('#themeToggleMobile');
```

```
  menuBtn?.addEventListener('click', () => {
```

```
    mobileMenu.classList.toggle('hidden');
```

```
  });
```

```
  function toggleTheme() {
```

```
    document.documentElement.classList.toggle('dark');
```

```
    localStorage.setItem('theme', document.documentElement.classList.contains('dark') ? 'dark' : 'light');
```

```
  }
```

```
  themeToggle?.addEventListener('click', toggleTheme);
```

```
  themeToggleMobile?.addEventListener('click', toggleTheme);
```

```
(function () {
```

```
  const saved = localStorage.getItem('theme');
```

```
  if (saved === 'dark') document.documentElement.classList.add('dark');
```

```
})();
```

```
</script>
```

```
</body>
```

```
</html>
```