

VISVESVARAYA TECHNOLOGICAL UNIVERSITY

“JnanaSangama”, Belgaum -590014, Karnataka.



LAB REPORT On COMPILER DESIGN

Submitted by
SHIVANI SATHYANARAYANAN(1BM21CS203)

Under the Guidance of
Sonika Sharma D
Assistant Professor, BMSCE

in partial fulfillment for the award of the degree of
BACHELOR OF ENGINEERING
in
COMPUTER SCIENCE AND ENGINEERING



B.M.S. COLLEGE OF ENGINEERING
(Autonomous Institution under VTU)
BENGALURU-560019
Nov-2023 to Feb-2024

B. M. S. College of Engineering,
Bull Temple Road, Bangalore 560019
(Affiliated To Visvesvaraya Technological University, Belgaum)
Department of Computer Science and Engineering



CERTIFICATE

This is to certify that the lab work entitled “Compiler Design” carried out by SHIVANI SATHYANARAYANAN(1BM21CS203) who are bonafide students of **B. M. S. College of Engineering**. It is in partial fulfillment for the award of **Bachelor of Engineering in Computer Science and Engineering** of the Visveswaraiiah Technological University, Belgaum during the year 2023-2024. The project report has been approved as it satisfies the academic requirements in respect of Compiler Design Lab (**22CS5PCCPD**) work prescribed for the said degree.

Signature of the Guide
Sonika Sharma D
Assistant Professor, Dept. of CSE
BMSCE, Bengaluru

Signature of the HOD
Dr. Jyothi S Nayak
Prof.& Head, Dept. of CSE
BMSCE, Bengaluru

INDEX

Sl.No	Program Title	Page No
1.	Week-01 Program1 Program2 Program3 Program4 Program5	6-10
2.	Week-02 1. Write a lex program to check whether input is digit or not 2. Write a lex program to check whether the given number is even or odd. 3. Write a lex program to check whether a number is Prime or not. 4. Write a lex program to recognize a) identifiers b) keyword-int and float c) anything else as invalid tokens 5. Write a lex program to identify a) identifiers b) keyword-int and float c) anything else as invalid tokens Read these from a text file.	11-17
3.	Week-03 1.Lex program to count the number of comment lines (multi line comments or single line) in a program. Read the input from a file called input.txt and print the count in a file called output.txt 2. Write a program in LEX to recognize Floating Point Numbers. Check for all the following 3. Write a program to read and check if the user entered number is signed or unsigned using appropriate meta character 4. Write a program to check if the input sentence ends with any of the following punctuation marks (? , fullstop , !)	18-23
4.	Week -04 1. Write a program in LEX to recognize different tokens: Keywords, Identifiers, Constants, Operators and Punctuations?	24-30

	<p>2. Write a LEX program to recognize the following tokens over the alphabets $\{0,1,\dots,9\}$</p> <p>a) The set of all string ending in 00.</p> <p>b) The set of all strings with three consecutive 222's.</p> <p>c) The set of all string such that every block of five consecutive symbols contains atleast two 5's.</p> <p>d) The set of all strings beginning with a 1 which, interpreted as the binary representation of an integer, is congruent to zero modulo 5.</p> <p>e) The set of all strings such that the 10th symbol from the right end is 1.</p>	
5.	<p>Week-05</p> <p>1. Write a Program to design Lexical Analyzer in C/C++/Java/python language(to recognize any five keywords, identifiers, numbers, operators and punctuation)</p> <p>2. Write a Lex Program that copies a file, replacing each nonempty sequence of white spaces by a single blank.</p>	31-33
6.	<p>Week-06</p> <p>1. Design a suitable grammar for evaluation of arithmetic expression having + and – operators.</p> <p>2. Design a suitable grammar for evaluation of arithmetic expression having +, –, *, /, %, ^ operators. ^ having highest priority and right associative % having second highest priority and left associative *, / have third highest priority and left associative +, - having least priority and left associative</p>	34-38
7.	<p>Week-07</p> <p>1. Program to recognize the grammar $(anb, n \geq 5)$. Hint : $S \rightarrow aaaaaEb$ $E \rightarrow aE \mid \epsilon$</p> <p>2. Program to recognize strings 'aab', 'abb', 'ab' and 'a' using the grammar $(anbn, n \geq 0)$. Hint : $S \rightarrow aSb \mid \epsilon$</p> <p>3. Write a YACC program to accept strings with exactly one a where $\Sigma = \{a,b\}$</p> <p>4. Recursive Descent Parsing with back tracking (Brute Force Method). $S \rightarrow cAd, A \rightarrow ab/a$</p> <p>5. Write a Yacc program to generate syntax tree for a given arithmetic expression</p>	39-48
8.	<p>Week-08</p> <p>1. Use YACC to convert: Infix expression to Postfix expression.</p>	49-52

	2.Modify the program so as to include operators such as / , - , ^ as per their arithmetic associativity and precedence	
9.	<p>Week-09</p> <p>1)Use YACC to implement,evaluator for arithmetic expressions(Desktop calculator).</p> <p>2.YACC to generate 3-Adress code for given expression.</p>	53-60

WEEK-1

Program 1

```
%option noyywrap

%{

#include<stdio.h>

%}

%%

[0-9]+ {printf("number:%s\n",yytext);}

[+-] {printf("operator:%s\n",yytext);}

[ \t\n] { /*ignore whitespaces and newline*/}

[a-zA-Z]* {printf("invalid character:%s\n",yytext);}

%%


int main()

{

printf("Enter the input: ");

yylex();

return 0;

}
```

OUTPUT

```
Enter the input: xyz
invalid character:xyz
█
```

Program 2

```
%{
#include<stdio.h>

int c=0;

%}

%%

[a-zA-Z0-9]+ {c++;}

\n {printf("The count is %d",c);}

%%

int yywrap()

{

}

int main()

{

printf("Enter the sentence : ");

yylex();

return 0;

}
```

OUTPUT

```
Enter the sentence : Have a good day
The count is 4
█
```

Program 3

```
{  
  
#include<stdio.h>  
  
int vow_count=0;  
  
int const_count=0;  
  
%}  
  
%%  
  
[aeiouAEIOU] {vow_count++;}  
  
[a-zA-Z] {const_count++;}  
  
\n {printf("Vowels count is=%d, Consonants count is=%d",vow_count,const_count);}  
  
%%  
  
int yywrap()  
  
{  
  
}  
  
int main()  
  
{  
  
printf("Enter the string of vowels and consonants: ");  
  
yylex();  
  
return 0;  
  
}
```

OUTPUT

```
Enter the string of vowels and consonants: Good Morning  
Vowels count is=4, Consonants count is=7
```


Program 4

option noyywrap

%{

#include<stdio.h>

%}

%%

int|char|float {printf("\n%s->keyword",yytext);}

,|; {printf("\n %s->separator",yytext);}

[a-zA-Z0-9]* {printf("\n %s->identifier",yytext);}

%%

int wrap()

{

}

int main()

{

printf("Enter the input : ");

yylex();

return 0;

}

OUTPUT

```
Enter the input : int,variable,float
```

```
int->keyword  
,->separator  
variable->identifier  
,->separator  
float->keyword  
□
```

Program 5


```
%%  
. ECHO;  
%%  
int yywrap(void)  
{  
}  
int main(void)  
{  
yylex();  
return 0;  
}
```

WEEK 2

1. Write a lex program to check whether input is digit or not

```
%{  
#include<stdio.h>  
#include<stdlib.h>  
%}  
%%  
^[0-9]* printf("digit");  
^[^0-9][0-9]*[a-zA-Z] printf("not a digit");  
.;  
%%  
int yywrap()  
{  
}  
int main()  
{  
yylex();  
return 0;  
}
```

OUTPUT



```
7a  
not a digit  
7  
digit  
|
```

2. Write a lex program to check whether the given number is even or odd.

```

%{
#include<stdio.h>

int i;

%}

%%

[0-9]+ {i=atoi(yytext);
        if(i%2==0)
            printf("Even");
        else
            printf("Odd");}

%%

int yywrap(){}

int main()
{
    yylex();
    return 0;
}

```

OUTPUT

```

8
Even
31
Odd

```

3. Write a lex program to check whether a number is Prime or not.

```

%{

```

```

#include<stdio.h>

#include<stdlib.h>

int flag,c,j;

%}

%%

[0-9]+ {c=atoi(yytext);

    if(c==2)

    {

        printf("\n Prime number");

    }

    else if(c==0 || c==1)

    {

        printf("\n Not a Prime number");

    }

    else

    {

        for(j=2;j<c;j++)

        {

            if(c%j==0)

                flag=1;

        }

        if(flag==1)

            printf("\n Not a prime number");

        else if(flag==0)

            printf("\n Prime number");

```

```

    }
}
%%

int yywrap()
{
}

int main()
{
    yylex();
    return 0;
}

```

OUTPUT



```

13
Prime number
6
Not a prime number

```

4. Write a lex program to recognize
- a) identifiers
 - b) keyword-int and float
 - c) anything else as invalid tokens.

```

%{
    #include<stdio.h>
}%

alpha[a-zA-Z]
digit[0-9]
%%

```

```

(float|int) {printf("\nkeyword");}

{alpha}({digit}|{alpha})* {printf("\nidentifier");}

{digit}({digit}|{alpha})* {printf("\ninvalid token");}

%%

int yywrap()

{

}

int main()

{

yylex();

return 0;

}

```

OUTPUT



```

int
keyword
var
identifier
sb
invalid token

```

5. Write a lex program to identify
 - a) identifiers
 - b) keyword-int and float
 - c) anything else as invalid tokens

Read these from a text file.

```

%{
    #include<stdio.h>

    char fname[25];
}%

alpha[a-zA-Z]
digit[0-9]

%%

(float|int) {printf("\nkeyword");}

{alpha}({digit}|{alpha})* {printf("\nidentifier");}

{digit}({digit}|{alpha})* {printf("\ninvalid token");}

%%

int yywrap()
{
}

int main()
{
printf("enter filename");
scanf("%s",fname);
yyin=fopen(fname,"r");
yylex();
return 0;
fclose(yyin);
}

```

OUTPUT


```
enter filenameInput.txt
```

```
keyword
```

```
identifier;
```

WEEK-3

1. Lex program to count the number of comment lines (multi line comments or single line) in a program. Read the input from a file called input.txt and print the count in a file called output.txt

```
%{  
  
#include <stdio.h>  
  
int cc=0;  
  
%}  
  
%x CMNT  
  
%%  
  
"/*" {BEGIN CMNT;}  
  
<CMNT>. ;  
  
<CMNT>"*/" {BEGIN 0; cc++;}  
  
%%  
  
int yywrap() { }  
  
int main(int argc, char *argv[])  
  
{  
  
if(argc!=3)  
  
{  
  
printf("Usage : %s <scr_file> <dest_file>\n",argv[0]);  
  
return 0;  
  
}  
  
yyin=fopen(argv[1],"r");  
  
yyout=fopen(argv[2],"w");
```

```

yylex();

printf("\nNumber of multiline comments = %d\n",cc);

return 0;

}

```

OUTPUT

```

Number of multiline comments = 2

```

2. Write a program in LEX to recognize Floating Point Numbers. Check for all the following input cases

```

%{

#include<stdio.h>

int cnt=0;

%}

sign [+|-]

num [0-9]

dot [.]

%%

{sign}?{num}*{dot}{num}* {printf("Floating point no.");cnt=1;}

{sign}?{num}* {printf("Not Floating point no.");cnt=1;}

%%

int yywrap()

{

}

```

```

int main()

{

yylex();

if(cnt==0){

printf("Not floating pnt no.");

}

return 0;

}

```

OUTPUT

```

-67.5
Floating point no.
-93
Not Floating point no.

```

3. Write a program to read and check if the user entered number is signed or unsigned using appropriate meta character

```

%{

#include<stdio.h>

int cnt=0;

%}

sign [+|-]

num [0-9]

dot [.]

%%

```

```
{sign} {num} * {dot} * {num} * {printf("Signed no.");cnt=1;}
```

```
{num} * {dot} * {num} * {printf("Unsigned no.");cnt=1;}
```

```
%%
```

```
int yywrap()
```

```
{
```

```
}
```

```
int main()
```

```
{
```

```
yylex();
```

```
if(cnt==0){
```

```
printf("Not floating pnt no.");
```

```
}
```

```
return 0;
```

```
}
```

OUTPUT

```
+67
Signed no.
89
Unsigned no.

```

4. Write a program to check if the input sentence ends with any of the following punctuation marks (? , fullstop , !)

```
%{
```

```
#include<stdio.h>
```

```

int cnt=0;

%}

punc [?|,|.|!]

chars [a-z|A-Z|0-9|" "\t]

%%

{chars}*{punc} {printf("Sentence ends with punc");}

{chars}* {printf("Sentence does not end with punc");}

%%

int yywrap()

{

}

int main()

{

yylex();

return 0;

}

```

OUTPUT

```

Hello
Sentence does not end with punc
Hello hi.
Sentence ends with punc

```

5.

```

%{

#include<stdio.h>

```

```

int cnt=0;

%}

chars [a-z|A-Z|0-9]

check [A|a|AN|An|THE|The]

%%

{check}+{chars}* {printf("Begins with %s",yytext);} {chars}* {printf("Invalid");}

%%

int yywrap()

{

}

int main()

{

yylex();

return 0;

}

```

WEEK 4

1. Write a program in LEX to recognize different tokens: Keywords, Identifiers, Constants, Operators and Punctuations?

```
%{  
  
#include<stdio.h>  
  
int cnt=0;  
  
%}  
  
letter [a-zA-Z]  
  
digit [0-9]  
  
punc [!|.|.]  
  
oper [ + | * | - | / | % ]  
  
boole [true|false]  
  
%%  
  
{digit}+|{digit}*.{digit}+ {printf("Constants");}  
  
int|float {printf("Keyword");}  
  
{letter}({digit}|{letter})* {printf("Identifiers");}  
  
{oper} {printf("Operator");}  
  
{punc} {printf("Punctuator");}  
  
%%  
  
int yywrap()  
  
{  
  
}
```



```

int main()
{
    yylex();
    return 0;
}

```

OUTPUT

```

a
Identifiers
25
Constants
int
Keyword
!
Punctuator
+
Operator
hello!
IdentifiersPunctuator

```

2. Write a LEX program to recognize the following tokens over the alphabets {0,1,...,9}

- The set of all string ending in 00.
- The set of all strings with three consecutive 222's.
- The set of all string such that every block of five consecutive symbols contains at least two 5's.

```
%{
```

```
#include<stdio.h>
```

```

int flag=0,i;

%}

letter [a-zA-Z]

digit [0-9]

A [0-9]

punc [!|.|.]

oper [ + | * | - | / | % ]

boole [true|false]

%%

{digit}*00 {printf("Ending with 00");}

{digit}*222{digit}* {printf("Consecutive 222");}

{A}{A}{A}{A}{A} {

flag=0;

for(i=0;i<yyleng;i++){

if(yytext[i]=='5'){

flag=flag+1;

}

}

if(flag>=2){

printf("Success");

}

else{

```

```
printf("Failure");
```

```
}
```

```
}
```

```
%%
```

```
int yywrap()
```

```
{
```

```
}
```

```
int main()
```


```
{
```

```
yylex();
```

```
return 0;
```

```
}
```

OUTPUT



```
1200
Ending with 00
122233
Consecutive 222
12535
Success
```

d) The set of all strings beginning with a 1 which, interpreted as the binary representation of an integer, is congruent to zero modulo 5.

e) The set of all strings such that the 10th symbol from the right end is 1.

d[0-9]

```
%{
```

```
/* d is for recognising digits */
```

```
int c1=0,c2=0,c3=0,c4=0,c5=0,c6=0,c7=0;
```

```

/* c1 to c7 are counters for rules a1 to a7 */

%}

%%

({d})*00 { c1++; printf("%s rule A\n",yytext);}

({d})222({d}) { c2++; printf("%s rule B\n",yytext);}

(1(0)(11|01)(01*01|00*10(0)(11|1))0)(1|10(0)(11|01)(01*01|00*10(0)(11|1))*10) {

c4++;

printf("%s rule D \n",yytext);

}

({d})*1{d}{9} {

c5++; printf("%s rule E \n",yytext);

}

({d})* {

int i,c=0;

if(yyvaleng<5)

{

printf("%s doesn't match any rule\n",yytext);

}

else

{

for(i=0;i<5;i++) { if(yytext[i]=='5') {

c++; } }

if(c>=2)

```

```

{
for(;i<yyleng;i++)

{
if(yytext[i-5]=='5') {
c--; }

if(yytext[i]=='5') { c++;

}

if(c<2) { printf("%s doesn't match any rule\n",yytext);
break; }

}

if(yyleng==i)

{
printf("%s ruleC\n",yytext); c3++; }

}

else

{
printf("%s doesn't match any rule\n",yytext);

}

}

}

%%

int yywrap()

{

```

```
}  
  
int main()  
{  
    printf("Enter text\n");  
    yylex();  
    printf("Total number of tokens matching rules are : \n");  
    printf("Rule A : %d \n",c1);  
    printf("Rule B : %d \n",c2);  
    printf("Rule C : %d \n",c3);  
    printf("Rule D : %d \n",c4);  
    printf("Rule E : %d \n",c5);  
    return 0;  
}
```

OUTPUT:

```
Enter text  
1000  
1000 rule A  
  
122200  
122200 rule A  
  
12223  
12223 rule B  
  
1253533535  
1253533535 rule E  
  
12535  
12535 ruleC
```

WEEK 5

1. Write a Program to design Lexical Analyzer in C/C++/Java/python language(to recognize any five keywords,identifiers,numbers,operators and punctuation)

```
kwd=['int','float','char','if','else']

oper=['+','-','*','/','%']

punct=['.',',','!']

def func():

    txt=input("Enter text")

    txt=txt.split()

    for token in txt:

        if token in kwd:

            print(token + "is keyword")

        elif (token in oper):

            print(token + "is operator")

        elif(token in punct):

            print(token + "is punctuator")

        elif(token.isnumeric()):

            print(token + "is number")

        elif(not token[0].isnumeric()):

            print(token + "is identifier")

        else:

            print(token + "is not valid identifier")

    func()
```

OUTPUT

```
Enter textHello int 123 . +
Hellois identifier
intis keyword
123is number
.is punctuator
+is operator
```

2. Write a Lex Program that copies a file, replacing each nonempty sequence of white spaces by a single blank.

```
%{
#include<stdio.h>

%}

%%

[\\t" "] + fprintf(yyout, " ");
.\\n fprintf(yyout, "%s", yytext);

%%


int yywrap()
{
return 1;
}

int main(void)
{
yyin=fopen("input1.txt", "r");
```




```
yyout=fopen("output.txt","w");  
  
yylex();  
  
return 0;  
  
}
```

Input.txt



The screenshot shows a text editor window with the title 'w5p1.l'. The text inside the editor is: '1 Good Morning. How are you. I am fine . Thank you.' The text is displayed in a monospaced font with syntax highlighting: '1' is blue, 'Good' is green, 'Morning.' is green, 'How are' is green, 'you.' is green, 'I am' is green, 'fine' is green, '.' is green, 'Thank' is green, and 'you.' is green.

Output.txt



The screenshot shows a text editor window with the title 'w5p1.l'. The text inside the editor is: '1 Good Morning. How are you. I am fine . Thank you.' The text is displayed in a monospaced font with syntax highlighting: '1' is blue, 'Good' is green, 'Morning.' is green, 'How are' is green, 'you.' is green, 'I am' is green, 'fine' is green, '.' is green, 'Thank' is green, and 'you.' is green.

WEEK 6

1. Design a suitable grammar for evaluation of arithmetic expression having + and – operators.

+ has least priority and it is left associative

- has higher priority and is right associative

lex

```
%{  
  
#include "y.tab.h"  
  
%}  
  
%%  
  
[0-9]+ {yylval=atoi(yytext); return NUM;}  
  
[\t]    ;  
  
\n      return 0;  
  
.       return yytext[0];  
  
%%  
  
int yywrap()  
  
{  
  
}
```

yacc

```
%{  
  
#include<stdio.h>  
  
%}  
  
%token NUM  
  
%left '+'
```

```

%right '-'

%%

expr:e {printf("Valid Expression\n"); printf ("Result: %d\n",$$); return 0;}

e:e+'e' {$$=$1+$3;}

| e-'e' {$$=$1-$3;}

| NUM      {$$=$1;}

;

%%

int main()

{

printf("\n Enter an arithmetic expression\n");

yyparse();

return 0;

}

int yyerror()

{

printf("\nInvalid expression\n");

return 0;

}

```

OUTPUT

```
Enter an arithmetic expression
2+3
Valid Expression
Result: 5
```

```
Enter an arithmetic expression
5-2+3-6
Valid Expression
Result: 0
```

2. Design a suitable grammar for evaluation of arithmetic expression having +, -, *, /, %, ^ operators.

^ having highest priority and right associative

% having second highest priority and left associative

*, / have third highest priority and left associative

+, - having least priority and left associative

%{

#include "y.tab.h"

%}

%%

[0-9]+ {yylval=atoi(yytext); return NUM;}

[\t] ;

\n return 0;

. return yytext[0];

%%

int yywrap()

{

```

}

%{

#include<stdio.h>

%}

%token NUM

%left '+' '-'

%left '*' '/' '%'

%right '^'

%%

expr: e { printf("Valid expression\n"); printf("Result: %d\n", $$); return 0; }

e: e '+' e      {$$ = $1 + $3;}

  | e '-' e      {$$ = $1 - $3;}

  | e '*' e      {$$ = $1 * $3;}

  | e '/' e      {$$ = $1 / $3;}

  | e '%' e      {$$ = $1 % $3;}

  | e '^' e      {
                        int result = 1;

                        for (int i = 0; i < $3; i++) {

                            result *= $1;

                        }

                        $$ = result;

                    }

  | NUM          {$$ = $1;}

```

```

        ;

        %%

int main()
{
    printf("\nEnter an arithmetic expression:\n");

    yyparse();

    return 0;
}

int yyerror()
{
    printf("\nInvalid expression\n");

    return 0;
}

```

OUTPUT

```

Enter an arithmetic expression:
1+2*3%1^2
Valid expression
Result: 1

```

WEEK-7

1. Program to recognize the grammar (anb, $n \geq 5$).

Hint : $S \rightarrow aaaaaEb$

$E \rightarrow aE \mid \epsilon$

p2.l

```
%{ #include "y.tab.h" %}
```

```
%%
```

```
[aA] {return A;}
```

```
[bB] {return B;}
```

```
\n {return NL;}
```

```
. {return yytext[0];}
```

```
%%
```

```
int yywrap()
```

```
{
```

```
    return 1;
```

```
}
```

p2.y

```
%{
```

```
#include<stdio.h>
```

```
#include<stdlib.h>
```

```
%}
```

```
%token A B NL
```

```
%%
```

```
stmt: A A A A A S B NL {printf("valid string\n"); exit(0);}
```

```
;
```

```
S: S A
```

```
| ;
```

```
%%
```

```
int yyerror(char *msg)
```

```
{
```

```
printf("invalid string\n");
```

```
exit(0);
```

```
}
```

```
main()
```


```
{
```

```
printf("enter the string\n");
```

```
yyvsparse();
```

```
}
```

OUTPUT:



```
C:\windows\system32\cmd.exe
C:\Users\Prameetha\Desktop\SS\ss>7a.exe
enter the string
aaab
invalid string

C:\Users\Prameetha\Desktop\SS\ss>7a.exe
enter the string
aaaaaab
valid string

C:\Users\Prameetha\Desktop\SS\ss>7a.exe
enter the string
ababa
invalid string

C:\Users\Prameetha\Desktop\SS\ss>
```


2. Program to recognize strings 'aaab', 'abbb', 'ab' and 'a' using the grammar ($anbn, n \geq 0$).

Hint : $S \rightarrow aSb \mid \epsilon$

P3.1

```
%{ #include "y.tab.h" %}
```

```
%%
```

```
[aA] {return A;}
```

```
[bB] {return B;}
```

```
\n {return NL;}
```

```
. {return yytext[0];}
```

```
%%
```

```
int yywrap() {
```

```
    return 1; }
```

P3.y

```
%{
```

```
#include<stdio.h>
```

```
#include<stdlib.h>
```

```
%}
```

```
%token A B NL
```

```
%%
```

```
stmt: S NL {printf("valid string\n"); exit(0);}
```

```
;
```

S: A S B

| ;

%%

```
int yyerror(char *msg)
```

```
{
```

```
    printf("invalid string\n");
```

```
    exit(0);
```

```
}
```

```
main()
```


```
{
```

```
    printf("enter the string\n");
```

```
    yyparse();
```


```
}
```

OUTPUT:



```
enter the string
aabb
valid string
```

3.



```
enter the string
abb
invalid string
```

4.

5. 3. Write a YACC program to accept strings with exactly one a where $\Sigma = \{a,b\}$
P4.1

```
%{ #include "y.tab.h" %}
```

```
%%
```

```
[aA] {return A;}
```

```
[bB] {return B;}
```

```
\n {return NL;}
```

```
. {return yytext[0];}
```

```
%%
```

```
int yywrap() {
    return 1; }
```

P4.y

```
%{
#include<stdio.h>
#include<stdlib.h>
%}
%token A B NL
%%
stmt: S NL {printf("valid string\n"); exit(0);}
;
S: B S
| A X ;

X : B X |
;
%%
int yyerror(char *msg)
{
    printf("invalid string\n");
    exit(0);
}
main()
{
    printf("enter the string\n");
    yyparse();
}
```

OUTPUT:

```
enter the string
abbb
valid string
```

```
enter the string
aabb
invalid string
```

6. Recursive Descent Parsing with back tracking (Brute Force Method).S->cAd,A->ab/a

```
#include <stdio.h>
```

```
int index = 0;
```

```

int parse_A(char input_str[]) {
    int current_index = index;

    if (input_str[index] == 'a') {
        index++;

        if (input_str[index] == 'b') {
            index++;

            return 1;
        } else {
            // Backtrack

            index = current_index;

            return 0;
        }
    } else if (input_str[index] == 'a') {
        index++;

        return 1;
    }

    return 0;
}

```

```

int parse_S(char input_str[]) {
    if (input_str[index] == 'c') {
        index++;

        if (parse_A(input_str)) {

```

```

        if (input_str[index] == 'd') {

            index++;

            return 1;

        }

    }

}

return 0;

}

```

```

void recursive_descent_parser(char input_str[]) {

    index = 0;

    if (parse_S(input_str) && input_str[index] == '\0') {

        printf("Parsing successful.\n");

    } else {

        printf("Parsing failed.\n");

    }

}

```

```

int main() {

    char input_string[] = "cabdc";

    recursive_descent_parser(input_string);

    return 0;
}

```

```
}
```

OUTPUT

```
main.c:12:5: warning: built-in function 'index' declared as non-function [-Wbuiltin-declaration-mismatch]
   12 | int index = 0;
      |     ^~~~~
Parsing failed.
```

```
main.c:12:5: warning: built-in function 'index' declared as non-function [-Wbuiltin-declaration-mismatch]
   12 | int index = 0;
      |     ^~~~~
Parsing successful.
```

7. Write a Yacc program to generate syntax tree for a given arithmetic expression

p1.l

```
%{
#include "y.tab.h"
extern int yylval;
}%
%%
[0-9]+ { yylval=atoi(yytext); return digit;}
[\t] ;
[\n] return 0;
. return yytext[0];
%%
int yywrap()
{
}
```

p1.y

```
%{
#include <math.h>
#include <ctype.h>
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
struct tree_node
```

```

{
char val[10];
int lc;
int rc;
};
int ind;
struct tree_node syn_tree[100];
void my_print_tree(int cur_ind);
int mknode(int lc,int rc,char val[10]);
%}
%token digit
%%
S:E { my_print_tree($1); }
;
E:E'+T { $$= mknode($1,$3,"+"); ; }
|T { $$=$1; }
;
T:T'*F { $$= mknode($1,$3,"*"); ; }
|F { $$=$1 ; }
;
F:('E') { $$=$2; }
|digit {char buf[10]; sprintf(buf,"%d", yylval); $$ = mknode(-1,-1,buf);}
%%
int main()
{
ind=0;
printf("Enter an expression\n");
yyparse();
return 0;
}
int yyerror()
{
printf("NITW Error\n");
}
int mknode(int lc,int rc,char val[10])
{
strcpy(syn_tree[ind].val,val);
syn_tree[ind].lc = lc;
syn_tree[ind].rc = rc;
ind++;
return ind-1;
}
/*my_print_tree function to print the syntax tree in DLR fashion*/
void my_print_tree(int cur_ind)
{
if(cur_ind==-1) return;


```

```

if(syn_tree[cur_ind].lc==-1&&syn_tree[cur_ind].rc==-1)
printf("Digit Node -> Index : %d, Value :
%s\n",cur_ind,syn_tree[cur_ind].val); else
printf("Operator Node -> Index : %d, Value : %s, Left Child Index : %d,Right Child
Index : %d \n",cur_ind,syn_tree[cur_ind].val,
syn_tree[cur_ind].lc,syn_tree[cur_ind].rc); my_print_tree(syn_tree[cur_ind].lc);
my_print_tree(syn_tree[cur_ind].rc);
}

```

OUTPUT



```

root@DESKTOP-HUVA0GE: ~
root@DESKTOP-HUVA0GE:~# ./a.out
Enter an expression
2+3*5
Operator Node -> Index : 4, Value : +, Left Child Index : 0,Right Child Index : 3
Leaf Node -> Index : 0, Value : 2
Operator Node -> Index : 3, Value : *, Left Child Index : 1,Right Child Index : 2
Leaf Node -> Index : 1, Value : 3
Leaf Node -> Index : 2, Value : 5
root@DESKTOP-HUVA0GE:~#

```


WEEK-8

1. Use YACC to convert: Infix expression to Postfix expression.

p4.l

```
%{  
#include "y.tab.h"  
extern int yylval;  
%}  
%%  
[0-9]+ { yylval=atoi(yytext); return digit;}  
[\t] ;  
[\n] return 0;  
. return yytext[0];  
%%
```

int yywrap()

```
{  
}
```

p4.y

```
%{  
#include <ctype.h>  
#include<stdio.h>  
#include<stdlib.h>  
%}  
%token digit  
%%  
S: E {printf("\n\n");}  
;  
E: E '+' T { printf ("+" );}  
| T  
;  
T: T '*' F { printf ("*");}  
| F
```

```

;
F: '(' E ')'
| digit {printf("%d", $1);}
;
%%

int main()
{
printf("Enter infix expression: ");
yyparse();
}

yyerror()
{
printf("Error");
}

```

OUTPUT

```

root@DESKTOP-HUVA0GE:~# lex p4.l
root@DESKTOP-HUVA0GE:~# yacc p4.y
root@DESKTOP-HUVA0GE:~# gcc lex.yy.c y.tab.c
y.tab.c: In function 'yyparse':
y.tab.c:1019:16: warning: implicit declaration of function 'yylex' [-Wimplicit-function-declaration]
1019 |     yychar = yylex ();
      |              ^~~~~~
y.tab.c:1178:7: warning: implicit declaration of function 'yyerror'; did you mean 'yyerrok'? [-Wimplicit-function-declaration]
1178 |     yyerror (YY_("syntax error"));
      |     ^~~~~~
      | yyerrok
p4.y: At top level:
p4.y:28:1: warning: return type defaults to 'int' [-Wimplicit-int]
 28 | yyerror()
      | ^~~~~~
root@DESKTOP-HUVA0GE:~# ./a.out
Enter infix expression: 2+6*3+4
263*+4+

```

2. Modify the program so as to include operators such as / , - , ^ as per their arithmetic associativity and precedence

```
%{
#include <ctype.h>
#include<stdio.h>
#include<stdlib.h>
%}
%token digit
%left '+' '-'
%left '*' '/'
%right '^'
%%
S: E {printf("\n\n");}
;
E: E '+' T { printf ("+" );}
| E '-' T { printf ("-");}
| T
;
T: T '*' G { printf ("*");}
| T '/' G { printf ("/");}
| G
;
G: G '^' F { printf ("^");}
| F
;
F: '(' E ')'
| digit {printf("%d", $1);}
;
%%
int main()
{
printf("Enter infix expression: ");
yyparse();
}
yyerror()
{
printf("Error");
}
```

}

OUTPUT

```
Enter infix expression: 2^3+4^5
23^45^+
```

WEEK 9

1) Use YACC to implement evaluator for arithmetic expressions (Desktop calculator).

```
%{  
    /* Definition section */  
  
    #include <stdio.h>  
  
    #include "y.tab.h"  
  
    extern int yylval;  
}%  
  
/* Rule Section */  
  
%%  
  
[0-9]+ {  
    yylval = atoi(yytext);  
    return NUMBER;  
  
}  
  
[\t] ;  
  
[\n] return 0;  
  
. return yytext[0];
```

```
%%
```

```
int yywrap()
```

```
{
```

```
    return 1;
```

```
}
```

```
p.y
```

```
%{
```

```
#include<stdio.h>
```

```
Int flag=0
```

```
%%
```

```
%token NUMBER
```

```
%left '+' '-'
```

```
%left '*' '/' '%'
```

```
%left '(' ')' 
```

```
/* Rule Section */
```

```
%%
```

ArithmeticExpression: E {

```
    printf("\nResult=%d\n", $$);
```

```
    return 0;
```

```
};
```

```
E:E+'E' {$$=$1+$3;}
```

```
|E-'E' {$$=$1-$3;}
```

```
|E'*'E {$$=$1*$3;}
```

```
|E/'E {$$=$1/$3;}
```

```
|E%'E {$$=$1%$3;}
```

```
|'('E' {$$=$2;}
```

```
| NUMBER {$$=$1;}
```

```
;
```

%%

//driver code

void main()

{

printf("\nEnter Any Arithmetic Expression which can have operations Addition, Subtraction, Multiplication, Division, Modulus and Round brackets:\n");

yyvsparse();

if(flag==0)

printf("\nEnter arithmetic expression is Valid\n\n");

}

void yyerror()

{

printf("\nEnter arithmetic expression is Invalid\n\n");

flag=1;

}

OUTPUT


```
Enter Any Arithmetic Expression which can have operations Addition, Subtraction, Multiplication, Division, Modulus and Round brackets:
1+2*3
Result=7
Entered arithmetic expression is Valid
```

2)YACC to generate 3-Adress code for given expression.

p.l

%{

#include<stdio.h>

#include<stdlib.h>

#include"y.tab.h"

extern int yylval;

extern char iden[20];

%}

d [0-9]+

a [a-zA-Z]+

%%

{d} { yylval=atoi(yytext); return digit; }

{a} { strcpy(iden,yytext); yylval=1; return id;}

[\t] {}

\n return 0;

. return yytext[0];

%%

int yywrap()

```
{  
}
```

P.y

```
%{  
#include <math.h>  
#include<ctype.h>  
#include<stdio.h>  
  
int var_cnt=0;  
  
char iden[20];  
  
%}  
  
%token id  
  
%token digit  
  
%%  
  
S:id '=' E { printf("%s=t%d\n",iden,var_cnt-1); }  
  
E:E '+' T { $$=var_cnt; var_cnt++; printf("t%d = t%d + t%d;\n", $$, $1, $3 );  
}  
  
|E '-' T { $$=var_cnt; var_cnt++; printf("t%d = t%d - t%d;\n", $$, $1, $3 );  
}
```

```

|T { $$=$1; }

;

T:T '*' F { $$=var_cnt; var_cnt++; printf("t%d = t%d * t%d;\n", $$, $1, $3 ); }

|T '/' F { $$=var_cnt; var_cnt++; printf("t%d = t%d / t%d;\n", $$, $1, $3 ); }

|F { $$=$1 ; }

F:P '^' F { $$=var_cnt; var_cnt++; printf("t%d = t%d ^ t%d;\n", $$, $1, $3 );}

| P { $$ = $1;}

;

P: '(' E ')' { $$=$2; }

|digit { $$=var_cnt; var_cnt++; printf("t%d = %d;\n", $$,$1); }

;

%%

int main()

{

var_cnt=0;

printf("Enter an expression : \n");

yyparse();

return 0;

}

yyerror()

{

printf("error");

}

```

OUTPUT

```
Enter an expression :  
a=3*5+4  
t0 = 3;  
t1 = 5;  
t2 = t0 * t1;  
t3 = 4;  
t4 = t2 + t3;  
a=t4
```