Pizza Sales

Analysis


Using SQL

Presented by Shivani





About this Project:



Hello, My name is Shivani and in this project I have utilize SQL Queries to solve questions that were related to Pizza Sales.

In the bustling world of culinary delights, pizza stands out as a perennial favorite. Our project aims to analyze and manage pizza sales data using SQL, providing insights into customer preferences, sales trends, and operational efficiency.

Objective: The primary objective of this project is to leverage SQL to analyze sales data from pizza orders. By querying a relational database, we aim to uncover patterns that can optimize inventory management, improve customer satisfaction, and boost profitability.

Queries:



Basic:

Retrieve the total number of orders placed.

Calculate the total revenue generated from pizza sales.

Identify the highest-priced pizza.

Identify the most common pizza size ordered.

List the top 5 most ordered pizza types along with their quantities.

Intermediate:

Join the necessary tables to find the total quantity of each pizza category ordered.

Determine the distribution of orders by hour of the day.

Join relevant tables to find the category-wise distribution of pizzas.

Group the orders by date and calculate the average number of pizzas ordered per day.

Determine the top 3 most ordered pizza types based on revenue.

Advanced:


Calculate the percentage contribution of each pizza type to total revenue.

Analyze the cumulative revenue generated over time.


Determine the top 3 most ordered pizza types based on revenue for each pizza category.

Retrieve the total number of orders placed.


```
SELECT
     COUNT(order_id) AS total_order
FROM
     orders;
```




Calculate the total revenue generated from pizza sales.



Identify the highest-priced pizza.




Identify the most common pizza size ordered.




List the top 5 most ordered pizza types along with their quantities.

```
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```




Join the necessary tables to find the total quantity of each pizza category ordered.

```
SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```




Determine the distribution of orders by hour of the day.




Join relevant tables to find the category-wise distribution of pizzas.

```
SELECT
    category, COUNT(name)
FROM
    pizza_types
GROUP BY category;
```




Group the orders by date and calculate the average number of pizzas ordered per day.

```
SELECT
    ROUND(AVG(quantity), 0) AS avg_pizza_ordered_per_day
FROM
    (SELECT
          orders.order_date, SUM(order_details.quantity) AS quantity
FROM
          orders
          JOIN order_details ON orders.order_id = order_details.order_id
          GROUP BY orders.order_date) AS order_quantity;
```




Determine the top 3 most ordered pizza types based on revenue.

```
SELECT
    pizza_types.name,
    SUM(order_details.quantity * pizzas.price) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
        JOIN
   order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```



Calculate the percentage contribution of each pizza type to total revenue.

```
SELECT
    pizza_types.category,
    ROUND(SUM(order_details.quantity * pizzas.price) / (SELECT
                    ROUND(SUM(order_details.quantity * pizzas.price),
                                2) AS total_sales
                FROM
                    order_details
                        JOIN
                    pizzas ON pizzas.pizza_id = order_details.pizza_id) * 100,
            2) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```



Analyze the cumulative revenue generated over time.

```
select order_date,
sum(revenue) over(order by order_date) as cum_revenue
from
(select orders.order_date,
sum(order_details.quantity * pizzas.price) as revenue
from order_details join pizzas
on order_details.pizza_id = pizzas.pizza_id
join orders
on orders.order_id = order_details.order_id
group by orders.order_date) as sales;
```

	order_date	cum_revenue
•	2015-01-01	2713.85000000000004
	2015-01-02	5445.75
	2015-01-03	8108.15
	2015-01-04	9863.6
	2015-01-05	11929.55
	2015-01-06	14358.5
	2015-01-07	16560.7
	2015-01-08	19399.05
	2015-01-09	21526.4
	2015-01-10	23990.350000000002
	2015-01-11	25862.65
	2015-01-12	27781.7
	2015-01-13	29831.300000000003
	2015-01-14	32358.700000000004
	2015-01-15	34343.50000000001
	2015 01 16	26027 65000000001

Determine the top 3 most ordered pizza types based on revenue for each pizza category.

```
select name, revenue from
(select category, name, revenue,
rank() over(partition by category order by revenue desc) as rn
from
(select pizza_types.category, pizza_types.name,
sum((order_details.quantity) * pizzas.price) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category, pizza_types.name) as a) as b
where rn <= 3;
```

	name	revenue	
١	The Thai Chicken Pizza	43434.25	
	The Barbecue Chicken Pizza	42768	
	The California Chicken Pizza	41409.5	
	The Classic Deluxe Pizza	38180.5	
	The Hawaiian Pizza	32273.25	
	The Pepperoni Pizza	30161.75	
	The Spicy Italian Pizza	34831.25	
	The Italian Supreme Pizza	33476.75	
	The Sicilian Pizza	30940.5	
	The Four Cheese Pizza	32265.70000000065	
	The Mexicana Pizza	26780.75	
	The Five Cheese Pizza	26066.5	

