## **ASSIGNMENT ON LINUX COMMANDS**

NAME:- THOTLA SHIVANI
ID:- B191477
CLASS:- CSE-C2
1)What is the command used to sort a fie ? ans:-SORT command is used to sort a fiee
arranging the records in a partcuiar order.
2)How wiii you fnd which operatng system your system is running on unix?
ans:-Opening terminal and then typing the command "uname -a" will display the operating system our system is running in linux.
3)which character you wiii append to a command to run the process in background?
ans:-By appending an ampersand character ( & ) to the end of the commands.
4)How do you see command iine history in unix?
ans:-By typing History command
5)How do you fnd which process is taking how much cpu?
ans: -The vmstat command wiii dispiay the informaton about system processese memorye swape I/Oe and CPU performance. It wiii dispiay the average details since the last reboot.
6)How do you check how much space is ief in current drive?
ans:-df
7)Which command is used to count the number of characters in a fie?
ans:-wc -m command
8)Which command is used to determine the size of a directory in unix?
ans:-du command

9)Which switch is used for dispiaying the result of a command in human readable format? ans:-df -h command
10)Which command is used to iist aii the running processes? ans:-top coomand
11)Which command is used to show reai tme view of the running processes?  ans:-ps command
12)Which of the commands is used to compress a fie? ans:-zipe gzipe bzip2exz.
13)Which command is used to deiete a empty directory hierarchy of directory'?  ans:-rm -r <directory name=""></directory>
14)Which command is used to create a directoryehiearchy of directory ? ans:-mkdir
15)Which command is used to know IP address of your system?
ans:-ipconfg /aii  16)Which command wiii not accept fie name as input?
ans:-maiix  17)Which command is used to rename a fie?
ans:-mv <oidfie><newfie>  18)The purpose of the command "type"?</newfie></oidfie>
ans: -"The standard output of the type command contains information about the specified command and identifies whether this is a sheil built-in commandesubroutneealliaseor keyword. The type command indicates how the specified command would be interpreted if used."

```
19) Write command with related opton to know the kernel fie?
ans:-uname -r
20) Which fie contains the root password?
ans:-/etc/passwd fie
21)
i.Write a command to dispiay the feids:
                                             NameeDepartmenteSaiary?
ans:-awk '{print $2e$4e$6}'emp.1s
ii.What is the output of cut -d\| -f 2e3 emp.1st
ans:- a.k.shukia | g.m
jai sharma | director
sumit chakrobarty | d.g.m
barun sengupta | director
n.k. gupta | chairman
chanchai sanghvi|director
karuna ganguiy | g.m
s.n. dasgopui|manager
jayant Choudary | executve
anii aggarwai|manager
iaiit chowdury | director
shyam saksena | d.g.m
sudhir agarwai|executve
j.b. saxena | g.m.
v.k. agarwai|g.m.
iii.What is the ouput of sort -t" | " -k 2 emp.1st
ans:-pipe dquote>
iv.Write a command to sort text based on ffh feid (DOB)
```

ans:-sort -k 6 emp.1st