Logic Building Assignment : 23

Create separate visual Studio project for each problem statement separately.

1. Accept number of rows and number of columns from user and display below pattern.

Input : iRow = 4 iCol = 4

Output :
```
*   *   *   #
*   *   #   *
*   #   *   *
#   *   *   *
```

Program Layout :

```
#include<stdio.h>

void Pattern(int iRow, int iCol)
{
	// Logic
}

int main()
{
	int iValue1 = 0, iValue2 = 0;

	printf("Enter number of rows and columns");
	scanf("%d %d",&iValue1, &iValue2);

	Pattern(iValue1, iValue2);

	return 0;
}
```

2. Accept number of rows and number of columns from user and display below pattern.

Input : iRow = 4 iCol = 4

Output :
```
*   *   *   #
*   *   #   @
*   #   @   @
#   @   @   @
```

Program Layout :

```
#include<stdio.h>

void Pattern(int iRow, int iCol)
{
	// Logic
}

int main()
{
	int iValue1 = 0, iValue2 = 0;

	printf("Enter number of rows and columns");
	scanf("%d %d",&iValue1, &iValue2);

	Pattern(iValue1, iValue2);

	return 0;
}
```

3. Accept number of rows and number of columns from user and display below pattern.

Input : iRow = 6 iCol = 6

Output :

```
*  *  *  *  *  *
*              *  *
*           *     *
*        *        *
*  *              *
*  *  *  *  *  *
```

Program Layout :

```
#include<stdio.h>

void Pattern(int iRow, int iCol)
{
	// Logic
}

int main()
{
	int iValue1 = 0, iValue2 = 0;

	printf("Enter number of rows and columns");
	scanf("%d %d",&iValue1, &iValue2);

	Pattern(iValue1, iValue2);

	return 0;
}
```

4. Accept number of rows and number of columns from user and display below pattern.

Input : iRow = 6 iCol = 6

Output :
```
*   *   *   *   *   *
*   #   #   #   *   *
*   #   #   *   $   *
*   #   *   $   $   *
*   *   $   $   $   *
*   *   *   *   *   *
```

Program Layout :

```
#include<stdio.h>

void Pattern(int iRow, int iCol)
{
	// Logic
}

int main()
{
	int iValue1 = 0, iValue2 = 0;

	printf("Enter number of rows and columns");
	scanf("%d %d",&iValue1, &iValue2);

	Pattern(iValue1, iValue2);

	return 0;
}
```

5. Accept number of rows and number of columns from user and display below pattern.

Input : iRow = 4 iCol = 4

Output :
```
1 2 3 4 5
1 2 5
1 3 5
1 4 5
1 2 3 4 5
```

Program Layout :

```
#include<stdio.h>

void Pattern(int iRow, int iCol)
{
	// Logic
}

int main()
{
	int iValue1 = 0, iValue2 = 0;

	printf("Enter number of rows and columns");
	scanf("%d %d",&iValue1, &iValue2);

	Pattern(iValue1, iValue2);

	return 0;
}
```