

Agent Factory

Product Blueprint

One digital worker for one computer. The request arrives in Telegram.

Author

Shivank.sharma@wipro.com

AlCouncilSwitzerland

Index

Begin with the conversation and the phone. That is how the worker is used. The example throughout is Office, filing this week's timesheet and stopped at the sign-in.

HOW THE WORK IS DONE

01	Telegram and the Live Desktop The worker takes the request in Telegram and shows the computer on the phone when a step requires you.	3
02	Product Overview One computer is given to one agent. The day's work is delegated to that agent.	4
03	Target Audience Anyone whose work can be written as instructions: video, slides, code, or any other sequence of steps.	5

AGENT FACTORY


04	Agent Factory The catalog where each worker is listed, opened, and assigned to its computer.	6
05	Provisioning a Worker Create the record, connect the bot, and the worker is ready for the first message.	7
06	Worker Configuration The prompt, the path of a job, memory, connections, and the tools it may use.	8

FROM REQUEST TO COMPLETION

07	Memory and Activity What the worker retains, and the record of what it said, tried, and decided.	9
08	Skills Written routines the worker follows, including the steps it must return to you.	10
09	Controlled Pause A sign-in or a submission waits. You answer in the same chat.	11
10	Assigned Computer The machine assigned to the worker: browser, clicks, and the outbound connector.	12


Telegram and the Live Desktop

The worker takes its instructions in Telegram. You ask it to file this week's timesheet. It replies in the same chat. When the page requires a sign-in, it sends Open desktop. The phone shows the computer. You complete the sign-in and confirm that you are past the page. The worker then continues the same job.



The timesheet conversation. The pause offers Open desktop. The reply resumes the same job.

The display is a sequence of JPEG frames on a signed connection, a few frames each second. Taps and keystrokes return on that connection and are applied on the computer. The chat remains the place where the job resumes. The live desktop is the step you take yourself. The reply in Telegram is the instruction that lets the worker proceed.



The assigned computer, shown on the phone. Tap to click. Type below. Keystrokes are not stored.

Product Overview

Give an agent a computer. Then hand it the day.

Agent Factory gives one computer to one agent. The timesheet, the inbox, the form, the file — the work that used to wait at the desk — you delegate in Telegram. The agent takes that work and does it on the computer you gave it. You are no longer the person at the keyboard. The agent is.

You decide what is delegated. The agent decides how to carry it out, and it can hand a step to the browser, to a click on the machine, or later to SAP. When a step must stay yours — a password, a code, a submission — the agent stops and waits in the same chat.

Office is that agent at work. It has been given a computer and a timesheet. It is paused on a MyWipro sign-in, because the password is not its step to take.

- One worker, one computer, one Telegram chat.
- The worker acts in the browser and on the desktop, and reports in the same chat.
- The Agent Factory retains the worker, its memory, and its skills while the computer is off.
- A sign-in or a submission waits for you. The live desktop shows that computer on the phone.
- The worker reads page text and screenshots. Passwords, the machine credential, bot tokens, and keystrokes from the phone are not stored.

A job records the request, one session on that computer, and the events along the way. When a step must wait, it records a pause. Your reply in the chat closes the pause, and the same session continues. The live desktop records nothing.

Target Audience

The audience is everyone. If the work can be written as a set of instructions, it can be delegated to an agent that has been given a computer.

- Someone who edits video, and can state the cut, the export, and where the finished file should land.
- Someone who builds a PowerPoint, and can state the slides, the source material, and when the deck is ready to send.
- Someone who writes code, and can state the change, the checks, and the point at which the agent must stop before it writes or runs.
- Someone whose day is any other sequence of steps: a form, a folder, a browser, or an application already on that computer.
- A team in which each person gives one agent one computer, and sends the instructions in Telegram.


The profession does not matter. The instructions do. A timesheet, a slide deck, a code change, and a video export are the same kind of job once they can be described. You send the description. The agent carries it out on the computer you gave it.

What stays with you is the step that cannot be written down. A password. A final approval. A judgment you have not yet made. The agent stops there, shows you the computer, and waits for the reply in the same chat.

You do not need a new tool for each kind of work. You need a job you can describe. Telegram carries the instructions. The computer carries them out.

Agent Factory

The Agent Factory lists the workers. Each card is one worker, assigned to its own computer, with its own Telegram chat.



Office is on a timesheet. Sales and Coder are idle. Open a card to configure that worker.

Each card shows a name, a one-line role, a status, and a tag. Opening a worker loads its prompt, its memory, its skills, and the computer it acts on. Creating a worker asks for a name and a role, adds the card, and opens it. The indicator at the bottom is that worker's computer. Online means its connector was seen recently.

Provisioning a Worker

A new card starts a worker. The Agent Factory saves the record. You then connect its Telegram bot and assign it to a computer. After four steps, it can accept a job.

1. The record

The Agent Factory saves the name, the role, and an empty prompt, and enables Browser and Machine clicks. SAP stays disabled. You can open the worker and edit it. Its bot has no chat yet.

2. Connect the bot

You create a bot in BotFather and provide the token once. The Agent Factory starts a listener for that token and keeps the token outside the tables. The first /start in that chat marks the bot as connected. That chat is how you address this worker.

3. Ready on the first message

The first message builds the worker from its prompt, skills, memory, and tools. If any of those change, the next message uses the new instructions. The chat belongs only to this worker.

4. One worker, one computer

The worker is assigned to one computer. Its connector dials out from that machine. If the computer is off, the worker still answers in chat and declines machine work until the connector returns.

The prompt, the skills, the memory, the tools, and the Telegram chat belong to that worker. The computer it acts on is the one you assigned. You address only that bot. Another worker means another chat and another computer, created in the same way.

The result is a worker you can message from any location. It files, clicks, and replies on the assigned computer, and it stops when the next step requires you.

Worker Configuration

Opening Office shows the worker. Save stores the prompt. Test opens its Telegram chat. Open desktop shows its computer.


The screenshot displays the 'Office' worker configuration interface. On the left, a sidebar shows a tree view with 'Control Machine' (selected), 'Agent' (with a sub-item 'This Mac'), 'Factory', 'Skills', 'Memory', 'Connections', 'Activity', 'Pause', and 'Agents' (listing 'Office', 'Sales', and 'Coder'). The main area is titled 'Agent / Office' and contains a description: 'One agent, one Telegram bot. It chats and remembers while this Mac is off, and it works on the computer only when the connector is dialed out.' Below this is a 'Builder' tab with a workflow diagram. The workflow starts with a 'Trigger' (Telegram message), followed by an 'Office' node (Decide. Refuse if offline.), then a 'Memory' node (This agent only), a 'Timesheet' node (Follow the skill), a 'Pause' node (Waiting on sign-in), and finally a 'Reply' node (Same Telegram chat). The workflow is paused, with a message: 'Paused - Fill this week's MyWipro timesheet Sign-in is on the page. The reply goes back to Telegram.' Below the workflow are three panels: 'Memory' (with a toggle and checkboxes for 'Conversation in Telegram', 'Do not submit until confirmed', 'Last week's project code', and 'Summarize older runs'), 'Connections' (listing 'Telegram' (Connected), 'This Mac' (Connected), and 'Browser' (In use)), and 'Tools' (listing 'Browser' (Read the page, then act on refs.), 'Machine clicks' (Screenshot, click, and type.), and 'SAP' (Later, if the browser and clicks cannot drive it.)). On the right, the 'Agent details' panel shows the name 'Office', a description, an avatar, a computer selection (This Mac - online), and tags (telegram, timesheet, browser). At the bottom left, a status bar indicates 'Computer online' with a heartbeat of 12s ago.

Office, paused on this week's timesheet. Every message returns to the same chat.

The status bar names the job in progress. The path is a Telegram message, then the worker, then memory, the skill in use, and a pause when the worker must ask, then a reply in the same chat. Below that, memory can be enabled or disabled. Connections show Telegram and this computer. The tools are Browser, machine clicks, and SAP.


Memory and Activity

Memory is what this worker is permitted to retain. You can read each note and delete it. The notes stay with this worker.



Office retains the timesheet practice, the rule to stop before submission, last week's project, and the fact that its computer dials out.

Activity is the record of the open job: what the worker said, what it tried, and each decision.



The timesheet job, newest decision first. The sign-in page is why the job is paused.

Skills

A skill is a routine written for this worker. The routine it is following is marked In use.


The screenshot shows a web interface for managing an agent named 'Office'. On the left is a sidebar with a 'Control Machine' button and a list of agents: 'Office' (selected), 'Sales', and 'Coder'. Below the agents is a status bar showing 'Computer online' and 'Heartbeat 12s ago'. The main area is titled 'Agent / Office' and contains tabs for 'Builder', 'Memory', 'Skills' (active), 'Activity', 'Pause', and 'Machine'. The 'Skills' tab displays a list of skills: 'Timesheet' (marked 'IN USE'), 'Open MyWipro', 'Stop on sign-in', and 'Enter the hours given'. Each skill has a brief description. Below this list is a 'New skill' form with fields for 'Name' (containing 'Inbox'), 'When to use it' (containing 'When I ask you to check mail'), and 'Instructions' (containing 'What to do, and where it must stop and ask.'). A 'Save skill' button is at the bottom of the form. In the top right corner of the main area, there are buttons for 'Save', 'Test', and 'Open desktop'.

The Timesheet skill. Sign-in and submission are returned to you. A new skill has a name, the condition for use, and the instructions.

The first message loads these instructions. If a skill changes, the next message follows the revised routine. Sign-in and submission remain steps the worker returns to you.

Controlled Pause

A pause means the worker is waiting. The screen states the next actions and the actions it will not take. You release it by replying in Telegram.




Office is waiting on the MyWipro sign-in. Open the chat is the reply.

You sign in on the live desktop, then confirm in the same chat that you are past the page. That reply allows the worker to continue. If the computer sleeps, the pause remains until its connector dials out again. The worker will not type the password, start a second job, or continue on the machine while the computer is off.

Assigned Computer

This is the computer assigned to the worker. The connector has dialed out. The worker is viewing the sign-in page and has not typed.



The browser is in use. Machine clicks are available and unused. SAP follows on the same job if the browser cannot operate the screen.

The credential that allows the connector to dial out remains on that computer. The browser is how the worker reads the page and acts. Clicks are how it operates a native application. SAP is the same job, used when the browser and the clicks cannot reach the screen. One worker. One computer. One Telegram chat.