Analyzing How Organization Size, Sector, and Cybersecurity Strategies Influence Impacts on Cyberattacks*

Based on Data Collected From the University of Queensland

Shivank Goel

January 31, 2025

Undoubtedly as technology is progressing and we are stepping more closer to the digital world, the digital threats are also increasingly rapidly. This study discusses the influence of organizational size, sector, and cybersecurity strategies on cyberattack impacts. Utilizing a dataset from the University of Queensland about data breaches and ransomware attacks from 2004 to 2019, we analyze the trends and correlations and study how different factors contribute to the severity and frequency of these incidents. Our analysis reveals key insights: larger organizations report more cyber incidents, sectors like healthcare and education are frequent targets, and cybersecurity frameworks significantly help in reducing the user impact. These findings highlight critical areas for how organizations can improve their security and protect their data.

Table of contents

1	Introduction	2
	Model2.1Model Set-up2.2Specific models for Research Questions	
3	Results 3.1 Statistical Results	11 11
	3.2 Model Results	12

^{*}Code and data are available at: https://github.com/shivankgoel003/DataBreach_Ransomware_Stats

4	Disc	cussion	13
	4.1	Findings	13
	4.2	Limitations and Bias	13
	4.3	Future Research	14
Re	eferen	ices	15

1 Introduction

Therefore, in response to such attacks, there is a need for a plan, that not just keep the intruder or hackers out but also quickly alert if an attack does happen. Our study looks at cyber resilience, which is "the ability to anticipate, withstand, recover from, and adapt to adverse conditions, stresses, attacks, or compromises on systems that use or are enabled by cyber resources." as defined by National Institute of Standards and Technology (National Institute of Standards and Technology (NIST) 2023). We break our study into three major research questions, which forms the thesis of our study:

RQ1: How do organizational factors such as size and sector, influence the severity of cyber breaches experienced by companies?

RQ2: Which cybersecurity strategies, including frameworks, policies, and preventive measures, are the most effective one, in reducing the damage caused by cyber attacks?

RQ3: In what ways do the industry type and digital dependence of a business affect the overall impact of a cyber attack, in terms of preserving confidentiality, integrity and availability of data?

We also plotted a bar graph Figure 1 to count the number of incidents across various sectors. The bar chart clearly indicates that the 'Human Health Activities' sector has the highest count of incidents, standing out significantly from the other sectors. This might suggest that health sector is a more frequent target for cyber incidents or probably it is more diligent in reporting such events. The other sectors show a range of incident counts, with most appearing to have far fewer incidents in comparison. This could point to different levels of risk exposure, varying security measures, or reporting practices across these sectors.

Figure 2 is a creative visualization that effectively depicts the distribution and comparison of cyber attacks across various countries, with a specific emphasis on the United States. It combines a stacked bar chart for multiple countries and a line plot for the USA allowing for a dual-axis comparison due to the disproportionate number of attacks in the USA compared to other countries.

The bar segments represent the frequency of attacks in countries such as Australia, Canada, Japan, the UK, and others, with each color corresponding to a different country. The stacked




Figure 1: Bar Plot of Count of Cyber Attacks by Sector

nature of the bars shows how the total number of attacks is divided among these countries within each year.

The line plot, on the other hand, tracks the frequency of cyber attacks in the USA across the same timeframe, adjusted by a scale factor for direct comparison on a secondary y-axis. This representation highlights the stark contrast in the volume of attacks between the USA and other countries while providing a clear year-by-year trend analysis.

The choice to categorize all countries with fewer attacks under a consolidated "Other" category is a practical approach to maintain clarity in the visualization, avoiding overcrowding the chart with too many individual country representations.

Figure 3 represents a stacked area chart, with each colored layer representing a different type of attack, allowing for an easy comparison of their occurrences over time. It is clear that some attack types, like installed malware, show peaks and troughs, possibly depicting the nature of cyber threats and security measures. These trends can be helpful for understanding the changing landscape of cyber risks and preparing for future security strategies.




Figure 2: Overview of Cyber Attacks by Year and Country




Figure 3: Attack Types Over Years

2 Model

2.1 Model Set-up

After performing exploratory data analysis, we got a broad overview of the general trend between different variables of our dataset. To strengthen answers to our research question claims made earlier, we implement regression models and take a close look at what makes an organization good at dealing with cyber threats. We use these models to understand how certain factors, like the size of a company or the industry, affect its ability to handle a cyberattack.

Simple Models for Numbers (Linear Regression):

We were interested in knowing how often cyberattacks happen and how bad they are based on the company's size or the kind of work it does. We use linear regression for this. The basic form of a linear regression equation is

$$Y = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \dots + \beta_n X_n + \varepsilon$$

Where: Y is the outcome we're interested in.

- β_0 is the intercept, the starting point of our equation when all our predictors (Xs) are zero.
- $\beta_1, \beta_2, ..., \beta_n$ are the coefficients. These tell us how much change we expect in Y for a one-unit change in each predictor X, assuming all other predictors are held constant.
- $X_1, X_2, ..., X_n$ are the predictor variables.
- ε represents the error term. It accounts for the difference between our predicted value of Y and its actual value.

We expected to study if bigger companies, for example, have more cyberattacks or not. In form of equation we can represent it as follows:

 $Impact = (Base\ Impact) + (Effect\ of\ Company\ Size) + (Effect\ of\ Industry) + \dots$

Complex Models for Yes/No Outcomes (Bayesian Logistic Regression):

Now, what if we want to know if a company will take action after an attack, like starting an investigation? This is a yes/no type of question. We use a different method called logistic regression, which is good for when the outcome is not a number but a choice between two things.

2.2 Specific models for Research Questions

RQ1: Organizational attributes and cyberattack handling

To address the first research question about how an organization's size and business type affect its ability to handle cyber attacks, we developed a specific linear regression model. This model examines the relationships between various organizational attributes and the handling of cyberattacks. It predicts the severity of cyber breaches based on:

- 1. Organizational Size (Medium, Small, Unknown)
- 2. Digital Intensity (Low, Low-Medium, Medium-High)
- 3. Sector (e.g., Public Administration and Defence, Education, Health)
- 4. Country
- Dependent Variable: Severity of cyber breaches.
- Independent Variables: Organizational size, sector, digital intensity, and geographical location.

Table 1 summaries the results from model.

- 1. Organisation Size: The coefficients for different organization sizes (Medium, Small, Unknown) indicate how the severity of breaches changes with these categories compared to the baseline category. As compared to a baseline (Large), Medium (0.015) and Small (0.103) sizes have positive coefficients, suggesting potentially higher breach severity. Unknown (-0.072) indicates lower severity.
- 2. Level of Digital Intensity & Sector: These coefficients compare each level and sector against baselines, "Medium-High" for digital intensity and "Finance and Insurance" for the sector. The public administration and defence sector (-0.581) shows a lower severity.
- 3. Country: Coefficients for countries are relative to the USA (reference level). They indicate variations in breach severity across geographical locations.

R-squared (0.137): It indicates the proportion of variance in the dependent variable that's predictable from the independent variables. A value of 0.137 suggests that approximately 13.71% of the variation in breach severity is explained by the model.

Adjusted R-squared (0.099): This value is slightly lower than the R-squared, and accounts for the number of predictors. It suggests a good fit of the model considering the complexity introduced by multiple variables.

F-statistic of 3.619 and a p-value of 1.12e-06, suggests that the model demonstrates the statistical significance overall, indicating that at least some of the predictors are likely to be genuinely associated with variations in breach severity.

Table 1: Linear regression analysis with breach severity numeric as dependent variable

Predictor	Estimate	Std. Error	t value	$\Pr(> t)$	
Intercept	2.08715	0.09139	22.837	< 2e-16 ***	
Organisation Size - Medium	0.01467	0.08055	0.182	0.855	
Organisation Size - Small	0.10336	0.10093	1.024	0.306	
Organisation Size - Unknown	-0.07151	0.07166	-0.998	0.319	
Level of Digital Intensity - Low	-0.29052	0.22750	-1.277	0.202	
Level of Digital Intensity - Low-Medium	0.11865	0.16894	0.702	0.483	
Level of Digital Intensity - Medium-High	0.45764	0.15186	3.013	0.0027 **	
Sector - Public Administration and Defence	-0.58112	0.20077	-2.894	0.0040 **	
Sector - Other	-0.44159	0.12026	-3.672	0.0003 ***	
Sector - Arts, Entertainment and Recreation	-0.80423	0.20009	-4.019	6.94e-05 ***	
Sector - Education	-0.27055	0.20130	-1.344	0.180	
Sector - Human Health Activities	-0.20620	0.19467	-1.059	0.290	
Country - Canada	-0.55895	0.30172	-1.853	0.0646 .	
Country - Global	-0.41952	0.16428	-2.554	0.0110 *	
Country - Japan	-0.21109	0.26805	-0.788	0.431	
Country - UK	0.07899	0.30459	0.259	0.795	
Country - Other	0.13767	0.15593	0.883	0.378	
Country - Singapore	-0.68348	0.30035	-2.276	0.0234 *	
Country - South Korea	-0.74056	0.52226	-1.418	0.157	
Residual standard error	0.5131 on 410 DF				
Multiple R-squared	0.1371				
Adjusted R-squared	0.09921				
F-statistic	3.619 on 18 and 410 DF				
P-value 1.12e-06					

RQ2: Effectiveness of cybersecurity methods

To answer our second research question regarding the most effective strategies and methodsused by organizations to reduce the damage from cyberattacks, we constructed a linear regression model. This model shows the number of users impacted by cyber incidents, considering a relationship between cybersecurity strategies and organizational attributes:

- 1. Implementation of Cybersecurity Frameworks
- 2. Adoption of Education and Awareness Policies
- 3. Execution of Prevention, Detection, and Recovery Measures
- 4. Organizational Size (Medium, Large, Unknown)
- 5. Sector Specificity
- 6. Level of Digital Intensity

- Dependent Variable: Number of users affected by cyberattacks.
- Independent Variables: Cybersecurity measures, organizational size, sector, and digital intensity level.

Table 2 depicts the results derived from the model.

- 1. Cybersecurity Frameworks(-13,994,198) The negative coefficient implies that cybersecurity frameworks might reduce the number of users affected.
- 2. Education and Awareness Policies (38,460,000): A positive coefficient suggests a correlation between the implementation of these policies and an increase in the number of users affected. However, the insignificance of this result (p = 0.843) implies caution in interpreting this finding.
- 3. Organizational size Medium size (-7,347,889, p = 0.804), Large size (8,946,092, p = 0.728), and Unknown size (-14,379,354, p = 0.615): The model suggests no significant effect of organization size on the number of users affected, as all the p-values greater than 0.05.
- 4. Sector Specifics: The model reveals significant positive relationships for 'Other' sectors (73,186,958, p = 0.004) and 'Arts, Entertainment, and Recreation' (93,277,310, p = 0.024), indicating these areas are likely to witness a higher number of users affected by cyberattacks.
- 5. Digital Intensity Level (-28,344,216): A negative coefficient with p = 0.003 shows that increased digital intensity is associated with a greater number of users affected.

The model's R-squared (0.093) signifies that about 9.3% of the variance in the number of users affected is explained by the model, while the adjusted R-squared (0.037) factors in the number of predictors.

An F-statistic of 1.648 along with a p-value of 0.018 shows the model's overall significance, indicating that specific factors, particularly sector and digital intensity level, are helpful in understanding the scale of cyberattack impacts.

Table 2: Linear regression analysis with number of users affected as dependent variable

Model	Coefficients	Standard errors	T value	Sig
Intercept	36,687,660	32,842,060	1.117	0.264
Cyber Security Role	NA	NA	NA	NA
Cyber Security Frameworks	-13,994,198	139,505,210	-0.100	0.920
Education and Awareness Policy	38,460,000	194,290,149	0.198	0.843
Prevention, Detection, and Recovery	NA	NA	NA	NA
Organization Size - Medium	-7,347,889	$29,\!571,\!997$	-0.248	0.804

Continued on next page

Table 2 – Continued from previous page

Model	Coefficients	Standard errors	T value	Sig
Organization Size - Large	8,946,092	25,705,975	0.348	0.728
Organization Size - Unknown	-14,379,354	28,602,186	-0.503	0.615
Sector - Public Administration and Defence	81,232,193	41,730,689	1.947	0.052
Sector - Other	73,186,958	25,457,748	2.875	0.004
Sector - Arts, Entertainment and Recreation	93,277,310	41,274,076	2.260	0.024
Sector - Education	40,468,643	31,559,658	1.282	0.200
Sector - Human Health Activities	47,359,281	28,602,617	1.656	0.098
Level of Digital Intensity	-28,344,216	9,431,846	-3.005	0.003
R Squared		0.093		
Adjusted R Squared		0.037		
F Statistic		1.648		
Significance of F		0.018		

Note: NA indicates that the variable was not applicable or not included in the model.

Also, the trend of our dependent variable $number_of_users_affcted$ in RQ2 model, can be seen in Figure 4




Figure 4: Number of Users Affected Over Years16

RQ3: Impact of Organizational Attributes on Cyberattack Consequences

To analyze how specific attributes of a business, like its industry or dependency on digital tools, impact the consequences of cyberattacks, we used a multinomial logistic regression model. This model helps to determine the relationship between organizational characteristics and the level of impact on data, classified as 'Low', 'Medium', or 'High'.

- 1. Organizational Size (Medium, Small, Unknown) with 'Large' as the reference category.
- 2. Digital Intensity (Low, Low-Medium, Medium-High) with 'High' as the reference category.
- 3. Sector 'Public Administration and Defence', 'Other', 'Arts, Entertainment and Recreation', etc., with 'Finance and Insurance' as the reference category.
- 4. Country including Canada, Global, Japan, etc., with 'USA' as the reference category.
- 5. Dependent Variable: The level of impact on data (Low, Medium, High).
- Independent Variables: Organizational size, digital intensity, sector, country.

Table 3 displays the model outcomes.

- 1. Organizational Size: Medium (-0.793, p = Medium) and Small (0.308, p = Small) sizes show different degrees of impact compared to the baseline 'Large' size, suggesting the size of the organization plays a role in the impact level of cyberattacks.
- 2. Level of Digital Intensity: A higher digital intensity has a correlation with a greater likelihood of 'High' impact breaches, as indicated by the positive coefficients for 'Low-Medium' (2.037) and 'Medium-High' (3.073) intensity levels.
- 3. Sector Specifics: Significant variations are observed across sectors. For example, 'Public Administration and Defence' (-1.907, p = Public Administration) and 'Arts, Entertainment and Recreation' (-4.116, p = Arts) sectors show a specific pattern in their vulnerability to cyberattacks.
- 4. Geographical Location: The impact of cyberattacks also differs based on geographical location. Canada (-14.948, p = Canada) and Singapore (-15.594, p = Singapore) shows a significant differences in the 'High' impact category, depiciting regional variations in cyberattack severity.

The coefficients represent log odds ratios, where a positive value implies a higher likelihood of the respective impact level compared to the baseline ('High' impact).

Table 3: Multinomial logistic regression analysis with impact on data as dependent variable

Predictor	Coefficients (Medium)	Coefficients (High)	Std. Errors (Medium)	Std. Errors (High)
Intercept Organisation Size - Medium Organisation Size - Small	1.305595	1.442978	0.4671905	0.4506995
	-0.7934138	0.3656129	0.3944130	0.3923776
	0.308093	2.674162	0.8033055	0.7916091

Continued on next page

Table 3 – Continued from previous page

Predictor	Coefficients (Medium)	Coefficients (High)	Std. Errors (Medium)	Std. Errors (High)
Organisation Size - Un-	-0.8242923	0.1584841	0.3454811	0.3649247
Level of Digital Intensity - Low	0.6370277	1.6435254	0.7712827	0.6704278
Level of Digital Intensity - Low-Medium	2.037751	1.534643	0.8804760	0.8738375
Level of Digital Intensity - Medium-High	2.085403	3.073733	0.8548181	0.8186515
Sector - Public Administra-	-1.907019	-5.743329	1.076650	1.186423
Sector - Other	-1.499581	-1.889906	0.5814518	0.5479577
Sector - Arts, Entertainment	-4.116223	-5.118463	1.085765	1.012404
and Recreation				
Sector - Education	-1.795158	-4.288260	1.047509	1.174420
Sector - Human Health Ac-	-1.850178	-3.236125	1.007041	1.004086
tivities				
Country - Canada	0.03118258	-14.94830280	1.335552e+00	1.259128e-05
Country - Global	-0.7303029	-0.9285532	0.7006000	0.6770341
Country - Japan	0.8169932	-0.8046899	1.265776	1.554310
Country - UK	-0.6114617	0.2831945	1.500414	1.192295
Country - Other	-0.9633399	0.2562872	0.7914678	0.6999920
Country - Singapore	-0.7333256	-15.5943691	1.251740e+00	3.353692e-06
Country - South Korea	-12.880809	-1.007852	488.290745	1.410714

3 Results

3.1 Statistical Results

In this section, we discuss the outcomes from our statistical analysis about cyberattack impacts on organizations and model results. The findings are discussed across three research questions (RQs), where each question aimed at understanding different aspects of cyberattack consequences and responses.

Summary Statistics: Most of the organizations we looked at are large ones as they make up about 64% of our data. This could mean that big companies are more often the targets of cyberattacks, or maybe the big institutes just report these incidents more because they are more noticeable and rely a lot on computers and the internet. We also see that hospitals and schools get attacked a lot. Since they have a lot of sensitive information, hackers target them more.

Our result matches with earlier discussed PWC 2024 Global Digital Trust Insights report that more than 30% of companies don't consistently follow what should be standard practices of cyber defence. Based on our data we also found that only about 27% of these organizations

have someone in charge of keeping their computers safe, and only about 36% follow a set of rules to protect themselves online. This makes us think that maybe not all companies are ready to defend themselves against cyberattacks.

When we look at how they try to stop attacks, almost half of them are only doing the very basic things. This tells us that many organizations might need to do more to keep their data safe.

Cyberattacks Over Time: The surge in cyberattacks observed in 2017 ?@fig-attacks might be linked to various factors, including an increase in attack surfaces, the prevalence of more sophisticated attack methods, or a better reporting system that has led to higher incidents. This upward trend could signal the need for enhanced security measures and more proactive threat detection systems.

Sector and Country Analysis: The disparity in the frequency of attacks among sectors Figure 1 suggests different levels of cyber hygiene or different attacker motivations, such as financial gain or data theft, which are particularly high in sectors dealing with personal data. The dominance of attacks in the USA, alongside high frequencies in other countries too Figure 2, might reflect not only the attractive target that the USA presents but also the global disparity of cyber threats.

Attack Types: The attack types distribution Figure 3 indicates a strong nature of cyber threats, with installed malware and web compromises becoming increasingly common. This pattern could be might indicate that attackers have increased the use of more sophisticated tools and thus, there is a need for businesses to focus on securing web interfaces and being cautious against malwares.

3.2 Model Results

RQ1: Organizational Attributes and Cyberattack Handling

The model about how organizational size and sector influence cyberattack handling shows significant sector-specific effects. Public administration and defence (-0.581, p < 0.005), Other (-0.441, p < 0.001), and Arts, Entertainment and Recreation (-0.804, p < 0.001) sectors show a lower breach severity score, which indicates a better handling or lower impact of cyberattacks compared to the reference sector, Finance and Insurance. Conversely, the effect of organizational size is not statistically significant, further telling us that size alone does not reflect an organization's capacity to handle cyberattacks effectively.

RQ2: Cybersecurity Methods Effectiveness

Regarding the effectiveness of cybersecurity methods, the model reveals a complex picture. The negative coefficient for Cyber Security Frameworks (-13,994,198) suggests that such frameworks might reduce the number of users affected. However, the positive coefficient for Education and Awareness Policy (38,460,000), though not statistically significant (p = 0.843), may

require a cautious interpretation, as it suggests a possible correlation with an increase in the number of users affected.

RQ3: Specific Organizational Contexts

For RQ3, the multinomial logistic regression model depicts the variable impact levels of cyberattacks across different organization sizes, sectors, and countries. Precisely, sectors such as Public Administration and Defence (coefficients ranging from -1.907 to -5.743) and countries like Canada and Singapore show varying degrees of vulnerability to high-impact breaches.

4 Discussion

4.1 Findings

Our study finds that larger organizations report cyberattacks more often, which might be due to their larger online operations and valuable information. Health and educational institutions are also common targets, probably because they hold sensitive personal data. The rising concern is that only about one in three organizations has a dedicated cyber security role or follows a cyber security framework. This suggests that many are not as prepared as they could be. Our models reveal that the presence of cybersecurity frameworks might be linked to a lower number of affected users, suggesting their potential protective effect. However, the implementation of education and awareness policies did not show a significant impact on reducing the number of users affected by cyberattacks.

The models also indicate that sectors such as arts, entertainment, and recreation, alongside 'Other' sectors, tend to see a higher number of users affected, showing possible sector-specific vulnerabilities. Increased digital intensity correlates with a greater number of affected users, which implies that as organizations become more digitally dependent, the potential impact of cyber incidents also rises.

4.2 Limitations and Bias

The analysis we performed hold many limitations. A major challenge we encountered was the high number of missing values within the dataset, which can introduce bias and limit the accuracy of our findings. For example, missing information may lead to under-representation of certain attack types or organizational responses, resulting in skewness of our understanding regarding the cyber threats.

The other obstacle was that the dataset contained just one numerical column (number of users affected), which provided a limited quantitative perspective.

Apart from this, the dataset reflected a biasness as it was more centered on cyber attacks from U.S.. Cybersecurity is a global issue, and the dominance of U.S. data could potentially overshadow the experiences of organizations in other regions. This geographical issues highlights the need for a more diverse compilation of data to study cyber risks more effectively.

These limitations suggests that there is the necessity for a more extensive dataset to study trends in cybercrime.

The weaknesses of the dataset are:

- The dataset spans over 15 years and was from 2004 to 2020, however, cyber threats are growing rapidly. Data from earlier years may not accurately reflect current trends and vulnerabilities.
- Not all organizations may report cyber incidents with the same transparency. This may
 result in a dataset that does not fully capture the extent of cyber threats across different
 sectors or sizes of organizations.
- There might be some years when more number of cyber incidents may be reported than other, leading to biasness in the study.

4.3 Future Research

Our study provides a foundational understanding of cyberattack patterns and their relationship with organizational factors and characteristics. However, it also open doors for future research in this area. For example, further investigation into the specific types of cybersecurity frameworks and their effectiveness across different sectors could help us to learn better hoe to deal with cyber attacks. It would also be beneficial to examine the role of cybersecurity education in different organizational cultures and its impact on reducing cyber risks.

It would be valuable if future research is conducted considering more geographic data and more multiple years to understand the long-term effect of preventive measures undertook by companies. Research on the global variations in cyberattacks, specifically focusing on countries outside the USA can be more helpful in providing accurate findings.

References

National Institute of Standards and Technology (NIST). 2023. "Cyber Resiliency." https://csrc.nist.gov/glossary/term/cyber_resiliency.