50 Programs Comparison Chart (C vs Python)

C Program	Python Program

#include <stdio.h>
int main(){
    // Hello World
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Hello World
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Add Two Numbers
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Add Two Numbers
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Subtraction
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Subtraction
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Multiplication
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Multiplication
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Division
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Division
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Print 1-10
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Print 1-10
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Even Numbers
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Even Numbers
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Odd Numbers
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Odd Numbers
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Sum 1-n
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Sum 1-n
	print("Logic Here")
	print("Shivansh Patel")

```c
#include <stdio.h>
int main(){
    // Factorial
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Factorial
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Prime Check
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Prime Check
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Reverse Number
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Reverse Number
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Palindrome
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Palindrome
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Fibonacci
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Fibonacci
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Largest of 3
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Largest of 3
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Swap Numbers
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Swap Numbers
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Count Digits
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Count Digits
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Sum of Digits
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Sum of Digits
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Armstrong
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Armstrong
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Simple Interest
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Simple Interest
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Area of Circle
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Area of Circle
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Power
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Power
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Even/Odd
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Even/Odd
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // ASCII Value
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# ASCII Value
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Table of 5
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Table of 5
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Sum of Array
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Sum of Array
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Largest in Array
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Largest in Array
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Reverse Array
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Reverse Array
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Linear Search
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Linear Search
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Count Vowels
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Count Vowels
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // String Length
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# String Length
print("Logic Here")
print("Shivansh Patel")
```

#include <stdio.h>
int main(){
    // Concatenate
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Concatenate
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Compare Strings
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Compare Strings
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Count Words
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Count Words
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Star Pattern
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Star Pattern
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Function Add
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Function Add
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Recursion Factorial
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Recursion Factorial
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Pointer Example
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Pointer Example
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Structure/Class
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Structure/Class
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // File Write
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# File Write
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // File Read
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# File Read
	print("Logic Here")
	print("Shivansh Patel")

#include <stdio.h>
int main(){
    // Sorting
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
	# Sorting
	print("Logic Here")
	print("Shivansh Patel")

```c
#include <stdio.h>
int main(){
    // GCD
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# GCD
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // LCM
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# LCM
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Matrix Addition
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Matrix Addition
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Binary to Decimal
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Binary to Decimal
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Decimal to Binary
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Decimal to Binary
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Leap Year
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Leap Year
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Temperature Convert
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Temperature Convert
print("Logic Here")
print("Shivansh Patel")
```

```c
#include <stdio.h>
int main(){
    // Calculator
    printf("Logic Here\n");
    printf("Shivansh Patel\n");
    return 0;
}
```

```python
# Calculator
print("Logic Here")
print("Shivansh Patel")
```