

PIE INFOCOMM PVT. LTD.



PROJECT:-

ONLINE JEWELLERY SHOP

-SHIVANSHU PANDE

FINAL SYNOPSIS REPORT:

UNDER THE GUIDANCE OF :

AISHWARIYA SAXENA

INTRODUCTION

This project has the name suggest is a web application based on concepts of sql, php,basic-css/Javascript and html for a user to register and buy the needful jewellery as a saved order and then track it or register for a complain/query/feedback.

OBJECTIVE

My main goal was to provide a simple yet practical version of a online jewellery shoppe for the consumer/client to place a saved order and then track it post validation.

BACKGROUND

The background of this project is quite simple, once I was assigned this project my by teacher and guide aishwariya mam my next thought was what are the basic operation of a jewerelly web application?

The answer I researched was quite simple option to buy, track purchased order and then file a complaint or feedback or query for the same. Unlike many websites my UI is quite simple and humble yet efficient using the homepage one can access any of the three feature mentioned above. After which <table> is used to provide a clean view of the items for sale which takes input qnt-required by the user and rest is left to javascript😊 and sql coding.

The inspiration for the same was taken by many websites like tanisq,amazon,caratlane ..etc.The goal was simple to put into practical use concepts learned in class.

HARDWARE AND SOFTWARE REQUIREMENTS

- **Hardware Requirements:**
 1. A PC with the following or greater specifications:
 2. Intel Core i3 or higher
 3. 8 GB RAM
 4. 500 GB Hard Drive
 5. A stable internet connection (2Mbps or higher)
- **Software Requirements:**
 1. Operating system : Windows, Linux
 2. Front end technologies are : HTML, CSS, JavaScript
 3. IDE : VS Code,Sublime text
 4. Back end requirement : PHP
 5. Server : XAMPP server

FORM LAYOUT

LOGIN PAGE

LOGIN FORM-SQL
VALIDATION

NEW USER

BACKGROUND IMAGE-LOGO

NEW USER -REGISTRATION PAGE

REGISTRATION FORM

FULLNAME:

johndoe

Password:

Email:

johndoe

SIGN UP

HOMEPAGE



MARQUEE-SOME NOTICE

FRESH ORDER

TRACK ORDER

BACKGROUND IMAGE-LOGO

FEEDBACK



ADMIN_PAGE[SPECIAL LOGIN]

ORDERID#

ENUM1

ENUM2

ENUM3

FROM HERE ON ALL PAGES HAVE A COMMON LOGO BACKGROUND-->

FRESH ORDER

CUSTOMER ID

ORDER ID

FOR MORE COLLECTION

ITEMS WITH PRICES

	submit	

EXTENDED COLLECTION

CUSTOMER ID
ORDER ID

ITEMS WITH PRICES

	submit	

FEEDBACK

Container


CUSTOMER_ID

TEXTAREA_FEEDBACK

submit


The screenshot shows a Java Swing window titled "TRACKORDER". The window's content area is divided into a grid of input fields and a button. The first row contains two labels: "ENTER ORDER-ID" and "ENTER CUSTOMER-NO". Below these labels are two text input fields. The second row contains a single wide text input field. Below this field is a button labeled "TRACK".

ER-DIAGRAM




DATA FLOW DIAGRAM


LEVEL 0



LEVEL 1



LEVEL 2



DATABASE SCHEMA

REGISTRATION				ORDERDATA			
ATTRIBUTE	DATATYPE	LENGTH	CONSTRAINT	ATTRIBUTE	DATATYPE	LENGTH	CONSTRAINT
FULLNAME	VARCHAR	21	NONE	CUSTOMERNO	INT	11	FK
USERID	VARCHAR	21	NONE	ORDERID	INT	11	PK
MOBILENO	BIGINT	10	NONE	NETVAL	INT	11	NONE
EMAIL	VARCHAR	22	NONE	NETQNT	INT	11	NONE
PASSWORD	VARCHAR	21	NONE				
CUSTOMERNO	INT	11	PK-AI				
STATUS				FEEDBACK			
ATTRIBUTE	DATATYPE	LENGTH	CONSTRAINT	ATTRIBUTE	DATATYPE	LENGTH	CONSTRAINT
STATUS	ENUM-4	4 OPTION	NONE	CUSTOMERNO	INT	11	FK-PK
ORDERID	INT	11	FK-PK	FEEDBACK	VARCHAR	255	NONE
CUSTOMERNO	INT	11	FK				

CODING:

The following project is implemented using advanced concepts of JS,HTML5,CSS,MYSQL-

LOGINPAGE:-

```
<!DOCTYPE html>
<html>
<title> ONLINE JEWERLLY SHOPPE</title>

<style>
body { font-family: Arial, Helvetica, sans-serif;
background-size: cover;
background-image: url(COURSERESOURCES.jpg);
background-repeat: no-repeat;
background-position-x: 50%;

text-decoration: none;
}
form { margin-left: 11px;
border: 2px solid ;
width: 51%;}

input[type=text], input[type=password] {
width: 71%;
padding: 15px 11px;
margin: 8px 0;
display: inline-block;
border: 2.1px dotted;
box-sizing: border-box;
}

button {
background-color: #04AA6D;
color: gold;
padding: 14px 20px;
margin: 8px 0;
border: none;
cursor: pointer;
width: 100%;
}

button:hover {
opacity: 0.75;
}

.cancelbtn {
width: 101px;
padding: 10px 18px;
background-color: #f44336;
border-radius: 11px;
}
```

```

.container {
position: relative;
top: 11%;
font-family: cursive;
padding: 16px 22px;
height: 401px;

}
.container:hover{
color: gold;
background-image: url(cj.jpg);
background-size: cover;
background-repeat: no-repeat;
background-position-x: 50%;
}
.psw {
width: inherit;
float: right;
padding-top: 16px;
text-decoration: none;
background-color: skyblue;
border-radius: 11px;

}
.newuser{
width: auto;
padding: 11px 11px;
background-color: silver;
border-radius: 11px;
}
.okji{
width: 71%;
}
a{
text-decoration: none;
color: black;
}
/* Change styles for span and cancel button on extra small screens */

</style>
</head>
<body>

<form action="lconsj.php" method="post">

<div class="container">

```

```

<h2>Login Page:</h2>
<label for="uname"><b>Username</b></label><BR>
<input type="text" placeholder="Enter Username" name="uname" id="uname" required>
<BR>
<label for="psw"><b>Password</b></label><BR>
<input type="password" placeholder="Enter Password" name="psw" id="psw" required>

<button type="submit" class="okji" name="save" >Login</button>
<label>

</label>

<button type="button" class="cancelbtn"><a href="bye.php">Exit</a></button>
<button class="psw" ><a href="#">Forgot password?</a></span>
<br>
<button type="button" class="newuser"><a href="registration.html">New User
</a></span></button>
</div>
</form>

</body>
</html>
<!--HERE TO PASS PHP FROM ONE PAGE TO THIRD WE CAN USE GET-POST-HIDE
INPPUT BUT NOT V.EFFICIENT-->
<!BACKEND PART OF LOGIN PAGE !>

<html>
<style media="screen">
a,h1{
color:red;

}

</style>
<?php
session_start();
$x;$z;
$servername="localhost";
$username="root";
$password="";
$database_name="s_jewerlyshoppe";
$conn= mysqli_connect($servername,$username,$password,$database_name);
if(!$conn)
{
die("connection Failed:" .mysqli_connect_error());
}

if(isset($_POST['save'])) {
function validate($data){
$data = trim($data);
$data = stripslashes($data);

```

```

return $data;
}

$USERID = validate($_POST['uname']);
$PASSWORD = validate($_POST['psw']);

if (empty($USERID)) {
exit();
}else if(empty($PASSWORD)){
exit();}
else if($USERID=="ADMIN"&& $PASSWORD="ADMIN")
{header("LOCATION:adminindex.php");
}else{
$sql = "SELECT * FROM REGISTRATION WHERE USERID='$USERID' AND
PASSWORD='$PASSWORD'";
$result = mysqli_query($conn, $sql);
if (mysqli_num_rows($result) === 1) {
$row = mysqli_fetch_assoc($result);
$x=$row['FULLNAME'];
$z=$row['CUSTOMERNO'];
$_SESSION['CUSTOMERNO']=$z;
$_SESSION['FULLNAME']=$x;
header("LOCATION:index1.php?NAME=".$x."&CUSTOMERNO=".$z."");
}

else{
echo nl2br("<h1>ERROR!!INCORRECT USERNAME OR PASSWORD COMBINATION \n NO LOGIN
FOR YOU.TRY AGAIN...</h1>");
echo nl2br("\n\r\n");
echo "\n<a href=index0.html>-->BACK TO LOGIN PAGE<--</a>";
echo nl2br("\n\r\n");
exit();
}
}

}else{
exit();
}
}

```

HOME PAGE:-

```
<!DOCTYPE html>
<?php session_start();?>
<html>
<style>
BODY{
background-image: url(COURSERESOURCES.jpg);
background-repeat: no-repeat;
background-position-x: 50%;
font-family: cursive;
}
.glow {
font-size: 21px;
color:#ECEE8C;
text-align: center;
animation: glow 1s ease-in-out infinite alternate;
}
.button {

background-color: #4CAF50; /* Green */
border: none;
color: white;
padding: 16px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
transition-duration: 0.4s;
cursor: pointer;
}

.button4 {
```



```
position: absolute;
left: 55%;
background-color: white;
color: black;
border: 2px solid #e7e7e7;
width:200px;
}
.button4:hover {background-color: #e7e7e7;}
@-webkit-keyframes glow {
from {
text-shadow: 0 0 10px #fff, 0 0 20px #fff, 0 0 30px #e60073, 0 0 40px #e60073, 0 0 50px
#e60073, 0 0 60px #e60073, 0 0 70px #e60073;
}
}
.button42 {
position: absolute;
left: 33%;
background-color: white;
color: black;
border: 2px solid #e7e7e7;
width:200px;
}
.button43{
position: absolute;
left: 44%;
top:70%;
background-color: white;
color: black;
border: 2px solid #e7e7e7;
width:201px;
background-color: TRANSPARENT;

padding: 16px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 4px 2px;
transition-duration: 0.4s;
cursor: pointer;
}

.button42:hover {background-color: #e7e7e7;}
@-webkit-keyframes glow {
from {
text-shadow: 0 0 10px #fff, 0 0 20px #fff, 0 0 30px #e60073, 0 0 40px #e60073, 0 0 50px
#e60073, 0 0 60px #e60073, 0 0 70px #e60073;
}
}
.button43:hover {background-color: #e7e7e7;}
@-webkit-keyframes glow {
```

```

from {
text-shadow: 0 0 10px #fff, 0 0 20px #fff, 0 0 30px #e60073, 0 0 40px #e60073, 0 0 50px
#e60073, 0 0 60px #e60073, 0 0 70px #e60073;
}
}

.cusinfo
{ position:fixed;
top:81%;

}

</style>
<head>
<title>"ONLINE JEWERLY SHOPPE"</title>
</head>
<body>
<MARQUEE><h3 class="glow"> WELCOME!! FLAT 15% OFF </h3></MARQUEE>
<br>

<a href="3.php" target="_parent"><button class=" button button4">TRACK
ORDER</button></a>
<a href="index2.PHP" target="_parent"><button class=" button button42">FRESH
ORDER</button></a>
<a href="feedback.php" target="_parent"><button class=" button
button43">FEEDBACK</button></a>

<br><br>
<br>

<div class ="cusinfo">
<br>
<?php
$info=$_SESSION['FULLNAME'];
$info2=$_SESSION['CUSTOMERNO'];
echo nl2br("NAME OF CUSTOMER :".$info." \n\r INCASE WRONG PLS <a
href=https://www.google.com/>LOGOUT</a>");
echo nl2br("\r\nUR CUSTOMER-NO[ID] :".$info2."");
?>
</div>
</body>
</html>

```

ORDERPAGE:-

```
<!DOCTYPE html>
<?php session_start();?>
<html>
<head>

<style>
body {font-family: Arial, Helvetica, sans-serif;
background-size: cover;
background-image: url(COURSERESOURCES.jpg);
background-repeat: no-repeat;
background-position-x: 50%;

text-decoration: none;
}
table,TH{
padding: 3PX 3PX;
margin: 11PX;
border: 2px dotted black;
height: auto;
width: 201px;

}
img{
height:161px;
width: 201px;
}
input{
border: none;
font-weight: bold;
text-align: center;
color:grey

}
b{
color: green;
}
TD{
padding: 3PX 3PX;
margin: 11PX;

height: auto;
width: 201px;
border: 2px dotted black;

}
input{
background: transparent;
}
input.disc{
color: green;
```

```
}
input.final{
color: gold;
}
input.disc2{
color: green;
}
input.final2{
color: gold;
}
input.disc3{
color: green;
}
input.final3{
color: gold;
}
select{
width:108px;
background: none;
}
.save{
height: 55PX;
width: auto;
padding: 5PX 5PX;
margin: 5PX;
border-radius: 5px;
text-align: center;
border: 2.1px solid;

}
.save:hover{
background: green;
color: greenyellow;
border: 2.55px dotted gold ;
}
.b2{
left:91%;
background-color:darkred;
height:31px;
}
.b2:hover{
background-color:red;
}
a{
text-decoration:none;
color:#FA8072;
}
.b1{
position:absolute;
left:1%;
top:11%;
```

```

border-radius:3px;
background-color:purple;
text-decoration:none;
color:purple;}
button:hover{
background-color:#C5B4E3;
}
</style>
</head>
<script>
function calculateAmount() {
var val1= Number(document.getElementById("COST").value);
var qnt=Number(document.getElementById("STOCKTOBERES").value);
var discprice = Number(val1 * 0.15)*qnt;
var totalprice=Number(val1*0.85)*qnt;
/*display the result*/
var divobj = document.getElementById("DISC");
var Z=document.getElementById("FINALPRICE");
Z.value=totalprice;
divobj.value = discprice;
}
function calculateAmount2() {
var valueof2= Number(document.getElementById("COST2").value);
var qnt2=Number(document.getElementById("STOCKTOBERES2").value);
var discprice2 = Number(valueof2*0.15)*qnt2;
var totalprice2=Number(valueof2*0.85)*qnt2;
var divobj2 = document.getElementById("DISC2");
var Z=document.getElementById("FINALPRICE2");
Z.value=totalprice2;
divobj2.value = discprice2;
}

function calculateAmount3() {
var val1= Number(document.getElementById("COST3").value);
var qnt3=Number(document.getElementById("STOCKTOBERES3").value);
var discprice = Number(val1 * 0.2)*qnt3;
var totalprice=Number(val1*0.8)*qnt3;
/*display the result*/

var divobj = document.getElementById("DISC3");
var Z=document.getElementById("FINALPRICE3");
Z.value=totalprice;
divobj.value = discprice;
}
function calculateAmount4() {
var valX= Number(document.getElementById("FINALPRICE").value);
var valY= Number(document.getElementById("FINALPRICE2").value);
var valZ= Number(document.getElementById("FINALPRICE3").value);
/*display the result*/
var result=valX+valY+valZ;
var divobjXYZ = document.getElementById("NETVAL");

```

```
divobjXYZ.value=result;  
}
```

```
divobjXYZ.value=result ;
function calculateAmount5() {
var valX1= Number(document.getElementById("STOCKTOBERES").value);
var valY1= Number(document.getElementById("STOCKTOBERES2").value);
var valZ1= Number(document.getElementById("STOCKTOBERES3").value);
/*display the result*/
var result1=valX1+valY1+valZ1;
var divobjXYZ2 = document.getElementById("NETQNT");
```

```
divobjXYZ2.value =result1 ;  
}
```

```
function getRndInteger(min, max) {  
  var ok = Math.floor(Math.random() * (max - min + 1)) + min;  
  var mye = document.getElementById('ORDERNO');  
  mye.value = ok; }  

```

```
</script>
<body>
```

<CENter>
<table>

```
<tr>  
<form action="order.php" method="post">
```

```
<label  
for="ORDERNO">ORDER_NO:&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&  
&nbsp;&nbsp;&nbsp;&nbsp;&.</label>
```

```
<input type="text" placeholder="Click me" name="ORDERNO" id="ORDERNO"
width="31px" onclick="getRndInteger(1,11664)" readonly required><br><br>
```

```
<label for="CUSTOMERNO">CUSTOMERNO:&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</label>
<input type="INT" name="CUSTOMERNO" id="CUSTOMERNO" width="31px"
value="<?php echo $_SESSION['CUSTOMERNO'];?>" required readonly><br><br>
```

 IMAGE | DESCRIPTION |

<TH>COST</TH>

<TH>DISCOUNT(IF APPLICABLE)</TH>

QNT

<TH>NET VALUE</TH>

TR

	Error
---	-------

<td>Women-A beautiful gold(24k) necklace for elegant casual wear,5gms of gold SI-IG 0.25 CT Diamond</td>

```
<td><B><input type="number" placeholder="38850" name="COST" id="COST" value="38850" onclick="calculateAmount()"required readonly></td></B>
```

```

<td><input  onclick="calculateAmount()"  class="disc"  type="INT"  placeholder=""
name="DISC" id="DISC" value="" required readonly ></td>
<td><select  name="STOCKTOBERES"
onchange="calculateAmount(),calculateAmount4(),calculateAmount5()"
id="STOCKTOBERES" required>
<option value="0">0</option>
<option value="1">1</option>
<option value="2">2</option>
<option value="3">3</option>
<option value="4">4</option>

</select></td>
<td><input  onclick="calculateAmount()"  class="final"  type="INT"  placeholder=""
name="FINALPRICE" id="FINALPRICE" value="" required readonly ></td></TR>
<tr>
<td></td>
<td>Men-A set of 3 gold oxidised ring for the new age chilled -classy gentleman ,(22k)
purity..11gm per ring ..Stone:Tormaline-Semi Precious</td>
<td><B><input  type="number"  placeholder="165000"  name="COST2"  id="COST2"
value="165000" onclick="calculateAmount2()"required readonly></td></B>
<td><input  onclick="calculateAmount2()"  class="disc2"  type="INT"  placeholder=""
name="DISC" id="DISC2" value="" required readonly ></td>
<td><select  name="STOCKTOBERES2"
onchange="calculateAmount2(),calculateAmount4(),calculateAmount5()"
id="STOCKTOBERES2" required>
<option value="0">0</option>
<option value="1">1</option>
<option value="2">2</option>
<option value="3">3</option>
<option value="4">4</option>

</select></td>
<td><input  onclick="calculateAmount2()"  class="final2"  type="INT"  placeholder=""
name="FINALPRICE2" id="FINALPRICE2" value="" required readonly ></td>
</tr>
<TR>
<td></td>
<td>Unisex/Wedding-A graceful gold(22k) promise/engagment ring set[any 1] for eternal
love,6gms of gold WSI 0.33 CT Diamond..

```

```

<td><input onclick="calculateAmount3()" class="final3" type="INT" placeholder=""
name="FINALPRICE3" id="FINALPRICE3" value="" required readonly ></td></TR>
<TR>
<TD colspan="3"><CENTER><button type="submit" class="save" name="save">PLACE
ORDER :)</button></CENTER><TD>
<TD><input type="number" placeholder="" name="NETQNT" id="NETQNT"
onclick="calculateAmount5()"required readonly></TD>
<td><input type="number" placeholder="" name="NETVAL" id="NETVAL"
onclick="calculateAmount4()"required readonly></td>
</TR>
</form>

</table></CENter>
<button class='b1'><a href="index1.php">HOMEPAGE</a></button>
<button class='b2'><a href="bye.php">LOGOUT</a></button>
</body>
</html>

```

TRACK ORDER:-

```

<html>
<?php
session_start();
$x;
$servername="localhost";
$username="root";
$password="";
$database_name="s_jewelrlyshoppe";
$conn= mysqli_connect($servername,$username,$password,$database_name);
if(!$conn)
{
die("connection Failed:" .mysqli_connect_error());
}
$x=$_SESSION['CUSTOMERNO'];
$sql = "SELECT ORDERNO FROM ORDERDATA WHERE CUSTOMERNO='$x'";
$result = mysqli_query($conn, $sql);
if (mysqli_num_rows($result) >= 1) {
$row = mysqli_fetch_assoc($result);
}
?>
<style>
input{
padding: 3PX 3PX;
border: none;
text-align: center;
}
table{

```



```

margin-top: 108px;
text-align: center;
padding: 11px 11px;
position: relative;
}
body{
background-size: cover;
background-image: url(COURSERESOURCES.jpg);
background-repeat: no-repeat;
background-position-x: 50%;}

.save{
background: url("bb.gif");
color: white;
height: 31px;
}

</style>
<center><table border="2.1px">
<tr>
<th>ENTER ORDER-ID</th>
<th>ENTER CUSTOMER-NO</TH>
</tr>
<TR >
<td rowspan="2">
<FORM action="track2.php" method="POST">
<select name="orderno" id=orderno>
<option value="Select School">Select Order No</option><?php

while (mysqli_fetch_assoc($row));
?>
<option value="<?php echo $row['ORDERNO'];
// The value we usually set is the primary key
?>">
<?php echo $row['ORDERNO'];
// To show the category name to the user
?>
</option>

</select>
</td>
<td>
<input type="number" placeholder="Enter Customer-number" name="CUSTOMERNO"
id="CUSTOMERNO" value="<?php echo $_SESSION['CUSTOMERNO']?>"required
readonly >
</td>
<tr></tr><tr>
<td colspan="2"><button type="submit" name="save" class="save"
id="save">TRACK..</button></td>
</tr>

```

```
</FORM>
</TR>
</table> </center>
</html>
```

FEEDBACK:-

```
<html>
<?php
session_start();
$x;
$servername="localhost";
$username="root";
$password="";
$database_name="s_jewelrlyshoppe";
$conn= mysqli_connect($servername,$username,$password,$database_name);
if(!$conn)
{
die("connection Failed:" .mysqli_connect_error());
}
$x=$_SESSION['CUSTOMERNO'];
$sql = "SELECT ORDERNO FROM ORDERDATA WHERE CUSTOMERNO='$x'";
$result = mysqli_query($conn, $sql);
if (mysqli_num_rows($result) >= 1) {
$row = mysqli_fetch_assoc($result);
}
?>
<style>
input{
padding: 3PX 3PX;
border: none;
text-align: center;
}
table{
margin-top: 108px;
text-align: center;
padding: 11px 11px;
position: relative;
}
body{
background-size: cover;
background-image: url(COURSERESOURCES.jpg);
background-repeat: no-repeat;
background-position-x: 50%;}

.save{
background: url("bb.gif");
color: white;
height: 31px;
```

```

}

</style>
<center><table border="2.1px">
<tr>
<th>ENTER FEEDBACK</th>
<th>ENTER CUSTOMER-NO</TH>
</tr>
<TR >
<td rowspan="2">
<FORM action="feedback2.php" method="POST">
<textarea rows="4" placeholder="Enter the needful" name=feedback id=feedback>
</textarea> </td>
<td>
<input type="number" placeholder="Enter Customer-number" name="CUSTOMERNO"
id="CUSTOMERNO" value="<?php echo $_SESSION['CUSTOMERNO']?>"required readonly >
</td>
<tr></tr><tr>
<td colspan="2"><button type="submit" name="save" class="save"
id="save">SUBMIT</button></td>
</tr>
</FORM>
</TR>
</table> </center></html>

```

REGISTRATION PAGE:-

```

<!DOCTYPE html>
<html>
<style>
.main{ padding: 11px;
position:fixed;
border: 1.1px solid #73AD21;
left: 40%;
top:11%;
height: 400px;
width: 324PX;
background-color: #9E859E;
border-radius: 11px;

}
#FULLNAME{ position: relative;
left: 3%; padding: 11px;
margin: 3px; padding: 3px;
width: 216px;
border-radius: 3px;
padding: 5px 5px;
background-color: #979FA6 ;

}
#USERID{position: relative;

```

```
left: 3%; padding: 11px;
width: 216px;
border-radius: 3px;
padding: 5px 5px;
background-color: #979FA6 ;
}
#MOBILENO{position: relative;
left: 3%; padding: 11px;
width: 216px;
border-radius: 3px;
padding: 5px 5px;
background-color: #979FA6 ;
}
#EMAIL{position: relative;
left: 3%; padding: 11px;
width: 216px;
border-radius: 3px;
padding: 5px 5px;
background-color: #979FA6 ;
}
#PASSWORD{position: relative;
padding: 11px;
left: 3%;
width: 216px;
border-radius: 3px;
padding: 5px 5px;
background-color: #979FA6 ;
}

body{
background-size: cover;
background-image: url(COURSERESOURCES.jpg);
background-repeat: no-repeat;
background-position-x: 50%;
}
h3{
COLOR:#246CAE;
}
input{
margin: 5px;
COLOR:gold;
width: 216px;
height: 21px;
}
#ji{
text-align: center;
text-decoration: none;
position: relative;
left: 50%; top:1%;
border-radius: 3px;
```

```

border: yellowgreen;
border:1.5px;
height: 27px;
width: 108px;
}
#ji:hover{
background-color: teal;
color:gold;
}

::placeholder{
COLOR: GOLD;
}
H4{
color:aqua;
}
</style>
<head>
<title>"SJSHOP REGISTRATION"</title>
</head>
<body>
<CENTER><h3 class="glow"><U>REGISTRATION FORM</U></h3></CENTER>
<div class="main">
<table>

<form action="registrationconnect.php" method="POST">
<label for="FULLNAME"><b>Fullname:</b></label><BR>
<input type="text" placeholder="Enter Fullname" name="FULLNAME" id="FULLNAME"
required>
<BR>
<label for="USERID"><b>Username:</b></label><BR>
<input type="text" placeholder="Enter Username" name="USERID" id="USERID"
required>
<BR>
<label for="MOBILENO"><b>Mobile-no:</b></label><BR>
<input type="number" placeholder="Enter 10 digit Mobileno " name="MOBILENO"
id="MOBILENO" required>
<BR>
<label for="EMAIL"><b>Email-Id:</b></label><BR>
<input type="email" placeholder="Enter Email-id" name="EMAIL" id="EMAIL"
required>
<BR>
<label for="PASSWORD"><b>Password:</b></label><BR>
<input type="password" placeholder="Enter Password" name="PASSWORD"
id="PASSWORD" required>
<br>
<button type="submit" id="ji" name="save" onclick="alert('To change any data
contact : 96xxxxx..thank you')" >Register</button><br>
<H4>*Please keep password less than 21 words.</H4>
<BR>
</form>

```

```
</table>
</div>
<br>

</body>
</html>
```

REGISTRATION-BACKEND

```
<?php
$servername="localhost";
$username="root";
$password="";
$database_name="s_jewerlyshoppe";

$conn= mysqli_connect($servername,$username,$password,$database_name);
if(!$conn)
{
    die("connection Failed:" .mysqli_connect_error());
}
if(isset($_POST['save']))
{
    $FULLNAME=$_POST['FULLNAME'];
    $EMAIL=$_POST['EMAIL'];
    $MOBILENUMBER=$_POST['MOBILENO'];
    $USERID=$_POST['USERID'];
    $PASSWORD=$_POST['PASSWORD'];

    $sql_query = "INSERT INTO registration(FULLNAME,USERID,MOBILENO,EMAIL,PASSWORD)
VALUES('$FULLNAME','$USERID','$MOBILENUMBER','$EMAIL','$PASSWORD')";

    if(mysqli_query($conn,$sql_query))
    {
        echo "Sucessfull";
        header("location:http://localhost/SHIVANSHU_JEWERLLY/index0.html");
    }
    else {
        echo "Error: " . mysqli_error($conn);
    }
    mysqli_close($conn);
}
// $conn = new mysqli("localhost","root","","test");
// if($conn->connect_error){
//     die('connect failed:'.$conn->connect_error);
// }else{
//     $stmt = $conn->prepare("insert into defaulter('name','usn','item','cost')
//     values(?,?,?,?)");
//     $stmt->bind_param("sssi",$name,$usn,$item,$cost);
//     $stmt->execute();
//     echo "registration sucessfull";
//     $stmt->close();
// }
```

```
// $conn->close();  
// }  
?>
```

ADMIN INDEX PAGE:-

```
<html>  
<body >  
  
<table width="100%" height="100%" >  
<tr height="300">  
<STYle>  
button{  
position:absolute;  
left:1%;  
top:11%;  
border-radius:3px;  
background-color:purple;  
text-decoration:none;  
color:purple;  
}  
body  
{ background-image:url("yaasqueen2.jpg");  
background-size:cover;  
  
}  
button:hover{  
background-color:#C5B4E3;  
}  
.b2{  
left:91%;  
background-color:darkred;  
height:31px;  
}  
.b2:hover{  
background-color:red;  
}  
table{  
COLOR :WHITE;  
border:white;  
margin-right:41%;  
  
background-repeat:no-repeat;  
}  
a{  
text-decoration:none;  
color:#FA8072;  
}  
</STYle>
```

```

<td width = "100" nowrap valign="top">
</td>
<td >
<html>
<button><a href="adminorder.php">ORDERSTATUS-ADMIN</a></button>
<button class='b2'><a href="bye.php">LOGOUT</a></button>
</html>
<?php
session_start();
$con=mysqli_connect("localhost","root","","s_jewerlyshoppe");
if (mysqli_connect_errno())
{ echo "Failed to connect to MySQL: " . mysqli_connect_error(); }
$result = mysqli_query($con,"SELECT * FROM registration");
echo " <center><table border='1'>
<tr>
<th>CUSTOMER-NO</th>
<th>REGISTERED NAME </th>
<th>UPDATE LINK</th>
<th>DELETE LINK</th>
<th></th>
</tr>";
while($row = mysqli_fetch_array($result))
{ $_SESSION['CUSTOMER']=$row['CUSTOMERNO'];
$_SESSION['FULLNAME']=$row['FULLNAME'];//WE CAN USE BOTH SESSION OR POST METHOD
I HAVE USED SESSION
echo "<tr>";
//echo "<td>" . $row['EmpID'] . "</td>";
echo "<td>" . $row['CUSTOMERNO'] . "</td>";
echo "<td>" . $row['FULLNAME'] . "</td>";
echo " <td><a href='UPDATEREISTRATION2.php?registrationno=".$row['CUSTOMERNO']
.'">" . 'Update' . "</a></td>";
echo "<td><a href='deleteadminreg.php?registrationno=".$row['CUSTOMERNO'] .'">" .
'Delete' . "</a></td>";
echo "</tr>";
}
echo "</table></center>";
mysqli_close($con);
?>
</td>
</tr>
</table>
</body>
</html>

```


ADMIN- ORDER -EDIT-STATUSPAGE:-

```
<html>
<body >

<table width="100%" height="100%" >
<tr height="300">
<STyle>
button{
position:absolute;
left:1%;
top:11%;
border-radius:3px;
background-color:purple;
text-decoration:none;
color:purple;
}
button:hover{
background-color:#C5B4E3;
}
.b2{
left:91%;
background-color:darkred;
height:31px;
}
.b2:hover{
background-color:red;
}
.b3{

left:91%;
top:91%;
background-color:darkblue;
height:31px;
}
.b3:hover{
background-color:skyblue;
}
body
{ background-image:url("yaasqueen2.jpg");
background-size:cover;

}
table{
COLOR :WHITE;
border:white;
margin-right:41%;

background-repeat:no-repeat;
}
a{
text-decoration:none;
```

```

color:#FA8072;
}
</STYLE>
<td width = "100" nowrap valign="top">
</td>
<td >
<html>
<button><a href="adminindex.php">REGISTRATION-ADMIN</a></button>
<button class='b2'><a href="adminindex.php">LOGOUT</a></button>
<button><a href="adminindex.php">REGISTRATION-ADMIN</a></button>
<button class='b3'><a href="adminfeedback.php">ADMIN-FEEDBACK</a></button>
</html>
<?php
session_start();
$con=mysqli_connect("localhost","root","","s_jewerlyshoppe");
if (mysqli_connect_errno())
{ echo "Failed to connect to MySQL: " . mysqli_connect_error(); }
$result = mysqli_query($con,"SELECT * FROM orderdata");
echo " <center><table border='1'>
<tr>
<th>ORDER-NO</th>
<th>CUSTOMER-NO </th>
<th>NET VALUE</TH>
<th>UPDATE STATUS</th>
<th>DELETE LINK</th>
<th></th>
</tr>";
while($row = mysqli_fetch_array($result))
{ $_SESSION['ORDERNO']=$row['ORDERNO'];
$_SESSION['CUSTOMERNO']=$row['CUSTOMERNO'];//WE can use inner join to even fetch
name..etc//ALSO WE CAN USE _POST[] OR SESSION I HAVE USED POST HERE
echo "<tr>";
//echo "<td>" . $row['EmpID'] . "</td>";
echo "<td>" . $row['ORDERNO'] . "</td>";
echo "<td>" . $row['CUSTOMERNO'] . "</td>";
echo "<td>" . $row['NETVAL'] . "</td>";
echo "<td><a href='updatestatus.php?ORDERNO=".$row['ORDERNO'] ."'> 'Update' .
"</a></td>";
echo "<td><a href='deleteadminorder.php?ORDERNO=".$row['ORDERNO'] ."'>
'Delete' . "</a></td>";
echo "</tr>";
}
echo "</table></center>";
mysqli_close($con);
?>
</td>
</tr>
</table>
</body>
</html>

```

ADMIN-FEEDBACK:-

```
<!DOCTYPE          HTML          PUBLIC          "-//W3C//DTD          HTML          4.01//EN"
"http://www.w3.org/TR/html4/strict.dtd">
<html>
<body >
<table width="100%" height="100%" >
<tr height="300">
<STYle>
table{ position:fixed;
left:1%;
TOP:11%;
COLOR :WHITE;
border:white;

}
body
{ background-image:url("yaasqueen2.jpg");
background-size:cover;
}
a{
color:#FA8072;
}
</STYle>
<td width = "100" nowrap valign="top">
</td>
<td >

<?php
session_start();
$con=mysqli_connect("localhost","root","","s_jewelryshoppe");
if (mysqli_connect_errno())
{ echo "Failed to connect to MySQL: " . mysqli_connect_error(); }
$result
                =                                mysqli_query($con,"SELECT
feedback.CUSTOMERID,registration.FULLNAME,registration.EMAIL,feedback.FEEDBACK
FROM          `feedback`          inner          join          registration          on
registration.CUSTOMERNO=FEEDBACK.CUSTOMERID");
echo " <center><table border='1'>
<tr>
<th>REGISTERED NAME</th>
<th>EMAIL</th>
<th>FEEDBACK/COMPLAINT</th>
<th>DELETE-LINK</th>
</tr>";
while($row = mysqli_fetch_array($result))
{ $_SESSION['CUSTOMERNO']=$row['CUSTOMERID'];//we will use session here
echo "<tr>";
echo "<td>" . $row['FULLNAME'] . "</td>";
echo "<td>" . $row['EMAIL'] . "</td>";
```

```

echo "<td>" . $row['FEEDBACK'] . "</td>";
echo "<td><a href='deletefeedback.php?'>". 'DELETE/ACKNOWLEDGE' . "</a></td>";
echo "</tr>";
}
echo "</table></center>";
mysqli_close($con);
?>
</td>
</tr>
</table>
</body>
</html>

```

OUTPUT SHREENSHOTS

LOGIN PAGE:-

[FIG 1:LOGIN FORM]

**ERROR!!INCORRECT USERNAME OR PASSWORD COMBINATION
NO LOGIN FOR YOU.TRY AGAIN...**

[==>BACK TO LOGIN PAGE<==](#)

[FIG 2:INCORRECT LOGIN]

NEW REGISTRATION:-

REGISTRATION FORM

Fullname:

Username:

Mobile-no:

Email-Id:

Password:


*Please keep password less than 21 words.

[FIG 3:NEW CUSTOMER REGISTRATION]

HOME PAGE:-

FRESH ORDER

TRACK ORDER



FEEDBACK




NAME OF CUSTOMER :MONIKA
INCASE WRONG PLS [LOGOUT](#)
UR CUSTOMER-NO[ID] :8

[FIG 4:HOME PAGE]

ORDER PAGE/CATALOUGE:-

[HOME PAGE](#)

ORDER_NO: : 6754
CUSTOMERNO: : 8

IMAGE	DESCRIPTION	COST	DISCOUNT(IF APPLICABLE)	QNT	NET VALUE
	Women-A beautiful gold(24k) necklace for elegant casual wear,5gms of gold SI-I-G 0.25 CT Diamond	38850	5827.5	1	33022.5
	Men-A set of 3 gold oxidised ring for the new age chilled - classy gentleman , (22k) purity..11gm per ring .Stone:Tormaline-Semi Precious	165000		0	
	Unisex/Wedding-A graceful gold(22k) promise/engagment ring set(any 1) for eternal love,6gms of gold WSI 0.33 CT Diamond .Additional 5% off	150000	30000	1	120000
PLACE ORDER !				2	153022.5

[FIG 5:ORDER PAGE]

ZERO VALUE ORDER NOT ACCEPTED

[SAMPLE VALIDATION-ORDER_NO,CUSTOMER_NO,ETC]

TRACK LATEST ORDER:-


ENTER ORDER-ID


ENTER CUSTOMER-NO

Select Order No ▾

8


TRACK






[FIG 6 & 6.1:track order-status output]

ADMIN INDEX PAGE[Username & Password-ADMIN]:-



[FIG 7:ADMIN-REGISTRATION-EDIT-DELETE]



[FIG 8:ADMIN-ORDER-STATUS-DELETE]



[FIG 9:ADMIN-FEEDBACK-ACKNOWLEDGE-DELETE]

FUTURE SCOPE

The following project can be further improved using advanced concepts of JS,HTML5,CSS,MYSQL-PHP for example cookies and mysql view are some of the concepts not applied here.

Furthermore to establish safe--secure network connection few security measures should also be added to the same.

CONCLUSION

This concludes the end of the synopsis and I personally have learned multiple concepts in the field of HTML,CSS,JS,MYSQL,SERVER,PHP.This was extremely insightful journey.

My webapplication has different capabilities like validation using SQL principles and Login only using Mysql and session concepty[php].

Furthermore one can only select the item qnt displayed on the website and the rest will be calculated using Js [discount and net price total].Same will be saved under the client id and he/she shall have the option of deleting the same order in the backend of order.php.

In addition to deletion and creation one can also view the current status of his/her order.

Admin homepage is a special portal accessible only due to a special login id-password combination known only to developer so that he can update the status of the order without going to backend database every time[Front end convinence] .Also registered details can also be changed using this and also deletion of order incase consumer fails to do but has mentioned in feedback.

Feedback only takes only id and one feedback at a time so unless all feedback is acknowledged by the admin no new feedback can be added.

REFERENCES AND BIBLIOGRAPHY

http://localhost/phpmyadmin/db_designer.php?db=s_jewelryshoppe

<https://app.diagrams.net/>

<https://www.w3schools.com/>

https://www.freepik.com/free-vector/set-realistic-vector-illustrations-gold-wedding-rings-with-shadow_1371864.htm

BMSCE-COLLEGE PROJECT