

10.56.204.9\SQLEXPRESS

Documentation

Allocate_News_Dev

Server	10.56.204.9\SQLEXPRESS
Author	Graeme Fawcett
Created	29 October 2017 22:01
File Path	D:\Allocations Backups\10.56.204.9_SQLEXPRESS_documentation-2017-10-29T22-01-33.pdf

Table of Contents

Table of Contents.....	2
 10.56.204.9\SQLEXPRESS	5
 User databases.....	7
 Allocate_News_Dev Database	8
 Tables	10
 [allocate].[DayIsEdited]	12
 [allocate].[messages]	13
 [allocate].[prog_bases]	14
 [dbo].[Accounting]	15
 [dbo].[AccountStatus]	17
 [dbo].[Additional_Request_Types]	19
 [dbo].[alloc_additional_menu]	20
 [dbo].[alloc_additional_menu_link]	21
 [dbo].[Allocations]	22
 [dbo].[allocations_comments]	25
 [dbo].[Allocations_webedit]	26
 [dbo].[Allocations_webedit_backups]	28
 [dbo].[Allocations_webedit_Snapshots]	30
 [dbo].[AppraiserAreas]	32
 [dbo].[BaseCodes]	33
 [dbo].[BaseGroups]	34
 [dbo].[ClosedRequests]	35
 [dbo].[DayIsEdited]	36
 [dbo].[deletable_jobs]	37
 [dbo].[Departments]	38
 [dbo].[DescXmasPoints]	40
 [dbo].[edp]	41
 [dbo].[Grades]	42
 [dbo].[GridChecks]	43
 [dbo].[Jobs]	44
 [dbo].[Jobs_webedit]	46
 [dbo].[Jobs_webedit_backup]	48
 [dbo].[Jobs_webedit_Snapshots]	50
 [dbo].[Leave]	52
 [dbo].[leave_types]	55
 [dbo].[LeaveAllocation]	56
 [dbo].[LeaveApplications]	58
 [dbo].[LeaveApplicationsSafeCopy]	60
 [dbo].[LeaveAvailability]	62
 [dbo].[LeaveAvailabilityDefaults]	63

 [dbo].[LeaveAvailable]	64
 [dbo].[LeaveRequestGroups]	65
 [dbo].[LeaveRequests]	67
 [dbo].[LeaveRequestsAvailability]	69
 [dbo].[LeaveStatus]	70
 [dbo].[LeaveTypes]	71
 [dbo].[messages]	72
 [dbo].[miscsettings]	73
 [dbo].[new_LeaveAvailabilityDefaults]	75
 [dbo].[new_Requests]	76
 [dbo].[new_requests_types]	78
 [dbo].[offdays]	80
 [dbo].[prog_bases]	81
 [dbo].[Programmes]	82
 [dbo].[radio_additional]	83
 [dbo].[Radio_Rota]	84
 [dbo].[released_days]	85
 [dbo].[Request_Defaults]	86
 [dbo].[RequestDatesClosed]	88
 [dbo].[Requests]	89
 [dbo].[RequestsDateComments]	91
 [dbo].[Rotas]	92
 [dbo].[SalfordStaff]	94
 [dbo].[shiftleaders]	95
 [dbo].[shiftleadertypes]	96
 [dbo].[signin]	97
 [dbo].[skills_duties]	99
 [dbo].[skills_duties_days]	100
 [dbo].[skills_duties_programmes_link]	101
 [dbo].[skills_programmes]	102
 [dbo].[skills_programmes_staff_link]	103
 [dbo].[skills_types]	104
 [dbo].[sortcodes]	105
 [dbo].[Staff]	106
 [dbo].[staff_status]	109
 [dbo].[studios]	111
 [dbo].[SummerLeave]	112
 [dbo].[TimeDimension]	113
 [dbo].[user_favourites]	116
 [dbo].[user_favourites_staff_link]	117
 [dbo].[Weeks]	118

 [dbo].[workingdays].....	119
--	-----

10.56.204.9\SQLEXPRESS

Databases(1)

-  Allocate_News_Dev

Server Properties

Property	Value
Product	Microsoft SQL Server
Version	9.00.5000.00
Language	English (United States)
Platform	NT INTEL X86
Edition	Express Edition
Processors	12
OS Version	6.1 (7601)
Physical Memory	6134
Is Clustered	False
Root Directory	C:\Program Files (x86)\Microsoft SQL Server\MSSQL.1\MSSQL
Collation	Latin1_General_CI_AS

Server Settings

Property	Value
Default backup file path	C:\Program Files (x86)\Microsoft SQL Server\MSSQL.1\MSSQL\Backup
Recovery Interval (minutes)	0
Default index fill factor	0
Default backup media retention	0

Advanced Server Settings

Property	Value
Locks	0
Nested triggers enabled	True
Allow triggers to fire others	True
Default language	English
Network packet size	4096
Default fulltext language LCID	1033
Two-digit year cutoff	2049
Remote login timeout	20
Cursor threshold	-1
Max text replication size	65536

Parallelism cost threshold	5
Scan for startup procs	False
Transform noise words	False

User databases

Databases(1)

-  Allocate_News_Dev

Allocate_News_Dev Database

Database Properties

Property	Value
SQL Server Version	SQL Server 2005
Compatibility Level	SQL Server 2005
Last backup time	-
Last log backup time	-
Creation date	Oct 3 2017
Users	4
Database size	5160.88 MB
Unallocated space	16.51 MB

Database Options

Property	Value
Compatibility Level	90
Database collation	Latin1_General_CI_AS
Restrict access	MULTI_USER
Is read-only	False
Auto close	False
Auto shrink	False
Database status	ONLINE
In standby	False
Cleanly shutdown	False
Supplemental logging enabled	False
Snapshot isolation state	OFF
Read committed snapshot on	False
Recovery model	SIMPLE
Page verify option	CHECKSUM
Auto create statistics	True
Auto update statistics	True
Auto update statistics asynchronously	False
ANSI NULL default	False
ANSI NULL enabled	False
ANSI padding enabled	False
ANSI warnings enabled	False
Arithmetic abort enabled	False
Concatenating NULL yields NULL	False
Numeric roundabort enabled	False
Quoted Identifier On	False

Recursive triggers enabled	False
Close cursors on commit	False
Local cursors by default	False
Fulltext enabled	True
Trustworthy	False
Database chaining	False
Forced parameterization	False
Master key encrypted by server	False
Published	False
Subscribed	False
Merge published	False
Is distribution database	False
Sync with backup	False
Service broker GUID	06ec9737-8a2c-4f5b-b58e-c44dd955e338
Service broker enabled	False
Log reuse wait	CHECKPOINT
Date correlation	False
Database owner	sa

Files

Name	Type	Size	Maxsize	Autogrowth	File Name
Allocate_News_dev	Data	1.72 GB	unlimited	1.00 MB	C:\Program Files (x86)\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\Allocate_-News_dev.mdf
Allocate_News_dev_log	Log	3.32 GB	2048.00 GB	10.00 percent	C:\Program Files (x86)\Microsoft SQL Server\MSSQL.1\MSSQL\DATA\Allocate_-News_dev_log.ldf

 Tables
Objects

Name
allocate.DaysEdited
allocate.messages
allocate.prog_bases
dbo.Accounting
dbo.AccountStatus
dbo.Additional_Request_Types
dbo.alloc_additional_menu
dbo.alloc_additional_menu_link
dbo.Allocations
dbo.allocations_comments
dbo.Allocations_webedit
dbo.Allocations_webedit_backups
dbo.Allocations_webedit_Snapshots
dbo.AppraiserAreas
dbo.BaseCodes
dbo.BaseGroups
dbo.ClosedRequests
dbo.DaysEdited
dbo.deletable_jobs
dbo.Departments
dbo.DescXmasPoints
dbo.edp
dbo.Grades
dbo.GridChecks
dbo.Jobs
dbo.Jobs_webedit
dbo.Jobs_webedit_backup
dbo.Jobs_webedit_Snapshots
dbo.Leave
dbo.leave_types
dbo.LeaveAllocation
dbo.LeaveApplications
dbo.LeaveApplicationsSafeCopy
dbo.LeaveAvailability
dbo.LeaveAvailabilityDefaults
dbo.LeaveAvailable
dbo.LeaveRequestGroups

dbo.LeaveRequests
dbo.LeaveRequestsAvailability
dbo.LeaveStatus
dbo.LeaveTypes
dbo.messages
dbo.miscsettings
dbo.new_LeaveAvailabilityDefaults
dbo.new_Requests
dbo.new_requests_types
dbo.offdays
dbo.prog_bases
dbo.Programmes
dbo.radio_additional
dbo.Radio_Rota
dbo.released_days
dbo.Request_Defaults
dbo.RequestDatesClosed
dbo.Requests
dbo.RequestsDateComments
dbo.Rotas
dbo.SalfordStaff
dbo.shiftleaders
dbo.shiftleadertypes
dbo.signin
dbo.skills_duties
dbo.skills_duties_days
dbo.skills_duties_programmes_link
dbo.skills_programmes
dbo.skills_programmes_staff_link
dbo.skills_types
dbo.sortcodes
dbo.Staff
dbo.staff_status
dbo.studios
dbo.SummerLeave
dbo.TimeDimension
dbo.user_favourites
dbo.user_favourites_staff_link
dbo.Weeks
dbo.workingdays

 [allocate].[DayIsEdited]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	1
Created	20:00:06 06 October 2017
Last Modified	20:00:06 06 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
id	int	4	False
DepartmentID	int	4	True
WeekNumber	int	4	True
iDay	int	4	True
isEdited	bit	1	True
History	nvarchar(4000)	8000	True
AllocatePublish	datetime	8	True

SQL Script

```
CREATE TABLE [allocate].[DayIsEdited]
(
    [id] [int] NOT NULL,
    [DepartmentID] [int] NULL,
    [WeekNumber] [int] NULL,
    [iDay] [int] NULL,
    [isEdited] [bit] NULL,
    [History] [nvarchar] (4000) COLLATE Latin1_General_CI_AS NULL,
    [AllocatePublish] [datetime] NULL
) ON [PRIMARY]
GO
```

Uses

[allocate]

[allocate].[messages]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	0
Created	20:00:06 06 October 2017
Last Modified	20:00:06 06 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
messageid	int	4	False
messagecontent	nvarchar(500)	1000	True

SQL Script

```
CREATE TABLE [allocate].[messages]
(
    [messageid] [int] NOT NULL,
    [messagecontent] [nvarchar] (500) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
```

Uses

[allocate]

 [allocate].[prog_bases]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	0
Created	20:00:06 06 October 2017
Last Modified	20:00:06 06 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
id	int	4	False
base	int	4	True
firstletter	nvarchar(50)	100	True

SQL Script

```
CREATE TABLE [allocate].[prog_bases]
(
    [id] [int] NOT NULL,
    [base] [int] NULL,
    [firstletter] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
```

Uses

[allocate]

Used By

[dbo].[uspAllocationsForDay]

 [dbo].[Accounting]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	150555
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
	ID	int	4	False	
	StaffNumber	nvarchar(10)	20	True	
	EstabCode	nvarchar(10)	20	True	
	PayRoll	nvarchar(10)	20	True	
	PeriodStarts	nvarchar(10)	20	True	
	PeriodEnds	nvarchar(10)	20	True	
	HoursPayment	float	8	True	
	DaysPayment	float	8	True	
	LowNightPayment	float	8	True	
	HighNightPayment	float	8	True	
	ERRPayment	float	8	True	
	Status	tinyint	1	True	
	AdditionalPayment	float	8	True	
	CreatedBy	nvarchar(50)	100	True	
	Created	datetime	8	True	
	Department	int	4	True	
	ChristmasPayment	float	8	True	
	StatHoliday	float	8	True	
	Comments	nvarchar(150)	300	True	
	IsManualAdjustment	bit	1	True	((0))
	IsDeleted	bit	1	True	((0))
	DeletedDate	datetime	8	True	
	DeletedBy	nvarchar(50)	100	True	

Indexes

Name	Columns
------	---------

IX_PayRoll	PayRoll
------------	---------

SQL Script

```
CREATE TABLE [dbo].[Accounting]
(
    [ID] [int] NOT NULL,
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [EstabCode] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [PayRoll] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [PeriodStarts] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [PeriodEnds] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [HoursPayment] [float] NULL,
    [DaysPayment] [float] NULL,
    [LowNightPayment] [float] NULL,
    [HighNightPayment] [float] NULL,
    [ERRPayment] [float] NULL,
    [Status] [tinyint] NULL,
    [AdditionalPayment] [float] NULL,
    [CreatedBy] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Created] [datetime] NULL,
    [Department] [int] NULL,
    [ChristmasPayment] [float] NULL,
    [StatHoliday] [float] NULL,
    [Comments] [nvarchar] (150) COLLATE Latin1_General_CI_AS NULL,
    [IsManualAdjustment] [bit] NULL CONSTRAINT [DF_Accounting_IsManualAdjustment]
    DEFAULT ((0)),
    [IsDeleted] [bit] NULL CONSTRAINT [DF_Accounting_IsDeleted] DEFAULT ((0)),
    [DeletedDate] [datetime] NULL,
    [DeletedBy] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [IX_PayRoll] ON [dbo].[Accounting] ([PayRoll]) ON
[PRIMARY]
GO
```


 [dbo].[AccountStatus]**Properties**

Property	Value
Row Count (~)	138
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
	ID	int	4	False	
	PayRollMonth	int	4	False	((0))
	Account UpTo	int	4	False	((0))
	PayRoll Date	datetime	8	False	
	PayRoll Process Date	datetime	8	True	
	BankCredit Date	datetime	8	True	
	Status	bit	1	False	((0))
	ixMonth	int	4	True	
	ixYear	int	4	True	

Indexes

Key	Name	Columns	Unique
	PK_AccountStatus	ID	True

SQL Script

```

CREATE TABLE [dbo].[AccountStatus]
(
    [ID] [int] NOT NULL,
    [PayRollMonth] [int] NOT NULL CONSTRAINT [DF_AccountStatus_PayRollMonth] DEFAULT ((0)),
    [Account UpTo] [int] NOT NULL CONSTRAINT [DF_AccountStatus_Account UpTo] DEFAULT ((0)),
    [PayRoll Date] [datetime] NOT NULL,
    [PayRoll Process Date] [datetime] NULL,
    [BankCredit Date] [datetime] NULL,
    [Status] [bit] NOT NULL CONSTRAINT [DF_AccountStatus_Status] DEFAULT ((0)),
    [ixMonth] [int] NULL,
    [ixYear] [int] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[AccountStatus] ADD CONSTRAINT [PK_AccountStatus] PRIMARY KEY

```

Project> 10.56.204.9\SQLEXPRESS> User databases> Allocate_News_Dev> Tables> dbo.AccountStatus

```
CLUSTERED ([ID]) ON [PRIMARY]  
GO
```

[dbo].[Additional_Request_Types]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	2
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
id	int	4	True	
Description	varchar(50)	50	True	
NumberAllowed	tinyint	1	True	
CountTowardsTotal	bit	1	True	
NumberPerDay	int	4	True	
DaysStart	tinyint	1	True	((0))

SQL Script

```
CREATE TABLE [dbo].[Additional_Request_Types]
(
    [id] [int] NULL,
    [Description] [varchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [NumberAllowed] [tinyint] NULL,
    [CountTowardsTotal] [bit] NULL,
    [NumberPerDay] [int] NULL,
    [DaysStart] [tinyint] NULL CONSTRAINT [DF_Additional_Request_Types_DaysStart]
    DEFAULT ((0))
) ON [PRIMARY]
GO
```

Project> 10.56.204.9\SQLEXPRESS> User databases> Allocate_News_Dev> Tables>
dbo.alloc_additional_menu

[dbo].[alloc_additional_menu]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	39
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
base	int	4	True	
description	nvarchar(50)	100	True	

SQL Script

```
CREATE TABLE [dbo].[alloc_additional_menu]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [base] [int] NULL,
    [description] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
```

Project> 10.56.204.9\SQLEXPRESS> User databases> Allocate_News_Dev> Tables>
dbo.alloc_additional_menu_link

[dbo].[alloc_additional_menu_link]

Properties

Property	Value
Heap	True
Row Count (~)	280
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
alloc_additional_menu_id	int	4	True	
base_id	int	4	True	

SQL Script

```
CREATE TABLE [dbo].[alloc_additional_menu_link]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [alloc_additional_menu_id] [int] NULL,
    [base_id] [int] NULL
) ON [PRIMARY]
GO
```

 [dbo].[Allocations]
Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	3469887
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	ID	int	4	False	1 - 1	
	StaffNumber	nvarchar(10)	20	True		
	DutyName	nvarchar(50)	100	True		
	Duration	float	8	True		
	WeekNumber	nvarchar(7)	14	False		
	iDay	smallint	2	False		
	StartTime	float	8	True		
	EndTime	float	8	True		
	DepartmentID	smallint	2	True		
	ActingGrade	int	4	True		((0))
	SortCode	nvarchar(30)	60	True		
	LeaveID	int	4	True		((0))
	ManualERR	decimal(5,2)	5	True		
	DutyComments	text	max	True		
	PersonComments	text	max	True		
	AllocationID	int	4	True		
	BaseCode	int	4	True		((0))
	BackColour	int	4	True		((8388608))
	FontColour	int	4	True		((14276567))
	AdhocDuty	bit	1	True		((0))
	MarkedOvertime	bit	1	True		((0))
	MarkedPTExtraDay	bit	1	True		((0))
	MarkedCompLeave	bit	1	True		((0))
	MarkedSickness	bit	1	True		((0))
	ManualOTAmount	decimal(4,2)	5	True		((0))
	ManualOTExcBreaksAmount	decimal(4,2)	5	True		((0))

	UnAllocated	bit	1	True		((0))
--	-------------	-----	---	------	--	-------

Indexes

Key	Name	Columns	Unique
	PK_Allocations	ID	True
	IX_Dept/Week	DepartmentID, WeekNumber	
	PK_StaffNumber_week_Day	StaffNumber, WeekNumber, iDay	
	_dta_index_Allocations_14_1557580587__K5D_K6_K2_K9_1_3_4_7_8_14	WeekNumber, iDay, Staff- Number, DepartmentID	
	_dta_index_Allocations_14_1557580587__K5_K9_K1_K2_K14_- K6_3_4_7_8_11	WeekNumber, DepartmentID, ID, Staff- Number, LeaveID, iDay	

SQL Script

```
CREATE TABLE [dbo].[Allocations]
(
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [DutyName] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Duration] [float] NULL,
    [WeekNumber] [nvarchar] (7) COLLATE Latin1_General_CI_AS NOT NULL,
    [iDay] [smallint] NOT NULL,
    [StartTime] [float] NULL,
    [EndTime] [float] NULL,
    [DepartmentID] [smallint] NULL,
    [ActingGrade] [int] NULL CONSTRAINT [DF_Allocations_ActingGrade] DEFAULT ((0)),
    [SortCode] [nvarchar] (30) COLLATE Latin1_General_CI_AS NULL,
    [LeaveID] [int] NULL CONSTRAINT [DF_Allocations_LeaveID] DEFAULT ((0)),
    [ManualERR] [decimal] (5, 2) NULL,
    [DutyComments] [text] COLLATE Latin1_General_CI_AS NULL,
    [PersonComments] [text] COLLATE Latin1_General_CI_AS NULL,
    [AllocationID] [int] NULL,
    [BaseCode] [int] NULL CONSTRAINT [DF_Allocations_BaseCode] DEFAULT ((0)),
    [BackColour] [int] NULL CONSTRAINT [DF_Allocations_BackColour] DEFAULT ((8388608)),
    [FontColour] [int] NULL CONSTRAINT [DF_Allocations_FontColour] DEFAULT ((14276567)),
    [AdhocDuty] [bit] NULL CONSTRAINT [DF_Allocations_AdhocDuty] DEFAULT ((0)),
    [MarkedOvertime] [bit] NULL CONSTRAINT [DF_Allocations_MarkedOvertime] DEFAULT ((0)),
    [MarkedPTEExtraDay] [bit] NULL CONSTRAINT [DF_Allocations_MarkedPTEExtraDay] DEFAULT ((0)),
    [MarkedCompLeave] [bit] NULL CONSTRAINT [DF_Allocations_MarkedCompLeave] DEFAULT ((0)),
    [MarkedSickness] [bit] NULL CONSTRAINT [DF_Allocations_IsSickness] DEFAULT ((0)),
    [ManualOTAmount] [decimal] (4, 2) NULL CONSTRAINT [DF_Allocations_ManualOTAmount] DEFAULT ((0)),
    [ManualOTExcBreaksAmount] [decimal] (4, 2) NULL CONSTRAINT [DF_Allocations_Manual-OTExcBreaksAmount] DEFAULT ((0)),

```

```
[UnAllocated] [bit] NULL CONSTRAINT [DF_Allocations_UnAllocated] DEFAULT ((0))
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
ALTER TABLE [dbo].[Allocations] ADD CONSTRAINT [PK_Allocations] PRIMARY KEY
CLUSTERED ([ID]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [IX_Dept/Week] ON [dbo].[Allocations] ([DepartmentID],
[WeekNumber]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [PK_StaffNumber_week_Day] ON [dbo].[Allocations] ([Staff-
Number], [WeekNumber], [iDay]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [_dta_index_Allocations_14_1557580587_K5_K9_K1_K2_K14 -
K6_3_4_7_8_11] ON [dbo].[Allocations] ([WeekNumber], [DepartmentID], [ID], [Staff-
Number], [LeaveID], [iDay]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [_dta_index_Allocations_14_1557580587_K5D_K6_K2 -
K9_1_3_4_7_8_14] ON [dbo].[Allocations] ([WeekNumber] DESC, [iDay], [StaffNumber],
[DepartmentID]) ON [PRIMARY]
GO
```

Used By

[dbo].[uspAllocationsForDay]

Project> 10.56.204.9\SQLEXPRESS> User databases> Allocate_News_Dev> Tables>
dbo.allocations_comments

[dbo].[allocations_comments]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	0
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
id	int	4	False
base	int	4	True
dDate	datetime	8	True
comments	text	max	True

SQL Script

```
CREATE TABLE [dbo].[allocations_comments]
(
    [id] [int] NOT NULL,
    [base] [int] NULL,
    [dDate] [datetime] NULL,
    [comments] [text] COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
```

[dbo].[Allocations_webedit]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	2553
Created	20:48:32 24 October 2017
Last Modified	12:12:44 25 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
ID	int	4	False	1 - 1	
StaffNumber	nvarchar(10)	20	True		
DutyName	nvarchar(50)	100	True		
Duration	float	8	True		
WeekNumber	int	4	False		
iDay	smallint	2	False		
StartTime	float	8	True		
EndTime	float	8	True		
DutyComments	text	max	True		
PersonComments	text	max	True		
AllocationID	int	4	True		
History	nvarchar(4000)	8000	True		
editable	bit	1	True		((1))
isworking	bit	1	True		((1))
OrigAllocationID	int	4	True		
base	tinyint	1	True		
deleted	bit	1	False		((0))
canbedeleted	bit	1	True		((0))
DepartmentID	int	4	True		
BackColour	nvarchar(50)	100	True		
FontColour	nvarchar(50)	100	True		
edited	bit	1	True		((0))
InternalEdited	bit	1	True		((0))
LastUpdate	bigint	8	True		

SQL Script

```
CREATE TABLE [dbo].[Allocations_webedit]
(
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [DutyName] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Duration] [float] NULL,
    [WeekNumber] [int] NOT NULL,
    [iDay] [smallint] NOT NULL,
    [StartTime] [float] NULL,
    [EndTime] [float] NULL,
    [DutyComments] [text] COLLATE Latin1_General_CI_AS NULL,
    [PersonComments] [text] COLLATE Latin1_General_CI_AS NULL,
    [AllocationID] [int] NULL,
    [History] [nvarchar] (4000) COLLATE Latin1_General_CI_AS NULL,
    [editable] [bit] NULL CONSTRAINT [DF_Allocations_webedit_editable] DEFAULT ((1)),
    [isworking] [bit] NULL CONSTRAINT [DF_Allocations_webedit_isworking] DEFAULT ((1)),
    [OrigAllocationID] [int] NULL,
    [base] [tinyint] NULL,
    [deleted] [bit] NOT NULL CONSTRAINT [DF_Allocations_webedit_deleted] DEFAULT ((0)),
    [canbedeleted] [bit] NULL CONSTRAINT [DF_Allocations_webedit_canbedeleted] DEFAULT ((0)),
    [DepartmentID] [int] NULL,
    [BackColour] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [FontColour] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [edited] [bit] NULL CONSTRAINT [DF_Allocations_webedit_edited] DEFAULT ((0)),
    [InternalEdited] [bit] NULL CONSTRAINT [DF_Allocations_webedit_InternalEdited] DEFAULT ((0)),
    [LastUpdate] [bigint] NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
```

Used By

[dbo].[uspAllocationsForDay]

[dbo].[Allocations_webedit_backups]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	0
Created	19:01:22 06 October 2017
Last Modified	19:01:22 06 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
ID	int	4	False
StaffNumber	nvarchar(10)	20	True
DutyName	nvarchar(50)	100	True
Duration	float	8	True
WeekNumber	nvarchar(7)	14	False
iDay	smallint	2	False
StartTime	float	8	True
EndTime	float	8	True
DutyComments	text	max	True
PersonComments	text	max	True
AllocationID	int	4	True
History	text	max	True
editable	bit	1	True
isworking	bit	1	True
OrigAllocationID	int	4	True
base	tinyint	1	True
deleted	tinyint	1	False
DepartmentID	int	4	True
BackColour	nvarchar(50)	100	True
FontColour	nvarchar(50)	100	True
edited	bit	1	True
InternalEdited	bit	1	True
IsOriginal	bit	1	True
LastUpdate	bigint	8	True
BackupTime	datetime	8	True

SQL Script

```
CREATE TABLE [dbo].[Allocations_webedit_backups]
(
    [ID] [int] NOT NULL,
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [DutyName] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Duration] [float] NULL,
    [WeekNumber] [nvarchar] (7) COLLATE Latin1_General_CI_AS NOT NULL,
    [iDay] [smallint] NOT NULL,
    [StartTime] [float] NULL,
    [EndTime] [float] NULL,
    [DutyComments] [text] COLLATE Latin1_General_CI_AS NULL,
    [PersonComments] [text] COLLATE Latin1_General_CI_AS NULL,
    [AllocationID] [int] NULL,
    [History] [text] COLLATE Latin1_General_CI_AS NULL,
    [editable] [bit] NULL,
    [isworking] [bit] NULL,
    [OrigAllocationID] [int] NULL,
    [base] [tinyint] NULL,
    [deleted] [tinyint] NOT NULL,
    [DepartmentID] [int] NULL,
    [BackColour] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [FontColour] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [edited] [bit] NULL,
    [InternalEdited] [bit] NULL,
    [IsOriginal] [bit] NULL,
    [LastUpdate] [bigint] NULL,
    [BackupTime] [datetime] NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
```

[dbo].[Allocations_webedit_Snapshots]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	4805
Created	21:06:18 06 October 2017
Last Modified	21:06:45 06 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	ID	int	4	False	1 - 1	
	StaffNumber	nvarchar(10)	20	True		
	DutyName	nvarchar(50)	100	True		
	Duration	float	8	True		
	WeekNumber	nvarchar(7)	14	False		
	iDay	smallint	2	False		
	StartTime	float	8	True		
	EndTime	float	8	True		
	DutyComments	text	max	True		
	PersonComments	text	max	True		
	AllocationID	int	4	True		
	History	text	max	True		
	editable	bit	1	True		
	isworking	bit	1	True		
	OrigAllocationID	int	4	True		
	base	tinyint	1	True		
	deleted	tinyint	1	False		((0))
	DepartmentID	int	4	True		
	BackColour	nvarchar(50)	100	True		
	FontColour	nvarchar(50)	100	True		

Indexes

Key	Name	Columns	Unique
	PK_Allocations_webedit_Snapshots	ID	True

SQL Script

```
CREATE TABLE [dbo].[Allocations_webedit_Snapshots]
(
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [DutyName] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Duration] [float] NULL,
    [WeekNumber] [nvarchar] (7) COLLATE Latin1_General_CI_AS NOT NULL,
    [iDay] [smallint] NOT NULL,
    [StartTime] [float] NULL,
    [EndTime] [float] NULL,
    [DutyComments] [text] COLLATE Latin1_General_CI_AS NULL,
    [PersonComments] [text] COLLATE Latin1_General_CI_AS NULL,
    [AllocationID] [int] NULL,
    [History] [text] COLLATE Latin1_General_CI_AS NULL,
    [editable] [bit] NULL,
    [isworking] [bit] NULL,
    [OrigAllocationID] [int] NULL,
    [base] [tinyint] NULL,
    [deleted] [tinyint] NOT NULL CONSTRAINT [DF_Allocations_webedit_Snapshots_deleted]
    DEFAULT ((0)),
    [DepartmentID] [int] NULL,
    [BackColour] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [FontColour] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO

ALTER TABLE [dbo].[Allocations_webedit_Snapshots] ADD CONSTRAINT [PK_-
Allocations_webedit_Snapshots] PRIMARY KEY CLUSTERED ([ID]) ON [PRIMARY]
GO
```

[dbo].[AppraiserAreas]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	1
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
AppraiserArea	nvarchar(50)	100	True	

SQL Script

```
CREATE TABLE [dbo].[AppraiserAreas]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [AppraiserArea] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
```


 [dbo].[BaseCodes]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	22
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
	BaseCodeID	int	4	False	
	BaseCode	varchar(5)	5	True	
	BaseName	varchar(20)	20	True	
	BaseDescription	varchar(100)	100	True	
	IsActive	bit	1	True	((0))

Indexes

Key	Name	Columns	Unique
	PK_BaseCodes	BaseCodeID	True

SQL Script

```
CREATE TABLE [dbo].[BaseCodes]
(
    [BaseCodeID] [int] NOT NULL,
    [BaseCode] [varchar] (5) COLLATE Latin1_General_CI_AS NULL,
    [BaseName] [varchar] (20) COLLATE Latin1_General_CI_AS NULL,
    [BaseDescription] [varchar] (100) COLLATE Latin1_General_CI_AS NULL,
    [IsActive] [bit] NULL CONSTRAINT [DF_BaseCodes_IsActive] DEFAULT ((0))
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[BaseCodes] ADD CONSTRAINT [PK_BaseCodes] PRIMARY KEY CLUSTERED
([BaseCodeID]) ON [PRIMARY]
GO
```

[dbo].[BaseGroups]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	7
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
GroupName	nvarchar(50)	100	True	

SQL Script

```
CREATE TABLE [dbo].[BaseGroups]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [GroupName] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
```

 [dbo].[ClosedRequests]
Properties

Property	Value
Heap	True
Row Count (~)	103
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
ID	int	4	False	1 - 1
dDate	datetime	8	True	
dDateSalford	datetime	8	True	
dDate_0	datetime	8	True	
dDate_1	datetime	8	True	
dDate_2	datetime	8	True	

SQL Script

```
CREATE TABLE [dbo].[ClosedRequests]
(
  [ID] [int] NOT NULL IDENTITY(1, 1),
  [dDate] [datetime] NULL,
  [dDateSalford] [datetime] NULL,
  [dDate_0] [datetime] NULL,
  [dDate_1] [datetime] NULL,
  [dDate_2] [datetime] NULL
) ON [PRIMARY]
GO
```

 [dbo].[DayIsEdited]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	13
Created	21:09:45 06 October 2017
Last Modified	21:09:45 06 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
DepartmentID	int	4	True	
WeekNumber	int	4	True	
iDay	int	4	True	
isEdited	bit	1	True	
History	nvarchar(max)	max	True	
AllocatePublish	datetime	8	True	

SQL Script

```
CREATE TABLE [dbo].[DayIsEdited]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [DepartmentID] [int] NULL,
    [WeekNumber] [int] NULL,
    [iDay] [int] NULL,
    [isEdited] [bit] NULL,
    [History] [nvarchar] (max) COLLATE Latin1_General_CI_AS NULL,
    [AllocatePublish] [datetime] NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
```

 [dbo].[deletable_jobs]
Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	0
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	id	int	4	False	1 - 1
	base	tinyint	1	True	
	match	nvarchar(50)	100	True	

Indexes

Key	Name	Columns	Unique
	PK_deletable_jobs	id	True

SQL Script

```
CREATE TABLE [dbo].[deletable_jobs]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [base] [tinyint] NULL,
    [match] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[deletable_jobs] ADD CONSTRAINT [PK_deletable_jobs] PRIMARY KEY
CLUSTERED ([id]) ON [PRIMARY]
GO
```

 [dbo].[Departments]
Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	24
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
	ID	int	4	False	
	FullName	varchar(30)	30	True	
	CurrentLeaveYear	int	4	True	
	MinLeaveDays	int	4	True	((0))
	EmailNoticeDays	int	4	True	((0))
	IntranetLeaveRequest	bit	1	True	((0))
	IntranetLeaveCredit	float	8	True	((0))
	Email1	varchar(100)	100	True	
	Email2	varchar(100)	100	True	
	Email3	varchar(100)	100	True	
	BlockStartDate	varchar(10)	10	True	
	BlockEndDate	varchar(10)	10	True	
	retiredFlg	bit	1	False	((0))
	isLive	bit	1	True	((0))

Indexes

Key	Name	Columns	Unique
	PK_Departments	ID	True

SQL Script

```
CREATE TABLE [dbo].[Departments]
(
    [ID] [int] NOT NULL,
    [FullName] [varchar] (30) COLLATE Latin1_General_CI_AS NULL,
    [CurrentLeaveYear] [int] NULL,
    [MinLeaveDays] [int] NULL CONSTRAINT [DF_Departments_MinLeaveDays] DEFAULT ((0)),
    [EmailNoticeDays] [int] NULL CONSTRAINT [DF_Departments_EmailNoticeDays] DEFAULT ((0)),
    [IntranetLeaveRequest] [bit] NULL,
    [IntranetLeaveCredit] [float] NULL,
    [Email1] [varchar] (100) NULL,
    [Email2] [varchar] (100) NULL,
    [Email3] [varchar] (100) NULL,
    [BlockStartDate] [varchar] (10) NULL,
    [BlockEndDate] [varchar] (10) NULL,
    [retiredFlg] [bit] NULL,
    [isLive] [bit] NULL
)
```

```
[IntranetLeaveRequest] [bit] NULL CONSTRAINT [DF_Departments_IntranetLeaveRequest]
DEFAULT ((0)),
[IntranetLeaveCredit] [float] NULL CONSTRAINT [DF_Departments_IntranetLeaveCredit]
DEFAULT ((0)),
[Email1] [varchar] (100) COLLATE Latin1_General_CI_AS NULL,
[Email2] [varchar] (100) COLLATE Latin1_General_CI_AS NULL,
[Email3] [varchar] (100) COLLATE Latin1_General_CI_AS NULL,
[BlockStartDate] [varchar] (10) COLLATE Latin1_General_CI_AS NULL,
[BlockEndDate] [varchar] (10) COLLATE Latin1_General_CI_AS NULL,
[retiredFlg] [bit] NOT NULL CONSTRAINT [DF_Departments_retiredFlg] DEFAULT ((0)),
[isLive] [bit] NULL CONSTRAINT [DF_Departments_isLive] DEFAULT ((0))
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[Departments] ADD CONSTRAINT [PK_Departments] PRIMARY KEY
CLUSTERED ([ID]) ON [PRIMARY]
GO
```

 [dbo].[DescXmasPoints]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	0
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	id	int	4	False	1 - 1
	StaffNumber	nvarchar(10)	20	True	
	year	int	4	True	
	points	int	4	True	
	notes	nvarchar(500)	1000	True	

Indexes

Key	Name	Columns	Unique
	PK_DescXmasPoints	id	True

SQL Script

```
CREATE TABLE [dbo].[DescXmasPoints]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [year] [int] NULL,
    [points] [int] NULL,
    [notes] [nvarchar] (500) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[DescXmasPoints] ADD CONSTRAINT [PK_DescXmasPoints] PRIMARY KEY
CLUSTERED ([id]) ON [PRIMARY]
GO
```


 [dbo].[edp]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	435
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	id	int	4	False	1 - 1
	staffnumber	nvarchar(10)	20	True	
	ddate	datetime	8	True	
	history	text	max	True	
	comments	text	max	True	

Indexes

Key	Name	Columns	Unique
	PK_edp	id	True

SQL Script

```

CREATE TABLE [dbo].[edp]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [staffnumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [ddate] [datetime] NULL,
    [history] [text] COLLATE Latin1_General_CI_AS NULL,
    [comments] [text] COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
ALTER TABLE [dbo].[edp] ADD CONSTRAINT [PK_edp] PRIMARY KEY CLUSTERED ([id]) ON [PRIMARY]
GO

```

[dbo].[Grades]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	90
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
ID	smallint	2	True
Grade	nvarchar(5)	10	True
Conditions	tinyint	1	True
Amount	float	8	True

SQL Script

```
CREATE TABLE [dbo].[Grades]
(
    [ID] [smallint] NULL,
    [Grade] [nvarchar] (5) COLLATE Latin1_General_CI_AS NULL,
    [Conditions] [tinyint] NULL,
    [Amount] [float] NULL
) ON [PRIMARY]
GO
```

 [dbo].[GridChecks]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	0
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	id	int	4	False	1 - 1
	dDate	datetime	8	True	
	status	tinyint	1	True	
	history	text	max	True	
	comments	text	max	True	
	period	tinyint	1	True	
	base	tinyint	1	True	

Indexes

Key	Name	Columns	Unique
	PK_GridChecks	id	True

SQL Script

```

CREATE TABLE [dbo].[GridChecks]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [dDate] [datetime] NULL,
    [status] [tinyint] NULL,
    [history] [text] COLLATE Latin1_General_CI_AS NULL,
    [comments] [text] COLLATE Latin1_General_CI_AS NULL,
    [period] [tinyint] NULL,
    [base] [tinyint] NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
ALTER TABLE [dbo].[GridChecks] ADD CONSTRAINT [PK_GridChecks] PRIMARY KEY CLUSTERED
([id]) ON [PRIMARY]
GO

```

 [dbo].[Jobs]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	719561
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	ID	int	4	False	1 - 1	
	AllocateJobID	int	4	True		((0))
	DepartmentID	int	4	True		((0))
	StaffNumber	varchar(50)	50	True		
	AllocationID	int	4	True		
	WeekNumber	int	4	True		
	iDay	smallint	2	True		
	Programme	varchar(25)	25	True		
	Contact	varchar(25)	25	True		
	Location	varchar(25)	25	True		
	JobName	varchar(50)	50	True		
	StartTime	float	8	True		
	EndTime	float	8	True		
	JobBackColour	int	4	True		
	JobFontColour	int	4	True		
	Comments	text	max	True		
	MasterJobID	int	4	True		
	AdhocDuty	bit	1	True		((0))
	UnAllocated	bit	1	True		((0))

Indexes

Key	Name	Columns	Unique
	PK_Jobs	ID	True

SQL Script

```
CREATE TABLE [dbo] . [Jobs]
```

```
(
[ID] [int] NOT NULL IDENTITY(1, 1),
[AllocateJobID] [int] NULL CONSTRAINT [DF_Jobs_JobID] DEFAULT ((0)),
[DepartmentID] [int] NULL CONSTRAINT [DF_Jobs_DepartmentID] DEFAULT ((0)),
[StaffNumber] [varchar] (50) COLLATE Latin1_General_CI_AS NULL,
[AllocationID] [int] NULL,
[WeekNumber] [int] NULL,
[iDay] [smallint] NULL,
[Programme] [varchar] (25) COLLATE Latin1_General_CI_AS NULL,
[Contact] [varchar] (25) COLLATE Latin1_General_CI_AS NULL,
[Location] [varchar] (25) COLLATE Latin1_General_CI_AS NULL,
[JobName] [varchar] (50) COLLATE Latin1_General_CI_AS NULL,
[StartTime] [float] NULL,
[EndTime] [float] NULL,
[JobBackColour] [int] NULL,
[JobFontColour] [int] NULL,
[Comments] [text] COLLATE Latin1_General_CI_AS NULL,
[MasterJobID] [int] NULL,
[AdhocDuty] [bit] NULL CONSTRAINT [DF_Jobs_AdhocDuty] DEFAULT ((0)),
[UnAllocated] [bit] NULL CONSTRAINT [DF_Jobs_UnAllocated] DEFAULT ((0))
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
ALTER TABLE [dbo].[Jobs] ADD CONSTRAINT [PK_Jobs] PRIMARY KEY CLUSTERED ([ID]) ON
[PRIMARY]
GO
```

Used By

[dbo].[uspAllocationsForDay]

 [dbo].[Jobs_webedit]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	6332
Created	22:06:41 24 October 2017
Last Modified	22:06:41 24 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	ID	int	4	False	1 - 1	
	AllocateJobID	int	4	False		
	DepartmentID	int	4	True		
	StaffNumber	nvarchar(10)	20	True		
	AllocationID	int	4	True		
	WeekNumber	int	4	True		
	iDay	smallint	2	False		
	JobName	nvarchar(50)	100	True		
	Programme	nvarchar(25)	50	True		
	StartTime	float	8	True		
	EndTime	float	8	True		
	JobBackColour	varchar(10)	10	True		
	JobFontColour	varchar(10)	10	True		
	MasterJobID	int	4	True		
	Comments	nvarchar(4000)	8000	True		
	history	nvarchar(4000)	8000	True		
	OrigAllocationID	int	4	True		
	base	tinyint	1	True		
	deleted	bit	1	False		((0))
	canbedeleted	bit	1	True		((0))
	IsOriginal	bit	1	True		((0))
	LastUpdate	bigint	8	True		
	Edited	bit	1	True		((0))

Indexes

Key	Name	Columns	Unique
	PK_Jobs_webedit	ID	True

SQL Script

```
CREATE TABLE [dbo].[Jobs_webedit]
(
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [AllocateJobID] [int] NOT NULL,
    [DepartmentID] [int] NULL,
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [AllocationID] [int] NULL,
    [WeekNumber] [int] NULL,
    [iDay] [smallint] NOT NULL,
    [JobName] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Programme] [nvarchar] (25) COLLATE Latin1_General_CI_AS NULL,
    [StartTime] [float] NULL,
    [EndTime] [float] NULL,
    [JobBackColour] [varchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [JobFontColour] [varchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [MasterJobID] [int] NULL,
    [Comments] [nvarchar] (4000) COLLATE Latin1_General_CI_AS NULL,
    [history] [nvarchar] (4000) COLLATE Latin1_General_CI_AS NULL,
    [OrigAllocationID] [int] NULL,
    [base] [tinyint] NULL,
    [deleted] [bit] NOT NULL CONSTRAINT [DF_Jobs_webedit_deleted] DEFAULT ((0)),
    [canbedeleted] [bit] NULL CONSTRAINT [DF_Jobs_webedit_canbedeleted] DEFAULT ((0)),
    [IsOriginal] [bit] NULL CONSTRAINT [DF_Jobs_webedit_IsOriginal] DEFAULT ((0)),
    [LastUpdate] [bigint] NULL,
    [Edited] [bit] NULL CONSTRAINT [DF_Jobs_webedit_Edited] DEFAULT ((0))
) ON [PRIMARY]
GO

ALTER TABLE [dbo].[Jobs_webedit] ADD CONSTRAINT [PK_Jobs_webedit] PRIMARY KEY
CLUSTERED ([ID]) ON [PRIMARY]
GO
```

Used By

[dbo].[uspAllocationsForDay]

[dbo].[Jobs_webedit_backup]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	0
Created	19:14:49 06 October 2017
Last Modified	19:14:49 06 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
ID	int	4	False
AllocateJobID	int	4	False
DepartmentID	int	4	True
StaffNumber	nvarchar(10)	20	True
AllocationID	int	4	True
WeekNumber	int	4	True
iDay	smallint	2	False
Programme	nvarchar(25)	50	True
JobName	nvarchar(50)	100	True
StartTime	float	8	True
EndTime	float	8	True
JobBackColour	varchar(10)	10	True
JobFontColour	varchar(10)	10	True
MasterJobID	int	4	True
Comments	text	max	True
history	text	max	True
OrigAllocationID	int	4	True
base	tinyint	1	True
deleted	tinyint	1	True
canbedeleted	bit	1	True
Edited	bit	1	True
IsOriginal	bit	1	True
LastUpdate	bigint	8	True
BackupTime	datetime	8	True

SQL Script

```
CREATE TABLE [dbo].[Jobs_webedit_backup]
```


Project> 10.56.204.9\SQLEXPRESS> User databases> Allocate_News_Dev> Tables>
dbo.Jobs_webedit_backup

```
(
[ID] [int] NOT NULL,
[AllocateJobID] [int] NOT NULL,
[DepartmentID] [int] NULL,
[StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
[AllocationID] [int] NULL,
[WeekNumber] [int] NULL,
[iDay] [smallint] NOT NULL,
[Programme] [nvarchar] (25) COLLATE Latin1_General_CI_AS NULL,
[JobName] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
[StartTime] [float] NULL,
[EndTime] [float] NULL,
[JobBackColour] [varchar] (10) COLLATE Latin1_General_CI_AS NULL,
[JobFontColour] [varchar] (10) COLLATE Latin1_General_CI_AS NULL,
[MasterJobID] [int] NULL,
[Comments] [text] COLLATE Latin1_General_CI_AS NULL,
[history] [text] COLLATE Latin1_General_CI_AS NULL,
[OrigAllocationID] [int] NULL,
[base] [tinyint] NULL,
[deleted] [tinyint] NULL,
[canbedeleted] [bit] NULL,
[Edited] [bit] NULL,
[IsOriginal] [bit] NULL,
[LastUpdate] [bigint] NULL,
[BackupTime] [datetime] NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
```

[dbo].[Jobs_webedit_Snapshots]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	10659
Created	21:08:56 06 October 2017
Last Modified	21:08:56 06 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
ID	int	4	False	1 - 1
AllocateJobID	int	4	False	
DepartmentID	int	4	True	
StaffNumber	nvarchar(10)	20	True	
AllocationID	int	4	True	
WeekNumber	int	4	True	
iDay	smallint	2	False	
Programme	nvarchar(25)	50	True	
JobName	nvarchar(50)	100	True	
StartTime	float	8	True	
EndTime	float	8	True	
JobBackColour	varchar(10)	10	True	
JobFontColour	varchar(10)	10	True	
MasterJobID	int	4	True	
Comments	text	max	True	
history	text	max	True	
OrigAllocationID	int	4	True	
base	tinyint	1	True	

SQL Script

```
CREATE TABLE [dbo].[Jobs_webedit_Snapshots]
(
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [AllocateJobID] [int] NOT NULL,
    [DepartmentID] [int] NULL,
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [AllocationID] [int] NULL,
    [WeekNumber] [int] NULL,
```

```
[iDay] [smallint] NOT NULL,  
[Programme] [nvarchar] (25) COLLATE Latin1_General_CI_AS NULL,  
[JobName] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,  
[StartTime] [float] NULL,  
[EndTime] [float] NULL,  
[JobBackColour] [varchar] (10) COLLATE Latin1_General_CI_AS NULL,  
[JobFontColour] [varchar] (10) COLLATE Latin1_General_CI_AS NULL,  
[MasterJobID] [int] NULL,  
[Comments] [text] COLLATE Latin1_General_CI_AS NULL,  
[history] [text] COLLATE Latin1_General_CI_AS NULL,  
[OrigAllocationID] [int] NULL,  
[base] [tinyint] NULL  
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]  
GO
```

 [dbo].[Leave]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	206585
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
 (8)	StaffNumber	nvarchar(10)	20	True	
 (12)	StartingDate	float	8	True	
 (8)	EndingDate	float	8	True	
 (5)	Annual	float	8	True	
 (5)	PHL	float	8	True	
 (5)	Comp	float	8	True	
 (5)	Additional	float	8	True	
	Comments	ntext	max	True	
 (13)	Status	tinyint	1	True	
 (3)	AccessID	int	4	True	
	DepartmentID	tinyint	1	True	
 (12)	ID	int	4	False	1 - 1

Indexes

Key	Name	Columns	Unique
	PK_Leave	ID	True
	DepartmentID	DepartmentID	
	IX_AccessID	AccessID	
	IX_Leave	StaffNumber	
	Status	Status	
	_dta_index_Leave_14_1346103836__K4_K5_K1_K6_8_9_10_11	Status, Staff-Number, ID, StartingDate	
	_dta_index_Leave_14_1346103836__K5_K6_K7_K4_K1_K8_K9_K10_K11	StaffNumber, StartingDate, EndingDate,	

		Status, ID, Annual, PHL, Comp, Additional	
	_dta_index_Leave_14_30623152__K2_K1_K4	AccessID, ID, Status	

Statistics

Name	Columns
_dta_stat_1346103836_1_4_6_7_8_9_10_11	ID, Status, StartingDate, EndingDate, Annual, PHL, Comp, Additional
_dta_stat_1346103836_1_6	ID, StartingDate
_dta_stat_1346103836_4_6_7_1	Status, StartingDate, EndingDate, ID
_dta_stat_1346103836_5_1_6	StaffNumber, ID, StartingDate
_dta_stat_1346103836_5_6_4_1	StaffNumber, StartingDate, Status, ID
_dta_stat_1346103836_6_4_1	StartingDate, Status, ID
_dta_stat_1346103836_6_5_1_7_4_8_9_10_11	StartingDate, StaffNumber, ID, EndingDate, Status, Annual, PHL, Comp, Additional
_dta_stat_1346103836_6_7	StartingDate, EndingDate
_dta_stat_1346103836_7_5_1	EndingDate, StaffNumber, ID
_dta_stat_1346103836_8_9_10_11_4_5_6_7	Annual, PHL, Comp, Additional, Status, StaffNumber, StartingDate, EndingDate
_dta_stat_1346103836_8_9_10_11_4_6_7	Annual, PHL, Comp, Additional, Status, StartingDate, EndingDate
_dta_stat_30623152_4_1	Status, ID
_dta_stat_30623152_4_2	Status, AccessID

SQL Script

```
CREATE TABLE [dbo].[Leave]
(
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [StartingDate] [float] NULL,
    [EndingDate] [float] NULL,
    [Annual] [float] NULL,
    [PHL] [float] NULL,
    [Comp] [float] NULL,
    [Additional] [float] NULL,
    [Comments] [ntext] COLLATE Latin1_General_CI_AS NULL,
    [Status] [tinyint] NULL,
    [AccessID] [int] NULL,
    [DepartmentID] [tinyint] NULL,
    [ID] [int] NOT NULL IDENTITY(1, 1)
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
ALTER TABLE [dbo].[Leave] ADD CONSTRAINT [PK_Leave] PRIMARY KEY CLUSTERED ([ID]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [IX_AccessID] ON [dbo].[Leave] ([AccessID]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [_dta_index_Leave_14_30623152__K2_K1_K4] ON [dbo].[Leave] ([AccessID], [ID], [Status]) ON [PRIMARY]
```

```
GO
CREATE NONCLUSTERED INDEX [DepartmentID] ON [dbo].[Leave] ([DepartmentID]) ON
[PRIMARY]
GO
CREATE NONCLUSTERED INDEX [IX_Leave] ON [dbo].[Leave] ([StaffNumber]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [_dta_index_Leave_14_1346103836__K5_K6_K7_K4_K1_K8_K9_K10_
K11] ON [dbo].[Leave] ([StaffNumber], [StartingDate], [EndingDate], [Status], [ID],
[Annual], [PHL], [Comp], [Additional]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [Status] ON [dbo].[Leave] ([Status]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [_dta_index_Leave_14_1346103836__K4_K5_K1_K6_8_9_10_11] ON
[dbo].[Leave] ([Status], [StaffNumber], [ID], [StartingDate]) ON [PRIMARY]
GO
CREATE STATISTICS [_dta_stat_1346103836_8_9_10_11_4_5_6_7] ON [dbo].[Leave]
([Annual], [PHL], [Comp], [Additional], [Status], [StaffNumber], [StartingDate],
[EndingDate])
GO
CREATE STATISTICS [_dta_stat_1346103836_8_9_10_11_4_6_7] ON [dbo].[Leave] ([Annual],
[PHL], [Comp], [Additional], [Status], [StartingDate], [EndingDate])
GO
CREATE STATISTICS [_dta_stat_1346103836_7_5_1] ON [dbo].[Leave] ([EndingDate],
[StaffNumber], [ID])
GO
CREATE STATISTICS [_dta_stat_1346103836_1_6] ON [dbo].[Leave] ([ID], [StartingDate])
GO
CREATE STATISTICS [_dta_stat_1346103836_1_4_6_7_8_9_10_11] ON [dbo].[Leave] ([ID],
[Status], [StartingDate], [EndingDate], [Annual], [PHL], [Comp], [Additional])
GO
CREATE STATISTICS [_dta_stat_1346103836_5_1_6] ON [dbo].[Leave] ([StaffNumber],
[ID], [StartingDate])
GO
CREATE STATISTICS [_dta_stat_1346103836_5_6_4_1] ON [dbo].[Leave] ([StaffNumber],
[StartingDate], [Status], [ID])
GO
CREATE STATISTICS [_dta_stat_1346103836_6_7] ON [dbo].[Leave] ([StartingDate],
[EndingDate])
GO
CREATE STATISTICS [_dta_stat_1346103836_6_5_1_7_4_8_9_10_11] ON [dbo].[Leave]
([StartingDate], [StaffNumber], [ID], [EndingDate], [Status], [Annual], [PHL],
[Comp], [Additional])
GO
CREATE STATISTICS [_dta_stat_1346103836_6_4_1] ON [dbo].[Leave] ([StartingDate],
[Status], [ID])
GO
CREATE STATISTICS [_dta_stat_30623152_4_2] ON [dbo].[Leave] ([Status], [AccessID])
GO
CREATE STATISTICS [_dta_stat_30623152_4_1] ON [dbo].[Leave] ([Status], [ID])
GO
CREATE STATISTICS [_dta_stat_1346103836_4_6_7_1] ON [dbo].[Leave] ([Status],
[StartingDate], [EndingDate], [ID])
GO
```

 [dbo].[leave_types]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	53
Created	15:37:49 03 October 2017
Last Modified	12:09:00 16 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
GroupID	int	4	True	
typeid	int	4	True	
description	nvarchar(50)	100	True	
dependant	bit	1	True	
countclicks	bit	1	True	
defaultamounts	nvarchar(50)	100	True	

SQL Script

```

CREATE TABLE [dbo].[leave_types]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [GroupID] [int] NULL,
    [typeid] [int] NULL,
    [description] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [dependant] [bit] NULL,
    [countclicks] [bit] NULL,
    [defaultamounts] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO

```

 [dbo].[LeaveAllocation]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	201886
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	AllocateID	int	4	True	
 (2)	StaffNumber	nvarchar(10)	20	True	
	iYear	smallint	2	True	
	Annual	float	8	True	
	PHL	float	8	True	
	Comp	float	8	True	
	Additional	float	8	True	
	dDate	datetime	8	True	
	Comments	ntext	max	True	
	ID	int	4	False	1 - 1

Indexes

Key	Name	Columns	Unique
	PK_LeaveAllocation	ID	True
	IX_LeaveAllocation	AllocateID	
	IX_LeaveAllocation_1	StaffNumber	
	_dta_index_LeaveAllocation_c_14_1909581841__K3_K2	iYear, Staff-Number	

Statistics

Name	Columns
_dta_stat_1909581841_2_3	StaffNumber, iYear

SQL Script

```
CREATE TABLE [dbo].[LeaveAllocation]
```



```
(
[AllocateID] [int] NULL,
[StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
[iYear] [smallint] NULL,
[Annual] [float] NULL,
[PHL] [float] NULL,
[Comp] [float] NULL,
[Additional] [float] NULL,
[dDate] [datetime] NULL,
[Comments] [ntext] COLLATE Latin1_General_CI_AS NULL,
[ID] [int] NOT NULL IDENTITY(1, 1)
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
ALTER TABLE [dbo].[LeaveAllocation] ADD CONSTRAINT [PK_LeaveAllocation] PRIMARY KEY
NONCLUSTERED ([ID]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [IX_LeaveAllocation] ON [dbo].[LeaveAllocation] ([Allocate-
ID]) ON [PRIMARY]
GO
CREATE CLUSTERED INDEX [_dta_index_LeaveAllocation_c_14_1909581841__K3_K2] ON
[dbo].[LeaveAllocation] ([iYear], [StaffNumber]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [IX_LeaveAllocation_1] ON [dbo].[LeaveAllocation] ([Staff-
Number]) ON [PRIMARY]
GO
CREATE STATISTICS [_dta_stat_1909581841_2_3] ON [dbo].[LeaveAllocation] ([Staff-
Number], [iYear])
GO
```

 [dbo].[LeaveApplications]
Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	47248
Created	18:37:29 19 October 2017
Last Modified	15:37:21 25 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	StaffNumber	nvarchar(10)	20	True		
	dDate	datetime	8	True		
	Created	datetime	8	True		
	Approved	bit	1	True		((0))
	Deleted	bit	1	True		((0))
	Sent	bit	1	True		((0))
	Comments	nvarchar(150)	300	True		
	OfficeComments	nvarchar(150)	300	True		
	History	varchar(2000)	2000	True		
	Attention	bit	1	True		((0))
	ID	bigint	8	False	1 - 1	
	ShortNotice	bit	1	True		((0))
	unlikely	bit	1	True		((0))
	LeaveTypesID	int	4	True		
	leavetype_DEAD	tinyint	1	True		
	night_DEAD	tinyint	1	True		((0))
	autoimport	bit	1	True		
	base_Dead	int	4	True		
	oversummer	bit	1	True		((0))
	isOK	bit	1	True		

Indexes

Key	Name	Columns	Unique
	PK_LeaveApplications	ID	True
	IX_SN_date	StaffNumber, dDate	True

SQL Script

```

CREATE TABLE [dbo].[LeaveApplications]
(
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [dDate] [datetime] NULL,
    [Created] [datetime] NULL,
    [Approved] [bit] NULL CONSTRAINT [DF_LeaveApplications_Status] DEFAULT ((0)),
    [Deleted] [bit] NULL CONSTRAINT [DF_LeaveApplications_Deleted] DEFAULT ((0)),
    [Sent] [bit] NULL CONSTRAINT [DF_LeaveApplications_Sent] DEFAULT ((0)),
    [Comments] [nvarchar] (150) COLLATE Latin1_General_CI_AS NULL,
    [OfficeComments] [nvarchar] (150) COLLATE Latin1_General_CI_AS NULL,
    [History] [varchar] (2000) COLLATE Latin1_General_CI_AS NULL,
    [Attention] [bit] NULL CONSTRAINT [DF_LeaveApplications_Attention] DEFAULT ((0)),
    [ID] [bigint] NOT NULL IDENTITY(1, 1),
    [ShortNotice] [bit] NULL CONSTRAINT [DF_LeaveApplications_ShortNotice] DEFAULT ((0)),
    [unlikely] [bit] NULL CONSTRAINT [DF_LeaveApplications_unlikely] DEFAULT ((0)),
    [LeaveTypesID] [int] NULL,
    [leavetype_DEAD] [tinyint] NULL,
    [night_DEAD] [tinyint] NULL CONSTRAINT [DF_LeaveApplications_night] DEFAULT ((0)),
    [autoimport] [bit] NULL,
    [base_Deal] [int] NULL,
    [oversummer] [bit] NULL CONSTRAINT [DF_LeaveApplications_oversummer] DEFAULT ((0)),
    [isOK] [bit] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[LeaveApplications] ADD CONSTRAINT [PK_LeaveApplications] PRIMARY
KEY CLUSTERED ([ID]) ON [PRIMARY]
GO
CREATE UNIQUE NONCLUSTERED INDEX [IX_SN_date] ON [dbo].[LeaveApplications] ([Staff-
Number], [dDate]) ON [PRIMARY]
GO

```

[dbo].[LeaveApplicationsSafeCopy]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	251284
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
StaffNumber	nvarchar(10)	20	True
dDate	datetime	8	True
Created	datetime	8	True
Approved	bit	1	True
Deleted	bit	1	True
Sent	bit	1	True
Comments	nvarchar(150)	300	True
OfficeComments	nvarchar(150)	300	True
History	varchar(500)	500	True
Attention	bit	1	True
ID	bigint	8	False
ShortNotice	bit	1	True
unlikely	bit	1	True
leavetype	tinyint	1	True
night	tinyint	1	True
autoimport	bit	1	True
base	int	4	True

SQL Script

```
CREATE TABLE [dbo].[LeaveApplicationsSafeCopy]
(
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [dDate] [datetime] NULL,
    [Created] [datetime] NULL,
    [Approved] [bit] NULL,
    [Deleted] [bit] NULL,
    [Sent] [bit] NULL,
    [Comments] [nvarchar] (150) COLLATE Latin1_General_CI_AS NULL,
    [OfficeComments] [nvarchar] (150) COLLATE Latin1_General_CI_AS NULL,
```

```
[History] [varchar] (500) COLLATE Latin1_General_CI_AS NULL,  
[Attention] [bit] NULL,  
[ID] [bigint] NOT NULL,  
[ShortNotice] [bit] NULL,  
[unlikely] [bit] NULL,  
[leavetype] [tinyint] NULL,  
[night] [tinyint] NULL,  
[autoimport] [bit] NULL,  
[base] [int] NULL  
) ON [PRIMARY]  
GO
```

 [dbo].[LeaveAvailability]
Properties

Property	Value
Heap	True
Row Count (~)	525
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
ID	int	4	False	1 - 1
dDate	datetime	8	True	
Amount	tinyint	1	True	
leavetype	tinyint	1	False	

SQL Script

```
CREATE TABLE [dbo].[LeaveAvailability]
(
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [dDate] [datetime] NULL,
    [Amount] [tinyint] NULL,
    [leavetype] [tinyint] NOT NULL
) ON [PRIMARY]
GO
```

[dbo].[LeaveAvailabilityDefaults]

Properties

Property	Value
Heap	True
Row Count (~)	77
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
ID	int	4	False	1 - 1
iDay	tinyint	1	True	
Amount	tinyint	1	True	
lvetype	int	4	True	

SQL Script

```
CREATE TABLE [dbo].[LeaveAvailabilityDefaults]
(
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [iDay] [tinyint] NULL,
    [Amount] [tinyint] NULL,
    [lvetype] [int] NULL
) ON [PRIMARY]
GO
```

 [dbo].[LeaveAvailable]

Properties

Property	Value
Heap	True
Row Count (~)	105
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
StartDate	float	8	True
LeaveAllocation	float	8	True
LeaveAvailable	float	8	True
Closed	bit	1	True

SQL Script

```
CREATE TABLE [dbo].[LeaveAvailable]
(
    [StartDate] [float] NULL,
    [LeaveAllocation] [float] NULL,
    [LeaveAvailable] [float] NULL,
    [Closed] [bit] NULL
) ON [PRIMARY]
GO
```


[dbo].[LeaveRequestGroups]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	60
Created	12:35:50 12 October 2017
Last Modified	20:14:18 22 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
id	int	4	False
Description	nvarchar(50)	100	True
LeaveStarts	int	4	True
ShortNoticeLeaveStarts	int	4	True
HoursPerLeaveDay	int	4	True
ShowLeaveOverLimit	bit	1	True
ExtraLeaveClicks	int	4	True
SummerLeaveOverLimit	bit	1	True
RequestsStart	int	4	True
ShortNoticeRequestsStarts	int	4	True
ShortNoticeLocksStart	int	4	True
RequestsAllowed	int	4	True
AllowRequestsOverLimit	bit	1	True
requestsyearly	bit	1	True
RequestsAllowedMonthly	nvarchar(50)	100	True
email	nvarchar(50)	100	True

SQL Script

```
CREATE TABLE [dbo].[LeaveRequestGroups]
(
    [id] [int] NOT NULL,
    [Description] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [LeaveStarts] [int] NULL,
    [ShortNoticeLeaveStarts] [int] NULL,
    [HoursPerLeaveDay] [int] NULL,
    [ShowLeaveOverLimit] [bit] NULL,
    [ExtraLeaveClicks] [int] NULL,
    [SummerLeaveOverLimit] [bit] NULL,
    [RequestsStart] [int] NULL,
```

Project> 10.56.204.9\SQLEXPRESS> User databases> Allocate_News_Dev> Tables> dbo.LeaveRequest-Groups

```
[ShortNoticeRequestsStarts] [int] NULL,  
[ShortNoticeLocksStart] [int] NULL,  
[RequestsAllowed] [int] NULL,  
[AllowRequestsOverLimit] [bit] NULL,  
[requestsyearly] [bit] NULL,  
[RequestsAllowedMonthly] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,  
[email] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL  
) ON [PRIMARY]  
GO
```

 [dbo].[LeaveRequests]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	278
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	IntranetID	int	4	False	1 - 1	
	AccessID	int	4	True		((0))
	DepartmentID	tinyint	1	True		
	Status	tinyint	1	True		((3))
	StaffNumber	varchar(10)	10	True		
	StartingDate	int	4	True		
	EndingDate	int	4	True		
	Week	varchar(20)	20	True		
	Annual	float	8	True		((0))
	PHL	float	8	True		((0))
	Comp	float	8	True		((0))
	Additional	float	8	True		((0))
	Comments	text	max	True		
	Created	datetime	8	False		
	IsGranted	bit	1	True		((0))
	History	text	max	True		

Indexes

Key	Name	Columns	Unique
	PK_LeaveRequests	IntranetID	True

SQL Script

```
CREATE TABLE [dbo].[LeaveRequests]
(
    [IntranetID] [int] NOT NULL IDENTITY(1, 1),
    [AccessID] [int] NULL CONSTRAINT [DF_LeaveRequests_AccessID] DEFAULT ((0)),
    [DepartmentID] [tinyint] NULL,
```

```
[Status] [tinyint] NULL CONSTRAINT [DF_LeaveRequests_Status] DEFAULT ((3)),
[StaffNumber] [varchar] (10) COLLATE Latin1_General_CI_AS NULL,
[StartingDate] [int] NULL,
[EndingDate] [int] NULL,
[Week] [varchar] (20) COLLATE Latin1_General_CI_AS NULL,
[Annual] [float] NULL CONSTRAINT [DF_LeaveRequests_Annual] DEFAULT ((0)),
[PHL] [float] NULL CONSTRAINT [DF_LeaveRequests_PHL] DEFAULT ((0)),
[Comp] [float] NULL CONSTRAINT [DF_LeaveRequests_Comp] DEFAULT ((0)),
[Additional] [float] NULL CONSTRAINT [DF_LeaveRequests_Additional] DEFAULT ((0)),
[Comments] [text] COLLATE Latin1_General_CI_AS NULL,
[Created] [datetime] NOT NULL,
[IsGranted] [bit] NULL CONSTRAINT [DF_LeaveRequests_IsGranted] DEFAULT ((0)),
[History] [text] COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
ALTER TABLE [dbo].[LeaveRequests] ADD CONSTRAINT [PK_LeaveRequests] PRIMARY KEY
CLUSTERED ([IntranetID]) ON [PRIMARY]
GO
```

[dbo].[LeaveRequestsAvailability]

Properties

Property	Value
Heap	True
Row Count (~)	20
Created	15:37:49 03 October 2017
Last Modified	15:07:52 16 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
dDate	datetime	8	True	
LeaveGroupID	tinyint	1	True	
LeaveType	tinyint	1	True	
Amount	int	4	True	

SQL Script

```
CREATE TABLE [dbo].[LeaveRequestsAvailability]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [dDate] [datetime] NULL,
    [LeaveGroupID] [tinyint] NULL,
    [LeaveType] [tinyint] NULL,
    [Amount] [int] NULL
) ON [PRIMARY]
GO
```

 [dbo].[LeaveStatus]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	5
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
ID	int	4	True
Name	nvarchar(50)	100	True
IsCancelled	bit	1	False
IsIntranet	bit	1	False

SQL Script

```
CREATE TABLE [dbo].[LeaveStatus]
(
    [ID] [int] NULL,
    [Name] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [IsCancelled] [bit] NOT NULL,
    [IsIntranet] [bit] NOT NULL
) ON [PRIMARY]
GO
```

 [dbo].[LeaveTypes]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	11
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
leavetype	smallint	2	True
description	varchar(50)	50	False

SQL Script

```
CREATE TABLE [dbo].[LeaveTypes]
(
    [leavetype] [smallint] NULL,
    [description] [varchar] (50) COLLATE Latin1_General_CI_AS NOT NULL
) ON [PRIMARY]
GO
```

 [dbo].[messages]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	0
Created	19:17:26 06 October 2017
Last Modified	19:17:26 06 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	messageid	int	4	False	1 - 1
	messagecontent	text	max	True	

Indexes

Key	Name	Columns	Unique
	PK_messages	messageid	True

SQL Script

```
CREATE TABLE [dbo].[messages]
(
    [messageid] [int] NOT NULL IDENTITY(1, 1),
    [messagecontent] [text] COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
ALTER TABLE [dbo].[messages] ADD CONSTRAINT [PK_messages] PRIMARY KEY CLUSTERED
([messageid]) ON [PRIMARY]
GO
```


 [dbo].[miscsettings]
Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	36
Created	22:09:48 24 October 2017
Last Modified	22:09:48 24 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
newid	int	4	False	1 - 1	
id	int	4	False		
base	tinyint	1	True		
BaseName	nvarchar(50)	100	True		
AllocationsMask	int	4	True		
ConfirmedDays	int	4	True		
ConfirmedDaysUPA1	int	4	True		
SignInDays	int	4	True		
EmailFrom	nvarchar(100)	200	True		
hide	bit	1	True		
fixupa1	int	4	True		
menus	nvarchar(10)	20	True		
OffDays	nvarchar(255)	510	True		
DailyPeriod	int	4	True		
DailyStart	nvarchar(5)	10	True		
DailyEnd	nvarchar(5)	10	True		
DailyEditPeriod	int	4	True		
DailyAutoWeekend	int	4	True		
DailyPeriodSL	int	4	True		
otherbases	nvarchar(50)	100	True		
otherbasesname	nvarchar(50)	100	True		
weeklysearch	bit	1	True		
daysneveredit	varchar(50)	50	True		
gridchecks	bit	1	True		
BaseGroup	int	4	True		
AllowInBuilding	bit	1	True		
DepartmentID	int	4	True		

ColourWeek	bit	1	True		((0))
DailyJobsShowProg	bit	1	True		

SQL Script

```
CREATE TABLE [dbo].[miscsettings]
(
    [newid] [int] NOT NULL IDENTITY(1, 1),
    [id] [int] NOT NULL,
    [base] [tinyint] NULL,
    [BaseName] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [AllocationsMask] [int] NULL,
    [ConfirmedDays] [int] NULL,
    [ConfirmedDaysUPA1] [int] NULL,
    [SignInDays] [int] NULL,
    [EmailFrom] [nvarchar] (100) COLLATE Latin1_General_CI_AS NULL,
    [hide] [bit] NULL,
    [fixupal] [int] NULL,
    [menus] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [OffDays] [nvarchar] (255) COLLATE Latin1_General_CI_AS NULL,
    [DailyPeriod] [int] NULL,
    [DailyStart] [nvarchar] (5) COLLATE Latin1_General_CI_AS NULL,
    [DailyEnd] [nvarchar] (5) COLLATE Latin1_General_CI_AS NULL,
    [DailyEditPeriod] [int] NULL,
    [DailyAutoWeekend] [int] NULL,
    [DailyPeriodSL] [int] NULL,
    [otherbases] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [otherbasesname] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [weeklysearch] [bit] NULL,
    [daysneveredit] [varchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [gridchecks] [bit] NULL,
    [BaseGroup] [int] NULL,
    [AllowInBuilding] [bit] NULL,
    [DepartmentID] [int] NULL,
    [ColourWeek] [bit] NULL CONSTRAINT [DF_miscsettings_ColourWeek] DEFAULT ((0)),
    [DailyJobsShowProg] [bit] NULL
) ON [PRIMARY]
GO
```

[dbo].[new_LeaveAvailabilityDefaults]

Properties

Property	Value
Heap	True
Row Count (~)	343
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
base	int	4	True	
dDay	tinyint	1	True	
leavetype	tinyint	1	True	
amount	int	4	True	

SQL Script

```
CREATE TABLE [dbo].[new_LeaveAvailabilityDefaults]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [base] [int] NULL,
    [dDay] [tinyint] NULL,
    [leavetype] [tinyint] NULL,
    [amount] [int] NULL
) ON [PRIMARY]
GO
```

 [dbo].[new_Requests]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	2
Created	21:40:57 27 October 2017
Last Modified	21:40:57 27 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
dDate	datetime	8	True		
RequestType	int	4	False		
StaffNumber	nvarchar(10)	20	True		
Approved	bit	1	True		((0))
UserComments	nvarchar(255)	510	True		
Created	datetime	8	True		
Comments	nvarchar(255)	510	True		
Deleted	bit	1	True		((0))
History	nvarchar(4000)	8000	True		
Unlikely	bit	1	True		((0))
ShortNotice	bit	1	True		((0))
ID	int	4	False	1 - 1	

SQL Script

```
CREATE TABLE [dbo].[new_Requests]
(
    [dDate] [datetime] NULL,
    [RequestType] [int] NOT NULL,
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [Approved] [bit] NULL CONSTRAINT [DF_new_Requests_Approved] DEFAULT ((0)),
    [UserComments] [nvarchar] (255) COLLATE Latin1_General_CI_AS NULL,
    [Created] [datetime] NULL,
    [Comments] [nvarchar] (255) COLLATE Latin1_General_CI_AS NULL,
    [Deleted] [bit] NULL CONSTRAINT [DF_new_Requests_Deleted] DEFAULT ((0)),
    [History] [nvarchar] (4000) COLLATE Latin1_General_CI_AS NULL,
    [Unlikely] [bit] NULL CONSTRAINT [DF_new_Requests_Unlikely] DEFAULT ((0)),
    [ShortNotice] [bit] NULL CONSTRAINT [DF_new_Requests_ShortNotice] DEFAULT ((0)),
    [ID] [int] NOT NULL IDENTITY(1, 1)
) ON [PRIMARY]
GO
```

--

[dbo].[new_requests_types]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	33
Created	21:33:08 17 October 2017
Last Modified	21:33:08 17 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
description	nvarchar(500)	1000	True	
startdate	datetime	8	True	
enddate	datetime	8	True	
day_0	tinyint	1	True	
day_1	tinyint	1	True	
day_2	tinyint	1	True	
day_3	tinyint	1	True	
day_4	tinyint	1	True	
day_5	tinyint	1	True	
day_6	tinyint	1	True	
GroupID	tinyint	1	True	

SQL Script

```
CREATE TABLE [dbo].[new_requests_types]
(
  [id] [int] NOT NULL IDENTITY(1, 1),
  [description] [nvarchar] (500) COLLATE Latin1_General_CI_AS NULL,
  [startdate] [datetime] NULL,
  [enddate] [datetime] NULL,
  [day_0] [tinyint] NULL,
  [day_1] [tinyint] NULL,
  [day_2] [tinyint] NULL,
  [day_3] [tinyint] NULL,
  [day_4] [tinyint] NULL,
  [day_5] [tinyint] NULL,
  [day_6] [tinyint] NULL,
  [GroupID] [tinyint] NULL
) ON [PRIMARY]
GO
```

Project> 10.56.204.9\SQLEXPRESS> User databases> Allocate_News_Dev> Tables>
dbo.new_requests_types

 [dbo].[offdays]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	23
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
description	nvarchar(50)	100	True	
base	int	4	True	

SQL Script

```
CREATE TABLE [dbo].[offdays]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [description] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [base] [int] NULL
) ON [PRIMARY]
GO
```


 [dbo].[prog_bases]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	0
Created	19:28:11 06 October 2017
Last Modified	19:28:11 06 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
id	int	4	False
base	int	4	True
firstletter	nvarchar(50)	100	True

SQL Script

```
CREATE TABLE [dbo].[prog_bases]
(
    [id] [int] NOT NULL,
    [base] [int] NULL,
    [firstletter] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
```

Used By

[dbo].[uspAllocationsForDay]

 [dbo].[Programmes]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	45
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
Programme	nvarchar(50)	100	True	
Search_Term	nvarchar(50)	100	True	
ID	int	4	False	1 - 1
Sport	bit	1	True	

SQL Script

```
CREATE TABLE [dbo].[Programmes]
(
    [Programme] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Search_Term] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [Sport] [bit] NULL
) ON [PRIMARY]
GO
```

 [dbo].[radio_additional]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	161
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
StaffID	int	4	True		
id	int	4	False	1 - 1	
base	int	4	True		
favourites	text	max	True		
weekview	smallint	2	True		((0))
weekviewnum	smallint	2	True		((4))

SQL Script

```

CREATE TABLE [dbo].[radio_additional]
(
    [StaffID] [int] NULL,
    [id] [int] NOT NULL IDENTITY(1, 1),
    [base] [int] NULL,
    [favourites] [text] COLLATE Latin1_General_CI_AS NULL,
    [weekview] [smallint] NULL CONSTRAINT [DF_radio_additional_allocview] DEFAULT ((0)),
    [weekviewnum] [smallint] NULL CONSTRAINT [DF_radio_additional_weekviewnum] DEFAULT ((4))
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO

```

 [dbo].[Radio_Rota]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	3343
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
ID	int	4	False
Rota Name	nvarchar(25)	50	True
Start Week	nvarchar(6)	12	True
Week	smallint	2	True
Saturday	nvarchar(50)	100	True
Sunday	nvarchar(50)	100	True
Monday	nvarchar(50)	100	True
Tuesday	nvarchar(50)	100	True
Wednesday	nvarchar(50)	100	True
Thursday	nvarchar(50)	100	True
Friday	nvarchar(50)	100	True

SQL Script

```

CREATE TABLE [dbo].[Radio_Rota]
(
    [ID] [int] NOT NULL,
    [Rota Name] [nvarchar] (25) COLLATE Latin1_General_CI_AS NULL,
    [Start Week] [nvarchar] (6) COLLATE Latin1_General_CI_AS NULL,
    [Week] [smallint] NULL,
    [Saturday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Sunday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Monday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Tuesday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Wednesday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Thursday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Friday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO

```

 [dbo].[released_days]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	27
Created	11:53:03 25 October 2017
Last Modified	11:53:03 25 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	id	int	4	False	1 - 1
	dDate	datetime	8	True	
	base	int	4	True	
	history	nvarchar(4000)	8000	True	
	released	bit	1	True	
	status	tinyint	1	True	

Indexes

Key	Name	Columns	Unique
	PK_released_days	id	True

SQL Script

```

CREATE TABLE [dbo].[released_days]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [dDate] [datetime] NULL,
    [base] [int] NULL,
    [history] [nvarchar] (4000) COLLATE Latin1_General_CI_AS NULL,
    [released] [bit] NULL,
    [status] [tinyint] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[released_days] ADD CONSTRAINT [PK_released_days] PRIMARY KEY
CLUSTERED ([id]) ON [PRIMARY]
GO

```

 [dbo].[Request_Defaults]

Properties

Property	Value
Heap	True
Row Count (~)	2
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
startmonth	int	4	True	
endmonth	int	4	True	
Location	tinyint	1	True	
base	tinyint	1	True	((0))
Sat_O	tinyint	1	True	
Sat_E	tinyint	1	True	
Sat_D	tinyint	1	True	
Sat_L	tinyint	1	True	
Sat_Lock	tinyint	1	True	
Sun_O	tinyint	1	True	
Sun_E	tinyint	1	True	
Sun_D	tinyint	1	True	
Sun_L	tinyint	1	True	
Sun_Lock	tinyint	1	True	
W_O	tinyint	1	True	
W_E	tinyint	1	True	
W_D	tinyint	1	True	
W_L	tinyint	1	True	
W_Lock	tinyint	1	True	

SQL Script

```
CREATE TABLE [dbo].[Request_Defaults]
(
    [startmonth] [int] NULL,
    [endmonth] [int] NULL,
    [Location] [tinyint] NULL,
    [base] [tinyint] NULL CONSTRAINT [DF_Request_Defaults_base] DEFAULT ((0)),
    [Sat_O] [tinyint] NULL,
    [Sat_E] [tinyint] NULL,
    [Sat_D] [tinyint] NULL,
```

```
[Sat_L] [tinyint] NULL,  
[Sat_Lock] [tinyint] NULL,  
[Sun_O] [tinyint] NULL,  
[Sun_E] [tinyint] NULL,  
[Sun_D] [tinyint] NULL,  
[Sun_L] [tinyint] NULL,  
[Sun_Lock] [tinyint] NULL,  
[W_O] [tinyint] NULL,  
[W_E] [tinyint] NULL,  
[W_D] [tinyint] NULL,  
[W_L] [tinyint] NULL,  
[W_Lock] [tinyint] NULL  
) ON [PRIMARY]  
GO
```

[dbo].[RequestDatesClosed]

Properties

Property	Value
Row Count (~)	4
Created	15:37:49 03 October 2017
Last Modified	21:36:15 17 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	startdate	datetime	8	True	
	enddate	datetime	8	True	
	GroupID	tinyint	1	True	
	id	int	4	False	1 - 1
	type	smallint	2	True	

Indexes

Key	Name	Columns	Unique
	PK_RequestDatesClosed	id	True

SQL Script

```
CREATE TABLE [dbo].[RequestDatesClosed]
(
    [startdate] [datetime] NULL,
    [enddate] [datetime] NULL,
    [GroupID] [tinyint] NULL,
    [id] [int] NOT NULL IDENTITY(1,1),
    [type] [smallint] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[RequestDatesClosed] ADD CONSTRAINT [PK_RequestDatesClosed]
PRIMARY KEY CLUSTERED ([id]) ON [PRIMARY]
GO
```


 [dbo].[Requests]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	7871
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
dDate	datetime	8	True		
Request_Type	tinyint	1	False		((0))
Staff_Number	nvarchar(10)	20	True		
ID	int	4	False	1 - 1	
Approved	bit	1	True		((0))
UserComments	nvarchar(255)	510	True		
Created	datetime	8	True		
Comments	nvarchar(255)	510	True		
Deleted	bit	1	True		((0))
History	ntext	max	True		
salford	bit	1	True		((0))

SQL Script

```

CREATE TABLE [dbo].[Requests]
(
    [dDate] [datetime] NULL,
    [Request_Type] [tinyint] NOT NULL CONSTRAINT [DF_Requests_Request_Type] DEFAULT ((0)),
    [Staff_Number] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [Approved] [bit] NULL CONSTRAINT [DF_Requests_Approved] DEFAULT ((0)),
    [UserComments] [nvarchar] (255) COLLATE Latin1_General_CI_AS NULL,
    [Created] [datetime] NULL,
    [Comments] [nvarchar] (255) COLLATE Latin1_General_CI_AS NULL,
    [Deleted] [bit] NULL CONSTRAINT [DF_Requests_Deleted] DEFAULT ((0)),
    [History] [ntext] COLLATE Latin1_General_CI_AS NULL,
    [salford] [bit] NULL CONSTRAINT [DF_Requests_salford] DEFAULT ((0))
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO

```

Project> 10.56.204.9\SQLEXPRESS> User databases> Allocate_News_Dev> Tables> dbo.Requests

[dbo].[RequestsDateComments]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	3
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ID	int	4	False	1 - 1
	dDate	datetime	8	True	
	Comments	nvarchar(50)	100	True	
	Comments_0	nvarchar(50)	100	True	
	Comments_1	nvarchar(50)	100	True	
	Comments_2	nvarchar(50)	100	True	

Indexes

Key	Name	Columns	Unique
	PK_RequestsDateComments	ID	True

SQL Script

```
CREATE TABLE [dbo].[RequestsDateComments]
(
    [ID] [int] NOT NULL IDENTITY(1,1),
    [dDate] [datetime] NULL,
    [Comments] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Comments_0] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Comments_1] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Comments_2] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[RequestsDateComments] ADD CONSTRAINT [PK_RequestsDateComments]
PRIMARY KEY CLUSTERED ([ID]) ON [PRIMARY]
GO
```

 [dbo].[Rotas]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	2290
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ID	int	4	False	1 - 1
	StaffNumber	nvarchar(10)	20	True	
	StartWeek	int	4	True	
	iWeek	int	4	True	
	Saturday	nvarchar(50)	100	True	
	Sunday	nvarchar(50)	100	True	
	Monday	nvarchar(50)	100	True	
	Tuesday	nvarchar(50)	100	True	
	Wednesday	nvarchar(50)	100	True	
	Thursday	nvarchar(50)	100	True	
	Friday	nvarchar(50)	100	True	
	DepartmentID	int	4	True	

Indexes

Key	Name	Columns	Unique
	PK_Rotas	ID	True

SQL Script

```
CREATE TABLE [dbo].[Rotas]
(
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [StartWeek] [int] NULL,
    [iWeek] [int] NULL,
    [Saturday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Sunday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Monday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Tuesday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [Wednesday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
```

```
[Thursday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,  
[Friday] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,  
[DepartmentID] [int] NULL  
) ON [PRIMARY]  
GO  
ALTER TABLE [dbo].[Rotas] ADD CONSTRAINT [PK_Rotas] PRIMARY KEY CLUSTERED ([ID]) ON  
[PRIMARY]  
GO
```

 [dbo].[SalfordStaff]**Properties**

Property	Value
Row Count (~)	46
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	StaffID	int	4	True		
	ID	int	4	False	1 - 1	
	mover	bit	1	True		((0))

Indexes

Key	Name	Columns	Unique
	PK_SalfordStaff	ID	True

SQL Script

```
CREATE TABLE [dbo].[SalfordStaff]
(
    [StaffID] [int] NULL,
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [mover] [bit] NULL CONSTRAINT [DF_SalfordStaff_mover] DEFAULT ((0))
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[SalfordStaff] ADD CONSTRAINT [PK_SalfordStaff] PRIMARY KEY
CLUSTERED ([ID]) ON [PRIMARY]
GO
```

 [dbo].[shiftleaders]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	742
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
id	int	4	False
starttime	int	4	True
endtime	int	4	True
staffnumber	varchar(10)	10	True
leadertype	tinyint	1	True
weeknumber	nvarchar(10)	20	True
dday	tinyint	1	True
telephone	nvarchar(50)	100	True
deleted	bit	1	True
history	ntext	max	True

SQL Script

```
CREATE TABLE [dbo].[shiftleaders]
(
    [id] [int] NOT NULL,
    [starttime] [int] NULL,
    [endtime] [int] NULL,
    [staffnumber] [varchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [leadertype] [tinyint] NULL,
    [weeknumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [dday] [tinyint] NULL,
    [telephone] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [deleted] [bit] NULL,
    [history] [ntext] COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
```

 [dbo].[shiftleadertypes]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	0
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
id	int	4	False
description	nvarchar(50)	100	True
base	tinyint	1	True
applicableto	nvarchar(10)	20	True
telephone	nvarchar(50)	100	True

SQL Script

```
CREATE TABLE [dbo].[shiftleadertypes]
(
    [id] [int] NOT NULL,
    [description] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [base] [tinyint] NULL,
    [applicableto] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [telephone] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
```


 [dbo].[signin]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	0
Created	15:37:49 03 October 2017
Last Modified	22:43:13 06 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
id	int	4	False	
staffnumber	nvarchar(50)	100	True	
history	ntext	max	True	
iWeek	nvarchar(7)	14	True	
iDay	tinyint	1	True	
starttime	nvarchar(5)	10	True	
endtime	nvarchar(5)	10	True	
active	bit	1	True	
inBuilding	bit	1	True	((0))
LastUpdate	bigint	8	True	

SQL Script

```
CREATE TABLE [dbo].[signin]
(
    [id] [int] NOT NULL,
    [staffnumber] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [history] [ntext] COLLATE Latin1_General_CI_AS NULL,
    [iWeek] [nvarchar] (7) COLLATE Latin1_General_CI_AS NULL,
    [iDay] [tinyint] NULL,
    [starttime] [nvarchar] (5) COLLATE Latin1_General_CI_AS NULL,
    [endtime] [nvarchar] (5) COLLATE Latin1_General_CI_AS NULL,
    [active] [bit] NULL,
    [inBuilding] [bit] NULL CONSTRAINT [DF_signin_inBuilding] DEFAULT ((0)),
    [LastUpdate] [bigint] NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
```

Used By

[dbo].[uspAllocationsForDay]

 [dbo].[skills_duties]
Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	114
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	duty	nvarchar(50)	100	True	
	description	nvarchar(50)	100	True	
	id	int	4	False	1 - 1
	BST	tinyint	1	True	
	base	int	4	True	
	skillsgroup	int	4	True	

Indexes

Key	Name	Columns	Unique
	PK_skills_duties	id	True

SQL Script

```
CREATE TABLE [dbo].[skills_duties]
(
    [duty] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [description] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [id] [int] NOT NULL IDENTITY(1, 1),
    [BST] [tinyint] NULL,
    [base] [int] NULL,
    [skillsgroup] [int] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[skills_duties] ADD CONSTRAINT [PK_skills_duties] PRIMARY KEY
CLUSTERED ([id]) ON [PRIMARY]
GO
```

 [dbo].[skills_duties_days]**Properties**

Property	Value
Row Count (~)	458
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	id	int	4	False	1 - 1
	duty_id	int	4	True	
	dotw	smallint	2	True	

Indexes

Key	Name	Columns	Unique
	PK_skills_duties_days	id	True

SQL Script

```
CREATE TABLE [dbo].[skills_duties_days]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [duty_id] [int] NULL,
    [dotw] [smallint] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[skills_duties_days] ADD CONSTRAINT [PK_skills_duties_days]
PRIMARY KEY CLUSTERED ([id]) ON [PRIMARY]
GO
```

[dbo].[skills_duties_programmes_link]

Properties

Property	Value
Row Count (~)	194
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	id	int	4	False	1 - 1
	duties_id	int	4	True	
	programmes_id	int	4	True	

Indexes

Key	Name	Columns	Unique
	PK_skills_duties_programmes_link	id	True

SQL Script

```
CREATE TABLE [dbo].[skills_duties_programmes_link]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [duties_id] [int] NULL,
    [programmes_id] [int] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[skills_duties_programmes_link] ADD CONSTRAINT
[PK_skills_duties_programmes_link] PRIMARY KEY CLUSTERED ([id]) ON [PRIMARY]
GO
```

 [dbo].[skills_programmes]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	104
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	id	int	4	False	1 - 1
	programmename	nvarchar(50)	100	True	
	base	int	4	True	
	skillsgroup	int	4	True	

Indexes

Key	Name	Columns	Unique
	PK_skills_programmes	id	True

SQL Script

```
CREATE TABLE [dbo].[skills_programmes]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [programmename] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [base] [int] NULL,
    [skillsgroup] [int] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[skills_programmes] ADD CONSTRAINT [PK_skills_programmes] PRIMARY
KEY CLUSTERED ([id]) ON [PRIMARY]
GO
```

Project> 10.56.204.9\SQLEXPRESS> User databases> Allocate_News_Dev> Tables>
dbo.skills_programmes_staff_link

[dbo].[skills_programmes_staff_link]

Properties

Property	Value
Row Count (~)	692
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	id	int	4	False	1 - 1
	programmes_id	int	4	True	
	staff_id	int	4	True	

Indexes

Key	Name	Columns	Unique
	PK_skills_programmes_staff_link	id	True

SQL Script

```
CREATE TABLE [dbo].[skills_programmes_staff_link]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [programmes_id] [int] NULL,
    [staff_id] [int] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[skills_programmes_staff_link] ADD CONSTRAINT
[PK_skills_programmes_staff_link] PRIMARY KEY CLUSTERED ([id]) ON [PRIMARY]
GO
```

 [dbo].[skills_types]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	0
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
description	nvarchar(50)	100	True	

SQL Script

```
CREATE TABLE [dbo].[skills_types]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [description] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
```


 [dbo].[sortcodes]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	14
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
code	varchar(50)	50	True	
description	varchar(50)	50	True	

SQL Script

```
CREATE TABLE [dbo].[sortcodes]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [code] [varchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [description] [varchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
```

 [dbo].[Staff]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	4286
Created	14:57:05 23 October 2017
Last Modified	14:57:05 23 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	ID	int	4	False	1 - 1	
	Initials	nvarchar(10)	20	True		
	Surname	nvarchar(30)	60	True		
	Forename	nvarchar(30)	60	True		
 (2)	StaffNumber	nvarchar(10)	20	True		
	Designation	nvarchar(50)	100	True		
	DepartmentID	tinyint	1	True		
	Login	nvarchar(10)	20	True		
	Administrator	bit	1	True		((0))
	PostCode	nvarchar(10)	20	True		
	HideSick	bit	1	True		((0))
	HideLeave	bit	1	True		((0))
	RequestLock	bit	1	True		((0))
	SortCode	varchar(20)	20	True		
	PersonnelNumber	varchar(7)	7	True		
	Email1	varchar(100)	100	True		
	Email2	varchar(100)	100	True		
	LeaveType	tinyint	1	True		
	additionalrequesttypes	nvarchar(50)	100	True		
	RadioBase	int	4	True		
	RadioBaseOLD	nchar(10)	20	True		
	RadioAdmin	tinyint	1	True		
	EFT	tinyint	1	True		
	RadioWeekView	tinyint	1	True		
	RadioWeekViewNum	tinyint	1	True		
	Rota	nvarchar(50)	100	True		
	HideAllocations	bit	1	True		((0))
	HideStats	bit	1	True		

	LeaveRequestGroups	nvarchar(50)	100	True		
	screenwidth	int	4	True		
	hourwidth	tinyint	1	True		
	showphoto	bit	1	True		
	dutycolour	nvarchar(10)	20	True		
	dailybases	nvarchar(50)	100	True		
	alwaysshowallocations	bit	1	True		
	skillsgroup	int	4	True		
	hideutilstats	bit	1	True		((0))
	Requests_EFT	int	4	True		((100))
	Locks_EFT	int	4	True		((100))
	EFT_Comments	text	max	True		
	DefaultDepartmentID	tinyint	1	True		
	AdminDepartments	nvarchar(50)	100	True		

Indexes

Key	Name	Columns	Unique
	PK_Staff	ID	True
	IX_Staff	StaffNumber	
	_dta_index_Staff_14_2002106173__K6_K1_4_5	StaffNumber, ID	

SQL Script

```
CREATE TABLE [dbo].[Staff]
(
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [Initials] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [Surname] [nvarchar] (30) COLLATE Latin1_General_CI_AS NULL,
    [Forename] [nvarchar] (30) COLLATE Latin1_General_CI_AS NULL,
    [StaffNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [Designation] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [DepartmentID] [tinyint] NULL,
    [Login] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [Administrator] [bit] NULL CONSTRAINT [DF_Staff_Administrator] DEFAULT ((0)),
    [PostCode] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [HideSick] [bit] NULL CONSTRAINT [DF_Staff_HideSick] DEFAULT ((0)),
    [HideLeave] [bit] NULL CONSTRAINT [DF_Staff_HideLeave] DEFAULT ((0)),
    [RequestLock] [bit] NULL CONSTRAINT [DF_Staff_RequestLock] DEFAULT ((0)),
    [SortCode] [varchar] (20) COLLATE Latin1_General_CI_AS NULL,
    [PersonnelNumber] [varchar] (7) COLLATE Latin1_General_CI_AS NULL,
    [Email1] [varchar] (100) COLLATE Latin1_General_CI_AS NULL,
    [Email2] [varchar] (100) COLLATE Latin1_General_CI_AS NULL,
    [LeaveType] [tinyint] NULL,
    [additionalrequesttypes] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [RadioBase] [int] NULL,
    [RadioBaseOLD] [nchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [RadioAdmin] [tinyint] NULL,
    [EFT] [tinyint] NULL,
```

```
[RadioWeekView] [tinyint] NULL,
[RadioWeekViewNum] [tinyint] NULL,
[Rota] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
[HideAllocations] [bit] NULL CONSTRAINT [DF_Staff_HideAllocations] DEFAULT ((0)),
[HideStats] [bit] NULL,
[LeaveRequestGroups] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
[screenwidth] [int] NULL,
[hourwidth] [tinyint] NULL,
[showphoto] [bit] NULL,
[dutycolour] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
[dailybases] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
[alwaysshowallocations] [bit] NULL,
[skillsgroup] [int] NULL,
[hideutilstats] [bit] NULL CONSTRAINT [DF_Staff_hideutilstats] DEFAULT ((0)),
[Requests_EFT] [int] NULL CONSTRAINT [DF_Staff_Requests_EFT] DEFAULT ((100)),
[Locks_EFT] [int] NULL CONSTRAINT [DF_Staff_Locks_EFT] DEFAULT ((100)),
[EFT_Comments] [text] COLLATE Latin1_General_CI_AS NULL,
[DefaultDepartmentID] [tinyint] NULL,
[AdminDepartments] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
ALTER TABLE [dbo].[Staff] ADD CONSTRAINT [PK_Staff] PRIMARY KEY CLUSTERED ([ID]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [IX_Staff] ON [dbo].[Staff] ([StaffNumber]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [_dta_index_Staff_14_2002106173__K6_K1_4_5] ON [dbo].[Staff] ([StaffNumber], [ID]) ON [PRIMARY]
GO
```

Used By

[dbo].[uspAllocationsForDay]

 [dbo].[staff_status]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	231
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls
id	int	4	False
staffnumber	nvarchar(10)	20	True
isFWR	bit	1	True
FWRStartDate	smalldatetime	4	True
FWREndDate	smalldatetime	4	True
FWRNotes	ntext	max	True
FWRStartNotes	ntext	max	True
FWREndNotes	ntext	max	True
FWRStartComplete	tinyint	1	True
FWREndComplete	tinyint	1	True
IsOnAttach	tinyint	1	True
AttachStartDate	smalldatetime	4	True
AttachEndDate	smalldatetime	4	True
AttachNotes	ntext	max	True
AttachStartNotes	ntext	max	True
AttachEndNotes	ntext	max	True
AttachStartComplete	tinyint	1	True
AttachEndComplete	tinyint	1	True
isFTC	bit	1	True
FTCStartDate	smalldatetime	4	True
FTCEndDate	smalldatetime	4	True
FTCNotes	ntext	max	True
FTCStartNotes	ntext	max	True
FTCEndNotes	ntext	max	True
FTCStartComplete	tinyint	1	True
FTCEndComplete	tinyint	1	True
isManager	bit	1	True
isMentor	bit	1	True

isAppraiser	nvarchar(50)	100	True
ManagerStaffID	int	4	True
AppraiserStaffID	int	4	True
MentorStaffID	int	4	True

SQL Script

```
CREATE TABLE [dbo].[staff_status]
(
    [id] [int] NOT NULL,
    [staffnumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [isFWR] [bit] NULL,
    [FWRStartDate] [smalldatetime] NULL,
    [FWREndDate] [smalldatetime] NULL,
    [FWRNotes] [ntext] COLLATE Latin1_General_CI_AS NULL,
    [FWRStartNotes] [ntext] COLLATE Latin1_General_CI_AS NULL,
    [FWREndNotes] [ntext] COLLATE Latin1_General_CI_AS NULL,
    [FWRStartComplete] [tinyint] NULL,
    [FWREndComplete] [tinyint] NULL,
    [IsOnAttach] [tinyint] NULL,
    [AttachStartDate] [smalldatetime] NULL,
    [AttachEndDate] [smalldatetime] NULL,
    [AttachNotes] [ntext] COLLATE Latin1_General_CI_AS NULL,
    [AttachStartNotes] [ntext] COLLATE Latin1_General_CI_AS NULL,
    [AttachEndNotes] [ntext] COLLATE Latin1_General_CI_AS NULL,
    [AttachStartComplete] [tinyint] NULL,
    [AttachEndComplete] [tinyint] NULL,
    [isFTC] [bit] NULL,
    [FTCStartDate] [smalldatetime] NULL,
    [FTCEndDate] [smalldatetime] NULL,
    [FTCNotes] [ntext] COLLATE Latin1_General_CI_AS NULL,
    [FTCStartNotes] [ntext] COLLATE Latin1_General_CI_AS NULL,
    [FTCEndNotes] [ntext] COLLATE Latin1_General_CI_AS NULL,
    [FTCStartComplete] [tinyint] NULL,
    [FTCEndComplete] [tinyint] NULL,
    [isManager] [bit] NULL,
    [isMentor] [bit] NULL,
    [isAppraiser] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [ManagerStaffID] [int] NULL,
    [AppraiserStaffID] [int] NULL,
    [MentorStaffID] [int] NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
```

 [dbo].[studios]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	9
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
	id	int	4	False	1 - 1	
	studio	nvarchar(50)	100	True		
	sortorder	int	4	True		((0))
	sm	bit	1	True		((0))
	bookable	bit	1	True		((0))

Indexes

Key	Name	Columns	Unique
	PK_studios	id	True

SQL Script

```
CREATE TABLE [dbo].[studios]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [studio] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [sortorder] [int] NULL CONSTRAINT [DF_studios_sortorder] DEFAULT ((0)),
    [sm] [bit] NULL CONSTRAINT [DF_studios_sm] DEFAULT ((0)),
    [bookable] [bit] NULL CONSTRAINT [DF_studios_bookable] DEFAULT ((0))
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[studios] ADD CONSTRAINT [PK_studios] PRIMARY KEY CLUSTERED
([id]) ON [PRIMARY]
GO
```

 [dbo].[SummerLeave]**Properties**

Property	Value
Heap	True
Row Count (~)	139
Created	15:37:49 03 October 2017
Last Modified	20:17:44 17 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
GroupID	int	4	True	
iYear	int	4	True	
dStart	datetime	8	True	
dEnd	datetime	8	True	
dUntil	datetime	8	True	
amount	int	4	True	

SQL Script

```
CREATE TABLE [dbo].[SummerLeave]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [GroupID] [int] NULL,
    [iYear] [int] NULL,
    [dStart] [datetime] NULL,
    [dEnd] [datetime] NULL,
    [dUntil] [datetime] NULL,
    [amount] [int] NULL
) ON [PRIMARY]
GO
```


 [dbo].[TimeDimension]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	13149
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
	ID	int	4	False
	ixDateKey	float	8	True
 (5)	dDateTime	datetime	8	True
	ixDayInWeek	float	8	True
	ixDayInMonth	float	8	True
	ixDayInYear	float	8	True
	ixWeekInYear	float	8	True
	ixMonthInYear	float	8	True
	ixQuarterInYear	float	8	True
 (2)	ixYear	float	8	True
	ixYearWeek	nvarchar(50)	100	True
	ixLeaveYear	int	4	True
	ixWeekFromStart	int	4	True
	sDayName	nvarchar(255)	510	True
	sMonthName	nvarchar(255)	510	True
	fPayRollDay	bit	1	False
	fWeekdayFlag	bit	1	False
	fHolidayFlag	bit	1	False
 (3)	fHolidayPayment	bit	1	False
	ixHolidayPayment	float	8	True
	sEvent	nvarchar(255)	510	True
	History	ntext	max	True

Indexes

Key	Name	Columns	Unique
	PK_TimeDimension	ID	True

	_dta_index_TimeDimension_27_1250103494__K10_7	ixYear	
	_dta_index_TimeDimension_27_1250103494__K10_K18_K19_-K3_1_7_11_20_21	ixYear, f-HolidayFlag, f-Holiday-Payment, d-DateTime	
	_dta_index_TimeDimension_27_1250103494__K19_K3	fHoliday-Payment, d-DateTime	
	_dta_index_TimeDimension_27_1250103494__K19_K3_K21_K20	fHoliday-Payment, d-DateTime, s-Event, ix-Holiday-Payment	
	_dta_index_TimeDimension_27_1250103494__K3	dDateTime	
	_dta_index_TimeDimension_27_1250103494__K3_K1_11	dDateTime, ID	
	_dta_index_TimeDimension_27_1250103494__K4_K11_3	ixDayInWeek, ixYearWeek	

SQL Script

```

CREATE TABLE [dbo].[TimeDimension]
(
    [ID] [int] NOT NULL,
    [ixDateKey] [float] NULL,
    [dDateTime] [datetime] NULL,
    [ixDayInWeek] [float] NULL,
    [ixDayInMonth] [float] NULL,
    [ixDayInYear] [float] NULL,
    [ixWeekInYear] [float] NULL,
    [ixMonthInYear] [float] NULL,
    [ixQuarterInYear] [float] NULL,
    [ixYear] [float] NULL,
    [ixYearWeek] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [ixLeaveYear] [int] NULL,
    [ixWeekFromStart] [int] NULL,
    [sDayName] [nvarchar] (255) COLLATE Latin1_General_CI_AS NULL,
    [sMonthName] [nvarchar] (255) COLLATE Latin1_General_CI_AS NULL,
    [fPayRollDay] [bit] NOT NULL,
    [fWeekdayFlag] [bit] NOT NULL,
    [fHolidayFlag] [bit] NOT NULL,
    [fHolidayPayment] [bit] NOT NULL,
    [ixHolidayPayment] [float] NULL,
    [sEvent] [nvarchar] (255) COLLATE Latin1_General_CI_AS NULL,
    [History] [ntext] COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
ALTER TABLE [dbo].[TimeDimension] ADD CONSTRAINT [PK_TimeDimension] PRIMARY KEY
CLUSTERED ([ID]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [_dta_index_TimeDimension_27_1250103494__K3] ON
[dbo].[TimeDimension] ([dDateTime]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [_dta_index_TimeDimension_27_1250103494__K3_K1_11] ON
[dbo].[TimeDimension] ([dDateTime], [ID]) ON [PRIMARY]
GO

```

```
CREATE NONCLUSTERED INDEX [_dta_index_TimeDimension_27_1250103494__K19_K3] ON
[dbo].[TimeDimension] ([fHolidayPayment], [dDateTime]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [_dta_index_TimeDimension_27_1250103494__K19_K3_K21_K20]
ON [dbo].[TimeDimension] ([fHolidayPayment], [dDateTime], [sEvent], [ixHoliday-
Payment]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [_dta_index_TimeDimension_27_1250103494__K4_K11_3] ON
[dbo].[TimeDimension] ([ixDayInWeek], [ixYearWeek]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [_dta_index_TimeDimension_27_1250103494__K10_7] ON
[dbo].[TimeDimension] ([ixYear]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [_dta_index_TimeDimension_27_1250103494__K10_K18_K19_
K3_1_7_11_20_21] ON [dbo].[TimeDimension] ([ixYear], [fHolidayFlag], [fHoliday-
Payment], [dDateTime]) ON [PRIMARY]
GO
```

 [dbo].[user_favourites]**Properties**

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	79
Created	15:37:50 03 October 2017
Last Modified	15:37:50 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	id	int	4	False	1 - 1
	description	nvarchar(50)	100	True	
	staffnumber	nvarchar(10)	20	True	

Indexes

Key	Name	Columns	Unique
	PK_user_favourites	id	True

SQL Script

```
CREATE TABLE [dbo].[user_favourites]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [description] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [staffnumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[user_favourites] ADD CONSTRAINT [PK_user_favourites] PRIMARY KEY
CLUSTERED ([id]) ON [PRIMARY]
GO
```

Project> 10.56.204.9\SQLEXPRESS> User databases> Allocate_News_Dev> Tables>
dbo.user_favourites_staff_link

[dbo].[user_favourites_staff_link]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	991
Created	15:37:50 03 October 2017
Last Modified	15:37:50 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	id	int	4	False	1 - 1
	userfavouriteid	int	4	True	
	staffnumber	nvarchar(10)	20	True	

Indexes

Key	Name	Columns	Unique
	PK_user_favourites_staff_link	id	True

SQL Script

```
CREATE TABLE [dbo].[user_favourites_staff_link]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [userfavouriteid] [int] NULL,
    [staffnumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[user_favourites_staff_link] ADD CONSTRAINT
[PK_user_favourites_staff_link] PRIMARY KEY CLUSTERED ([id]) ON [PRIMARY]
GO
```

 [dbo].[Weeks]

Properties

Property	Value
Collation	Latin1_General_CI_AS
Row Count (~)	5130
Created	15:37:49 03 October 2017
Last Modified	15:37:49 03 October 2017

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
	ID	int	4	False	1 - 1
	WeekNumber	nvarchar(10)	20	True	
	LastUpdate	smalldatetime	4	True	
	DepartmentID	tinyint	1	True	

Indexes

Key	Name	Columns	Unique
	PK_Weeks	ID	True
	IX_Department_Week	DepartmentID, WeekNumber	

SQL Script

```
CREATE TABLE [dbo].[Weeks]
(
    [ID] [int] NOT NULL IDENTITY(1, 1),
    [WeekNumber] [nvarchar] (10) COLLATE Latin1_General_CI_AS NULL,
    [LastUpdate] [smalldatetime] NULL,
    [DepartmentID] [tinyint] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[Weeks] ADD CONSTRAINT [PK_Weeks] PRIMARY KEY CLUSTERED ([ID]) ON [PRIMARY]
GO
CREATE NONCLUSTERED INDEX [IX_Department_Week] ON [dbo].[Weeks] ([DepartmentID], [WeekNumber]) ON [PRIMARY]
GO
```

 [dbo].[workingdays]
Properties

Property	Value
Collation	Latin1_General_CI_AS
Heap	True
Row Count (~)	26
Created	15:37:50 03 October 2017
Last Modified	15:37:50 03 October 2017

Columns

Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
id	int	4	False	1 - 1
description	nvarchar(50)	100	True	
base	int	4	True	
isworking	bit	1	True	
textcolour	nvarchar(50)	100	True	

SQL Script

```
CREATE TABLE [dbo].[workingdays]
(
    [id] [int] NOT NULL IDENTITY(1, 1),
    [description] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL,
    [base] [int] NULL,
    [isworking] [bit] NULL,
    [textcolour] [nvarchar] (50) COLLATE Latin1_General_CI_AS NULL
) ON [PRIMARY]
GO
```