

[illegible]

Online C++ Compiler - Program

Online C++ Compiler - Program

+

Ask Gemini

—

□

×

→

↶

↷

programiz.com/online-compiler/0hbAH6J8Mql0b

Ask Google

☆

🔍

🌐

⋮

Programiz

C++ Online Compiler

Contract

Protect a PDF

Adobe Acrobat

Start free trial

आज ही अपनी PDFs को पासवर्ड प्रोटेक्ट करें।

Programiz PRO

main.cpp

🔄

🌞

🔗 Share

Run

Output

Clear

```
22     }
23     return stack[top--];
24 }
25
26 char peek() {
27     if (top < 0) {
28         return '\0';
29     }
30     return stack[top];
31 }
32
33 int precedence(char op) {
34     switch (op) {
35         case '+':
36         case '-':
37             return 1;
38         case '*':
39         case '/':
40             return 2;
41         case '^':
42             return 3;
```

Enter an infix expression: 5

Postfix expression: 5

=== Code Execution Successful ===

HDFCBANK

-1.39%

🪟

🔍 Search

🐾

📁

🗂️

🌐

📅

📌

📞

💬

📧

🌐

⬆️

☁️

📶

🔊

🔋

09:52

08-05-2026

🪧

Online C++ Compiler - Program x Online C++ Compiler - Program x +

programiz.com/online-compiler/0hbAH6J8Mql0b

Ask Gemini

Ask Google

Programiz PRO

Programiz
C++ Online Compiler

main.cpp

42 return 3;

43 default:

44 return 0;

45 }

46 }

47 int isOperator(char c) {

48 return (c == '+' || c == '-' || c == '*' || c == '/' || c == '^');

49 }

50 void infixToPostfix(char *infix, char *postfix) {

51 int i = 0, j = 0;

52 char c;

53 while ((c = infix[i++]) != '\0') {

54 // If operand, add to output

55 if (isalnum(c)) {

56 postfix[j++] = c;

57 }

58 // If '(', push to stack

59 else if (c == '(') {

60 push(c);

61 }

62 // If ')', pop until '(' is found

Run

Output

Clear

Enter an infix expression: 5

Postfix expression: 5

=== Code Execution Successful ===

HDFCBANK
-1.39%

Search

09:52
08-05-2026

Online C++ Compiler - Program x

Online C++ Compiler - Program x

+

Ask Gemini

Ask Google

programiz.com/online-compiler/0hbAH6J8Mql0b

Programiz PRO

Programiz

C++ Online Compiler

main.cpp

Share

Run

Output

Clear

```
61 }
62 // If ')', pop until '(' is found
63 else if (c == ')') {
64     while (top >= 0 && peek() != '(') {
65         postfix[j++] = pop();
66     }
67     pop(); // Remove '(' from stack
68 }
69 // If operator
70 else if (isOperator(c)) {
71     // Handle right-associativity for '^'
72     if (c == '^') {
73         while (top >= 0 && precedence(peek()) > precedence(c)) {
74             postfix[j++] = pop();
75         }
76     } else {
77         while (top >= 0 && precedence(peek()) >= precedence(c)) {
78             postfix[j++] = pop();
79         }
80     }
81 }
```

Enter an infix expression: 5

Postfix expression: 5

=== Code Execution Successful ===

HDFCBANK

-1.39%

Search

09:52

08-05-2026

Online C++ Compiler - Program x Online C++ Compiler - Program x +

programiz.com/online-compiler/0hbAH6J8Mql0b

Ask Gemini

Ask Google

Programiz C++ Online Compiler

Start winning AI search

Programiz PRO

main.cpp

Share Run

Output Clear

```
78 postfix[j++] = pop();
79 }
80 }
81 push(c);
82 }
83 }
84 // Pop remaining operators
85 while (top >= 0) {
86     postfix[j++] = pop();
87 }
88 postfix[j] = '\0';
89 }
90 int main() {
91     char infix[MAX], postfix[MAX];
92     printf("Enter an infix expression: ");
93     scanf("%s", infix);
94     infixToPostfix(infix, postfix);
95     printf("Postfix expression: %s\n", postfix);
96     return 0;
97 }
```

Enter an infix expression: 5

Postfix expression: 5

=== Code Execution Successful ===

HDFCBANK -1.39%

Search

09:52 08-05-2026